**This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document**

# ►B REGULATION (EC) No 396/2005 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

**of 23 February 2005**

**on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC**

**(Text with EEA relevance)**

(OJ L 70, 16.3.2005, p. 1)

Amended by:

| | | Official Journal | | |
|---|---|---|---|---|
| | | No | page | date |
| ►M1 | Commission Regulation (EC) No 178/2006 of 1 February 2006 | L 29 | 3 | 2.2.2006 |
| ►M2 | Commission Regulation (EC) No 149/2008 of 29 January 2008 | L 58 | 1 | 1.3.2008 |
| ►M3 | Commission Regulation (EC) No 260/2008 of 18 March 2008 | L 76 | 31 | 19.3.2008 |
| ►M4 | Regulation (EC) No 299/2008 of the European Parliament and of the Council of 11 March 2008 | L 97 | 67 | 9.4.2008 |
| ►M5 | Commission Regulation (EC) No 839/2008 of 31 July 2008 | L 234 | 1 | 30.8.2008 |
| ►M6 | Commission Regulation (EC) No 256/2009 of 23 March 2009 | L 81 | 3 | 27.3.2009 |
| ►M7 | Commission Regulation (EC) No 822/2009 of 27 August 2009 | L 239 | 5 | 10.9.2009 |
| ►M8 | Commission Regulation (EC) No 1050/2009 of 28 October 2009 | L 290 | 7 | 6.11.2009 |
| ►M9 | Commission Regulation (EC) No 1097/2009 of 16 November 2009 | L 301 | 6 | 17.11.2009 |
| ►M10 | Commission Regulation (EU) No 304/2010 of 9 April 2010 | L 94 | 1 | 15.4.2010 |
| ►M11 | Commission Regulation (EU) No 459/2010 of 27 May 2010 | L 129 | 3 | 28.5.2010 |
| ►M12 | Commission Regulation (EU) No 600/2010 of 8 July 2010 | L 174 | 18 | 9.7.2010 |
| ►M13 | Commission Regulation (EU) No 750/2010 of 7 July 2010 | L 220 | 1 | 21.8.2010 |
| ►M14 | Commission Regulation (EU) No 765/2010 of 25 August 2010 | L 226 | 1 | 28.8.2010 |
| ►M15 | Commission Regulation (EU) No 893/2010 of 8 October 2010 | L 266 | 10 | 9.10.2010 |
| ►M16 | Commission Regulation (EU) No 310/2011 of 28 March 2011 | L 86 | 1 | 1.4.2011 |
| ►M17 | Commission Regulation (EU) No 460/2011 of 12 May 2011 | L 124 | 23 | 13.5.2011 |
| ►M18 | Commission Regulation (EU) No 508/2011 of 24 May 2011 | L 137 | 3 | 25.5.2011 |
| ►M19 | Commission Regulation (EU) No 520/2011 of 25 May 2011 | L 140 | 2 | 27.5.2011 |

| | | | | |
|---|---|---|---|---|
| ►**M20** | Commission Regulation (EU) No 524/2011 of 26 May 2011 | L 142 | 1 | 28.5.2011 |
| ►**M21** | Commission Regulation (EU) No 559/2011 of 7 June 2011 | L 152 | 1 | 11.6.2011 |
| ►**M22** | Commission Regulation (EU) No 812/2011 of 10 August 2011 | L 208 | 1 | 13.8.2011 |
| ►**M23** | Commission Regulation (EU) No 813/2011 of 11 August 2011 | L 208 | 23 | 13.8.2011 |
| ►**M24** | Commission Regulation (EU) No 978/2011 of 3 October 2011 | L 258 | 12 | 4.10.2011 |
| ►**M25** | Commission Regulation (EU) No 270/2012 of 26 March 2012 | L 89 | 5 | 27.3.2012 |
| ►**M26** | Commission Regulation (EU) No 322/2012 of 16 April 2012 | L 105 | 1 | 17.4.2012 |
| ►**M27** | Commission Regulation (EU) No 441/2012 of 24 May 2012 | L 135 | 4 | 25.5.2012 |
| ►**M28** | Commission Regulation (EU) No 473/2012 of 4 June 2012 | L 144 | 25 | 5.6.2012 |
| ►**M29** | Commission Regulation (EU) No 556/2012 of 26 June 2012 | L 166 | 67 | 27.6.2012 |
| ►**M30** | Commission Regulation (EU) No 592/2012 of 4 July 2012 | L 176 | 1 | 6.7.2012 |
| ►**M31** | Commission Regulation (EU) No 897/2012 of 1 October 2012 | L 266 | 1 | 2.10.2012 |
| ►**M32** | Commission Regulation (EU) No 899/2012 of 21 September 2012 | L 273 | 1 | 6.10.2012 |
| ►**M33** | Commission Regulation (EU) No 34/2013 of 16 January 2013 | L 25 | 1 | 26.1.2013 |
| ►**M34** | Commission Regulation (EU) No 35/2013 of 18 January 2013 | L 25 | 49 | 26.1.2013 |
| ►**M35** | Commission Regulation (EU) No 212/2013 of 11 March 2013 | L 68 | 30 | 12.3.2013 |
| ►**M36** | Commission Regulation (EU) No 241/2013 of 14 March 2013 | L 75 | 1 | 19.3.2013 |
| ►**M37** | Commission Regulation (EU) No 251/2013 of 22 March 2013 | L 88 | 1 | 27.3.2013 |
| ►**M38** | Commission Regulation (EU) No 293/2013 of 20 March 2013 | L 96 | 1 | 5.4.2013 |
| ►**M39** | Commission Regulation (EU) No 500/2013 of 30 May 2013 | L 151 | 1 | 4.6.2013 |
| ►**M40** | Commission Regulation (EU) No 668/2013 of 12 July 2013 | L 192 | 39 | 13.7.2013 |
| ►**M41** | Commission Regulation (EU) No 772/2013 of 8 August 2013 | L 217 | 1 | 13.8.2013 |
| ►**M42** | Commission Regulation (EU) No 777/2013 of 12 August 2013 | L 221 | 1 | 17.8.2013 |
| ►**M43** | Commission Regulation (EU) No 834/2013 of 30 August 2013 | L 233 | 11 | 31.8.2013 |
| ►**M44** | Commission Regulation (EU) No 1004/2013 of 15 October 2013 | L 279 | 10 | 19.10.2013 |
| ►**M45** | Commission Regulation (EU) No 1138/2013 of 8 November 2013 | L 307 | 1 | 16.11.2013 |
| ►**M46** | Commission Regulation (EU) No 1317/2013 of 16 December 2013 | L 339 | 1 | 17.12.2013 |
| ►**M47** | Commission Regulation (EU) No 36/2014 of 16 January 2014 | L 17 | 1 | 21.1.2014 |
| ►**M48** | Commission Regulation (EU) No 51/2014 of 20 January 2014 | L 16 | 13 | 21.1.2014 |
| ►**M49** | Commission Regulation (EU) No 61/2014 of 24 January 2014 | L 22 | 1 | 25.1.2014 |

| | | | | |
|---|---|---|---|---|
| ►**M50** | Commission Regulation (EU) No 79/2014 of 29 January 2014 | L 27 | 9 | 30.1.2014 |
| ►**M51** | Commission Regulation (EU) No 87/2014 of 31 January 2014 | L 35 | 1 | 5.2.2014 |
| ►**M52** | Commission Regulation (EU) No 289/2014 of 21 March 2014 | L 87 | 49 | 22.3.2014 |
| ►**M53** | Commission Regulation (EU) No 318/2014 of 27 March 2014 | L 93 | 28 | 28.3.2014 |
| ►**M54** | Commission Regulation (EU) No 364/2014 of 4 April 2014 | L 112 | 1 | 15.4.2014 |
| ►**M55** | Commission Regulation (EU) No 398/2014 of 22 April 2014 | L 119 | 3 | 23.4.2014 |
| ►**M56** | Commission Regulation (EU) No 491/2014 of 5 May 2014 | L 146 | 1 | 16.5.2014 |
| ►**M57** | Commission Regulation (EU) No 588/2014 of 2 June 2014 | L 164 | 16 | 3.6.2014 |
| ►**M58** | Commission Regulation (EU) No 617/2014 of 3 June 2014 | L 171 | 1 | 11.6.2014 |
| ►**M59** | Commission Regulation (EU) No 703/2014 of 19 June 2014 | L 186 | 1 | 26.6.2014 |
| ►**M60** | Regulation (EU) No 652/2014 of the European Parliament and of the Council of 15 May 2014 | L 189 | 1 | 27.6.2014 |
| ►**M61** | Commission Regulation (EU) No 737/2014 of 24 June 2014 | L 202 | 1 | 10.7.2014 |
| ►**M62** | Commission Regulation (EU) No 752/2014 of 24 June 2014 | L 208 | 1 | 15.7.2014 |
| ►**M63** | Commission Regulation (EU) No 991/2014 of 19 September 2014 | L 279 | 1 | 23.9.2014 |
| ►**M64** | Commission Regulation (EU) No 1096/2014 of 15 October 2014 | L 300 | 5 | 18.10.2014 |
| ►**M65** | Commission Regulation (EU) No 1119/2014 of 16 October 2014 | L 304 | 43 | 23.10.2014 |
| ►**M66** | Commission Regulation (EU) No 1126/2014 of 17 October 2014 | L 305 | 3 | 24.10.2014 |
| ►**M67** | Commission Regulation (EU) No 1127/2014 of 20 October 2014 | L 305 | 47 | 24.10.2014 |
| ►**M68** | Commission Regulation (EU) No 1146/2014 of 23 October 2014 | L 308 | 3 | 29.10.2014 |
| ►**M69** | Commission Regulation (EU) 2015/165 of 3 February 2015 | L 28 | 1 | 4.2.2015 |
| ►**M70** | Commission Regulation (EU) 2015/399 of 25 February 2015 | L 71 | 1 | 14.3.2015 |
| ►**M71** | Commission Regulation (EU) 2015/400 of 25 February 2015 | L 71 | 56 | 14.3.2015 |
| ►**M72** | Commission Regulation (EU) 2015/401 of 25 February 2015 | L 71 | 114 | 14.3.2015 |
| ►**M73** | Commission Regulation (EU) 2015/552 of 7 April 2015 | L 92 | 20 | 8.4.2015 |
| ►**M74** | Commission Regulation (EU) 2015/603 of 13 April 2015 | L 100 | 10 | 17.4.2015 |
| ►**M75** | Commission Regulation (EU) 2015/845 of 27 May 2015 | L 138 | 1 | 4.6.2015 |
| ►**M76** | Commission Regulation (EU) 2015/846 of 28 May 2015 | L 140 | 1 | 5.6.2015 |
| ►**M77** | Commission Regulation (EU) 2015/868 of 26 May 2015 | L 145 | 1 | 10.6.2015 |
| ►**M78** | Commission Regulation (EU) 2015/896 of 11 June 2015 | L 147 | 3 | 12.6.2015 |
| ►**M79** | Commission Regulation (EU) 2015/1040 of 30 June 2015 | L 167 | 10 | 1.7.2015 |
| ►**M80** | Commission Regulation (EU) 2015/1101 of 8 July 2015 | L 181 | 27 | 9.7.2015 |
| ►**M81** | Commission Regulation (EU) 2015/1200 of 22 July 2015 | L 195 | 1 | 23.7.2015 |
| ►**M82** | Commission Regulation (EU) 2015/1608 of 24 September 2015 | L 249 | 14 | 25.9.2015 |
| ►**M83** | Commission Regulation (EU) 2015/1910 of 21 October 2015 | L 280 | 2 | 24.10.2015 |
| ►**M84** | Commission Regulation (EU) 2015/2075 of 18 November 2015 | L 302 | 15 | 19.11.2015 |
| ►**M85** | Commission Regulation (EU) 2016/1 of 3 December 2015 | L 2 | 1 | 5.1.2016 |
| ►**M86** | Commission Regulation (EU) 2016/46 of 18 January 2016 | L 12 | 28 | 19.1.2016 |
| ►**M87** | Commission Regulation (EU) 2016/53 of 19 January 2016 | L 13 | 12 | 20.1.2016 |

| | | | | |
|---|---|---|---|---|
| ►**M88** | Commission Regulation (EU) 2016/60 of 19 January 2016 | L 14 | 1 | 21.1.2016 |
| ►**M89** | Commission Regulation (EU) 2016/67 of 19 January 2016 | L 15 | 2 | 22.1.2016 |
| ►**M90** | Commission Regulation (EU) 2016/75 of 21 January 2016 | L 16 | 8 | 23.1.2016 |
| ►**M91** | Commission Regulation (EU) 2016/71 of 26 January 2016 | L 20 | 1 | 27.1.2016 |
| ►**M92** | Commission Regulation (EU) 2016/143 of 18 January 2016 | L 28 | 12 | 4.2.2016 |
| ►**M93** | Commission Regulation (EU) 2016/156 of 18 January 2016 | L 31 | 1 | 6.2.2016 |
| ►**M94** | Commission Regulation (EU) 2016/439 of 23 March 2016 | L 78 | 31 | 24.3.2016 |
| ►**M95** | Commission Regulation (EU) 2016/440 of 23 March 2016 | L 78 | 34 | 24.3.2016 |
| ►**M96** | Commission Regulation (EU) 2016/452 of 29 March 2016 | L 79 | 10 | 30.3.2016 |
| ►**M97** | Commission Regulation (EU) 2016/486 of 29 March 2016 | L 90 | 1 | 6.4.2016 |
| ►**M98** | Commission Regulation (EU) 2016/567 of 6 April 2016 | L 100 | 1 | 15.4.2016 |
| ►**M99** | Commission Regulation (EU) 2016/805 of 20 May 2016 | L 132 | 95 | 21.5.2016 |
| ►**M100** | Commission Regulation (EU) 2016/1002 of 17 June 2016 | L 167 | 1 | 24.6.2016 |
| ►**M101** | Commission Regulation (EU) 2016/1003 of 17 June 2016 | L 167 | 46 | 24.6.2016 |
| ►**M102** | Commission Regulation (EU) 2016/1015 of 17 June 2016 | L 172 | 1 | 29.6.2016 |
| ►**M103** | Commission Regulation (EU) 2016/1016 of 17 June 2016 | L 172 | 22 | 29.6.2016 |
| ►**M104** | Commission Regulation (EU) 2016/1355 of 9 August 2016 | L 215 | 4 | 10.8.2016 |
| ►**M105** | Commission Regulation (EU) 2016/1726 of 27 September 2016 | L 261 | 3 | 28.9.2016 |
| ►**M106** | Commission Regulation (EU) 2016/1785 of 7 October 2016 | L 273 | 10 | 8.10.2016 |
| ►**M107** | Commission Regulation (EU) 2016/1822 of 13 October 2016 | L 281 | 1 | 18.10.2016 |
| ►**M108** | Commission Regulation (EU) 2016/1866 of 17 October 2016 | L 286 | 4 | 21.10.2016 |
| ►**M109** | Commission Regulation (EU) 2016/1902 of 27 October 2016 | L 298 | 1 | 4.11.2016 |
| ►**M110** | Commission Regulation (EU) 2017/170 of 30 January 2017 | L 30 | 1 | 3.2.2017 |
| ►**M111** | Commission Regulation (EU) 2017/171 of 30 January 2017 | L 30 | 45 | 3.2.2017 |
| ►**M112** | Commission Regulation (EU) 2017/405 of 8 March 2017 | L 63 | 71 | 9.3.2017 |
| ►**M113** | Commission Regulation (EU) 2017/623 of 30 March 2017 | L 93 | 1 | 6.4.2017 |
| ►**M114** | Commission Regulation (EU) 2017/624 of 30 March 2017 | L 93 | 30 | 6.4.2017 |
| ►**M115** | Regulation (EU) 2017/625 of the European Parliament and of the Council of 15 March 2017 | L 95 | 1 | 7.4.2017 |
| ►**M116** | Commission Regulation (EU) 2017/626 of 31 March 2017 | L 96 | 1 | 7.4.2017 |
| ►**M117** | Commission Regulation (EU) 2017/627 of 3 April 2017 | L 96 | 44 | 7.4.2017 |
| ►**M118** | Commission Regulation (EU) 2017/671 of 7 April 2017 | L 97 | 9 | 8.4.2017 |
| ►**M119** | Commission Regulation (EU) 2017/693 of 7 April 2017 | L 101 | 1 | 13.4.2017 |
| ►**M120** | Commission Regulation (EU) 2017/983 of 9 June 2017 | L 148 | 27 | 10.6.2017 |

| | | | | |
|---|---|---|---|---|
| ►**M121** | Commission Regulation (EU) 2017/978 of 9 June 2017 | L 151 | 1 | 14.6.2017 |
| ►**M122** | Commission Regulation (EU) 2017/1016 of 14 June 2017 | L 159 | 1 | 21.6.2017 |
| ►**M123** | Commission Regulation (EU) 2017/1135 of 23 June 2017 | L 164 | 28 | 27.6.2017 |
| ►**M124** | Commission Regulation (EU) 2017/1164 of 22 June 2017 | L 170 | 3 | 1.7.2017 |
| ►**M125** | Commission Regulation (EU) 2017/1777 of 29 September 2017 | L 253 | 1 | 30.9.2017 |
| ►**M126** | Commission Regulation (EU) 2018/70 of 16 January 2018 | L 12 | 24 | 17.1.2018 |
| ►**M127** | Commission Regulation (EU) 2018/73 of 16 January 2018 | L 13 | 8 | 18.1.2018 |
| ►**M128** | Commission Regulation (EU) 2018/78 of 16 January 2018 | L 14 | 6 | 19.1.2018 |
| ►**M129** | Commission Regulation (EU) 2018/62 of 17 January 2018 | L 18 | 1 | 23.1.2018 |
| ►**M130** | Commission Regulation (EU) 2018/685 of 3 May 2018 | L 121 | 1 | 16.5.2018 |
| ►**M131** | Commission Regulation (EU) 2018/686 of 4 May 2018 | L 121 | 30 | 16.5.2018 |
| ►**M132** | Commission Regulation (EU) 2018/687 of 4 May 2018 | L 121 | 63 | 16.5.2018 |
| ►**M133** | Commission Regulation (EU) 2018/832 of 5 June 2018 | L 140 | 38 | 6.6.2018 |
| ►**M134** | Commission Regulation (EU) 2018/960 of 5 July 2018 | L 169 | 27 | 6.7.2018 |
| ►**M135** | Commission Regulation (EU) 2018/1049 of 25 July 2018 | L 189 | 9 | 26.7.2018 |
| ►**M136** | Commission Regulation (EU) 2018/1514 of 10 October 2018 | L 256 | 8 | 12.10.2018 |
| ►**M137** | Commission Regulation (EU) 2018/1515 of 10 October 2018 | L 256 | 33 | 12.10.2018 |
| ►**M138** | Commission Regulation (EU) 2018/1516 of 10 October 2018 | L 256 | 45 | 12.10.2018 |
| ►**M139** | Commission Regulation (EU) 2019/38 of 10 January 2019 | L 9 | 94 | 11.1.2019 |
| ►**M140** | Commission Regulation (EU) 2019/50 of 11 January 2019 | L 10 | 8 | 14.1.2019 |
| ►**M141** | Commission Regulation (EU) 2019/58 of 14 January 2019 | L 12 | 1 | 15.1.2019 |
| ►**M142** | Commission Regulation (EU) 2019/88 of 18 January 2019 | L 22 | 1 | 24.1.2019 |
| ►**M143** | Commission Regulation (EU) 2019/89 of 18 January 2019 | L 22 | 13 | 24.1.2019 |
| ►**M144** | Commission Regulation (EU) 2019/90 of 18 January 2019 | L 22 | 52 | 24.1.2019 |
| ►**M145** | Commission Regulation (EU) 2019/91 of 18 January 2019 | L 22 | 74 | 24.1.2019 |
| ►**M146** | Commission Regulation (EU) 2019/552 of 4 April 2019 | L 96 | 6 | 5.4.2019 |
| ►**M147** | Commission Regulation (EU) 2019/973 of 13 June 2019 | L 157 | 3 | 14.6.2019 |
| ►**M148** | Commission Regulation (EU) 2019/977 of 13 June 2019 | L 159 | 1 | 17.6.2019 |
| ►**M149** | Commission Regulation (EU) 2019/1015 of 20 June 2019 | L 165 | 23 | 21.6.2019 |

| | | | | |
|---|---|---|---|---|
| ►**M150** | Commission Regulation (EU) 2019/1176 of 10 July 2019 | L 185 | 1 | 11.7.2019 |
| ►**M151** | Commission Regulation (EU) 2019/1559 of 16 September 2019 | L 239 | 1 | 17.9.2019 |
| ►**M152** | Commission Regulation (EU) 2019/1561 of 17 September 2019 | L 240 | 1 | 18.9.2019 |
| ►**M153** | Commission Regulation (EU) 2019/1582 of 25 September 2019 | L 246 | 1 | 26.9.2019 |
| ►**M154** | Commission Regulation (EU) 2019/1791 of 17 October 2019 | L 277 | 1 | 29.10.2019 |
| ►**M155** | Commission Regulation (EU) 2019/1792 of 17 October 2019 | L 277 | 66 | 29.10.2019 |
| ►**M156** | Commission Regulation (EU) 2020/192 of 12 February 2020 | L 40 | 4 | 13.2.2020 |
| ►**M157** | Commission Regulation (EU) 2020/703 of 26 May 2020 | L 164 | 1 | 27.5.2020 |
| ►**M158** | Commission Regulation (EU) 2020/749 of 4 June 2020 | L 178 | 7 | 8.6.2020 |
| ►**M159** | Commission Regulation (EU) 2020/770 of 8 June 2020 | L 184 | 1 | 12.6.2020 |
| ►**M160** | Commission Regulation (EU) 2020/785 of 9 June 2020 | L 190 | 1 | 16.6.2020 |
| ►**M161** | Commission Regulation (EU) 2020/856 of 9 June 2020 | L 195 | 9 | 19.6.2020 |
| ►**M162** | Commission Regulation (EU) 2020/1085 of 23 July 2020 | L 239 | 7 | 24.7.2020 |
| ►**M163** | Commission Regulation (EU) 2020/1565 of 27 October 2020 | L 358 | 3 | 28.10.2020 |
| ►**M164** | Commission Regulation (EU) 2020/1566 of 27 October 2020 | L 358 | 30 | 28.10.2020 |
| ►**M165** | Commission Regulation (EU) 2020/1633 of 27 October 2020 | L 367 | 1 | 5.11.2020 |
| ►**M166** | Commission Regulation (EU) 2021/155 of 9 February 2021 | L 46 | 5 | 10.2.2021 |
| ►**M167** | Commission Regulation (EU) 2021/590 of 12 April 2021 | L 125 | 15 | 13.4.2021 |
| ►**M168** | Commission Regulation (EU) 2021/616 of 13 April 2021 | L 131 | 4 | 16.4.2021 |
| ►**M169** | Commission Regulation (EU) 2021/618 of 15 April 2021 | L 131 | 55 | 16.4.2021 |
| ►**M170** | Commission Regulation (EU) 2021/644 of 15 April 2021 | L 133 | 9 | 20.4.2021 |
| ►**M171** | Commission Regulation (EU) 2021/663 of 22 April 2021 | L 139 | 148 | 23.4.2021 |
| ►**M172** | Commission Regulation (EU) 2021/976 of 4 June 2021 | L 216 | 1 | 18.6.2021 |
| ►**M173** | Commission Regulation (EU) 2021/1098 of 2 July 2021 | L 238 | 5 | 6.7.2021 |
| ►**M174** | Commission Regulation (EU) 2021/1110 of 6 July 2021 | L 239 | 4 | 7.7.2021 |
| ►**M175** | Commission Regulation (EU) 2021/1247 of 29 July 2021 | L 272 | 33 | 30.7.2021 |
| ►**M176** | Commission Regulation (EU) 2021/1531 of 17 September 2021 | L 330 | 44 | 20.9.2021 |
| ►**M177** | Commission Regulation (EU) 2021/1771 of 7 October 2021 | L 356 | 30 | 8.10.2021 |

| | | | | |
|---|---|---|---|---|
| ►**M178** | Commission Regulation (EU) 2021/1795 of 11 October 2021 | L 361 | 43 | 12.10.2021 |
| ►**M179** | Commission Regulation (EU) 2021/1804 of 12 October 2021 | L 364 | 1 | 13.10.2021 |
| ►**M180** | Commission Regulation (EU) 2021/1807 of 13 October 2021 | L 365 | 1 | 14.10.2021 |
| ►**M181** | Commission Regulation (EU) 2021/1810 of 14 October 2021 | L 366 | 2 | 15.10.2021 |
| ►**M182** | Commission Regulation (EU) 2021/1841 of 20 October 2021 | L 373 | 63 | 21.10.2021 |
| ►**M183** | Commission Regulation (EU) 2021/1842 of 20 October 2021 | L 373 | 76 | 21.10.2021 |
| ►**M184** | Commission Regulation (EU) 2021/1864 of 22 October 2021 | L 377 | 3 | 25.10.2021 |
| ►**M185** | Commission Regulation (EU) 2021/1881 of 26 October 2021 | L 380 | 5 | 27.10.2021 |
| ►**M186** | Commission Regulation (EU) 2021/1884 of 27 October 2021 | L 382 | 39 | 28.10.2021 |
| ►**M187** | Commission Regulation (EU) 2021/2202 of 9 December 2021 | L 446 | 8 | 14.12.2021 |
| ►**M188** | Commission Regulation (EU) 2022/78 of 19 January 2022 | L 13 | 5 | 20.1.2022 |
| ►**M189** | Commission Regulation (EU) 2022/85 of 20 January 2022 | L 14 | 6 | 21.1.2022 |
| ►**M190** | Commission Regulation (EU) 2022/93 of 20 January 2022 | L 16 | 1 | 25.1.2022 |
| ►**M191** | Commission Regulation (EU) 2022/476 of 24 March 2022 | L 98 | 9 | 25.3.2022 |
| ►**M192** | Commission Regulation (EU) 2022/566 of 7 April 2022 | L 109 | 35 | 8.4.2022 |
| ►**M193** | Commission Regulation (EU) 2022/1264 of 20 July 2022 | L 192 | 1 | 21.7.2022 |
| ►**M194** | Commission Regulation (EU) 2022/1290 of 22 July 2022 | L 196 | 74 | 25.7.2022 |
| ►**M195** | Commission Regulation (EU) 2022/1321 of 25 July 2022 | L 200 | 1 | 29.7.2022 |
| ►**M196** | Commission Regulation (EU) 2022/1324 of 28 July 2022 | L 200 | 68 | 29.7.2022 |
| ►**M197** | Commission Regulation (EU) 2022/1343 of 29 July 2022 | L 202 | 1 | 2.8.2022 |
| ►**M198** | Commission Regulation (EU) 2022/1346 of 1 August 2022 | L 202 | 31 | 2.8.2022 |
| ►**M199** | Commission Regulation (EU) 2022/1363 of 3 August 2022 | L 205 | 207 | 5.8.2022 |
| ►**M200** | Commission Regulation (EU) 2022/1406 of 3 August 2022 | L 215 | 1 | 18.8.2022 |
| ►**M201** | Commission Regulation (EU) 2022/1435 of 26 August 2022 | L 224 | 1 | 30.8.2022 |
| ►**M202** | Commission Regulation (EU) 2023/127 of 18 January 2023 | L 17 | 8 | 19.1.2023 |
| ►**M203** | Commission Regulation (EU) 2023/128 of 18 January 2023 | L 17 | 22 | 19.1.2023 |
| ►**M204** | Commission Regulation (EU) 2023/129 of 18 January 2023 | L 17 | 56 | 19.1.2023 |
| ►**M205** | Commission Regulation (EU) 2023/147 of 20 January 2023 | L 20 | 1 | 23.1.2023 |
| ►**M206** | Commission Regulation (EU) 2023/163 of 18 January 2023 | L 23 | 1 | 25.1.2023 |

| | | | | |
|---|---|---|---|---|
| ►**M207** | Commission Regulation (EU) 2023/173 of 26 January 2023 | L 25 | 1 | 27.1.2023 |
| ►**M208** | Commission Regulation (EU) 2023/198 of 30 January 2023 | L 27 | 7 | 31.1.2023 |
| ►**M209** | Commission Regulation (EU) 2023/377 of 15 February 2023 | L 55 | 1 | 22.2.2023 |
| ►**M210** | Commission Regulation (EU) 2023/466 of 3 March 2023 | L 68 | 55 | 6.3.2023 |
| ►**M211** | Commission Regulation (EU) 2023/679 of 23 March 2023 | L 86 | 6 | 24.3.2023 |
| ►**M212** | Commission Regulation (EU) 2023/710 of 30 March 2023 | L 93 | 57 | 31.3.2023 |
| ►**M213** | Commission Regulation (EU) 2023/1029 of 25 May 2023 | L 139 | 15 | 26.5.2023 |
| ►**M214** | Commission Regulation (EU) 2023/1030 of 25 May 2023 | L 139 | 28 | 26.5.2023 |
| ►**M215** | Commission Regulation (EU) 2023/1042 of 26 May 2023 | L 140 | 37 | 30.5.2023 |
| ►**M216** | Commission Regulation (EU) 2023/1049 of 30 May 2023 | L 141 | 1 | 31.5.2023 |
| ►**M217** | Commission Regulation (EU) 2023/1068 of 1 June 2023 | L 143 | 27 | 2.6.2023 |
| ►**M218** | Commission Regulation (EU) 2023/1069 of 1 June 2023 | L 143 | 40 | 2.6.2023 |
| ►**M219** | Commission Regulation (EU) 2023/1536 of 25 July 2023 | L 187 | 6 | 26.7.2023 |
| ►**M220** | Commission Regulation (EU) 2023/1719 of 8 September 2023 | L 223 | 9 | 11.9.2023 |

Corrected by:

►**C1** Corrigendum, OJ L 240, 9.9.2008, p. 9 (149/2008)
►**C2** Corrigendum, OJ L 208, 12.8.2009, p. 39 (256/2009)
►**C3** Corrigendum, OJ L 307, 21.11.2009, p. 9 (1097/2009)
►**C4** Corrigendum, OJ L 338, 19.12.2009, p. 105 (1050/2009)
►**C5** Corrigendum, OJ L 60, 10.3.2010, p. 26 (822/2009)
►**C6** Corrigendum, OJ L 79, 21.3.2013, p. 33 (839/2008)
►**C7** Corrigendum, OJ L 79, 21.3.2013, p. 34 (524/2011)
►**C8** Corrigendum, OJ L 64, 7.3.2015, p. 46 (668/2013)
►**C9** Corrigendum, OJ L 280, 24.10.2015, p. 38 (2015/845)
►**C10** Corrigendum, OJ L 109, 26.4.2016, p. 43 (2016/71)
►**C11** Corrigendum, OJ L 340, 15.12.2016, p. 72 (2016/1015)
►**C12** Corrigendum, OJ L 131, 20.5.2017, p. 23 (2017/693)
►**C13** Corrigendum, OJ L 11, 16.1.2018, p. 7 (2017/978)
►**C14** Corrigendum, OJ L 247, 3.10.2018, p. 9 (2018/832)
►**C15** Corrigendum, OJ L 109, 24.4.2019, p. 28 (2019/50)
►**C16** Corrigendum, OJ L 245, 30.7.2020, p. 31 (2020/1085)
►**C17** Corrigendum, OJ L 345, 30.9.2021, p. 39 (2021/1110)
►**C18** Corrigendum, OJ L 382, 28.10.2021, p. 56 (2021/618)
►**C19** Corrigendum, OJ L 382, 28.10.2021, p. 57 (2021/616)
►**C20** Corrigendum, OJ L 382, 28.10.2021, p. 58 (2020/192)
►**C21** Corrigendum, OJ L 17, 19.1.2023, p. 99 (2022/1363)
►**C22** Corrigendum, OJ L 71, 9.3.2023, p. 43 (2023/466)

▼B

# REGULATION (EC) No 396/2005 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

**of 23 February 2005**

**on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC**

**(Text with EEA relevance)**

## CHAPTER I

## SUBJECT MATTER, SCOPE AND DEFINITIONS

### *Article 1*

### Subject matter

This Regulation establishes, in accordance with the general principles laid down in Regulation (EC) No 178/2002, in particular the need to ensure a high level of consumer protection and harmonised Community provisions relating to maximum levels of pesticide residues in or on food and feed of plant and animal origin.

### *Article 2*

### Scope

1. This Regulation shall apply to products of plant and animal origin or parts thereof covered by Annex I to be used as fresh, processed and/or composite food or feed in or on which pesticide residues may be present.

2. This Regulation shall not apply to the products covered by Annex I where it may be established by appropriate evidence that they are intended for:

(a) the manufacture of products other than food or feed; or

(b) sowing or planting; or

(c) activities authorised by national law for the testing of active substances.

3. Maximum residue levels for pesticides set in accordance with this Regulation shall not apply to products covered by Annex I intended for export to third countries and treated before export, where it has been established by appropriate evidence that the third country of destination requires or agrees with that particular treatment in order to prevent the introduction of harmful organisms into its territory.

4. This Regulation shall apply without prejudice to Directives 98/8/EC ([1]), 2002/32/EC and Regulation (EEC) No 2377/90 ([2]).

([1]) Directive 98/8/EC of the European Parliament and of the Council of 16 February 1998 concerning the placing of biocidal products on the market (OJ L 123, 24.4.1998, p. 1). Directive as amended by Regulation (EC) No 1882/2003 (OJ L 284, 31.10.2003, p. 1).

([2]) Council Regulation (EEC) No 2377/90 of 26 June 1990 laying down a Community procedure for the establishment of maximum residue limits of veterinary medicinal products in foodstuffs of animal origin (OJ L 224, 18.8.1990, p. 1). Regulation as last amended by Commission Regulation (EC) No 1875/2004 (OJ L 326, 29.10.2004, p. 19).

▼B

*Article 3*

**Definitions**

1. For the purpose of this Regulation, the definitions in Regulation (EC) No 178/2002, and the definitions in Article 2, points 1 and 4 of Directive 91/414/EEC shall apply.

2. The following definitions shall also apply:

(a) ‘good agricultural practice’ (GAP) means the nationally recommended, authorised or registered safe use of plant protection products under actual conditions at any stage of production, storage, transport, distribution and processing of food and feed. It also implies the application, in conformity with Directive 91/414/EEC, of the principles of integrated pest control in a given climate zone, as well as using the minimum quantity of pesticides and setting MRLs/temporary MRLs at the lowest level which allows the desired effect to be obtained;

(b) ‘critical GAP’ means the GAP, where there is more than one GAP for an active substance/product combination, which gives rise to the highest acceptable level of pesticide residue in a treated crop and is the basis for establishing the MRL;

(c) ‘pesticide residues’ means residues, including active substances, metabolites and/or breakdown or reaction products of active substances currently or formerly used in plant protection products as defined in Article 2, point 1 of Directive 91/414/EEC, which are present in or on the products covered by Annex I to this Regulation, including in particular those which may arise as a result of use in plant protection, in veterinary medicine and as a biocide;

(d) ‘maximum residue level’ (MRL) means the upper legal level of a concentration for a pesticide residue in or on food or feed set in accordance with this Regulation, based on good agricultural practice and the lowest consumer exposure necessary to protect vulnerable consumers;

(e) ‘CXL’ means an MRL set by the Codex Alimentarius Commission;

(f) ‘limit of determination’ (LOD) means the validated lowest residue concentration which can be quantified and reported by routine monitoring with validated control methods;

(g) ‘import tolerance’ means an MRL set for imported products to meet the needs of international trade where:

— the use of the active substance in a plant protection product on a given product is not authorised in the Community for reasons other than public health reasons for the specific product and specific use; or

— a different level is appropriate because the existing Community MRL was set for reasons other than public health reasons for the specific product and specific use;

▼B

(h) ‘proficiency test’ means a comparative test in which several laboratories perform analyses on identical samples, allowing an evaluation of the quality of the analysis performed by each laboratory;

(i) ‘acute reference dose’ means the estimate of the amount of substance in food, expressed on a body weight basis, that can be ingested over a short period of time, usually during one day, without appreciable risk to the consumer on the basis of the data produced by appropriate studies and taking into account sensitive groups within the population (e.g. children and the unborn);

(j) ‘acceptable daily intake’ means the estimate of the amount of substances in food expressed on a body weight basis, that can be ingested daily over a lifetime, without appreciable risk to any consumer on the basis of all known facts at the time of evaluation, taking into account sensitive groups within the population (e.g. children and the unborn).

*Article 4*

**List of groups of products for which harmonised MRLs shall apply**

▼M4

1. The products, product groups and/or parts of products referred to in Article 2(1) to which harmonised MRLs shall apply shall be defined in and covered by Annex I. That measure, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3). Annex I shall include all products for which MRLs are set, as well as the other products for which it is appropriate to apply harmonised MRLs, in particular in view of their relevance in the diet of consumers or in trade. Products shall be grouped in such a way that MRLs may as far as possible be set for a group of similar or related products.

▼B

2. Annex I shall be first established within three months from the entry into force of this Regulation and shall be revised when appropriate, in particular, at the request of a Member State.

*Article 5*

**Establishment of a list of active substances for which no MRLs are required**

▼M4

1. Active substances of plant protection products evaluated under Directive 91/414/EEC for which no MRLs are required shall be defined and listed in Annex IV to this Regulation, taking into account the uses of those active substances and the matters referred to in points (a), (c) and (d) of Article 14(2). Those measures, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4).

▼B

2. Annex IV shall be first established within 12 months from the entry into force of this Regulation.

▼B

CHAPTER II

## PROCEDURE FOR APPLICATIONS FOR MRLS

*SECTION 1*

### *Submission of applications for MRLs*

*Article 6*

#### Applications

1. Where a Member State envisages granting an authorisation or a provisional authorisation for the use of a plant protection product in accordance with Directive 91/414/EEC, that Member State shall consider whether, as a result of such use, an existing MRL set out in Annex II or III to this Regulation needs to be modified, whether it is necessary to set a new MRL, or whether the active substance should be included in Annex IV. If necessary it shall require the party requesting the authorisation to submit an application in accordance with Article 7.

2. All parties demonstrating, through adequate evidence, a legitimate interest in health, including civil society organisations, as well as commercially interested parties such as manufacturers, growers, importers and producers of products covered by Annex I may also submit an application to a Member State in accordance with Article 7.

3. Where a Member State considers that the setting, modification or deletion of an MRL is necessary, that Member State may also compile and evaluate an application for setting, modifying, or deleting the MRL in accordance with Article 7.

4. Applications for import tolerances shall be submitted to rapporteur Member States designated pursuant to Directive 91/414/EEC or, if no such rapporteur has been designated, applications shall be made to Member States designated by the Commission in accordance with the procedure referred to in Article 45(2) of this Regulation at the request of the applicant. Such applications shall be made in accordance with Article 7 of this Regulation.

*Article 7*

#### Requirements relating to applications for MRLs

1. The applicant shall include in an application for an MRL the following particulars and documents:

(a) the name and address of the applicant;

(b) a presentation of the application dossier including:

(i) a summary of the application;

(ii) the main substantive arguments;

(iii) an index of the documentation;

(iv) a copy of the relevant GAP applying to the specific use of that active substance;

▼B

(c) a comprehensive overview of relevant concerns raised in the available scientific literature about the plant protection product and/or its residue;

(d) the data listed in Annexes II and III to Directive 91/414/EEC relating to data requirements for the setting of MRLs for pesticides including, where appropriate, toxicological data and data on routine analytical methods for use in control laboratories, as well as plant and animal metabolism data.

However, where relevant data are already publicly available, in particular when an active substance has already been evaluated under Directive 91/414/EEC or when a CXL exists and such data are submitted by the applicant, a Member State may also use such information in evaluating an application. In such cases, the evaluation report shall include a justification for using or not using such data.

2. The evaluating Member State may, where appropriate, request the applicant to provide supplementary information in addition to information required under paragraph 1 within a time limit specified by the Member State. In no event may this period exceed two years.

*Article 8*

**Evaluation of applications**

1. A Member State to which an application complying with Article 7 is submitted pursuant to Article 6 shall immediately forward a copy to the Authority and the Commission and draw up an evaluation report without undue delay.

▼M4

2. Applications shall be evaluated in accordance with the relevant provisions of the Uniform Principles for the Evaluation and Authorisation of Plant Protection Products set out in Annex VI to Directive 91/414/EEC or specific evaluation principles to be laid down in a Commission regulation. That regulation, designed to amend non-essential elements of this Regulation by supplementing it, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

▼B

3. By way of derogation from paragraph 1 and by agreement between the Member States concerned, evaluation of the application may be carried out by the rapporteur Member State designated pursuant to Directive 91/414/EEC for that active substance.

4. Where a Member State encounters difficulties in evaluating an application or in order to avoid duplication of work, it may be decided in accordance with the procedure referred to in Article 45(2) which Member State shall evaluate particular applications.

*Article 9*

**Submission of evaluated applications to the Commission and the Authority**

1. After completion of the evaluation report, the Member State shall forward it to the Commission. The Commission shall without delay inform the Member States and forward the application, the evaluation report and the supporting dossier to the Authority.

▼B

2. The Authority shall acknowledge in writing receipt of the application to the applicant, the evaluating Member State and the Commission without delay. The acknowledgement shall state the date of receipt of the application and the accompanying documents.

*SECTION 2*

***Consideration of applications concerning MRLs by the authority***

*Article 10*

**The Authority's opinion on applications concerning MRLs**

1. The Authority shall assess the applications and the evaluation reports and give a reasoned opinion on, in particular, the risks to the consumer and where relevant to animals associated with the setting, modification or deletion of an MRL. That opinion shall include:

(a) an assessment of whether the analytical method for routine monitoring proposed in the application is appropriate for the intended control purposes;

(b) the anticipated LOD for the pesticide/product combination;

(c) an assessment of the risks of the acceptable daily intake or acute reference dose being exceeded as a result of the modification of the MRL; the contribution to the intake due to the residues in the product for which the MRLs was requested;

(d) any other element relevant to the risk assessment.

2. The Authority shall forward its reasoned opinion to the applicant, the Commission and the Member States. The reasoned opinion shall clearly define the basis for each conclusion reached.

3. Without prejudice to Article 39 of Regulation (EC) No 178/2002, the Authority shall make its reasoned opinion public.

*Article 11*

**Time limits for the Authority's opinion on applications concerning MRLs**

1. The Authority shall give its reasoned opinion as provided for in Article 10 as soon as possible and at the latest within three months from the date of receipt of the application.

In exceptional cases where more detailed evaluations need to be carried out, the time limit laid down in the first subparagraph may be extended to six months from the date of receipt of the valid application.

2. Where the Authority requests supplementary information, the time limit laid down in paragraph 1 shall be suspended until that information has been provided. Such suspensions are subject to Article 13.

▼B

*Article 12*

**Assessment of existing MRLs by the Authority**

1. The Authority shall, within a period of 12 months from the date of the inclusion or non-inclusion of an active substance in Annex I to Directive 91/414/EEC after the entry into force of this Regulation, submit a reasoned opinion based in particular on the relevant assessment report prepared under Directive 91/414/EEC to the Commission and the Member States on:

(a) existing MRLs for that active substance set out in Annex II or III to this Regulation;

(b) the necessity of setting new MRLs for that active substance, or its inclusion in Annex IV to this Regulation;

(c) specific processing factors as referred to in Article 20(2) of this Regulation that may be needed for that active substance;

(d) MRLs which the Commission may consider including in Annex II and/or Annex III to this Regulation and on those MRLs which may be deleted related to that active substance.

2. For substances included in Annex I to Directive 91/414/EEC before the entry into force of this Regulation, the reasoned opinion referred to in paragraph 1 of this Article shall be delivered within 12 months of the entry into force of this Regulation.

*Article 13*

**Administrative review**

Any decision taken under, or failure to exercise, the powers vested in the Authority by this Regulation may be reviewed by the Commission on its own initiative or in response to a request from a Member State or from any person directly and individually concerned.

For that purpose, a request shall be submitted to the Commission within two months after the day on which the party concerned became aware of the act or omission in question.

The Commission shall take a decision within two months requiring, if appropriate, the Authority to withdraw its decision or to remedy its failure to act within a set time-limit.

*SECTION 3*

***Setting, modifying or deletion of MRLs***

*Article 14*

**Decisions on applications concerning MRLs**

▼M4

1. Upon receipt of the opinion of the Authority and taking account of that opinion, one of the following shall be prepared by the Commission without delay and at the latest within three months:

(a) a regulation on the setting, modification or deletion of an MRL. That regulation, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 45(5) in order to ensure a high level of consumer protection;

▼M4

(b) a decision rejecting the application, which shall be adopted in accordance with the regulatory procedure referred to in Article 45(2).

▼B

2. With regard to the acts referred to in paragraph 1, account shall be taken of:

(a) the scientific and technical knowledge available;

(b) the possible presence of pesticide residues arising from sources other than current plant protection uses of active substances, and their known cumulative and synergistic effects, when the methods to assess such effects are available;

(c) the results of an assessment of any potential risks to consumers with a high intake and high vulnerability and, where appropriate, to animals;

(d) the results of any evaluations and decisions to modify the uses of plant protection products;

(e) a CXL or a GAP implemented in a third country for the legal use of an active substance in that country;

(f) other legitimate factors relevant to the matter under consideration.

3. The Commission may request at any time that supplementary information be provided by the applicant or by the Authority. The Commission shall make available any supplementary information received to the Member States and the Authority.

*Article 15*

**Inclusion of new or modified MRLs in Annexes II and III**

1. The Regulation referred in Article 14(1) shall:

(a) set new or modified MRLs and list them in Annex II to this Regulation where the active substances have been included in Annex I to Directive 91/414/EEC; or

(b) where the active substances have not been included in Annex I to Directive 91/414/EEC and where they are not included in Annex II to this Regulation, set or modify temporary MRLs and list them in Annex III to this Regulation; or

(c) in the cases mentioned in Article 16, set temporary MRLs and list them in Annex III to this Regulation.

▼M4

2. Where a temporary MRL is set as provided for in paragraph 1(b), it shall be deleted from Annex III by a regulation one year after the date of the inclusion or non-inclusion in Annex I to Directive 91/414/EEC of the active substance concerned. That regulation, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 45(5) in order to ensure a high level of consumer protection.

▼M4

However, where one or more Member States so request, the temporary MRL may be maintained for an additional year pending confirmation that any scientific studies necessary for supporting an application for setting a MRL have been undertaken. In cases where such confirmation is provided, the temporary MRL shall be maintained for a further two years, provided that no unacceptable safety concerns for consumers have been identified.

▼B

*Article 16*

**Procedure for setting temporary MRLs in certain circumstances**

1. The Regulation referred to in Article 14(1) may also set a temporary MRL to be included in Annex III in the following circumstances:

(a) in exceptional cases, in particular where pesticide residues may arise as a result of environmental or other contamination or from uses of plant protection products pursuant to Article 8(4) of Directive 91/414/EEC; or

(b) where the products concerned constitute a minor component of the diet of consumers, and do not constitute a major part of the diet of relevant subgroups, and, where relevant, of animals; or

(c) for honey; or

(d) for herbal infusions; or

(e) where essential uses of plant protection products have been identified by a Decision to delete an active substance from, or not to include an active substance in, Annex I to Directive 91/414/EEC; or

(f) where new products, product groups and/or parts of products have been included in Annex I, and one or more Member States so request, in order to allow any scientific studies necessary for supporting an MRL to be undertaken and evaluated, provided that no unacceptable safety concerns for the consumer have been identified.

2. The inclusion of temporary MRLs as referred to in paragraph 1 shall be based on the opinion of the Authority, monitoring data and an assessment demonstrating that there are no unacceptable risks to consumers or animals.

The continued validity of the temporary MRLs referred to in paragraphs 1(a), (b), (c) and (d) shall be reassessed at least once every 10 years and any such MRLs shall be modified or deleted as appropriate.

The MRLs referred to in paragraph 1(e) shall be reassessed at the expiry of the period for which the essential use was authorised. The MRLs referred to in paragraph 1(f) shall be reassessed when the scientific studies have been completed and evaluated, but no later than four years after their inclusion in Annex III.

▼B

*Article 17*

**Modifications of MRLs following revocation of authorisations of plant protection products**

Amendments to Annexes II or III needed to delete an MRL following the revocation of an existing authorisation for a plant protection product may be adopted without seeking the opinion of the Authority.

CHAPTER III

**MRLS APPLICABLE TO PRODUCTS OF PLANT AND ANIMAL ORIGIN**

▼M4

*Article 18*

**Compliance with MRLs**

1. The products covered by Annex I shall not contain, from the time they are placed on the market as food or feed, or fed to animals, any pesticide residue exceeding:

(a) the MRLs for those products set out in Annexes II and III;

(b) 0,01 mg/kg for those products for which no specific MRL is set out in Annexes II or III, or for active substances not listed in Annex IV unless different default values are fixed for an active substance while taking into account the routine analytical methods available. Such default values shall be listed in Annex V. That measure, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 45(5) in order to ensure a high level of consumer protection.

2. Member States may not prohibit or impede the placing on the market or the feeding to food-producing animals within their territories of the products covered by Annex I on the grounds that they contain pesticide residues provided that:

(a) such products comply with paragraph 1 and Article 20; or

(b) the active substance is listed in Annex IV.

3. By way of derogation from paragraph 1, Member States may authorise, further to a post-harvest treatment with a fumigant on their own territory, residue levels for an active substance which exceed the limits specified in Annexes II and III for a product covered by Annex I where the active substance/product combinations are listed in Annex VII provided that:

(a) such products are not intended for immediate consumption;

(b) appropriate controls are in place to ensure that such products cannot be made available to the end user or consumer, if they are supplied directly to the latter, until the residues no longer exceed the maximum levels specified in Annexes II or III;

(c) the other Member States and the Commission have been informed of the measures taken.

▼M4

Measures designed to amend non-essential elements of this Regulation and defining the active substance/product combinations listed in Annex VII shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

4. In exceptional circumstances, and in particular further to the use of plant protection products in accordance with Article 8(4) of Directive 91/414/EEC or pursuant to obligations set out in Directive 2000/29/EC ([1]), a Member State may authorise the placing on the market and/or the feeding to animals within its territory of treated food or feed not complying with paragraph 1, provided that such food or feed does not constitute an unacceptable risk. Such authorisations shall immediately be notified to the other Member States, the Commission and the Authority, together with an appropriate risk assessment for consideration without undue delay with a view to setting a temporary MRL for a specified period or taking any other necessary measure in relation to such products. Those measures, designed to amend non-essential elements of this Regulation by supplementing it, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 45(5) in order to ensure a high level of consumer protection.

▼B

*Article 19*

**Prohibition concerning processed and/or composite products**

The processing, and/or mixing for dilution purposes with the same or other products, of the products covered by Annex I not complying with Articles 18(1) or 20 with a view to placing them on the market as food or feed or feeding them to animals shall be prohibited.

*Article 20*

**MRLs applicable to processed and/or composite products**

1. Where MRLs are not set out in Annexes II or III for processed and/or composite food or feed, the MRLs applicable shall be those provided in Article 18(1) for the relevant product covered by Annex I, taking into account changes in the levels of pesticide residues caused by processing and/or mixing.

▼M4

2. Specific concentration or dilution factors for certain processing and/or mixing operations or for certain processed and/or composite products may be included in the list in Annex VI. That measure, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

([1]) Council Directive 2000/29/EC of 8 May 2000 on protective measures against the introduction into the Community of organisms harmful to plants or plant products and against their spread within the Community (OJ L 169, 10.7.2000, p. 1). Directive as last amended by Commission Directive 2007/41/EC (OJ L 169, 29.6.2007, p. 51).

▼B

CHAPTER IV

## SPECIAL PROVISIONS RELATING TO THE INCORPORATION OF EXISTING MRLS INTO THIS REGULATION

*Article 21*

### First establishment of MRLs

▼M4

1. MRLs for products covered by Annex I shall be first established and listed in Annex II, incorporating the MRLs provided for under Directives 86/362/EEC, 86/363/EEC and 90/642/EEC, taking into account the criteria listed in Article 14(2) of this Regulation. Those measures, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

▼B

2. Annex II shall be established within 12 months from the entry into force of this Regulation.

*Article 22*

### First establishment of temporary MRLs

▼M4

1. Temporary MRLs for active substances for which a decision on inclusion or non-inclusion in Annex I to Directive 91/414/EEC has not yet been taken shall be first established and listed in Annex III to this Regulation, unless already listed in Annex II, taking into account the information provided by the Member States, where relevant the reasoned opinion referred to in Article 24, the factors referred to in Article 14(2) and the following MRLs:

(a) remaining MRLs in the Annex to Directive 76/895/EEC; and

(b) hitherto unharmonised national MRLs.

Those measures, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3).

▼B

2. Annex III shall be established within 12 months from the entry into force of this Regulation in accordance with Articles 23, 24 and 25.

*Article 23*

### Information to be provided by the Member States on national MRLs

Where an active substance is not yet included in Annex I to Directive 91/414/EEC and where a Member State has set, by the date of entry into force of Annex I to this Regulation at the latest, a national MRL for that active substance for a product covered by Annex I to this Regulation, or has decided that no MRL is required for that active substance, the Member State concerned shall notify the Commission, in a format and by a date to be established in accordance with the procedure referred to in Article 45(2), of the national MRL, or the fact that no MRL is required for an active substance, and where relevant and at the request of the Commission:

▼B

(a) the GAP;

(b) where the critical GAP is applied in the Member State and, where available, summary data on supervised trials and/or monitoring data;

(c) the acceptable daily intake and, if relevant, the acute reference dose used for the national risk assessment, as well as the outcome of the assessment.

*Article 24*

**Opinion of the Authority on data underlying national MRLs**

1. The Authority shall provide a reasoned opinion to the Commission on potential risks to consumer health arising from:

(a) temporary MRLs that may be included in Annex III;

(b) active substances that may be included in Annex IV.

2. In preparing the reasoned opinion referred to in paragraph 1, the Authority shall take into account the scientific and technical knowledge available, and in particular, information provided by the Member States as required by Article 23.

*Article 25*

**Setting of temporary MRLs**

Taking into account the opinion of the Authority, if such an opinion is necessary, temporary MRLs for active substances referred to in Article 23 may be set and listed in Annex III pursuant to Article 22(1) or, as appropriate, the active substance may be included in Annex IV pursuant to Article 5(1). Temporary MRLs shall be set at the lowest level that can be achieved in all Member States on the basis of good agricultural practice.

CHAPTER V

**OFFICIAL CONTROLS, REPORTS AND SANCTIONS**

*SECTION 1*

***Official controls of MRLs***

▼M115

———————

▼B

*Article 28*

**Methods of analysis**

▼M115

_____

▼B

3. All laboratories analysing samples for the official controls on pesticide residues shall participate in the Community proficiency tests for pesticide residues organised by the Commission.

*SECTION 2*

***Community control programme***

*Article 29*

**Community control programme**

1. The Commission shall prepare a coordinated multiannual Community control programme, identifying specific samples to be included in the national control programmes and taking into account problems that have been identified regarding compliance with the MRLs set out in this Regulation, with a view to assessing consumer exposure and the application of current legislation.

2. The Community control programme shall be adopted and updated every year in accordance with the procedure referred to in Article 45(2). The draft Community control programme shall be presented to the Committee referred to in Article 45(1) at least six months before the end of each calendar year.

*SECTION 3*

***National control programmes***

▼M115

_____

▼B

*SECTION 4*

***Information by the Member States and annual report***

*Article 31*

**Information by the Member States**

1. Member States shall submit the following information concerning the previous calendar year to the Commission, the Authority and the other Member States by 31 August each year:

(a) the results of the official controls provided for in Article 26(1);

▼B

(b) the LODs applied in the national control programmes referred to in Article 30 and under the Community control programme referred to in Article 29;

(c) details of the participation of the analytical laboratories in the Community proficiency tests referred to in Article 28(3) and other proficiency tests relevant to the pesticide-product combinations sampled in the national control programme;

(d) details of the accreditation status of the analytical laboratories involved in the controls referred to in point (a);

(e) where permitted by national legislation, details of enforcement measures taken.

2. Implementing measures relating to the submission of information by the Member States may be established in accordance with the procedure referred to in Article 45(2) after consultation with the Authority.

*Article 32*

**The Annual Report on Pesticide Residues**

1. On the basis of the information provided by the Member States under Article 31(1) the Authority shall draw up an Annual Report on pesticide residues.

2. The Authority shall include information on at least the following in the Annual Report:

(a) an analysis of the results of the controls provided for in Article 26(2);

(b) a statement of the possible reasons why the MRLs were exceeded, together with any appropriate observations regarding risk management options;

(c) an analysis of chronic and acute risks to the health of consumers from pesticide residues;

(d) an assessment of consumer exposure to pesticide residues based on the information provided under point (a) and any other relevant available information, including reports submitted under Directive 96/23/EC.

▼B

3. Where a Member State has not provided information in accordance with Article 31, the Authority may disregard the information relating to that Member State when compiling the Annual Report.

4. The format of the Annual Report may be decided in accordance with the procedure referred to in Article 45(2).

5. The Authority shall submit the Annual Report to the Commission by the last day of February each year.

6. The Annual Report may include an opinion on the pesticides to be covered in future programmes.

7. The Authority shall make public the Annual Report, as well as any comments by the Commission or Member States.

*Article 33*

**Submission of the Annual Report on Pesticide Residues to the Committee**

The Commission shall submit the Annual Report on Pesticide Residues to the Committee referred to in Article 45(1) without delay, for review and recommendations on any necessary measures to be taken regarding reported infringements of the MRLs set out in Annexes II and III.

*SECTION 5*

***Sanctions***

*Article 34*

**Sanctions**

The Member States shall lay down rules on the sanctions applicable to infringements of the provisions of this Regulation and shall take all measures necessary to ensure that they are implemented. The sanctions provided for must be effective, proportionate and dissuasive.

The Member States shall notify those rules and any subsequent amendment to the Commission without delay.

CHAPTER VI

**EMERGENCY MEASURES**

*Article 35*

**Emergency measures**

Articles 53 and 54 of Regulation (EC) No 178/2002 shall apply where, as a result of new information or of a reassessment of existing information, pesticide residues or MRLs covered by this Regulation may endanger human or animal health requiring immediate action. The time limit within which the Commission must take its decision shall be reduced to seven days in the case of fresh produce.

▼M60

———————

▼B

CHAPTER VIII

**COORDINATION OF APPLICATIONS FOR MRLS**

*Article 38*

**Designation of national authorities**

Each Member State shall designate one or more national authorities to coordinate cooperation with the Commission, the Authority, other Member States, manufacturers, producers and growers for the purposes of this Regulation. Where more than one authority is designated by a Member State, it shall indicate which of the designated authorities shall act as a contact point.

The national authorities may delegate tasks to other bodies.

Each Member State shall inform the Commission and the Authority of the names and addresses of the designated national authorities.

*Article 39*

**Coordination by the Authority of information on MRLs**

The Authority shall:

(a) coordinate with the rapporteur Member State designated in accordance with Directive 91/414/EEC for an active substance;

(b) coordinate with the Member States and the Commission regarding MRLs, in particular for the purpose of fulfilling the requirements of Article 41.

*Article 40*

**Information to be submitted by the Member States**

Member States shall submit to the Authority, at its request, any available information necessary for the assessment of the safety of MRLs.

*Article 41*

**Database of the Authority on MRLs**

Without prejudice to the applicable provisions of Community and national law on access to documents, the Authority shall develop and maintain a database, accessible to the Commission and to the competent authorities of the Member States, containing the relevant scientific information and GAPs relating to the MRLs, the active substances and the processing factors set out in Annexes II, III, IV and VII. In particular it shall contain dietary intake assessments, processing factors and toxicological endpoints.

▼B

*Article 42*

**Member States and fees**

1. Member States may recover the costs of work associated with setting, modifying or deleting MRLs, or with any other work arising from obligations under this Regulation, by means of a fee or charge.

2. Member States shall ensure that the fee or charge referred to in paragraph 1:

(a) is established in a transparent manner; and

(b) corresponds to the actual cost of the work involved.

It may include a scale of fixed charges based on average costs for the work referred to in paragraph 1.

CHAPTER IX

**IMPLEMENTATION**

*Article 43*

**Scientific opinion of the Authority**

The Commission or the Member States may request from the Authority a scientific opinion on any measure related to the assessment of risks under this Regulation. The Commission may specify the time limit within which such an opinion shall be provided.

*Article 44*

**Procedure for the adoption of the Authority's opinions**

1. When the Authority's opinions pursuant to this Regulation require only scientific or technical work involving the application of well-established scientific or technical principles they may, unless the Commission or a Member State objects, be issued by the Authority without consulting the scientific committee or the scientific panels mentioned in Article 28 of Regulation (EC) No 178/2002.

2. The implementing rules pursuant to Article 29(6)(a) of Regulation (EC) No 178/2002 shall specify the cases in which paragraph 1 of this Article shall apply.

▼M4

*Article 45*

**Committee procedure**

1. The Commission shall be assisted by the Standing Committee on the Food Chain and Animal Health established by Article 58 of Regulation (EC) No 178/2002.

▼M4

2. Where reference is made to this paragraph, Articles 5 and 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

The period laid down in Article 5(6) of Decision 1999/468/EC shall be set at three months.

3. Where reference is made to this paragraph, Article 5a(1) to (4) and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

4. Where reference is made to this paragraph, Article 5a(1) to (4) and (5)(b), and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

The time limits laid down in Article 5a(3)(c) and (4)(b) and (e) of Decision 1999/468/EC shall be set at two months, one month and two months respectively.

5. Where reference is made to this paragraph, Article 5a(1), (2), (4) and (6) and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

*Article 46*

**Implementing measures**

1. Implementing measures to ensure the uniform application of this Regulation, technical guidance documents to assist in its application and detailed rules concerning the scientific data required for the setting of MRLs shall be established or may be amended in accordance with the regulatory procedure referred to in Article 45(2), taking into account, where appropriate, the opinion of the Authority.

2. Measures designed to amend non-essential elements of this Regulation and relating to the establishment or amendment of the dates referred to in Article 23, Article 29(2), Article 30(2), Article 31(1) and Article 32(5) shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(3), taking into account, where appropriate, the opinion of the Authority.

▼B

*Article 47*

**Report on implementation of this Regulation**

Not later than 10 years after the entry into force of this Regulation, the Commission shall forward to the European Parliament and to the Council a report on its implementation and any appropriate proposals.

▼B

CHAPTER X

**FINAL PROVISIONS**

*Article 48*

**Repeal and adaptation of legislation**

1. Directives 76/895/EEC, 86/362/EEC, 86/363/EEC and 90/642/EEC are hereby repealed with effect from the date referred to in the second paragraph of Article 50.

2. Article 4(1)(f) of Directive 91/414/EEC shall be replaced by the following:

‘(f) where appropriate, the MRLs for the agricultural products affected by the use referred to in the authorisation have been set or modified in accordance with Regulation (EC) No 396/2005 (*)’

(*) OJ L 70, 16.3.2005, p. 1.

▼M4

*Article 49*

**Transitional measures**

1. The requirements of Chapter III shall not apply to products lawfully produced or imported into the Community before the date referred to in the second paragraph of Article 50.

However, in order to ensure a high level of consumer protection, appropriate measures concerning those products may be taken. Those measures, designed to amend non-essential elements of this Regulation by supplementing it, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(5).

2. Where necessary to allow for the normal marketing, processing and consumption of products, further transitional measures may be laid down for the implementation of certain MRLs provided for in Articles 15, 16, 21, 22, and 25. Those measures, designed to amend non-essential elements of this Regulation by supplementing it, and without prejudice to the obligation to ensure a high level of consumer protection, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 45(4).

▼B

*Article 50*

**Entry into force**

This Regulation shall enter into force on the twentieth day following its publication in the *Official Journal of the European Union*.

Chapters II, III and V shall apply as from six months from the publication of the last of the Regulations establishing Annexes I, II, III and IV.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼M129

*ANNEX I*

PART A

**Products of plant and animal origin referred to in Article 2(1) to which MRLs apply**

| Code number | Category | Group / subgroup | Main product of the group or subgroup (1) | Scientific names | Part of the product to which MRLs apply |
|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) |
| **0100000** | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | | |
| **0110000** | | **Citrus fruits** | | | Whole product after removal of stems |
| 0110010 | | | Grapefruits | *Citrus paradisi* | |
| 0110020 | | | Oranges | *Citrus sinensis* | |
| 0110030 | | | Lemons | *Citrus limon* | |
| 0110040 | | | Limes | *Citrus aurantiifolia* | |
| 0110050 | | | Mandarins | *Citrus reticulata*; syn: *Citrus deliciosa* | |
| 0110990 | | | Others (2) | | |
| **0120000** | | **Tree nuts** | | | Whole product after removal of shell (except chestnuts) |
| 0120010 | | | Almonds | *Amygdalus communis*; syn: *Prunus dulcis* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0120020 | | | Brazil nuts | *Bertholletia excelsa* | |
| 0120030 | | | Cashew nuts | *Anacardium occidentale* | |
| 0120040 | | | Chestnuts | *Castanea crenata* | Whole product with shell |
| | | | | *Castanea dentata* | |
| | | | | *Castanea mollissima* | |
| | | | | *Castanea sativa* | |
| 0120050 | | | Coconuts | *Cocos nucifera* | |
| 0120060 | | | Hazelnuts/cobnuts | *Corylus avellana* | |
| 0120070 | | | Macadamias | *Macadamia ternifolia*; syn: *Macadamia integrifolia* | |
| | | | | *Macadamia tetraphylla* | |
| 0120080 | | | Pecans | *Carya illinoinensis* | |
| 0120090 | | | Pine nut kernels | *Pinus pinea* | |
| 0120100 | | | Pistachios | *Pistacia vera* | |
| 0120110 | | | Walnuts | *Juglans nigra* | |
| | | | | *Juglans regia* | |
| 0120990 | | | Others ([2]) | | |
| **0130000** | | **Pome fruits** | | | Whole product after removal of stems |
| 0130010 | | | Apples | *Malus domestica* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0130020 | | | Pears | *Pyrus communis* | |
| 0130030 | | | Quinces | *Cydonia oblonga* | |
| 0130040 | | | Medlars | *Mespilus germanica* | |
| 0130050 | | | Loquats/Japanese medlars | *Eriobotrya japonica* | |
| 0130990 | | | Others ([2]) | | |
| **0140000** | | **Stone fruits** | | | Whole product after removal of stems |
| 0140010 | | | Apricots | *Armeniaca vulgaris*; syn: *Prunus armeniaca* | |
| 0140020 | | | Cherries (sweet) | *Cerasus avium*; syn: *Prunus avium* | |
| 0140030 | | | Peaches | *Persica vulgaris*; syn: *Prunus persica* | |
| 0140040 | | | Plums | *Prunus domestica* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0140990 | | | Others ([2]) | | |
| **0150000** | | **Berries and small fruits** | | | Whole product after removal of caps, crown and stems (except currants) |
| 0151000 | | (a) grapes | | | |
| 0151010 | | | Table grapes | *Vitis vinifera* | |
| 0151020 | | | Wine grapes | *Vitis vinifera* | |
| 0152000 | | (b) strawberries | | *Fragaria x ananassa* | |
| 0153000 | | (c) cane fruits | | | |
| 0153010 | | | Blackberries | *Rubus* sect. *Rubus* | |
| 0153020 | | | Dewberries | *Rubus caesius* | |
| 0153030 | | | Raspberries (red and yellow) | *Rubus idaeus* | |
| 0153990 | | | Others ([2]) | | |
| 0154000 | | (d) other small fruits and berries | | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0154010 | | | Blueberries | *Vaccinium angustifolium* | |
| | | | | *Vaccinium corymbosum* | |
| | | | | *Vaccinium formosum* | |
| | | | | *Vaccinium virgatum* | |
| 0154020 | | | Cranberries | *Vaccinium macrocarpon* | |
| 0154030 | | | Currants (black, red and white) | *Ribes nigrum* | Fruits with stems |
| | | | | *Ribes rubrum* | |
| 0154040 | | | Gooseberries (green, red and yellow) | *Ribes uva-crispa* | |
| 0154050 | | | Rose hips | *Rosa canina* | |
| | | | | *Rosa majalis* | |
| | | | | *Rosa rugosa* | |
| 0154060 | | | Mulberries (black and white) | *Morus alba* | |
| | | | | *Morus nigra* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0154070 | | | Azaroles/Mediterranean medlars | *Crataegus azarolus* | |
| 0154080 | | | Elderberries | *Sambucus nigra* | |
| 0154990 | | | Others ([2]) | | |
| **0160000** | | **Miscellaneous fruits with** | | | Whole product after removal of stems (except pineapples) |
| 0161000 | | (a) edible peel | | | |
| 0161010 | | | Dates | *Phoenix dactylifera* | |
| 0161020 | | | Figs | *Ficus carica* | |
| 0161030 | | | Table olives | *Olea europaea* | |
| 0161040 | | | Kumquats | *Fortunella japonica* | |
| | | | | *Fortunella margarita* | |
| 0161050 | | | Carambolas | *Averrhoa carambola* | |
| 0161060 | | | Kaki/Japanese persimmons | *Diospyros kaki* | |
| 0161070 | | | Jambuls/jambolans | *Syzygium cuminii* | |
| 0161990 | | | Others ([2]) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0162000 | | (b) inedible peel, small | | | |
| 0162010 | | | Kiwi fruits (green, red, yellow) | *Actinidia deliciosa* | |
| | | | | *Actinidia chinensis* | |
| 0162020 | | | Litchis/lychees | *Litchi chinensis* | |
| 0162030 | | | Passionfruits/maracujas | *Passiflora edulis*; syn: *Passiflora laurifolia* | |
| 0162040 | | | Prickly pears/cactus fruits | *Opuntia ficus-indica* | |
| 0162050 | | | Star apples/cainitos | *Chrysophyllum cainito* | |
| 0162060 | | | American persimmons/Virginia kaki | *Diospyros virginiana* | |
| 0162990 | | | Others (2) | | |
| 0163000 | | (c) inedible peel, large | | | |
| 0163010 | | | Avocados | *Persea americana* | |
| 0163020 | | | Bananas | *Musa acuminata* | |
| | | | | *Musa balbisiana* | |
| | | | | *Musa acuminata x Musa balbisiana* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0163030 | | | Mangoes | *Mangifera indica* | |
| 0163040 | | | Papayas | *Carica papaya* | |
| 0163050 | | | Granate apples/pomegranates | *Punica granatum* | |
| 0163060 | | | Cherimoyas | *Annona cherimola* | |
| 0163070 | | | Guavas | *Psidium guajava* | |
| 0163080 | | | Pineapples | *Ananas comosus* | Whole product after removal of crown |
| 0163090 | | | Breadfruits | *Artocarpus altilis* | |
| 0163100 | | | Durians | *Durio zibethinus* | |
| 0163110 | | | Soursops/guanabanas | *Annona muricata* | |
| 0163990 | | | Others ([2]) | | |
| **0200000** | **VEGETABLES, FRESH or FROZEN** | | | | |
| **0210000** | | **Root and tuber vegetables** | | | Whole product after removal of tops and soil |
| 0211000 | | (a) potatoes | | *Solanum tuberosum* subsp. *tuberosum* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0212000 | | (b) tropical root and tuber vegetables | | | |
| 0212010 | | | Cassava roots/manioc | *Manihot esculenta* | |
| 0212020 | | | Sweet potatoes | *Ipomoea batatas* | |
| 0212030 | | | Yams | *Dioscorea* spp. | |
| 0212040 | | | Arrowroots | *Maranta arundinacea* | |
| 0212990 | | | Others (2) | | |
| 0213000 | | (c) other root and tuber vegetables except sugar beets | | | |
| 0213010 | | | Beetroots | *Beta vulgaris* var. *vulgaris* | |
| 0213020 | | | Carrots | *Daucus carota* subsp. *sativus* | |
| 0213030 | | | Celeriacs/turnip rooted celeries | *Apium graveolens* var. *rapaceum* | |
| 0213040 | | | Horseradishes | *Armoracia rusticana* | |
| 0213050 | | | Jerusalem artichokes | *Helianthus tuberosus* | |
| 0213060 | | | Parsnips | *Pastinaca sativa* | |
| 0213070 | | | Parsley roots/Hamburg roots parsley | *Petroselinum crispum* convar. *radicosum* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0213080 | | | Radishes | *Raphanus sativus* Radish Group | |
| 0213090 | | | Salsifies | *Tragopogon porrifolius* | |
| 0213100 | | | Swedes/rutabagas | *Brassica napus* subsp. *napobrassica* | |
| 0213110 | | | Turnips | *Brassica rapa* subsp. *rapa* | |
| 0213990 | | | Others (2) | | |
| **0220000** | | **Bulb vegetables** | | | Mature bulbs after removal of easily detachable skin and soil (except spring onions/green onions and welsh onions) |
| 0220010 | | | Garlic | *Allium sativum* | |
| 0220020 | | | Onions | *Allium cepa* Common Onion Group | |
| 0220030 | | | Shallots | *Allium cepa* Aggregatum Group; syn: *Allium ascalonicum* | |
| 0220040 | | | Spring onions/green onions and Welsh onions | *Allium cepa* Common Onion Group | Immature bulbs with pseudo-stems, leaves and in some cases buds |
| | | | | *Allium fistulosum* | |
| 0220990 | | | Others (2) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| **0230000** | | **Fruiting vegetables** | | | |
| 0231000 | | (a) Solanaceae and Malvaceae | | | Whole product after removal of stems and (in case of species of genus *Physalis*) sepals |
| 0231010 | | | Tomatoes | *Lycopersicon esculentum* | |
| 0231020 | | | Sweet peppers/bell peppers | *Capsicum annuum* | |
| 0231030 | | | Aubergines/eggplants | *Solanum melongena* | |
| 0231040 | | | Okra/lady's fingers | *Abelmoschus esculentus* | |
| 0231990 | | | Others ([2]) | | |
| 0232000 | | (b) cucurbits with edible peel | | | Whole product after removal of stems |
| 0232010 | | | Cucumbers | *Cucumis sativus* | |
| 0232020 | | | Gherkins | *Cucumis sativus* | |
| 0232030 | | | Courgettes | *Cucurbita pepo* Zucchini Group | |
| 0232990 | | | Others ([2]) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0233000 | | (c) cucurbits with inedible peel | | | Whole product after removal of stems |
| 0233010 | | | Melons | *Cucumis melo* | |
| 0233020 | | | Pumpkins | *Cucurbita maxima* | |
| 0233030 | | | Watermelons | *Citrullus vulgaris*; syn: *Citrullus lanatus* | |
| 0233990 | | | Others (2) | | |
| 0234000 | | (d) sweet corn | | *Zea mays* convar. *saccharata* | Kernels (3) plus cob without husks |
| 0239000 | | (e) other fruiting vegetables | | | Whole product after removal of stems |
| **0240000** | | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | | |
| 0241000 | | (a) flowering brassica | | | Whole plant after removal of roots and leaves |
| 0241010 | | | Broccoli | *Brassica oleracea* var. *italica* | |
| 0241020 | | | Cauliflowers | *Brassica oleracea* var. *botrytis* | |
| 0241990 | | | Others (2) | | |
| 0242000 | | (b) head brassica | | | Whole plant after removal of roots and decayed leaves (except Brussels sprouts) |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0242010 | | | Brussels sprouts | *Brassica oleracea* var. *gemmifera* | Only cabbage buttons |
| 0242020 | | | Head cabbages | *Brassica oleracea* var. *capitata* | |
| 0242990 | | | Others ([2]) | | |
| 0243000 | | (c) leafy brassica | | | Whole plant after removal of roots and decayed leaves |
| 0243010 | | | Chinese cabbages/pe-tsai | *Brassica rapa* subsp. *pekinensis* | |
| 0243020 | | | Kales | *Brassica oleracea* var. *sabellica* | |
| | | | | *Brassica oleracea* var. *viridis* | |
| 0243990 | | | Others ([2]) | | |
| 0244000 | | (d) kohlrabies | | *Brassica oleracea* var. *gongylodes* | Whole product after removal of roots, tops and soil |
| **0250000** | | **Leaf vegetables, herbs and edible flowers** | | | Whole product after removal of roots, decayed leaves and soil (except cresses and other sprouts and shoots, baby leaf crops (including brassica species) and chives) |
| 0251000 | | (a) lettuces and salad plants | | | |
| 0251010 | | | Lamb's lettuces/corn salads | *Valerianella locusta* | |
| 0251020 | | | Lettuces | *Lactuca sativa* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0251030 | | | Escaroles/broad-leaved endives | *Cichorium endivia* var. *latifolia* | |
| 0251040 | | | Cresses and other sprouts and shoots | *Lepidium sativum* subsp. *sativum* | Whole products of the germination of true seeds (sometimes of tuber or bulbs) in water, soil, or hydroponic substrate, as they are defined in the EFSA Scientific Opinion, published in EFSA Journal 2011; 9(11):2424, page 9 |
| 0251050 | | | Land cresses | *Barbarea verna* | |
| 0251060 | | | Roman rocket/rucola | *Eruca sativa* | |
| 0251070 | | | Red mustards | *Brassica juncea* var. *rugosa* | |
| 0251080 | | | Baby leaf crops (including brassica species) | | Young leaves and petioles of any crops (including brassica) harvested up to 8 true leaf stage |
| 0251990 | | | Others ([2]) | | |
| 0252000 | | (b) spinaches and similar leaves | | | |
| 0252010 | | | Spinaches | *Spinacia oleracea* | |
| 0252020 | | | Purslanes | *Portulaca oleracea* | |
| 0252030 | | | Chards/beet leaves | *Beta vulgaris* var. *flavescens* | |
| 0252990 | | | Others ([2]) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0253000 | | (c) grape leaves and similar species | | *Vitis vinifera* | |
| 0254000 | | (d) watercresses | | *Nasturtium officinale* | |
| 0255000 | | (e) witloofs/Belgian endives | | *Cichorium intybus* Foliosum group | |
| 0256000 | | (f) herbs and edible flowers | | | |
| 0256010 | | | Chervil | *Anthriscus cerefolium* | |
| 0256020 | | | Chives | *Allium schoenoprasum* | Leaves and buds |
| 0256030 | | | Celery leaves | *Apium graveolens* var. *secalinum* | |
| 0256040 | | | Parsley | *Petroselinum crispum* | |
| 0256050 | | | Sage | *Salvia officinalis* | |
| 0256060 | | | Rosemary | *Rosmarinus officinalis* | |
| 0256070 | | | Thyme | *Thymus vulgaris* | |
| 0256080 | | | Basil and edible flowers | *Ocimum basilicum* | |
| 0256090 | | | Laurel/bay leaves | *Laurus nobilis* | |
| 0256100 | | | Tarragon | *Artemisia dracunculus* | |
| 0256990 | | | Others ([2]) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| **0260000** | | **Legume vegetables** | | | Whole product |
| 0260010 | | | Beans (with pods) | *Phaseolus vulgaris* | |
| 0260020 | | | Beans (without pods) | *Phaseolus vulgaris* | |
| 0260030 | | | Peas (with pods) | *Pisum sativum* | |
| 0260040 | | | Peas (without pods) | *Pisum sativum* | |
| 0260050 | | | Lentils | *Lens culinaris*; syn: *Lens esculenta* | |
| 0260990 | | | Others ([2]) | | |
| **0270000** | | **Stem vegetables** | | | Whole product after removal of decayed tissues, soil an roots (except globe artichokes and rhubarbs) |
| 0270010 | | | Asparagus | *Asparagus officinalis* | |
| 0270020 | | | Cardoons | *Cynara cardunculus* Cardoon group | |
| 0270030 | | | Celeries | *Apium graveolens* var. *dulce* | |
| 0270040 | | | Florence fennels | *Foeniculum vulgare* var. *azoricum* | |
| 0270050 | | | Globe artichokes | *Cynara cardunculus* Globe artichoke group | Whole flower head including receptacle |
| 0270060 | | | Leeks | *Allium ampeloprasumampelo-prasum* Pearl-Onion Group; syn: *Allium porrum* var. *sectivum* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0270070 | | | Rhubarbs | *Rheum rhabarbarum* | Stalks after removal of roots and leaves |
| 0270080 | | | Bamboo shoots | *Bambusa vulgaris* | |
| | | | | *Phyllostachys edulis* | |
| 0270090 | | | Palm hearts | *Bactris gasipaes* | |
| | | | | *Cocos nucifera* | |
| | | | | *Daemonorops jenkinsiana* | |
| | | | | *Euterpe edulis* | |
| | | | | *Euterpe oleracea* | |
| 0270990 | | | Others (2) | | |
| **0280000** | | **Fungi, mosses and lichens** | | | Whole product after removal of soil or growing medium |
| 0280010 | | | Cultivated fungi | | |
| 0280020 | | | Wild fungi | | |
| 0280990 | | | Mosses and lichens | | |
| **0290000** | | **Algae and prokaryotes organisms** | | | |
| **0300000** | **PULSES** | | | | Dry seeds |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0300010 | | | Beans | *Phaseolus vulgaris* | |
| 0300020 | | | Lentils | *Lens culinaris*; syn: *Lens esculenta* | |
| 0300030 | | | Peas | *Pisum sativum* | |
| 0300040 | | | Lupins/lupini beans | *Lupinus albus* subsp. *albus* | |
| | | | | *Lupinus angustifolius* | |
| | | | | *Lupinus luteus* | |
| | | | | *Lupinus mutabilis* | |
| 0300990 | | | Others ([2]) | | |
| **0400000** | **OILSEEDS AND OIL FRUITS** | | | | |
| **0401000** | | **Oilseeds** | | | Kernels with shells (except peanuts/groundnuts, cotton seeds, castor beans and others) |
| 0401010 | | | Linseeds | *Linum usitatissimum* | |
| 0401020 | | | Peanuts/groundnuts | *Arachis hypogaea* | Kernels |
| 0401030 | | | Poppy seeds | *Papaver somniferum* subsp. *somniferum* | |
| 0401040 | | | Sesame seeds | *Sesamum indicum* | |
| 0401050 | | | Sunflower seeds | *Helianthus annuus* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0401060 | | | Rapeseeds/canola seeds | *Brassica napus* subsp. *napus* | |
| 0401070 | | | Soyabeans | *Glycine max* | |
| 0401080 | | | Mustard seeds | *Brassica juncea* | |
| | | | | *Brassica nigra* | |
| | | | | *Sinapis alba* | |
| 0401090 | | | Cotton seeds | *Gossypium barbadense* | Undelinted |
| | | | | *Gossypium herbaceum* | |
| 0401100 | | | Pumpkin seeds | *Cucurbita pepo* Styrian Hulless Group | |
| 0401110 | | | Safflower seeds | *Carthamus tinctorius* | |
| 0401120 | | | Borage seeds | *Borago officinalis* | |
| 0401130 | | | Gold of pleasure seeds | *Camelina sativa* | |
| 0401140 | | | Hemp seeds | *Cannabis sativa* subsp. *sativa* | |
| | | | | *Cannabis sativa* subsp. *spontanea* | |
| 0401150 | | | Castor beans | *Ricinus communis* | Whole product after removal of capsules |
| 0401990 | | | Others ([2]) | | Kernels or kernels with shells, depending on the characteristics of the species/variety |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| **0402000** | | **Oil fruits** | | | Whole product after removal of stems (except olives for oil production) |
| 0402010 | | | Olives for oil production | *Olea europaea* var. *europaea* | Whole fruit after removal of stems and soil |
| 0402020 | | | Oil palms kernels | *Attalea maripa* | |
| | | | | *Elaeis guineensis* | |
| | | | | *Elaeis oleifera* | |
| 0402030 | | | Oil palms fruits | *Attalea maripa* | |
| | | | | *Elaeis guineensis* | |
| | | | | *Elaeis oleifera* | |
| 0402040 | | | Kapok | *Ceiba pentandra* | |
| 0402990 | | | Others [2] | | |
| **0500000** | **CEREALS** | | | | Kernels [4] (except rice) |
| 0500010 | | | Barley | *Hordeum vulgare* | |
| 0500020 | | | Buckwheat and other pseudo-cereals | *Fagopyrum esculentum* | |
| 0500030 | | | Maize/corn | *Zea mays* | |
| 0500040 | | | Common millet/proso millet | *Panicum miliaceum* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0500050 | | | Oat | *Avena sativa* | |
| 0500060 | | | Rice | *Oryza sativa* | Brown rice (husked rice), defined as rice after the removal of the hull from paddy rice |
| 0500070 | | | Rye | *Secale cereale* | |
| 0500080 | | | Sorghum | *Sorghum bicolor* | |
| 0500090 | | | Wheat | *Triticum aestivum* | |
| 0500990 | | | Others ([2]) | | |
| **0600000** | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | | | |
| **0610000** | | **Teas** | | *Camellia sinensis* | Dried leaves, stalks and flowers, whether fermented or otherwise treated |
| **0620000** | | **Coffee beans** | | *Coffea arabica* | Green beans |
| | | | | *Coffea canephora*; syn: *Coffea robusta* | |
| | | | | *Coffea liberica* | |
| **0630000** | | **Herbal infusions from** | | | Dried product |
| 0631000 | | (a) flowers | | | Flowers after removal of stalks and decayed parts (except Chamomile) |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0631010 | | | Chamomile | *Chamaemelum nobile*; syn: *Anthemis nobilis* | Inflorescences including a technically unavoidable amount of other aerial parts |
| | | | | *Matricaria recutita*; syn: *Matricaria chamomilla* | |
| 0631020 | | | Hibiscus/roselle | *Hibiscus sabdariffa* | |
| 0631030 | | | Rose | *Rosa* spp. | |
| 0631040 | | | Jasmine | *Jasminum officinale* | |
| | | | | *Jasminum sambac* | |
| 0631050 | | | Lime/linden | *Tilia cordata* | |
| | | | | *Tilia platyphyllos* | |
| | | | | *Tilia tomentosa*; syn: *Tilia argentea* | |
| 0631990 | | | Others (2) | | |
| 0632000 | | (b) leaves and herbs | | | Leaves and aerial green parts, after removal of decayed leaves |
| 0632010 | | | Strawberry | *Fragaria x ananassa* | |
| 0632020 | | | Rooibos | *Aspalathus linearis* | |
| 0632030 | | | Mate/maté | *Ilex paraguariensis* | |
| 0632990 | | | Others (2) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0633000 | | (c) roots | | | Roots after removal of tops and soil |
| 0633010 | | | Valerian | *Valeriana officinalis* | |
| 0633020 | | | Ginseng | *Panax ginseng* | |
| | | | | *Panax quinquefolius* | |
| 0633990 | | | Others (2) | | |
| 0639000 | | (d) any other parts of the plant | | | |
| **0640000** | | **Cocoa beans** | | *Theobroma cacao* | Beans fermented or dried, after removal of shells |
| **0650000** | | **Carobs/Saint John's breads** | | *Ceratonia siliqua* | Whole product after removal of stems |
| **0700000** | **HOPS** | | | *Humulus lupulus* | Dried cones, also in the form of pellets and unconcentrated powder |
| **0800000** | **SPICES** | | | | Dried product whole, crushed or ground |
| **0810000** | | **Seed spices** | | | |
| 0810010 | | | Anise/aniseed | *Pimpinella anisum* | |
| 0810020 | | | Black caraway/black cumin | *Bunium persicum* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0810030 | | | Celery | *Apium graveolens* | |
| 0810040 | | | Coriander | *Coriandrum sativum* | |
| 0810050 | | | Cumin | *Cuminum cyminum* | |
| 0810060 | | | Dill | *Anethum graveolens* | |
| 0810070 | | | Fennel | *Foeniculum vulgare* | |
| 0810080 | | | Fenugreek | *Trigonella foenum-graecum* | |
| 0810090 | | | Nutmeg | *Myristica fragrans* | |
| 0810990 | | | Others ([2]) | | |
| **0820000** | | **Fruit spices** | | | |
| 0820010 | | | Allspice/pimento | *Pimenta dioica*; syn: *Pimenta officinalis* | |
| 0820020 | | | Sichuan pepper | *Zanthoxylum* spp. | |
| 0820030 | | | Caraway | *Carum carvi* | |
| 0820040 | | | Cardamom | *Elettaria cardamomum* | |
| 0820050 | | | Juniper berry | *Juniperus communis* | |
| 0820060 | | | Peppercorn (black, green and white) | *Piper nigrum* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0820070 | | | Vanilla | *Vanilla planifolia*; syn: *Vanilla fragrans* | |
| 0820080 | | | Tamarind | *Tamarindus indica* | |
| 0820990 | | | Others ([2]) | | |
| **0830000** | | **Bark spices** | | | |
| 0830010 | | | Cinnamon | *Cinnamomum verum*; syn: *Cinnamomum zeylanicum* | |
| 0830990 | | | Others ([2]) | | |
| **0840000** | | **Root and rhizome spices** | | | |
| 0840010 | | | Liquorice | *Glycyrrhiza glabra* | |
| 0840020 | | | Ginger ([10]) | *Zingiber officinale* | |
| 0840030 | | | Turmeric/curcuma | *Curcuma longa*; syn: *Curcuma domestica* | |
| 0840040 | | | Horseradish ([11]) | *Armoracia rusticana* | |
| 0840990 | | | Others ([2]) | | |
| **0850000** | | **Bud spices** | | | |
| 0850010 | | | Cloves | *Syzygium aromaticum*; syn: *Eugenia caryophyllata* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0850020 | | | Capers | *Capparis spinosa* | |
| 0850990 | | | Others ([2]) | | |
| **0860000** | | **Flower pistil spices** | | | |
| 0860010 | | | Saffron | *Crocus sativus* | |
| 0860990 | | | Others ([2]) | | |
| **0870000** | | **Aril spices** | | | |
| 0870010 | | | Mace | *Myristica fragrans* | |
| 0870990 | | | Others ([2]) | | |
| **0900000** | **SUGAR PLANTS** | | | | Whole product after removal of tops and soil by rinsing or brushing (except sugar canes) |
| 0900010 | | | Sugar beet roots | *Beta vulgaris* ssp. *vulgaris* var. *altissima* | |
| 0900020 | | | Sugar canes | *Saccharum officinarum* | Whole product after removal of decayed tissues, soil and roots |
| 0900030 | | | Chicory roots | *Cichorium intybus* Sativum group | |
| 0900990 | | | Others ([2]) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | |
| **1010000** | | **Commodities from** | | | Whole product (except muscle) |
| 1011000 | | (a) swine | | *Sus scrofa* | |
| 1011010 | | | Muscle | | Meat after removal of trimmable fat |
| 1011020 | | | Fat | | |
| 1011030 | | | Liver | | |
| 1011040 | | | Kidney | | |
| 1011050 | | | Edible offals (other than liver and kidney) | | |
| 1011990 | | | Others ([2]) | | |
| 1012000 | | (b) bovine | | *Bos primigenius taurus* | |
| 1012010 | | | Muscle | | Meat after removal of trimmable fat |
| 1012020 | | | Fat | | |
| 1012030 | | | Liver | | |
| 1012040 | | | Kidney | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1012050 | | | Edible offals (other than liver and kidney) | | |
| 1012990 | | | Others (2) | | |
| 1013000 | | (c) sheep | | *Ovis aries* | |
| 1013010 | | | Muscle | | Meat after removal of trimmable fat |
| 1013020 | | | Fat | | |
| 1013030 | | | Liver | | |
| 1013040 | | | Kidney | | |
| 1013050 | | | Edible offals (other than liver and kidney) | | |
| 1013990 | | | Others (2) | | |
| 1014000 | | (d) goat | | *Capra aegagrus hircus* | |
| 1014010 | | | Muscle | | Meat after removal of trimmable fat |
| 1014020 | | | Fat | | |
| 1014030 | | | Liver | | |
| 1014040 | | | Kidney | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1014050 | | | Edible offals (other than liver and kidney) | | |
| 1014990 | | | Others (2) | | |
| 1015000 | | (e) equine | | *Equus* spp. | |
| 1015010 | | | Muscle | | Meat after removal of trimmable fat |
| 1015020 | | | Fat | | |
| 1015030 | | | Liver | | |
| 1015040 | | | Kidney | | |
| 1015050 | | | Edible offals (other than liver and kidney) | | |
| 1015990 | | | Others (2) | | |
| 1016000 | | (f) poultry | | | |
| 1016010 | | | Muscle | | Meat after removal of trimmable fat |
| 1016020 | | | Fat | | |
| 1016030 | | | Liver | | |
| 1016040 | | | Kidney | | |
| 1016050 | | | Edible offals (other than liver and kidney) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1016990 | | | Others (2) | | |
| 1017000 | | (g) other farmed terrestrial animals | | | |
| 1017010 | | | Muscle | | Meat after removal of trimmable fat |
| 1017020 | | | Fat | | |
| 1017030 | | | Liver | | |
| 1017040 | | | Kidney | | |
| 1017050 | | | Edible offals (other than liver and kidney) | | |
| 1017990 | | | Others (2) | | |
| **1020000** | | **Milk** | | | Whole product based on a fat content of 4 % by weight (5) |
| 1020010 | | | Cattle | *Bos primigenius taurus* | |
| 1020020 | | | Sheep | *Ovis aries* | |
| 1020030 | | | Goat | *Capra aegagrus hircus* | |
| 1020040 | | | Horse | *Equus caballus* | |
| 1020990 | | | Others (2) | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| **1030000** | | **Birds eggs** | | | Whole product after removal of the shell (6) |
| 1030010 | | | Chicken | *Gallus gallus* | |
| 1030020 | | | Duck | *Anas platyrhynchos* | |
| 1030030 | | | Geese | *Anser anser* | |
| 1030040 | | | Quail | *Coturnix coturnix* | |
| | | | | *Coturnix japonica* | |
| 1030990 | | | Others (2) | | |
| **1040000** | | **Honey and other apiculture products** (7) | | N.A. | |
| **1050000** | | **Amphibians and Reptiles** | | | |
| **1060000** | | **Terrestrial invertebrate animals** | | | |
| **1070000** | | **Wild terrestrial vertebrate animals** | | | |
| **1100000** | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS** (8) | | | | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| **1200000** | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION** ([8]) | | | | |
| **1300000** | **PROCESSED FOOD PRODUCTS** ([9]) | | | | |

N.A. Not applicable.

([1]) MRLs do not apply to products or part of products that by their characteristics and nature are used exclusively as ingredients of animal feed, until separate MRLs are set in the specific category 1200000.

([2]) The term 'Others' covers any other product not explicitly mentioned under the rest of the codes within the same group or subgroup, in the columns 'Main product of the group or subgroup' of Part A and 'Other products to which the same MRLs apply' of Part B.

([3]) Kernels are defined as whole grains including the bran.

([4]) Kernels are defined as whole grains including the bran. In line with the definition agreed in the CCPR 2016 meeting, for the species and varieties in which husks cannot be (fully) removed by threshing (e.g. barley, oats, spelt, buckwheat, certain pseudocereals), the part of the product to which MRLs apply is 'kernel with remaining (traces of) husks'.

([5]) In all cases the MRL values are expressed as mg/kg of raw milk. Where the residue definition is marked as fat soluble (by letter F) the MRL is based on raw cow milk with a fat content of 4 % by weight; for raw milk of other species the MRL value shall be adjusted proportionally according to the fat content of the raw milk of that species.

([6]) In all cases the MRL values are expressed as mg/kg of eggs. Where the residue definition is marked as fat soluble (by letter F) the MRL is based on hen eggs with a fat content of 10 % by weight; for eggs of other species the MRL value shall be adjusted proportionally according to the fat content of the eggs of that species, if the fat content is higher than 10 % by weight.

([7]) No MRLs are applicable to other apiculture products until individual products have been identified and listed within this group.

([8]) No MRLs are applicable until individual products have been identified and listed within this category.

([9]) No MRLs are applicable until individual products have been identified and listed within this category. Provisions of the article 20 of this regulation apply.

([10]) As from 1 January 2020, the applicable maximum residue level for ginger (*Zingiber officinale*) in the spice group (code 0840020) is the one set for ginger roots (*Zingiber officinale*) in the Part B of the Annex 1 (code 0213040-006, equal to the one of horseradish (*Armoracia rusticana*) code 0213040), taking into account changes in the levels by processing (drying), according to Art. 20 (1) of Regulation (EC) No 396/2005.

([11]) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040), taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

▼M129

PART B

**Other products referred to in Article 2(1)**

| References to Part A | | | Other products to which the same MRLs apply [1] | | |
|---|---|---|---|---|---|
| **Category** | **Code number** | **Main product of the group or subgroup or Name of the group or subgroup** | **Code number** | **Common names/synonyms** | **Scientific names** |
| (1) | (2) | (3) | (4) | (5) | (6) |
| 0100000 | 0110010 | Grapefruits | 0110010-001 | Natsudaidais | *Citrus natsudaidai* |
| | | | 0110010-002 | Shaddocks/pomelos | *Citrus maxima*; syn: *Citrus grandis* |
| | | | 0110010-003 | Sweeties/oroblancos | *Citrus grandis x Citrus paradisi* |
| | | | 0110010-004 | Tangelolos | *Citrus paradisi x tangelo* |
| | | | 0110010-005 | Tangelos (except minneolas)/Ugli® | *Citrus tangelo* |
| | | | 0110010-990 | Other hybrids of *Citrus paradisi*, not elsewhere mentioned | |
| | 0110020 | Oranges | 0110020-001 | Bergamots | *Citrus bergamia* |
| | | | 0110020-002 | Bitter oranges/sour oranges | *Citrus aurantium* |
| | | | 0110020-003 | Blood oranges | *Citrus sinensis* |
| | | | 0110020-004 | Cara caras | *Citrus sinensis* |
| | | | 0110020-005 | Chinottos | *Citrus myrtifolia* |
| | | | 0110020-006 | Trifoliate oranges | *Poncirus trifoliata* |
| | | | 0110020-990 | Other hybrids of *Citrus sinensis*, not elsewhere mentioned | |
| | 0110030 | Lemons | 0110030-001 | Buddha's hands/Buddha's fingers | *Citrus medica* var. *sarcodactyla* |
| | | | 0110030-002 | Citrons | *Citrus medica* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0110040 | Limes | 0110040-001 | Indian sweet limes/Palestine sweet limes | *Citrus limettioides* |
| | | | 0110040-002 | Kaffir limes | *Citrus hystrix* |
| | | | 0110040-003 | Sweet limes/mosambis | *Citrus limetta* |
| | | | 0110040-004 | Tahiti limes | *Citrus latifolia* |
| | | | 0110040-005 | Limequats | *Citrus aurantiifolia* x *Fortunella* spp. |
| | 0110050 | Mandarins | 0110050-001 | Calamondins | *Citrus madurensis* |
| | | | 0110050-002 | Clementines | *Citrus clementina* |
| | | | 0110050-003 | Cleopatra mandarins | *Citrus reshni* |
| | | | 0110050-004 | Minneolas | *Citrus tangelo* |
| | | | 0110050-005 | Satsumas/clausellinas | *Citrus unshiu* |
| | | | 0110050-006 | Tangerines/dancy mandarins | *Citrus tangerina* |
| | | | 0110050-007 | Tangors | *Citrus nobilis* |
| | | | 0110050-990 | Other hybrids of *Citrus reticulata*, not elsewhere mentioned | |
| | 0120010 | Almonds | 0120010-001 | Apricot kernels | *Armeniaca vulgaris*; syn: *Prunus armeniaca* |
| | | | 0120010-002 | Bitter almonds | *Amygdalus communis* var. *amara*; syn: *Prunus dulcis* |
| | | | 0120010-003 | Canarium nuts/galip nuts | *Canarium harveyi* |
| | | | 0120010-004 | Okari nuts | *Terminalia kaernbachii* |
| | | | 0120010-005 | Pili nuts | *Canarium ovatum* |
| | 0120050 | Coconuts | 0120050-001 | Areca nuts/betel nuts | *Areca catechu* |
| | 0120060 | Hazelnuts/cobnuts | 0120060-001 | Acorns | *Quercus* spp. |
| | | | 0120060-002 | Filberts | *Corylus maxima* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0120080 | Pecans | 0120080-001 | Hickory nuts | *Carya ovata* |
| | 0120090 | Pine nut kernels | 0120090-001 | Pine nut kernels from other species than *Pinus pinea* | *Pinus cembra* |
| | | | 0120090-002 | | *Pinus gerardiana* |
| | | | 0120090-003 | | *Pinus koraiensis* |
| | | | 0120090-004 | | *Pinus sibirica* |
| | | | 0120090-005 | | *Pinus pumila* |
| | | | 0120090-006 | | *Pinus yunnanensis* |
| | | | 0120090-007 | | *Pinus wallichiana* |
| | | | 0120090-990 | Other species of genus *Pinus*, not elsewhere mentioned | |
| | 0130010 | Apples | 0130010-001 | Crab apples/wild apples | *Malus sylvestris* |
| | | | 0130010-002 | Tejocotes | *Crataegus mexicana* |
| | 0130020 | Pears | 0130020-001 | Nashi pears/Oriental pears | *Pyrus pyrifolia* |
| | | | 0130020-002 | Wild pears | *Pyrus pyraster* |
| | | | 0130020-003 | Ya pears/Chinese white pears | *Pyrus bretschneideri* |
| | 0130030 | Quinces | 0130030-001 | Chinese quinces | *Pseudocydonia sinensis* |
| | | | 0130030-002 | Japanese quinces | *Chaenomeles japonica* |
| | 0140010 | Apricots | 0140010-001 | Japanese apricots/Umes | *Prunus mume* |
| | | | 0140010-002 | Nectacots | *Prunus armeniaca x Prunus persica* var. *nucipersica* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0140020 | Cherries (sweet) | 0140020-001 | Black cherries | *Prunus serotina* var. *serotina* |
| | | | 0140020-002 | Capulins | *Prunus serotina* var. *capuli* |
| | | | 0140020-003 | Chokecherries | *Prunus virginiana* |
| | | | 0140020-004 | Cornelian cherries/European corniols | *Cornus mas* |
| | | | 0140020-005 | Nanking cherries | *Prunus tomentosa* |
| | | | 0140020-006 | Sour cherries/morello cherries | *Cerasus vulgaris*; syn: *Prunus cerasus* |
| | 0140030 | Peaches | 0140030-001 | Flat peaches/saturn peaches/paraguayas | *Prunus persica* var. *platycarpa* |
| | | | 0140030-002 | Nectarines | *Persica vulgaris* var. *nectarina*; syn: *Prunus persica* var. *nucipersica* |
| | | | 0140030-990 | Other hybrids of *Persica vulgaris*; syn: *Prunus persica*, not elsewhere mentioned | |
| | 0140040 | Plums | 0140040-001 | American plums | *Prunus americana* |
| | | | 0140040-002 | Beach plums | *Prunus maritima* |
| | | | 0140040-003 | Cherry plums /myrabolans | *Prunus cerasifera* |
| | | | 0140040-004 | Chickasaw plums | *Prunus angustifolia* |
| | | | 0140040-005 | Chinese jujubes/red dates/Chinese dates | *Ziziphus jujuba*; syn: *Ziziphus zizyphus* |
| | | | 0140040-006 | Damsons/ bullaces | *Prunus domestica* subsp. *rotunda*; syn: *Prunus domestica* subsp. *italica* |
| | | | 0140040-007 | Gages/greengages/Reine Claudes | *Prunus domestica* var. *italica*; syn: *Prunus domestica* subsp. *rotunda* |
| | | | 0140040-008 | Japanese plums | *Prunus salicina* |
| | | | 0140040-009 | Klamath plums | *Prunus subcoradata* |
| | | | 0140040-010 | Mirabelles | *Prunus domestica* subsp. *syriaca* |
| | | | 0140040-011 | Plumcots | *Prunus domestica x Prunus armeniaca* |
| | | | 0140040-012 | Prunus Nadia® | *Prunus salicina x Prunus avium* |
| | | | 0140040-013 | Sloes/blackthorne berries | *Prunus spinosa* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0151010 | Table grapes | 0151010-001 | Kiwiberries/dwarf kiwi | *Actinidia arguta* |
| | | | 0151010-002 | Schisandra berries | *Schisandra chinensis* |
| | 0151020 | Wine grapes | 0151020-001 | Amur river grapes | *Vitis amurensis* |
| | | | 0151020-002 | Muscadine grapes | *Vitis rotundifolia* |
| | 0152000 | Strawberries | 0152000-001 | Musky strawberries | *Fragaria moschata* |
| | | | 0152000-002 | Wild strawberries | *Fragaria vesca* |
| | 0153020 | Dewberries | 0153020-001 | Boysenberries | *Rubus x loganobaccus* × *Rubus fruticosus/Rubus ursinus x Rubus idaeus* |
| | | | 0153020-002 | Loganberries | *Rubus x loganobaccus* |
| | | | 0153020-003 | Olallieberries | *Rubus x loganobaccus x Rubus ursinus* var. *young* |
| | | | 0153020-004 | Salmonberries | *Rubus spectabilis* |
| | | | 0153020-005 | Tayberries | *Rubus* sect. *Rubus x Rubus idaeus* |
| | | | 0153020-006 | Thimbleberries | *Rubus parviflorus* |
| | | | 0153020-007 | Youngberries | *Rubus ursinus* var. *young* |
| | | | 0153020-990 | Other species and hybrids of genus *Rubus*, not elsewhere mentioned | |
| | 0153030 | Raspberries (red and yellow) | 0153030-001 | Arctic brambles/arctic raspberries/nectar berries | *Rubus arcticus* |
| | | | 0153030-002 | Black raspberries | *Rubus occidentalis* |
| | | | 0153030-003 | Korean black raspberries | *Rubus coreanus* |
| | | | 0153030-004 | Korean raspberries | *Rubus crataegifolius* |
| | | | 0153030-005 | Nectar raspberries | *Rubus idaeus x Rubus arcticus* |
| | | | 0153030-006 | Wineberries/Japanese wineberries | *Rubus phoenicolasius* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0154010 | Blueberries | 0154010-001 | Aronia berries/chokeberries (black, purple and red) | *Aronia arbutifolia* |
| | | | 0154010-002 | | *Aronia melanocarpa* |
| | | | 0154010-003 | | *Aronia prunifolia* |
| | | | 0154010-004 | Bearberries | *Arctostaphylos uva-ursi* |
| | | | 0154010-005 | Bilberries/European blueberries/whortleberries | *Vaccinium myrtillus* |
| | | | 0154010-006 | Bog bilberries | *Vaccinium uliginosum* |
| | | | 0154010-007 | European barberries | *Berberis vulgaris* |
| | | | 0154010-008 | Golden currant/buffalo currant | *Ribes aureum* |
| | | | 0154010-009 | Haskaps/blue honeysuckles | *Lonicera caerulea* |
| | | | 0154010-010 | Huckleberries | *Vaccinium parvifolium* |
| | | | 0154010-011 | Jostaberries | *Ribes* × *nidigrolaria* |
| | | | 0154010-012 | Juneberries | *Amelanchier lamarckii* |
| | | | 0154010-013 | Myrtle berries | *Myrtus communis* |
| | | | 0154010-014 | Native currant | *Acrotriche depressa* |
| | | | 0154010-015 | Red bilberries/cowberries | *Vaccinium vitis-idaea* var. *vitis-idaea* |
| | | | 0154010-016 | Red bilberries/lingonberries | *Vaccinium vitis-idaea* var. *minus* |
| | | | 0154010-017 | Salal/shallon berries | *Gaultheria shallon* |
| | | | 0154010-018 | Sea buckthorns/sallow thorns | *Hippophae rhamnoides* |
| | | | 0154010-019 | Serviceberries | *Amelanchier ovalis* |
| | | | 0154010-020 | Ugniberries/Chilean guavas | *Ugni molinae* |
| | | | 0154010-021 | Worcesterberries | *Ribes divaricatum* |
| | | | 0154010-990 | Other species and hybrids of genera *Ribes* and *Vaccinium*, not elsewhere mentioned | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0154020 | Cranberries | 0154020-001 | Cloudberries | *Rubus chamaemorus* |
| | | | 0154020-002 | Crowberries | *Empetrum eamesii* |
| | | | 0154020-003 | | *Empetrum hermaphroditum* |
| | | | 0154020-004 | | *Empetrum nigrum* |
| | | | 0154020-005 | | *Empetrum rubrum* |
| | | | 0154020-006 | Muntries | *Kunzea pomifera* |
| | | | 0154020-007 | Partridge berries | *Mitchella repens* |
| | | | 0154020-008 | Small cranberries/European cranberries | *Vaccinium oxycoccus* |
| | 0154080 | Elderberries | 0154080-001 | Bayberries | *Morella rubra* |
| | | | 0154080-002 | Buffalo berries | *Shepherdia argentea* |
| | | | 0154080-003 | Che berries | *Maclura tricuspidata* |
| | | | 0154080-004 | Dwarf elderberries | *Sambucus ebulus* |
| | | | 0154080-005 | Guelder rose berries | *Viburnum opulus* |
| | | | 0154080-006 | Hawberries | *Crataegus monogyna* |
| | | | 0154080-007 | Midland hawberries | *Crataegus laevigata*; syn: *Crataegus oxyacantha* |
| | | | 0154080-008 | Phalsa fruits | *Grewia asiatica* |
| | | | 0154080-009 | Riberries | *Syzygium luehmannii* |
| | | | 0154080-010 | Rowan berries | *Sorbus aucuparia* |
| | | | 0154080-011 | Saskatoons/saskatoons berries/Pacific service-berries | *Amelanchier alnifolia* |
| | | | 0154080-012 | Silverberries/Russian olives | *Elaeagnus angustifolia* |
| | | | 0154080-013 | Sorb berries/sorb apples | *Sorbus domestica* |
| | | | 0154080-014 | Red elderberries | *Sambucus racemosa* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0161010 | Dates | 0161010-001 | Açaí berries | *Euterpe oleracea* |
| | | | 0161010-002 | Awara palm fruits | *Astrocaryum vulgare* |
| | | | 0161010-003 | Doum palm fruits | *Hyphaene thebaica* |
| | 0161030 | Table olives | 0161030-001 | Chinese black olives | *Canarium tramdenum* |
| | | | 0161030-002 | Chinese white olives | *Canarium album* |
| | | | 0161030-003 | Desert dates | *Balanites aegyptiacus* |
| | 0161040 | Kumquats | 0161040-002 | Marumi kumquats/round kumquats | *Fortunella japonica* |
| | | | 0161040-003 | Nagami kumquats/oval kumquats | *Fortunella margarita* |
| | | | 0161040-990 | Other species and hybrids of genus *Fortunella*, not elsewhere mentioned | |
| | 0161050 | Carambolas | 0161050-001 | Ambarellas | *Spondias cytherea* |
| | | | 0161050-002 | Aonlas/Indian gooseberries | *Phyllanthus emblica* |
| | | | 0161050-003 | Babacos | *Vasconcellea × heilbornii* |
| | | | 0161050-004 | Bilimbis | *Averrhoa bilimbi* |
| | | | 0161050-005 | Cashew apples | *Anacardium occidentale* |
| | | | 0161050-006 | Indian jujubes/bers | *Ziziphus mauritiana* |
| | | | 0161050-007 | Jaboticabas | *Myrciaria cauliflora* |
| | | | 0161050-008 | Malay pommarosas/pomeracs | *Syzygium malaccense* |
| | | | 0161050-009 | Malayan mombins | *Spondias pinnata* |
| | | | 0161050-010 | Maprangs/marian plums | *Bouea macrophylla* |
| | | | 0161050-011 | Natal plums | *Carissa macrocarpa*; syn: *Carissa grandiflora* |
| | | | 0161050-012 | Nonis | *Morinda citrifolia* |
| | | | 0161050-013 | Pommarosas/rose apples | *Syzygium jambos* |
| | | | 0161050-014 | Purple mombins | *Spondias purpurea* |
| | | | 0161050-015 | Santols/sentuls | *Sandoricum koetjape* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0161070 | Jambuls/jambolans | 0161070-001 | Acerolas/Barbados cherries | *Malpighia glabra* |
| | | | 0161070-002 | Arbutus berries | *Arbutus unedo* |
| | | | 0161070-003 | Camu camus | *Myrciaria dubia* |
| | | | 0161070-004 | Carandas | *Carissa carandas* |
| | | | 0161070-005 | Coco plums | *Chrysobalanus icaco* |
| | | | 0161070-006 | Grumichamas/Brazil cherries | *Eugenia dombeyi*; syn: *Eugenia brasiliensis* |
| | | | 0161070-007 | Hog plums/yellow mombins | *Spondias mombin* |
| | | | 0161070-008 | Java apples | *Syzygium samarangense* |
| | | | 0161070-009 | Otaheite gooseberries | *Phyllanthus acidus*; syn: *Phyllanthus distichus* |
| | | | 0161070-010 | Sea grapes | *Coccoloba uvifera* |
| | | | 0161070-011 | Surinam cherries | *Eugenia uniflora* |
| | | | 0161070-012 | Water apples | *Syzygium aqueum* |
| | | | 0161070-013 | Water berries | *Syzygium cordatum* |
| | | | 0161070-014 | Water pears | *Syzygium guineense* |
| | 0162020 | Litchis/lychees | 0162020-001 | Longans | *Dimocarpus longan* |
| | | | 0162020-002 | Marulas | *Sclerocarya birrea* |
| | | | 0162020-003 | Salaks/snake fruits | *Salacca zalacca*; syn: *Salacca edulis* |
| | | | 0162020-004 | Spanish limes/mamoncillos/genips | *Melicoccus bijugatus* |
| | | | 0162020-005 | Baels | *Aegle marmelos* |
| | 0162030 | Passionfruits/maracujas | 0162030-001 | Banana passionfruits | *Passiflora mollissima* |
| | | | 0162030-002 | Giant granadillas | *Passiflora quadrangularis* |
| | | | 0162030-003 | Granadillas | *Passiflora ligularis* |
| | | | 0162030-004 | Monstera fruits | *Monstera deliciosa* |
| | | | 0162030-005 | Wingedstem passionflower fruits | *Passiflora alata* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0162040 | Prickly pears/cactus fruits | 0162040-001 | Pitayas/dragon fruits | *Hylocereus undatus* |
| | | | 0162040-002 | Red pitayas | *Hylocereus triangularis* |
| | | | 0162040-003 | Saguaro fruits | *Carnegiea gigantea* |
| | | | 0162040-004 | Yellow pitayas | *Hylocereus megalanthus*; syn: *Senlenicereus megalanthus* |
| | 0162060 | American persimmons/ Virginia kaki | 0162060-001 | Black sapotes | *Diospyros digyna* |
| | | | 0162060-002 | Green sapotes | *Pouteria viridis* |
| | | | 0162060-003 | White sapotes | *Casimiroa edulis* |
| | | | 0162060-004 | Yellow sapotes/canistels | *Pouteria campechiana* |
| | 0163010 | Avocados | 0163010-001 | Avocados for oil production | *Persea americana* |
| | 0163020 | Bananas | 0163020-001 | Cavendishes/grand nains | *Musa acuminata* |
| | | | 0163020-002 | | *Musa balbisiana* |
| | | | 0163020-003 | | *Musa acuminata x Musa balbisiana* |
| | | | 0163020-004 | Dwarf bananas/lady fingers bananas | *Musa acuminata* |
| | | | 0163020-005 | Plantains | *Musa acuminata* |
| | | | 0163020-006 | | *Musa balbisiana* |
| | | | 0163020-007 | | *Musa acuminata x Musa balbisiana* |
| | 0163040 | Papayas | 0163040-001 | Akee apples | *Blighia sapida* |
| | | | 0163040-002 | Feijoas/pineapple guavas | *Acca sellowiana*; syn: *Feijoa sellowiana* |
| | | | 0163040-003 | Langsats/lanzones/longkongs | *Lansium domesticum* |
| | | | 0163040-004 | Mangosteens | *Garcinia mangostana* |
| | | | 0163040-005 | Naranjillas/lulos | *Solanum quitoense* |
| | | | 0163040-006 | Paw paws | *Asimina triloba* |
| | | | 0163040-007 | Tamarillos | *Cyphomandra betacea*; syn: *Solanum betaceum* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0163060 | Cherimoyas | 0163060-001 | Elephant apples | *Limonia acidissima* |
| | | | 0163060-002 | Ilamas | *Annona diversifolia* |
| | | | 0163060-003 | Mammey sapotes | *Pouteria sapota* |
| | | | 0163060-004 | Marmeladedos | *Genipa americana* |
| | | | 0163060-005 | Pulasans | *Nephelium mutabile* |
| | | | 0163060-006 | Rambutans/hairy litchis | *Nephelium lappaceum* |
| | | | 0163060-007 | Sapodillas | *Manilkara zapota* |
| | | | 0163060-008 | Sweetsops/sugar apples | *Annona squamosa* |
| | | | 0163060-009 | Wild sweetsops/custard apples | *Annona reticulata* |
| | 0163070 | Guavas | 0163070-001 | Brazilian guavas | *Psidium guineense* |
| | | | 0163070-002 | Cattley guavas | *Psidium cattleianum*; syn: *Psidium littorale* |
| | | | 0163070-003 | Costarican guavas | *Psidium friedrichsthalianum* |
| | | | 0163070-004 | Guayabillos | *Psidium sartorianum* |
| | | | 0163070-005 | Parà guavas | *Psidium acutangulum* |
| | 0163090 | Breadfruits | 0163090-001 | Jackfruits | *Artocarpus heterophyllus* |
| | | | 0163090-990 | Other species of genus *Artocarpus*, not elsewhere mentioned | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0211000 | Subgroup<br>(a) potatoes | 0211000-001 | Andigena | *Solanum tuberosum* subsp. *andigena* |
| | 0212010 | Cassava roots/manioc | 0212010-001 | Blue taros/blue tannias | *Xanthosoma violaceum* |
| | | | 0212010-002 | Canna | *Canna indica*; syn: *Canna edulis* |
| | | | 0212010-003 | Chayotes/christophines roots | *Sechium edule* |
| | | | 0212010-004 | Dasheen taros | *Colocasia esculenta* var. *esculenta* |
| | | | 0212010-005 | Eddoe taros | *Colocasia esculenta* var. *antiquorum* |
| | | | 0212010-006 | Konjac roots | *Amorphophallus konjac* |
| | | | 0212010-007 | Tannias/arrowleaf elephant ears/tajer | *Xanthosoma sagittifolium* |
| | 0212030 | Yams | 0212030-001 | Amazonian yam beans/potato beans | *Pachyrhizus tuberosus* |
| | | | 0212030-002 | American groundnuts tubers | *Apios americana* |
| | | | 0212030-003 | Andean yam beans | *Pachyrhizus ahipa* |
| | | | 0212030-004 | Mexican yam beans | *Pachyrhizus erosus* |
| | 0212040 | Arrowroots | 0212040-001 | Lotus roots | *Nelumbo nucifera* |
| | | | 0212040-002 | Chinese water chestnut | *Eleocharis dulcis* |
| | 0213020 | Carrots | 0213020-001 | Coloured carrots varieties | *Daucus carota* subsp. *sativus* |
| | | | 0213020-002 | Baby carrots | *Daucus carota* subsp. *sativus* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0213040 | Horseradishes | 0213040-001 | Dandelion roots | *Taraxacum* sect. Ruderalia; syn: *Taraxacum officinale* |
| | | | 0213040-002 | Gentiana roots | *Gentiana lutea* |
| | | | 0213040-003 | East Indian galangal/aromatic ginger/sand galangal | *Kaempferia galanga* |
| | | | 0213040-004 | Fingerroot | *Boesenbergia rotunda* |
| | | | 0213040-005 | Galangal roots | *Alpinia galanga* |
| | | | | | *Alpinia officinarum* |
| | | | | | *Kaempferia galanga* |
| | | | | | *Boesenbergia rotunda* |
| | | | 0213040-006 | Ginger roots | *Zingiber officinale* |
| | | | 0213040-007 | Greater galangal | *Alpinia galanga* |
| | | | 0213040-008 | Lesser galangal/smaller galangal | *Alpinia officinarum* |
| | | | 0213040-009 | Orris roots | *Iris germanica* |
| | | | | | *Iris pallida* |
| | | | 0213040-010 | Wasabi roots | *Eutrema wasabi*; syn: *Eutrema japonica* |
| | 0213050 | Jerusalem artichokes | 0213050-001 | Crosnes/Chinese artichokes | *Stachys affinis* |
| | | | 0213050-002 | Mashua | *Tropaeolum tuberosum* |
| | | | 0213050-003 | Oca | *Oxalis tuberosa* |
| | | | 0213050-004 | Pale-leaf sunflower | *Helianthus strumosus* |
| | | | 0213050-005 | Tuberous peas | *Lathyrus tuberosus* |
| | 0213070 | Parsley roots/Hamburg roots parsley | 0213070-001 | Angelica roots | *Angelica archangelica* |
| | | | 0213070-002 | Burnet saxifrage roots | *Pimpinella saxifraga* |
| | | | 0213070-003 | Lovage roots | *Levisticum officinale* |
| | | | 0213070-004 | Nettle roots | *Urtica dioica* |
| | | | 0213070-005 | Other species of the genus *Urtica*, not elsewhere mentioned | |
| | | | 0213070-006 | Turnip-rooted chervils | *Chaerophyllum bulbosum* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0213080 | Radishes | 0213080-001 | Black radishes/winter radishes/‘Gros noir d'hiver’ | *Raphanus sativus* |
| | | | 0213080-002 | Daikon/japanese radishes | *Raphanus sativus* var. *longipinnatus* |
| | | | 0213080-003 | Maca roots | *Lepidium meyenii* |
| | | | 0213080-004 | Small radishes | *Raphanus sativus* var. *radicula* |
| | | | 0213080-005 | Tigernuts | *Cyperus esculentus* |
| | 0213090 | Salsifies | 0213090-001 | Burdocks | *Arctium lappa* |
| | | | 0213090-002 | Rampion roots | *Campanula rapunculus* |
| | | | 0213090-003 | Scorzonera/black salsifies | *Scorzonera hispanica* |
| | | | 0213090-004 | Skirrets | *Sium sisarum* |
| | | | 0213090-005 | Spanish salsifies | *Scolymus hispanicus* |
| | 0213110 | Turnips | 0213110-001 | Tuberous-rooted mustards | *Brassica juncea* subsp. *napiformis* |
| | 0220010 | Garlic | 0220010-001 | Twistedleaf garlic | *Allium obliquum* |
| | 0220020 | Onions | 0220020-001 | ‘Cipollotto Nocerino PDO’ | *Allium cepa* Common Onion Group |
| | | | 0220020-002 | Pearl onions | *Allium ampeloprasum ampeloprasum* Leek Group; syn: *Allium porrum* |
| | | | 0220020-003 | Rakkyo/Chinese onions | *Allium chinense* |
| | | | 0220020-004 | Silverskin onions/pickled onions | *Allium cepa* Common Onion Group |
| | 0220030 | Shallots | 0220030-001 | French grey shallots | *Allium oschaninii* |
| | | | 0220030-002 | Persian shallots | *Allium stipitatum* |
| | 0220040 | Spring onions/green onions and Welsh onions | 0220040-001 | Tree onions/Egyptian walking onions | *Allium* × *proliferum*; syn: *Allium cepa* var. *proliferum* |
| | | | 0220040-002 | Green garlic | *Allium sativum*(immature) |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0231010 | Tomatoes | 0231010-001 | Alkekengi/Chinese lanterns/ground cherries | *Physalis alkekengi* |
| | | | 0231010-002 | Cape gooseberries | *Physalis peruviana* |
| | | | 0231010-003 | Cherry tomatoes | *Lycopersicon esculentum* var. *cerasiforme* |
| | | | 0231010-004 | Dwarf Cape gooseberries/strawberry tomatoes | *Physalis grisea*; syn: *Physalis edulis* |
| | | | 0231010-005 | Gojiberries/wolfberries | *Lycium barbarum* |
| | | | 0231010-006 | | *Lycium chinense* |
| | | | 0231010-007 | Litchi tomatoes/sticky nightshades | *Solanum sisymbriifolium* |
| | | | 0231010-008 | Pear-shaped tomatoes | *Lycopersicon esculentum* var. *pyriforme* |
| | | | 0231010-009 | Tomatillos/husk tomatoes | *Physalis philadelphica* |
| | 0231020 | Sweet peppers/bell peppers | 0231020-001 | Chili peppers | *Capsicum annuum* var. *annuum* |
| | | | | | *Capsicum baccatum* |
| | | | | | *Capsicum chinense* |
| | | | | | *Capsicum frutescens* |
| | | | | | *Capsicum pubescens* |
| | 0231030 | Aubergines/eggplants | 0231030-001 | Antroewas/African eggplants/gboma | *Solanum macrocarpon* |
| | | | 0231030-002 | Ethiopian eggplants/gilo' | *Solanum aethiopicum* |
| | | | 0231030-003 | Pepinos | *Solanum muricatum* |
| | | | 0231030-004 | Thorn apples | *Solanum incanum* |
| | | | 0231030-005 | Turkey berries/devil's figs/pea eggplants/pea aubergines | *Solanum torvum* |
| | | | 0231030-006 | Kangaroo apples/poroporo | *Solanum aviculare* |
| | 0232010 | Cucumbers | 0232010-001 | Armenian cucumbers | *Cucumis melo* var. *flexuosus* |
| | | | 0232010-002 | Dosakayi/Indian curry cucumbers | *Cucumis sativus* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0232020 | Gherkins | 0232020-001 | Bur gherkins | *Cucumis anguria* subsp. *anguria* |
| | 0232030 | Courgettes | 0232030-001 | Angled luffas/teroi | *Luffa acutangula* |
| | | | 0232030-002 | Bottle gourds/calabashes/lauki | *Lagenaria siceraria* |
| | | | 0232030-003 | Chayotes/christophines | *Sechium edule* |
| | | | 0232030-004 | Ivy gourds | *Coccinia grandis* |
| | | | 0232030-005 | Pointed gourds/parwals | *Trichosanthes dioica* |
| | | | 0232030-006 | Snake gourds | *Trichosanthes cucumerina* var. *anguina* |
| | | | 0232030-007 | Sopropos/bitter melons/balsam pears | *Momordica charantia* |
| | | | 0232030-008 | Summer squashes/zucchini/pâtissons/pattypan squashes/marrows | *Cucurbita pepo* |
| | 0233010 | Melons | 0233010-001 | Kiwanos/horned melons | *Cucumis metuliferus* |
| | 0233020 | Pumpkins | 0233020-001 | Butternut squashes | *Cucurbita moschata* |
| | | | 0233020-002 | Winter melons/winter gourds/white gourds | *Benincasa hispida* |
| | | | 0233020-003 | Winter squashes/red kuri squashes/marrows (late varieties) | *Cucurbita maxima* |
| | 0234000 | Subgroup<br>(d) sweet corn | 0234000-001 | Baby corn | *Zea mays* |
| | 0241010 | Broccoli | 0241010-001 | Calabrese | *Brassica oleracea* var. *italica* |
| | | | 0241010-002 | Chinese broccoli/kai-lan | *Brassica oleracea* var. *alboglabra* |
| | | | 0241010-003 | Choi sum/tsoi sam | *Brassica rapa* var. *parachinensis* |
| | | | 0241010-004 | Rapini/broccoletti/broccoli raab | *Brassica rapa* subsp. *sylvestris* |
| | 0241020 | Cauliflowers | 0241020-001 | Romanesco cauliflowers/Romanesco broccoli | *Brassica oleracea* var. *botrytis* |
| | 0242010 | Brussels sprouts | 0242010-001 | Flower sprouts | *xBrassica oleracea* |
| | 0242020 | Head cabbages | 0242020-001 | Pointed head cabbages | *Brassica oleracea* var. *capitata* |
| | | | 0242020-002 | Red cabbages | *Brassica oleracea* var. *capitata* f. *rubra* |
| | | | 0242020-003 | Savoy cabbages | *Brassica oleracea* var. *sabauda* |
| | | | 0242020-004 | White cabbage | *Brassica oleracea* var. *capitata* f. *alba* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0243010 | Chinese cabbages/pe-tsai | 0243010-001 | Chinese flat cabbages/tatsoi/tai goo choi | *Brassica rapa* var. *rosularis* |
| | | | 0243010-002 | Indian mustards/mustard greens | *Brassica juncea* |
| | | | 0243010-003 | Komatsuna/mustard spinaches | *Brassica perviridis* |
| | | | 0243010-004 | Mizuna | *Brassica rapa* subsp. *nipposinica* |
| | | | 0243010-005 | Pak-choi/paksoi | *Brassica chinensis* |
| | | | 0243010-006 | Turnip greens/turnip tops | *Brassica rapa* subsp. *rapa* |
| | | | 0243010-007 | Seakale | *Crambe maritima* |
| | 0243020 | Kales | 0243020-001 | Borecoles/collards greens/curly kales | *Brassica oleracea* var. *viridis* |
| | | | 0243020-002 | Cow cabbages/stem kales | *Brassica oleracea* var. *acephala* subvar. *medullosa* |
| | | | 0243020-003 | Cow cabbages/Jersey kales | *Brassica oleracea* var. *longata* |
| | | | 0243020-004 | Kohlrabies leaves | *Brassica oleracea* var. *gongylodes* |
| | | | 0243020-005 | Rape kales/Siberian kales | *Brassica napus* var. *pabularia* |
| | | | 0243020-006 | Portuguese kales/tronchuda kales/Portuguese cabbages | *Brassica oleracea* convar. *costata* |
| | | | 0243020-007 | Palm tree kale/lacinato/black kale | *Brassica oleracea* var. *palmifolia* |
| | | | 0243020-008 | Radish leaves ([3]) | *Raphanus sativus* Radish Group |
| | 0251010 | Lamb's lettuces/corn salads | 0251010-001 | Italian corn salads | *Valerianella eriocarpa* |
| | 0251020 | Lettuces | 0251020-001 | Crisp lettuces/iceberg lettuces | *Lactuca sativa* Crisphead group |
| | | | 0251020-002 | Cutting lettuces | *Lactuca sativa* Cutting group |
| | | | 0251020-003 | Head lettuces/cabbage lettuces | *Lactuca sativa* Butterhead group |
| | | | 0251020-004 | Romaines/cos lettuces/lollo bionda/lollo rosso | *Lactuca sativa* Cos group |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0251030 | Escaroles/broad-leaved endives | 0251030-001 | Curly endives/ frisée endives | *Cichorium endivia* var. *crispum* |
| | | | 0251030-002 | Dandelions | *Taraxacum* sect. Ruderalia; syn: *Taraxacum officinale* |
| | | | 0251030-003 | Puntarelle | *Cichorium intybus* |
| | | | 0251030-004 | Radicchio/red-leaved chicories | *Cichorium intybus* var. *foliosum* |
| | | | 0251030-005 | Sugar loaf chicories | *Cichorium intybus* Sugar loaf group |
| | | | 0251030-006 | Wild chicories/common chicories | *Cichorium intybus* var. *foliosum* |
| | 0251040 | Cresses and other sprouts and shoots | 0251040-001 | Alfalfa/lucerne sprouts | *Medicago sativa* subsp. *sativa* |
| | | | 0251040-002 | Chinese chives/oriental garlic/garlic chives sprouts | *Allium tuberosum* |
| | | | 0251040-003 | Broccoli sprouts | *Brassica oleracea* var. *italica* |
| | | | 0251040-004 | Daikon/Japanese radish sprouts | *Raphanus sativus* var. *longipinnatus* |
| | | | 0251040-005 | Ginger shoots | *Zingiber officinale* |
| | | | 0251040-006 | Mung bean sprouts | *Vigna radiata* |
| | | | 0251040-007 | Peas shoots and sprouts | *Pisum sativum* |
| | | | 0251040-008 | Roman rocket/rucola sprouts | *Eruca sativa* |
| | | | 0251040-009 | Soyabeans sprouts | *Glycine max* |
| | | | 0251040-010 | Sunflower shoots and sprouts | *Helianthus annuus* |
| | | | 0251040-011 | Cereals grasses/cereals shoots | |
| | | | 0251040-990 | Other species used for the production of sprouts or shoots | |
| | 0251060 | Roman rocket/rucola | 0251060-001 | Wall rocket | *Diplotaxis tenuifolia* |
| | 0251080 | Baby leaf crops (including brassica species) | 0251080-001 | Chards/beet leaves | *Beta vulgaris* var. *flavescens* |
| | | | 0251080-002 | Escaroles/broad-leaved endives | *Cichorium endivia* var. *latifolia* |
| | | | 0251080-003 | Indian mustards/mustard greens | *Brassica juncea* |
| | | | 0251080-004 | Lettuces | *Lactuca sativa* |
| | | | 0251080-005 | Spinaches | *Spinacia oleracea* |
| | | | 0251080-990 | Other species harvested at baby leaf stage | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0252010 | Spinaches | 0252010-001 | Amaranths/Chinese spinaches/pak-khom | *Amaranthus blitum* |
| | | | 0252010-002 | | *Amaranthus cruentus* |
| | | | 0252010-003 | | *Amaranthus dubius* |
| | | | 0252010-004 | | *Amaranthus tricolor* |
| | | | 0252010-005 | | *Amaranthus viridis* |
| | | | 0252010-006 | Bitterblad/bitawiri | *Cestrum latifolium* |
| | | | 0252010-007 | Bitterleaves | *Vernonia* spp. |
| | | | 0252010-008 | Black eyed peas/cowpeas leaves | *Vigna unguiculata* var. *unguiculata* |
| | | | 0252010-009 | Cassava leaves | *Manihot esculenta* |
| | | | 0252010-010 | Garland chrysanthemums/tong ho | *Chrysanthemum coronarium* |
| | | | 0252010-011 | New Zealand spinaches | *Tetragonia tetragoniodes* |
| | | | 0252010-012 | Oraches | *Atriplex hortensis* |
| | | | 0252010-013 | Sweet potato leaves | *Ipomoea batatas* |
| | | | 0252010-014 | Tannias/arrowleaf elephant ears/tajer leaves | *Xanthosoma sagittifolium* |
| | 0252020 | Purslanes | 0252020-001 | Agretti | *Salsola soda* |
| | | | 0252020-002 | Glassworts/samphires | *Salicornia europea* |
| | | | 0252020-003 | Rock samphires | *Crithmum maritimum* |
| | | | 0252020-004 | Sea asters | *Aster tripolium* |
| | | | 0252020-005 | Sea lavenders | *Limonium vulgare* |
| | | | 0252020-006 | Winter purslanes/miner's lettuces | *Montia perfoliata* |
| | | | 0252020-007 | Karkallas/Hottentot figs/Iceplant leaves | *Carpobrotus edulis* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0252030 | Chards/beet leaves | 0252030-001 | Beetroot leaves | *Beta vulgaris* var. *vulgaris* |
| | | | 0252030-002 | Swiss chards | *Beta vulgaris* var. *cycla* |
| | 0253000 | Subgroup<br>(c) grape leaves and similar species | 0253000-001 | Climbing wattle/acacia shoots | *Acacia pennata* |
| | | | 0253000-002 | Malabar nightshades | *Basella alba* |
| | 0254000 | Subgroup<br>(d) watercresses | 0254000-001 | Morning glory/Chinese convolvolus/water convolvolus/kangkung | *Ipomea aquatica* |
| | | | 0254000-002 | Water clovers | *Marsilea crenata* |
| | | | 0254000-003 | Water mimosas | *Neptunia oleracea* |
| | 0255000 | Subgroup<br>(e) witloofs/Belgian endives | 0255000-001 | Dandelion leaves (forced) | *Taraxacum* sect. Ruderalia; syn: *Taraxacum officinale* |
| | 0256020 | Chives | 0256020-001 | Chinese chives/oriental garlic/garlic chives | *Allium tuberosum* |
| | | | 0256020-002 | Ramson/wild garlic/bear's garlic | *Allium ursinum* |
| | 0256030 | Celery leaves | 0256030-001 | Angelica (leaves and stems) | *Angelica archangelica* |
| | | | 0256030-002 | Burnet | *Sanguisorba officinalis* |
| | | | 0256030-003 | Caraway leaves | *Carum carvii* |
| | | | 0256030-004 | Coriander leaves | *Coriandrum sativum* |
| | | | 0256030-005 | Culantro/false coriander leaves | *Eryngium foetidum* |
| | | | 0256030-006 | Dill leaves | *Anethum graveolens* |
| | | | 0256030-007 | Fennel leaves | *Foeniculum vulgare* |
| | | | 0256030-008 | Fenugreek leaves | *Trigonella foenum-graecum* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0256030-009 | Herb of grace/rue | *Ruta graveolens* |
| | | | 0256030-010 | Lovage leaves | *Levisticum officinale* |
| | | | 0256030-011 | Pimpernel/greater burnet-saxifrage | *Pimpinella major* |
| | | | 0256030-012 | Salad burnet/lady's mantle | *Sanguisorba minor* |
| | | | 0256030-013 | Sorrel/dock | *Rumex flexuosus* |
| | | | 0256030-014 | | *Rumex hydrolapathum* |
| | | | 0256030-015 | | *Rumex rugosus*; syn: *Rumex acetosa* subsp. *ambiguus* |
| | | | 0256030-016 | | *Rumex sanguineus* |
| | | | 0256030-017 | Sweet cicely | *Myrrhis odorata* |
| | 0256040 | Parsley | 0256040-001 | Root parsley leaves | *Petroselinum crispum* convar. *radicosum* |
| | 0256050 | Sage | 0256050-001 | Borage | *Borago officinalis* |
| | | | 0256050-002 | Curry herb | *Helichrysum italicum* |
| | | | 0256050-003 | Greek sage | *Salvia fruticosa*; syn: *Salvia triloba* |
| | | | 0256050-004 | Jamé's sage/Mexican sage | *Salvia leucantha* |
| | | | 0256050-990 | Other species and hybrids of genus *Salvia*, not elsewhere mentioned | |
| | 0256060 | Rosemary | 0256060-001 | Santolina/green lavander cotton | *Santolina rosmarinifolia*; syn: *Santolina virens* |
| | | | 0256060-002 | Green santolina | *Santolina viridis* |
| | 0256070 | Thyme | 0256070-001 | Creeping thyme | *Thymus serpyllum* |
| | | | 0256070-002 | Cretan oregano/Turkish oregano | *Origanum onites* |
| | | | 0256070-003 | Lemon savory | *Micromeria biflora*; syn: *Satureja biflora* |
| | | | 0256070-004 | Lemon thyme/citrus thyme | *Thymus xcitriodorus* |
| | | | 0256070-005 | Marjoram | *Origanum majorana*; syn: *Majorana hortensis* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0256070-006 | Mastic thyme | *Thymus mastichina* |
| | | | 0256070-007 | Oregano | *Origanum vulgare* |
| | | | 0256070-008 | Summer savory | *Satureja hortensis* |
| | | | 0256070-009 | Syrian oregano/bible hyssop/za'atar | *Origanum syriacum* |
| | | | 0256070-010 | Winter savory | *Satureja montana* |
| | 0256080 | Basil and edible flowers | 0256080-001 | Apple mint | *Mentha suaveolens* |
| | | | 0256080-002 | Asiatic pennywort | *Centella asiatica* |
| | | | 0256080-003 | Bergamot mint/eau-de-Cologne mint | *Mentha ×piperita* nm. *citrata* |
| | | | 0256080-004 | Corsican mint | *Mentha requienii* |
| | | | 0256080-005 | Courgette (edible flowers) | *Cucurbita pepo* Zucchini Group |
| | | | 0256080-006 | Gingermint | *Mentha ×gracilis* |
| | | | 0256080-007 | Greek bush basil | *Ocimum basilicum* var. *minimum* |
| | | | 0256080-008 | Hoary basil | *Ocimum americanum* |
| | | | 0256080-009 | Holy basil/tulsi | *Ocimum tenuiflorum* |
| | | | 0256080-010 | Lemon balm | *Melissa officinalis* |
| | | | 0256080-011 | Lemon basil | *Ocimum ×citriodorum* |
| | | | 0256080-012 | Lesser calamint | *Calamintha nepeta*; syn: *Clinopodium nepeta* |
| | | | 0256080-013 | Lizard tail/dap ca | *Houttuynia cordata* |
| | | | 0256080-014 | Marigold (edible flowers) | *Tagetes minuta* |
| | | | 0256080-015 | | *Tagetes tenuifolia* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0256080-016 | Other species of the genus *Tagetes*, not elsewhere mentioned | |
| | | | 0256080-017 | Nasturtium (leaves and edible flowers) | *Tropaeolum majus* |
| | | | 0256080-018 | | *Tropaeolum minus* |
| | | | 0256080-019 | Pennyroyal | *Mentha pulegium* |
| | | | 0256080-020 | Peppermint | *Mentha ×piperita* |
| | | | 0256080-021 | Pot marigold (edible flowers) | *Calendula officinalis* |
| | | | 0256080-022 | Rice paddy herb/phak ka yaeng | *Limnophila aromatica* |
| | | | 0256080-023 | Spearmint | *Mentha spicata*; syn: *Mentha viridis* |
| | | | 0256080-024 | Thai basil | *Ocimum basilicum* var. *thyrsiflorum* |
| | | | 0256080-025 | Vietnamese mint | *Persicaria odorata* |
| | | | 0256080-026 | Water mint | *Mentha aquatica* |
| | | | 0256080-990 | Other edible flowers | |
| | | | 0256080-991 | Other species and hybrids of genus *Mentha*, not elsewhere mentioned | |
| | 0256090 | Laurel/bay leaves | 0256090-001 | Curry leaves | *Murraya koeningii*; syn: *Bergera koenigi* |
| | | | 0256090-002 | Kaffir lime leaves | *Citrus hystrix* |
| | | | 0256090-003 | Siamese cassia | *Senna siamea* |
| | | | 0256090-004 | Wild betel leaves | *Piper sarmentosum* |
| | | | 0256090-005 | Pandan leaves | *Pandanus amaryllifolius* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0256100 | Tarragon | 0256100-001 | Aztec sweet herb | *Lippia dulcis*; syn: *Phyla dulcis* |
| | | | 0256100-002 | Epazote/Mexican tea/wormseed | *Dysphania ambrosioides* |
| | | | 0256100-003 | Hyssop | *Hyssopus officinalis* |
| | | | 0256100-004 | Lemongrass | *Cymbopogon citratus* |
| | | | 0256100-005 | Mexican oregano | *Lippia graveolens* |
| | | | 0256100-006 | Nettle | *Urtica dioica* |
| | | | 0256100-007 | Other species of the genus *Urtica*, not elsewhere mentioned | |
| | | | 0256100-008 | Russian tarragon | *Artemisia dracunculoides* |
| | | | 0256100-009 | Stevia | *Stevia rebaudiana* |
| | 0260010 | Beans (with pods) | 0260010-001 | Azuki beans | *Vigna angularis* |
| | | | 0260010-002 | Black eyed peas/cowpeas | *Vigna unguiculata* var. *unguiculata* |
| | | | 0260010-003 | Broad beans/fava beans/horse beans/tic beans | *Vicia faba* (any subspp. and var.) |
| | | | 0260010-004 | Borlotti beans/cannelini beans/common beans/flageolets/French beans/slicing beans/snap beans | *Phaseolus vulgaris* (any subspp. and var.) |
| | | | 0260010-005 | Ervils/lentil vetches | *Vicia ervilia*; syn: *Ervum ervilia* |
| | | | 0260010-006 | Guar beans | *Cyamopsis tetragonoloba* |
| | | | 0260010-007 | Jack beans | *Canavalia ensiformis* |
| | | | 0260010-008 | Lablab beans/hyacinth beans | *Lablab purpureus* |
| | | | 0260010-009 | Lima beans/butter beans | *Phaseolus lunatus* var. *lunatus* |
| | | | 0260010-010 | Monantha vetches | *Vicia monanthos* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0260010-011 | Mung beans | *Vigna radiata* |
| | | | 0260010-012 | Rice beans | *Vigna umbellata* |
| | | | 0260010-013 | Runner beans/scarlet runner beans | *Phaseolus coccineus* |
| | | | 0260010-014 | Soyabeans/edamame | *Glycine max* |
| | | | 0260010-015 | Stink beans | *Parkia speciosa* |
| | | | 0260010-016 | Vetches | *Vicia sativa* var. *sativa* |
| | | | 0260010-017 | Yardlong beans | *Vigna unguiculata* var. *sesquipedalis* |
| | 0260020 | Beans (without pods) | 0260020-001 | Species listed with code numbers 0260010-xxx, without pods | |
| | 0260030 | Peas (with pods) | 0260030-001 | Asparagus peas | *Tetragonolobus purpureus* |
| | | | 0260030-002 | Chickling vetches | *Lathyrus sativus* |
| | | | 0260030-003 | Chickpeas/Bengal gram | *Cicer arietinum* subsp. *arietinum* |
| | | | 0260030-004 | Garden peas/green peas/mangetout/snow peas/split peas/sugar peas | *Pisum sativum* (any subspp. and var.) |
| | | | 0260030-005 | Moringa/drumstick tree pods | *Moringa oleifera*; syn: *Moringa pterygosperma* |
| | | | 0260030-006 | Pigeon peas | *Cajanus cajan* |
| | 0260040 | Peas (without pods) | 0260040-001 | Species listed with code numbers 0260030-xxx, without pods | |
| | 0260050 | Lentils | 0260050-001 | Lupins/lupini beans | *Lupinus albus* subsp. *albus* |
| | | | 0260050-002 | | *Lupinus angustifolius* |
| | | | 0260050-003 | | *Lupinus luteus* |
| | | | 0260050-004 | | *Lupinus mutabilis* |
| | 0270010 | Asparagus | 0270010-001 | Hop sprouts | *Humulus lupulus* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0270020 | Cardoons | 0270020-001 | Borage stems | *Borago officinalis* |
| | 0270050 | Globe artichokes | 0270050-001 | Banana flowers | *Musa acuminata* |
| | | | | | *Musa balbisiana* |
| | | | | | hybrids *Musa acuminata x Musa balbisiana* |
| | 0270060 | Leeks | 0270060-001 | Kurrat/Egyptian leek | *Allium kurrat*; syn: *Allium ampeloprasum ampeloprasum* var. *kurrat* |
| | 0270080 | Bamboo shoots | 0270080-001 | European bamboo /Japanese knotweed | *Fallopia japonica* |
| | 0280010 | Cultivated fungi | 0280010-001 | Common mushrooms/button mushrooms/champignons mushrooms | *Agaricus bisporus* |
| | | | 0280010-002 | Corn smuts/ Mexican truffles | *Ustilago maydis* |
| | | | 0280010-003 | Enokitake/winter mushrooms | *Flammulina velutipes* |
| | | | 0280010-004 | Fusarium venenatum | *Fusarium venenatum* |
| | | | 0280010-005 | Horse mushrooms | *Agaricus arvensis* |
| | | | 0280010-006 | Jew's ears/hirneola | *Auricularia auricula-judae* |
| | | | 0280010-007 | Nameko | *Pholiota nameko* |
| | | | 0280010-008 | Oyster mushrooms | *Pleurotus ostreatus* |
| | | | 0280010-009 | Paddy straw mushroom | *Volvariella volvacea* |
| | | | 0280010-010 | Pom-pom blancs/lion's mane mushrooms/monkeyhead mushrooms | *Hericium erinaceus* |
| | | | 0280010-011 | Shiitake | *Lentinula edodes* |
| | | | 0280010-012 | Shimeji/bunashimeji/beach mushrooms | *Hypsizygus tessulatus*; syn: *Hypsizygus marmoreus* |
| | | | 0280010-013 | Snow mushrooms/white jelly mushrooms | *Tremella fuciformis* |
| | | | 0280010-014 | Wood blewits/pied bleus | *Clytocibe nuda*; syn: *Lepista nuda* |
| | | | 0280010-990 | Other cultivated fungi | |
| | | | 0280010-991 | Other species of genus *Pleurotus*, not elsewhere mentioned | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0280020 | Wild fungi | 0280020-001 | Ceps/porcino mushrooms | *Boletus edulis* |
| | | | 0280020-002 | Chanterelles | *Cantharellus* spp. |
| | | | 0280020-003 | Hedgehog mushrooms | *Hydnum repandum* |
| | | | 0280020-004 | Horns of plenty/black trumpets | *Craterellus cornucopioides* |
| | | | 0280020-005 | Morels | *Morchella* spp. |
| | | | 0280020-006 | Périgord black truffles | *Tuber melanosporum* |
| | | | 0280020-007 | Piemont white truffles | *Tuber magnatum* |
| | | | 0280020-008 | Saint George's mushrooms | *Calocybe gambosa* |
| | | | 0280020-009 | Scotch bonnet mushrooms | *Marasmius oreades* |
| | | | 0280020-010 | Summer truffles | *Tuber aestivum*; syn: *Tuber uncinatum* |
| | | | 0280020-990 | Other wild fungi | |
| | | | 0280020-991 | Other species of genus *Tuber*, not elsewhere mentioned | |
| | 0280990 | Mosses and lichens | 0280990-001 | Icelandic mosses | *Cetraria islandica* |
| | | | 0280990-990 | Other mosses and lichens | |
| | 0290000 | Group<br>Algae and prokaryotes organisms | 0290000-001 | Carrageen mosses/Irish mosses | *Chondrus crispus* |
| | | | 0290000-002 | Kombu | *Saccharina japonica* |
| | | | 0290000-003 | Spirulina | *Arthrospira maxima* |
| | | | 0290000-004 | | *Arthrospira platensis* |
| | | | 0290000-005 | Rockweed /knotted kelp | *Ascophyllum nodosum* |
| | | | 0290000-990 | Other algae | |
| | | | 0290000-991 | Other procaryotes organisms | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0300000 | 0300010 | Beans | 0300010-001 | Species listed with code numbers 0260010-xxx, dried seeds, except soyabeans/edamame ([2]) | |
| | 0300030 | Peas | 0300030-001 | Species listed with code numbers 0260030-xxx, dried seeds, except moringa/drumstick tree pods | |
| 0400000 | 0401060 | Rapeseeds/canola seeds | 0401060-001 | Radish seeds | *Raphanus sativus* convar. *oleifer* |
| | | | 0401060-002 | Turnip rape seeds | *Brassica rapa* subsp. *oleifera* |
| | 0401070 | Soyabeans | 0401070-001 | Moringa/drumstick tree seeds | *Moringa oleifera*; syn: *Moringa pterygosperma* |
| | 0401100 | Pumpkin seeds | 0401100-001 | Watermelon seeds | *Citrullus vulgaris*; syn: *Citrullus lanatus* |
| | | | 0401100-990 | Other seeds of species of familia *Cucurbitaceae*, not elsewhere mentioned | |
| | 0401110 | Safflower seeds | 0401110-001 | Milk thistle seeds | *Silybum marianum* |
| | | | 0401110-002 | Niger seeds | *Guizotia abyssinica* |
| | 0401120 | Borage seeds | 0401120-001 | Corn gromwell seeds | *Buglossoides arvensis*; syn: *Lithospermum arvense* |
| | | | 0401120-002 | Evening primrose seeds | *Oenothera biennis* |
| | | | 0401120-003 | Honesty seeds | *Lunaria annua* |
| | | | 0401120-004 | | *Lunaria rediviva* |
| | | | 0401120-005 | Perilla seeds | *Perilla frutescens* |
| | | | 0401120-006 | Purple viper's bugloss seeds | *Echium plantagineum* |
| | 0401150 | Castor beans | 0401150-001 | Grape seeds | *Vitis vinifera* |
| | | | 0401150-002 | Sea buckthorn/sallow thorn seeds | *Hippophaë rhamnoides* |
| | 0402020 | Oil palms kernels | 0402020-001 | Argan nuts | *Argania spinosa* |
| | | | 0402020-002 | Babassu palm nuts | *Attalea speciosa*; syn: *Orbignya phalerata* |
| | | | 0402020-003 | Jojoba nuts | *Simmondsia chinensis* |
| | | | 0402020-004 | Shea nuts | *Vitellaria paradoxa* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0500000 | 0500020 | Buckwheat and other pseudo-cereals | 0500020-001 | Amaranth/kiwicha | *Amaranthus caudatus* |
| | | | 0500020-002 | | *Amaranthus cruentus* |
| | | | 0500020-003 | | *Amaranthus hypochondriacus* |
| | | | 0500020-004 | Kaniwa/canihua | *Chenopodium pallidicaule* |
| | | | 0500020-005 | Quinoa | *Chenopodium quinoa* |
| | | | 0500020-006 | Chia seeds | *Salvia hispanica* |
| | 0500030 | Maize/corn | 0500030-001 | Indian corn/flint corn | *Zea mays* var. *indurata* |
| | 0500040 | Common millet/proso millet | 0500040-001 | Black fonio | *Digitaria iburua* |
| | | | 0500040-002 | Canary grass | *Phalaris canariensis* |
| | | | 0500040-003 | Finger millet/African millet/koracan | *Eleusine coracana* subsp. *coracana* |
| | | | 0500040-004 | Foxtail millet | *Setaria italica* |
| | | | 0500040-005 | Job's tears | *Coix lacryma-jobi* |
| | | | 0500040-006 | Little millet | *Panicum sumatrense* |
| | | | 0500040-007 | Pearl millet | *Pennisetum glaucum* |
| | | | 0500040-008 | Teff/tef | *Eragrostis tef* |
| | | | 0500040-009 | White fonio | *Digitaria exilis* |
| | 0500060 | Rice | 0500060-001 | African rice | *Oryza glaberrima* |
| | | | 0500060-002 | Hybrid Nerica® | *Oryza sativa x oryza glaberrima* |
| | | | 0500060-003 | Indian rice/wild rice | *Zizania aquatica* |
| | 0500080 | Sorghum | 0500080-001 | Durra/jowari/milo | *Sorghum bicolor* |
| | | | 0500080-002 | Sudan grass | *Sorghum* × *drummondii* |
| | | | 0500080-990 | Other species of genus *Sorghum*, not elsewhere mentioned | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0500090 | Wheat | 0500090-001 | Durum wheat | *Triticum turgidum* subsp. *durum*; syn: *Triticum durum* |
| | | | 0500090-002 | Einkorn wheat/small spelt/one-grain wheat | *Triticum monococcum* subsp. *monococcum* |
| | | | 0500090-003 | Emmer wheat | *Triticum turgidum* subsp. *dicoccon*; syn: *Triticum dicoccum* |
| | | | 0500090-004 | Khorasan wheat | *Triticum turgidum* subsp. *turanicum* |
| | | | 0500090-005 | Spelt | *Triticum aestivum* subsp. *spelta*; syn: *Triticum spelta* |
| | | | 0500090-006 | Triticale | ×*Triticosecale* |
| | | | 0500090-007 | Tritordeum | ×*Tritordeum* |
| | | | 0500090-990 | Other species of genus *Triticum*, not elsewhere mentioned | |
| 0600000 | 0631030 | Rose | 0631030-001 | Almond | *Amygdalus communis*; syn: *Prunus dulcis* |
| | | | 0631030-002 | Bee balm | *Monarda didyma* |
| | | | 0631030-003 | Bitter orange/sour orange | *Citrus aurantium* |
| | | | 0631030-004 | Black locust | *Robinia pseudoacacia* |
| | | | 0631030-005 | Cat's foot | *Antennaria dioica* |
| | | | 0631030-006 | Chrysanthemum | *Chrysanthemum morifolium* |
| | | | 0631030-007 | Cinnamon | *Cinnamomum* spp. |
| | | | 0631030-008 | Clary sage | *Salvia sclarea* |
| | | | 0631030-009 | Cornflower | *Centaurea cyanus* |
| | | | 0631030-010 | Cowslip/primrose | *Primula veris* |
| | | | 0631030-011 | Daisy | *Bellis perennis* |
| | | | 0631030-012 | Dyer's broom | *Genista tinctoria* |
| | | | 0631030-013 | Elder | *Sambucus nigra* |
| | | | 0631030-014 | Field poppy | *Papaver rhoeas* |
| | | | 0631030-015 | Great mullein | *Verbascum thapsus* |
| | | | 0631030-016 | Hawthorn | *Crataegus* spp. |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0631030-017 | Heather | *Calluna vulgaris* |
| | | | 0631030-018 | Hollyhock | *Alcea rosea*; syn: *Althaea rosea* |
| | | | 0631030-019 | Horse-chestnut | *Aesculus hippocastanum* |
| | | | 0631030-020 | Larkspur | *Consolida regalis*; syn: *Delphinium consolida* |
| | | | 0631030-021 | Lavender | *Lavandula angustifolia*; syn: *Lavandula officinalis* |
| | | | 0631030-022 | Mallow | *Malva sylvestris* |
| | | | 0631030-023 | Meadow sweet | *Filipendula ulmaria* |
| | | | 0631030-024 | Mullein | *Verbascum* spp. |
| | | | 0631030-025 | Orange | *Citrus sinensis* |
| | | | 0631030-026 | Peony | *Paeonia officinalis* |
| | | | 0631030-027 | Red clover | *Trifolium pratense* |
| | | | 0631030-028 | Sacred lotus | *Nelumbo nucifera* |
| | | | 0631030-029 | Safflower | *Carthamus tinctorius* |
| | | | 0631030-030 | Sandy everlasting | *Helichrysum arenarium* |
| | | | 0631030-031 | St. John's wort | *Hypericum perforatum* |
| | | | 0631030-032 | Sunflower | *Helianthus annuus* |
| | | | 0631030-033 | Sweet olive/sweet osmanthus | *Osmanthus fragrans* |
| | | | 0631030-034 | Sweet violet | *Viola odorata* |
| | | | 0631030-035 | White deadnettle | *Lamium album* |
| | | | 0631030-036 | Yarrow | *Achillea millefolium* |
| | | | 0631030-037 | Ylang-ylang | *Cananga odorata* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0632010 | Strawberry | 0632010-001 | Absinth/common wormwood | *Artemisia absinthium* |
| | | | 0632010-002 | Agrimony | *Agrimonia eupatoria* |
| | | | 0632010-003 | Alfalfa/lucerne | *Medicago sativa* |
| | | | 0632010-004 | Aloe (leaf gel) | *Aloë barbadensis*; syn: *Aloë vera* |
| | | | 0632010-005 | Alpine ladies mantle | *Alchemilla alpina* |
| | | | 0632010-006 | Bearberry | *Arctostaphylos uva-ursi* |
| | | | 0632010-007 | Bilberry/European blueberry/whortleberry | *Vaccinium myrtillus* |
| | | | 0632010-008 | Birch | *Betula pendula* |
| | | | 0632010-009 | Bitter orange/sour orange | *Citrus aurantium* |
| | | | 0632010-010 | Blackberry | *Rubus* sect. Rubus |
| | | | 0632010-011 | Boldo | *Peumus boldus* |
| | | | 0632010-012 | Buchu | *Barosma betulina*; syn: *Agathosma betulina* |
| | | | 0632010-013 | Buckwheat | *Fagopyrum esculentum* |
| | | | 0632010-014 | Catmint | *Nepeta cataria* |
| | | | 0632010-015 | Centaury | *Centaurium erythraea* |
| | | | 0632010-016 | Chiretta | *Swertia chirata* |
| | | | 0632010-017 | Clary sage | *Salvia sclarea* |
| | | | 0632010-018 | Clubmoss | *Lycopodium clavatum* |
| | | | 0632010-019 | Common speedwell | *Veronica officinalis* |
| | | | 0632010-020 | Common vervain/common verbena | *Verbena officinalis* |
| | | | 0632010-021 | Cornflower | *Centaurea cyanus* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0632010-022 | Cowberry | *Vaccinium vitis-idaea* |
| | | | 0632010-023 | Currant (black, red and white) | *Ribes nigrum* |
| | | | 0632010-024 | | *Ribes rubrum* |
| | | | 0632010-025 | Damiana | *Turnera diffusa* |
| | | | 0632010-026 | Downy hemp nettle | *Galeopsis segetum* |
| | | | 0632010-027 | Echinacea | *Echinacea angustifolia* |
| | | | 0632010-028 | | *Echinacea pallida* |
| | | | 0632010-029 | | *Echinacea purpurea* |
| | | | 0632010-030 | Elder | *Sambucus nigra* |
| | | | 0632010-031 | Eucalyptus | *Eucalyptus globulus* |
| | | | 0632010-032 | Eyebright | *Euphrasia officinalis* |
| | | | 0632010-033 | Field horsetail | *Equisetum arvense* |
| | | | 0632010-034 | Fumitory | *Fumaria officinalis* |
| | | | 0632010-035 | Goat's rue | *Galega officinalis* |
| | | | 0632010-036 | Golden root | *Rhodiola rosea* |
| | | | 0632010-037 | Goldenrod | *Solidago virgaurea* |
| | | | 0632010-038 | Ground ivy | *Glechoma hederacea* |
| | | | 0632010-039 | Gymnema | *Gymnema sylvestre* |
| | | | 0632010-040 | Hairy rupturewort | *Herniaria hirsuta* |
| | | | 0632010-041 | Hawthorn | *Crataegus* spp. |
| | | | 0632010-042 | Hazelnut/cobnut | *Corylus avellana* |
| | | | 0632010-043 | Hearts ease | *Viola tricolor* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0632010-044 | Heather | *Calluna vulgaris* |
| | | | 0632010-045 | Hemp | *Cannabis sativa* subsp. *sativa* |
| | | | 0632010-046 | | *Cannabis sativa* subsp. *spontanea* |
| | | | 0632010-047 | Herb bennet | *Geum urbanum* |
| | | | 0632010-048 | Holy thistle | *Cnicus benedictus* |
| | | | 0632010-049 | Horehound | *Marrubium vulgare* |
| | | | 0632010-050 | Horse-chestnut | *Aesculus hippocastanum* |
| | | | 0632010-051 | Ironwort/Greek mountain tea | *Sideritis* spp. |
| | | | 0632010-052 | Jiaogulan | *Gynostemma pentaphyllum* |
| | | | 0632010-053 | Knotgrass | *Polygonum aviculare* |
| | | | 0632010-054 | Ladies mantle | *Alchemilla vulgaris* |
| | | | 0632010-055 | Lemon myrtle | *Backhousia citriodora* |
| | | | 0632010-056 | Lemon verbena | *Lippia triphylla*; syn: *Lippia citriodora* |
| | | | 0632010-057 | Lime/linden | *Tilia cordata* |
| | | | 0632010-058 | | *Tilia platyphyllos* |
| | | | 0632010-059 | | *Tilia tomentosa*; syn: *Tilia argentea* |
| | | | 0632010-060 | Mallow | *Malva sylvestris* |
| | | | 0632010-061 | Marshmallow | *Althaea officinalis* |
| | | | 0632010-062 | Meadowsweet | *Filipendula ulmaria* |
| | | | 0632010-063 | Mistletoe | *Viscum album* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0632010-064 | Moldavian dragonhead | *Dracocephalum moldavica* |
| | | | 0632010-065 | Mugwort | *Artemisia vulgaris* |
| | | | 0632010-066 | Mulberry (black and white) | *Morus alba* |
| | | | 0632010-067 | | *Morus nigra* |
| | | | 0632010-068 | Mullein | *Verbascum* spp. |
| | | | 0632010-069 | Norway spruce | *Picea abies* |
| | | | 0632010-070 | Oat | *Avena sativa* |
| | | | 0632010-071 | Olive | *Olea europaea* |
| | | | 0632010-072 | Papaya | *Carica papaya* |
| | | | 0632010-073 | Passion flower | *Passiflora incarnata* |
| | | | 0632010-074 | Plantain | *Plantago major* |
| | | | 0632010-075 | Raspberry (red and yellow) | *Rubus idaeus* |
| | | | 0632010-076 | Red clover | *Trifolium pratense* |
| | | | 0632010-077 | Ribwort plantain | *Plantago lanceolata* |
| | | | 0632010-078 | Rock rose | *Cistus incanus*; syn: *Cistus creticus*; syn: *Cistus villosus* |
| | | | 0632010-079 | Roman wormwood | *Artemisia pontica* |
| | | | 0632010-080 | Shepherd's purse | *Capsella bursa-pastoris* |
| | | | 0632010-081 | Silverweed | *Potentilla anserina* |
| | | | 0632010-082 | Smooth rupturewort | *Herniaria glabra* |
| | | | 0632010-083 | Southernwood | *Artemisia abrotanum* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0632010-084 | St. John's Wort | *Hypericum perforatum* |
| | | | 0632010-085 | Sweet blackberry | *Rubus chingii* var. *suavissimus*; syn: *Rubus suavissimus* |
| | | | 0632010-086 | Sweet orange | *Citrus sinensis* |
| | | | 0632010-087 | Sweet trefoil | *Trigonella caerulea*; syn: *Trigonella coerulea* |
| | | | 0632010-088 | Sweet woodruff | *Galium odoratum* |
| | | | 0632010-089 | Tansy | *Tanacetum vulgare* |
| | | | 0632010-090 | Tea tree | *Melaleuca alternifolia* |
| | | | 0632010-091 | Toadflax | *Linaria vulgaris* |
| | | | 0632010-092 | Walnut | *Juglans nigra* |
| | | | 0632010-093 | | *Juglans regia* |
| | | | 0632010-094 | White deadnettle | *Lamium album* |
| | | | 0632010-095 | Wild angelica | *Angelica sylvestris* |
| | | | 0632010-096 | Wild strawberry | *Fragaria vesca* |
| | | | 0632010-097 | Willow herb | *Epilobium angustifolium*; syn: *Chamaenerium angustifolium* |
| | | | 0632010-098 | Witch hazel | *Hamamelis virginiana* |
| | | | 0632010-099 | Wood betony | *Stachys officinalis*; syn: *Betonica officinalis* |
| | | | 0632010-100 | Yarrow | *Achillea millefolium* |
| | | | 0632010-101 | Yellow bedstraw | *Galium verum* |
| | | | 0632010-102 | Yellow sweet clover | *Melilotus officinalis* |
| | | | 0632010-103 | Muña | *Minthostachys* spp. |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0632020 | Rooibos | 0632020-001 | Honeybush | *Cyclopia genistoides* |
| | | | 0632020-002 | | *Cyclopia intermedia* |
| | | | 0632020-003 | | *Cyclopia sessiflora* |
| | | | 0632020-004 | | *Cyclopia subternata* |
| | 0632030 | Mate/maté | 0632030-001 | Ginkgo | *Ginkgo biloba* |
| | | | 0632030-002 | Noni | *Morinda citrifolia* |
| | | | 0632030-003 | Moringa/drumstick tree leaves | *Moringa oleifera*; syn: *Moringa pterygosperma* |
| | 0633010 | Valerian | 0633010-001 | Blue flag | *Iris versicolor* |
| | | | 0633010-002 | Calamus | *Acorus calamus* |
| | | | 0633010-003 | Couch grass | *Elymus repens*; syn: *Agropyron repens* |
| | | | 0633010-004 | Cowslip/primrose | *Primula veris* |
| | | | 0633010-005 | Echinacea | *Echinacea angustifolia* |
| | | | 0633010-006 | | *Echinacea pallida* |
| | | | 0633010-007 | | *Echinacea purpurea* |
| | | | 0633010-008 | Elecampane | *Inula helenium* |
| | | | 0633010-009 | Fragrant sumac | *Rhus aromatica* |
| | | | 0633010-010 | Golden root | *Rhodiola rosea* |
| | | | 0633010-011 | Herb bennet | *Geum urbanum* |
| | | | 0633010-012 | Marshmallow | *Althaea officinalis* |
| | | | 0633010-013 | Mexican valerian | *Valeriana edulis* subsp. *procera*; syn: *Valeriana procera* |
| | | | 0633010-014 | Pimpernel | *Pimpinella major* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0633010-015 | Rhatany | *Krameria lappacea*; syn: *Krameria triandra* |
| | | | 0633010-016 | Sarsaparilla | *Smilax* spp. |
| | | | 0633010-017 | Seneca snakeroot | *Polygala senega* |
| | | | 0633010-018 | Tormentil | *Potentilla erecta* |
| | | | 0633010-019 | Wild angelica | *Angelica sylvestris* |
| | 0633020 | Ginseng | 0633020-001 | Siberian ginseng | *Eleutherococcus senticosus*; syn: *Acanthopanax senticosus* |
| | 0639000 | Subgroup<br>(d) any other parts of the plant | 0639000-001 | Blond psyllium (seeds, husks) | *Plantago ovata* |
| | | | 0639000-002 | Chamomile (seeds) | *Matricaria recutita*; syn: *Matricaria chamomilla* |
| | | | 0639000-003 | Cherries (sweet) (stems) | *Cerasus avium*; syn: *Prunus avium* |
| | | | 0639000-004 | China/Jesuit's bark (bark) | *Chinchona calisaya* |
| | | | 0639000-005 | | *Cinchona pubescens*; syn: *Cinchona succirubra* |
| | | | 0639000-006 | Cocoa (husks) | *Theobroma cacao* |
| | | | 0639000-007 | Condurango (bark) | *Marsdenia cundurango* |
| | | | 0639000-008 | Dwarf mountain pine (shoots) | *Pinus mugo* |
| | | | 0639000-009 | Fir (shoots) | *Abies* spp. |
| | | | 0639000-010 | Fleawort (seeds) | *Plantago afra*; syn: *Plantago psylium* |
| | | | 0639000-011 | Fragrant sumac (bark) | *Rhus aromatica* |
| | | | 0639000-012 | Guarana (seeds) | *Paullinia cupana* |
| | | | 0639000-013 | Hibiscus (seeds) | *Hibiscus sabdariffa* |
| | | | 0639000-014 | Horse-chestnut (seeds, bark) | *Aesculus hippocastanum* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 0639000-015 | Juniper (bark, wood, shoots) | *Juniperus communis* |
| | | | 0639000-016 | Lapacho (bark) | *Handroanthus impetiginosus*; syn: *Tabebuia impetiginosa* |
| | | | 0639000-017 | Lignum vitae (bark, wood) | *Guajacum officinale* |
| | | | 0639000-018 | Parsley (fruits) | *Petroselinum crispum* |
| | | | 0639000-019 | Purging cassia (fruits) | *Cassia fistula* |
| | | | 0639000-020 | Quassia (bark, wood) | *Quassia amara* |
| | | | 0639000-021 | Red sandalwood (bark, wood) | *Pterocarpus santalinus* |
| | | | 0639000-022 | Soap-bark tree (bark) | *Quillaja saponaria* |
| | | | 0639000-023 | Sour cherry/morello cherry (stems) | *Cerasus vulgaris*; syn: *Prunus cerasus* |
| | | | 0639000-024 | Sweet corn (stigmas, styles) | *Zea mays* convar. *saccharata* |
| | | | 0639000-025 | Wild angelica (fruits) | *Angelica sylvestris* |
| | | | 0639000-026 | Witch hazel (bark) | *Hamamelis virginiana* |
| | | | 0639000-990 | Other herbal infusions from any other parts of the plant | |
| | 0640000 | Group Cocoa beans | 0640000-001 | Kola nuts/Cola nuts | *Cola acuminata* |
| | | | | | *Cola nitida* |
| | | | 0640000-002 | Cupuaçu | *Theobroma grandiflora* |
| | 0650000 | Group Carobs/Saint John's breads | 0650000-001 | Jengkols/Luk neangs | *Archidendron pauciflorum* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0800000 | 0810020 | Black caraway/black cumin | 0810020-001 | Nigella | *Nigella sativa* |
| | 0810030 | Celery | 0810030-001 | Angelica | *Angelica archangelica* |
| | | | 0810030-002 | Lovage | *Levisticum officinale* |
| | 0810040 | Coriander | 0810040-001 | Culantro/false coriander | *Eryngium foetidum* |
| | 0810070 | Fennel | 0810070-001 | Bitter fennel | *Foeniculum vulgare* var. *vulgare* |
| | | | 0810070-002 | Sweet fennel | *Foeniculum vulgare* var. *dulce* |
| | 0810090 | Nutmeg | 0810090-001 | Annatto | *Bixa orellana* |
| | | | 0810090-002 | Candlenut | *Aleurites moluccana* |
| | | | 0810090-003 | Wattleseeds | *Acacia* spp. |
| | | | 0810090-004 | Calabash nutmeg | *Monodora myristica* |
| | 0820020 | Sichuan pepper | 0820020-001 | Japanese pepper | *Zanthoxylum piperitum* |
| | | | 0820020-002 | Uzazi | *Zanthoxylum tessmannii*; syn: *Fagara tessmannii* |
| | 0820030 | Caraway | 0820030-001 | Ajowan | *Trachyspermum ammi* |
| | 0820040 | Cardamom | 0820040-001 | Marjoram | *Origanum majorana*; syn: *Majorana hortensis* |
| | | | 0820040-002 | Star anise | *Illicium verum* |
| | 0820060 | Peppercorn (black, green and white) | 0820060-001 | Brazilian pepper | *Schinus terebinthifolius* |
| | | | 0820060-002 | Cubeb/tailed pepper | *Piper cubeba* |
| | | | 0820060-003 | Grain of paradise | *Aframomum melegueta* |
| | | | 0820060-004 | Long pepper/pipali | *Piper longum* |
| | | | 0820060-005 | Pink pepper | *Schinus molle* |
| | | | 0820060-006 | Sumac | *Rhus coriaria* |
| | | | 0820060-007 | West African pepper | *Piper guineense* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 0820070 | Vanilla | 0820070-001 | Tahiti vanilla | *Vanilla tahitiensis* |
| | | | 0820070-002 | Tonka bean | *Dipteryx odorata* |
| | | | 0820070-003 | West Indian vanilla | *Vanilla pompona* |
| | 0830010 | Cinnamon | 0830010-001 | Cassia | *Cinnamomum burmannii* |
| | | | 0830010-002 | | *Cinnamomum cassia*; syn: *Cinnamomum aromaticum* |
| | | | 0830010-003 | | *Cinnamomum loureirii* |
| | 0840030 | Turmeric/curcuma | 0840030-001 | Asafetida | *Ferula assa-foetida* |
| | | | 0840030-002 | Temulawak | *Curcuma zanthorrhiza*; syn: *Curcuma xanthorrhiza* |
| | | | 0840030-003 | Zedoary | *Curcuma zedoaria* |
| | 0850010 | Cloves | 0850010-001 | Cassia buds | *Cinnamomum burmannii* |
| | | | 0850010-002 | | *Cinnamomum cassia*; syn: *Cinnamomum aromaticum* |
| | | | 0850010-003 | | *Cinnamomum loureirii* |
| | 0850020 | Capers | 0850020-001 | Nasturtium pods | *Tropaeolum majus* |
| | | | 0850020-002 | | *Tropaeolum minus* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0900000 | 0900020 | Sugar canes | 0900020-001 | Agave leaves | *Agave* spp. |
| | | | 0900020-002 | Sweet sorghum canes | *Sorghum bicolor* subsp. *bicolor* |
| | 0900030 | Chicory roots | 0900030-001 | Common polypody roots | *Polypodium vulgare* |
| | | | 0900030-002 | Yacon roots | *Smallanthus sonchifolius* |
| | 0900990 | Others | 0900990-001 | Birches (trunk sap) | *Betula papyrifera* |
| | | | 0900990-002 | Manna ashes (trunk sap) | *Fraxinus ornus* |
| | | | 0900990-003 | Maples (trunk sap) | *Acer* spp. |
| | | | 0900990-004 | Palms (trunk sap) | *Jubaea chilensis* |
| | | | 0900990-005 | | *Phoenix canariensis* |
| | | | 0900990-990 | Other sugar plants | |
| 1000000 | 1011000 | Subgroup (a) swine | 1011000-001 | Wild boar (farmed) | *Sus scrofa ferus* |
| | 1012000 | Subgroup (b) bovine | 1012000-001 | American buffalo | *Bison bison* |
| | | | 1012000-002 | Banteng | *Bos javanicus* |
| | | | 1012000-003 | Buffalo | *Bubalus arnee bubalis* |
| | | | 1012000-004 | European buffalo/wisent | *Bison bonasus* |
| | | | 1012000-005 | Gayal | *Bos gaurus frontalis* |
| | | | 1012000-006 | Yak (domestic) | *Poëphagus mutus grunniens* |
| | | | 1012000-007 | Zebu | *Bos taurus indicus* |
| | | | 1012000-990 | Hybrids of genera *Bison, Bos, Bubalus* and *Poëphagus* | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 1013000 | Subgroup<br>(c) sheep | 1013000-001 | Mouflon (farmed) | *Ovis aries musimon* |
| | 1015000 | Subgroup<br>(e) equine | 1015000-001 | Ass | *Equus africanus asinus* |
| | | | 1015000-002 | Hinny | *Equus caballus x Equus africanus asinus* |
| | | | 1015000-003 | Horse | *Equus caballus* |
| | | | 1015000-004 | Mule | *Equus africanus asinus x Equus caballus* |
| | 1016000 | Subgroup<br>(f) poultry | 1016000-001 | Bobwhite quail | *Colinus virginianus* |
| | | | 1016000-002 | Chicken (including silkie chicken) | *Gallus gallus domesticus* |
| | | | 1016000-003 | Collared Dove | *Streptopelia decaocto* |
| | | | 1016000-004 | Duck | *Anas platyrhynchos* |
| | | | 1016000-005 | Geese | *Anser anser* |
| | | | 1016000-006 | Green peafowl | *Pavo muticus* |
| | | | 1016000-007 | Guinea fowl | *Numida meleagris* |
| | | | 1016000-008 | Japanese quail | *Coturnix japonica* |
| | | | 1016000-009 | Muskovy duck | *Cairina moschata* |
| | | | 1016000-010 | Mute swan | *Cygnus olor* |
| | | | 1016000-011 | Partridge | *Genera Alectoris and Perdix* |
| | | | 1016000-012 | Peafowl | *Pavo cristatus* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 1016000-013 | Pheasant | *Phasianus colchicus* |
| | | | 1016000-014 | Pigeon | *Columba livia* |
| | | | 1016000-015 | Quail | *Coturnix coturnix* |
| | | | 1016000-016 | Turkey | *Meleagris gallopavo* |
| | | | 1016000-017 | Turtle dove | *Streptopelia turtur* |
| | | | 1016000-990 | Other farmed birds of order Anseriformes | |
| | | | 1016000-991 | Other farmed birds of order Columbiformes | |
| | | | 1016000-992 | Other farmed birds of order Galliformes | |
| | 1017000 | Subgroup<br>(g) other farmed terrestrial animals | 1017000-001 | Alpaca | *Vicugna pacos* |
| | | | 1017000-002 | Bactrian camel | *Camelus ferus bactrianus* |
| | | | 1017000-003 | Capybara | *Hydrochoerus hydrochaeris* |
| | | | 1017000-004 | Cottontail/American rabbit | *Sylvilagus floridanus* |
| | | | 1017000-005 | Dromedary | *Camelus dromedarius* |
| | | | 1017000-006 | Eland | *Taurotragus oryx* |
| | | | 1017000-007 | Elk/moose | *Alces alces* |
| | | | 1017000-008 | Emu | *Dromaius novaehollandiae* |
| | | | 1017000-009 | Fallow deer | *Dama dama* |
| | | | 1017000-010 | Guinea pig | *Cavia aperea porcellus* |
| | | | 1017000-011 | Hare (farmed) | *Lepus europaeus* |
| | | | 1017000-012 | Llama | *Lama glama* |
| | | | 1017000-013 | Nandu/greater rhea | *Rhea americana* |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | | | 1017000-014 | Ostrich | *Struthio camelus* |
| | | | 1017000-015 | Peccari (collared) | *Tayassu tajacu* |
| | | | 1017000-016 | Rabbit | *Oryctolagus cuniculus* |
| | | | 1017000-017 | Red deer | *Cervus elaphus* |
| | | | 1017000-018 | Reindeer | *Rangifer tarandus* |
| | | | 1017000-019 | Roe deer | *Capreolus capreolus* |
| | | | 1017000-990 | Other farmed terrestrial animals | |
| | 1020010 | Milk. Cattle | 1020010-001 | Species listed with code numbers 1012000-xxx | |
| | 1020020 | Milk. Sheep | 1020020-001 | Species listed with code numbers 1013000-xxx | |
| | 1020040 | Milk. Horse | 1020040-001 | Species listed with code numbers 1015000-xxx | |
| | 1020990 | Milk. Others | 1020990-001 | Bactrian camel | *Camelus ferus bactrianus* |
| | | | 1020990-002 | Dromedary | *Camelus dromedarius* |
| | | | 1020990-003 | Elk/moose | *Alces alces* |
| | | | 1020990-004 | Reindeer | *Rangifer tarandus* |
| | | | 1020990-990 | Other milk producer animals | |
| | 1030990 | Bird eggs. Others | 1030990-001 | Emu | *Dromaius novaehollandiae* |
| | | | 1030990-002 | Nandu/greater rhea | *Rhea americana* |
| | | | 1030990-003 | Ostrich | *Struthio camelus* |
| | | | 1030990-990 | Other eggs producer birds | |

▼M129

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| | 1050000 | Group<br>Amphibians and Reptiles | 1050000-001 | Crocodiles | *Crocodilia* spp. |
| | | | 1050000-002 | Frog legs | *Rana* spp. |
| | | | 1050000-003 | Snakes | suborder Serpentes |
| | | | 1050000-004 | Turtles | order Chelonia |
| | | | 1050000-990 | Other Amphibians and Reptiles | |
| | | | 1050000-991 | Other frog legs from frogs not belonging to the genus *Rana* | |
| | 1060000 | Group<br>Terrestrial invertebrate animals | 1060000-001 | Earthworms | |
| | | | 1060000-002 | Insects | |
| | | | 1060000-003 | Snails | *Helix* spp. |
| | | | 1060000-990 | Other terrestrial invertebrate animals | |
| | | | 1060000-991 | Other edible snails not belonging to the genus *Helix* | |
| | 1070000 | Group<br>Wild terrestrial vertebrate animals | 1070000-001 | Feathered wild game | |
| | | | 1070000-002 | Furred wild game | |
| | | | 1070000-003 | Kangaroos | *Macropus* spp. |

N.A. Not applicable.

([1]) MRLs do not apply to products or part of products that by their characteristics and nature are used exclusively as ingredients of animal feed, until separate MRLs are set in the specific category 1200000.

([2]) The part '*except soyabeans/edamame*' shall apply as from 1 January 2020.

►M176 ([3]) MRLs shall apply to radish leaves as from 1 January 2025. ◄

*ANNEX II*

**MRLs formerly defined under Directives 86/362/EEC, 86/363/EEC and 90/642/EEC, referred to in Article 21(1)**

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,1-dichloro-2,2-bis(4-ethylphenyl)ethane [F] | 1,2-dibromoethane (ethylene dibromide) [F] | 1,2-dichloroethane (ethylene dichloride) [F] | ▼ ▲**M163** 1-methylcyclopropene ▼ | ▲**M40** 2,4-DB (sum of 2,4-DB, its salts, its esters and its conjugates, expressed as 2,4-DB) [R] ▼ | ▼ ▲**M77** — ▼ | ▲**M199** 2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D) ▼ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | |
| 0110000 | (i) **Citrus fruit** | | | | ►**M163** 0,01 (*) ◄ | ►**M40** **0,01 (*)** ◄ | ►**M77** — ◄ | ►**M199** 1 ◄ |
| 0110010 | Grapefruit | | | | | | ►**M77** — ◄ | |
| 0110020 | Oranges | | | | | | ►**M77** — ◄ | |
| 0110030 | Lemons | | | | | | ►**M77** — ◄ | |
| 0110040 | Limes | | | | | | ►**M77** — ◄ | |
| 0110050 | Mandarins | | | | | | ►**M77** — ◄ | |
| 0110990 | Others | | | | | | ►**M77** — ◄ | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | | | | ►**M163** 0,02 (*) ◄ | ►**M40** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M199** 0,2 ◄ |

▼**M2**

| ▲**M208** Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a, expressed as avermectin B1a) (R) (F) ▼ | ▲**M32** Acephate ▼ | ▲**M142** Acetamiprid (R) ▼ | ▲**M180** Acibenzolar-S-methyl (sum of acibenzolar-S-methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S-methyl) ▼ | ▲**M16** Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb) ▼ | ▲**M5** Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin) (F) ▼ | ▲**M113** Amitraz (amitraz including the metabolites containing the 2,4 -dimethylaniline moiety expressed as amitraz) ▼ | ▲**M155** — ▼ |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| | ►**M32** — ◄ | | | 0,02 (*) | ►**M5** 0,01 (*) ◄ | ►**M113** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M208** 0,04 ◄ | ►**M32** **0,01** (*) ◄ | ►**M142** 0,9 ◄ | ►**M180** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| ►**M208** **0,01** (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M142** 0,07 ◄ | | ►**M16** **0,05** (*) ◄ | | | ►**M155** — ◄ |

▼M2

| Aramite (F) | ▼M95 — ▲ | ▼M52 Azimsulfuron ▲ | Azinphos-ethyl (F) | ▼M165 Azinphos-methyl (F) ▲ | ▼M32 Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin) ▲ | ▼M204 Azoxystrobin ▲ | ▼M77 — ▲ |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| 0,01 (*) | ►M95 — ◄ | ►M52 **0,01** (*) ◄ | 0,02 (*) | ►M165 **0,01** (*) ◄ | | | ►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | ►M32 — ◄ | ►M204 15 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 0,2 ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | ►M32 **0,02** (*) ◄ | ►M11 — ◄ | ►M77 — ◄ |

▼**M2**

| ▲**M203** Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers) ▼ | ▼ ▲**M32** — ▼ | ▲**M179** Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone) (R) ▼ | ▲**M163** Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate) (F) ▼ | ▼ ▲**M132** Bifenthrin (sum of isomers) (F) | ▼ ▲**M77** — ▼ |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| | ►**M32** — ◄ | ►**M179** 0,03 (*) ◄ | | | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | ►**M163** 0,9 ◄ | ►**M132** 0,05 (+) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | ►**M163** 0,2 ◄ | ►**M132** 0,05 ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120020 | Brazil nuts | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120030 | Cashew nuts | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120040 | Chestnuts | | | | | | ►M77 — ◄ | |
| 0120050 | Coconuts | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120060 | Hazelnuts | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120070 | Macadamia | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120080 | Pecans | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120090 | Pine nuts | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120100 | Pistachios | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120110 | Walnuts | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0120990 | Others | | | | | | ►M77 — ◄ | ►M199 — ◄ |
| 0130000 | (iii) **Pome fruit** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0130010 | Apples | | | | ►M163 — ◄ | | ►M77 — ◄ | |
| 0130020 | Pears | | | | | | ►M77 — ◄ | |
| 0130030 | Quinces | | | | | | ►M77 — ◄ | |
| 0130040 | Medlar | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0130050 | Loquat | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0130990 | Others | | | | | | ►M77 — ◄ | |
| 0140000 | (iv) **Stone fruit** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0140010 | Apricots | | | | | | ►M77 — ◄ | |
| 0140020 | Cherries | | | | | | ►M77 — ◄ | |
| 0140030 | Peaches | | | | | | ►M77 — ◄ | |
| 0140040 | Plums | | | | | | ►M77 — ◄ | |
| 0140990 | Others | | | | | | ►M77 — ◄ | |
| 0150000 | (v) **Berries & small fruit** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,1 ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 **0,2** ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | ►M32 **0,01** (*) ◄ | ►M142 — ◄ | ►M132 — ◄ | ►M16 0,02 (*) ◄ | | | ►M155 — ◄ |
| ►M208 **0,006** (*) ◄ | | ►M142 **0,4** ◄ | ►M180 0,3 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,006** (*) ◄ | | ►M142 **0,4** ◄ | ►M180 0,2 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,02** ◄ | | ►M142 0,8 ◄ | ►M180 0,2 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,02** ◄ | ►M32 (**) ◄ | ►M142 0,8 ◄ | ►M180 0,2 ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 **0,02** ◄ | ►M32 (**) ◄ | ►M142 0,8 ◄ | ►M180 0,2 ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 **0,01** (*) ◄ | | ►M142 0,8 ◄ | ►M180 0,2 ◄ | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M13 — ◄ | ►M16 0,02 (*) ◄ | | | ►M155 — ◄ |
| ►M208 0,02 ◄ | | ►M142 0,8 ◄ | ►M180 0,2 ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 1.5 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,02 ◄ | | ►M142 **0,2** ◄ | ►M180 0,2 ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,03 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| | ►M32 **0,01** (*) ◄ | ►M39 — ◄ | ►M132 — ◄ | ►M16 0,02 (*) ◄ | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 0,2 ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | ►M32 **0,01** (*) ◄ | ►M204 2 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | ►M163 0,7 (+) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | ►M163 2 ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | | | | | | ►M77 — ◄ | |
| 0151010 | Table grapes | | | | | | ►M77 — ◄ | |
| 0151020 | Wine grapes | | | | | | ►M77 — ◄ | |
| 0152000 | (b) *Strawberries* | | | | | | ►M77 — ◄ | |
| 0153000 | (c) *Cane fruit* | | | | | | ►M77 — ◄ | |
| 0153010 | Blackberries | | | | | | ►M77 — ◄ | |
| 0153020 | Dewberries | | | | | | ►M77 — ◄ | |
| 0153030 | Raspberries | | | | | | ►M77 — ◄ | |
| 0153990 | Others | | | | | | ►M77 — ◄ | |
| 0154000 | (d) *Other small fruit & berries* | | | | | | ►M77 — ◄ | |
| 0154010 | Blueberries | | | | | | ►M77 — ◄ | |
| 0154020 | Cranberries | | | | | | ►M77 — ◄ | |
| 0154030 | Currants (red, black and white) | | | | | | ►M77 — ◄ | |
| 0154040 | Gooseberries | | | | | | ►M77 — ◄ | |
| 0154050 | Rose hips | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0154060 | Mulberries | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0154080 | Elderberries | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0154990 | Others | | | | | | ►M77 — ◄ | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 0,01 (*) ◄ | | ►M142 0,5 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| | | | | | | | ►M155 — ◄ |
| | | | | | | | ►M155 — ◄ |
| ►M208 **0,08** ◄ | | ►M142 0,5 ◄ | ►M180 0,15 ◄ | | | | ►M155 — ◄ |
| | | ►M142 2 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,08 ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,08 ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | | | | | | ►M155 — ◄ |
| | | ►M142 2 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| | | ►M142 2 ◄ | ►M180 0,15 ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | ►M142 2 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | ►M142 2 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 2 ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 2 ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 2 ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 3 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** **0,01** (*) ◄ | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** 0,3 ◄ | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M204** 10 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M204** 5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M11** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M11** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M11** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M11** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** **0,01** (*) ◄ | ►**M11** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 5 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 5 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 5 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 5 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 5 ◄ | ►**M77** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M168** — ◄ | ►**M32** — ◄ | | ►**M163** 0,7 ◄ | ►**M132** **0,3** ◄ | ►**M77** — ◄ |
| ►**M203** 0,7 (+) ◄ | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| ►**M203** 0,3 ◄ | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | ►**M163** 3 ◄ | ►**M132** 1 (+) ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | ►**M163** 7 ◄ | ►**M132** 1 (+) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M110** — ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M110** — ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M110** — ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | ►**M30** — ◄ | ►**M132** — ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | ►**M163** 0,7 ◄ | ►**M132** **3** ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | ►**M163** 0,7 ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | ►**M163** 0,7 ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | ►**M163** 0,7 ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M163** 0,7 ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M163** **0,4** ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0161000 | (a) *Edible peel* | | | | | | ►M77 — ◄ | |
| 0161010 | Dates | | | | | | ►M77 — ◄ | |
| 0161020 | Figs | | | | | | ►M77 — ◄ | |
| 0161030 | Table olives | | | | | | ►M77 — ◄ | |
| 0161040 | Kumquats | | | | | | ►M77 — ◄ | |
| 0161050 | Carambola | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0161060 | Persimmon | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0161070 | Jambolan (java plum) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0161990 | Others | | | | | | ►M77 — ◄ | |
| 0162000 | (b) *Inedible peel, small* | | | | | | ►M77 — ◄ | |
| 0162010 | Kiwi | | | | | | ►M77 — ◄ | |
| 0162020 | Lychee (Litchi) | | | | | | ►M77 — ◄ | |
| 0162030 | Passion fruit | | | | | | ►M77 — ◄ | |
| 0162040 | Prickly pear (cactus fruit) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0162050 | Star apple | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0162990 | Others | | | | | | ►M77 — ◄ | |
| 0163000 | (c) *Inedible peel, large* | | | | | | ►M77 — ◄ | |
| 0163010 | Avocados | | | | | | ►M77 — ◄ | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | ►M32 **0,01** (*) ◄ | ►M39 — ◄ | | ►M16 0,02 (*) ◄ | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| | | ►M142 0,03 ◄ | | | | | ►M155 — ◄ |
| | | ►M142 **3** ◄ | | | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M132 — ◄ | | | | ►M155 — ◄ |
| | | | ►M180 0,4 ◄ | | | | ►M155 — ◄ |
| | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| | | | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| | | ►M76 — ◄ | | | | | ►M155 — ◄ |
| ►M208 **0,02** ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►M95 — ◄ | | | ►M165 — ◄ | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M75 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,1 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M8 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 4 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,3 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | ►M163 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | | | | ►M163 — ◄ | | ►M77 — ◄ | |
| 0163030 | Mangoes | | | | | | ►M77 — ◄ | |
| 0163040 | Papaya | | | | | | ►M77 — ◄ | |
| 0163050 | Pomegranate | | | | | | ►M77 — ◄ | |
| 0163060 | Cherimoya | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163070 | Guava | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163080 | Pineapples | | | | | | ►M77 — ◄ | |
| 0163090 | Bread fruit | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163100 | Durian | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163110 | Soursop (guanabana) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163990 | Others | | | | | | ►M77 — ◄ | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | |
| 0211000 | (a) *Potatoes* | | | | | | ►M77 — ◄ | ►M199 0,2 ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | | | | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0212010 | Cassava | | | | | | ►M77 — ◄ | |
| 0212020 | Sweet potatoes | | | | | | ►M77 — ◄ | |
| 0212030 | Yams | | | | | | ►M77 — ◄ | |
| 0212040 | Arrowroot | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0212990 | Others | | | | | | ►M77 — ◄ | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 0,02 ◄ | | ►M142 0,4 ◄ | ►M180 0,08 ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,6 (+) ◄ | | | | ►M155 — ◄ |
| ►M208 **0,01** (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| | ►M32 — ◄ | | | | ►M5 — ◄ | ►M113 0,05 (*) ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 **0,01** (*) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | | | ►M155 — ◄ |
| ►M136 — ◄ | | | | | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| | | | | | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ |
| | | | | | | | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M95** — ◄ | | | | | ►**M204** 2 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 4 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,3 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** **0,2** ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| 0,01 (*) | ►**M95** — ◄ | ►**M52** — ◄ | 0,02 (*) | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | | ►**M165** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M75** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 7 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 1 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M32 — ◄ | | | ►M132 0,1 ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,5 ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,4 ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M163 0,02 (*) ◄ | ►M132 0,05 ◄ | ►M77 — ◄ |
| ►M203 0,02 (*) (+) ◄ | ►M32 — ◄ | ►M179 0,15 ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | | | | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0213010 | Beetroot | | | | | | ►M77 — ◄ | |
| 0213020 | Carrots | | | | | | ►M77 — ◄ | |
| 0213030 | Celeriac | | | | | | ►M77 — ◄ | |
| 0213040 | Horseradish | | | | | | ►M77 — ◄ | |
| 0213050 | Jerusalem artichokes | | | | | | ►M77 — ◄ | |
| 0213060 | Parsnips | | | | | | ►M77 — ◄ | |
| 0213070 | Parsley root | | | | | | ►M77 — ◄ | |
| 0213080 | Radishes | | | | | | ►M77 — ◄ | |
| 0213090 | Salsify | | | | | | ►M77 — ◄ | |
| 0213100 | Swedes | | | | | | ►M77 — ◄ | |
| 0213110 | Turnips | | | | | | ►M77 — ◄ | |
| 0213990 | Others | | | | | | ►M77 — ◄ | |
| 0220000 | (ii) **Bulb vegetables** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0220010 | Garlic | | | | | | ►M77 — ◄ | |
| 0220020 | Onions | | | | | | ►M77 — ◄ | |
| 0220030 | Shallots | | | | | | ►M77 — ◄ | |
| 0220040 | Spring onions | | | | | | ►M77 — ◄ | |
| 0220990 | Others | | | | | | ►M77 — ◄ | |
| 0230000 | (iii) **Fruiting vegetables** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0231000 | (a) *Solanacea* | | | | | | ►M77 — ◄ | |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | | | | | | | ►**M155** — ◄ |
| ►**M136** — ◄ | | | | | ►**M5** 0,01 (*) ◄<br>►**M5** 0,01 (*) ◄<br>►**M5** 0,01 (*) ◄<br>►**M5** 0,01 (*) ◄<br>►**M5** 0,01 (*) ◄<br>►**M5** 0,02 ◄<br>►**M5** 0,01 (*) ◄<br>►**M5** 0,01 (*) ◄<br>►**M5** 0,01 (*) ◄<br>►**M5** 0,01 (*) ◄<br>►**M5** 0,01 (*) ◄ | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ |
| | | | | | ►**M5** 0,01 (*) ◄ | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M39** — ◄ | ►**M132** — ◄ | ►**M16** **0,05** (*) ◄ | ►**M5** 0,01 (*) ◄ | | ►**M155** — ◄ |
| ►**M136** — ◄<br>►**M136** — ◄<br>►**M136** — ◄<br>►**M136** — ◄ | | ►**M142** 0,02 ◄<br>►**M142** 0,02 ◄<br>►**M142** 0,01 (*) ◄<br>►**M142** 0,01 (*) ◄ | ►**M180** 0,15 ◄<br>►**M180** 0,15 ◄<br>►**M180** 0,15 ◄<br>►**M180** 0,01 (*) ◄ | | | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ |
| | | ►**M142** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ | | | | ►**M155** — ◄ |
| | ►**M32** **0,01** (*) ◄ | | | ►**M16** 0,02 (*) ◄ | | | ►**M155** — ◄ |
| | | | | | ►**M5** 0,01 (*) ◄ | | ►**M155** — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►M95 — ◄ | | | | | ►M79 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1,5 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | ►M52 0,01 (*) ◄ | | ►M165 0,01 (*) ◄ | ►M32 0,02 (*) ◄ | ►M204 10 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | ►M52 0,01 (*) ◄ | | ►M165 0,01 (*) ◄ | ►M32 0,01 (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | | ►M204 3 ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M68 — ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,02 (*) (+) ◄ | ►M32 — ◄ | ►M179 0,06 ◄ | | | ►M77 — ◄ |
| ►M203 0,02 (*) (+) ◄ | ►M32 — ◄ | ►M179 0,1 ◄ | | | ►M77 — ◄ |
| ►M203 0,02 (*) (+) ◄ | ►M32 — ◄ | ►M179 0,06 ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M15 — ◄ | | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | | ►M27 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | | | | | | ►M77 — ◄ | |
| 0231020 | Peppers | | | | | | ►M77 — ◄ | |
| 0231030 | Aubergines (egg plants) | | | | | | ►M77 — ◄ | |
| 0231040 | Okra, lady's fingers | | | | | | ►M77 — ◄ | |
| 0231990 | Others | | | | | | ►M77 — ◄ | |
| 0232000 | (b) *Cucurbits — edible peel* | | | | | | ►M77 — ◄ | |
| 0232010 | Cucumbers | | | | | | ►M77 — ◄ | |
| 0232020 | Gherkins | | | | | | ►M77 — ◄ | |
| 0232030 | Courgettes | | | | | | ►M77 — ◄ | |
| 0232990 | Others | | | | | | ►M77 — ◄ | |
| 0233000 | (c) *Cucurbits-inedible peel* | | | | | | ►M77 — ◄ | |
| 0233010 | Melons | | | | | | ►M77 — ◄ | |
| 0233020 | Pumpkins | | | | | | ►M77 — ◄ | |
| 0233030 | Watermelons | | | | | | ►M77 — ◄ | |
| 0233990 | Others | | | | | | ►M77 — ◄ | |
| 0234000 | (d) *Sweet corn* | | | | | | ►M77 — ◄ | |
| 0239000 | (e) *Other fruiting vegetables* | | | | | | ►M77 — ◄ | |
| 0240000 | (iv) **Brassica vegetables** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | | | | | | ►M77 — ◄ | |
| 0241010 | Broccoli | | | | | | ►M77 — ◄ | |
| 0241020 | Cauliflower | | | | | | ►M77 — ◄ | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 **0,015** ◄ | | ►M142 0,5 ◄ | ►M180 0,3 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,03** (+) ◄ | | ►M142 0,3 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,09 ◄ | | ►M142 0,2 ◄ | ►M180 0,15 ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,2 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,2 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | | ►M109 — ◄ | ►M180 0,4 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,02** ◄ | | ►M142 0,3 ◄ | | | ►M5 0,02 ◄ | | ►M155 — ◄ |
| ►M208 0,04 ◄ | | ►M142 0,6 ◄ | | | ►M5 0,02 ◄ | | ►M155 — ◄ |
| ►M208 **0,02** ◄ | | ►M142 0,3 ◄ | | | ►M5 0,05 ◄ | | ►M155 — ◄ |
| ►M208 0,04 ◄ | | ►M142 0,3 ◄ | | | ►M5 0,02 ◄ | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,2 ◄ | ►M180 0,15 ◄ | | ►M5 0,03 ◄ | | ►M155 — ◄ |
| ►M136 — ◄ | | | | | | | ►M155 — ◄ |
| ►M136 — ◄ | | | | | | | ►M155 — ◄ |
| ►M136 — ◄ | | | | | | | ►M155 — ◄ |
| | | | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,2 ◄ | ►M180 0,01 (*) ◄ | | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| ►M101 — ◄ | ►M32 **0,01** (*) ◄ | ►M5 — ◄ | ►M180 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,4 ◄ | | | | | ►M155 — ◄ |
| | | ►M39 — ◄ | | | | | ►M155 — ◄ |
| | | ►M39 — ◄ | | | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►M95 — ◄<br>►M95 — ◄<br>►M95 — ◄<br>►M95 — ◄ | | | | | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| | ►M95 — ◄ | | | | | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄<br>►M95 — ◄<br>►M95 — ◄ | | | ►M165 — ◄<br>►M165 — ◄<br>►M165 — ◄ | | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | | | ►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | | ►M204 1 ◄ | ►M77 — ◄ |
| | ►M95 — ◄<br>►M95 — ◄<br>►M95 — ◄ | | | | | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| | ►M95 — ◄ | | | | | | ►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | ►M165 — ◄ | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | ►M52 **0,01** (*) ◄ | | ►M165 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 5 ◄ | ►M77 — ◄ |
| | ►M95 — ◄<br>►M95 — ◄ | | | | | ►M11 — ◄<br>►M11 — ◄ | ►M77 — ◄<br>►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M203 **0,3** ◄ | ►M32 — ◄ | | ►M163 0,5 ◄ | ►M132 0,3 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | ►M163 3 ◄ | ►M132 0,5 ◄ | ►M77 — ◄ |
| ►M203 **0,3** ◄ | ►M32 — ◄ | | ►M163 0,5 ◄ | ►M132 0,3 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,5 ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,5 ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,3 ◄ | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M203 0,15 ◄ | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,3 ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M132 0,4 ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0241990 | Others | | | | | | ►M77 — ◄ | |
| 0242000 | (b) *Head brassica* | | | | | | ►M77 — ◄ | |
| 0242010 | Brussels sprouts | | | | | | ►M77 — ◄ | |
| 0242020 | Head cabbage | | | | | | ►M77 — ◄ | |
| 0242990 | Others | | | | | | ►M77 — ◄ | |
| 0243000 | (c) *Leafy brassica* | | | | | | ►M77 — ◄ | |
| 0243010 | Chinese cabbage | | | | | | ►M77 — ◄ | |
| 0243020 | Kale | | | | | | ►M77 — ◄ | |
| 0243990 | Others | | | | | | ►M77 — ◄ | |
| 0244000 | (d) *Kohlrabi* | | | | | | ►M77 — ◄ | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | | | | ►M77 — ◄ | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0251010 | Lamb's lettuce | | | | | | ►M77 — ◄ | |
| 0251020 | Lettuce | | | | | | ►M77 — ◄ | |
| 0251030 | Scarole (broad-leaf endive) | | | | | | ►M77 — ◄ | |
| 0251040 | Cress | | | | | | ►M77 — ◄ | |
| 0251050 | Land cress | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0251060 | Rocket, Rucola | | | | | | ►M77 — ◄ | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | | ►M39 — ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | | | | | | ►M155 — ◄ |
| | | ►M142 0,05 ◄ | | | | | ►M155 — ◄ |
| | | ►M142 **0,4** ◄ | | | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,05 ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| | | | ►M5 — ◄ | ►M16 0,02 (*) ◄ | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M132 — ◄ | | | | ►M155 — ◄ |
| ►M208 **0,08** ◄ | | ►M142 3 ◄ | ►M180 0,3 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,03** ◄ | | ►M142 **1,5** ◄ | ►M180 0,4 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,01** (*) ◄ | | ►M142 **0,4** (+) ◄ | ►M180 0,3 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,08** ◄ | | ►M142 3 ◄ | ►M180 0,3 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,08** ◄ | ►M32 (**) ◄ | ►M142 3 ◄ | ►M180 0,3 ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 **0,08** ◄ | | ►M142 3 ◄ | ►M180 0,3 ◄ | | | | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M95** — ◄ | | | | | ►**M11** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄<br>►**M95** — ◄ | | | | | | ►**M77** — ◄<br>►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 6 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄<br>►**M95** — ◄ | | | | | | ►**M77** — ◄<br>►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | ►**M32** — ◄ | | ►**M77** — ◄ |
| | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | | ►**M165** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M204** 10 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** — ◄<br>►**M204** — ◄<br>►**M204** — ◄<br>►**M204** — ◄ | ►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M132** 0,4 ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄<br>►**M32** — ◄ | | | | ►**M77** — ◄<br>►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄<br>►**M32** — ◄ | | | | ►**M77** — ◄<br>►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M132** 0,4 ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M25** — ◄ | ►**M50** — ◄ | | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,03 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 3 (+) ◄ | ►**M32** — ◄ | | | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | | | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | | | | | | ►M77 — ◄ | |
| 0251990 | Others | | | | | | ►M77 — ◄ | |
| 0252000 | (b) *Spinach & similar (leaves)* | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0252010 | Spinach | | | | | | ►M77 — ◄ | |
| 0252020 | Purslane | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0252030 | Beet leaves (chard) | | | | | | ►M77 — ◄ | |
| 0252990 | Others | | | | | | ►M77 — ◄ | |
| 0253000 | (c) *Vine leaves (grape leaves)* | (**) | (**) | (**) | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0254000 | (d) *Water cress* | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0255000 | (e) *Witloof* | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0256000 | (f) *Herbs* | | | | ►M163 0,02 (*) ◄ | ►M40 **0,02 (*)** ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0256010 | Chervil | | | | | | ►M77 — ◄ | |
| 0256020 | Chives | | | | | | ►M77 — ◄ | |
| 0256030 | Celery leaves | | | | | | ►M77 — ◄ | |
| 0256040 | Parsley | | | | | | ►M77 — ◄ | |
| 0256050 | Sage | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256060 | Rosemary | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256070 | Thyme | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256080 | Basil | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 0,01 (*) ◄<br>►M208 **3** ◄ | ►M32 (**) ◄ | ►M142 3 ◄<br>►M142 3 ◄ | ►M180 0,3 ◄<br>►M180 0,3 ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄<br>►M155 — ◄ |
| ►M208 **0,08** ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,3 ◄ | | | | ►M155 — ◄ |
| ►M208 — ◄ | ►M32 **0,01** (*) ◄ | ►M142 **0,6** ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄<br>►M208 **0,1** ◄<br>►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 — ◄<br>►M142 — ◄<br>►M142 — ◄ | ►M180 0,6 ◄<br>►M180 0,01 (*) ◄<br>►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ |
| ►M208 **0,1** ◄ | | ►M142 — ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 **0,01** (*) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 **0,01** (*) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 0,02 (*) ◄ | ►M142 3 ◄ | ►M180 0,3 ◄ | | | | ►M155 — ◄ |
| ►M208 **0,03** ◄<br>►M208 2 ◄<br>►M208 **0,03** ◄<br>►M208 **0,03** ◄ | | ►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄ | | | | | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ |
| ►M208 2 ◄<br>►M208 2 ◄<br>►M208 2 ◄<br>►M208 2 ◄ | ►M32 (**) ◄<br>►M32 (**) ◄<br>►M32 (**) ◄<br>►M32 (**) ◄ | ►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄ | ►M59 — ◄<br>►M59 — ◄<br>►M59 — ◄<br>►M59 — ◄ | (**)<br>(**)<br>(**)<br>(**) | ►M5 (**) ◄<br>►M5 (**) ◄<br>►M5 (**) ◄<br>►M5 (**) ◄ | ►M113 — ◄<br>►M113 — ◄<br>►M113 — ◄<br>►M113 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| (**) | ►**M95** — ◄<br>►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** — ◄<br>►**M204** — ◄ | ►**M77** — ◄<br>►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | | ►**M165** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M204** 15 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M39** — ◄<br>►**M79** — ◄<br>►**M39** — ◄ | ►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M39** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | (**) | ►**M165** **0,01** (*) ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | | ►**M165** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | | ►**M165** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M204** 0,3 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | ►**M52** 0,02 (*) ◄ | | ►**M165** **0,02** (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M204** 70 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄ | | | | | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | ►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | ►M132 4 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,02 (*) ◄ | ►M32 — ◄ | ►M179 10 ◄ | | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | ►M163 0,05 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | | ►M163 0,05 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | | ►M163 0,05 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | | ►M163 0,05 (*) ◄ | | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M163 0,05 (*) ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M163 0,05 (*) ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M163 0,05 (*) ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M163 40 ◄ | ►M110 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256100 | Tarragon | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256990 | Others | | | | | | ►M77 — ◄ | |
| 0260000 | (vi) **Legume vegetables (fresh)** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0260010 | Beans (with pods) | | | | | | ►M77 — ◄ | |
| 0260020 | Beans (without pods) | | | | | | ►M77 — ◄ | |
| 0260030 | Peas (with pods) | | | | | | ►M77 — ◄ | |
| 0260040 | Peas (without pods) | | | | | | ►M77 — ◄ | |
| 0260050 | Lentils | | | | | | ►M77 — ◄ | |
| 0260990 | Others | | | | | | ►M77 — ◄ | |
| 0270000 | (vii) **Stem vegetables (fresh)** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0270010 | Asparagus | | | | | | ►M77 — ◄ | |
| 0270020 | Cardoons | | | | | | ►M77 — ◄ | |
| 0270030 | Celery | | | | | | ►M77 — ◄ | |
| 0270040 | Fennel | | | | | | ►M77 — ◄ | |
| 0270050 | Globe artichokes | | | | | | ►M77 — ◄ | |
| 0270060 | Leek | | | | | | ►M77 — ◄ | |
| 0270070 | Rhubarb | | | | | | ►M77 — ◄ | |
| 0270080 | Bamboo shoots | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0270090 | Palm hearts | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0270990 | Others | | | | | | ►M77 — ◄ | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 2 ◄ | ►M32 (**) ◄ | ►M51 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 2 ◄ | ►M32 (**) ◄ | ►M51 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,02 (*) ◄ | | ►M51 — ◄ | ►M13 — ◄ | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M39 — ◄ | ►M180 — ◄ | ►M16 0,02 (*) ◄ | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| ►M208 **0,08** ◄ | | ►M142 0,6 ◄ | ►M180 **1** ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,3 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 **0,08** ◄ | | ►M142 0,6 ◄ | ►M180 **1** ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,3 ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | | | | ►M155 — ◄ |
| ►M101 — ◄ | ►M32 **0,01** (*) ◄ | ►M39 — ◄ | ►M180 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,8 ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,05 ◄ | | ►M142 **0,01** (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 **0,03** ◄ | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,7 ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M79 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | ►M52 0,01 (*) ◄ | | ►M165 0,01 (*) ◄ | ►M32 0,01 (*) ◄ | ►M204 3 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M11 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | ►M52 0,01 (*) ◄ | | ►M165 0,01 (*) ◄ | ►M32 0,01 (*) ◄ | | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 15 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 15 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 10 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 5 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 10 ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,6 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M163 0,05 (*) ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M163 0,05 (*) ◄ | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | ►M163 0,05 (*) ◄ | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | ►M30 — ◄ | ►M132 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,3 ◄ | ►M163 7 ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,05 ◄ | ►M163 0,4 ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 **0,8** ◄ | ►M163 7 ◄ | ►M132 **0,9** ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,05 ◄ | ►M163 0,4 ◄ | ►M132 **0,05** ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,05 ◄ | ►M163 0,4 ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | | | ►M77 — ◄ |
| ►M203 0,02 (*) (+) ◄ | ►M32 — ◄ | ►M165 — ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M165 — ◄ | | | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | | | | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0280010 | Cultivated | | | | | | ►M77 — ◄ | |
| 0280020 | Wild | | | | | | ►M77 — ◄ | |
| 0280990 | Others | | | | | | ►M77 — ◄ | |
| 0290000 | (ix) **Sea weeds** | (**) | (**) | (**) | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0300010 | Beans | | | | | | ►M77 — ◄ | |
| 0300020 | Lentils | | | | | | ►M77 — ◄ | |
| 0300030 | Peas | | | | | | ►M77 — ◄ | |
| 0300040 | Lupins | | | | | | ►M77 — ◄ | |
| 0300990 | Others | | | | | | ►M77 — ◄ | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,01 (*) | | | ►M163 0,02 (*) ◄ | ►M40 ►C8 0,05 (*) ◄◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0401000 | (i) **Oilseeds** | | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | | ►M77 — ◄ | ►M46 — ◄ |
| 0401010 | Linseed | | | | | | ►M77 — ◄ | |
| 0401020 | Peanuts | | | | | | ►M77 — ◄ | |
| 0401030 | Poppy seed | | | | | | ►M77 — ◄ | |
| 0401040 | Sesame seed | | | | | | ►M77 — ◄ | |
| 0401050 | Sunflower seed | | | | | | ►M77 — ◄ | |
| 0401060 | Rape seed | | | | | | ►M77 — ◄ | |
| 0401070 | Soya bean | | | | | | ►M77 — ◄ | ►M154 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M208** 0,01 (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M142** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M5** 0,01 (*) ◄ | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M142** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ | (**) | ►**M5** (**) ◄ | ►**M113** — ◄ | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M142** 0,15 ◄ | ►**M180** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M5** 0,01 (*) ◄ | ►**M113** 0,05 (*) ◄ | ►**M155** — ◄ |
| | | ►**M109** — ◄ | | | | | ►**M155** — ◄ |
| | | ►**M109** — ◄ | | | | | ►**M155** — ◄ |
| | | ►**M109** — ◄ | | | | | ►**M155** — ◄ |
| | | ►**M109** — ◄ | | | | | ►**M155** — ◄ |
| | | ►**M109** — ◄ | | | | | ►**M155** — ◄ |
| ►**M208** — ◄ | | | ►**M180** 0,01 (*) ◄ | | | ►**M113** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M84** — ◄ | ►**M5** — ◄ | | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | ►**M5** 0,02 (*) ([14]) ◄ | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M142** 0,01 (*) ◄ | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M142** 0,01 (*) ◄ | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M142** 0,01 (*) ◄ | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M142** 0,01 (*) ◄ | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M142** 0,01 (*) ◄ | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M142** 0,4 ◄ | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** 0,3 ◄ | ►**M142** 0,01 (*) ◄ | | | | | ►**M155** — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | | ►**M165** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M8** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | (**) | ►**M165** **0,01** (*) ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| 0,01 (*) | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | 0,02 (*) | ►**M165** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M204** 0,15 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | | ►**M77** — ◄ |
| 0,01 (*) | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | 0,02 (*) | ►**M165** **0,01** (*) ◄ | ►**M32** **0,02** (*) ◄ | | ►**M77** — ◄ |
| | ►**M95** — ◄ | ►**M52** — ◄ | | | | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,4 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,2 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** **0,7** ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,5 ◄ | ►**M77** — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M30 — ◄ | ►M132 0,3 ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,1 ◄ | ►M163 0,3 ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 1 ◄ | ►M163 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M68 — ◄ | | | ►M77 — ◄ |
| | ►M32 — ◄ | | ►M50 — ◄ | ►M27 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,2 ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,05 ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,2 ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,05 ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,2 ◄ | ►M163 0,05 (*) ◄ | ►M132 0,3 ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | | | | | | ►M77 — ◄ | |
| 0401090 | Cotton seed | | | | | | ►M77 — ◄ | |
| 0401100 | Pumpkin seeds | | | | | | ►M77 — ◄ | |
| 0401110 | Safflower | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0401120 | Borage | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0401130 | Gold of pleasure | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0401140 | Hempseed | | | | | | ►M77 — ◄ | |
| 0401150 | Castor bean | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0401990 | Others | | | | | | ►M77 — ◄ | |
| 0402000 | (ii) **Oilfruits** | | | | | | ►M77 — ◄ | |
| 0402010 | Olives for oil production | | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | | ►M77 — ◄ | ►M46 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0402030 | Palmfruit | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0402040 | Kapok | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0402990 | Others | | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | | ►M77 — ◄ | ►M46 — ◄ |
| 0500000 | 5. **CEREALS** | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M163 0,01 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0500010 | Barley | | | | | ►M40 **0,05 (+)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0500020 | Buckwheat | | | | | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0500030 | Maize | | | | | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0500040 | Millet | | | | | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0500050 | Oats | | | | | ►M40 **0,05 (+)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0500060 | Rice | | | | | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,1 ◄ |
| 0500070 | Rye | | | | | ►M40 **0,05 (+)** ◄ | ►M77 — ◄ | ►M199 2 ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 0,01 (*) ◄ | ►M32 **0,02** (*) ◄ | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 **0,02** ◄ | ►M32 **0,02** (*) ◄ | ►M142 0,7 ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 **0,02** (*) ◄ | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 **0,02** (*) ◄ | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 **0,02** (*) ◄ | ►M142 0,01 (*) ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 **0,02** (*) ◄ | ►M109 — ◄ | | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 — ◄ | ►M142 **3** ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | ►M5 0,01 (*) ◄ | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 — ◄ | ►M142 0,01 (*) ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | ►M5 0,02 (*) ◄ | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 **0,01** (*) ◄ | ►M39 — ◄ | ►M59 — ◄ | 0,05 | ►M5 0,01 (*) ◄ | ►M113 0,05 (*) ◄ | ►M155 — ◄ |
| | | ►M142 **0,05** ◄ | ►M180 0,05 ◄ | ►M16 **0,02** (*) ◄ | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | ►M16 0,05 ◄ | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | | ►M155 — ◄ |
| | | ►M142 **0,05** ◄ | ►M180 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | | ►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,7 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,4 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,4 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | ►**M165** — ◄ | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | ►**M52** — ◄ | | ►**M165** — ◄ | | ►**M191** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,03 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| 0,01 | ►**M95** — ◄ | ►**M52** **0,01** (*) ◄ | 0,05 (*) | ►**M165** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 1,5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,02 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 1,5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 5 ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,5 ◄ | ►**M77** — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,3 ◄ | ►M132 0,5 ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,05 (*) ◄ | ►M132 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M163 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,1 ◄ | | ►M132 0,05 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,03 (*) ◄ | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,2 ◄ | | ►M132 0,05 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,08 ◄ | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,1 ◄ | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,1 ◄ | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,1 ◄ | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | | | | | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0500090 | Wheat | | | | | ►M40 **0,05 (+)** ◄ | ►M77 — ◄ | ►M199 2 ◄ |
| 0500990 | Others | | | | | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M163 0,05 (*) ◄ | ►M40 **0,05 (*)** ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of *Camellia sinensis*)** | | | | | | ►M77 — ◄ | |
| 0620000 | (ii) **Coffee beans** | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631000 | (a) *Flowers* | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631010 | Camomille flowers | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631020 | Hybiscus flowers | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631030 | Rose petals | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631040 | Jasmine flowers | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631050 | Lime (linden) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632000 | (b) *Leaves* | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632010 | Strawberry leaves | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | | ►M142 0,01 (*) ◄<br>►M142 0,1 ◄ | ►M180 0,01 (*) ◄<br>►M180 0,05 ◄ | ►M16 **0,02** (*) ◄<br>►M16 **0,02** (*) ◄ | | | ►M155 — ◄<br>►M155 — ◄ |
| | | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | | ►M155 — ◄ |
| ►M208 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | | | ►M113 0,1 (*) ◄ | ►M155 — ◄ |
| | ►M32 — ◄ | | | ►M16 0,05 (*) ◄ | ►M5 0,02 (*) ◄ | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄<br>►M84 — ◄ | ►M32 (**) ◄<br>►M32 (**) ◄ | ►M39 — ◄<br>►M39 — ◄ | ►M59 — ◄<br>►M59 — ◄ | (**)<br>(**) | ►M5 (**) ◄<br>►M5 (**) ◄ | ►M113 — ◄<br>►M113 — ◄ | ►M155 — ◄<br>►M155 — ◄ |
| ►M84 — ◄<br>►M84 — ◄<br>►M84 — ◄ | ►M32 (**) ◄<br>►M32 (**) ◄<br>►M32 (**) ◄ | ►M39 — ◄<br>►M39 — ◄<br>►M39 — ◄ | ►M59 — ◄<br>►M59 — ◄<br>►M59 — ◄ | (**)<br>(**)<br>(**) | ►M5 (**) ◄<br>►M5 (**) ◄<br>►M5 (**) ◄ | ►M113 — ◄<br>►M113 — ◄<br>►M113 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M95** — ◄<br>►**M95** — ◄ | | | | | ►**M204** 10 ◄<br>►**M204** 0,5 ◄ | ►**M77** — ◄<br>►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| 0,1 (*) | ►**M95** — ◄ | ►**M52** **0,05** (*) ◄ | 0,05 (*) | ►**M165** **0,05** (*) ◄ | ►**M32** **0,05** (*) ◄ | | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** — ◄ | ►**M204** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,03 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 60 ◄ | ►**M77** — ◄ |
| (**)<br>(**)<br>(**)<br>(**)<br>(**) | ►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄<br>►**M95** — ◄ | ►**M52** — ◄<br>►**M52** — ◄<br>►**M52** — ◄<br>►**M52** — ◄<br>►**M52** — ◄ | (**)<br>(**)<br>(**)<br>(**)<br>(**) | ►**M165** — ◄<br>►**M165** — ◄<br>►**M165** — ◄<br>►**M165** — ◄<br>►**M165** — ◄ | ►**M32** (**) ◄<br>►**M32** (**) ◄<br>►**M32** (**) ◄<br>►**M32** (**) ◄<br>►**M32** (**) ◄ | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | ►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 60 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M32** — ◄ | ►**M179** 0,1 ◄ | | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,1 ◄ | | ►**M132** 0,5 ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,03 (*) ◄ | | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,05 (*) ◄ | ►**M32** — ◄ | ►**M165** — ◄ | ►**M163** 0,1 (*) ◄ | | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | | ►**M132** 30 ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | ►**M50** — ◄ | ►**M132** 0,05 (*) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M132** 0,1 (+) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M179** 0,3 (*) ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632030 | Maté | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0633000 | (c) *Roots* | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0633010 | Valerian root | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0633020 | Ginseng root | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0633990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0639000 | (d) *Other herbal infusions* | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M163 0,05 (*) ◄ | ►M40 **0,05 (*)** ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0800000 | 8. **SPICES** | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,05 (*)** ◄ | ►M77 — ◄ | ►M199 — ◄ |
| 0810000 | (i) **Seeds** | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0810010 | Anise | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810020 | Black caraway | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810030 | Celery seed | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810040 | Coriander seed | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810050 | Cumin seed | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810060 | Dill seed | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,1 ◄ | ►M32 0,05 (*) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | ►M16 0,05 (*) ◄ | ►M5 0,02 (*) ◄ | ►M113 0,1 (*) ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M51 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 0,1 (*) ◄ | ►M155 — ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,3 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,05 (*) ◄ | ►**M77** — ◄ |
| 0,1 (*) | ►**M95** — ◄ | ►**M52** **0,05** (*) ◄ | 0,05 (*) | ►**M165** **0,05** (*) ◄ | ►**M32** **0,05** (*) ◄ | ►**M204** 30 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** **0,05** (*) ◄ | (**) | ►**M165** **0,5** ◄ | ►**M32** (**) ◄ | ►**M204** 0,3 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | ►**M50** — ◄ | ►**M132** 0,05 (*) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | ►**M50** — ◄ | ►**M132** 0,05 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,05 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | ►**M163** 20 ◄ | ►**M132** 20 ◄ | ►**M77** — ◄ |
| ►**M203** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M203** 0,05 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,1 (*) ◄ | ►**M163** 0,1 (*) ◄ | ►**M132** 0,05 (*) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810080 | Fenugreek | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810090 | Nutmeg | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820000 | (ii) **Fruits and berries** | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0820010 | Allspice | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820030 | Caraway | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820040 | Cardamom | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820050 | Juniper berries | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820060 | Pepper, black and white | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820070 | Vanilla pods | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820080 | Tamarind | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0830000 | (iii) **Bark** | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0830010 | Cinnamon | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0830990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840010 | Liquorice | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0840020 | Ginger | (**) | (**) | (**) | ►M163 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840030 | Turmeric (Curcuma) | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M116 — ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,1 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,1 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 — ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 0,5 ◄ | ►M32 (**) ◄ | ►M204 0,3 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 0,5 ◄ | ►M32 (**) ◄ | ►M204 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 0,5 ◄ | ►M32 (**) ◄ | ►M204 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M180 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 0,5 ◄ | ►M32 (**) ◄ | ►M204 0,05 (*) ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,05 (*) ◄ | ►M32 — ◄ | ►M179 0,1 (*) ◄ | ►M163 0,1 (*) ◄ | ►M132 0,03 ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,05 (*) ◄ | ►M32 — ◄ | ►M179 0,1 (*) ◄ | ►M163 0,1 (*) ◄ | ►M132 0,05 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,05 (*) ◄ | ►M32 — ◄ | ►M179 0,1 (*) ◄ | ►M163 0,1 (*) ◄ | ►M132 0,05 ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M165 — ◄ | ►M163 — ◄ | ►M132 0,05 ◄ | ►M77 — ◄ |
| ►M203 0,05 (*) ◄ | ►M32 — ◄ | ►M179 0,1 (*) ◄ | ►M163 0,1 (*) ◄ | ►M132 0,05 ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | (**) | (**) | (**) | ►M163 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840990 | Others | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0850000 | (v) **Buds** | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0850010 | Cloves | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0850020 | Capers | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0850990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0860000 | (vi) **Flower stigma** | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0860010 | Saffron | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0860990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0870000 | (vii) **Aril** | (**) | (**) | (**) | ►M163 0,05 (*) ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M199 0,1 (*) ◄ |
| 0870010 | Mace | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0870990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | (**) | (**) | (**) | ►M163 0,01 (*) ◄ | ►M40 **0,01 (*)** ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 0900010 | Sugar beet (root) | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900020 | Sugar cane | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900030 | Chicory roots | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | | | | | ►M77 — ◄ | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M136 —— ◄ | ►M32 (**) ◄ | ►M142 (+) ◄ | ►M136 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M208 0,05 (*) ◄ | ►M32 (**) ◄ | ►M142 0,05 (*) ◄ | ►M180 0,05 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,01 (*) ◄ | ►M180 0,01 (*) ◄ | (**) | ►M5 (**) ◄ | ►M113 0,05 (*) ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| ►M84 —— ◄ | ►M32 (**) ◄ | ►M39 —— ◄ | ►M59 —— ◄ | (**) | ►M5 (**) ◄ | ►M113 —— ◄ | ►M155 —— ◄ |
| | ►M32 0,02 (*) ◄ | ►M116 —— ◄ | ►M59 —— ◄ | ►M16 0,01 (*) ◄ | | | ►M155 —— ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| (**) | ►M95 — ◄ | ►M52 (+) ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M146 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 0,5 ◄ | ►M32 (**) ◄ | ►M204 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 0,5 ◄ | ►M32 (**) ◄ | ►M204 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 0,5 ◄ | ►M32 (**) ◄ | ►M204 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,05 (*) ◄ | (**) | ►M165 0,5 ◄ | ►M32 (**) ◄ | ►M204 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 0,01 (*) ◄ | (**) | ►M165 0,01 (*) ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 5 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,05 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,09 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 0,01 (*) ◄ | | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M165 — ◄ | ►M163 — ◄ | ►M132 (+) ◄ | ►M77 — ◄ |
| ►M203 0,05 (*) ◄ | ►M32 — ◄ | ►M179 0,1 (*) ◄ | ►M163 0,1 (*) ◄ | ►M132 0,05 ◄ | ►M77 — ◄ |
| ►M203 0,05 (*) ◄ | ►M32 — ◄ | ►M179 0,1 (*) ◄ | ►M163 0,1 (*) ◄ | ►M132 0,05 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,05 (*) ◄ | ►M32 — ◄ | ►M179 0,1 (*) ◄ | ►M163 0,1 (*) ◄ | ►M132 0,05 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,05 (*) ◄ | ►M32 — ◄ | ►M179 0,1 (*) ◄ | ►M163 0,1 (*) ◄ | ►M132 0,05 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | ►M37 — ◄ | | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | 0,01 (*) | | 0,1 (*) | ►M163 0,01 (*) ◄ | | ►M77 — ◄ | |
| 1011000 | (a) *Swine* | | | | | ►M40 **0,05 (*)** ◄ | ►M77 — ◄ | |
| 1011010 | Meat | | | | | ►M40 **(+)** ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1011020 | Fat free of lean meat | | | | | ►M40 **(+)** ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1011030 | Liver | | | | | ►M40 **(+)** ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1011040 | Kidney | | | | | ►M40 **(+)** ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1011050 | Edible offal | | | | | ►M40 — ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1011990 | Others | | | | | ►M40 — ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1012000 | (b) *Bovine* | | | | | | ►M77 — ◄ | |
| 1012010 | Meat | | | | | ►M40 **0,2 (+)** ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1012020 | Fat | | | | | ►M40 **0,2 (+)** ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1012030 | Liver | | | | | ►M40 **0,4 (+)** ◄ | ►M77 — ◄ | ►M199 5 ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | ►**M32** — ◄ | | ►**M180** 0,02 (*) ◄ | 0,01 (*) | ►**M5** 0,2 ◄ | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | | | | | | | ►**M155** — ◄ |
| | | ►**M142** 0,5 ◄ | | | | | ►**M155** — ◄ |
| | | ►**M142** 0,3 ◄ | | | | ►**M113** **0,4** ◄ | ►**M155** — ◄ |
| | | ►**M142** 1 ◄ | | | | ►**M113** **0,2** ◄ | ►**M155** — ◄ |
| | | ►**M142** 1 ◄ | | | | ►**M113** **0,2** ◄ | ►**M155** — ◄ |
| | | ►**M142** 1 ◄ | | | | | ►**M155** — ◄ |
| | | ►**M142** 0,02 (*) ◄ | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | | ►**M142** 0,5 ◄ | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | | ►**M142** 0,3 ◄ | | | | ►**M113** **0,2** ◄ | ►**M155** — ◄ |
| ►**M208** 0,02 ◄ | | ►**M142** 1 ◄ | | | | ►**M113** **0,2** ◄ | ►**M155** — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| 0,01 (*) | ►**M95** — ◄ | ►**M52** **0,02** (*) ◄ | 0,01 (*) | ►**M165** 0,01 (*) ◄ | | ►**M11** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** — ◄ | ►**M180** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,05 (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,07 (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,07 (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,07 (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** 0,01 (*) (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M180** — ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** — ◄ | ►**M204** 0,01 (*) (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** — ◄ | ►**M204** 0,05 (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** — ◄ | ►**M204** 0,07 (+) ◄ | ►**M77** — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | | ►M77 — ◄ |
| | ►M32 — ◄ | | | ►M27 — ◄ | ►M77 — ◄ |
| ►M203 0,02 (*) ◄ | ►M32 — ◄ | ►M179 0,02 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,02 ◄ | ►M163 0,05 ◄ | ►M132 3 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,02 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,02 ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,02 ◄ | ►M163 0,02 (*) ◄ | ►M132 3 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,02 ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | | | | ►M77 — ◄ |
| ►M203 0,02 (*) ◄ | ►M32 — ◄ | ►M179 0,02 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 ◄ | ►M163 0,05 ◄ | ►M132 3 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | | | | | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1012050 | Edible offal | | | | | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1012990 | Others | | | | | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1013000 | (c) *Sheep* | | | | | | ►M77 — ◄ | |
| 1013010 | Meat | | | | | ►M40 **0,2** (+) ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1013020 | Fat | | | | | ►M40 **0,2** (+) ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1013030 | Liver | | | | | ►M40 **0,4** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1013040 | Kidney | | | | | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1013050 | Edible offal | | | | | ►M40 0,1 (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1013990 | Others | | | | | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1014000 | (d) *Goat* | | | | | | ►M77 — ◄ | |
| 1014010 | Meat | | | | | ►M40 **0,2** (+) ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1014020 | Fat | | | | | ►M40 **0,2** (+) ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1014030 | Liver | | | | | ►M40 **0,4** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1014040 | Kidney | | | | | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1014050 | Edible offal | | | | | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1014990 | Others | | | | | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1015010 | Meat | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,2** (+) ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1015020 | Fat | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,2** (+) ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1015030 | Liver | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,4** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 0,01 (*) ◄ | | ►M142 1 ◄ | | | | ►M113 **0,2** ◄ | ►M155 — ◄ |
| ►M208 0,02 ◄ | | ►M142 1 ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,02 (*) ◄ | | | | | ►M155 — ◄ |
| ►M84 — ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,02 ◄ | | ►M142 0,5 ◄ | | | | | ►M155 — ◄ |
| ►M208 0,05 ◄ | | ►M142 0,3 ◄ | | | | ►M113 **0,4** ◄ | ►M155 — ◄ |
| ►M208 0,025 ◄ | | ►M142 1 ◄ | | | | ►M113 **0,1** ◄ | ►M155 — ◄ |
| ►M208 0,02 ◄ | | ►M142 1 ◄ | | | | ►M113 **0,2** ◄ | ►M155 — ◄ |
| ►M208 0,05 ◄ | | ►M142 1 ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,02 (*) ◄ | | | | | ►M155 — ◄ |
| ►M84 — ◄ | | | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,5 ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,3 ◄ | | | | ►M113 **0,2** ◄ | ►M155 — ◄ |
| ►M208 0,02 ◄ | | ►M142 1 ◄ | | | | ►M113 **0,1** ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 1 ◄ | | | | ►M113 **0,2** ◄ | ►M155 — ◄ |
| ►M208 0,02 ◄ | | ►M142 1 ◄ | | | | | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 0,02 (*) ◄ | | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,5 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,3 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,02 ◄ | ►M32 (**) ◄ | ►M142 1 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M204 0,07 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M204 0,07 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M204 0,01 (*) (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M180 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,05 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,07 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,07 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,07 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | ►M32 — ◄ | ►M180 — ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,05 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,07 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,07 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,07 (+) ◄ | ►M77 — ◄ |
| | ►M95 — ◄ | | | | | ►M204 0,01 (*) (+) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,01 (*) ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,05 ◄ | ►M77 — ◄ |
| (**) | ►M95 — ◄ | ►M52 — ◄ | (**) | ►M165 — ◄ | ►M32 (**) ◄ | ►M204 0,07 ◄ | ►M77 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 3 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M27** — ◄ | ►**M77** — ◄ |
| ►**M203** 0,02 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,02 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,03 ◄ | ►**M163** 0,05 ◄ | ►**M132** 3 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,04 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 3 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | ►**M27** — ◄ | ►**M77** — ◄ |
| ►**M203** 0,02 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,02 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,03 ◄ | ►**M163** 0,05 ◄ | ►**M132** 3 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,05 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 3 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,15 ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M203** 0,02 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,02 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,03 ◄ | ►**M163** 0,05 ◄ | ►**M132** 3 ◄ | ►**M77** — ◄ |
| ►**M203** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,05 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1015050 | Edible offal | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1015990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | | | ►M40 **0,05** (*) ◄ | ►M77 — ◄ | ►M199 0,05 (*) ◄ |
| 1016010 | Meat | | | | | ►M40 — ◄ | ►M77 — ◄ | |
| 1016020 | Fat | | | | | ►M40 — ◄ | ►M77 — ◄ | |
| 1016030 | Liver | | | | | ►M40 — ◄ | ►M77 — ◄ | |
| 1016040 | Kidney | | | | | ►M40 — ◄ | ►M77 — ◄ | |
| 1016050 | Edible offal | | | | | ►M40 — ◄ | ►M77 — ◄ | |
| 1016990 | Others | | | | | ►M40 — ◄ | ►M77 — ◄ | |
| 1017000 | (g) *Other farm animals* | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1017010 | Meat | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,2** (+) ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1017020 | Fat | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,2** (+) ◄ | ►M77 — ◄ | ►M199 0,2 ◄ |
| 1017030 | Liver | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,4** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1017040 | Kidney | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1017050 | Edible offal | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |
| 1017990 | Others | (**) | (**) | (**) | ►M91 — ◄ | ►M40 **0,1** (+) ◄ | ►M77 — ◄ | ►M199 5 ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 1 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,02 ◄ | ►M32 (**) ◄ | ►M142 1 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,02 (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | | ►M142 — ◄ | | | | ►M113 0,05 (*) ◄ | ►M155 — ◄ |
| | | ►M142 **0,02** (*) ◄ | | | | | ►M155 — ◄ |
| | | ►M142 **0,02** (*) ◄ | | | | | ►M155 — ◄ |
| | | ►M142 **0,1** (*) ◄ | | | | | ►M155 — ◄ |
| | | ►M142 **0,1** (*) ◄ | | | | | ►M155 — ◄ |
| | | ►M142 **0,02** (*) ◄ | | | | | ►M155 — ◄ |
| | | ►M142 **0,02** (*) ◄ | | | | | ►M155 — ◄ |
| ►M84 — ◄ | ►M32 (**) ◄ | ►M39 — ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,5 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 0,3 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,02 ◄ | ►M32 (**) ◄ | ►M142 1 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 1 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,02 ◄ | ►M32 (**) ◄ | ►M142 1 ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |
| ►M208 0,01 (*) ◄ | ►M32 (**) ◄ | ►M142 **0,02** (*) ◄ | ►M59 — ◄ | (**) | ►M5 (**) ◄ | ►M113 — ◄ | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,07 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,07 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | ►**M32** — ◄ | ►**M204** 0,01 (*) (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M79** — ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,05 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,07 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,07 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,07 ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,15 ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,15 ◄ | ►M163 0,02 (*) ◄ | ►M132 3 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,15 ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M32 — ◄ | ►M179 0,02 (*) ◄ | ►M163 0,02 (*) ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,02 (*) ◄ | ►M32 — ◄ | | | ►M132 0,05 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | ►M132 0,05 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | | | ►M132 0,01 (*) ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M203 0,02 (*) ◄ | ►M32 — ◄ | ►M179 0,02 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,03 ◄ | ►M163 0,05 ◄ | ►M132 3 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,05 (*) ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,15 ◄ | ►M163 0,02 (*) ◄ | ►M132 0,2 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,15 ◄ | ►M163 0,02 (*) ◄ | ►M132 3 ◄ | ►M77 — ◄ |
| ►M203 0,01 (*) ◄ | ►M32 — ◄ | ►M179 0,15 ◄ | ►M163 0,02 (*) ◄ | ►M132 0,01 (*) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | 0,01 (*) | | 0,1 (*) | ►M163 0,01 (*) ◄ | ►M40 **1,5 (+)** ◄ | ►M77 — ◄ | ►M199 0,01 (*) ◄ |
| 1020010 | Cattle | | | | | | ►M77 — ◄ | |
| 1020020 | Sheep | | | | | | ►M77 — ◄ | |
| 1020030 | Goat | | | | | | ►M77 — ◄ | |
| 1020040 | Horse | | | | | | ►M77 — ◄ | |
| 1020990 | Others | | | | | | ►M77 — ◄ | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | 0,01 (*) | | 0,1 (*) | ►M163 0,01 (*) ◄ | ►M40 0,05 (*) ◄ | ►M77 — ◄ | ►M199 0,01 (*) ◄ |
| 1030010 | Chicken | | | | | | ►M77 — ◄ | |
| 1030020 | Duck | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1030030 | Goose | (**) | (**) | (**) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M208** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M142** 0,2 ◄ | ►**M180** 0,01 (*) ◄ | 0,01 (*) | ►**M5** 0,006 ◄ | | ►**M155** — ◄ |
| | | | | | | ►**M113** **0,01** ◄ | ►**M155** — ◄ |
| | | | | | | ►**M113** **0,01** ◄ | ►**M155** — ◄ |
| | | | | | | ►**M113** **0,01** ◄ | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M142** 0,02 (*) ◄ | ►**M180** 0,02 (*) ◄ | 0,01 (*) | ►**M5** 0,02 ◄ | ►**M113** 0,01 (*) ◄ | ►**M155** — ◄ |
| | | | | | | | ►**M155** — ◄ |
| ►**M84** — ◄ | ►**M32** (**) ◄ | ►**M39** — ◄ | ►**M59** — ◄ | (**) | ►**M5** (**) ◄ | ►**M113** — ◄ | ►**M155** — ◄ |
| ►**M84** — ◄ | ►**M32** (**) ◄ | ►**M39** — ◄ | ►**M59** — ◄ | (**) | ►**M5** (**) ◄ | ►**M113** — ◄ | ►**M155** — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| 0,01 (*) | ►**M95** — ◄ | ►**M52** **0,02** (*) ◄ | 0,01 (*) | ►**M165** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M204** 0,01 (*) (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| 0,01 (*) | ►**M95** — ◄ | ►**M52** **0,02** (*) ◄ | 0,01 (*) | ►**M165** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M204** 0,01 (*) (+) ◄ | ►**M77** — ◄ |
| | ►**M95** — ◄ | | | | | ►**M204** (+) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** (+) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** (+) ◄ | ►**M77** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M203** 0,02 (*) ◄ | ►**M32** — ◄ | ►**M165** — ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,2 ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,02 (*) ◄ | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,03 (*) ◄ | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,03 (*) ◄ | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,03 (*) ◄ | | | ►**M77** — ◄ |
| | ►**M32** — ◄ | ►**M179** 0,03 (*) ◄ | | | ►**M77** — ◄ |
| ►**M203** 0,02 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,02 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) (+) ◄ | ►**M77** — ◄ |
| | ►**M32** — ◄ | | | | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |

▼**M2**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | (**) | (**) | (**) | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | ►**M46** — ◄ |
| 1030990 | Others | (**) | (**) | (**) | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | ►**M46** — ◄ |
| 1040000 | (iv) **Honey** | (**) | (**) | (**) | ►**M163** 0,05 (*) ◄ | ►**M40** **0,05 (*)** ◄ | ►**M77** — ◄ | ►**M199** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | (**) | (**) | (**) | ►**M163** 0,01 (*) ◄ | ►**M40** **0,05 (*)** ◄ | ►**M77** — ◄ | ►**M199** 0,05 (*) ◄ |
| 1060000 | (vi) **Snails** | (**) | (**) | (**) | ►**M163** 0,01 (*) ◄ | ►**M40** **0,05 (*)** ◄ | ►**M77** — ◄ | ►**M199** 0,05 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | (**) | (**) | (**) | ►**M163** 0,01 (*) ◄ | ►**M40** **0,05 (*)** ◄ | ►**M77** — ◄ | ►**M199** 0,05 (*) ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M84** —— ◄ | ►**M32** (**) ◄ | ►**M39** —— ◄ | ►**M59** —— ◄ | (**) | ►**M5** (**) ◄ | ►**M113** —— ◄ | ►**M155** —— ◄ |
| ►**M84** —— ◄ | ►**M32** (**) ◄ | ►**M39** —— ◄ | ►**M59** —— ◄ | (**) | ►**M5** (**) ◄ | ►**M113** —— ◄ | ►**M155** —— ◄ |
| ►**M208** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M142** 0,05 (*) ◄ | ►**M180** 0,05 (*) ◄ | (**) | ►**M5** (**) ◄ | ►**M113** **0,2** ◄ | ►**M155** —— ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M142** 0,02 (*) ◄ | ►**M180** 0,02 (*) ◄ | (**) | ►**M5** (**) ◄ | ►**M113** —— ◄ | ►**M155** —— ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M142** 0,02 (*) ◄ | ►**M180** 0,02 (*) ◄ | (**) | ►**M5** (**) ◄ | ►**M113** —— ◄ | ►**M155** —— ◄ |
| ►**M208** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M142** 0,02 (*) ◄ | ►**M180** 0,02 (*) ◄ | (**) | ►**M5** (**) ◄ | ►**M113** —— ◄ | ►**M155** —— ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** (+) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** — ◄ | (**) | ►**M165** — ◄ | ►**M32** (**) ◄ | ►**M204** (+) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** **0,05** (*) ◄ | (**) | ►**M165** **0,05** (*) ◄ | ►**M32** (**) ◄ | ►**M204** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** **0,02** (*) ◄ | (**) | ►**M165** **0,01** (*) ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** **0,02** (*) ◄ | (**) | ►**M165** **0,01** (*) ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M95** — ◄ | ►**M52** **0,02** (*) ◄ | (**) | ►**M165** **0,01** (*) ◄ | ►**M32** (**) ◄ | ►**M204** 0,01 (*) ◄ | ►**M77** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M203** 0,05 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,05 (*) ◄ | ►**M163** 0,05 (*) ◄ | ►**M132** 0,05 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,02 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,02 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,02 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,02 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M203** 0,02 (*) ◄ | ►**M32** — ◄ | ►**M179** 0,02 (*) ◄ | ►**M163** 0,02 (*) ◄ | ►**M132** 0,01 (*) ◄ | ►**M77** — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M119 ▲ | ▼M77 ▲ | ▼M212 ▲ | ▼M203 ▲ | ▼M77 ▲ | ▼M32 ▲ |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0110010 | Grapefruit | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0110020 | Oranges | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0110030 | Lemons | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0110040 | Limes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0110050 | Mandarins | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0110990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| ▲**M149** Captan (Sum of captan and THPI, expressed ahs captan) (R) ▼ | ▲**M64** Carbaryl (F) ▼ | ▲**M21** Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim) (R) ▼ | ▲**M70** Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R) ▼ | Carbon disulphide (see dithiocarbamates) | ▼ ▲**M166** — | ▼ ▲**M70** — | ▲**M164** Sum of carfentrazone-ethyl and carfentrazone, expressed as carfentrazone-ethyl (R) ▼ |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |
| ►**M149** 0,03 (*) ◄ | ►**M64** 0,01 (*) ◄ | ►**M5** 0,5 ◄ | ►**M70** **0,01** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.02** (*) ◄ |
| | | ►**M21** **0,2** ◄ | ►**M70** — ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** **0,2** ◄ | ►**M70** — ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,7 ◄ | ►**M70** — ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,7 ◄ | ►**M70** — ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,7 ◄ | ►**M70** — ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** **0,1** (*) ◄ | ►**M70** — ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,07 (*) ◄ | ►**M64** 0,02 (*) ◄ | ►**M21** 0,1 (*) ◄ | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.05** (*) ◄ |

▼**M2**

| Cartap | Chlorbenside (F) | ▼ **M77** — ▲ | Chlordane (sum of cis- and trans-chlrodane) (F) (R) | ▼ **M32** Chlorfenapyr ▲ | Chlorfenson (F) | ▼ **M45** — ▲ | ▼ **M152** — ▲ |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** — ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | ►**M32** **0,01** (*) ◄ | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | ►**M32** **0,02** (*) ◄ | | ►**M45** — ◄ | ►**M152** — ◄ |

▼**M2**

| Chlorobenziate (F) | ▼ M166 ▲ | ▼ M77 ▲ | ▼ M166 ▲ | ▼ ▼ C16 M162 ▲ ▲ | ▼ ▼ C16 M162 ▲ ▲ | ▼ M77 ▲ |
|---|---|---|---|---|---|---|
| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
| 0,02 (*) | ►**M166** — ◄ | ►**M77** — ◄ | ►**M166** — ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M77** — ◄ |
| | ►**M166** — ◄ | ►**M77** — ◄ | ►**M166** — ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M77** — ◄ |
| | ►**M166** — ◄ | ►**M77** — ◄ | ►**M166** — ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M77** — ◄ |
| | ►**M166** — ◄ | ►**M77** — ◄ | ►**M166** — ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M77** — ◄ |
| | ►**M166** — ◄ | ►**M77** — ◄ | ►**M166** — ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M77** — ◄ |
| | ►**M166** — ◄ | ►**M77** — ◄ | ►**M166** — ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M77** — ◄ |
| | ►**M166** — ◄ | ►**M77** — ◄ | ►**M166** — ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M77** — ◄ |
| | ►**M166** — ◄ | ►**M77** — ◄ | ►**M166** — ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M162** ►**C16** — ◄ ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120020 | Brazil nuts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120030 | Cashew nuts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120040 | Chestnuts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120050 | Coconuts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120060 | Hazelnuts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120070 | Macadamia | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120080 | Pecans | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120090 | Pine nuts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120100 | Pistachios | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120110 | Walnuts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0120990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0130010 | Apples | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0130020 | Pears | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0130030 | Quinces | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0130040 | Medlar | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0130050 | Loquat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0130990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0140010 | Apricots | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0140020 | Cherries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0140030 | Peaches | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0140040 | Plums | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0140990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 10 ◄ | ►M64 0,01 (*) ◄ | | ►M70 **0,001** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| | ►M32 — ◄ | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M32 — ◄ | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M32 — ◄ | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| | ►M32 — ◄ | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,01 (*) ◄ | | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M149 6 ◄ | | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 6 ◄ | | ►M21 0,5 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 6 ◄ | | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 10 ◄ | | ►M21 0,5 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,01 (*) ◄ | | ►M70 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0151010 | Table grapes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0151020 | Wine grapes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0152000 | (b) *Strawberries* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0153010 | Blackberries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0153020 | Dewberries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0153030 | Raspberries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0153990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154010 | Blueberries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154020 | Cranberries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154030 | Currants (red, black and white) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154040 | Gooseberries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154050 | Rose hips | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154060 | Mulberries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154080 | Elderberries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0154990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | ►M32 — ◄ | | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | | ►M21 0,3 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 **0,02** (*) ◄ | | ►M21 0,5 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 **1,5** ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | ►M70 **0,005** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M32 — ◄ | ►M21 0,1 (*) ◄ | ►M70 0,01 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 **20** ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 **20** ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | ►M21 0,1 (*) ◄ | ►M70 0,01 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 **30** ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 **30** ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 **30** ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 **30** ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,03 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,03 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,03 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161000 | (a) *Edible peel* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161010 | Dates | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161020 | Figs | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161030 | Table olives | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161040 | Kumquats | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161050 | Carambola | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161060 | Persimmon | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161070 | Jambolan (java plum) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0161990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0162010 | Kiwi | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0162020 | Lychee (Litchi) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0162030 | Passion fruit | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0162050 | Star apple | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0162990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163010 | Avocados | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M149 0,03 (*) ◄ | ►M64 0,01 (*) ◄ | | ►M70 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | ►M21 0,1 (*) ◄ | ►M70 **0,003** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.05** (*) ◄ |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | | ►M21 0,1 (*) ◄ | ►M70 0,01 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | ►M70 0,01 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.05** (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163030 | Mangoes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163040 | Papaya | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163050 | Pomegranate | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163060 | Cherimoya | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163070 | Guava | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163080 | Pineapples | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163090 | Bread fruit | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163100 | Durian | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163110 | Soursop (guanabana) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0211000 | (a) *Potatoes* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0212010 | Cassava | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0212020 | Sweet potatoes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0212030 | Yams | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0212040 | Arrowroot | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0212990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,5 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| | | | ►M32 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,03 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M70 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M64 0,01 (*) ◄ | | ►M70 **0,001** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,01 (*) ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,02 ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,01 (*) ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| | ►M64 0,01 (*) ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 — ◄ | 0,01 (*) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 **0,01** (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| 0,02 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213010 | Beetroot | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213020 | Carrots | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213030 | Celeriac | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213040 | Horseradish | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213050 | Jerusalem artichokes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213060 | Parsnips | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213070 | Parsley root | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213080 | Radishes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213090 | Salsify | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213100 | Swedes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213110 | Turnips | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0213990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0220010 | Garlic | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0220020 | Onions | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0220030 | Shallots | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0220040 | Spring onions | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0220990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0231000 | (a) *Solanacea* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M64 0,01 (*) ◄ | | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M64 0,02 (*) ◄ | ►M21 0,1 (*) ◄ | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,01 (*) ◄ | | ►M70 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| | | | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,02 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0231020 | Peppers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0231040 | Okra, lady's fingers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0231990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0232010 | Cucumbers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0232020 | Gherkins | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0232030 | Courgettes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0232990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0233010 | Melons | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0233020 | Pumpkins | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0233030 | Watermelons | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0233990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0241010 | Broccoli | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0241020 | Cauliflower | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M149 1 ◄ | ►M32 — ◄ | ►M21 0,3 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | ►M21 0,5 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | ►M21 2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | ►M70 0,002 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | ►M70 0,01 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | ►M70 0,002 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | ►M70 0,01 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M64 0,01 (*) ◄ | | ►M70 0,002 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 0.02 (*) ◄ |
| | | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0242000 | (b) *Head brassica* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0242010 | Brussels sprouts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0242020 | Head cabbage | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0242990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0243010 | Chinese cabbage | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0243020 | Kale | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0243990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251010 | Lamb's lettuce | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251020 | Lettuce | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251040 | Cress | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251050 | Land cress | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251060 | Rocket, Rucola | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | ►M21 0,5 ◄<br>►M21 0,1 (*) ◄ | | | ►M166 — ◄<br>►M166 — ◄ | ►M70 — ◄<br>►M70 — ◄ | |
| | | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄<br>►M166 — ◄ | ►M70 — ◄<br>►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M64 0,01 (*) ◄ | | ►M70 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄<br>►M96 — ◄<br>►M96 — ◄<br>►M96 — ◄<br>►M96 — ◄<br>►M96 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M64 (**) ◄<br>►M32 — ◄ | ►M15 (**) ◄ | ►M70 **0,002** (*) ◄<br>►M70 **0,002** (*) ◄<br>►M70 **0,001** (*) ◄<br>►M70 **0,002** (*) ◄<br>►M70 (**) ◄<br>►M70 **0,002** (*) ◄ | (**) | ►M166 — ◄<br>►M166 — ◄<br>►M166 — ◄<br>►M166 — ◄<br>►M166 — ◄<br>►M166 — ◄ | ►M70 — ◄<br>►M70 — ◄<br>►M70 — ◄<br>►M70 — ◄<br>►M70 — ◄<br>►M70 — ◄ | ►M164 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0252010 | Spinach | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0252020 | Purslane | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0252030 | Beet leaves (chard) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0252990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0254000 | (d) *Water cress* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0255000 | (e) *Witloof* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256000 | (F) *Herbs* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256010 | Chervil | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256020 | Chives | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256030 | Celery leaves | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256040 | Parsley | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256050 | Sage | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256060 | Rosemary | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256070 | Thyme | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256080 | Basil | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M32 — ◄ | | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M64 0,01 (*) ◄ | | ►M70 **0,005** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M30 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M30 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M30 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M149 0,03 (*) ◄ | ►M64 0,01 (*) ◄ | | ►M70 0,01 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M149 0,03 (*) ◄ | ►M64 0,01 (*) ◄ | | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M149 0,06 (*) ◄ | ►M64 0,02 (*) ◄ | | ►M70 0,02 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.04** (*) ◄ |
| ►M30 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M30 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M30 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M30 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | (**) | ►M77 — ◄<br>►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,02 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| (**) | ►M166 — ◄<br>►M166 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M166 — ◄<br>►M166 — ◄ | ►M162 ►C16 — ◄ ◄<br>►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄<br>►M162 ►C16 — ◄ ◄ | ►M77 — ◄<br>►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄<br>►M166 — ◄<br>►M166 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M166 — ◄<br>►M166 — ◄<br>►M166 — ◄ | ►M162 ►C16 — ◄ ◄<br>►M162 ►C16 — ◄ ◄<br>►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄<br>►M162 ►C16 — ◄ ◄<br>►M162 ►C16 — ◄ ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256100 | Tarragon | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0260010 | Beans (with pods) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0260020 | Beans (without pods) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0260030 | Peas (with pods) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0260040 | Peas (without pods) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0260050 | Lentils | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0260990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270010 | Asparagus | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270020 | Cardoons | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270030 | Celery | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270040 | Fennel | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270050 | Globe artichokes | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270060 | Leek | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270070 | Rhubarb | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270080 | Bamboo shoots | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270090 | Palm hearts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M30 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M64 0,01 (*) ◄ | | ►M70 0,01 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | ►M21 0,1 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,03 (*) ◄ | ►M64 0,01 (*) ◄ | ►M21 0,1 (*) ◄ | ►M70 **0,002** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M32 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,01 (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0280010 | Cultivated | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0280020 | Wild | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0280990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0300010 | Beans | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0300020 | Lentils | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0300030 | Peas | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0300040 | Lupins | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0300990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401010 | Linseed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401020 | Peanuts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401030 | Poppy seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401040 | Sesame seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401050 | Sunflower seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401060 | Rape seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401070 | Soya bean | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M149** 0,03 (*) ◄ | ►**M64** 0,01 (*) ◄ | ►**M5** — ◄ | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.02** (*) ◄ |
| | | ►**M21** 1 ◄ | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,1 (*) ◄ | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** **0,1** (*) ◄ | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,03 (*) ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.02** (*) ◄ |
| ►**M149** 0,07 (*) ◄ | ►**M64** 0,05 (*) ◄ | ►**M21** 0,1 (*) ◄ | ►**M70** **0,005** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.05** (*) ◄ |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,07 (*) ◄ | ►**M32** — ◄ | | | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.05** (*) ◄ |
| | ►**M64** 0,05 (*) ◄ | | ►**M32** — ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |
| | | ►**M21** 0,1 (*) ◄ | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,1 (*) ◄ | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,1 (*) ◄ | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,1 (*) ◄ | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,1 (*) ◄ | ►**M70** **0,02** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,1 (*) ◄ | ►**M70** **0,02** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | ►**M21** 0,2 ◄ | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | ►M32 **0,01** (*) ◄ | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,02 (*) | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| 0,02 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| 0,02 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401090 | Cotton seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401100 | Pumpkin seeds | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401110 | Safflower | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401120 | Borage | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401130 | Gold of pleasure | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401140 | Hempseed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401150 | Castor bean | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0402010 | Olives for oil production | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0402030 | Palmfruit | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0402040 | Kapok | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0402990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500000 | 5. **CEREALS** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500010 | Barley | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500020 | Buckwheat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500030 | Maize | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500040 | Millet | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500050 | Oats | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500060 | Rice | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500070 | Rye | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | | ►M21 0,1 (*) ◄ | ►M70 0,02 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| | | ►M21 0,1 (*) ◄ | ►M70 0,1 ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| | | ►M21 0,1 (*) ◄ | ►M70 0,02 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| | | ►M21 0,1 (*) ◄ | ►M70 0,02 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| | | ►M21 0,1 (*) ◄ | ►M70 0,02 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,02 (*) ◄ | ►M21 0,1 (*) ◄ | ►M70 0,02 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | ►M32 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| | | | ►M32 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,07 (*) ◄ | | | ►M70 **0,01** (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 0.05 (*) ◄ |
| | ►M64 0,5 ◄ | ►M21 2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,5 ◄ | ►M21 0,01 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,5 ◄ | ►M21 0,01 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,5 ◄ | ►M21 0,01 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,5 ◄ | ►M21 2 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,01 (*) ◄ | ►M21 0,01 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,5 ◄ | ►M21 0,1 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| 0,02 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500090 | Wheat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0500990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631000 | (a) *Flowers* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631010 | Camomille flowers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631020 | Hybiscus flowers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631030 | Rose petals | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631040 | Jasmine flowers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631050 | Lime (linden) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632000 | (b) *Leaves* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632010 | Strawberry leaves | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M64 0,5 ◄ | ►M21 0,01 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,5 ◄ | ►M21 0,1 ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| | ►M64 0,5 ◄ | ►M21 0,01 (*) ◄ | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M149 0,1 (*) ◄ | ►M64 0,05 (*) ◄ | ►M21 0,1 (*) ◄ | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.1** (*) ◄ |
| | ►M64 — ◄ | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►**M77** — ◄<br>►**M77** — ◄ | | | | ►**M45** — ◄<br>►**M45** — ◄ | ►**M152** — ◄<br>►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | | 0,1 (*) | ►**M45** — ◄ | ►**M152** — ◄ |
| 0,1 (*) | | ►**M77** — ◄ | | ►**M32** 50 ◄ | | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632030 | Maté | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0633000 | (c) *Roots* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0633010 | Valerian root | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0633020 | Ginseng root | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0633990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0800000 | 8. **SPICES** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810000 | (i) **Seeds** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810010 | Anise | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810020 | Black caraway | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810030 | Celery seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810040 | Coriander seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810050 | Cumin seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810060 | Dill seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 **150** ◄ | ►M64 0,05 (*) ◄ | ►M21 0,1 (*) ◄ | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.1** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.1** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
|  | 0,1 (*) | ►M77 — ◄ | 0,02 (*) | ►M32 **0,05** (*) ◄ | 0,1 (*) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810080 | Fenugreek | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810090 | Nutmeg | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820010 | Allspice | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820030 | Caraway | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820040 | Cardamom | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820050 | Juniper berries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820060 | Pepper, black and white | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820070 | Vanilla pods | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820080 | Tamarind | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0830000 | (iii) **Bark** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0830010 | Cinnamon | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0830990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840010 | Liquorice | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840020 | Ginger | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.1** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.1** (*) ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.1** (*) ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 **0.1** (*) ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0850000 | (v) **Buds** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0850010 | Cloves | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0850020 | Capers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0850990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0860010 | Saffron | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0860990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0870000 | (vii) **Aril** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0870010 | Mace | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0870990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900010 | Sugar beet (root) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900020 | Sugar cane | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900030 | Chicory roots | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M149 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 **0.1** (*) ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 **0.1** (*) ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 **0.1** (*) ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M149 0,1 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 **0.1** (*) ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M149 0,03 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 **0.02** (*) ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M96 —— ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 —— ◄ | ►M70 —— ◄ | ►M164 —— ◄ |
| ►M37 —— ◄ | ►M64 0,05 (*) ◄ | | ►M70 —— ◄ | | ►M166 —— ◄ | ►M70 —— ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| (**) | (**) | ►M77 —— ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 —— ◄ | ►M152 —— ◄ |
| | | ►M77 —— ◄ | | | | ►M45 —— ◄ | ►M152 —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1011000 | (a) *Swine* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1011010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1011020 | Fat free of lean meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1011030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1011040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1011050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1011990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1012000 | (b) *Bovine* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1012010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1012020 | Fat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1012030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M96** — ◄ | ►**M64** — ◄ | ►**M21** 0,05 (*) ◄ | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.01** (*) ◄ |
| ►**M149** 0,03 (*) ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,06 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | 0,05 (*) | ►M77 — ◄ | 0,05 (*) | | 0,05 (*) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | | | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | ►M152 — ◄<br>►M152 — ◄<br>►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| 0,1 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1012050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1012990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1013000 | (c) *Sheep* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1013010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1013020 | Fat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1013030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1013040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1013050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1013990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1014000 | (d) *Goat* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1014010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1014020 | Fat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1014030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1014040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1014050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1014990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015020 | Fat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,03 (*) ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,06 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,03 (*) ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,06 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,09 ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,03 (*) ◄ | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |
| ►**M149** 0,09 ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |
| ►**M149** 0,06 ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |
| ►**M149** 0,09 ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1016010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1016020 | Fat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1016030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1016040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1016050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1016990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017020 | Fat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M149 0,09 ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,09 ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,03 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,03 (*) ◄ | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| | | | | | ►M166 — ◄ | ►M70 — ◄ | |
| ►M96 — ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,09 ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,06 ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,09 ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,09 ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,09 ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |
| ►M149 0,03 (*) ◄ | ►M64 (**) ◄ | ►M15 (**) ◄ | ►M70 (**) ◄ | (**) | ►M166 — ◄ | ►M70 — ◄ | ►M164 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| | | ►M77 — ◄ | | | | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |
| (**) | (**) | ►M77 — ◄ | (**) | ►M32 (**) ◄ | (**) | ►M45 — ◄ | ►M152 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1020010 | Cattle | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1020020 | Sheep | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1020030 | Goat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1020040 | Horse | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1020990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1030010 | Chicken | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1030020 | Duck | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1030030 | Goose | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M149** 0,03 (*) ◄ | ►**M64** — ◄ | ►**M21** 0,05 (*) ◄ | ►**M70** **0,001** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.01** (*) ◄ |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M149** 0,03 (*) ◄ | ►**M64** — ◄ | ►**M21** 0,05 (*) ◄ | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.01** (*) ◄ |
| | | | | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |
| ►**M96** — ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | 0,05 (*) | ►**M77** — ◄ | 0,002 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,005 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M152** — ◄ |
| | | ►**M77** — ◄ | | | | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |
| (**) | (**) | ►**M77** — ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** — ◄ | ►**M152** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| 0,1 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |
| (**) | ►M166 — ◄ | ►M77 — ◄ | ►M166 — ◄ | ►M162 ►C16 — ◄ ◄ | ►M162 ►C16 — ◄ ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1030990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1040000 | (iv) **Honey** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1060000 | (vi) **Snails** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M203 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M96** — ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |
| ►**M96** — ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** — ◄ |
| ►**M149** 0,05 (*) ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.05** (*) ◄ |
| ►**M149** 0,03 (*) ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.01** (*) ◄ |
| ►**M149** 0,03 (*) ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.01** (*) ◄ |
| ►**M149** 0,03 (*) ◄ | ►**M64** (**) ◄ | ►**M15** (**) ◄ | ►**M70** (**) ◄ | (**) | ►**M166** — ◄ | ►**M70** — ◄ | ►**M164** **0.01** (*) ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |
| (**) | (**) | ►**M77** —— ◄ | (**) | ►**M32** (**) ◄ | (**) | ►**M45** —— ◄ | ►**M152** —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| (**) | ►M166 —◄ | ►M77 —◄ | ►M166 —◄ | ►M162 ►C16 —◄◄ | ►M162 ►C16 —◄◄ | ►M77 —◄ |
| (**) | ►M166 —◄ | ►M77 —◄ | ►M166 —◄ | ►M162 ►C16 —◄◄ | ►M162 ►C16 —◄◄ | ►M77 —◄ |
| (**) | ►M166 —◄ | ►M77 —◄ | ►M166 —◄ | ►M162 ►C16 —◄◄ | ►M162 ►C16 —◄◄ | ►M77 —◄ |
| (**) | ►M166 —◄ | ►M77 —◄ | ►M166 —◄ | ►M162 ►C16 —◄◄ | ►M162 ►C16 —◄◄ | ►M77 —◄ |
| (**) | ►M166 —◄ | ►M77 —◄ | ►M166 —◄ | ►M162 ►C16 —◄◄ | ►M162 ►C16 —◄◄ | ►M77 —◄ |
| (**) | ►M166 —◄ | ►M77 —◄ | ►M166 —◄ | ►M162 ►C16 —◄◄ | ►M162 ►C16 —◄◄ | ►M77 —◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼ —— ▲M110 | ▼M76 Clofentezine [R] ▲ | ▼M161 Cyazofamid ▲ | ▼M46 —— ▲ | ▼M207 Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers)) (F) ▲ | ▼M199 Cyhalofop-butyl ▲ |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M110 —— ◄ | | | ►M46 —— ◄ | | ►M55 —— ◄ |
| 0110000 | (i) **Citrus fruit** | ►M110 —— ◄ | ►M76 0,5 ◄ | ►M161 0.01 (*) ◄ | ►M46 —— ◄ | ►M207 **0,3** ◄ | ►M199 0,02 (*) ◄ |
| 0110010 | Grapefruit | ►M110 —— ◄ | | | ►M46 —— ◄ | | |
| 0110020 | Oranges | ►M110 —— ◄ | | | ►M46 —— ◄ | | |
| 0110030 | Lemons | ►M110 —— ◄ | | | ►M46 —— ◄ | | |
| 0110040 | Limes | ►M110 —— ◄ | | | ►M46 —— ◄ | | |
| 0110050 | Mandarins | ►M110 —— ◄ | | | ►M46 —— ◄ | | |
| 0110990 | Others | ►M110 —— ◄ | | | ►M46 —— ◄ | | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M110 —— ◄ | ►M76 0,05 (*) ◄ | ►M161 0.02 (*) ◄ | ►M46 —— ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,05 (*) ◄ |

▼**M2**

| ▲**M19** Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers)) (F) ▼ | ▼ ▲**M205** Cyromazine | ▼ ▲**M51** — | ▲**M206** DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT) (F) ▼ | ▼ ▲**M133** Deltamethrin (cis-deltamethrin) (F) | ▼ ▲**M84** Desmedipham | ▼ ▲**M77** — | ▼ ▲**M43** Diazinon (F) |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| | ►**M205** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M206** 0,05 (*) ◄ | | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | |
| ►**M19** 2 ◄ | | ►**M51** — ◄ | | ►**M133** 0,04 (+) ◄ | | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | | | ►**M77** — ◄ | |
| ►**M19** 0,05 (*) ◄ | | ►**M51** — ◄ | | ►**M133** 0,02 (*) (+) ◄ | | ►**M77** — ◄ | |

▼**M2**

| Dichlorvos | ▼<br>▲**M32** Dicofol (sum of p, p' and o,p' isomers) (f) ▼ | ▼<br>▲**M154** Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers) ▼ | ▼<br>▲**M166** | ▼<br>▲**M77** | ▼<br>▲**M77** | ▼<br>▲**M77** | ▼<br>▲**M41** |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| 0,01 (*) | | ►**M154** 0,01 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,02** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |

▼**M2**

| ▲**M100** Diquat (sum of diquat and its salts, expressed as diquat) ▼ | ▲**M32** Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton) [F] ▼ | ▲**M85** Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram) ▼ | ▲**M77** —— ▼ | ▲**M16** Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan) [F] ▼ | Endrin [F] | ▲**M125** Ethephon ▼ |
|---|---|---|---|---|---|---|
| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
| ►**M100** —— ◄ | ►**M32** —— ◄ | | ►**M77** —— ◄ | | 0,01 (*) | |
| ►**M100** **0,02** ◄ | ►**M32** **0,01** (*) ◄ | ►**M85** **5** **(+)** ◄ | ►**M77** —— ◄ | ►**M16** 0,05 (*) ◄ | | ►**M125** 0,05 (*) ◄ |
| | | ►**M13** —— ◄ | ►**M77** —— ◄ | | | |
| | | ►**M13** —— ◄ | ►**M77** —— ◄ | | | |
| | | ►**M13** —— ◄ | ►**M77** —— ◄ | | | |
| | | ►**M13** —— ◄ | ►**M77** —— ◄ | | | |
| | | ►**M13** —— ◄ | ►**M77** —— ◄ | | | |
| | | ►**M13** —— ◄ | ►**M77** —— ◄ | | | |
| ►**M100** **0,02** ◄ | ►**M32** 0,02 (*) ◄ | | ►**M77** —— ◄ | ►**M16** 0,1 (*) ◄ | | ►**M11** —— ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120020 | Brazil nuts | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120030 | Cashew nuts | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120040 | Chestnuts | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120050 | Coconuts | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120060 | Hazelnuts | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120070 | Macadamia | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120080 | Pecans | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120090 | Pine nuts | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120100 | Pistachios | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120110 | Walnuts | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0120990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0130000 | (iii) **Pome fruit** | ►M110 — ◄ | ►M76 0,5 ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M199 0,02 (*) ◄ |
| 0130010 | Apples | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,1** ◄ | |
| 0130020 | Pears | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,1** ◄ | |
| 0130030 | Quinces | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0130040 | Medlar | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M55 — ◄ |
| 0130050 | Loquat | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M55 — ◄ |
| 0130990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0140000 | (iv) **Stone fruit** | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0140010 | Apricots | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0140020 | Cherries | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0140030 | Peaches | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0140040 | Plums | ►M110 — ◄ | ►M76 0,2 ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0140990 | Others | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0150000 | (v) **Berries & small fruit** | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,05 ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| ►M19 1 ◄ | | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 0,2 ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | ►M133 0,1 ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | ►M133 0,1 ◄ | | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,1 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,1 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| | | ►M51 — ◄ | | ►M133 0,1 ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 — ◄ | | ►M51 — ◄ | | ►M133 0,15 ◄ | | ►M77 — ◄ | |
| ►M11 — ◄ | | ►M51 — ◄ | | ►M133 0,1 ◄ | | ►M77 — ◄ | |
| ►M11 — ◄ | | ►M51 — ◄ | | ►M133 0,15 ◄ | | ►M77 — ◄ | |
| ►M5 1 ◄ | | ►M51 — ◄ | | ►M133 0,07 ◄ | | ►M77 — ◄ | |
| ►M11 — ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,02** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,2 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| | | ►M85 0,1 (+) ◄ | ►M77 — ◄ | | | ►M125 0,5 ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 ◄ |
| ►M100 0,02 ◄ | ►M32 0,01 (*) ◄ | ►M85 5 (+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | | |
| | | ►M13 — ◄ | ►M77 — ◄ | 0,05 (*) | | ►M125 0,8 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | 0,3 | | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | 0,05 (*) | | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | 0,05 (*) | | ►M125 0,05 (*) ◄ |
| ►M100 0,02 ◄ | ►M32 0,01 (*) ◄ | | ►M77 — ◄ | ►M16 0,05 (*) ◄ | | |
| | | ►M85 2 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | | ►M85 2 (+) ◄ | ►M77 — ◄ | | | ►M125 5 ◄ |
| | | ►M85 2 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | | ►M85 2 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | ►M32 0,01 (*) ◄ | | ►M77 — ◄ | ►M16 0,05 (*) ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M110 — ◄ | | ►M161 2 ◄ | ►M46 — ◄ | ►M207 — ◄ | |
| 0151010 | Table grapes | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0151020 | Wine grapes | ►M110 — ◄ | ►M76 1 ◄ | | ►M46 — ◄ | | |
| 0152000 | (b) *Strawberries* | ►M110 — ◄ | ►M76 2 ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 — ◄ | |
| 0153000 | (c) *Cane fruit* | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 — ◄ | |
| 0153010 | Blackberries | ►M110 — ◄ | ►M76 3 ◄ | | ►M46 — ◄ | | |
| 0153020 | Dewberries | ►M110 — ◄ | ►M76 0,3 ◄ | | ►M46 — ◄ | | |
| 0153030 | Raspberries | ►M110 — ◄ | ►M76 3 ◄ | | ►M46 — ◄ | | |
| 0153990 | Others | ►M110 — ◄ | ►M76 0,3 ◄ | | ►M46 — ◄ | | |
| 0154000 | (d) *Other small fruit & berries* | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 — ◄ | |
| 0154010 | Blueberries | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0154020 | Cranberries | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0154030 | Currants (red, black and white) | ►M110 — ◄ | ►M76 0,5 ◄ | | ►M46 — ◄ | | |
| 0154040 | Gooseberries | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0154050 | Rose hips | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0154060 | Mulberries | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0154080 | Elderberries | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0154990 | Others | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M19** 0,5 ◄ | | ►**M51** — ◄ | | ►**M133** 0,2 ◄ | | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,07 ◄ | | ►**M51** — ◄ | | ►**M133** 0,2 ◄ | | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| ►**M19** 0,5 ◄ | | ►**M51** — ◄ | | ►**M133** 0,1 ◄ | | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M107** — ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,05 (*) ◄ | | ►**M51** — ◄ | | ►**M133** 0,6 ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | ►**M43** 0,2 ◄ |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | | ►**M51** — ◄ | | ►**M133** — ◄ | | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| | | ►**M51** — ◄ | | ►**M107** — ◄ | | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 0,01 (*) (+) ◄ | | ►M85 5 (+) ◄ | ►M77 — ◄ | 0,5 | | ►M9 — ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 1 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 2 ◄ |
| ►M100 0,05 ◄ | | ►M85 10 (+) ◄ | ►M77 — ◄ | 0,05 (*) | | ►M125 0,05 (*) ◄ |
| ►M100 0,01 (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | 0,05 (*) | | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M7 ►C5 — ◄ ◄ | ►M77 — ◄ | 0,05 (*) | | ►M11 — ◄ |
| ►M100 0,01 (*) ◄ | | ►M85 5 (+) ◄ | ►M77 — ◄ | | | ►M125 20 ◄ |
| ►M100 0,01 (*) ◄ | | ►M85 5 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 0,01 (*) ◄ | | ►M85 5 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 0,01 (*) ◄ | | ►M85 5 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 0,01 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 0,01 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 0,02 ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 0,01 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 0,01 (*) ◄ | | ►M85 5 ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M110 — ◄ | ►M5 — ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0161000 | (a) *Edible peel* | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0161010 | Dates | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0161020 | Figs | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0161030 | Table olives | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0161040 | Kumquats | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0161050 | Carambola | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0161060 | Persimmon | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0161070 | Jambolan (java plum) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0161990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0162000 | (b) *Inedible peel, small* | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0162010 | Kiwi | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0162020 | Lychee (Litchi) | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0162030 | Passion fruit | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0162040 | Prickly pear (cactus fruit) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0162050 | Star apple | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0162990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0163000 | (c) *Inedible peel, large* | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0163010 | Avocados | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M11 — ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 1 (+) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,01 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,01 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,01 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,15 (+) ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,01 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,01 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,01 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M32 0,02 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ | ►M16 0,05 (*) ◄ | | |
| | | | ►M77 — ◄ | | | ►M11 — ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 3 ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 5 (+) ◄ | ►M77 — ◄ | | | ►M125 7 ◄ |
| ►M100 **0,02** ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 **0,02** ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 **0,3** ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | | ►M77 — ◄ | | | |
| ►M100 **0,01** (*) ◄ | | ►M85 **7 (+)** ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M110 — ◄ | ►M76 2 ◄ | | ►M46 — ◄ | | |
| 0163030 | Mangoes | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0163040 | Papaya | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0163050 | Pomegranate | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0163060 | Cherimoya | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0163070 | Guava | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0163080 | Pineapples | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0163090 | Bread fruit | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0163100 | Durian | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0163110 | Soursop (guanabana) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0163990 | Others | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M110 — ◄ | | | ►M46 — ◄ | | ►M55 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M31 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0211000 | (a) *Potatoes* | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 — ◄ | |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 — ◄ | |
| 0212010 | Cassava | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0212020 | Sweet potatoes | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0212030 | Yams | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0212040 | Arrowroot | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0212990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,7 ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,5 ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 **0,3** ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 **(**)** ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | ►M205 **0,01** (*) ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | | ►M84 — ◄ | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M107 — ◄ | | ►M77 — ◄ | |
| | ►M49 — ◄ | ►M51 — ◄ | | ►M133 0,3 (+) ◄ | ►M84 **0,01** (*) ◄ | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | ►M49 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| 0,01 (*) | | ►**M154** 0,01 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 **0,02** ◄ | | ►M85 2 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 2 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 7 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 2 ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 — ◄ | | ►M77 — ◄ | | 0,01 (*) | |
| | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ | ►M16 0,05 (*) ◄ | | ►M125 0,05 (*) ◄ |
| ►M100 **0,1** ◄ | | ►M85 0,3 (+) ◄ | ►M77 — ◄ | | | |
| ►M100 **0,01** (*) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0213010 | Beetroot | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213020 | Carrots | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213030 | Celeriac | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213040 | Horseradish | ►M110 — ◄ | | ►M161 0.1 ◄ | ►M46 — ◄ | | |
| 0213050 | Jerusalem artichokes | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213060 | Parsnips | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213070 | Parsley root | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213080 | Radishes | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213090 | Salsify | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213100 | Swedes | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213110 | Turnips | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0213990 | Others | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0220000 | (ii) **Bulb vegetables** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0220010 | Garlic | ►M110 — ◄ | | ►M161 **1.5** ◄ | ►M46 — ◄ | | |
| 0220020 | Onions | ►M110 — ◄ | | ►M161 **1.5** ◄ | ►M46 — ◄ | | |
| 0220030 | Shallots | ►M110 — ◄ | | ►M161 **1.5** ◄ | ►M46 — ◄ | | |
| 0220040 | Spring onions | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | |
| 0220990 | Others | ►M110 — ◄ | | ►M161 **1.5** ◄ | ►M46 — ◄ | | |
| 0230000 | (iii) **Fruiting vegetables** | ►M110 — ◄ | | | ►M46 — ◄ | | ►M199 0,02 (*) ◄ |
| 0231000 | (a) *Solanacea* | ►M110 — ◄ | | | ►M46 — ◄ | | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | | ►**M51** — ◄ | | ►**M133** 0,02 (*) (+) ◄ | | ►**M77** — ◄ | |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,05** (*) **(+)** ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,1 ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | ►**M133** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M49** — ◄ | ►**M51** — ◄ | | | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | ►**M205** — ◄ | ►**M51** — ◄ | | ►**M133** (+) ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | |
| ►**M19** 0,1 ◄ | | ►**M51** — ◄ | | ►**M133** 0,06 ◄ | | ►**M77** — ◄ | ►**M43** 0,02 (*) ◄ |
| ►**M19** 0,1 ◄ | | ►**M51** — ◄ | | ►**M133** 0,06 ◄ | | ►**M77** — ◄ | ►**M43** 0,05 ◄ |
| ►**M19** 0,1 ◄ | | ►**M51** — ◄ | | ►**M133** 0,06 ◄ | | ►**M77** — ◄ | ►**M43** 0,02 (*) ◄ |
| ►**M19** 0,05 (*) ◄ | | ►**M51** — ◄ | | ►**M133** 0,3 ◄ | | ►**M77** — ◄ | ►**M43** 0,02 (*) ◄ |
| ►**M19** 0,05 (*) ◄ | | ►**M51** — ◄ | | ►**M133** 0,01 (*) ◄ | | ►**M77** — ◄ | ►**M43** 0,02 (*) ◄ |
| | | ►**M51** — ◄ | | | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | |
| ►**M19** 0,5 ◄ | ►**M49** — ◄ | ►**M51** — ◄ | | | | ►**M77** — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,05 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | ►M154 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,02 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M100** **0,01** (*) ◄ | | | ►**M77** — ◄ | | | |
| | | ►**M85** 0,5 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,2 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,3 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,2 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,05 (*) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,2 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,2 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 2 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,2 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,05 (*) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,05 (*) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,05 (*) ◄ | ►**M77** — ◄ | | | |
| ►**M100** **0,01** (*) ◄ | ►**M32** 0,02 (*) ◄ | | ►**M77** — ◄ | ►**M16** **0,1** (*) ◄ | | ►**M125** 0,05 (*) ◄ |
| | | ►**M85** 0,6 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 1 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 1 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 1 (+) ◄ | ►**M77** — ◄ | | | |
| | | ►**M85** 0,05 (*) ◄ | ►**M77** — ◄ | | | |
| ►**M100** **0,01** (*) ◄ | | | ►**M77** — ◄ | ►**M16** **0,05** (*) ◄ | | |
| | ►**M32** **0,01** (*) ◄ | | ►**M77** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M110 — ◄ | ►M76 0,3 ◄ | ►M161 0.6 ◄ | ►M46 — ◄ | ►M207 **0,2** ◄ | |
| 0231020 | Peppers | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,2** ◄ | |
| 0231030 | Aubergines (egg plants) | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.3 ◄ | ►M46 — ◄ | ►M207 **0,2** ◄ | |
| 0231040 | Okra, lady's fingers | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0231990 | Others | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0232000 | (b) *Cucurbits — edible peel* | ►M110 — ◄ | ►M76 — ◄ | ►M161 0.2 ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0232010 | Cucumbers | ►M110 — ◄ | ►M76 **0,2** ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0232020 | Gherkins | ►M110 — ◄ | ►M76 **0,2** ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0232030 | Courgettes | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0232990 | Others | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | ►M207 — ◄ | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M110 — ◄ | | ►M161 0.15 ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0233010 | Melons | ►M110 — ◄ | ►M76 0,1 ◄ | | ►M46 — ◄ | | |
| 0233020 | Pumpkins | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0233030 | Watermelons | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0233990 | Others | ►M110 — ◄ | ►M76 0,02 (*) ◄ | | ►M46 — ◄ | | |
| 0234000 | (d) *Sweet corn* | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0239000 | (e) *Other fruiting vegetables* | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0240000 | (iv) **Brassica vegetables** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | | ►M199 0,02 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0241010 | Broccoli | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0241020 | Cauliflower | ►M110 — ◄ | | | ►M46 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,07 (+) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,2 (+) ◄ | | ►M77 — ◄ | ►M43 0,05 ◄ |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,4 (+) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,2 ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,2 (+) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | |
| ►M19 0,2 ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | ►M49 — ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | |
| | ►M49 — ◄ | ►M51 — ◄ | | ►M133 0,2 ◄ | | ►M77 — ◄ | |
| | ►M49 — ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | |
| | ►M49 — ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,02 (*) (+) ◄ | | ►M77 — ◄ | ►M43 0,02 ◄ |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 (+) ◄ | ►M84 **0,01** (*) ◄ | ►M77 — ◄ | |
| ►M11 — ◄ | | ►M51 — ◄ | | ►M133 0,1 ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 1 ◄ | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| ►M19 0,5 ◄ | | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,02** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,2** ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,02** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,02** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,02** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,02 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,02** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,02 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | ►**M85** 3 (+) ◄ | ►**M77** — ◄ | 0,5 | | ►**M125** 2 ◄ |
| | | ►**M85** 5 (+) ◄ | ►**M77** — ◄ | 1 | | ►**M125** 0,05 (*) ◄ |
| | | ►**M85** 3 (+) ◄ | ►**M77** — ◄ | 0,05 (*) | | ►**M125** 0,05 (*) ◄ |
| | | ►**M85** 0,5 (+) ◄ | ►**M77** — ◄ | 0,05 (*) | | ►**M125** 0,05 (*) ◄ |
| | | ►**M85** 0,05 (*) ◄ | ►**M77** — ◄ | 0,05 (*) | | ►**M125** 0,05 (*) ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M85** 2 (+) ◄ | ►**M77** — ◄ | 0,05 (*) | | ►**M125** 0,05 (*) ◄ |
| | | | ►**M77** — ◄ | | | |
| | | | ►**M77** — ◄ | | | |
| | | | ►**M77** — ◄ | | | |
| | | | ►**M77** — ◄ | | | |
| | ►**M32** **0,01** (*) ◄ | ►**M85** 1,5 (+) ◄ | ►**M77** — ◄ | 0,05 (*) | | ►**M125** 0,05 (*) ◄ |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | |
| | ►**M32** 0,02 (*) ◄ | ►**M85** 0,05 (*) ◄ | ►**M77** — ◄ | 0,05 (*) | | ►**M125** 0,05 (*) ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M85** 0,05 (*) ◄ | ►**M77** — ◄ | 0,05 (*) | | ►**M125** 0,05 (*) ◄ |
| ►**M100** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | | ►**M125** 0,05 (*) ◄ |
| | | ►**M85** 1 (+) ◄ | ►**M77** — ◄ | | | |
| | | | ►**M77** — ◄ | | | |
| | | | ►**M77** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0242000 | (b) *Head brassica* | ►M110 — ◄ | | | ►M46 — ◄ | ►M5 — ◄ | |
| 0242010 | Brussels sprouts | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0242020 | Head cabbage | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,08** ◄ | |
| 0242990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0243000 | (c) *Leafy brassica* | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0243010 | Chinese cabbage | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0243020 | Kale | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0243990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0244000 | (d) *Kohlrabi* | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0251010 | Lamb's lettuce | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0251020 | Lettuce | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0251030 | Scarole (broad-leaf endive) | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0251040 | Cress | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0251050 | Land cress | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0251060 | Rocket, Rucola | ►M110 — ◄ | | | ►M46 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M19 1 ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | |
| ►M19 1 ◄ | | ►M51 — ◄ | | ►M107 — ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | ►M43 — ◄ |
| | | ►M51 — ◄ | | ►M133 0,1 ◄ | | ►M77 — ◄ | ►M43 — ◄ |
| | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | ►M43 — ◄ |
| ►M19 1 ◄ | | ►M51 — ◄ | | ►M107 — ◄ | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | ►M133 0,2 ◄ | | ►M77 — ◄ | ►M43 0,05 ◄ |
| | | ►M51 — ◄ | | ►M133 **0,15** ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 1 ◄ | | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | ►M43 0,2 ◄ |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | ►M43 — ◄ |
| ►M19 2 ◄ | | ►M51 — ◄ | | ►M133 (+) ◄ | ►M84 **0,01** (*) ◄ | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | | ►M77 — ◄ | |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,1 ◄ | | ►M77 — ◄ | |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M205 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 2 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | ►**M154** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | | ►M77 — ◄ | | | |
| | | | ►M77 — ◄ | | | |
| | | ►M85 2 (+) ◄<br>►M85 3 (+) ◄ | ►M77 — ◄<br>►M77 — ◄ | | | |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | |
| | | ►M85 0,5 (+) ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄<br>►M13 — ◄ | ►M77 — ◄<br>►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M85 1 (+) ◄ | ►M77 — ◄ | | | |
| | | | ►M77 — ◄ | ►M16 0,05 (*) ◄ | | ►M125 0,05 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | ►M85 5 (+) ◄ | ►M77 — ◄ | | | |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | (**) | (**) | ►M76 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0251990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0252010 | Spinach | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0252020 | Purslane | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0252030 | Beet leaves (chard) | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0252990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0254000 | (d) *Water cress* | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0255000 | (e) *Witloof* | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0256000 | (f) *Herbs* | ►M110 — ◄ | | ►M161 0.02 (*) ◄ | ►M46 — ◄ | ►M207 0,02 (*) ◄ | ►M199 0,05 (*) ◄ |
| 0256010 | Chervil | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0256020 | Chives | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0256030 | Celery leaves | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0256040 | Parsley | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0256050 | Sage | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0256060 | Rosemary | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0256070 | Thyme | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0256080 | Basil | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M11 (**) ◄ | ►M205 — ◄<br>►M205 — ◄ | ►M51 — ◄<br>►M51 — ◄ | ►M206 (**) ◄ | ►M133 2 ◄<br>►M133 2 ◄ | ►M84 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M43 (**) ◄ |
| | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| ►M19 0,7 ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) (+) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄<br>►M49 — ◄<br>►M49 — ◄ | ►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄ | ►M206 (**) ◄ | ►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄ | ►M84 0,01 (*) ◄<br>►M84 0,01 (*) ◄<br>►M84 0,05 (*) (+) ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M43 (**) ◄ |
| | ►M49 — ◄ | ►M51 — ◄ | | | ►M84 0,01 (*) ◄ | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M205 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 2 (+) ◄ | ►M84 0,01 (*) ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 0,7 ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 2 (+) ◄ | ►M84 0,01 (*) ◄ | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,02 (*) (+) ◄ | ►M84 0,01 (*) ◄ | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 2 ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 2 (+) ◄ | ►M84 0,02 (*) ◄ | ►M77 — ◄ | ►M43 0,02 (*) ◄ |
| ►M11 (**) ◄<br>►M11 (**) ◄<br>►M11 (**) ◄<br>►M11 (**) ◄ | ►M49 — ◄<br>►M49 — ◄<br>►M49 — ◄<br>►M49 — ◄ | ►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄<br>►M51 — ◄ | ►M206 (**) ◄<br>►M206 (**) ◄<br>►M206 (**) ◄<br>►M206 (**) ◄ | ►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄ | ►M84 — ◄<br>►M84 — ◄<br>►M84 — ◄<br>►M84 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M43 (**) ◄<br>►M43 (**) ◄<br>►M43 (**) ◄<br>►M43 (**) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄<br>►M166 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M41 — ◄<br>►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄<br>►M166 — ◄<br>►M166 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M41 — ◄<br>►M41 — ◄<br>►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | ►M154 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄<br>►M13 — ◄ | ►M77 — ◄<br>►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| | | | ►M77 — ◄ | | | |
| ►M100 0,01 (*) ◄ | ►M32 0,01 (*) ◄ | | ►M77 — ◄ | | | |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 0,05 (*) ◄<br>►M85 (**) ◄<br>►M85 0,05 (*) ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | |
| ►M100 0,01 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 0,01 (*) ◄ | ►M32 0,01 (*) ◄ | ►M85 0,3 (+) ◄ | ►M77 — ◄ | | | |
| ►M100 0,01 (*) ◄ | ►M32 0,01 (*) ◄ | ►M85 0,5 (+) ◄ | ►M77 — ◄ | | | |
| ►M100 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M85 5 (+) ◄ | ►M77 — ◄ | | | |
| ►M100 — ◄<br>►M100 — ◄<br>►M100 — ◄<br>►M100 — ◄ | ►M32 (**) ◄<br>►M32 (**) ◄<br>►M32 (**) ◄<br>►M32 (**) ◄ | ►M85 (**) ◄<br>►M85 (**) ◄<br>►M85 (**) ◄<br>►M85 (**) ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | (**)<br>(**)<br>(**)<br>(**) | (**)<br>(**)<br>(**)<br>(**) | ►M76 — ◄<br>►M76 — ◄<br>►M76 — ◄<br>►M76 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0256100 | Tarragon | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0256990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0260010 | Beans (with pods) | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0260020 | Beans (without pods) | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0260030 | Peas (with pods) | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0260040 | Peas (without pods) | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0260050 | Lentils | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0260990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0270010 | Asparagus | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0270020 | Cardoons | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0270030 | Celery | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0270040 | Fennel | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0270050 | Globe artichokes | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0270060 | Leek | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0270070 | Rhubarb | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |
| 0270080 | Bamboo shoots | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0270090 | Palm hearts | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0270990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 — ◄ | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| | | ►M51 — ◄ | | | | ►M77 — ◄ | |
| ►M19 0,7 ◄ | | ►M51 — ◄ | | ►M133 0,2 (+) ◄ | ►M84 **0,01** (*) ◄ | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 — ◄ | | ►M77 — ◄ | |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | | ►M84 **0,01** (*) ◄ | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,1 ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) (+) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,3 ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,3 ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,2 (+) ◄ | | ►M77 — ◄ | |
| ►M19 0,5 ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,3 (+) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,3 ◄ | | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M205 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,01 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,01 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 0,01 (*) ◄ | | ►M77 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,02 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,02 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| | | | ►M77 —— ◄ | | | |
| ►M100 0,01 (*) ◄ | | | ►M77 —— ◄ | ►M16 0,05 (*) ◄ | | ►M125 0,05 (*) ◄ |
| | ►M32 0,01 (*) ◄ | ►M85 1 (+) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 0,1 (+) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 1 (+) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,02 ◄ | ►M85 0,2 (+) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 —— ◄ | | | |
| ►M100 0,01 (*) ◄ | | | ►M77 —— ◄ | ►M16 0,05 (*) ◄ | | ►M125 0,05 (*) ◄ |
| ►M100 (+) ◄ | ►M32 0,02 ◄ | ►M85 0,5 (+) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 3 (+) ◄ | ►M77 —— ◄ | | | |
| | ►M32 0,01 (*) ◄ | ►M85 0,5 (+) ◄ | ►M77 —— ◄ | | | |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| | ►M32 0,01 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 —— ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0280010 | Cultivated | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0280020 | Wild | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0280990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0290000 | (ix) **Sea weeds** | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.02 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ |
| 0300010 | Beans | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0300020 | Lentils | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0300030 | Peas | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0300040 | Lupins | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0300990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M110 — ◄ | | ►M161 0.02 (*) ◄ | ►M46 — ◄ | | ►M199 0,05 (*) ◄ |
| 0401000 | (i) **Oilseeds** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | | ►M55 — ◄ |
| 0401010 | Linseed | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0401020 | Peanuts | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0401030 | Poppy seed | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0401040 | Sesame seed | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0401050 | Sunflower seed | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0401060 | Rape seed | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,07** ◄ | |
| 0401070 | Soya bean | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 0,03 ◄ | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | | ►**M51** — ◄ | | ►**M107** — ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| ►**M19** 0,05 (*) ◄ | ►**M205** — ◄ | ►**M51** — ◄ | | ►**M133** 0,05 (+) ◄ | | ►**M77** — ◄ | |
| ►**M19** 1 ◄ | ►**M205** — ◄ | ►**M51** — ◄ | | ►**M133** 0,01 (*) ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,05 (*) ◄ | ►**M205** — ◄ | ►**M51** — ◄ | | ►**M133** 0,01 (*) ◄ | | ►**M77** — ◄ | |
| ►**M11** (**) ◄ | ►**M205** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,01 (*) ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M19** 0,05 (*) ◄ | ►**M205** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M206** 0,05 (*) ◄ | ►**M133** (+) ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,01 (*) ◄ |
| | | ►**M51** — ◄ | | ►**M133** 0,6 ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** 1 ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** 1 ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** 1 ◄ | | ►**M77** — ◄ | |
| | | ►**M51** — ◄ | | ►**M133** 0,02 (*) ◄ | | ►**M77** — ◄ | |
| | ►**M205** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M206** 0,05 (*) ◄ | | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,02 (*) ◄ |
| | | ►**M51** — ◄ | | | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** — ◄ |
| ►**M19** 0,2 ◄ | | ►**M51** — ◄ | | ►**M133** 0,02 (*) (+) ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,1 ◄ | | ►**M51** — ◄ | | ►**M133** 0,02 (*) ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,2 ◄ | | ►**M51** — ◄ | | ►**M133** 0,2 (+) ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,2 ◄ | | ►**M51** — ◄ | | ►**M133** 0,02 (*) (+) ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,2 ◄ | | ►**M51** — ◄ | | ►**M133** 0,05 (*) (+) ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,2 ◄ | | ►**M51** — ◄ | | ►**M133** 0,2 ◄ | | ►**M77** — ◄ | |
| ►**M19** 0,05 (*) ◄ | | ►**M51** — ◄ | | ►**M133** 0,02 (*) ◄ | | ►**M77** — ◄ | |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►**M32** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| 0,01 (*) | ►**M32** 0,02 (*) ◄ | ►**M154** 0,01 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| 0,01 (*) | | ►**M154** 0,01 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,05** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,05** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,05** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,05** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,05** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,05** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,05** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 **0,01** (*) ◄ | | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M125 0,05 (*) ◄ |
| ►M100 0,2 ◄ | | ►M85 0,1 (+) ◄ | ►M77 — ◄ | | | |
| ►M100 0,2 ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | |
| ►M100 **0,3** ◄ | | ►M85 0,1 (+) ◄ | ►M77 — ◄ | | | |
| ►M100 **0,2 (+)** ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | |
| ►M100 0,2 ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | |
| | ►M32 0,02 (*) ◄ | | ►M77 — ◄ | | 0,01 (*) | |
| | | | ►M77 — ◄ | | | |
| ►M100 **5 (+)** ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,1 (+)** ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,1 (+)** ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,9** ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **1,5** ◄ | | ►M85 0,5 (+) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,3** ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,5 ◄ | | ►M125 0,1 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0401090 | Cotton seed | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,7** ◄ | |
| 0401100 | Pumpkin seeds | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0401110 | Safflower | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M55 — ◄ |
| 0401120 | Borage | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M55 — ◄ |
| 0401130 | Gold of pleasure | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M55 — ◄ |
| 0401140 | Hempseed | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0401150 | Castor bean | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M55 — ◄ |
| 0401990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0402000 | (ii) **Oilfruits** | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0402010 | Olives for oil production | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | | ►M55 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0402030 | Palmfruit | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0402040 | Kapok | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0402990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | | ►M55 — ◄ |
| 0500000 | 5. **CEREALS** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.02 (*) ◄ | ►M46 — ◄ | | ►M199 0,01 (*) ◄ |
| 0500010 | Barley | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 0,3 **(+)** ◄ | |
| 0500020 | Buckwheat | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0500030 | Maize | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0500040 | Millet | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0500050 | Oats | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0500060 | Rice | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 — ◄ |
| 0500070 | Rye | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M19 0,1 ◄ | | ►M51 — ◄ | | ►M133 0,07 (*) (+) ◄ | | ►M77 — ◄ | |
| ►M19 0,2 ◄ | | ►M51 — ◄ | | ►M133 0,02 (*) (+) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,02 (*) (+) ◄ | | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,02 (*) (+) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,2 (+) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,07 (*) (+) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,2 (+) ◄ | | ►M77 — ◄ | |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,2 (+) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | |
| ►M19 0,05 (*) ◄ | | ►M51 — ◄ | | | | ►M77 — ◄ | |
| | | ►M51 — ◄ | | ►M133 0,6 (+) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 — ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,02 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,02 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,02 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| | | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 — ◄ |
| | ►M205 **0,02** (*) ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M133 (+) ◄ | ►M84 **0,01** (*) ◄ | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 2 ◄ | | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |
| ►M19 0,3 ◄ | | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |
| ►M19 0,3 ◄ | | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |
| ►M19 0,3 ◄ | | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | | ►M51 — ◄ | | ►M133 1 ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | | ►M51 — ◄ | | ►M133 2 ◄ | | ►M77 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M32 **0,05** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,1 ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| 0,01 (*) | ►M32 0,02 (*) ◄ | ►M154 0,01 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 **0,5 (+)** ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,3** ◄ | | ►M125 6 ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 **0,1 (+)** ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 **0,5 (+)** ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,01** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,1 (*) ◄ |
| ►M100 **0,01** (*) ◄ | | | ►M77 — ◄ | | | ►M11 — ◄ |
| ►M100 — ◄ | | ►M85 5 (+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | | ►M125 10 ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | | ►M85 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | | ►M125 0,05 (*) ◄ |
| | | | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | |
| ►M100 **0,02** (*) ◄ | ►M32 0,2 ◄ | ►M85 2 (+) ◄ | ►M77 — ◄ | | | ►M125 1 ◄ |
| ►M100 **0,02** (*) ◄ | ►M32 0,02 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,02** (*) ◄ | ►M32 0,02 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,02** (*) ◄ | ►M32 0,02 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 2 ◄ | ►M32 0,02 (*) ◄ | ►M85 2 (+) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,02** (*) ◄ | ►M32 0,02 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,02** (*) ◄ | ►M32 0,02 (*) ◄ | ►M85 1 (+) ◄ | ►M77 — ◄ | | | ►M125 1 ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0500090 | Wheat | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 0,04 **(+)** ◄ | |
| 0500990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** (*) ◄ | ►M199 0,1 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 0620000 | (ii) **Coffee beans** | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0631000 | (a) *Flowers* | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0631010 | Camomille flowers | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0631020 | Hybiscus flowers | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0631030 | Rose petals | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0631040 | Jasmine flowers | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0631050 | Lime (linden) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0631990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0632000 | (b) *Leaves* | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0632010 | Strawberry leaves | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M19** 0,3 ◄<br>►**M19** 2 ◄ | | ►**M51** — ◄<br>►**M51** — ◄ | | ►**M133** 2 ◄<br>►**M133** 1 ◄ | | ►**M77** — ◄<br>►**M77** — ◄ | |
| ►**M19** 0,3 ◄ | | ►**M51** — ◄ | | ►**M133** 0,02 (*) ◄ | | ►**M77** — ◄ | |
| | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | | | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** 0,05 (*) ◄ |
| ►**M19** 0,5 ◄ | | ►**M51** — ◄ | ►**M206** 0,2 (*) ◄ | ►**M133** 5 (+) ◄ | | ►**M77** — ◄ | |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,1 (*) ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** — ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 15 (+) ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄<br>►**M11** (**) ◄ | ►**M49** — ◄<br>►**M49** — ◄ | ►**M51** — ◄<br>►**M51** — ◄ | ►**M206** (**) ◄<br>►**M206** (**) ◄ | ►**M133** — ◄<br>►**M133** — ◄ | ►**M84** — ◄<br>►**M84** — ◄ | ►**M77** — ◄<br>►**M77** — ◄ | ►**M43** (**) ◄<br>►**M43** (**) ◄ |
| ►**M11** (**) ◄<br>►**M11** (**) ◄<br>►**M11** (**) ◄ | ►**M49** — ◄<br>►**M49** — ◄<br>►**M49** — ◄ | ►**M51** — ◄<br>►**M51** — ◄<br>►**M51** — ◄ | ►**M206** (**) ◄<br>►**M206** (**) ◄<br>►**M206** (**) ◄ | ►**M133** — ◄<br>►**M133** — ◄<br>►**M133** — ◄ | ►**M84** — ◄<br>►**M84** — ◄<br>►**M84** — ◄ | ►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄ | ►**M43** (**) ◄<br>►**M43** (**) ◄<br>►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 15 (+) ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| 0,02 (*) | | ►**M154** 0,05 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** 20 ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 **0,02** (*) ◄ | ►M32 **0,02** (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 **0,02** (*) ◄ | ►M32 **0,02** (*) ◄ | ►M85 1 (+) ◄ | ►M77 — ◄ | | | ►M125 1 ◄ |
| ►M100 **0,02** (*) ◄ | ►M32 0,02 (*) ◄ | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 0,05 (*) ◄ | ►M85 0,1 (*) ◄ | ►M77 — ◄ | | | ►M125 0,1 (*) ◄ |
| ►M100 **0,05** (*) ◄ | | ►M13 — ◄ | ►M77 — ◄ | ►M16 30 ◄ | 0,01 (*) | |
| ►M100 **0,02** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 **0,05** (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0632030 | Maté | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0632990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0633000 | (c) *Roots* | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0633010 | Valerian root | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0633020 | Ginseng root | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0633990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M161 20 ◄ | ►M46 — ◄ | ►M207 **0,05** (*) ◄ | ►M199 0,1 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810000 | (i) **Seeds** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** (*) ◄ | ►M199 0,1 (*) ◄ |
| 0810010 | Anise | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810020 | Black caraway | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810030 | Celery seed | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810040 | Coriander seed | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810050 | Cumin seed | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810060 | Dill seed | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,3 (+) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,1 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,1 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,1 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M19 30 ◄ | ►M205 0,1 (*) ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M133 0,1 (*) ◄ | ►M84 **0,05** (*) ◄ | ►M77 — ◄ | ►M43 0,5 ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 **(**)** ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,1 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,1 (*) ◄ | ►M84 **0,05** (*) ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| 0,02 (*) | ►M32 50 ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 0,01 (*) (+) ◄ | ►M32 0,05 (*) ◄ | ►M85 25 (+) ◄ | ►M77 —— ◄ | ►M16 0,1 (*) ◄ | 0,1 (*) | ►M125 0,1 (*) ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |
| ►M100 —— ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —— ◄ | (**) | (**) | ►M76 —— ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810080 | Fenugreek | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810090 | Nutmeg | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0810990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,03** ◄ | ►M199 0,1 (*) ◄ |
| 0820010 | Allspice | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820030 | Caraway | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820040 | Cardamom | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820050 | Juniper berries | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820060 | Pepper, black and white | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820070 | Vanilla pods | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820080 | Tamarind | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0820990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0830000 | (iii) **Bark** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** (*) ◄ | ►M199 0,1 (*) ◄ |
| 0830010 | Cinnamon | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0830990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0840010 | Liquorice | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** ◄ | ►M199 0,1 (*) ◄ |
| 0840020 | Ginger | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M199 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** ◄ | ►M199 0,1 (*) ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 15 (+) ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,1 (*) ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,5 (+) ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,5 (+) ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,5 (+) ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 —◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M76 —◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 —◄ | (**) | (**) | ►M125 0,1 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M110 — ◄ | ►M76 (**) ◄ | ►M149 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M199 — ◄ |
| 0840990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** ◄ | ►M199 0,1 (*) ◄ |
| 0850000 | (v) **Buds** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** (*) ◄ | ►M199 0,1 (*) ◄ |
| 0850010 | Cloves | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0850020 | Capers | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0850990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** (*) ◄ | ►M199 0,1 (*) ◄ |
| 0860010 | Saffron | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0860990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0870000 | (vii) **Aril** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 **0,05** (*) ◄ | ►M199 0,1 (*) ◄ |
| 0870010 | Mace | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0870990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,02 (*) ◄ |
| 0900010 | Sugar beet (root) | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0900020 | Sugar cane | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0900030 | Chicory roots | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 0900990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M110 — ◄ | | ►M55 — ◄ | ►M46 — ◄ | | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M11** (**) ◄ | ►**M205** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** (+) ◄ | ►**M84** **(+)** ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,5 (+) ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 15 (+) ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 15 ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** (+) ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,1 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,1 (*) ◄ | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,02 (*) (+) ◄ | ►**M84** **0,05** (*) **(+)** ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** **(**)** ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,01 (*) ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,04 (+) ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,01 (*) ◄ | ►**M84** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| | | ►**M51** — ◄ | | | ►**M84** **0,05** (*) ◄ | ►**M77** — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M32 (**) ◄ | ►M154 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,05 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M154 0,01 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 (+) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 (+) ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 0,05 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,1 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 0,01 (*) ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 (+) ◄ | | ►M85 0,05 (*) ◄ | ►M77 — ◄ | | | ►M116 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M110 — ◄ | | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M56 — ◄ | ►M199 0,01 (*) ◄ |
| 1011000 | (a) *Swine* | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | | |
| 1011010 | Meat | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** ◄ | |
| 1011020 | Fat free of lean meat | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 0,2 ◄ | |
| 1011030 | Liver | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,02** ◄ | |
| 1011040 | Kidney | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,02** ◄ | |
| 1011050 | Edible offal | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,2** ◄ | |
| 1011990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 1012000 | (b) *Bovine* | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1012010 | Meat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,01** ◄ | |
| 1012020 | Fat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 0,2 ◄ | |
| 1012030 | Liver | ►M110 — ◄ | ►M76 0,1 ◄ | | ►M46 — ◄ | ►M207 **0,02** ◄ | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | | ►M51 — ◄ | ►M206 1 ◄ | | | ►M77 — ◄ | ►M43 — ◄ |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,03 ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,02 ◄ |
| ►M19 **2** ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,7 ◄ |
| ►M19 0,2 ◄ | ►M205 **0,05** (*) ◄ | ►M51 — ◄ | | ►M133 0,03 (*) ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,03 ◄ |
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,03 (*) ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,03 ◄ |
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,03 ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,02 ◄ |
| ►M19 **2** ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,7 ◄ |
| ►M19 0,2 ◄ | ►M205 **0,05** (*) ◄ | ►M51 — ◄ | | ►M133 0,03 (*) ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,03 ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | ►**M154** 0,01 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,02** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | ►**M32** **0,02** (*) ◄ | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| | | | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M100** **0,05** (*) ◄ | ►**M32** — ◄ | ►**M13** — ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M76** — ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M13** — ◄ | ►**M77** — ◄ | | | |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,05 (*) ◄ |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,05 (*) ◄ |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,4 ◄ |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,4 ◄ |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,4 ◄ |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,05 (*) ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M13** — ◄ | ►**M77** — ◄ | | | |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,05 (*) ◄ |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,05 (*) ◄ |
| | | ►**M13** — ◄ | ►**M77** — ◄ | | | ►**M125** 0,4 ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,02** ◄ | |
| 1012050 | Edible offal | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,2** ◄ | |
| 1012990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 1013000 | (c) *Sheep* | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1013010 | Meat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,01** ◄ | |
| 1013020 | Fat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 0,2 ◄ | |
| 1013030 | Liver | ►M110 — ◄ | ►M76 0,1 ◄ | | ►M46 — ◄ | ►M207 **0,02** ◄ | |
| 1013040 | Kidney | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,02** ◄ | |
| 1013050 | Edible offal | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,2** ◄ | |
| 1013990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 1014000 | (d) *Goat* | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1014010 | Meat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,01** ◄ | |
| 1014020 | Fat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 0,2 ◄ | |
| 1014030 | Liver | ►M110 — ◄ | ►M76 0,1 ◄ | | ►M46 — ◄ | ►M207 **0,02** ◄ | |
| 1014040 | Kidney | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,02** ◄ | |
| 1014050 | Edible offal | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,2** ◄ | |
| 1014990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 1015010 | Meat | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,01** ◄ | ►M55 — ◄ |
| 1015020 | Fat | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,2 ◄ | ►M55 — ◄ |
| 1015030 | Liver | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 **0,02** ◄ | ►M55 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,03 (*) ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,03 ◄ |
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 — ◄ | ►M205 0,3 (+) ◄ | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | ►M205 (+) ◄ | ►M51 — ◄ | | ►M133 0,03 ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,02 ◄ |
| ►M19 **2** ◄ | ►M205 (+) ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,7 ◄ |
| ►M19 0,2 ◄ | ►M205 (+) ◄ | ►M51 — ◄ | | ►M133 0,03 (*) ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,03 ◄ |
| ►M19 0,2 ◄ | ►M205 (+) ◄ | ►M51 — ◄ | | ►M133 0,03 (*) ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,03 ◄ |
| ►M19 0,2 ◄ | ►M205 (+) ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,2 ◄ | ►M205 (+) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 — ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | |
| ►M19 2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,03 ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,02 ◄ |
| ►M19 **2** ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,7 ◄ |
| ►M19 0,2 ◄ | ►M205 **0,05** (*) ◄ | ►M51 — ◄ | | ►M133 0,03 (*) ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,03 ◄ |
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,03 (*) ◄ | ►M84 (+) ◄ | ►M77 — ◄ | ►M43 0,03 ◄ |
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,5 ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,2 ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 (**) ◄ | ►M205 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,03 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,5 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 **0,05** (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,03 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,02 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,02 (*) ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,4 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,4 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | ►M32 0,01 (*) ◄ | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,4 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,4 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,4 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | ►M32 0,01 (*) ◄ | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,4 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,4 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,4 ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,05 (*) ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M125 0,4 ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,02 ◄ | ►M55 — ◄ |
| 1015050 | Edible offal | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,2 ◄ | ►M55 — ◄ |
| 1015990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,01 (*) ◄ | ►M55 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M110 — ◄ | ►M76 0,05 (*) ◄ | | ►M46 — ◄ | ►M207 0,01 (*) ◄ | |
| 1016010 | Meat | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1016020 | Fat | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1016030 | Liver | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1016040 | Kidney | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1016050 | Edible offal | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1016990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1017000 | (g) *Other farm animals* | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 1017010 | Meat | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,01 ◄ | ►M55 — ◄ |
| 1017020 | Fat | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,2 ◄ | ►M55 — ◄ |
| 1017030 | Liver | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,02 ◄ | ►M55 — ◄ |
| 1017040 | Kidney | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,02 ◄ | ►M55 — ◄ |
| 1017050 | Edible offal | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,2 ◄ | ►M55 — ◄ |
| 1017990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 0,01 (*) ◄ | ►M55 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,03 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,5 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,02 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 0,05 (*) ◄ | ►M205 — ◄ | ►M51 — ◄ | | ►M133 (+) ◄ | | ►M77 — ◄ | |
| ►M19 **0,1** ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,02 ◄ |
| ►M19 **0,1** ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,1 ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,05 (*) ◄ | ►M205 **0,05** (*) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,05 (*) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M19 0,05 (*) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,02 ◄ |
| ►M19 0,05 (*) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | | ►M133 0,02 (*) ◄ | | ►M77 — ◄ | ►M43 0,01 (*) ◄ |
| ►M11 (**) ◄ | ►M205 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,03 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,5 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 **0,05** (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,03 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,03 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M205 0,01 (*) ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,5 ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |
| ►M11 (**) ◄ | ►M49 — ◄ | ►M51 — ◄ | ►M206 (**) ◄ | ►M133 0,02 (*) ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M43 (**) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 — ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,1 ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 0,1 ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** ◄ | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,4 ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,4 ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,05 (*) ◄ |
| | | ►**M13** —— ◄ | ►**M77** —— ◄ | | | |
| | ►**M32** **0,02** ◄ | ►**M13** —— ◄ | ►**M77** —— ◄ | | | ►**M125** 0,05 (*) ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M13** —— ◄ | ►**M77** —— ◄ | | | ►**M125** 0,05 (*) ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M13** —— ◄ | ►**M77** —— ◄ | | | ►**M125** 0,08 ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M13** —— ◄ | ►**M77** —— ◄ | | | ►**M125** 0,08 ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M13** —— ◄ | ►**M77** —— ◄ | | | ►**M125** 0,08 ◄ |
| | ►**M32** **0,01** (*) ◄ | ►**M13** —— ◄ | ►**M77** —— ◄ | | | ►**M125** 0,05 (*) ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M76** —— ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,05 (*) ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,05 (*) ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,4 ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,4 ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,4 ◄ |
| ►**M100** —— ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** —— ◄ | (**) | (**) | ►**M125** 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M199 0,01 (*) ◄ |
| 1020010 | Cattle | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 0,02 ◄ | |
| 1020020 | Sheep | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 0,02 ◄ | |
| 1020030 | Goat | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 0,02 ◄ | |
| 1020040 | Horse | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** ◄ | |
| 1020990 | Others | ►M110 — ◄ | | | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ |
| 1030010 | Chicken | ►M110 — ◄ | | | ►M46 — ◄ | | |
| 1030020 | Duck | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 1030030 | Goose | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M19** 0,05 ◄ | ►**M205** 0,01 (*) ◄ | ►**M51** — ◄ | ►**M206** 0,04 ◄ | ►**M133** 0,05 (+) ◄ | | ►**M77** — ◄ | ►**M43** 0,02 ◄ |
| | | ►**M51** — ◄<br>►**M51** — ◄<br>►**M51** — ◄<br>►**M51** — ◄ | | ►**M133** — ◄<br>►**M133** — ◄<br>►**M133** — ◄ | | ►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄ | |
| | | ►**M51** — ◄ | | | | ►**M77** — ◄ | |
| ►**M19** 0,05 (*) ◄ | ►**M205** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M206** 0,05 ◄ | ►**M133** 0,02 (*) (+) ◄ | | ►**M77** — ◄ | ►**M43** 0,02 (*) ◄ |
| ►**M11** (**) ◄<br>►**M11** (**) ◄ | ►**M49** — ◄<br>►**M49** — ◄ | ►**M51** — ◄<br>►**M51** — ◄<br>►**M51** — ◄ | ►**M206** (**) ◄<br>►**M206** (**) ◄ | ►**M133** — ◄<br>►**M133** — ◄<br>►**M133** — ◄ | ►**M84** — ◄<br>►**M84** — ◄ | ►**M77** — ◄<br>►**M77** — ◄<br>►**M77** — ◄ | ►**M43** (**) ◄<br>►**M43** (**) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M32 **0,1** ◄ | ►M154 0,01 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | ►M32 **0,05** ◄ | ►M154 0,01 (*) ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| | | | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |
| (**) | ►M32 (**) ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M100 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | ►M13 — ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,0008 | ►M125 0,05 (*) ◄ |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| | | ►M13 — ◄ | ►M77 — ◄ | | | |
| ►M100 **0,05** ◄ | ►M32 — ◄ | ►M13 — ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,005 | ►M125 0,05 (*) ◄ |
| | ►M32 **0,02** ◄ | ►M13 — ◄ | ►M77 — ◄ | | | |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |
| ►M100 — ◄ | ►M32 (**) ◄ | ►M85 (**) ◄ | ►M77 — ◄ | (**) | (**) | ►M76 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 1030990 | Others | ►M110 — ◄ | ►M76 (**) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ |
| 1040000 | (iv) **Honey** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.05 (*) ◄ | ►M46 — ◄ | ►M207 0,05 (*) ◄ | ►M199 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M110 — ◄ | ►M76 (**) ◄ | ►M161 0.01 (*) ◄ | ►M46 — ◄ | ►M207 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,05 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,05 (*) ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,01 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,02 (*) ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,01 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) ◄ | ►**M133** 0,02 (*) ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |
| ►**M11** (**) ◄ | ►**M205** 0,01 (*) ◄ | ►**M51** — ◄ | ►**M206** (**) (+) ◄ | ►**M133** 0,02 (*) ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M43** (**) ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M154** 0,05 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M154** 0,01 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M154** 0,01 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |
| (**) | ►**M32** (**) ◄ | ►**M154** 0,01 (*) ◄ | ►**M166** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M100** — ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** — ◄ | (**) | (**) | ►**M76** — ◄ |
| ►**M100** — ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** — ◄ | (**) | (**) | ►**M76** — ◄ |
| ►**M100** **0,05** (*) ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** — ◄ | (**) | (**) | ►**M125** 0,05 (*) ◄ |
| ►**M100** **0,05** (*) ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** — ◄ | (**) | (**) | ►**M125** 0,05 (*) ◄ |
| ►**M100** **0,05** (*) ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** — ◄ | (**) | (**) | ►**M125** 0,05 (*) ◄ |
| ►**M100** **0,05** (*) ◄ | ►**M32** (**) ◄ | ►**M85** (**) ◄ | ►**M77** — ◄ | (**) | (**) | ►**M125** 0,05 (*) ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M16 ▲ Ethion | ▼M122 ▲ Ethofumesate (Sum of ethofumesate, 2-keto–ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate) | ▼M145 ▲ — | ▼M77 ▲ — | ▼M103 ▲ Etoxazole [F] | ▼M68 ▲ Famoxadone [F] |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0110000 | (i) **Citrus fruit** | ►M16 0,01 (*) ◄ | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,1 ◄ | ►M68 0,01 (*) ◄ |
| 0110010 | Grapefruit | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0110020 | Oranges | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0110030 | Lemons | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0110040 | Limes | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0110050 | Mandarins | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0110990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M16 **0,02** (*) ◄ | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |

▼**M2**

| ▼ ▲**M166** — | ▼ ▲**M203** — | ▼ ▲**M53** Fenarimol | ▼ ▲**M144** — | Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos) | ▼ ▲**M218** Fenhexamid (F) | ▼ ▲**M32** Fenitrothion | ▼ ▲**M212** Fenpropimorph (sum of isomers) (R) (F) ▼ |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | 0,01 (*) | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 0,02 (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M212** 0,01 (*) ◄ |

▼**M2**

| ▲**M16** Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent) (F) ▼ | ▼ ▲**M77** — | ▼ ▲**M77** — | ▲**M70** Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R) ▼ | ▼ ▲**M50** — | ▼ ▲**M199** Flazasulfuron | ▼ ▲**M199** Florasulam | ▼ ▲**M77** — |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M16** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| ►**M16** **0,02** (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,05 (*) ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |

▼**M2**

| ▲**M67** Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet) ▼ | ▼ ▲**M66** Flumioxazine | ▼ ▲**M155** — | ▲**M199** ▲**C21** Fluroxypyr (sum of fluroxypyr, its salts, its esters, and its conjugates, expressed as fluroxypyr) (R) (A) ▼ | ▼ ▲**M103** Flurtamone ([F]) | ▼ ▲**M215** Folpet (sum of folpet and phtalimide, expressed as folpet) (R) ▼ | ▼ ▲**M52** Foramsulfuron |
|---|---|---|---|---|---|---|
| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
| ►**M67** 0,05 (*) ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M79** — ◄ | ►**M103** **0,01** (*) ◄ | | ►**M52** — ◄ |
| | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | ►**M215** 0,03 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | ►**M66** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | ►**M215** 0,07 (*) ◄ | ►**M52** **0,02** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120020 | Brazil nuts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120030 | Cashew nuts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120040 | Chestnuts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120050 | Coconuts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120060 | Hazelnuts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120070 | Macadamia | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120080 | Pecans | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120090 | Pine nuts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120100 | Pistachios | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120110 | Walnuts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0120990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0130000 | (iii) **Pome fruit** | ►M16 **0,01** (*) ◄ | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,07 ◄ | ►M68 0,01 (*) ◄ |
| 0130010 | Apples | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0130020 | Pears | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0130030 | Quinces | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0130040 | Medlar | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0130050 | Loquat | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0130990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0140000 | (iv) **Stone fruit** | ►M16 0,01 (*) ◄ | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0140010 | Apricots | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,1 ◄ | |
| 0140020 | Cherries | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,3 ◄ | |
| 0140030 | Peaches | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,1 ◄ | |
| 0140040 | Plums | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,04 ◄ | |
| 0140990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0150000 | (v) **Berries & small fruit** | ►M16 **0,01** (*) ◄ | | ►M145 — ◄ | ►M77 — ◄ | | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** **0,1** ◄ | ►**M144** — ◄ | | ►**M218** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** **6** ◄ | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** **(**)** ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** **(**)** ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | ►**M32** 0,01 (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,5 ◄ | ►**M144** — ◄ | | ►**M218** 10 ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** **1,5** ◄ | ►**M144** — ◄ | | ►**M218** 7 ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,5 ◄ | ►**M144** — ◄ | | ►**M218** 10 ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 2 ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | ►**M32** **0,01** (*) ◄ | ►**M212** **0,01** (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M5 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,2 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| 2 | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,2 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | ►M46 — ◄ | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M79 — ◄ | | ►M133 — ◄ | ►M52 0,01 (*) ◄ |
| | | ►M155 — ◄ | ►M199 0,05 (*) ◄ | | ►M215 0,3 ◄ | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M215 0,3 ◄ | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M215 0,03 (*) ◄ | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M215 0,03 (*) ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M215 0,03 (*) ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M215 0,03 (*) ◄ | |
| | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M215 0,03 (*) ◄ | ►M52 0,01 (*) ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | ►M52 0,01 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,5 ◄ | ►M68 2 ◄ |
| 0151010 | Table grapes | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0151020 | Wine grapes | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0152000 | (b) *Strawberries* | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,2 ◄ | ►M68 0,01 (*) ◄ |
| 0153000 | (c) *Cane fruit* | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0153010 | Blackberries | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0153020 | Dewberries | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0153030 | Raspberries | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0153990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0154000 | (d) *Other small fruit & berries* | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0154010 | Blueberries | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0154020 | Cranberries | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0154030 | Currants (red, black and white) | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0154040 | Gooseberries | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0154050 | Rose hips | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0154060 | Mulberries | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0154080 | Elderberries | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0154990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,3 ◄ | ►M144 — ◄ | | ►M218 15 ◄ | ►M32 — ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 — ◄ | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 — ◄ | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,3 ◄ | ►M144 — ◄ | | ►M218 10 ◄ | ►M32 — ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 15 ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,1 ◄ | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M218 20 ◄ | ►M32 — ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M218 20 ◄ | ►M32 — ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 1 ◄ | ►M144 — ◄ | | ►M218 20 ◄ | ►M32 — ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 1 ◄ | ►M144 — ◄ | | ►M218 20 ◄ | ►M32 — ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 5 ◄ | ►M32 (**) ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 5 ◄ | ►M32 (**) ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 15 ◄ | ►M32 (**) ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 5 ◄ | ►M32 (**) ◄ | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | ►M32 — ◄ | ►M212 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,3 ◄ | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) (+) ◄ | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M66 0,05 (*) ◄ | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 6 ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 20 ◄ | |
| ►M67 (+) ◄ | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M79 — ◄ | | ►M215 5 (+) ◄ | |
| | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| ►M67 (+) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| ►M67 (+) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| ►M67 (+) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| ►M67 (+) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M16 **0,01** (*) ◄ | | ►M145 — ◄ | ►M77 — ◄ | ►M43 — ◄ | ►M68 0,01 (*) ◄ |
| 0161000 | (a) *Edible peel* | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0161010 | Dates | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0161020 | Figs | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0161030 | Table olives | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0161040 | Kumquats | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0161050 | Carambola | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0161060 | Persimmon | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0161070 | Jambolan (java plum) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0161990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0162000 | (b) *Inedible peel, small* | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0162010 | Kiwi | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0162020 | Lychee (Litchi) | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0162030 | Passion fruit | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0162040 | Prickly pear (cactus fruit) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0162050 | Star apple | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0162990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0163000 | (c) *Inedible peel, large* | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0163010 | Avocados | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | ►**M32** **0,01** (*) ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | | | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 15 ◄ | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** — ◄ | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | | ►**M32** — ◄ | ►**M212** 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M16 **0,01** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| 1 | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M199 — ◄ | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M52 — ◄ | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M93 — ◄ | ►M52 0,01 (*) ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,15 (*) (+) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M215 0,03 (*) ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M215 0,03 (*) ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M215 0,03 (*) ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,2 ◄ | |
| 0163030 | Mangoes | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0163040 | Papaya | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0163050 | Pomegranate | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0163060 | Cherimoya | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 — ◄ |
| 0163070 | Guava | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 — ◄ |
| 0163080 | Pineapples | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0163090 | Bread fruit | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 — ◄ |
| 0163100 | Durian | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 — ◄ |
| 0163110 | Soursop (guanabana) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 — ◄ |
| 0163990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0210000 | (i) **Root and tuber vegetables** | ►M16 **0,01** (*) ◄ | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 — ◄ |
| 0211000 | (a) *Potatoes* | 0,01 (*) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,02 ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0212010 | Cassava | 0,1 | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0212020 | Sweet potatoes | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0212030 | Yams | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0212040 | Arrowroot | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0212990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,2 ◄ | ►M144 — ◄ | | | ►M32 — ◄ | ►M212 0,6 ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | ►M32 — ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | ►M32 — ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | ►M32 — ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | ►M32 — ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | ►M32 — ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | 0,01 (*) | | ►M32 — ◄ | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | ►M32 0,01 (*) ◄ | ►M212 **0,01** (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 1,5 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| 0,01 (*) | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | ►M66 — ◄ | ►M155 — ◄ | ►M7 ►C5 — ◄ ◄ | ►M103 — ◄ | | ►M52 — ◄ |
| | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 **0,01** (*) ◄ | | ►M52 0,01 (*) ◄ |
| ►M67 0,15 ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,06 (*) (+) ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0213010 | Beetroot | | ►M122 **0,2** ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213020 | Carrots | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213030 | Celeriac | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213040 | Horseradish | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213050 | Jerusalem artichokes | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213060 | Parsnips | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213070 | Parsley root | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213080 | Radishes | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213090 | Salsify | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213100 | Swedes | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213110 | Turnips | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0213990 | Others | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0220000 | (ii) **Bulb vegetables** | ►M16 **0,02** (*) ◄ | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0220010 | Garlic | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0220020 | Onions | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0220030 | Shallots | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0220040 | Spring onions | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0220990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0230000 | (iii) **Fruiting vegetables** | ►M16 **0,01** (*) ◄ | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0231000 | (a) *Solanacea* | | | ►M145 — ◄ | ►M77 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M43 — ◄ | ►M32 **0,02** (*) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 **3** ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 **3** ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 **3** ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 **3** ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | ►M32 0,01 (*) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | | | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 **0,02** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,04 (*) (+) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,04 (*) (+) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 0,03 (*) ◄ | |
| ►M67 0,05 (*) ◄ | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 **0,01** (*) ◄ | ►M215 0,03 (*) ◄ | ►M52 0,01 (*) ◄ |
| | ►M66 (+) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M199 0,05 (*) ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M199 0,05 (*) ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M93 — ◄ | |
| ►M67 0,05 (*) ◄ | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 **0,01** (*) ◄ | | ►M52 0,01 (*) ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,07 ◄ | ►M68 2 ◄ |
| 0231020 | Peppers | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0231030 | Aubergines (egg plants) | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,07 ◄ | ►M68 1.5 ◄ |
| 0231040 | Okra, lady's fingers | 0,1 | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0231990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,2 ◄ |
| 0232010 | Cucumbers | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,02** ◄ | |
| 0232020 | Gherkins | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0232030 | Courgettes | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0232990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0233000 | (c) *Cucurbits-inedible peel* | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 ◄ | |
| 0233010 | Melons | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,7 ◄ |
| 0233020 | Pumpkins | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0233030 | Watermelons | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0233990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0234000 | (d) *Sweet corn* | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0239000 | (e) *Other fruiting vegetables* | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M16 0,01 (*) ◄ | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M5 — ◄ |
| 0241000 | (a) *Flowering brassica* | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,1 ◄ |
| 0241010 | Broccoli | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0241020 | Cauliflower | | | ►M145 — ◄ | ►M77 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | ►M9 — ◄ | ►M144 — ◄ | | ►M218 2 ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M9 — ◄ | ►M144 — ◄ | | ►M218 3 ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M9 — ◄ | ►M144 — ◄ | | ►M218 2 ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M9 — ◄ | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M9 — ◄ | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,2 ◄ | ►M144 — ◄ | | ►M218 1 ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 — ◄ | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 **0,2** ◄ | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 **0,2** ◄ | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,05 ◄ | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,05 ◄ | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | ►M32 0,01 (*) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M70 0,1 ◄<br>►M70 **0,05** ◄<br>►M70 0,06 ◄<br>►M70 0,02 (*) ◄ | ►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄ | | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | ►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄ | | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄ | | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M70 **0,05** ◄<br>►M70 0,02 (*) (+) ◄ | ►M50 — ◄<br>►M50 — ◄ | | | ►M77 — ◄<br>►M77 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | | ►**M215** 5 (+) ◄<br>►**M215** 0,03 (*) ◄<br>►**M215** 0,03 (*) ◄<br>►**M215** 0,03 (*) ◄ | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M215** 0,03 (*) ◄ | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M215** 0,03 (*) ◄ | |
| | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M93** — ◄ | |
| | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | | ►**M215** 0,4 (+) ◄<br>►**M215** 0,03 (*) ◄<br>►**M215** 0,03 (*) ◄ | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M215** 0,03 (*) ◄ | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M215** 0,03 (*) ◄ | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M215** 0,03 (*) ◄ | |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** 0,03 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M93** — ◄ | |
| | | ►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 — ◄ |
| 0242000 | (b) *Head brassica* | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0242010 | Brussels sprouts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0242020 | Head cabbage | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0242990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0243000 | (c) *Leafy brassica* | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0243010 | Chinese cabbage | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0243020 | Kale | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0243990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0244000 | (d) *Kohlrabi* | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M16 **0,01** (*) ◄ | | ►M145 — ◄ | ►M77 — ◄ | ►M27 — ◄ | ►M68 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0251010 | Lamb's lettuce | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0251020 | Lettuce | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0251030 | Scarole (broad-leaf endive) | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0251040 | Cress | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0251050 | Land cress | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0251060 | Rocket, Rucola | 0,1 | | ►M145 — ◄ | ►M77 — ◄ | | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | | | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 50 ◄ | ►**M32** 0,01 (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M81** — ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M81** — ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M81** — ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M81** — ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M81** — ◄ | | |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) (+) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,05 (+) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,08 ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| ►**M16** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M56** — ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** **0,2 (+)** ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (**) ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M93** — ◄ | |
| | | ►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M93** — ◄ | |
| | | ►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M93** — ◄ | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** — ◄ | ►**M52** 0,01 (*) ◄ |
| | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | | ►**M215** 0,03 (*) ◄<br>►**M215** **1,5** ◄<br>►**M215** 0,03 (*) ◄ | |
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | ►**M103** — ◄ | ►**M215** 0,03 (*) ◄<br>►**M215** 0,03 (*) ◄<br>►**M215** 0,03 (*) ◄ | ►**M52** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | 0,1 | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0251990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0252000 | (b) *Spinach & similar (leaves)* | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0252010 | Spinach | 0,01 (*) | ►M122 0,1 (*) (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0252020 | Purslane | (**) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0252030 | Beet leaves (chard) | 0,01 (*) | ►M122 **0,3** ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0252990 | Others | 0,01 (*) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0253000 | (c) *Vine leaves (grape leaves)* | (**) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0254000 | (d) *Water cress* | 0,01 (*) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0255000 | (e) *Witloof* | 0,01 (*) | ►M122 0,03 (*) (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0256000 | (f) *Herbs* | | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,02 (*) ◄ |
| 0256010 | Chervil | 0,01 (*) | ►M122 0,05 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | |
| 0256020 | Chives | 0,01 (*) | ►M122 0,05 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | |
| 0256030 | Celery leaves | 0,01 (*) | ►M122 0,05 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | |
| 0256040 | Parsley | 2 | ►M122 1,5 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | |
| 0256050 | Sage | (**) | ►M122 1,5 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | ►M68 — ◄ |
| 0256060 | Rosemary | (**) | ►M122 1,5 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | ►M68 — ◄ |
| 0256070 | Thyme | (**) | ►M122 1,5 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | ►M68 — ◄ |
| 0256080 | Basil | (**) | ►M122 1 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 15 ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄<br>►**M166** — ◄ | ►**M203** — ◄<br>►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄<br>►**M144** — ◄ | (**) | ►**M81** — ◄<br>►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M81** — ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄<br>►**M166** — ◄<br>►**M166** — ◄ | ►**M203** — ◄<br>►**M203** — ◄<br>►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M218** 50 ◄ | ►**M32** **0,02** (*) ◄ | ►**M212** 0,02 (*) ◄ |
| ►**M166** — ◄<br>►**M166** — ◄<br>►**M166** — ◄<br>►**M166** — ◄ | ►**M203** — ◄<br>►**M203** — ◄<br>►**M203** — ◄<br>►**M203** — ◄ | | ►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M70 0,02 (**) ◄<br>►M70 0,02 (*) ◄ | ►M50 — ◄<br>►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄<br>►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M70 (+) ◄<br>►M70 — ◄ | ►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,05 (*) ◄ | ►M50 — ◄ | ►M199 0,02 (*) ◄ | ►M199 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | <br><br><br>►M70 (+) ◄ | ►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄ | | | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄ | ►**M103** — ◄ | ►**M215** 0,03 (*) ◄<br>►**M215** 0,03 (*) ◄ | ►**M52** — ◄ |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M215** 0,03 (*) ◄ | |
| | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** 0,03 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | ►**M103** — ◄ | ►**M93** — ◄<br>►**M93** — ◄<br>►**M93** — ◄ | ►**M52** — ◄ |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | ►**M93** — ◄ | |
| ►**M67** — ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** 0,03 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** 0,03 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** 0,03 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| | ►**M66** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M79** — ◄ | ►**M103** 0,02 (*) ◄ | ►**M215** 0,06 (*) ◄ | ►**M52** **0,02** (*) ◄ |
| | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M199** 0,02 (*) ◄<br>►**M199** 0,5 ◄<br>►**M199** 0,3 ◄<br>►**M199** 0,3 ◄ | | | |
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M199** 0,02 (*) ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M199** 0,02 (*) ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M199** 2 ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M199** 0,3 ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | (**) | ►M122 0,05 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | ►M68 — ◄ |
| 0256100 | Tarragon | (**) | ►M122 0,05 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | ►M68 — ◄ |
| 0256990 | Others | 0,01 (*) | ►M122 0,05 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,02 (*) ◄ | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | 0,01 (*) | ►M122 0,1 (*) (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0260020 | Beans (without pods) | 0,01 (*) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0260030 | Peas (with pods) | 0,01 (*) | ►M122 0,1 (*) (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0260040 | Peas (without pods) | 0,01 (*) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0260050 | Lentils | 0,1 | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0260990 | Others | 0,01 (*) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M16 **0,01** (*) ◄ | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M5 — ◄ |
| 0270010 | Asparagus | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0270020 | Cardoons | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0270030 | Celery | 0,1 | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0270040 | Fennel | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0270050 | Globe artichokes | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0270060 | Leek | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 2 ◄ |
| 0270070 | Rhubarb | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0270080 | Bamboo shoots | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,01 (*) ◄ |
| 0270090 | Palm hearts | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,01 (*) ◄ |
| 0270990 | Others | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M5 — ◄ | ►M32 0,01 (*) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 15 ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | | ►M218 — ◄ | ►M32 0,01 (*) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 **0,02** ◄ | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 0,01 (*) ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 0,01 (*) ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M218 0,01 (*) ◄ | | ►M110 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M5 — ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,02 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,02 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M199 0,02 (*) ◄ | | | |
| ►M67 0,05 (*) ◄ | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 **0,01** (*) ◄ | ►M215 0,03 (*) ◄ | ►M52 0,01 (*) ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| | | ►M155 — ◄ | ►M79 — ◄ | | ►M93 — ◄ | |
| ►M67 0,05 (*) ◄ | ►M66 0,02 (*) ◄ | ►M155 — ◄ | | ►M103 **0,01** (*) ◄ | ►M215 0,03 (*) ◄ | ►M52 0,01 (*) ◄ |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | |
| | | ►M155 — ◄ | ►M199 0,3 ◄ | | | |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M16 0,01 (*) ◄ | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0280010 | Cultivated | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0280020 | Wild | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0280990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0290000 | (ix) **Sea weeds** | (**) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0300010 | Beans | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0300020 | Lentils | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0300030 | Peas | | ►M122 0,1 (*) (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0300040 | Lupins | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0300990 | Others | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0401000 | (i) **Oilseeds** | ►M16 0,02 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401010 | Linseed | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0401020 | Peanuts | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0401030 | Poppy seed | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0401040 | Sesame seed | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0401050 | Sunflower seed | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0401060 | Rape seed | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 (+) ◄ |
| 0401070 | Soya bean | | | ►M145 — ◄ | ►M77 — ◄ | | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,01 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M218** 0,01 (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M218** 0,02 (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | ►**M81** — ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,05 (*) ◄ | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** 0,03 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** 0,03 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** 0,07 (*) ◄ | ►**M52** 0,01 (*) ◄ |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M93** — ◄ | ►**M52** **0,02** (*) ◄ |
| | ►**M66** — ◄ | ►**M155** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M215** 0,07 (*) ◄ | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M79** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0401090 | Cotton seed | | | ►M145 — ◄ | ►M77 — ◄ | ►M103 (+) ◄ | |
| 0401100 | Pumpkin seeds | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0401110 | Safflower | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401120 | Borage | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401130 | Gold of pleasure | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401140 | Hempseed | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0401150 | Castor bean | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 0402000 | (ii) **Oilfruits** | 0,01 (*) | | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | |
| 0402010 | Olives for oil production | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0402030 | Palmfruit | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0402040 | Kapok | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0402990 | Others | ►M16 **0,02** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 — ◄ |
| 0500000 | 5. **CEREALS** | ►M16 0,01 (*) ◄ | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | |
| 0500010 | Barley | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,2 ◄ |
| 0500020 | Buckwheat | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0500030 | Maize | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0500040 | Millet | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0500050 | Oats | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,1 ◄ |
| 0500060 | Rice | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0500070 | Rye | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M81 — ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M81 — ◄ | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M218 0,01 (*) ◄ | ►M32 0,05 (*) ◄ | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 **0,2** ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 **0,2** ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 **0,07** ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | ►M199 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,3 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,3 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,2 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | | ►M155 — ◄ | ►M79 — ◄ | | | |
| | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M215 0,15 (*) (+) ◄ | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M215 0,07 (*) ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M215 0,07 (*) ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M215 0,07 (*) ◄ | ►M52 — ◄ |
| | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M215 0,07 (*) ◄ | |
| ►M67 — ◄ | ►M66 0,02 (*) ◄ | ►M155 — ◄ | | ►M103 **0,01** (*) ◄ | | ►M52 0,01 (*) ◄ |
| ►M67 0,1 ◄ | | ►M155 — ◄ | ►M199 0,1 ◄ | | ►M215 2 ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M215 0,07 (*) ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M199 0,05 (*) ◄ | | ►M215 0,07 (*) ◄ | ►M52 (+) ◄ |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M215 0,07 (*) ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M199 0,1 ◄ | | ►M215 2 ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M215 0,07 (*) ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M199 0,1 ◄ | | ►M215 0,3 ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0500090 | Wheat | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,1 ◄ |
| 0500990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | | | ►M145 — ◄ | ►M77 — ◄ | ►M27 — ◄ | ►M68 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M16 3 ◄ | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 15 ◄ | ►M68 0,05 (*) ◄ |
| 0620000 | (ii) **Coffee beans** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 — ◄ |
| 0631000 | (a) *Flowers* | (**) | ►M122 15 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 2 ◄ |
| 0631010 | Camomille flowers | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631020 | Hybiscus flowers | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631030 | Rose petals | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631040 | Jasmine flowers | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631050 | Lime (linden) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0632000 | (b) *Leaves* | (**) | ►M122 15 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,05 (*) ◄ |
| 0632010 | Strawberry leaves | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 **0,07** ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 0,05 (*) ◄ | ►M144 — ◄ | 0,1 (*) | ►M218 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M212 0,05 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | ►M32 — ◄ | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (*) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,2 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (*) ◄ | ►M50 — ◄ | ►M199 0,05 (*) ◄ | ►M199 0,05 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M67 0,05 (*) ◄<br>►M67 0,1 ◄ | | ►M155 — ◄<br>►M155 — ◄ | ►M199 0,05 (*) ◄<br>►M199 0,1 ◄ | | ►M215 0,07 (*) ◄<br>►M215 0,4 (+) ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | ►M215 0,07 (*) ◄ | |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M7 ►C5 — ◄ ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| | | ►M155 — ◄ | ►M199 0,05 (*) ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 2 ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄ | ►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ | ►M199 — ◄<br>►M199 — ◄<br>►M199 — ◄<br>►M199 — ◄<br>►M199 — ◄ | ►M103 — ◄<br>►M103 — ◄<br>►M103 — ◄<br>►M103 — ◄<br>►M103 — ◄ | ►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄ | ►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0632030 | Maté | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0632990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0633000 | (c) *Roots* | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,05 (*) ◄ |
| 0633010 | Valerian root | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0633020 | Ginseng root | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0633990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0639000 | (d) *Other herbal infusions* | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,05 (*) ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0650000 | (v) **Carob (st johns bread)** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M16 **0,05** (*) ◄ | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 15 ◄ | ►M68 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810000 | (i) **Seeds** | (**) | ►M122 0,6 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0810010 | Anise | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810020 | Black caraway | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810030 | Celery seed | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810040 | Coriander seed | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810050 | Cumin seed | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810060 | Dill seed | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (*) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 5 ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M218** 0,05 (*) ◄ | ►**M32** **0,05** (*) ◄ | ►**M212** 0,05 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,05 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (*) ◄ | ►M50 — ◄ | ►M199 0,05 (*) ◄ | ►M199 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M199 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (**) (+) ◄ | ►M50 — ◄ | ►M199 0,05 (*) ◄ | ►M199 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 400 (+) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810080 | Fenugreek | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810090 | Nutmeg | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820000 | (ii) **Fruits and berries** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0820010 | Allspice | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820030 | Caraway | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820040 | Cardamom | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820050 | Juniper berries | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820060 | Pepper, black and white | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820070 | Vanilla pods | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820080 | Tamarind | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0830000 | (iii) **Bark** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0830010 | Cinnamon | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0830990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0840010 | Liquorice | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0840020 | Ginger | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,05 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,05 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,05 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M199** — ◄ | ►**M32** (**) ◄ | ►**M212** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,05 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (**) ◄ | ►M50 — ◄ | ►M199 0,05 (*) ◄ | ►M199 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (**) ◄ | ►M50 — ◄ | ►M199 0,05 (*) ◄ | ►M199 0,05 (*) ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (**) ◄ | ►M50 — ◄ | ►M199 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,1 (**) ◄ | ►M50 — ◄ | ►M199 0,05 (*) ◄ | ►M199 0,05 (*) ◄ | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M173 — ◄ | ►M103 0,05 (*) ◄ | ►M190 — ◄ | ►M52 0,05 (*) ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | (**) | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **(+)** ◄ | ►M68 (+) ◄ |
| 0840990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0850000 | (v) **Buds** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0850010 | Cloves | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0850020 | Capers | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0850990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0860000 | (vi) **Flower stigma** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0860010 | Saffron | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0860990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0870000 | (vii) **Aril** | (**) | ►M122 0,1 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,05 (*) ◄ | ►M68 0,05 (*) ◄ |
| 0870010 | Mace | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0870990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 **0,01** (*) ◄ | ►M68 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | (**) | ►M122 **0,2** ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900020 | Sugar cane | (**) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900030 | Chicory roots | (**) | ►M122 0,1 (*) (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900990 | Others | (**) | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M43 — ◄ | ►M68 (+) ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M136 — ◄ | ►M32 (**) ◄ | ►M146 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 0,05 (*) ◄ | ►M32 (**) ◄ | ►M212 0,05 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 0,05 (*) ◄ | ►M32 (**) ◄ | ►M212 0,05 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 0,05 (*) ◄ | ►M32 (**) ◄ | ►M212 0,05 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 0,05 (*) ◄ | ►M32 (**) ◄ | ►M212 0,05 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M218 0,01 (*) ◄ | ►M32 (**) ◄ | ►M146 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,03 ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | ►M81 — ◄ | ►M32 0,01 (*) ◄ | |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** (+) ◄ | ►**M50** — ◄ | ►**M199** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,1 (**) ◄ | ►**M50** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M199** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,1 (**) ◄ | ►**M50** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M199** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,1 (**) ◄ | ►**M50** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M199** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,1 (**) ◄ | ►**M50** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M199** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (**) ◄ | ►**M50** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M67 (+) ◄ | ►M66 (+) ◄ | ►M155 — ◄ | ►M173 — ◄ | ►M103 (+) ◄ | ►M190 — ◄ | ►M52 (+) ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,1 (*) ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 0,05 (*) ◄ | ►M215 0,1 (*) ◄ | ►M52 0,05 (*) ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 0,02 (*) ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 **0,01** (*) ◄ | ►M215 0,03 (*) ◄ | ►M52 0,01 (*) ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,05 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | | | ►M215 0,05 (*) ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,01 (*) ◄ | ►M68 — ◄ |
| 1011000 | (a) *Swine* | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 1011010 | Meat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 ◄ |
| 1011020 | Fat free of lean meat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1011030 | Liver | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1011040 | Kidney | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1011050 | Edible offal | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1011990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 (*) ◄ |
| 1012000 | (b) *Bovine* | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 1012010 | Meat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 ◄ |
| 1012020 | Fat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1012030 | Liver | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 0,05 (*) ◄ | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,03** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,05 ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,7 ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,7 ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,7 ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,03** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,05** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,7** ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | | ►M50 — ◄ | ►M199 0,01 (*) ◄ | ►M199 0,01 (*) ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,03 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | ►M199 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,025 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,25 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,07 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | | ►**M103** **0,01** (*) ◄ | | ►**M52** **0,01** (*) ◄ |
| | | ►**M155** — ◄ | ►**M173** — ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,04 ◄ | | | |
| ►**M67** 0,02 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,04 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,06 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,06 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | | |
| | | ►**M155** — ◄ | ►**M173** — ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,06 ◄ | | | |
| ►**M67** 0,02 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,07 ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1012050 | Edible offal | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1012990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 (*) ◄ |
| 1013000 | (c) *Sheep* | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 1013010 | Meat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 ◄ |
| 1013020 | Fat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1013030 | Liver | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1013040 | Kidney | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1013050 | Edible offal | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1013990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 (*) ◄ |
| 1014000 | (d) *Goat* | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 1014010 | Meat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 ◄ |
| 1014020 | Fat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1014030 | Liver | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1014040 | Kidney | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1014050 | Edible offal | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,5 ◄ |
| 1014990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1015010 | Meat | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,05 ◄ |
| 1015020 | Fat | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,5 ◄ |
| 1015030 | Liver | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,5 ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,7 ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,7** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,03** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,05** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,7** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,7 ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,7** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,03** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,05** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,7** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,7 ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** **0,7** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M212** **0,03** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M212** **0,05** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M212** **0,7** ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,05 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | ►M199 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,2 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,07 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,05 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | | ►M199 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,2 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,07 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,05 ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,2 ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,07 ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,3 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,3 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | | |
| | | ►**M155** — ◄ | ►**M173** — ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,06 ◄ | | | |
| ►**M67** 0,02 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,07 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,3 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,3 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | | |
| | | ►**M155** — ◄ | ►**M173** — ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,06 ◄ | | | |
| ►**M67** 0,02 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,07 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,3 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,3 ◄ | | | |
| ►**M67** 0,05 (*) ◄ | | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | | | |
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M67** 0,05 (*) ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M67** 0,05 (*) ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M199** 0,06 ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M67** 0,02 (*) ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M199** 0,07 ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,5 ◄ |
| 1015050 | Edible offal | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,5 ◄ |
| 1015990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,05 (*) ◄ |
| 1016000 | (F) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 1016010 | Meat | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 1016020 | Fat | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,01 (*) ◄ |
| 1016030 | Liver | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 (*) ◄ |
| 1016040 | Kidney | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 (*) ◄ |
| 1016050 | Edible offal | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 (*) ◄ |
| 1016990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | ►M68 0,05 (*) ◄ |
| 1017000 | (g) *Other farm animals* | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1017010 | Meat | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,05 ◄ |
| 1017020 | Fat | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,5 ◄ |
| 1017030 | Liver | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,5 ◄ |
| 1017040 | Kidney | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,5 ◄ |
| 1017050 | Edible offal | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,5 ◄ |
| 1017990 | Others | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 0,05 (*) ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,7 ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 **0,7** ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | ►M212 0,01 (*) ◄ |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | | ►M144 — ◄ | | | | |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M110 — ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 **0,03** ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 **0,05** ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 **0,7** ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,7 ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 **0,7** ◄ |
| ►M166 — ◄ | ►M203 — ◄ | ►M53 (**) ◄ | ►M144 — ◄ | (**) | ►M81 — ◄ | ►M32 (**) ◄ | ►M212 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,05 ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (*) (+) ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| | ►M77 — ◄ | ►M77 — ◄ | ►M56 — ◄ | ►M50 — ◄ | | | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 (+) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,2 ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,07 ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,05 ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |
| (**) | ►M77 — ◄ | ►M77 — ◄ | ►M70 0,02 (**) ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M67 0,05 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,3 ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,3 ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| | | ►M155 — ◄ | ►M199 0,01 (*) ◄ | | | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 (+) ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 (+) ◄ | |
| ►M67 0,02 (*) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | ►M215 (+) ◄ | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 0,05 (*) ◄ | | ►M155 — ◄ | ►M79 — ◄ | | | |
| ►M67 — ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,06 ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,02 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,07 ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,3 ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,3 ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M67 0,05 (*) ◄ | ►M66 — ◄ | ►M155 — ◄ | ►M199 0,01 (*) ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,01 (*) ◄ | ►M68 0,03 ◄ |
| 1020010 | Cattle | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 1020020 | Sheep | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 1020030 | Goat | | ►M122 (+) ◄ | ►M145 — ◄ | ►M77 — ◄ | | |
| 1020040 | Horse | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 1020990 | Others | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | | ►M122 0,03 (*) ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 0,01 (*) ◄ | ►M68 0,02 (*) ◄ |
| 1030010 | Chicken | | | ►M145 — ◄ | ►M77 — ◄ | | |
| 1030020 | Duck | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1030030 | Goose | (**) | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 0,01 (*) ◄ | | ►**M212** **0,01** ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M218** 0,05 (*) ◄ | | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | | ►**M144** — ◄ | | | | |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M16** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** (+) ◄ | ►**M50** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,04 ◄ | ►**M50** — ◄ | | ►**M199** — ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | ►**M199** — ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | ►**M199** — ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M50** — ◄ | | | ►**M77** — ◄ |
| ►**M16** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (*) (+) ◄ | ►**M50** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M77** — ◄ |
| | ►**M77** — ◄ | ►**M77** — ◄ | | ►**M50** — ◄ | | | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M67** 0,01 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,06 ◄ | ►**M103** **0,01** (*) ◄ | | ►**M52** **0,01** (*) ◄ |
| | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M199** — ◄<br>►**M199** — ◄<br>►**M199** — ◄<br>►**M199** — ◄ | | | |
| | | ►**M155** — ◄ | ►**M199** — ◄ | | | |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M215** (+) ◄ | ►**M52** **0,01** (*) ◄ |
| ►**M67** — ◄<br>►**M67** — ◄ | ►**M66** — ◄<br>►**M66** — ◄ | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M79** — ◄<br>►**M79** — ◄<br>►**M79** — ◄ | ►**M103** — ◄<br>►**M103** — ◄ | ►**M215** (+) ◄<br>►**M215** (+) ◄<br>►**M215** (+) ◄ | ►**M52** — ◄<br>►**M52** — ◄ |

▼**M2**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | (**) | ►**M103** — ◄ | ►**M145** — ◄ | ►**M77** — ◄ | ►**M103** — ◄ | ►**M68** — ◄ |
| 1030990 | Others | (**) | ►**M103** — ◄ | ►**M145** — ◄ | ►**M77** — ◄ | ►**M103** — ◄ | ►**M68** — ◄ |
| 1040000 | (iv) **Honey** | (**) | ►**M122** 0,05 (*) ◄ | ►**M145** — ◄ | ►**M77** — ◄ | ►**M103** 0,05 (*) ◄ | ►**M68** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | (**) | ►**M122** 0,03 (*) ◄ | ►**M145** — ◄ | ►**M77** — ◄ | ►**M103** 0,01 (*) ◄ | ►**M68** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | (**) | ►**M122** 0,03 (*) ◄ | ►**M145** — ◄ | ►**M77** — ◄ | ►**M103** 0,01 (*) ◄ | ►**M68** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | (**) | ►**M122** 0,03 (*) ◄ | ►**M145** — ◄ | ►**M77** — ◄ | ►**M103** 0,01 (*) ◄ | ►**M68** 0,01 (*) ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M81** — ◄ | ►**M32** (**) ◄ | ►**M110** — ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,05 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** 0,01 (*) ◄ |
| ►**M166** — ◄ | ►**M203** — ◄ | ►**M53** (**) ◄ | ►**M144** — ◄ | (**) | ►**M218** 0,05 (*) ◄ | ►**M32** (**) ◄ | ►**M212** **0,01** (*) ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,05 (**) ◄ | ►**M50** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M199** 0,05 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (**) (+) ◄ | ►**M50** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (**) (+) ◄ | ►**M50** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M77** — ◄ |
| (**) | ►**M77** — ◄ | ►**M77** — ◄ | ►**M70** 0,02 (**) (+) ◄ | ►**M50** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M77** — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M215** (+) ◄ | ►**M52** — ◄ |
| ►**M67** — ◄ | ►**M66** — ◄ | ►**M155** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M215** (+) ◄ | ►**M52** — ◄ |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M103** **0,05** (*) ◄ | ►**M93** — ◄ | ►**M52** **0,05** (*) ◄ |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M93** — ◄ | ►**M52** **0,01** (*) ◄ |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M93** — ◄ | ►**M52** **0,01** (*) ◄ |
| ►**M67** 0,05 (*) ◄ | ►**M66** 0,02 (*) ◄ | ►**M155** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M103** **0,01** (*) ◄ | ►**M93** — ◄ | ►**M52** **0,01** (*) ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼ M77 ▲ | Fosthiazate | ▼ M32 ▲ | ▼ M38 Glyphosate ▲ | Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor) [f] | ▼ M108 Hexachlorobenzene [f] ▲ | ▼ M121 ▲ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 0,01 (*) ◄ | ►M121 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 (*) | | ►M121 — ◄ |
| 0110010 | Grapefruit | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0110020 | Oranges | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,5 ◄ | | | ►M121 — ◄ |
| 0110030 | Lemons | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0110040 | Limes | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0110050 | Mandarins | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,5 ◄ | | | ►M121 — ◄ |
| 0110990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | | ►M121 — ◄ |

▼M2

| ▼ M121 — ▲ M121 | ▼ M121 — ▲ M121 | ▼ M32 — ▲ M32 | Hydrogen cyanide (cyanides expressed as hydrogen cyanide) | ▼ M106 — ▲ M106 | ▼ M161 Imazalil (any ratio of constituent isomers) (R) ▲ | ▼ M187 Imazamox (Sum of imazamox and its salts, expressed as imazamox) ▲ | ▼ M155 — ▲ M155 |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 4 (+) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 4 (+) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 5 (+) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 5 (+) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 5 (+) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |

▼M2

| ▲M75 Indoxacarb (sum of indoxacarb and its R enantiomer) (F) ▼ | ▲M52 Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl) ▼ | ▲M145 — ▼ | ▲M139 — ▼ | ▲M199 Iprovalicarb ▼ | ▲M155 — ▼ | ▲M218 Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole) ▼ | ▲M161 Kresoxim-methyl (R) ▼ |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | |
| ►M75 0,02 (*) ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M81 — ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.5 ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.5 ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 0,02 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,02 (*) ◄ | ►M155 — ◄ | | ►M81 — ◄ |

▼**M2**

| ▲**M167** Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (F) ▼ | ▼ ▲**M121** — ▼ | ▼ ▲**M141** — ▼ | Malathion (sum of malathion and malaoxon expressed as malathion) | ▼ ▲**M167** Maleic hydrazide ▼ | ▲**M56** MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) (F) (R) ▼ |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,2 (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120020 | Brazil nuts | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120030 | Cashew nuts | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120040 | Chestnuts | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120050 | Coconuts | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120060 | Hazelnuts | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120070 | Macadamia | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120080 | Pecans | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120090 | Pine nuts | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120100 | Pistachios | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120110 | Walnuts | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0120990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | | ►M121 — ◄ |
| 0130010 | Apples | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0130020 | Pears | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0130030 | Quinces | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0130040 | Medlar | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0130050 | Loquat | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0130990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | | ►M121 — ◄ |
| 0140010 | Apricots | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0140020 | Cherries | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0140030 | Peaches | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0140040 | Plums | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0140990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M5 — ◄ | 0,01 (*) | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **0.05** ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.2 ◄ |
| ►M75 0,5 (+) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,5 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 1 ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 — ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **1.5** ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,08 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,08 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,15 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,3 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,15 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,2 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,01 (*) (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,5 ◄ | | | ►M121 — ◄ |
| 0151010 | Table grapes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0151020 | Wine grapes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0152000 | (b) *Strawberries* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0153010 | Blackberries | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0153020 | Dewberries | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0153030 | Raspberries | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0153990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0154010 | Blueberries | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0154020 | Cranberries | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0154030 | Currants (red, black and white) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0154040 | Gooseberries | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0154050 | Rose hips | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0154060 | Mulberries | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0154080 | Elderberries | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0154990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 2 ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 2 ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 2 ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M75** 2 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 2 ◄ | ►**M155** — ◄ | | ►**M161** **1.5** ◄ |
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,6 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M155** — ◄ | | ►**M161** 1.5 ◄ |
| ►**M8** — ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M155** — ◄ | | ►**M161** 0.01 (*) ◄ |
| ►**M75** 0,5 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,02 (*) ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,6 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,02 (*) ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M40** — ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M155** — ◄ | | |
| ►**M75** 0,8 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | ►**M161** 0.9 ◄ |
| ►**M75** 1 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | ►**M161** 0.9 ◄ |
| ►**M75** 0,8 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | ►**M161** 0.9 ◄ |
| ►**M75** 0,8 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | ►**M161** 0.9 ◄ |
| ►**M75** 0,8 ◄ | ►**M52** — ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M42** — ◄ | ►**M155** — ◄ | ►**M59** — ◄ | ►**M161** 0.01 (*) ◄ |
| ►**M75** 0,8 ◄ | ►**M52** — ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M42** — ◄ | ►**M155** — ◄ | ►**M59** — ◄ | ►**M161** 0.01 (*) ◄ |
| ►**M75** 0,8 ◄ | ►**M52** — ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M42** — ◄ | ►**M155** — ◄ | ►**M59** — ◄ | ►**M161** 0.9 ◄ |
| ►**M75** 0,8 ◄ | ►**M52** — ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M42** — ◄ | ►**M155** — ◄ | ►**M59** — ◄ | ►**M161** 0.01 (*) ◄ |
| ►**M75** 0,8 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | ►**M161** 0.01 (*) ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,08 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0161000 | (a) *Edible peel* | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 (*) | | ►M121 — ◄ |
| 0161010 | Dates | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0161020 | Figs | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0161030 | Table olives | ►M77 — ◄ | | ►M32 — ◄ | ►M38 1 ◄ | | | ►M121 — ◄ |
| 0161040 | Kumquats | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0161050 | Carambola | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0161060 | Persimmon | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0161070 | Jambolan (java plum) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0161990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | | ►M121 — ◄ |
| 0162010 | Kiwi | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0162020 | Lychee (Litchi) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0162030 | Passion fruit | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0162050 | Star apple | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0162990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0163010 | Avocados | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 (*) | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M8 — ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.2 ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 — ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 1 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,09 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,05 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M77 — ◄ | 0,05 | ►M32 — ◄ | | 0,01 (*) | | ►M121 — ◄ |
| 0163030 | Mangoes | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 (*) | | ►M121 — ◄ |
| 0163040 | Papaya | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 | | ►M121 — ◄ |
| 0163050 | Pomegranate | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 (*) | | ►M121 — ◄ |
| 0163060 | Cherimoya | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0163070 | Guava | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0163080 | Pineapples | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 (*) | | ►M121 — ◄ |
| 0163090 | Bread fruit | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0163100 | Durian | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0163110 | Soursop (guanabana) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0163990 | Others | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 (*) | ►M108 0,01 (*) ◄ | ►M121 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0211000 | (a) *Potatoes* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,5 ◄ | | | ►M121 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0212010 | Cassava | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0212020 | Sweet potatoes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0212030 | Yams | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0212040 | Arrowroot | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0212990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 0,2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **0.1** ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M59 — ◄ | |
| ►M5 — ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M81 — ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M167** 0,15 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 60 ◄ | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0213010 | Beetroot | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213020 | Carrots | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213030 | Celeriac | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213040 | Horseradish | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213050 | Jerusalem artichokes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213060 | Parsnips | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213070 | Parsley root | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213080 | Radishes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213090 | Salsify | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213100 | Swedes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213110 | Turnips | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0213990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0220010 | Garlic | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0220020 | Onions | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0220030 | Shallots | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0220040 | Spring onions | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0220990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 — ◄ | | | ►M121 — ◄ |
| 0231000 | (a) *Solanacea* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **0.05** ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,3 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **0.05** ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M81 — ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.3 ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,1 ◄ | ►M155 — ◄ | | ►M161 0.3 ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.3 ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M130** — ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 30 ◄ | |
| ►**M167** 0,07 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 30 ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,15 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M130** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 40 ◄ | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 15 ◄ | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 30 ◄ | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | ►**M56** 0,05 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0231020 | Peppers | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0231040 | Okra, lady's fingers | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0231990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0232010 | Cucumbers | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0232020 | Gherkins | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0232030 | Courgettes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0232990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0233010 | Melons | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0233020 | Pumpkins | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0233030 | Watermelons | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0233990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 3 ◄ | | | ►M121 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0241010 | Broccoli | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0241020 | Cauliflower | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.3 ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.5 ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.5 ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.1 (+) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 2 (+) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 0,5 ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,7 ◄ | ►M155 — ◄ | | ►M161 0.6 ◄ |
| ►M75 0,3 ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.8 ◄ |
| ►M75 0,5 ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.6 ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,5 ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,1 ◄ | ►M155 — ◄ | | ►M161 **0.5** ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | | |
| ►M75 0,5 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **0.5** ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,2 ◄ | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,2 ◄ | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,3 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 (+) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 (+) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M167** 0,07 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,1 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,05 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,15 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,15 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,06 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,05 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,1 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0242000 | (b) *Head brassica* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0242010 | Brussels sprouts | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0242020 | Head cabbage | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0242990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0243010 | Chinese cabbage | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0243020 | Kale | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0243990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0251010 | Lamb's lettuce | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0251020 | Lettuce | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0251040 | Cress | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0251050 | Land cress | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0251060 | Rocket, Rucola | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,06 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,2 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,02 (*) ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 3 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,4 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,4 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,02 (*) ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | ►**M81** — ◄ |
| | ►**M52** **0,01** (*) ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** **0,01** (*) ◄ | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.01 (*) ◄ |
| ►**M75** 30 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** — ◄ | ►**M155** — ◄ | | |
| ►**M75** 3 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** — ◄ | ►**M155** — ◄ | | |
| ►**M75** 1 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** — ◄ | ►**M155** — ◄ | | |
| ►**M75** 1 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** — ◄ | ►**M155** — ◄ | | |
| ►**M75** 1 ◄ | ►**M52** — ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** — ◄ | ►**M155** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ |
| ►**M75** 2 (+) ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** — ◄ | ►**M155** — ◄ | | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,04 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,15 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | ►**M56** 0,05 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 1,5 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,15 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,07 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,7 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,7 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,7 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0251990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0252010 | Spinach | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0252020 | Purslane | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0252030 | Beet leaves (chard) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0252990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0254000 | (d) *Water cress* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0255000 | (e) *Witloof* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0256000 | (f) *Herbs* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0256010 | Chervil | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0256020 | Chives | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0256030 | Celery leaves | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0256040 | Parsley | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0256050 | Sage | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0256060 | Rosemary | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0256070 | Thyme | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0256080 | Basil | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄<br>►M121 — ◄ | ►M121 — ◄<br>►M121 — ◄ | ►M32 — ◄<br>►M32 — ◄ | (**) | ►M106 — ◄<br>►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄<br>►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄ | ►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | (**) | ►M106 — ◄<br>►M106 — ◄<br>►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.02 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄ | ►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄<br>►M121 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | (**)<br>(**)<br>(**) | ►M106 — ◄<br>►M106 — ◄<br>►M106 — ◄<br>►M106 — ◄<br>►M106 — ◄<br>►M106 — ◄<br>►M106 — ◄<br>►M106 — ◄ | ►M153 — ◄<br>►M153 — ◄<br>►M153 — ◄<br>►M153 — ◄ | ►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 1 ◄<br>►M75 2 (+) ◄ | ►M52 — ◄ | ►M145 — ◄<br>►M145 — ◄ | ►M139 — ◄<br>►M139 — ◄ | ►M199 — ◄<br>►M199 — ◄ | ►M155 — ◄<br>►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 1 ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M199 — ◄ | ►M155 — ◄ | | |
| ►M5 — ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 2 ◄<br>►M75 1 ◄<br>►M75 1 ◄ | ►M52 — ◄ | ►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄ | ►M139 — ◄<br>►M139 — ◄<br>►M139 — ◄ | ►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 1 ◄ | | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 15 ◄ |
| ►M75 0,02 (*) ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | ►M52 0,02 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,02 (*) ◄ | ►M155 — ◄ | ►M218 0,05 (*) ◄ | ►M161 0.02 (*) ◄ |
| ►M75 2 ◄<br>►M75 2 ◄<br>►M75 2 ◄<br>►M75 2 ◄<br>►M75 2 ◄<br>►M75 2 ◄<br>►M75 2 ◄<br>►M75 15 ◄ | ►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄ | ►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄ | ►M139 — ◄<br>►M139 — ◄<br>►M139 — ◄<br>►M139 — ◄<br>►M139 — ◄<br>►M139 — ◄<br>►M139 — ◄<br>►M139 — ◄ | ►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ | ►M59 — ◄<br>►M59 — ◄<br>►M59 — ◄<br>►M59 — ◄ | ►M81 — ◄<br>►M81 — ◄<br>►M81 — ◄<br>►M81 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M167** 0,01 (*) ◄<br>►**M167** 0,7 ◄ | ►**M121** — ◄<br>►**M121** — ◄ | ►**M141** — ◄<br>►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,6 ◄<br>►**M167** 0,01 (*) ◄<br>►**M167** 0,2 ◄ | ►**M121** — ◄<br>►**M121** — ◄<br>►**M121** — ◄ | ►**M141** — ◄<br>►**M141** — ◄<br>►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,7 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄<br>►**M121** — ◄<br>►**M121** — ◄<br>►**M121** — ◄ | ►**M141** — ◄<br>►**M141** — ◄<br>►**M141** — ◄<br>►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0256100 | Tarragon | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0256990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0260010 | Beans (with pods) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0260020 | Beans (without pods) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0260030 | Peas (with pods) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0260040 | Peas (without pods) | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0260050 | Lentils | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0260990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0270010 | Asparagus | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0270020 | Cardoons | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0270030 | Celery | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0270040 | Fennel | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0270050 | Globe artichokes | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0270060 | Leek | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0270070 | Rhubarb | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0270080 | Bamboo shoots | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0270090 | Palm hearts | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0270990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M98 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 2 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 2 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M40 — ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,5 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.05 (*) ◄ |
| ►M75 3 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 3 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 10 ◄ |
| ►M75 3 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| ►**M167** 0,4 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,1 ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,1 ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,1 ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,02 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,15 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,07 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0280010 | Cultivated | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0280020 | Wild | ►M77 — ◄ | | ►M32 — ◄ | ►M38 50 ◄ | | | ►M121 — ◄ |
| 0280990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 (*) | ►M108 0,01 (*) ◄ | ►M121 — ◄ |
| 0300010 | Beans | ►M77 — ◄ | | ►M32 — ◄ | ►M38 2 ◄ | | | ►M121 — ◄ |
| 0300020 | Lentils | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | | ►M121 — ◄ |
| 0300030 | Peas | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | | ►M121 — ◄ |
| 0300040 | Lupins | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | | ►M121 — ◄ |
| 0300990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M77 — ◄ | | ►M32 — ◄ | | 0,01 (*) | | ►M121 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | | | | ►M121 — ◄ |
| 0401010 | Linseed | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401020 | Peanuts | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401030 | Poppy seed | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401040 | Sesame seed | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401050 | Sunflower seed | ►M77 — ◄ | | ►M32 — ◄ | ►M38 20 ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401060 | Rape seed | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401070 | Soya bean | ►M77 — ◄ | | ►M32 — ◄ | ►M38 20 ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** 0.01 (*) ◄ | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M161** 0.01 (*) ◄ | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** 0.01 (*) ◄ | ►**M98** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,2 ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** 0.01 (*) ◄ | ►**M98** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,3 ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 0,02 (*) ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,02 (*) ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,01 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,01 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,01 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| | ►M52 0,02 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,02 (*) ◄ | ►M155 — ◄ | ►M218 — ◄ | |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,02 (*) ◄ | ►M52 (+) ◄ | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,5 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 **0,04** ◄ | ►M161 0.01 (*) ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,5 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,2 (*) ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,05 (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,2 (*) ◄ | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,1 ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,1 ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| ►**M167** (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,5 (*) ◄ | |
| ►**M11** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,1 (*) ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,05 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401090 | Cotton seed | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401100 | Pumpkin seeds | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | ►M108 **0,05 (+)** ◄ | ►M121 — ◄ |
| 0401110 | Safflower | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401120 | Borage | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401130 | Gold of pleasure | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401140 | Hempseed | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401150 | Castor bean | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0401990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 0,01 (*) ◄ | ►M121 — ◄ |
| 0402010 | Olives for oil production | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 1 ◄ | | | ►M121 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0402030 | Palmfruit | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0402040 | Kapok | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0402990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0500000 | 5. **CEREALS** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 | ►M108 0,01 (*) ◄ | ►M121 — ◄ |
| 0500010 | Barley | ►M77 — ◄ | | ►M32 — ◄ | ►M38 20 ◄ | | | ►M121 — ◄ |
| 0500020 | Buckwheat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0500030 | Maize | ►M77 — ◄ | | ►M32 — ◄ | ►M38 1 ◄ | | | ►M121 — ◄ |
| 0500040 | Millet | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0500050 | Oats | ►M77 — ◄ | | ►M32 — ◄ | ►M38 20 ◄ | | | ►M121 — ◄ |
| 0500060 | Rice | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0500070 | Rye | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | 15 | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | ►M187 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 1 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.2 ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,01 (*) ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M37 — ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **0.15** ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **0.15** ◄ |
| | ►M52 (+) ◄ | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 **0.15** ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.08 ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,5 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,05 (*) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M167 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | 8 | ►M167 0,2 (*) ◄ | ►M56 — ◄ |
| ►M167 0,5 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | ►M56 **0,2** ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | ►M56 0,05 (*) ◄ |
| ►M167 0,02 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | ►M56 0,05 (*) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | ►M56 0,05 (*) ◄ |
| ►M167 0,3 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | ►M56 **0,2** ◄ |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | ►M56 0,05 (*) ◄ |
| ►M167 0,05 ◄ | ►M121 — ◄ | ►M141 — ◄ | | | ►M56 **0,2** ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M77 — ◄ | | ►M32 — ◄ | ►M38 20 ◄ | | | ►M121 — ◄ |
| 0500090 | Wheat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 10 ◄ | | | ►M121 — ◄ |
| 0500990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | | ►M121 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | | | ►M108 0,02 (*) ◄ | ►M121 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 2 ◄ | 0,02 (*) | | ►M121 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0631000 | (a) *Flowers* | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0631010 | Camomille flowers | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0631020 | Hybiscus flowers | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0631030 | Rose petals | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0631040 | Jasmine flowers | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0631050 | Lime (linden) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0631990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0632000 | (b) *Leaves* | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0632010 | Strawberry leaves | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.08 ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.01 (*) ◄ |
| ►M75 — ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 5 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 0,05 (**) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (**) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,05 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** **0,2** ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | ►**M56** 0,05 (*) ◄ |
| ►**M167** 0,01 (*) (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,5 (*) ◄ | ►**M56** 0,1 (*) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | 0,5 | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0632030 | Maté | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0632990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0633000 | (c) *Roots* | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0633010 | Valerian root | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0633020 | Ginseng root | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0633990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,02 (*) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0800000 | 8. **SPICES** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810000 | (i) **Seeds** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0810010 | Anise | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810020 | Black caraway | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810030 | Celery seed | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810040 | Coriander seed | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810050 | Cumin seed | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810060 | Dill seed | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** 0.05 (*) ◄ | ►**M187** 0,1 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M161** 0.05 (*) ◄ | ►**M187** 0,1 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (**) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (**) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M56 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 10 (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,5 (*) ◄ | ►**M56** 0,1 (*) ◄ |
| ►**M167** (+) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M130** — ◄ | ►**M56** (**) ◄ |
| ►**M167** **0,3** ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,5 (*) ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810080 | Fenugreek | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810090 | Nutmeg | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0810990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0820010 | Allspice | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820030 | Caraway | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820040 | Cardamom | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820050 | Juniper berries | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820060 | Pepper, black and white | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820070 | Vanilla pods | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820080 | Tamarind | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0820990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0830000 | (iii) **Bark** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0830010 | Cinnamon | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0830990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0840010 | Liquorice | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0840020 | Ginger | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,02** (*) ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 — ◄ | ►M187 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 — ◄ | ►M161 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,5 (*) ◄ | ►M56 (**) ◄ |
| ►M167 **0,3** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 **0,3** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 **0,3** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 2 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 **0,3** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 **0,3** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 **0,3** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 **0,3** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 **0,3** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,5 (*) ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 **(**)** ◄ |
| ►M167 **0,05** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,5 (*) ◄ | ►M56 (**) ◄ |
| ►M167 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 — ◄ | ►M56 (**) ◄ |
| ►M167 **0,05** ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,5 (*) ◄ | ►M56 (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 (+) ◄ | ►M121 — ◄ |
| 0840990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 0,02 (*) ◄ | ►M121 — ◄ |
| 0850000 | (v) **Buds** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 0,02 (*) ◄ | ►M121 — ◄ |
| 0850010 | Cloves | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0850020 | Capers | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0850990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 0,02 (*) ◄ | ►M121 — ◄ |
| 0860010 | Saffron | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0860990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0870000 | (vii) **Aril** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 0,02 (*) ◄ | ►M121 — ◄ |
| 0870010 | Mace | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0870990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 0,01 (*) ◄ | ►M121 — ◄ |
| 0900010 | Sugar beet (root) | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0900020 | Sugar cane | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0900030 | Chicory roots | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 0900990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M187 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.05 (*) ◄ | ►M187 0,1 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,05 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M98 — ◄ | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 (+) ◄ | ►M52 **(+)** ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 — ◄ | ►M149 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 0,05 (*) ◄ | ►M52 0,05 (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,05 (*) ◄ | ►M155 — ◄ | ►M218 0,1 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 **0,01** (*) ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M199 0,01 (*) ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M81 — ◄ |
| ►M75 0,1 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 **0.05** ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| ►M75 0,02 (*) ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M161 0.01 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M140 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 — ◄ | ►M56 (**) ◄ |
| ►M167 0,05 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,5 (*) ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,5 (*) ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,5 (*) ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,5 (*) ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 — ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,2 (*) ◄ | ►M56 (**) ◄ |
| ►M167 0,05 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,2 (*) ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 30 ◄ | ►M56 (**) ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,2 (*) ◄ | ►M56 (**) ◄ |
| ►M167 (+) ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M77 — ◄ | | ►M32 — ◄ | | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1011000 | (a) *Swine* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1011010 | Meat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,005** (*) ◄ | ►M121 — ◄ |
| 1011020 | Fat free of lean meat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1011030 | Liver | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1011040 | Kidney | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,5 ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1011050 | Edible offal | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1011990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1012000 | (b) *Bovine* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1012010 | Meat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,005** (*) ◄ | ►M121 — ◄ |
| 1012020 | Fat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1012030 | Liver | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,2 ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M13 — ◄ | ►M98 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.02 (*) (+) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.02 (*) (+) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.02 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.02 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.03 (+) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M52** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M75** — ◄ | ►**M161** — ◄ |
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 2 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| ►**M75** 2 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| ►**M75** 0,05 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,1 ◄ | ►**M161** **0.05** ◄ |
| ►**M75** 0,05 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,1 ◄ | ►**M161** **0.05** ◄ |
| ►**M75** 0,05 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,1 ◄ | ►**M161** **0.05** ◄ |
| ►**M75** 0,05 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 2 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| ►**M75** 2 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| ►**M75** 0,05 ◄ | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | ►**M218** 0,1 ◄ | ►**M161** **0.05** ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,15 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,05 ◄ | ►**M56** **0,1** ◄ |
| ►**M167** 3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,1 ◄ | ►**M56** **0,2** ◄ |
| ►**M167** 0,05 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,1 ◄ | ►**M56** **3** ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 1,5 ◄ | ►**M56** **3** ◄ |
| ►**M167** 3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,02 (*) ◄ | ►**M56** **3** ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,02 (*) ◄ | ►**M56** 0,1 (*) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,02 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,1 ◄ | ►**M56** **0,1** ◄ |
| ►**M167** 3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,1 ◄ | ►**M56** **0,2** ◄ |
| ►**M167** 0,05 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,1 ◄ | ►**M56** **3** ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M77 — ◄ | | ►M32 — ◄ | ►M38 2 ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1012050 | Edible offal | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1012990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1013000 | (c) *Sheep* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | | ►M121 — ◄ |
| 1013010 | Meat | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,005** (*) ◄ | ►M121 — ◄ |
| 1013020 | Fat | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1013030 | Liver | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1013040 | Kidney | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1013050 | Edible offal | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1013990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1014000 | (d) *Goat* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | | ►M121 — ◄ |
| 1014010 | Meat | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,005** (*) ◄ | ►M121 — ◄ |
| 1014020 | Fat | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1014030 | Liver | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1014040 | Kidney | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1014050 | Edible offal | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1014990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 1015010 | Meat | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,005** (*) ◄ | ►M121 — ◄ |
| 1015020 | Fat | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1015030 | Liver | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.02 (*) (+) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.02 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.02 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 — ◄ | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.03 (+) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | |
| ►M75 2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 2 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 2 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 2 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 0,05 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 2 ◄ | ►M56 3 ◄ |
| ►M167 3 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,02 (*) ◄ | ►M56 3 ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,02 (*) ◄ | ►M56 0,1 (*) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,02 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,1 ◄ | ►M56 0,1 ◄ |
| ►M167 3 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,1 ◄ | ►M56 0,2 ◄ |
| ►M167 0,05 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,1 ◄ | ►M56 3 ◄ |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 2 ◄ | ►M56 3 ◄ |
| ►M167 3 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,02 (*) ◄ | ►M56 3 ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,02 (*) ◄ | ►M56 0,1 (*) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | | | |
| ►M167 0,15 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,1 ◄ | ►M56 0,1 ◄ |
| ►M167 3 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,1 ◄ | ►M56 0,2 ◄ |
| ►M167 0,05 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,1 ◄ | ►M56 3 ◄ |
| ►M167 0,2 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 2 ◄ | ►M56 3 ◄ |
| ►M167 3 ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,02 (*) ◄ | ►M56 3 ◄ |
| ►M167 0,01 (*) ◄ | ►M121 — ◄ | ►M141 — ◄ | | ►M167 0,02 (*) ◄ | ►M56 0,1 (*) ◄ |
| ►M134 — ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M42 — ◄ | ►M56 (**) ◄ |
| ►M167 0,02 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,1 ◄ | ►M56 (**) ◄ |
| ►M167 3 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,1 ◄ | ►M56 (**) ◄ |
| ►M167 0,05 ◄ | ►M121 — ◄ | ►M141 — ◄ | (**) | ►M167 0,1 ◄ | ►M56 (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1015050 | Edible offal | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1015990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1016010 | Meat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,005** (*) ◄ | ►M121 — ◄ |
| 1016020 | Fat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1016030 | Liver | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1016040 | Kidney | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,1 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1016050 | Edible offal | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1016990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 1017010 | Meat | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,005** (*) ◄ | ►M121 — ◄ |
| 1017020 | Fat | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1017030 | Liver | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1017040 | Kidney | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1017050 | Edible offal | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1017990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.02 (*) (+) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.02 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.02 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | | | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 — ◄ | ►M68 — ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 **0.02** ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | (**) | ►M106 — ◄ | ►M161 0.01 (*) ◄ | ►M187 0,01 (*) ◄ | ►M155 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M75 0,05 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 0,01 (*) (+) ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | | ►M161 0.05 (*) ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M81 — ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M81 — ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,2 ◄ | ►M81 — ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,2 ◄ | ►M81 — ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,2 ◄ | ►M81 — ◄ |
| ►M40 — ◄ | | ►M145 — ◄ | ►M139 — ◄ | | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M81 — ◄ |
| ►M40 — ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M59 — ◄ | ►M81 — ◄ |
| ►M75 2 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 2 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |
| ►M75 0,05 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,1 ◄ | ►M161 **0.05** ◄ |
| ►M75 0,05 ◄ | ►M52 — ◄ | ►M145 — ◄ | ►M139 — ◄ | ►M42 — ◄ | ►M155 — ◄ | ►M218 0,02 (*) ◄ | ►M161 0.05 (*) ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 2 ◄ | ►**M56** (**) ◄ |
| ►**M167** 3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,02 (*) ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,02 (*) ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,05 ◄ | ►**M56** 0,1 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,1 ◄ | ►**M56** 0,1 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,02 ◄ | ►**M56** 0,1 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,02 (*) ◄ | ►**M56** 0,1 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,02 (*) ◄ | ►**M56** 0,5 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,02 (*) ◄ | ►**M56** 0,1 (*) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,02 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,1 ◄ | ►**M56** (**) ◄ |
| ►**M167** 3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,1 ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,05 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,1 ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,2 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 2 ◄ | ►**M56** (**) ◄ |
| ►**M167** 3 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,02 (*) ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,02 (*) ◄ | ►**M56** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,004 | ►M108 **0,005** (*) ◄ | ►M121 — ◄ |
| 1020010 | Cattle | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1020020 | Sheep | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1020030 | Goat | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1020040 | Horse | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1020990 | Others | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,02 | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1030010 | Chicken | ►M77 — ◄ | | ►M32 — ◄ | | | | ►M121 — ◄ |
| 1030020 | Duck | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 1030030 | Goose | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** **0.02** ◄ | ►**M187** 0,01 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** — ◄ | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** — ◄ | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** — ◄ | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** — ◄ | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | ►**M161** 0.01 (*) ◄ | ►**M187** 0,01 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | | ►**M106** — ◄ | | | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M75** 0,1 ◄ | ►**M52** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,01 (*) ◄ | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** **0.02** ◄ |
| | | ►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄ | ►**M139** — ◄<br>►**M139** — ◄<br>►**M139** — ◄<br>►**M139** — ◄ | | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | | ►**M149** — ◄<br>►**M149** — ◄<br>►**M149** — ◄ |
| | | ►**M145** — ◄ | ►**M139** — ◄ | | ►**M155** — ◄ | | |
| ►**M75** 0,02 (+) ◄ | ►**M52** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| ►**M40** — ◄<br>►**M40** — ◄ | ►**M52** — ◄<br>►**M52** — ◄ | ►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄ | ►**M139** — ◄<br>►**M139** — ◄<br>►**M139** — ◄ | ►**M42** — ◄<br>►**M42** — ◄ | ►**M155** — ◄<br>►**M155** — ◄<br>►**M155** — ◄ | ►**M59** — ◄<br>►**M59** — ◄ | ►**M81** — ◄<br>►**M81** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M167** 0,02 ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,07 ◄ | ►**M56** 0,05 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | | ►**M167** 0,1 ◄ | ►**M56** 0,05 (*) ◄ |
| | ►**M121** — ◄ | ►**M141** — ◄ | | | |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 1030990 | Others | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 — ◄ | ►M121 — ◄ |
| 1040000 | (iv) **Honey** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1060000 | (vi) **Snails** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M77 — ◄ | (**) | ►M32 — ◄ | ►M38 (**) ◄ | (**) | ►M108 **0,01** (*) ◄ | ►M121 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M153** — ◄ | ►**M68** — ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M161** 0.05 (*) ◄ | ►**M187** 0,05 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M161** 0.01 (*) ◄ | ►**M187** 0,01 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M161** 0.01 (*) ◄ | ►**M187** 0,01 (*) ◄ | ►**M155** — ◄ |
| ►**M121** — ◄ | ►**M121** — ◄ | ►**M32** — ◄ | (**) | ►**M106** — ◄ | ►**M161** **0.02** ◄ | ►**M187** 0,01 (*) ◄ | ►**M155** — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M40** — ◄ | ►**M52** — ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M42** — ◄ | ►**M155** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ |
| ►**M40** — ◄ | ►**M52** — ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M42** — ◄ | ►**M155** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ |
| ►**M75** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M218** 0,05 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| ►**M75** 0,01 (*) ◄ | ►**M52** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| ►**M75** 0,01 (*) ◄ | ►**M52** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |
| ►**M75** 0,01 (*) ◄ | ►**M52** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M139** — ◄ | ►**M199** 0,05 (*) ◄ | ►**M155** — ◄ | ►**M218** 0,02 (*) ◄ | ►**M161** 0.05 (*) ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M134** — ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M42** — ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,05 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,05 (*) ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,05 (*) ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,05 (*) ◄ | ►**M56** (**) ◄ |
| ►**M167** 0,01 (*) ◄ | ►**M121** — ◄ | ►**M141** — ◄ | (**) | ►**M167** 0,05 (*) ◄ | ►**M56** (**) ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼ —— ▲M77 | Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop) | ▼ M97 Mepanipyrim ▲ | ▼ —— ▲M127 | ▼ M52 Mesosulfuron-methyl ▲ | ▼ M116 Mesotrione ▲ |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M77 —— ◄ | 0,05 (*) | | ►M127 —— ◄ | ►M52 —— ◄ | ►M116 0,01 (*) ◄ |
| 0110000 | (i) **Citrus fruit** | ►M77 —— ◄ | | ►M97 0,01 (*) ◄ | ►M127 —— ◄ | ►M52 0,01 (*) ◄ | |
| 0110010 | Grapefruit | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 0110020 | Oranges | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 0110030 | Lemons | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 0110040 | Limes | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 0110050 | Mandarins | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 0110990 | Others | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M77 —— ◄ | | ►M97 0,02 (*) ◄ | ►M127 —— ◄ | ►M52 **0,02** (*) ◄ | |

▼**M2**

| ▲**M124** Metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers) (R) ▼ | ▼ ▲**M77** — ▼ | ▼ ▲**M32** Methamidophos | ▼ ▲**M16** Methidathion | ▲**M46** Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers)) ▼ | ▼ ▲**M107** Methomyl | Methoxychlor (F) | ▼ ▲**M218** Methoxyfenozide (F) ▼ |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| | ►**M77** — ◄ | | | ►**M46** 0,05 (*) ◄ | | 0,01 (*) | |
| ►**M111** — ◄ | ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** **0,02** (*) ◄ | | ►**M107** **0,01** (*) ◄ | | ►**M218** 2 ◄ |
| ►**M124** 0,7 ◄ | ►**M77** — ◄ | | | | ►**M9** — ◄ | | |
| ►**M124** 0,7 ◄ | ►**M77** — ◄ | | | | ►**M9** — ◄ | | |
| ►**M124** **0,5** (+) ◄ | ►**M77** — ◄ | | | | ►**M9** — ◄ | | |
| ►**M124** **0,5** (+) ◄ | ►**M77** — ◄ | | | | ►**M9** — ◄ | | |
| ►**M124** **0,5** (+) ◄ | ►**M77** — ◄ | | | | ►**M9** — ◄ | | |
| ►**M124** 0,5 ◄ | ►**M77** — ◄ | | | | ►**M9** — ◄ | | |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M16** 0,05 (*) ◄ | | ►**M107** **0,01** (*) ◄ | | ►**M218** 0,1 ◄ |

▼M2

| ▼<br>▲**M58** Metsulfuron-methyl | Mevinphos (sum of E- and Z-isomers) | ▼<br>▲**M46** Milbemectin (sum of milbemycin A4 and milbemycin A3, expressed as milbemectin) | ▼<br>▲**M145** — | ▼<br>▲**M32** — | ▼<br>▲**M77** — | ▼<br>▲**M159** Myclobutanil (sum of constituent isomers) (R) | Nitrofen (F) | ▼<br>▲**M79** — |
|---|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►**M58** **0,01** (*) ◄ | 0,01 (*) | ►**M46** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | 0,01 (*) | ►**M79** — ◄ |
| | | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** **0,01** (*) ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** **0,01** (*) ◄ | | ►**M79** — ◄ |

▼**M2**

| ▼<br>▲**M146** Oxamyl | ▼<br>▲**M52** Oxasulfuron | ▼<br>▲**M32** Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl) ▼ | ▼<br>▲**M19** Paraquat | Parathion (F) | ▼<br>▲**M32** Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl) ▼ |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** — ◄ | ►**M19** 0,02 (*) ◄ | 0,05 (*) | ►**M32** — ◄ |
| | | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| ►**M49** — ◄<br>►**M146** (+) ◄<br>►**M49** — ◄<br>►**M49** — ◄<br>►**M146** (+) ◄ | | | | | |
| ►**M49** — ◄ | | | | | |
| ►**M49** — ◄ | | ►**M32** **0,02** (*) ◄ | | | ►**M32** 0,02 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120020 | Brazil nuts | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120030 | Cashew nuts | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120040 | Chestnuts | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120050 | Coconuts | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120060 | Hazelnuts | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120070 | Macadamia | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120080 | Pecans | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120090 | Pine nuts | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120100 | Pistachios | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120110 | Walnuts | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0120990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0130000 | (iii) **Pome fruit** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | |
| 0130010 | Apples | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0130020 | Pears | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0130030 | Quinces | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0130040 | Medlar | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0130050 | Loquat | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0130990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0140000 | (iv) **Stone fruit** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | |
| 0140010 | Apricots | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0140020 | Cherries | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0140030 | Peaches | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0140040 | Plums | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0140990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0150000 | (v) **Berries & small fruit** | ►M77 — ◄ | | | ►M127 — ◄ | ►M52 0,01 (*) ◄ | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | ►M16 **0,03** ◄ | | ►M107 **0,01** (*) ◄ | | ►M200 — ◄ |
| ►M124 **1** (+) ◄ | ►M77 — ◄ | ►M9 — ◄ | ►M5 — ◄ | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **1** (+) ◄ | ►M77 — ◄ | ►M9 — ◄ | ►M5 — ◄ | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M9 — ◄ | ►M5 — ◄ | | ►M107 — ◄ | | ►M218 2 ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 2 ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 2 ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M9 — ◄ | ►M5 — ◄ | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | ►M16 **0,02** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M200 — ◄ |
| | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 — ◄ | | ►M218 2 ◄ |
| | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,2 ◄ | | ►M107 — ◄ | | ►M218 2 ◄ |
| | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,05 ◄ | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,2 ◄ | | ►M107 — ◄ | | ►M218 2 ◄ |
| | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,6 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 3 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 3 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 3 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 2 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 2 ◄ | | ►M79 — ◄ |
| | | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| ►**M49** — ◄ | | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| | | | | | |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |
| ►**M49** — ◄ | | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| | | | | | |
| | | | | | |
| ►**M49** — ◄ | | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M77 — ◄ | | ►M97 2 ◄ | ►M127 — ◄ | | |
| 0151010 | Table grapes | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0151020 | Wine grapes | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0152000 | (b) *Strawberries* | ►M77 — ◄ | | ►M97 3 ◄ | ►M127 — ◄ | | |
| 0153000 | (c) *Cane fruit* | ►M77 — ◄ | | ►M97 — ◄ | ►M127 — ◄ | | |
| 0153010 | Blackberries | ►M77 — ◄ | | ►M97 4 ◄ | ►M127 — ◄ | | |
| 0153020 | Dewberries | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0153030 | Raspberries | ►M77 — ◄ | | ►M97 4 ◄ | ►M127 — ◄ | | |
| 0153990 | Others | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0154000 | (d) *Other small fruit & berries* | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0154010 | Blueberries | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0154020 | Cranberries | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0154030 | Currants (red, black and white) | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0154040 | Gooseberries | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0154050 | Rose hips | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0154060 | Mulberries | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0154080 | Elderberries | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0154990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | | | | | | ►M218 1 ◄ |
| ►M124 2 (+) ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | |
| ►M124 1 (+) ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | |
| ►M124 0,6 ◄ | ►M77 — ◄ | | | ►M46 (+) ◄ | ►M107 — ◄ | | ►M218 2 ◄ |
| ►M124 0,02 (*) ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| ►M47 — ◄ | ►M77 — ◄ | | | | ►M11 — ◄ | | ►M31 — ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 4 ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,7 ◄ |
| ►M124 0,4 ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 1,5 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 1,5 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,8 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,9 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,8 (+) ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,6 (+) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | |
| 0161000 | (a) *Edible peel* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0161010 | Dates | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0161020 | Figs | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0161030 | Table olives | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0161040 | Kumquats | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0161050 | Carambola | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0161060 | Persimmon | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0161070 | Jambolan (java plum) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0161990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0162000 | (b) *Inedible peel, small* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0162010 | Kiwi | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0162020 | Lychee (Litchi) | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0162030 | Passion fruit | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0162040 | Prickly pear (cactus fruit) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0162050 | Star apple | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0162990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0163000 | (c) *Inedible peel, large* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0163010 | Avocados | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | ►M11 —— ◄ | | |
| ►M124 0,05 (*) ◄ | ►M77 —— ◄ | | | | | | ►M218 0,01 (*) ◄ |
| | ►M77 —— ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | |
| | ►M77 —— ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | |
| | ►M77 —— ◄ | | ►M5 1 ◄ | | ►M107 **0,01** (*) ◄ | | |
| | ►M77 —— ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **1** ◄ | | |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 **0,01** (*) ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 **0,01** (*) ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 **0,01** (*) ◄ | (**) | ►M79 —— ◄ |
| | ►M77 —— ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | |
| | ►M77 —— ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 —— ◄ | | | | ►M107 —— ◄ | | ►M79 —— ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 —— ◄ | | | | ►M107 —— ◄ | | ►M79 —— ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 —— ◄ | | | | ►M107 —— ◄ | | ►M79 —— ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 —— ◄ | | | | ►M107 —— ◄ | | ►M79 —— ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 —— ◄ | | ►M5 —— ◄ | | ►M107 **0,01** (*) ◄ | | ►M31 —— ◄ |
| | ►M77 —— ◄ | | | | ►M107 —— ◄ | | ►M218 0,7 ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M98 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,6 (+) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M49 — ◄ | | ►M32 0,01 (*) ◄ | | | ►M32 0,01 (*) ◄ |
| | | | | | |
| ►M49 — ◄ | ►M52 — ◄ | ►M32 (**) ◄ | (**) | (**) | ►M32 (**) ◄ |
| ►M49 — ◄ | ►M52 — ◄ | ►M32 (**) ◄ | (**) | (**) | ►M32 (**) ◄ |
| ►M49 — ◄ | ►M52 — ◄ | ►M32 (**) ◄ | (**) | (**) | ►M32 (**) ◄ |
| | | | | | |
| | | | | | |
| ►M49 — ◄ | ►M52 — ◄ | ►M32 (**) ◄ | (**) | (**) | ►M32 (**) ◄ |
| ►M49 — ◄ | ►M52 — ◄ | ►M32 (**) ◄ | (**) | (**) | ►M32 (**) ◄ |
| ►M49 — ◄ | ►M52 — ◄ | ►M32 (**) ◄ | (**) | (**) | ►M32 (**) ◄ |
| | | | | | |
| | | | | | |
| | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0163030 | Mangoes | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0163040 | Papaya | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0163050 | Pomegranate | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0163060 | Cherimoya | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0163070 | Guava | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0163080 | Pineapples | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0163090 | Bread fruit | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0163100 | Durian | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0163110 | Soursop (guanabana) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0163990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M77 — ◄ | 0,05 (*) | | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0211000 | (a) *Potatoes* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0212010 | Cassava | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0212020 | Sweet potatoes | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0212030 | Yams | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0212040 | Arrowroot | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0212990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 1 ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,6 ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | ►M5 0,05 ◄ | ►M46 (+) ◄ | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | ►M5 — ◄ | ►M46 0,05 (*) ◄ | | 0,01 (*) | |
| | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M31 — ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M79 — ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,02 ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 3 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | 0,01 (*) | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,06 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M146** (+) ◄ | | | | | |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |
| | ►**M52** — ◄ | ►**M32** — ◄ | ►**M19** 0,02 (*) ◄ | 0,05 (*) | ►**M32** — ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| | | | | | |
| | | | | | |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213010 | Beetroot | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213020 | Carrots | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213030 | Celeriac | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213040 | Horseradish | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213050 | Jerusalem artichokes | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213060 | Parsnips | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213070 | Parsley root | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213080 | Radishes | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213090 | Salsify | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213100 | Swedes | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213110 | Turnips | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0213990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0220000 | (ii) **Bulb vegetables** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0220010 | Garlic | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0220020 | Onions | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0220030 | Shallots | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0220040 | Spring onions | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0220990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0230000 | (iii) **Fruiting vegetables** | ►M77 — ◄ | | | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0231000 | (a) *Solanacea* | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | | | | ►M107 — ◄ | | |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,1 ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,5 ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,1 ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,1 ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,06** ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,4 ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | | | |
| ►M124 **0,5** (+) ◄ | ►M77 — ◄ | | ►M5 0,1 ◄ | | | | |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | | | |
| ►M124 **0,3** ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | | | |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | | | |
| | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | | ►M11 — ◄ | | |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,06 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** **0,02** (*) ◄ | | | ►**M32** 0,02 (*) ◄ |
| | | | | | |
| | | | | | |
| | ►**M52** **0,01** (*) ◄ | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M77 — ◄ | | ►M97 1,5 ◄ | ►M127 — ◄ | | |
| 0231020 | Peppers | ►M77 — ◄ | | ►M97 **1,5** ◄ | ►M127 — ◄ | | |
| 0231030 | Aubergines (egg plants) | ►M77 — ◄ | | ►M97 1,5 ◄ | ►M127 — ◄ | | |
| 0231040 | Okra, lady's fingers | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0231990 | Others | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0232000 | (b) *Cucurbits — edible peel* | ►M77 — ◄ | | ►M8 — ◄ | ►M127 — ◄ | | |
| 0232010 | Cucumbers | ►M77 — ◄ | | ►M97 0,5 ◄ | ►M127 — ◄ | | |
| 0232020 | Gherkins | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0232030 | Courgettes | ►M77 — ◄ | | ►M97 0,6 ◄ | ►M127 — ◄ | | |
| 0232990 | Others | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0233010 | Melons | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0233020 | Pumpkins | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0233030 | Watermelons | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0233990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0234000 | (d) *Sweet corn* | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0239000 | (e) *Other fruiting vegetables* | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | | |
| 0240000 | (iv) **Brassica vegetables** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0241010 | Broccoli | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0241020 | Cauliflower | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 **0,3** ◄ | ►M77 — ◄ | | ►M5 0,1 ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,6 ◄ |
| ►M124 **0,5** (+) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,04** (+) ◄ | | ►M218 2 ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,6 (+) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 0,3 ◄ |
| ►M124 0,5 ◄ | ►M77 — ◄ | | ►M5 0,05 ◄ | | ►M107 **0,01** (*) ◄ | | |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 0,1 ◄ | | |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | |
| | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 — ◄ | | ►M79 — ◄ |
| ►M124 **0,2** (+) ◄ | ►M77 — ◄ | | | | ►M107 **0,015** (+) ◄ | | ►M218 0,3 ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M107 **0,05** (+) ◄ | | ►M218 0,3 ◄ |
| ►M124 **0,2** (+) ◄ | ►M77 — ◄ | | | | ►M107 **0,015** (+) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,02 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | ►M16 **0,02** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,2** (+) ◄ | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 — ◄ | | |
| | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M200 — ◄ |
| | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M200 — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 0,6 (+)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 3** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 0,2 (+)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 0,01 (*)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 0,01 (*)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** 0,2 ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 0,3** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 (+)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 (+)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 (+)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 (+)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 0,01 (*)** ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159 0,01 (*)** ◄ | | ►**M79** — ◄ |
| ►**M58 0,01 (*)** ◄ | | ►**M46 0,02 (*)** ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** 0,05 ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M146** **0,01** (*) ◄<br>►**M146** 0,01 (*) ◄<br>►**M146** 0,02 (+) ◄<br>►**M146** 0,01 (*) ◄ | | | | | |
| ►**M146** 0,01 (*) ◄ | | | | | |
| ►**M146** 0,01 (*) (+) ◄ | | | | | |
| ►**M49** — ◄<br>►**M49** — ◄<br>►**M49** — ◄ | | | | | |
| ►**M49** — ◄ | | | | | |
| ►**M146** — ◄ | | | | | |
| ►**M146** **0,01** ◄<br>►**M146** 0,01 (*) ◄<br>►**M146** **0,01** ◄ | | | | | |
| ►**M146** 0,01 (*) ◄ | | | | | |
| ►**M146** 0,01 (*) ◄ | | | | | |
| ►**M146** 0,01 (*) ◄ | | | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| | | ►**M9** — ◄ | | | |
| | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0242000 | (b) *Head brassica* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0242010 | Brussels sprouts | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0242020 | Head cabbage | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0242990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0243000 | (c) *Leafy brassica* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0243010 | Chinese cabbage | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0243020 | Kale | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0243990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0244000 | (d) *Kohlrabi* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0251010 | Lamb's lettuce | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0251020 | Lettuce | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0251030 | Scarole (broad-leaf endive) | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0251040 | Cress | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0251050 | Land cress | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0251060 | Rocket, Rucola | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M77 — ◄ | | | | ►M9 — ◄ | | ►M200 — ◄ |
| | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,1 ◄ | | ►M9 — ◄ | | ►M200 — ◄ |
| ►M124 0,15 ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | |
| ►M124 0,06 ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | ►M107 — ◄ | | |
| | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 — ◄ | | ►M200 — ◄ |
| ►M124 0,02 (*) ◄ | ►M77 — ◄ | | | | | | |
| ►M124 0,3 ◄ | ►M77 — ◄ | | | | | | |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | |
| ►M124 0,02 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | ►M200 — ◄ |
| | ►M77 — ◄ | ►M32 — ◄ | ►M16 0,02 (*) ◄ | | | | ►M31 — ◄ |
| ►M124 3 ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | | | | | |
| ►M27 — ◄ | ►M77 — ◄ | | | | ►M107 0,01 (*) ◄ | | ►M218 4 ◄ |
| ►M27 — ◄ | ►M77 — ◄ | | | | ►M107 0,2 (+) ◄ | | ►M218 4 ◄ |
| ►M27 — ◄ | ►M77 — ◄ | | | | ►M107 0,01 (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M27 — ◄ | ►M77 — ◄ | | | | ►M107 0,01 (*) ◄ | | ►M218 4 ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 0,01 (*) ◄ | (**) | ►M218 4 ◄ |
| ►M27 — ◄ | ►M77 — ◄ | | | | ►M107 0,01 (*) ◄ | | ►M218 4 ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 9 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | ►**M9** — ◄<br>►**M9** — ◄ | | | |
| | | ►**M9** — ◄ | | | |
| | | ►**M9** — ◄ | | | |
| | | | | | |
| | | | | | |
| | | ►**M9** — ◄ | | | |
| ►**M49** — ◄ | | | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0251990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0252010 | Spinach | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0252020 | Purslane | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0252030 | Beet leaves (chard) | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0252990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M77 — ◄ | (**) | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0254000 | (d) *Water cress* | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0255000 | (e) *Witloof* | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0256000 | (f) *Herbs* | ►M77 — ◄ | | ►M97 0,02 (*) ◄ | ►M127 — ◄ | ►M52 **0,02** (*) ◄ | ►M116 0,02 (*) ◄ |
| 0256010 | Chervil | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0256020 | Chives | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0256030 | Celery leaves | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0256040 | Parsley | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0256050 | Sage | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0256060 | Rosemary | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0256070 | Thyme | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0256080 | Basil | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 —— ◄<br>►M27 —— ◄ | ►M77 —— ◄<br>►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 0,01 (*) ◄<br>►M107 0,01 (*) ◄ | (**) | ►M218 4 ◄<br>►M218 4 ◄ |
| ►M27 —— ◄ | ►M77 —— ◄ | | | | ►M107 0,01 (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 1,5 ◄ | ►M77 —— ◄ | ►M32 0,01 (*) ◄ | | | ►M107 0,01 (*) ◄ | | ►M218 4 ◄ |
| ►M111 —— ◄<br>►M124 —— ◄<br>►M111 —— ◄ | ►M77 —— ◄<br>►M77 —— ◄<br>►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 (+) ◄<br>►M107 —— ◄<br>►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M111 —— ◄ | ►M77 —— ◄ | | | | ►M107 —— ◄ | | |
| ►M124 0,01 (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 0,01 (*) ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 —— ◄ | ►M32 0,01 (*) ◄ | | | ►M107 0,01 (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,4 ◄ | ►M77 —— ◄ | ►M32 0,01 (*) ◄ | | | ►M107 0,01 (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 3 (+) ◄ | ►M77 —— ◄ | ►M32 0,02 (*) ◄ | | | ►M107 0,02 (*) ◄ | | ►M218 —— ◄ |
| | ►M77 —— ◄<br>►M77 —— ◄<br>►M77 —— ◄<br>►M77 —— ◄ | | | | ►M107 —— ◄<br>►M107 —— ◄<br>►M107 —— ◄<br>►M107 —— ◄ | | ►M218 4 ◄<br>►M218 4 ◄<br>►M218 4 ◄<br>►M218 4 ◄ |
| ►M124 —— ◄<br>►M124 —— ◄<br>►M124 —— ◄<br>►M124 —— ◄ | ►M77 —— ◄<br>►M77 —— ◄<br>►M77 —— ◄<br>►M77 —— ◄ | ►M32 (**) ◄<br>►M32 (**) ◄<br>►M32 (**) ◄<br>►M32 (**) ◄ | ►M5 (**) ◄<br>►M5 (**) ◄<br>►M5 (**) ◄<br>►M5 (**) ◄ | ►M46 —— ◄<br>►M46 —— ◄<br>►M46 —— ◄<br>►M46 —— ◄ | ►M107 —— ◄<br>►M107 —— ◄<br>►M107 —— ◄<br>►M107 —— ◄ | (**)<br>(**)<br>(**)<br>(**) | ►M218 4 ◄<br>►M218 4 ◄<br>►M218 4 ◄<br>►M218 80 ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M159 0,05 ◄<br>►M159 0,05 ◄ | (**) | ►M79 — ◄<br>►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | (**) | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | (**) | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |
| ►M58 0,02 (*) ◄ | | ►M46 0,05 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 ◄ | | ►M79 — ◄ |
| ►M58 — ◄<br>►M58 — ◄<br>►M58 — ◄<br>►M58 — ◄ | (**)<br>(**)<br>(**)<br>(**) | ►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄ | ►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M159 — ◄<br>►M159 — ◄<br>►M159 — ◄<br>►M159 — ◄ | (**)<br>(**)<br>(**)<br>(**) | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M9** — ◄<br>►**M32** (**) ◄<br>►**M9** — ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | ►**M9** — ◄ | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| ►**M146** 0,02 (*) ◄ | ►**M52** **0,02** (*) ◄ | ►**M32** **0,02** (*) ◄ | | | ►**M32** 0,02 (*) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0256100 | Tarragon | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0256990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0260020 | Beans (without pods) | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0260030 | Peas (with pods) | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0260040 | Peas (without pods) | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0260050 | Lentils | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0260990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0270010 | Asparagus | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0270020 | Cardoons | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0270030 | Celery | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0270040 | Fennel | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0270050 | Globe artichokes | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0270060 | Leek | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0270070 | Rhubarb | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0270080 | Bamboo shoots | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0270090 | Palm hearts | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0270990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 4 ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 4 ◄ |
| | ►M77 — ◄ | | | | ►M107 — ◄ | | ►M218 4 ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | | ►M107 — ◄ | | |
| ►M124 0,02 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 0,1 (+) ◄ | | ►M218 2 ◄ |
| ►M124 0,02 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 0,01 (*) ◄ | | ►M218 0,3 ◄ |
| ►M124 0,02 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,1 ◄ | | ►M107 0,1 (+) ◄ | | ►M218 2 ◄ |
| ►M124 0,02 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 0,01 (*) ◄ | | ►M218 0,3 ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 0,01 (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,02 (*) ◄ | | ►M107 0,01 (*) ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | | ►M107 0,01 (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 0,02 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | |
| ►M124 0,05 (+) ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | |
| ►M124 0,03 ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | | | ►M107 — ◄ | | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,8 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,06 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,8 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,06 ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| | | | | | |
| | | | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| | | | | | |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0280010 | Cultivated | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0280020 | Wild | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0280990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0290000 | (ix) **Sea weeds** | ►M77 — ◄ | (**) | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M77 — ◄ | 0,05 (*) | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0300010 | Beans | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0300020 | Lentils | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0300030 | Peas | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0300040 | Lupins | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0300990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M77 — ◄ | 0,05 (*) | ►M97 0,02 (*) ◄ | ►M127 — ◄ | ►M52 **0,02** (*) ◄ | ►M116 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | |
| 0401010 | Linseed | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401020 | Peanuts | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401030 | Poppy seed | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401040 | Sesame seed | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401050 | Sunflower seed | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401060 | Rape seed | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401070 | Soya bean | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 **0,03** ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| | ►M77 — ◄ | | | | | | |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 **0,01** (*) ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 **0,02** (*) ◄ | ►M46 0,05 (*) ◄ | ►M107 — ◄ | 0,01 (*) | ►M31 — ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,05** (+) ◄ | | ►M218 0,5 ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | ►M5 0,1 ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 5 ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M5 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | ►M46 **0,05** (*) ◄ | | 0,01 (*) | |
| ►M124 — ◄ | ►M77 — ◄ | | | ►M46 — ◄ | | | |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,03 ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,1** (*) **(+)** ◄ | ►M77 — ◄ | ►M32 **0,1** ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,2** (+) ◄ | | ►M218 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | (**) | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | 0,01 (*) | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | 0,01 (*) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | 0,01 (*) | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ |
| ►M58 0,02 (+) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| | | | | | |
| | | | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M19** 0,02 (*) ◄ | 0,05 (*) | ►**M32** **0,01** (*) ◄ |
| | | | | | ►**M32** — ◄ |
| | | | | | ►**M32** — ◄ |
| | | | | | ►**M32** — ◄ |
| | | | | | ►**M32** — ◄ |
| | | | | | ►**M32** — ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** **0,02** (*) ◄ | ►**M19** 0,02 (*) ◄ | 0,05 (*) | ►**M32** **0,02** (*) ◄ |
| ►**M49** — ◄ | | ►**M9** — ◄ | | | ►**M32** — ◄ |
| | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401090 | Cotton seed | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401110 | Safflower | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M116 0,01 (*) ◄ |
| 0401120 | Borage | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M116 0,01 (*) ◄ |
| 0401130 | Gold of pleasure | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M116 0,01 (*) ◄ |
| 0401140 | Hempseed | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0401150 | Castor bean | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M116 0,01 (*) ◄ |
| 0401990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0402000 | (ii) **Oilfruits** | ►M77 — ◄ | | | ►M127 — ◄ | | ►M116 0,01 (*) ◄ |
| 0402010 | Olives for oil production | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | |
| 0402020 | Palm nuts (palmoil kernels) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0402030 | Palmfruit | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0402040 | Kapok | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0402990 | Others | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | |
| 0500000 | 5. **CEREALS** | ►M77 — ◄ | 0,05 (*) | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0500010 | Barley | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0500020 | Buckwheat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0500030 | Maize | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0500040 | Millet | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0500050 | Oats | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0500060 | Rice | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0500070 | Rye | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 0,2 ◄ | ►M16 1 ◄ | | ►M107 **0,2 (+)** ◄ | | ►M218 7 ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 **0,01** (*) ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 **0,01** (*) ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 **0,01** (*) ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 **0,01** (*) ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | | ►M16 **0,02** (*) ◄ | ►M46 — ◄ | | | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | | ►M16 **0,05** (*) ◄ | ►M46 — ◄ | | | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 — ◄ | ►M46 0,05 (*) ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,02** (*) ◄ | ►M77 — ◄ | | ►M16 **0,02** (*) ◄ | | ►M107 **0,02** (*) (+) ◄ | | ►M218 0,02 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 **0,02** (*) (+) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M58 **0,01** (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 — ◄ | | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ |
| ►M58 **0,01** (*) ◄ | 0,01 (*) | ►M46 **0,02** (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 **0,01** (*) ◄ | 0,01 (*) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |
| | | | | | |
| ►**M49** — ◄ | | ►**M9** — ◄ | | | ►**M32** — ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | | ►**M9** — ◄ | | | ►**M32** — ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** — ◄ | 0,02 (*) | 0,05 (*) | ►**M32** 0,02 (*) ◄ |
| | | ►**M32** **0,02** ◄ | ►**M19** 0,02 (*) ◄ | | |
| | | ►**M32** **0,01** (*) ◄ | ►**M19** 0,02 (*) ◄ | | |
| | | ►**M32** **0,01** (*) ◄ | ►**M19** 0,02 (*) ◄ | | |
| | | ►**M32** **0,01** (*) ◄ | ►**M19** 0,02 (*) ◄ | | |
| | | ►**M32** **0,01** (*) ◄ | ►**M19** 0,02 (*) ◄ | | |
| | | ►**M32** **0,01** (*) ◄ | ►**M19** **0,05** ◄ | | |
| | | ►**M32** **0,02** ◄ | ►**M19** 0,02 (*) ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0500090 | Wheat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0500990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M77 — ◄ | 0,1 (*) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 0620000 | (ii) **Coffee beans** | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0631000 | (a) *Flowers* | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0631010 | Camomille flowers | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0631020 | Hybiscus flowers | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0631030 | Rose petals | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0631040 | Jasmine flowers | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0631050 | Lime (linden) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0631990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0632000 | (b) *Leaves* | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0632010 | Strawberry leaves | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,2 ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 **0,01** (*) ◄ | | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 **0,05** (*) ◄ | ►M107 **0,05** (*) ◄ | 0,1 (*) | ►M218 — ◄ |
| ►M124 **0,05** (*) ◄ | ►M77 — ◄ | ►M32 — ◄ | ►M5 0,5 ◄ | | | | ►M218 **80** ◄ |
| ►M124 **0,05** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 **0,15** ◄ |
| ►M124 **0,05** (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | | ►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄ | | | ►M79 — ◄<br>►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 **0,05** (*) ◄ | 0,02 (*) | ►M46 0,1 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 **0,05 (*)** ◄ | 0,02 (*) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄<br>►M58 — ◄ | (**)<br>(**) | ►M46 — ◄<br>►M46 — ◄ | ►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄ | ►M159 — ◄<br>►M159 — ◄ | (**)<br>(**) | ►M79 — ◄<br>►M79 — ◄ |
| ►M58 — ◄<br>►M58 — ◄<br>►M58 — ◄ | (**)<br>(**)<br>(**) | ►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄ | ►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M159 — ◄<br>►M159 — ◄<br>►M159 — ◄ | (**)<br>(**)<br>(**) | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | ►**M32** **0,01** (*) ◄<br>►**M32** **0,02** ◄ | ►**M19** 0,02 (*) ◄<br>►**M19** 0,02 (*) ◄ | | |
| | | ►**M32** **0,01** (*) ◄ | ►**M19** 0,02 (*) ◄ | | |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** 0,05 (*) ◄ | ►**M19** 0,05 (*) ◄ | 0,1 (*) | ►**M32** 0,05 (*) ◄ |
| | | | | | |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄<br>►**M49** — ◄ | ►**M52** — ◄<br>►**M52** — ◄ | ►**M32** (**) ◄<br>►**M32** (**) ◄ | (**)<br>(**) | (**)<br>(**) | ►**M32** (**) ◄<br>►**M32** (**) ◄ |
| ►**M49** — ◄<br>►**M49** — ◄<br>►**M49** — ◄ | ►**M52** — ◄<br>►**M52** — ◄<br>►**M52** — ◄ | ►**M32** (**) ◄<br>►**M32** (**) ◄<br>►**M32** (**) ◄ | (**)<br>(**)<br>(**) | (**)<br>(**)<br>(**) | ►**M32** (**) ◄<br>►**M32** (**) ◄<br>►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0632030 | Maté | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0632990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0633000 | (c) *Roots* | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0633010 | Valerian root | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0633020 | Ginseng root | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0633990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M77 — ◄ | 0,1 (*) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M77 — ◄ | (**) | ►M97 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810000 | (i) **Seeds** | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0810010 | Anise | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810020 | Black caraway | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810030 | Celery seed | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810040 | Coriander seed | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810050 | Cumin seed | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810060 | Dill seed | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 0,1 (+) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 0,05 (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 15 (+) ◄ | ►M77 —— ◄ | ►M32 0,05 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 0,05 (*) ◄ | ►M107 0,05 (*) ◄ | 0,1 (*) | ►M218 0,05 (*) ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 0,05 (*) ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 0,05 (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 0,05 (*) ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** **0,05** (*) ◄ | 0,02 (*) | ►**M46** **0,2** (*) ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** **6** **(+)** ◄ | 0,02 (*) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** 0,1 (*) ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** **0,05** (*) ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** 0,05 (*) ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** **0,05** (*) ◄ | ►**M19** 0,05 (*) ◄ | 0,1 (*) | ►**M32** 0,05 (*) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810080 | Fenugreek | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810090 | Nutmeg | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0810990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0820010 | Allspice | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820030 | Caraway | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820040 | Cardamom | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820050 | Juniper berries | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820060 | Pepper, black and white | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820070 | Vanilla pods | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820080 | Tamarind | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0820990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0830000 | (iii) **Bark** | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0830010 | Cinnamon | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0830990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0840010 | Liquorice | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0840020 | Ginger | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 **0,1** (*) **(+)** ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 **0,05** (*) ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 **0,05** (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 **0,05** (*) ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 —— ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 —— ◄ | (**) | ►M79 —— ◄ |
| ►M124 **0,05** (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 **0,05** (*) ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 **0,05** (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 **0,05** (*) ◄ | (**) | ►M200 —— ◄ |
| ►M124 **0,05** (*) ◄ | ►M77 —— ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 —— ◄ | ►M107 **0,05** (*) ◄ | (**) | ►M218 0,05 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 0,05 (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 0,05 (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 0,05 (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 0,05 (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 (*) ◄ | (**) | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M77 — ◄ | (**) | ►M97 (+) ◄ | ►M127 — ◄ | ►M52 **(+)** ◄ | ►M116 (+) ◄ |
| 0840990 | Others | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0850000 | (v) **Buds** | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0850010 | Cloves | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0850020 | Capers | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0850990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0860010 | Saffron | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0860990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0870000 | (vii) **Aril** | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 0870010 | Mace | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0870990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M77 — ◄ | (**) | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 0,01 (*) ◄ | ►M116 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0900020 | Sugar cane | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M116 (+) ◄ |
| 0900030 | Chicory roots | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 0900990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 (+) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 (+) ◄ | (**) | ►M200 — ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 0,05 (*) ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 0,05 (*) ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 0,05 (*) ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 0,05 (*) ◄ | (**) | ►M218 0,05 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 0,05 (*) ◄ | ►M107 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,3 ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,015 ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 (+) ◄ | ►M77 — ◄ | | ►M16 0,02 (*) ◄ | | ►M107 0,01 (*) ◄ | | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M58 (+) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 0,05 (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 0,05 (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 0,05 (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 0,05 (*) ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,05 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | (**) | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 (+) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M146** — ◄ | ►**M52** (+) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 **0,02** (*) ◄ | ►M116 0,01 (*) ◄ |
| 1011000 | (a) *Swine* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1011010 | Meat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1011020 | Fat free of lean meat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1011030 | Liver | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1011040 | Kidney | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1011050 | Edible offal | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1011990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1012000 | (b) *Bovine* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1012010 | Meat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1012020 | Fat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1012030 | Liver | ►M77 — ◄ | | | ►M127 — ◄ | | |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M27** — ◄ | ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M5** 0,02 (*) ◄ | ►**M46** **0,01** (*) ◄ | ►**M11** — ◄ | 0,01 (*) | ►**M31** — ◄ |
| | ►**M77** — ◄ | | | | | | ►**M200** — ◄ |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,01 (*) (+) ◄ |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,3 (+) ◄ |
| ►**M124** **0,05** (*) ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,2 (+) ◄ |
| ►**M124** **0,2** ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,2 (+) ◄ |
| ►**M124** **0,2** ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,2 (+) ◄ |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,01 (*) (+) ◄ |
| | ►**M77** — ◄ | | | | | | ►**M200** — ◄ |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,01 (*) (+) ◄ |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,3 (+) ◄ |
| ►**M124** **0,05** (*) ◄ | ►**M77** — ◄ | | | | | | ►**M218** 0,2 (+) ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►**M58** **0,01** (*) ◄ | | ►**M46** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** 0,01 (*) ◄ | 0,01 (*) | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** (+) ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** (+) ◄ | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |
| | | | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | | | ►**M79** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M9** — ◄ | | 0,05 (*) | ►**M32** — ◄ |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1012050 | Edible offal | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1012990 | Others | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1013000 | (c) *Sheep* | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1013010 | Meat | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1013020 | Fat | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1013030 | Liver | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1013040 | Kidney | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1013050 | Edible offal | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1013990 | Others | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1014000 | (d) *Goat* | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1014010 | Meat | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1014020 | Fat | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1014030 | Liver | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1014040 | Kidney | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1014050 | Edible offal | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1014990 | Others | ►M77 —— ◄ | | | ►M127 —— ◄ | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M77 —— ◄ | (**) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ |
| 1015010 | Meat | ►M77 —— ◄ | (**) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ |
| 1015020 | Fat | ►M77 —— ◄ | (**) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ |
| 1015030 | Liver | ►M77 —— ◄ | (**) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 0,3 ◄ | ►M77 — ◄ | | | | | | ►M218 0,2 (+) ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | | | | | | ►M218 0,2 (+) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,01 (*) (+) ◄ |
| | ►M77 — ◄ | | | | | | ►M200 — ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,01 (*) (+) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,3 (+) ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,2 (+) ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | | | | | | ►M218 0,2 (+) ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | | | | | | ►M218 0,2 (+) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,01 (*) (+) ◄ |
| | ►M77 — ◄ | | | | | | ►M200 — ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,01 (*) (+) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,3 (+) ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,2 (+) ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | | | | | | ►M218 0,2 (+) ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | | | | | | ►M218 0,2 (+) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 0,01 (*) (+) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,3 ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,2 ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| | | | ►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄ | | | ►M79 — ◄<br>►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | | | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 (+) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄<br>►M58 — ◄<br>►M58 — ◄ | (**)<br>(**)<br>(**) | ►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄ | ►M145 — ◄<br>►M145 — ◄<br>►M145 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M77 — ◄<br>►M77 — ◄<br>►M77 — ◄ | ►M159 — ◄<br>►M159 — ◄<br>►M159 — ◄ | (**)<br>(**)<br>(**) | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1015050 | Edible offal | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1015990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1016010 | Meat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1016020 | Fat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1016030 | Liver | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1016040 | Kidney | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1016050 | Edible offal | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1016990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1017000 | (g) *Other farm animals* | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1017010 | Meat | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1017020 | Fat | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1017030 | Liver | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1017040 | Kidney | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1017050 | Edible offal | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1017990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 0,3 ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,2 ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,2 ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| | ►M77 — ◄ | | | | | | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 (+) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 (+) ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | | | | | | ►M218 (+) ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | | | | | | |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | | | | | | |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | | | | | | |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M79 — ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,3 ◄ |
| ►M124 0,05 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,2 ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,2 ◄ |
| ►M124 0,3 ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,2 ◄ |
| ►M124 0,01 (*) ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 0,01 (*) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 (+) ◄ | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 (+) ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| | | | | | |
| | | | | | |
| | | | | | |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 **0,02** (*) ◄ | ►M116 0,01 (*) ◄ |
| 1020010 | Cattle | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1020020 | Sheep | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1020030 | Goat | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1020040 | Horse | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1020990 | Others | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M77 — ◄ | | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 **0,02** (*) ◄ | ►M116 0,01 (*) ◄ |
| 1030010 | Chicken | ►M77 — ◄ | | | ►M127 — ◄ | | |
| 1030020 | Duck | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1030030 | Goose | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,02 (*) ◄ | ►M46 **0,01** (*) ◄ | ►M11 — ◄ | 0,01 (*) | ►M218 0,05 (+) ◄ |
| | ►M77 — ◄ | | | | | | ►M218 (+) ◄ |
| | ►M77 — ◄ | | | | | | ►M218 (+) ◄ |
| | ►M77 — ◄ | | | | | | ►M218 (+) ◄ |
| | ►M77 — ◄ | | | | | | ►M218 (+) ◄ |
| ►M124 **0,01** (*) ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,02 (*) ◄ | ►M46 **0,01** (*) ◄ | ►M11 — ◄ | 0,01 (*) | ►M218 0,01 (*) (+) ◄ |
| | ►M77 — ◄ | | | | | | ►M218 (+) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 (+) ◄ |
| ►M124 — ◄ | ►M77 — ◄ | ►M32 (**) ◄ | ►M5 (**) ◄ | ►M46 — ◄ | ►M107 — ◄ | (**) | ►M218 (+) ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) (+) ◄ | 0,01 (*) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 0,01 (*) ◄ | | ►M46 0,02 (*) ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 0,01 (*) (+) ◄ | 0,01 (*) | ►M79 — ◄ |
| | | | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | | | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |
| ►M58 — ◄ | (**) | ►M46 — ◄ | ►M145 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | (**) | ►M79 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M9** — ◄ | | 0,05 (*) | ►**M32** — ◄ |
| | | | | | |
| | | | | | |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M9** — ◄ | | 0,05 (*) | ►**M32** — ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1030990 | Others | ►M77 — ◄ | (**) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ |
| 1040000 | (iv) **Honey** | ►M77 — ◄ | (**) | ►M97 0,05 (*) ◄ | ►M127 — ◄ | ►M52 **0,05** (*) ◄ | ►M116 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M77 — ◄ | (**) | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 **0,02** (*) ◄ | ►M116 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►M77 — ◄ | (**) | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 **0,02** (*) ◄ | ►M116 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M77 — ◄ | (**) | ►M97 0,01 (*) ◄ | ►M127 — ◄ | ►M52 **0,02** (*) ◄ | ►M116 0,01 (*) ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M124** — ◄ | ►**M77** — ◄ | ►**M32** (**) ◄ | ►**M5** (**) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | (**) | ►**M218** (+) ◄ |
| ►**M124** — ◄ | ►**M77** — ◄ | ►**M32** (**) ◄ | ►**M5** (**) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | (**) | ►**M218** (+) ◄ |
| ►**M124** **0,05** (*) ◄ | ►**M77** — ◄ | ►**M32** (**) ◄ | ►**M5** (**) ◄ | ►**M46** **0,05** (*) ◄ | ►**M107** — ◄ | (**) | ►**M218** 0,05 (*) ◄ |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M32** (**) ◄ | ►**M5** (**) ◄ | ►**M46** **0,01** (*) ◄ | ►**M107** — ◄ | (**) | ►**M218** 0,01 (*) ◄ |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M32** (**) ◄ | ►**M5** (**) ◄ | ►**M46** **0,01** (*) ◄ | ►**M107** — ◄ | (**) | ►**M218** 0,01 (*) ◄ |
| ►**M124** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M32** (**) ◄ | ►**M5** (**) ◄ | ►**M46** **0,01** (*) ◄ | ►**M107** — ◄ | (**) | ►**M218** 0,01 (*) ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** — ◄ | (**) | ►**M46** — ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | (**) | ►**M79** — ◄ |
| ►**M58** **0,05** (*) ◄ | (**) | ►**M46** **0,05** (*) ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** 0,05 (*) ◄ | (**) | ►**M79** — ◄ |
| ►**M58** **0,01** (*) ◄ | (**) | ►**M46** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** **0,01** **(*)** **(+)** ◄ | (**) | ►**M79** — ◄ |
| ►**M58** **0,01** (*) ◄ | (**) | ►**M46** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** **0,01** **(*)** **(+)** ◄ | (**) | ►**M79** — ◄ |
| ►**M58** **0,01** (*) ◄ | (**) | ►**M46** **0,02** (*) ◄ | ►**M145** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** **0,01** **(*)** **(+)** ◄ | (**) | ►**M79** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M49** — ◄ | ►**M52** — ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,05 (*) ◄ | ►**M52** **0,05** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |
| ►**M146** 0,01 (*) ◄ | ►**M52** **0,01** (*) ◄ | ►**M32** (**) ◄ | (**) | (**) | ►**M32** (**) ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼ ▲M148 Penconazole (sum of constituent isomers) [F] ▼ | ▼ ▲M216 Pendimethalin [F] ▼ | ▼ ▲M91 Pethoxamid ▼ | ▼ ▲M84 Phenmedipham ▼ | ▼ ▲M32 Phorate (sum of phorate, its oxygen analogue xand their sulfones expressed as phorate) ▼ | Phosphamidon | ▼ ▲M154 Picolinafen ▼ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | | ►M216 0,05 (*) ◄ | ►M91 0,01 (*) ◄ | | ►M32 — ◄ | 0,01 (*) | ►M154 0,01 (*) ◄ |
| 0110000 | (i) **Citrus fruit** | ►M148 0,01 (*) ◄ | | | ►M84 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | | |
| 0110010 | Grapefruit | | | | | | | |
| 0110020 | Oranges | | | | | | | |
| 0110030 | Lemons | | | | | | | |
| 0110040 | Limes | | | | | | | |
| 0110050 | Mandarins | | | | | | | |
| 0110990 | Others | | | | | | | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M148 0,01 (*) ◄ | | | ►M84 **0,01** (*) ◄ | ►M32 **0,02** (*) ◄ | | |

▼M2

| ▼ ▲**M145** — | ▼ ▲**M87** Pirimiphos-methyl (F) ▼ | ▲**M156** Prochloraz (sum of prochloraz, BTS 44595 (M201-04) and BTS 44596 (M201-03), expressed as prochloraz) (F) ▼ | ▼ ▲**M64** — | ▼ ▲**M209** Profenofos (F) ▼ | ▲**M172** Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium) ▼ | ▼ ▲**M166** — | ▼ ▲**M184** — |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►**M145** — ◄ | ►**M87** **0,01** (*) ◄ | | ►**M64** — ◄ | ►**M11** — ◄ | ►**M73** — ◄ | ►**M166** — ◄ | ►**M184** — ◄ |
| ►**M145** — ◄ | | ►**M156** **0.03** (*) ◄ | ►**M64** — ◄ | ►**M209** 0,01 (*) ◄ | ►**M172** 0.01 (*) ◄ | ►**M166** — ◄ | ►**M184** — ◄ |
| ►**M145** — ◄ | ►**M87** — ◄ | | ►**M64** — ◄ | | | ►**M166** — ◄ | ►**M184** — ◄ |
| ►**M145** — ◄ | ►**M87** — ◄ | | ►**M64** — ◄ | | | ►**M166** — ◄ | ►**M184** — ◄ |
| ►**M145** — ◄ | ►**M87** — ◄ | | ►**M64** — ◄ | | | ►**M166** — ◄ | ►**M184** — ◄ |
| ►**M145** — ◄ | ►**M87** — ◄ | | ►**M64** — ◄ | | | ►**M166** — ◄ | ►**M184** — ◄ |
| ►**M145** — ◄ | ►**M87** — ◄ | | ►**M64** — ◄ | | | ►**M166** — ◄ | ►**M184** — ◄ |
| ►**M145** — ◄ | ►**M87** — ◄ | ►**M156** **0.03** (*) ◄ | ►**M64** — ◄ | ►**M209** 0,02 (*) ◄ | ►**M172** 0.01 (*) ◄ | ►**M166** — ◄ | ►**M184** — ◄ |

▼M2

| ▼ ▲**M200** — | ▲**M59** Propoxycarbazone (A) (propoxycarbazone, its salts and 2-hydroxypropoxycarbazone expressed as propoxycarbazone) ▼ | ▼ ▲**M67** Propyzamide (F) (R) | ▼ ▲**M58** Prosulfuron | ▼ ▲**M166** — | ▼ ▲**M196** Pyraclostrobin (F) | ▲**M154** Pyraflufen-ethyl (Sum of pyraflufen-ethyl and pyraflufen, expressed as pyraflufen-ethyl) ▼ | ▼ ▲**M77** — |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | | ►**M154** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** **0,02** (*) ◄ | ►**M67** 0,01 (*) ◄ | ►**M58** **0,01** (*) ◄ | ►**M166** — ◄ | ►**M196** 2 ◄ | ►**M154** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | | | | ►**M166** — ◄ | ►**M149** — ◄ | | ►**M77** — ◄ |
| ►**M200** — ◄ | | | | ►**M166** — ◄ | ►**M149** — ◄ | | ►**M77** — ◄ |
| ►**M200** — ◄ | | | | ►**M166** — ◄ | ►**M149** — ◄ | | ►**M77** — ◄ |
| ►**M200** — ◄ | | | | ►**M166** — ◄ | ►**M149** — ◄ | | ►**M77** — ◄ |
| ►**M200** — ◄ | | | | ►**M166** — ◄ | ►**M149** — ◄ | | ►**M77** — ◄ |
| ►**M200** — ◄ | | | | ►**M166** — ◄ | ►**M149** — ◄ | | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** **0,05** (*) ◄ | | ►**M58** 0,02 (*) ◄ | ►**M166** — ◄ | | ►**M154** — ◄ | ►**M77** — ◄ |

▼**M2**

| ▲**M211** Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenyl-pyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate) ▼ | ▼ ▲**M133** Pyrimethanil [K] | ▼ ▲**M77** — | ▼ ▲**M47** Quinoxyfen [F] | ▼ ▲**M32** Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene) [F] | ▼ ▲**M77** — |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M77** — ◄ |
| | ►**M133** 8 ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** **0,05** (*) ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | | | | | | | |
| 0120020 | Brazil nuts | | | | | | | |
| 0120030 | Cashew nuts | | | | | | | |
| 0120040 | Chestnuts | | | | | | | |
| 0120050 | Coconuts | | | | | | | |
| 0120060 | Hazelnuts | | | | | | | |
| 0120070 | Macadamia | | | | | | | |
| 0120080 | Pecans | | | | | | | |
| 0120090 | Pine nuts | | | | | | | |
| 0120100 | Pistachios | | | | | | | |
| 0120110 | Walnuts | | | | | | | |
| 0120990 | Others | | | | | | | |
| 0130000 | (iii) **Pome fruit** | ►**M148** — ◄ | | | ►**M84** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | | |
| 0130010 | Apples | ►**M148** 0,15 (+) ◄ | | | | | | |
| 0130020 | Pears | ►**M148** 0,15 (+) ◄ | | | | | | |
| 0130030 | Quinces | ►**M148** 0,15 (+) ◄ | | | | | | |
| 0130040 | Medlar | ►**M148** 0,15 (+) ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 0130050 | Loquat | ►**M148** 0,07 (+) ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 0130990 | Others | ►**M148** 0,01 (*) ◄ | | | | | | |
| 0140000 | (iv) **Stone fruit** | | | | ►**M84** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | | |
| 0140010 | Apricots | ►**M148** 0,08 (+) ◄ | | | | | | |
| 0140020 | Cherries | ►**M148** 0,15 (+) ◄ | | | | | | |
| 0140030 | Peaches | ►**M148** 0,15 (+) ◄ | | | | | | |
| 0140040 | Plums | ►**M148** 0,09 (+) ◄ | | | | | | |
| 0140990 | Others | ►**M148** 0,01 (*) ◄ | | | | | | |
| 0150000 | (v) **Berries & small fruit** | | | | | ►**M32** **0,01** (*) ◄ | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 **0.03 (*)** ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.1 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 **0.03 (*)** ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M101 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | ►M172 0.4 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | ►M172 0.05 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 **0.03 (*)** ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | | ►M67 0,02 ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,02 ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,02 ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 1 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,02 ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,02 ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | ►M196 0,5 ◄ | ►M154 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,02 ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | ►M154 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 1 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 3 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,3 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,8 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | ►M59 — ◄ | ►M77 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M133** 0,2 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,2 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,02 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 15 ◄ | ►**M77** — ◄ | | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| | | ►**M77** — ◄ | ►**M47** 0,05 ◄ | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| | ►**M133** 10 ◄ | ►**M77** — ◄ | ►**M47** 0,05 ◄ | | ►**M77** — ◄ |
| | ►**M133** 4 ◄ | ►**M77** — ◄ | ►**M47** 0,3 ◄ | | ►**M77** — ◄ |
| | ►**M133** 10 ◄ | ►**M77** — ◄ | ►**M47** 0,05 ◄ | | ►**M77** — ◄ |
| | ►**M133** 2 ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M148 0,5 (+) ◄ | | | ►M84 **0,01** (*) ◄ | | | |
| 0151010 | Table grapes | | | | | | | |
| 0151020 | Wine grapes | | | | | | | |
| 0152000 | (b) *Strawberries* | ►M148 **0,5** ◄ | ►M154 — ◄ | | ►M84 **0,3** (+) ◄ | | | |
| 0153000 | (c) *Cane fruit* | ►M72 — ◄ | | | ►M84 **0,01** (*) ◄ | | | |
| 0153010 | Blackberries | ►M148 0,1 (+) ◄ | | | | | | |
| 0153020 | Dewberries | ►M148 0,01 (*) ◄ | | | | | | |
| 0153030 | Raspberries | ►M148 0,1 (+) ◄ | | | | | | |
| 0153990 | Others | ►M148 0,01 (*) ◄ | | | | | | |
| 0154000 | (d) *Other small fruit & berries* | | | | ►M84 **0,01** (*) ◄ | | | |
| 0154010 | Blueberries | ►M148 0,01 (*) ◄ | | | | | | |
| 0154020 | Cranberries | ►M148 0,01 (*) ◄ | | | | | | |
| 0154030 | Currants (red, black and white) | ►M148 **2** ◄ | | | | | | |
| 0154040 | Gooseberries | ►M148 0,1 (+) ◄ | | | | | | |
| 0154050 | Rose hips | ►M148 0,01 (*) ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0154060 | Mulberries | ►M148 0,01 (*) ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M148 0,01 (*) ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0154080 | Elderberries | ►M148 0,01 (*) ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0154990 | Others | ►M148 0,01 (*) ◄ | | | | | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | | | ►M64 — ◄ | | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | ►M172 0.15 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | ►M154 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 2 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 1,5 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M40 —— ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 2 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 2 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M40 —— ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 4 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 3 ◄ | ►M154 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 3 ◄ | ►M154 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 3 ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 3 ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 3 ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 3 ◄ | ►M154 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 3 ◄ | | ►M77 —— ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M133** 5 ◄ | ►**M77** — ◄ | ►**M47** 1 ◄ | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 5 ◄ | ►**M77** — ◄ | ►**M47** 0,3 ◄ | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | ►**M133** 15 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 15 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M75** — ◄ | ►**M77** — ◄ | ►**M47** 2 ◄ | | ►**M77** — ◄ |
| | ►**M133** 8 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 5 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 5 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 5 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 5 ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 5 ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 15 ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 5 ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| | ►**M133** 5 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M148 0,01 (*) ◄ | | | ►M84 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | | |
| 0161000 | (a) *Edible peel* | | | | | | | |
| 0161010 | Dates | | | | | | | |
| 0161020 | Figs | | | | | | | |
| 0161030 | Table olives | | | | | | | |
| 0161040 | Kumquats | | | | | | | |
| 0161050 | Carambola | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0161060 | Persimmon | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0161070 | Jambolan (java plum) | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0161990 | Others | | | | | | | |
| 0162000 | (b) *Inedible peel, small* | | | | | | | |
| 0162010 | Kiwi | | | | | | | |
| 0162020 | Lychee (Litchi) | | | | | | | |
| 0162030 | Passion fruit | | | | | | | |
| 0162040 | Prickly pear (cactus fruit) | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0162050 | Star apple | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0162990 | Others | | | | | | | |
| 0163000 | (c) *Inedible peel, large* | | | | | | | |
| 0163010 | Avocados | | | | | | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | | | ►M64 — ◄ | | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 10 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 7 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 7 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 7 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 7 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 7 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 7 (+) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | ►M154 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M149 — ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,2 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,2 ◄ | | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M51 — ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,02 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M67 — ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M133 15 ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | | | | | | | |
| 0163030 | Mangoes | | | | | | | |
| 0163040 | Papaya | | | | | | | |
| 0163050 | Pomegranate | | | | | | | |
| 0163060 | Cherimoya | ►**M148** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 0163070 | Guava | ►**M148** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 0163080 | Pineapples | | | | | | | |
| 0163090 | Bread fruit | ►**M148** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 0163100 | Durian | ►**M148** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 0163110 | Soursop (guanabana) | ►**M148** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 0163990 | Others | | | | | | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | ►**M91** — ◄ | | ►**M32** — ◄ | 0,01 (*) | ►**M66** — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►**M148** 0,01 (*) ◄ | | ►**M91** 0,01 (*) ◄ | | ►**M32** **0,01** (*) ◄ | | ►**M154** 0,01 (*) ◄ |
| 0211000 | (a) *Potatoes* | | ►**M216** 0,05 (*) ◄ | | ►**M84** **0,01** (*) ◄ | | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | ►**M216** 0,05 (*) ◄ | | ►**M84** **0,01** (*) ◄ | | | |
| 0212010 | Cassava | | | | | | | |
| 0212020 | Sweet potatoes | | | | | | | |
| 0212030 | Yams | | | | | | | |
| 0212040 | Arrowroot | ►**M148** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 0212990 | Others | | | | | | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | | ►M156 **0.03** (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 **0.03** (*) ◄ | ►M64 — ◄ | ►M209 0,2 ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 **7** (+) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 **7** (+) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 **7** (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 **7** (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 **0.03** (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 **7** (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 **7** (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 **7** (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 **0.03** (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M11 — ◄ | ►M73 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 **0,01** (*) ◄ | ►M156 **0.03** (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,6 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,07 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,3 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | | ►M58 — ◄ | ►M166 — ◄ | | ►M154 0,02 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M154 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M133** 0,1 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | | | | | |
| 0213010 | Beetroot | | ►M216 0,05 (*) ◄ | | ►M84 **0,15** (+) ◄ | | | |
| 0213020 | Carrots | | ►M216 0,7 ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213030 | Celeriac | | ►M216 0,2 ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213040 | Horseradish | | ►M216 0,7 ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213050 | Jerusalem artichokes | | ►M216 0,05 (*) ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213060 | Parsnips | | ►M216 0,7 ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213070 | Parsley root | | ►M216 0,7 ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213080 | Radishes | | ►M216 0,05 (*) ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213090 | Salsify | | ►M216 0,7 ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213100 | Swedes | | ►M216 0,4 ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213110 | Turnips | | ►M216 0,4 ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0213990 | Others | | ►M216 0,05 (*) ◄ | | ►M84 **0,01** (*) ◄ | | | |
| 0220000 | (ii) **Bulb vegetables** | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 **0,02** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 0220010 | Garlic | | ►M154 — ◄ | | | | | |
| 0220020 | Onions | | ►M154 — ◄ | | | | | |
| 0220030 | Shallots | | ►M154 — ◄ | | | | | |
| 0220040 | Spring onions | | | | | | | |
| 0220990 | Others | | | | | | | |
| 0230000 | (iii) **Fruiting vegetables** | | ►M216 0,05 (*) ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 0231000 | (a) *Solanacea* | | | | | | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 **0,5** ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 **0,5** ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,06 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 **0,5** ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 **0,5** ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 **0,5** ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 **0,5** ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 **0,5** ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | | | ►M166 — ◄ | ►M196 0,3 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 1,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,3 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 1,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 — ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | | | ►M77 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 1 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** — ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M67** — ◄ | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** **0,05** (*) ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,2 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 1 ◄ | ►**M133** 3 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M148 0,1 (+) ◄ | ►M154 — ◄ | | | | | |
| 0231020 | Peppers | ►M148 **0,2** ◄ | ►M154 — ◄ | | | | | |
| 0231030 | Aubergines (egg plants) | ►M148 0,1 (+) ◄ | ►M154 — ◄ | | | | | |
| 0231040 | Okra, lady's fingers | ►M148 0,01 (*) ◄ | | | | | | |
| 0231990 | Others | ►M148 0,01 (*) ◄ | | | | | | |
| 0232000 | (b) *Cucurbits — edible peel* | ►M148 0,06 ◄ | ►M154 — ◄ | | | | | |
| 0232010 | Cucumbers | | | | | | | |
| 0232020 | Gherkins | | | | | | | |
| 0232030 | Courgettes | | | | | | | |
| 0232990 | Others | | | | | | | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M148 **0,15** ◄ | ►M154 — ◄ | | | | | |
| 0233010 | Melons | | | | | | | |
| 0233020 | Pumpkins | ►M148 (+) ◄ | | | | | | |
| 0233030 | Watermelons | ►M148 (+) ◄ | | | | | | |
| 0233990 | Others | | | | | | | |
| 0234000 | (d) *Sweet corn* | ►M148 0,01 (*) ◄ | | | | | | |
| 0239000 | (e) *Other fruiting vegetables* | ►M148 0,01 (*) ◄ | | | | | | |
| 0240000 | (iv) **Brassica vegetables** | ►M148 0,01 (*) ◄ | ►M26 — ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | | ►M216 0,05 (*) ◄ | | | | | |
| 0241010 | Broccoli | | | | | | | |
| 0241020 | Cauliflower | | | | | | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M209 10 ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M209 0,01 (*) (+) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,5 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,02 (*) ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,02 (*) ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,5 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | ►M40 —— ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | ►M40 —— ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,02 ◄ | | ►M166 —— ◄ | ►M40 —— ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | ►M40 —— ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,5 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,02 ◄ | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | ►M196 0,04 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | ►M196 0,02 (*) ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 0,02 (*) ◄ | ►M67 —— ◄ | ►M58 **0,01** (*) ◄ | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,02 ◄ | | ►M166 —— ◄ | ►M196 0,5 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M133** 1 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 2 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 1 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** **0,8** ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** 0,05 ◄ | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** — ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0241990 | Others | | | | | | | |
| 0242000 | (b) *Head brassica* | | ►M216 0,05 (*) ◄ | | | | | |
| 0242010 | Brussels sprouts | | | | | | | |
| 0242020 | Head cabbage | | | | | | | |
| 0242990 | Others | | | | | | | |
| 0243000 | (c) *Leafy brassica* | | ►M216 0,5 ◄ | | | | | |
| 0243010 | Chinese cabbage | | | | | | | |
| 0243020 | Kale | | | | | | | |
| 0243990 | Others | | | | | | | |
| 0244000 | (d) *Kohlrabi* | | ►M216 0,3 ◄ | | | | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M148 — ◄ | ►M26 — ◄ | | | | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M148 0,01 (*) ◄ | ►M67 — ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 0251010 | Lamb's lettuce | | ►M216 0,6 ◄ | | | | | |
| 0251020 | Lettuce | | ►M216 4 ◄ | | | | | |
| 0251030 | Scarole (broad-leaf endive) | | ►M216 0,05 (*) ◄ | | | | | |
| 0251040 | Cress | | ►M216 0,6 ◄ | | | | | |
| 0251050 | Land cress | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0251060 | Rocket, Rucola | | ►M216 0,6 ◄ | | | | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M43 — ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,4 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,02 (*) ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | ►M196 1,5 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,01 (*) ◄ | | ►M166 —— ◄ | ►M196 0,02 (*) ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 0,02 (*) ◄ | | ►M58 **0,01** (*) ◄ | ►M166 —— ◄ | ►M5 —— ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,6 (+) ◄ | | ►M166 —— ◄ | ►M196 10 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,6 (+) ◄ | | ►M166 —— ◄ | ►M196 2 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,6 (+) ◄ | | ►M166 —— ◄ | ►M196 0,4 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,2 (+) ◄ | | ►M166 —— ◄ | ►M196 10 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 0,01 (*) ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 10 ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 0,2 (+) ◄ | | ►M166 —— ◄ | ►M196 10 ◄ | | ►M77 —— ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M67** — ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 1,5 ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,2 ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M37** — ◄ | | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | | ►**M77** — ◄ | | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 20 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 20 ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | | ►M216 0,6 ◄ | | | | | |
| 0251990 | Others | | ►M216 0,05 (*) ◄ | | | | | |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 0,01 (*) ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 0252010 | Spinach | | | | ►M84 **0,3** (+) ◄ | | | |
| 0252020 | Purslane | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 **0,01** (*) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0252030 | Beet leaves (chard) | | | | ►M84 **0,3** (+) ◄ | | | |
| 0252990 | Others | | | | ►M84 **0,01** (*) ◄ | | | |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,01 (*) ◄ |
| 0254000 | (d) *Water cress* | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 0255000 | (e) *Witloof* | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 0256000 | (f) *Herbs* | ►M148 0,02 (*) ◄ | | ►M91 **0,02** (*) ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | | ►M154 0,02 (*) ◄ |
| 0256010 | Chervil | | ►M216 0,6 ◄ | | ►M84 7 (+) ◄ | | | |
| 0256020 | Chives | | ►M216 0,6 ◄ | | ►M84 7 (+) ◄ | | | |
| 0256030 | Celery leaves | | ►M216 0,6 ◄ | | ►M84 7 (+) ◄ | | | |
| 0256040 | Parsley | | ►M216 2 ◄ | | ►M84 7 (+) ◄ | | | |
| 0256050 | Sage | ►M148 — ◄ | ►M216 2 ◄ | ►M91 — ◄ | ►M84 7 (+) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0256060 | Rosemary | ►M148 — ◄ | ►M216 0,6 ◄ | ►M91 — ◄ | ►M84 7 (+) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0256070 | Thyme | ►M148 — ◄ | ►M216 0,6 ◄ | ►M91 — ◄ | ►M84 7 (+) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0256080 | Basil | ►M148 — ◄ | ►M216 0,6 ◄ | ►M91 — ◄ | ►M84 7 (+) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,02 (*) ◄ | ►M156 0.06 (*) ◄ | ►M64 — ◄ | ►M209 0,03 (+) ◄ | ►M172 0.02 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M209 (+) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M209 (+) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M209 (+) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M209 (+) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,01 (*) ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 10 ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,2 (+) ◄ | | ►M166 — ◄ | ►M196 10 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 10 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 — ◄ | | ►M166 — ◄ | ►M196 0,6 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 — ◄ | | ►M166 — ◄ | ►M196 1,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 — ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | ►M196 0,09 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 **0,05** (*) ◄ | ►M67 0,2 (+) ◄ | ►M58 0,02 (*) ◄ | ►M166 — ◄ | ►M196 2 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M67** —— ◄ | ►**M133** 0,01 (*) ◄<br>►**M133** 20 ◄ | ►**M77** —— ◄<br>►**M77** —— ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** —— ◄<br>►**M77** —— ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** —— ◄ | | | ►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** —— ◄ | | ►**M32** 0,02 (*) ◄ | ►**M77** —— ◄ |
| ►**M67** —— ◄ | ►**M51** —— ◄ | ►**M77** —— ◄<br>►**M77** —— ◄<br>►**M77** —— ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** —— ◄<br>►**M77** —— ◄<br>►**M77** —— ◄ |
| | | ►**M77** —— ◄ | | | ►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** —— ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** —— ◄ | | ►**M32** 0,02 (*) ◄ | ►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,01 (*) ◄ | ►**M77** —— ◄ | | ►**M32** 0,02 (*) ◄ | ►**M77** —— ◄ |
| | ►**M133** 20 ◄ | ►**M77** —— ◄ | | ►**M32** **0,05** (*) ◄ | ►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄<br>►**M211** **1,5** ◄<br>►**M211** 0,3 ◄<br>►**M211** 0,05 (*) ◄ | | ►**M77** —— ◄<br>►**M77** —— ◄<br>►**M77** —— ◄<br>►**M77** —— ◄ | | | ►**M77** —— ◄<br>►**M77** —— ◄<br>►**M77** —— ◄<br>►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M51** —— ◄ | ►**M77** —— ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M51** —— ◄ | ►**M77** —— ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M51** —— ◄ | ►**M77** —— ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** —— ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M51** —— ◄ | ►**M77** —— ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** —— ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M148 — ◄ | ►M216 0,6 ◄ | ►M91 — ◄ | ►M84 **7 (+)** ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0256100 | Tarragon | ►M148 — ◄ | ►M216 0,6 ◄ | ►M91 — ◄ | ►M84 **0,3 (+)** ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0256990 | Others | | ►M216 0,6 ◄ | | ►M84 **0,02** (*) ◄ | | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M148 0,01 (*) ◄ | ►M216 — ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | | | ►M154 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | | ►M216 **0,06** ◄ | | | ►M32 **0,05** ◄ | | |
| 0260020 | Beans (without pods) | | ►M216 0,05 (*) ◄ | | | ►M32 **0,05** ◄ | | |
| 0260030 | Peas (with pods) | | ►M216 **0,09** ◄ | | | ►M32 **0,01** (*) ◄ | | |
| 0260040 | Peas (without pods) | | ►M216 0,05 (*) ◄ | | | ►M32 **0,01** (*) ◄ | | |
| 0260050 | Lentils | | ►M216 0,05 (*) ◄ | | | ►M32 **0,01** (*) ◄ | | |
| 0260990 | Others | | ►M216 0,05 (*) ◄ | | | ►M32 **0,01** (*) ◄ | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | | ►M5 — ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 **0,01** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 0270010 | Asparagus | ►M148 0,01 (*) ◄ | ►M216 0,1 ◄ | | ►M84 — ◄ | | | |
| 0270020 | Cardoons | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | | ►M84 — ◄ | | | |
| 0270030 | Celery | ►M148 0,01 (*) ◄ | ►M216 0,1 ◄ | | ►M84 — ◄ | | | |
| 0270040 | Fennel | ►M148 0,01 (*) ◄ | ►M216 0,1 ◄ | | ►M84 — ◄ | | | |
| 0270050 | Globe artichokes | ►M148 **0,06** ◄ | ►M216 0,05 (*) ◄ | | ►M84 — ◄ | | | |
| 0270060 | Leek | ►M148 0,01 (*) ◄ | ►M216 **0,3** ◄ | | ►M84 — ◄ | | | |
| 0270070 | Rhubarb | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | | ►M84 — ◄ | | | |
| 0270080 | Bamboo shoots | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0270090 | Palm hearts | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0270990 | Others | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | | ►M84 — ◄ | | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M209 (+) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | ►M122 — ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,6 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,3 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,6 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,15 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 — ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,02 ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 1,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 1,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,02 ◄ | | ►M166 — ◄ | ►M196 3 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,8 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,01 (*) ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,01 (*) ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,02 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M211 0,05 (*) ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M133 3 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 3 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,2 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,3 ◄ | | ►M77 — ◄ |
| ►M211 1 ◄ | ►M133 4 ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►**M148** 0,01 (*) ◄ | ►**M216** 0,05 (*) ◄ | ►**M91** 0,01 (*) ◄ | ►**M84** **0,01** (*) ◄ | ►**M32** **0,01** (*) ◄ | | ►**M154** 0,01 (*) ◄ |
| 0280010 | Cultivated | | | | | | | |
| 0280020 | Wild | | | | | | | |
| 0280990 | Others | | | | | | | |
| 0290000 | (ix) **Sea weeds** | ►**M148** — ◄ | ►**M216** 0,05 (*) ◄ | ►**M91** 0,01 (*) ◄ | ►**M84** **0,01** (*) ◄ | ►**M32** (**) ◄ | (**) | ►**M154** 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►**M148** 0,01 (*) ◄ | ►**M216** 0,15 ◄ | ►**M91** 0,01 (*) ◄ | ►**M84** **0,01** (*) ◄ | ►**M32** — ◄ | 0,01 (*) | ►**M154** 0,05 (*) ◄ |
| 0300010 | Beans | | | | | ►**M32** **0,05** ◄ | | |
| 0300020 | Lentils | | | | | ►**M32** **0,01** (*) ◄ | | |
| 0300030 | Peas | | | | | ►**M32** **0,01** (*) ◄ | | |
| 0300040 | Lupins | | | | | ►**M32** **0,01** (*) ◄ | | |
| 0300990 | Others | | | | | ►**M32** **0,01** (*) ◄ | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►**M148** 0,01 (*) ◄ | ►**M216** 0,05 (*) ◄ | ►**M91** 0,01 (*) ◄ | ►**M84** **0,01** (*) ◄ | | 0,01 (*) | ►**M154** 0,01 (*) ◄ |
| 0401000 | (i) **Oilseeds** | | ►**M67** — ◄ | | ►**M84** — ◄ | | | ►**M66** — ◄ |
| 0401010 | Linseed | | | | | ►**M32** **0,02** (*) ◄ | | |
| 0401020 | Peanuts | | | | | ►**M32** **0,02** (*) ◄ | | |
| 0401030 | Poppy seed | | | | | ►**M32** **0,02** (*) ◄ | | |
| 0401040 | Sesame seed | | | | | ►**M32** **0,02** (*) ◄ | | |
| 0401050 | Sunflower seed | | | | | ►**M32** **0,02** (*) ◄ | | |
| 0401060 | Rape seed | | | | | ►**M32** **0,02** (*) ◄ | | |
| 0401070 | Soya bean | | | | | ►**M32** 0,05 (*) ◄ | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 3 ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.02 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,5 ◄ | | ►M64 — ◄ | | ►M36 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.3 ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.05 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.9 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.3 ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.05 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.3 ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.06 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.3 ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.015 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —— ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 —— ◄ | ►M196 0,02 (*) ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 —— ◄ | ►M196 0,02 (*) ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M154 0,02 (*) ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 (+) ◄ | | ►M166 —— ◄ | ►M196 0,3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 (+) ◄ | | ►M166 —— ◄ | ►M196 0,5 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 (+) ◄ | | ►M166 —— ◄ | ►M196 0,3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,05 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 **0,05** (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 —— ◄ | ►M13 —— ◄ | ►M154 0,02 (*) ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,2 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,04 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,2 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,2 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,3 ◄ | | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,2 ◄ | ►M154 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | ►M196 0,2 ◄ | | ►M77 —— ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M133 0,5 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,5 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,5 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 — ◄ | ►M133 0,5 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,02 (*) ◄ | ►M77 — ◄ | | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| ►M211 — ◄ | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| ►M211 — ◄ | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | | | | | ►M32 **0,02** (*) ◄ | | |
| 0401090 | Cotton seed | | | | | ►M32 0,05 (*) ◄ | | |
| 0401100 | Pumpkin seeds | | | | | ►M32 **0,02** (*) ◄ | | |
| 0401110 | Safflower | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0401120 | Borage | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0401130 | Gold of pleasure | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0401140 | Hempseed | | | | | ►M32 **0,02** (*) ◄ | | |
| 0401150 | Castor bean | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0401990 | Others | | | | | ►M32 **0,02** (*) ◄ | | |
| 0402000 | (ii) **Oilfruits** | | | | | ►M32 **0,02** (*) ◄ | | |
| 0402010 | Olives for oil production | | ►M67 — ◄ | | ►M84 — ◄ | | | ►M66 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0402030 | Palmfruit | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0402040 | Kapok | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0402990 | Others | | ►M67 — ◄ | | ►M84 — ◄ | | | ►M66 — ◄ |
| 0500000 | 5. **CEREALS** | ►M148 0,01 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 0,01 (*) ◄ | ►M84 **0,01** (*) ◄ | ►M32 — ◄ | 0,01 (*) | ►M66 — ◄ |
| 0500010 | Barley | | | | | ►M32 **0,02** (*) ◄ | | ►M154 **0,05** (*) ◄ |
| 0500020 | Buckwheat | | | | | ►M32 **0,02** (*) ◄ | | ►M154 0,05 (*) ◄ |
| 0500030 | Maize | | | | | ►M32 **0,05** ◄ | | ►M154 0,05 (*) ◄ |
| 0500040 | Millet | | | | | ►M32 **0,02** (*) ◄ | | ►M154 0,05 (*) ◄ |
| 0500050 | Oats | | | | | ►M32 **0,02** (*) ◄ | | ►M154 **0,05** (*) ◄ |
| 0500060 | Rice | | | | | ►M32 **0,02** (*) ◄ | | ►M154 0,05 (*) ◄ |
| 0500070 | Rye | | | | | ►M32 **0,02** (*) ◄ | | ►M154 **0,05** (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.05 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 3 ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | ►M73 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | ►M73 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | | ►M64 — ◄ | ►M209 0,01 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 5 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | ►M172 0.1 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,5 ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | ►M172 0.02 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,5 ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | ►M172 0.02 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 5 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | ►M172 0.02 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 5 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | ►M172 0.1 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,5 ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | ►M172 0.02 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,5 ◄ | ►M156 0.2 ◄ | ►M64 — ◄ | | ►M172 0.1 ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,2 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,3 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,2 ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,2 ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,2 ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,2 ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | | ►M154 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 0,02 (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M166 — ◄ | | ►M154 0,02 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | ►M58 (+) ◄ | ►M166 — ◄ | ►M196 1 ◄ | ►M154 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 1 ◄ | ►M154 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,09 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,2 ◄ | ►M154 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| | | ►M77 — ◄ | | ►M32 — ◄ | ►M77 — ◄ |
| | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M51 — ◄ | ►M77 — ◄ | | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| | ►M133 0,05 (*) (+) ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M211 — ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M133 0,05 (*) (+) ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | | ►M77 — ◄ |
| | ►M133 0,05 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |
| | ►M133 0,05 (*) (+) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | | | | | ►M32 **0,05** ◄ | | ►M154 0,05 (*) ◄ |
| 0500090 | Wheat | | | | | ►M32 **0,02** (*) ◄ | | ►M154 **0,05** (*) ◄ |
| 0500990 | Others | | | | | ►M32 **0,02** (*) ◄ | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M148 0,05 (*) ◄ | ►M44 — ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M154 0,05 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M148 — ◄ | ►M216 0,05 (*) ◄ | | | | | |
| 0620000 | (ii) **Coffee beans** | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0631000 | (a) *Flowers* | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0631010 | Camomille flowers | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0631020 | Hybiscus flowers | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0631030 | Rose petals | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0631040 | Jasmine flowers | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0631050 | Lime (linden) | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0631990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0632000 | (b) *Leaves* | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0632010 | Strawberry leaves | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 5 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | ►M172 0.02 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 5 (+) ◄ | ►M156 0.2 ◄ | ►M64 — ◄ | | ►M172 0.1 ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,5 ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | ►M172 0.02 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M43 — ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 — ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) (+) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,5 ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | | | ►M58 (+) ◄ | ►M166 — ◄ | ►M196 0,2 ◄ | ►M154 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | ►M196 0,02 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 **0,1** (*) ◄ | ►M67 — ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M13 — ◄ | ►M154 0,1 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,05 (*) ◄ | | ►M166 — ◄ | ►M196 0,1 (*) ◄ | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,05 (*) ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,3 ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M196 0,1 (*) ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,4 ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,4 ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | ►**M133** 0,05 (*) (+) ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | ►**M133** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | | ►**M77** — ◄ |
| | ►**M75** — ◄ | ►**M77** — ◄ | ►**M47** 0,05 (*) ◄ | ►**M32** **0,1** (*) ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M211** 2 ◄ | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M211** 2 ◄ | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0632030 | Maté | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0632990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0633000 | (c) *Roots* | ►M148 — ◄ | ►M216 0,5 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0633010 | Valerian root | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0633020 | Ginseng root | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0633990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M154 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810000 | (i) **Seeds** | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0810010 | Anise | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810020 | Black caraway | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810030 | Celery seed | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810040 | Coriander seed | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810050 | Cumin seed | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810060 | Dill seed | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 **0.15 (*)** ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 **3** ◄ | ►M156 **0.15 (*)** ◄ | ►M64 — ◄ | ►M209 — ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** 0,05 (*) ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** 0,05 (*) ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** 0,05 (*) ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M196** 0,1 (*) ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** 0,05 (*) ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M196** 0,1 (*) ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** **0,1** (*) ◄ | ►**M67** 0,05 (*) ◄ | ►**M58** **0,05** (*) ◄ | ►**M166** — ◄ | ►**M196** 15 ◄ | ►**M154** 0,1 (*) (+) ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M48** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** **0,1** (*) ◄ | ►**M67** 0,05 (*) ◄ | ►**M58** **0,05** (*) ◄ | ►**M166** — ◄ | ►**M196** 0,1 (*) ◄ | ►**M154** 0,1 (*) ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M133 1,5 ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 2 ◄ | ►M32 **0,1** (*) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,15 ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810080 | Fenugreek | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810090 | Nutmeg | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0810990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0820010 | Allspice | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820030 | Caraway | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820040 | Cardamom | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820050 | Juniper berries | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820060 | Pepper, black and white | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820070 | Vanilla pods | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820080 | Tamarind | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0820990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0830000 | (iii) **Bark** | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0830010 | Cinnamon | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0830990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0840010 | Liquorice | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0840020 | Ginger | ►M148 0,05 (*) ◄ | ►M216 — ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,5 ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 — ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M196 0,1 (*) ◄ | ►M154 0,1 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M196 0,1 (*) ◄ | ►M154 0,1 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M196 0,1 (*) ◄ | ►M154 0,1 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M161 — ◄ | ►M154 0,1 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M196 0,1 (*) ◄ | ►M154 0,1 (*) ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,15 ◄ | ►M133 0,05 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 — ◄ | ►M133 0,05 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M148 — ◄ | ►M154 — ◄ | ►M91 (+) ◄ | ►M84 (+) ◄ | ►M32 (**) ◄ | (**) | ►M154 — ◄ |
| 0840990 | Others | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0850000 | (v) **Buds** | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0850010 | Cloves | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0850020 | Capers | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0850990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0860010 | Saffron | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0860990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0870000 | (vii) **Aril** | ►M148 0,05 (*) ◄ | ►M216 0,05 (*) ◄ | ►M91 **0,05** (*) ◄ | ►M84 **0,05** (*) ◄ | ►M32 (**) ◄ | (**) | ►M154 0,05 (*) ◄ |
| 0870010 | Mace | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0870990 | Others | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M148 0,01 (*) ◄ | ►M80 — ◄ | ►M91 0,01 (*) ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M154 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 **0,05** (*) (+) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0900020 | Sugar cane | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 **0,01** (*) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0900030 | Chicory roots | ►M148 — ◄ | ►M216 0,2 ◄ | ►M91 — ◄ | ►M84 **0,01** (*) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 0900990 | Others | ►M148 — ◄ | ►M216 0,05 (*) ◄ | ►M91 — ◄ | ►M84 **0,01** (*) ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | ►M67 — ◄ | | ►M84 **0,05** (*) ◄ | | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | ►M43 — ◄ | | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —— ◄ | ►M59 (+) ◄ | ►M67 (+) ◄ | ►M58 (+) ◄ | ►M166 —— ◄ | ►M149 —— ◄ | ►M154 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 —— ◄ | ►M196 0,1 (*) ◄ | ►M154 0,1 (*) ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 —— ◄ | ►M196 0,1 (*) ◄ | ►M154 0,1 (*) ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 —— ◄ | ►M196 0,1 (*) ◄ | ►M154 0,1 (*) ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 **0,1** (*) ◄ | ►M67 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 —— ◄ | ►M196 0,1 (*) ◄ | ►M154 0,1 (*) ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 —— ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 0,02 (*) ◄ | ►M67 —— ◄ | ►M58 **0,01** (*) ◄ | ►M166 —— ◄ | ►M40 —— ◄ | ►M154 0,02 (*) ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 0,08 ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 0,2 ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 0,01 (*) ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 0,08 ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 0,01 (*) ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 **0,5** ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | ►M59 —— ◄ | ►M67 0,01 (*) ◄ | ►M58 —— ◄ | ►M166 —— ◄ | ►M196 0,02 (*) ◄ | ►M59 —— ◄ | ►M77 —— ◄ |
| ►M200 —— ◄ | | | | ►M166 —— ◄ | | | ►M77 —— ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M211 —— ◄ | ►M133 (+) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,01 (*) ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| ►M67 —— ◄ | ►M51 —— ◄ | ►M77 —— ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 —— ◄ |
| | ►M133 (+) ◄ | ►M77 —— ◄ | | ►M32 0,01 (*) ◄ | ►M77 —— ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►**M148** — ◄ | ►**M132** — ◄ | ►**M91** **0,01** (*) ◄ | ►**M84** — ◄ | ►**M32** — ◄ | | ►**M154** 0,02 (*) ◄ |
| 1011000 | (a) *Swine* | ►**M148** **0,05** ◄ | | | | | | |
| 1011010 | Meat | | ►**M216** 0,01 (*) ◄ | | | ►**M32** **0,02** ◄ | | |
| 1011020 | Fat free of lean meat | | ►**M216** 0,2 ◄ | | | ►**M32** **0,01** (*) ◄ | | |
| 1011030 | Liver | | ►**M216** 0,05 ◄ | | | ►**M32** **0,02** ◄ | | |
| 1011040 | Kidney | | ►**M216** 0,05 ◄ | | | ►**M32** **0,02** ◄ | | |
| 1011050 | Edible offal | | ►**M216** 0,05 ◄ | | | ►**M32** **0,02** ◄ | | |
| 1011990 | Others | | ►**M216** 0,01 (*) ◄ | | | ►**M32** **0,01** (*) ◄ | | |
| 1012000 | (b) *Bovine* | ►**M148** **0,05** ◄ | | | | | | |
| 1012010 | Meat | | ►**M216** 0,01 (*) ◄ | | | ►**M32** **0,02** ◄ | | ►**M154** — ◄ |
| 1012020 | Fat | | ►**M216** 0,2 ◄ | | | ►**M32** **0,01** (*) ◄ | | ►**M154** — ◄ |
| 1012030 | Liver | | ►**M216** 0,05 ◄ | | | ►**M32** **0,02** ◄ | | ►**M154** — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | | ►M64 — ◄ | ►M209 0,05 ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.3 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.05 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.07 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 1 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | ►M59 **0,05** (*) ◄ | | | ►M166 — ◄ | ►M196 0,05 (*) ◄ | ►M154 0,02 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 (+) ◄ | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 (+) ◄ | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | | ►**M77** — ◄ | ►**M47** 0,2 ◄ | ►**M32** — ◄ | ►**M77** — ◄ |
| | ►**M133** 0,1 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) (+) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) (+) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,1 (+) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,3 (+) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,3 (+) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,3 (+) ◄ | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| | | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) (+) ◄ | ►**M133** 0,1 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,05 (*) (+) ◄ | ►**M133** 0,1 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |
| ►**M211** 0,2 (+) ◄ | ►**M133** 0,1 (*) ◄ | ►**M77** — ◄ | | | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | | ►M216 0,05 ◄ | | | ►M32 **0,02** ◄ | | ►M154 — ◄ |
| 1012050 | Edible offal | | ►M216 0,05 ◄ | | | ►M32 **0,02** ◄ | | |
| 1012990 | Others | | ►M216 0,01 (*) ◄ | | | ►M32 **0,01** (*) ◄ | | |
| 1013000 | (c) *Sheep* | ►M148 **0,05** ◄ | | | | | | |
| 1013010 | Meat | | ►M216 0,01 (*) ◄ | | | ►M32 **0,02** ◄ | | ►M154 — ◄ |
| 1013020 | Fat | | ►M216 0,2 ◄ | | | ►M32 **0,01** (*) ◄ | | ►M154 — ◄ |
| 1013030 | Liver | | ►M216 0,05 ◄ | | | ►M32 **0,02** ◄ | | ►M154 — ◄ |
| 1013040 | Kidney | | ►M216 0,05 ◄ | | | ►M32 **0,02** ◄ | | ►M154 — ◄ |
| 1013050 | Edible offal | | ►M216 0,05 ◄ | | | ►M32 **0,02** ◄ | | |
| 1013990 | Others | | ►M216 0,01 (*) ◄ | | | ►M32 **0,01** (*) ◄ | | |
| 1014000 | (d) *Goat* | ►M148 **0,05** ◄ | | | | | | |
| 1014010 | Meat | | ►M216 0,01 (*) ◄ | | | ►M32 **0,02** ◄ | | ►M154 — ◄ |
| 1014020 | Fat | | ►M216 0,2 ◄ | | | ►M32 **0,01** (*) ◄ | | ►M154 — ◄ |
| 1014030 | Liver | | ►M216 0,05 ◄ | | | ►M32 **0,02** ◄ | | ►M154 — ◄ |
| 1014040 | Kidney | | ►M216 0,05 ◄ | | | ►M32 **0,02** ◄ | | ►M154 — ◄ |
| 1014050 | Edible offal | | ►M216 0,05 (*) ◄ | | | ►M32 **0,02** ◄ | | |
| 1014990 | Others | | ►M216 0,01 (*) ◄ | | | ►M32 **0,01** (*) ◄ | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M148 **0,05** ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1015010 | Meat | ►M148 — ◄ | ►M216 0,01 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1015020 | Fat | ►M148 — ◄ | ►M216 0,2 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1015030 | Liver | ►M148 — ◄ | ►M216 0,05 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.2 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.15 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 3 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.5 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.15 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 3 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.5 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.07 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 1 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 (+) ◄ | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 (+) ◄ | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 (+) ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M211 2 (+) ◄ | ►M133 0,2 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,2 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,2 ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M148 — ◄ | ►M216 0,05 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1015050 | Edible offal | ►M148 — ◄ | ►M216 0,05 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1015990 | Others | ►M148 — ◄ | ►M216 0,01 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | ►M216 0,01 (*) ◄ | | | | | |
| 1016010 | Meat | ►M148 **0,05** ◄ | | | | ►M32 **0,05** ◄ | | |
| 1016020 | Fat | ►M148 0,01 (*) ◄ | | | | ►M32 **0,01** (*) ◄ | | |
| 1016030 | Liver | ►M148 **0,05** ◄ | ►M132 — ◄ | | | ►M32 **0,01** (*) ◄ | | |
| 1016040 | Kidney | ►M148 **0,05** ◄ | | | | ►M32 **0,01** (*) ◄ | | |
| 1016050 | Edible offal | ►M148 **0,05** ◄ | | | | ►M32 **0,01** (*) ◄ | | |
| 1016990 | Others | ►M148 0,01 (*) ◄ | | | | ►M32 **0,01** (*) ◄ | | |
| 1017000 | (g) *Other farm animals* | ►M148 **0,05** ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1017010 | Meat | ►M148 — ◄ | ►M216 0,01 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1017020 | Fat | ►M148 — ◄ | ►M216 0,2 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1017030 | Liver | ►M148 — ◄ | ►M216 0,05 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1017040 | Kidney | ►M148 — ◄ | ►M216 0,05 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1017050 | Edible offal | ►M148 — ◄ | ►M216 0,05 ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1017990 | Others | ►M148 — ◄ | ►M216 0,01 (*) ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.2 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 — ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.03 (*) (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.03 (*) (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | ►M156 0.04 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 0.03 (*) (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,1 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 (+) ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,1 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 0,1 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M211 2 (+) ◄ | ►M133 0,2 ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) ◄ | ►M133 0,05 (*) ◄ | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 0,2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,2 ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 2 (+) ◄ | ►M133 0,1 (*) ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M148 0,01 (*) ◄ | ►M216 0,02 ◄ | ►M91 **0,01** (*) ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M154 0,01 (*) ◄ |
| 1020010 | Cattle | | | | | | | ►M154 — ◄ |
| 1020020 | Sheep | | | | | | | ►M154 — ◄ |
| 1020030 | Goat | | | | | | | ►M154 — ◄ |
| 1020040 | Horse | | | | | | | |
| 1020990 | Others | | | | | | | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M148 **0,05** ◄ | ►M216 0,01 (*) ◄ | ►M91 **0,01** (*) ◄ | ►M84 — ◄ | ►M32 0,05 (*) ◄ | | ►M154 0,02 (*) ◄ |
| 1030010 | Chicken | | | | | | | |
| 1030020 | Duck | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |
| 1030030 | Goose | ►M148 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 (**) ◄ | (**) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 (+) ◄ | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) (+) ◄ | ►M156 0.1 ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | | ►M156 (+) ◄ | ►M64 — ◄ | | | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | ►M59 **0,02** (*) ◄ | ►M67 0,01 (*) (+) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | ►M196 0,01 (*) ◄ | ►M154 0,02 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 **0,05** (*) ◄ | ►M67 0,01 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M166 — ◄ | ►M196 0,05 (*) ◄ | ►M154 0,02 (*) ◄ | ►M77 — ◄ |
| ►M200 — ◄ | | | | ►M166 — ◄ | | | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M166 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M211 0,05 (*) (+) ◄ | ►M133 0,05 ◄ | ►M77 — ◄ | ►M47 0,05 ◄ | ►M32 — ◄ | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 0,05 (*) (+) ◄ | ►M133 0,01 (*) ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 — ◄ | ►M77 — ◄ |
| ►M211 (+) ◄ | | ►M77 — ◄ | | | ►M77 — ◄ |
| ►M211 (+) ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |
| ►M211 (+) ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (**) ◄ | ►M32 (**) ◄ | ►M77 — ◄ |

▼**M2**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►**M148** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 1030990 | Others | ►**M148** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M66** — ◄ |
| 1040000 | (iv) **Honey** | ►**M148** 0,05 (*) ◄ | ►**M216** 0,05 (*) ◄ | ►**M91** **0,05** (*) ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M154** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►**M148** 0,01 (*) ◄ | ►**M216** 0,01 (*) ◄ | ►**M91** **0,01** (*) ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M154** 0,02 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M148** 0,01 (*) ◄ | ►**M216** 0,01 (*) ◄ | ►**M91** **0,01** (*) ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M154** 0,02 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M148** **0,05** ◄ | ►**M216** 0,01 (*) ◄ | ►**M91** **0,01** (*) ◄ | ►**M84** — ◄ | ►**M32** (**) ◄ | (**) | ►**M154** 0,02 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M145 — ◄ | ►M87 — ◄ | ►M156 (+) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M111 — ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,05 (*) ◄ | ►M156 0.15 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.05 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |
| ►M145 — ◄ | ►M87 0,01 (*) ◄ | ►M156 0.03 (*) ◄ | ►M64 — ◄ | ►M209 (**) ◄ | ►M172 0.01 (*) ◄ | ►M166 — ◄ | ►M184 — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** — ◄ | ►**M67** — ◄ | ►**M58** — ◄ | ►**M166** — ◄ | ►**M40** — ◄ | ►**M59** — ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** **0,05** (*) ◄ | ►**M67** 0,05 (*) ◄ | ►**M58** **0,05** (*) ◄ | ►**M166** — ◄ | ►**M196** 0,05 (*) ◄ | ►**M154** 0,05 (*) ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** **0,05** (*) ◄ | ►**M67** 0,02 (*) ◄ | ►**M58** **0,02** (*) ◄ | ►**M166** — ◄ | ►**M196** 0,05 (*) ◄ | ►**M154** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** **0,05** (*) ◄ | ►**M67** 0,02 (*) ◄ | ►**M58** **0,02** (*) ◄ | ►**M166** — ◄ | ►**M196** 0,05 (*) ◄ | ►**M154** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M200** — ◄ | ►**M59** **0,05** (*) ◄ | ►**M67** 0,02 (*) ◄ | ►**M58** **0,02** (*) ◄ | ►**M166** — ◄ | ►**M196** 0,05 (*) ◄ | ►**M154** 0,02 (*) ◄ | ►**M77** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M211** (+) ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M211** (+) ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |
| ►**M211** 0,05 (*) ◄ | ►**M133** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M47** (**) ◄ | ►**M32** (**) ◄ | ►**M77** — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼ M58 ▲ Rimsulfuron | ▼ M199 ▲ Silthiofam | ▼ M96 ▲ Spiroxamine (sum of isomers) (A) (R) | ▼ M58 ▲ Sulfosulfuron | ▼ M77 ▲ — | TEPP | ▼ M209 ▲ Thiabendazole (R) |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M58 — ◄ | ►M55 — ◄ | | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | |
| 0110000 | (i) **Citrus fruit** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 7 ◄ |
| 0110010 | Grapefruit | | | | | ►M77 — ◄ | | |
| 0110020 | Oranges | | | | | ►M77 — ◄ | | |
| 0110030 | Lemons | | | | | ►M77 — ◄ | | |
| 0110040 | Limes | | | | | ►M77 — ◄ | | |
| 0110050 | Mandarins | | | | | ►M77 — ◄ | | |
| 0110990 | Others | | | | | ►M77 — ◄ | | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M58 **0,02** (*) ◄ | ►M199 0,02 (*) ◄ | ►M96 0,05 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 0,02 (*) ◄ |

▼**M2**

| ▼<br>▲**M140** Thiacloprid | ▼<br>▲**M58** Thifensulfuron-methyl | ▼<br>▲**M21** Thiophanate-methyl (R) | ▼<br>▲**M200** — | ▼<br>▲**M32** — | ▼<br>▲**M117** — | ▼<br>▲**M155** — | ▼<br>▲**M27** Triazophos (F) |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| | ►**M58** **0,01** (*) ◄ | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** 0,01 (*) ◄ |
| ►**M140** 0,01 (*) ◄ | | ►**M15** — ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | ►**M21** 6 ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | ►**M21** 6 ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | ►**M21** 6 ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | ►**M21** 6 ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | ►**M21** 6 ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 (*) ◄ | | ►**M21** 0,2 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |

▼**M2**

| ▼<br>▲**M79** Tribenuron-methyl | ▼<br>▲**M32** — | ▼<br>▲**M154** Trifloxystrobin (F) (R) | ▼<br>▲**M16** Triforine | Trimethyl-sulfonium cation, resulting from the use of glyphosate (F) | ▼<br>▲**M21** Triticonazole | ▼<br>▲**M45** — | Ziram (13) |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | | | | ►**M21** 0,01 (*) ◄ | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,5 ◄ | ►**M16** **0,01** (*) ◄ | | | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,5 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,5 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,02 ◄ | ►**M16** **0,02** (*) ◄ | 0,05 (*) | | ►**M45** — ◄ | 0,1 (*) |

▼**M2**

| | | |
|---|---|---|
| ▼**M111** Zoxamide ▼ | (26) | |
| | | ►**M111** 0,02 (*) ◄ |
| | | ►**M111** 0,02 (*) ◄ |

▼**M2**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | | | | | ►**M77** — ◄ | | |
| 0120020 | Brazil nuts | | | | | ►**M77** — ◄ | | |
| 0120030 | Cashew nuts | | | | | ►**M77** — ◄ | | |
| 0120040 | Chestnuts | | | | | ►**M77** — ◄ | | |
| 0120050 | Coconuts | | | | | ►**M77** — ◄ | | |
| 0120060 | Hazelnuts | | | | | ►**M77** — ◄ | | |
| 0120070 | Macadamia | | | | | ►**M77** — ◄ | | |
| 0120080 | Pecans | | | | | ►**M77** — ◄ | | |
| 0120090 | Pine nuts | | | | | ►**M77** — ◄ | | |
| 0120100 | Pistachios | | | | | ►**M77** — ◄ | | |
| 0120110 | Walnuts | | | | | ►**M77** — ◄ | | |
| 0120990 | Others | | | | | ►**M77** — ◄ | | |
| 0130000 | (iii) **Pome fruit** | ►**M58** **0,01** (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M96** **0,01** (*) ◄ | ►**M58** **0,01** (*) ◄ | ►**M77** — ◄ | | |
| 0130010 | Apples | | | | | ►**M77** — ◄ | | ►**M209** 4 (+) ◄ |
| 0130020 | Pears | | | | | ►**M77** — ◄ | | ►**M209** 4 ◄ |
| 0130030 | Quinces | | | | | ►**M77** — ◄ | | ►**M209** 3 ◄ |
| 0130040 | Medlar | ►**M58** — ◄ | ►**M55** — ◄ | ►**M96** — ◄ | ►**M58** — ◄ | ►**M77** — ◄ | (**) | ►**M209** 3 ◄ |
| 0130050 | Loquat | ►**M58** — ◄ | ►**M55** — ◄ | ►**M96** — ◄ | ►**M58** — ◄ | ►**M77** — ◄ | (**) | ►**M209** 3 ◄ |
| 0130990 | Others | | | | | ►**M77** — ◄ | | ►**M209** 0,01 (*) ◄ |
| 0140000 | (iv) **Stone fruit** | ►**M58** **0,01** (*) ◄ | ►**M199** 0,01 (*) ◄ | ►**M96** **0,01** (*) ◄ | ►**M58** **0,01** (*) ◄ | ►**M77** — ◄ | | ►**M209** 0,01 (*) ◄ |
| 0140010 | Apricots | | | | | ►**M77** — ◄ | | |
| 0140020 | Cherries | | | | | ►**M77** — ◄ | | |
| 0140030 | Peaches | | | | | ►**M77** — ◄ | | |
| 0140040 | Plums | | | | | ►**M77** — ◄ | | |
| 0140990 | Others | | | | | ►**M77** — ◄ | | |
| 0150000 | (v) **Berries & small fruit** | ►**M58** **0,01** (*) ◄ | ►**M199** 0,01 (*) ◄ | | ►**M58** **0,01** (*) ◄ | ►**M77** — ◄ | | ►**M209** 0,01 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,3 ◄ | | ►M21 0,5 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,3 ◄ | | ►M21 0,5 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,7 ◄ | | ►M21 0,5 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,7 ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,7 ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | | ►M21 0,5 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | | ►M21 2 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | | ►M21 0,3 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | | ►M21 2 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | | ►M21 0,3 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,7 ◄ | ►**M16** **0,01** (*) ◄ | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | 1 |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | 0,1 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | ►**M154** 3 ◄ | ►**M16** **0,01** (*) ◄ | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M81** — ◄ | 2 | | | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | ►**M81** — ◄ | 2 | | | ►**M45** — ◄ | 5 |
| | ►**M32** — ◄ | ►**M81** — ◄ | 2 | | | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | ►**M81** — ◄ | 1 | | | ►**M45** — ◄ | 2 |
| | ►**M32** — ◄ | ►**M81** — ◄ | 0,05 (*) | | | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | | ►**M16** **0,01** (*) ◄ | 0,05 (*) | | ►**M45** — ◄ | 0,1 (*) |

▼M2



▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | | | ►M96 — ◄ | | ►M77 — ◄ | | |
| 0151010 | Table grapes | | | ►M96 **0,6** (+) ◄ | | ►M77 — ◄ | | |
| 0151020 | Wine grapes | | | ►M96 **0,5** (+) ◄ | | ►M77 — ◄ | | |
| 0152000 | (b) *Strawberries* | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0153000 | (c) *Cane fruit* | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0153010 | Blackberries | | | | | ►M77 — ◄ | | |
| 0153020 | Dewberries | | | | | ►M77 — ◄ | | |
| 0153030 | Raspberries | | | | | ►M77 — ◄ | | |
| 0153990 | Others | | | | | ►M77 — ◄ | | |
| 0154000 | (d) *Other small fruit & berries* | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0154010 | Blueberries | | | | | ►M77 — ◄ | | |
| 0154020 | Cranberries | | | | | ►M77 — ◄ | | |
| 0154030 | Currants (red, black and white) | | | | | ►M77 — ◄ | | |
| 0154040 | Gooseberries | | | | | ►M77 — ◄ | | |
| 0154050 | Rose hips | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0154060 | Mulberries | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0154080 | Elderberries | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0154990 | Others | | | | | ►M77 — ◄ | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | ►M21 3 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 1 ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M5 — ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 1 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 1 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 6 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 1 ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M32** — ◄ | ►**M154** 3 ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 1 ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 3 ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 3 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M133** — ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M133** — ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M133** — ◄ | 2 | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M133** — ◄ | 2 | | | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M133** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M133** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M133** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M133** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| | ►**M32** — ◄ | ►**M133** — ◄ | 0,05 (*) | | | ►**M45** — ◄ | |

▼**M2**

| (26) |
| --- |
| ►**M111** 5 ◄ |
| |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| |
| |
| ►**M111** 0,02 (*) ◄ |
| |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M5 — ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | |
| 0161000 | (a) *Edible peel* | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | ►M124 — ◄ |
| 0161010 | Dates | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0161020 | Figs | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0161030 | Table olives | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0161040 | Kumquats | | | | | ►M77 — ◄ | | ►M209 7 ◄ |
| 0161050 | Carambola | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0161060 | Persimmon | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0161070 | Jambolan (java plum) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0161990 | Others | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0162000 | (b) *Inedible peel, small* | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0162010 | Kiwi | | | | | ►M77 — ◄ | | |
| 0162020 | Lychee (Litchi) | | | | | ►M77 — ◄ | | |
| 0162030 | Passion fruit | | | | | ►M77 — ◄ | | |
| 0162040 | Prickly pear (cactus fruit) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0162050 | Star apple | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0162990 | Others | | | | | ►M77 — ◄ | | |
| 0163000 | (c) *Inedible peel, large* | | | | | ►M77 — ◄ | | |
| 0163010 | Avocados | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | ►M209 20 (+) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M5 —— ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M14 —— ◄ | | ►M21 0,1 (*) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,5 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 4 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M81 —— ◄ | | ►M21 0,1 (*) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,2 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►M32 — ◄ | | ►M16 **0,01** (*) ◄ | 0,05 (*) | | ►M45 — ◄ | 0,1 (*) |
| | ►M32 — ◄ | ►M5 — ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,3 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M8 — ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 4 (+) ◄ | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |

▼M2



▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | | | ►M96 **3** (+) ◄ | | ►M77 — ◄ | | ►M209 6 ◄ |
| 0163030 | Mangoes | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | ►M209 **5** ◄ |
| 0163040 | Papaya | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | ►M209 10 ◄ |
| 0163050 | Pomegranate | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0163060 | Cherimoya | ►M58 — ◄ | ►M55 — ◄ | ►M96 **0,01** (*) ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0163070 | Guava | ►M58 — ◄ | ►M55 — ◄ | ►M96 **0,01** (*) ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0163080 | Pineapples | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0163090 | Bread fruit | ►M58 — ◄ | ►M55 — ◄ | ►M96 **0,01** (*) ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0163100 | Durian | ►M58 — ◄ | ►M55 — ◄ | ►M96 **0,01** (*) ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0163110 | Soursop (guanabana) | ►M58 — ◄ | ►M55 — ◄ | ►M96 **0,01** (*) ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0163990 | Others | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | |
| 0210000 | (i) **Root and tuber vegetables** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | |
| 0211000 | (a) *Potatoes* | | | | | ►M77 — ◄ | | ►M209 0,04 (+) ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | | | ►M77 — ◄ | | ►M180 — ◄ |
| 0212010 | Cassava | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0212020 | Sweet potatoes | | | | | ►M77 — ◄ | | ►M209 3 ◄ |
| 0212030 | Yams | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0212040 | Arrowroot | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0212990 | Others | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 0,01 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 1 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | ►M21 1 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | ►M58 — ◄ | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 0,01 (*) ◄ |
| ►M5 — ◄ | ►M58 **0,01** (*) ◄ | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,02 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►M32 — ◄ | ►M154 0,05 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,6 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | | | | ►M21 0,01 (*) ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | | ►M16 **0,01** (*) ◄ | 0,05 (*) | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,02 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| | ►M32 — ◄ | | | | | ►M45 — ◄ | |

▼M2



▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0213010 | Beetroot | | | | | ►M77 — ◄ | | |
| 0213020 | Carrots | | | | | ►M77 — ◄ | | |
| 0213030 | Celeriac | | | | | ►M77 — ◄ | | |
| 0213040 | Horseradish | | | | | ►M77 — ◄ | | |
| 0213050 | Jerusalem artichokes | | | | | ►M77 — ◄ | | |
| 0213060 | Parsnips | | | | | ►M77 — ◄ | | |
| 0213070 | Parsley root | | | | | ►M77 — ◄ | | |
| 0213080 | Radishes | | | | | ►M77 — ◄ | | |
| 0213090 | Salsify | | | | | ►M77 — ◄ | | |
| 0213100 | Swedes | | | | | ►M77 — ◄ | | |
| 0213110 | Turnips | | | | | ►M77 — ◄ | | |
| 0213990 | Others | | | | | ►M77 — ◄ | | |
| 0220000 | (ii) **Bulb vegetables** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0220010 | Garlic | | | | | ►M77 — ◄ | | |
| 0220020 | Onions | | | | | ►M77 — ◄ | | |
| 0220030 | Shallots | | | | | ►M77 — ◄ | | |
| 0220040 | Spring onions | | | | | ►M77 — ◄ | | |
| 0220990 | Others | | | | | ►M77 — ◄ | | |
| 0230000 | (iii) **Fruiting vegetables** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0231000 | (a) *Solanacea* | | | | | ►M77 — ◄ | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 **0,7** ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M8 — ◄ | ►M58 **0,01** (*) ◄ | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,15 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | ►M58 **0,01** (*) ◄ | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,02 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,1 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,03 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,08 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,08 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,08 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | | | ►**M45** — ◄ | |
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M44** — ◄ | ►**M16** **0,02** (*) ◄ | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,1 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | | | ►**M45** — ◄ | |
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | | ►**M16** **0,01** (*) ◄ | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | 0,05 (*) | | | ►**M45** — ◄ | |

▼M2

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ▼M111 0,02 (*) ▲ | | | | |
| (26) | | | | | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | | | | | ►M77 — ◄ | | |
| 0231020 | Peppers | | | | | ►M77 — ◄ | | |
| 0231030 | Aubergines (egg plants) | | | | | ►M77 — ◄ | | |
| 0231040 | Okra, lady's fingers | | | | | ►M77 — ◄ | | |
| 0231990 | Others | | | | | ►M77 — ◄ | | |
| 0232000 | (b) *Cucurbits — edible peel* | | | | | ►M77 — ◄ | | |
| 0232010 | Cucumbers | | | | | ►M77 — ◄ | | |
| 0232020 | Gherkins | | | | | ►M77 — ◄ | | |
| 0232030 | Courgettes | | | | | ►M77 — ◄ | | |
| 0232990 | Others | | | | | ►M77 — ◄ | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | | | | ►M77 — ◄ | | |
| 0233010 | Melons | | | | | ►M77 — ◄ | | |
| 0233020 | Pumpkins | | | | | ►M77 — ◄ | | |
| 0233030 | Watermelons | | | | | ►M77 — ◄ | | |
| 0233990 | Others | | | | | ►M77 — ◄ | | |
| 0234000 | (d) *Sweet corn* | | | | | ►M77 — ◄ | | |
| 0239000 | (e) *Other fruiting vegetables* | | | | | ►M77 — ◄ | | |
| 0240000 | (iv) **Brassica vegetables** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | | | | | ►M77 — ◄ | | |
| 0241010 | Broccoli | | | | | ►M77 — ◄ | | ►M124 — ◄ |
| 0241020 | Cauliflower | | | | | ►M77 — ◄ | | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 0,5 ◄ | | ►M21 1 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 1 ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,7 ◄ | | ►M21 2 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 1 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 (+) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,2 ◄ | | ►M21 0,3 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,5 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,2 ◄ | | ►M21 0,3 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,3 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M5 — ◄ | ►M58 0,01 (*) ◄ | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,3 (+) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M32** — ◄ | ►**M154** 0,7 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,4 (+) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,7 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,3 ◄ | 0,5 | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** (+) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** (+) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,3 ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M81** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M81** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M81** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M81** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M5** — ◄ | ►**M16** **0,01** (*) ◄ | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** **0,6** ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,5 ◄ | | | | ►**M45** — ◄ | |

▼**M2**

| (26) |
| --- |
| ►**M111** 0,5 ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 2 ◄ |
| |
| |
| ►**M111** 2 ◄ |
| |
| |
| ►**M111** 0,02 (*) ◄ |
| |
| ►**M111** 0,02 (*) ◄ |
| |
| |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0241990 | Others | | | | | ►M77 — ◄ | | ►M124 — ◄ |
| 0242000 | (b) *Head brassica* | | | | | ►M77 — ◄ | | ►M124 — ◄ |
| 0242010 | Brussels sprouts | | | | | ►M77 — ◄ | | |
| 0242020 | Head cabbage | | | | | ►M77 — ◄ | | |
| 0242990 | Others | | | | | ►M77 — ◄ | | |
| 0243000 | (c) *Leafy brassica* | | | | | ►M77 — ◄ | | ►M124 — ◄ |
| 0243010 | Chinese cabbage | | | | | ►M77 — ◄ | | |
| 0243020 | Kale | | | | | ►M77 — ◄ | | |
| 0243990 | Others | | | | | ►M77 — ◄ | | |
| 0244000 | (d) *Kohlrabi* | | | | | ►M77 — ◄ | | ►M124 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | | | ►M77 — ◄ | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0251010 | Lamb's lettuce | | | | | ►M77 — ◄ | | |
| 0251020 | Lettuce | | | | | ►M77 — ◄ | | |
| 0251030 | Scarole (broad-leaf endive) | | | | | ►M77 — ◄ | | |
| 0251040 | Cress | | | | | ►M77 — ◄ | | |
| 0251050 | Land cress | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0251060 | Rocket, Rucola | | | | | ►M77 — ◄ | | |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,3 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M81** — ◄ | | ►**M21** 1 ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M81** — ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M81** — ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M81** — ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 1 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,4 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,04 ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M5** — ◄ | ►**M58** **0,01** (*) ◄ | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 8 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 1 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,15 (+) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,7 (+) ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 2 (+) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►M32 — ◄ | ►M154 0,5 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M8 — ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄<br>►M32 — ◄ | ►M154 0,6 ◄<br>►M154 0,5 ◄ | | | | ►M45 — ◄<br>►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 3 (+) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄<br>►M32 — ◄ | | | | | ►M45 — ◄<br>►M45 — ◄ | |
| | ►M32 — ◄ | | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M8 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | | ►M45 — ◄ | |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | ►M154 15 ◄ | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄<br>►M133 — ◄ | (**) | (**) | (**) | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | (**) |

▼M2

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | ▼M111 — ▲ | ▼M111 30 ▲ | ▼M111 (**) ▲ |
| | (26) | | | | | | | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | | | | | ►M77 — ◄ | | |
| 0251990 | Others | | | | | ►M77 — ◄ | | |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0252010 | Spinach | | | | | ►M77 — ◄ | | |
| 0252020 | Purslane | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0252030 | Beet leaves (chard) | | | | | ►M77 — ◄ | | |
| 0252990 | Others | | | | | ►M77 — ◄ | | |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0254000 | (d) *Water cress* | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0255000 | (e) *Witloof* | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,15 ◄ |
| 0256000 | (f) *Herbs* | ►M58 **0,02** (*) ◄ | ►M199 0,02 (*) ◄ | ►M96 **0,02** (*) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 0,02 (*) ◄ |
| 0256010 | Chervil | | | | | ►M77 — ◄ | | |
| 0256020 | Chives | | | | | ►M77 — ◄ | | |
| 0256030 | Celery leaves | | | | | ►M77 — ◄ | | |
| 0256040 | Parsley | | | | | ►M77 — ◄ | | |
| 0256050 | Sage | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0256060 | Rosemary | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0256070 | Thyme | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0256080 | Basil | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 0,01 (*) ◄<br>►M140 2 (+) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄<br>►M200 — ◄ | ►M32 — ◄<br>►M32 — ◄ | ►M117 — ◄<br>►M117 — ◄ | ►M155 — ◄<br>►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M54 — ◄ | ►M58 **0,01** (*) ◄ | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,15 (+) ◄<br>►M140 0,01 (*) ◄<br>►M140 0,15 (+) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄<br>►M200 — ◄<br>►M200 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M117 — ◄<br>►M117 — ◄<br>►M117 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | ►M58 **0,01** (*) ◄ | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 5 ◄ | ►M58 **0,02** (*) ◄ | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄<br>►M81 — ◄<br>►M81 — ◄<br>►M81 — ◄ | ►M58 — ◄<br>►M58 — ◄<br>►M58 — ◄<br>►M58 — ◄ | ►M15 (**) ◄<br>►M15 (**) ◄<br>►M15 (**) ◄<br>►M15 (**) ◄ | ►M200 — ◄<br>►M200 — ◄<br>►M200 — ◄<br>►M200 — ◄<br>►M200 — ◄<br>►M200 — ◄<br>►M200 — ◄<br>►M200 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M117 — ◄<br>►M117 — ◄<br>►M117 — ◄<br>►M117 — ◄<br>►M117 — ◄<br>►M117 — ◄<br>►M117 — ◄<br>►M117 — ◄ | ►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄<br>►M155 — ◄ | ►M27 (**) ◄<br>►M27 (**) ◄<br>►M27 (**) ◄<br>►M27 (**) ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M79 — ◄ | ►M32 — ◄<br>►M32 — ◄ | ►M133 — ◄<br>►M133 — ◄ | (**) | (**) | (**) | ►M45 — ◄<br>►M45 — ◄ | (**) |
| | ►M32 — ◄ | ►M133 — ◄ | | | | ►M45 — ◄ | |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | ►M133 — ◄ | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M154 20 ◄<br>►M154 15 ◄<br>►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | (**) |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 **0,02** (*) ◄ | ►M32 — ◄ | ►M154 15 (+) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | | | | | ►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄<br>►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |

▼**M2**

| (26) |
| --- |
| ►**M111** (**) ◄ |
| |
| ►**M111** **30** ◄ |
| ►**M111** (**) ◄ |
| |
| ►**M111** (**) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** **30** ◄ |
| |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0256100 | Tarragon | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0256990 | Others | | | | | ►M77 — ◄ | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | | | | | ►M77 — ◄ | | |
| 0260020 | Beans (without pods) | | | | | ►M77 — ◄ | | |
| 0260030 | Peas (with pods) | | | | | ►M77 — ◄ | | |
| 0260040 | Peas (without pods) | | | | | ►M77 — ◄ | | |
| 0260050 | Lentils | | | | | ►M77 — ◄ | | |
| 0260990 | Others | | | | | ►M77 — ◄ | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0270010 | Asparagus | | | | | ►M77 — ◄ | | |
| 0270020 | Cardoons | | | | | ►M77 — ◄ | | |
| 0270030 | Celery | | | | | ►M77 — ◄ | | |
| 0270040 | Fennel | | | | | ►M77 — ◄ | | |
| 0270050 | Globe artichokes | | | | | ►M77 — ◄ | | |
| 0270060 | Leek | | | | | ►M77 — ◄ | | |
| 0270070 | Rhubarb | | | | | ►M77 — ◄ | | |
| 0270080 | Bamboo shoots | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0270090 | Palm hearts | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0270990 | Others | | | | | ►M77 — ◄ | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M81 —— ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M81 —— ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| | ►M58 **0,01** (*) ◄ | ►M21 0,1 (*) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,4 (+) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,2 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,2 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M5 —— ◄ | ►M58 **0,01** (*) ◄ | ►M21 0,1 (*) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,7 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,7 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,1 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,02 ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |
| ►M140 0,01 (*) ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 —— ◄ | ►M15 (**) ◄ | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | | | ►M200 —— ◄ | ►M32 —— ◄ | ►M117 —— ◄ | ►M155 —— ◄ | |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| | ►M32 — ◄ | | | | | ►M45 — ◄ | |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | | ►M16 **0,01** (*) ◄ | 0,05 (*) | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 1 (+) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,09 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 1,5 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,09 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | ►M5 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,05 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 1 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,3 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,7 ◄ | | | | ►M45 — ◄ | |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| | ►M32 — ◄ | ►M154 0,01 (*) ◄ | | | | ►M45 — ◄ | |

▼**M2**

| (26) |
| --- |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| |
| ►**M111** 0,02 (*) ◄ |
| |
| |
| ►**M111** 0,02 (*) ◄ |
| |
| |
| |
| |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 0280010 | Cultivated | | | | | ►M77 — ◄ | | ►M124 — ◄ |
| 0280020 | Wild | | | | | ►M77 — ◄ | | ►M124 — ◄ |
| 0280990 | Others | | | | | ►M77 — ◄ | | ►M124 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | 0,01 (*) | ►M209 0,01 (*) ◄ |
| 0300010 | Beans | | | | | ►M77 — ◄ | | |
| 0300020 | Lentils | | | | | ►M77 — ◄ | | |
| 0300030 | Peas | | | | | ►M77 — ◄ | | |
| 0300040 | Lupins | | | | | ►M77 — ◄ | | |
| 0300990 | Others | | | | | ►M77 — ◄ | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M58 **0,02** (*) ◄ | ►M199 0,02 (*) ◄ | ►M96 0,05 (*) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | 0,01 (*) | ►M209 0,02 (*) ◄ |
| 0401000 | (i) **Oilseeds** | | | | ►M58 — ◄ | ►M77 — ◄ | | |
| 0401010 | Linseed | | | | | ►M77 — ◄ | | |
| 0401020 | Peanuts | | | | | ►M77 — ◄ | | |
| 0401030 | Poppy seed | | | | | ►M77 — ◄ | | |
| 0401040 | Sesame seed | | | | | ►M77 — ◄ | | |
| 0401050 | Sunflower seed | | | | | ►M77 — ◄ | | |
| 0401060 | Rape seed | | | | | ►M77 — ◄ | | |
| 0401070 | Soya bean | | | | | ►M77 — ◄ | | |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M140** 0,01 (*) ◄ | ►**M58** **0,01** (*) ◄ | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | ►**M58** **0,01** (*) ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M81** — ◄ | ►**M58** **0,01** (*) ◄ | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** 0,01 (*) ◄ |
| ►**M140** 0,08 (+) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,08 (+) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | ►**M58** **0,01** (*) ◄ | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** 0,01 (*) ◄ |
| | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 (*) ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 (*) ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,3 ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 (*) ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 (*) ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,6 (+) ◄ | | ►**M21** 0,1 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 (*) ◄ | | ►**M21** 0,3 ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | ►**M16** **0,01** (*) ◄ | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 20 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M154** 0,2 ◄ | ►**M16** **0,01** (*) ◄ | 0,05 (*) | ►**M21** 0,01 (*) ◄ | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | ►**M133** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M133** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M133** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M133** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M133** — ◄ | | | | ►**M45** — ◄ | |
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | ►**M5** — ◄ | 0,05 (*) | | | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,02** (*) ◄ | | ►**M21** 0,02 (*) ◄ | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,02 ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,05 ◄ | | 10 | | ►**M45** — ◄ | |

▼M2



▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | | | | | ►M77 — ◄ | | |
| 0401090 | Cotton seed | | | | | ►M77 — ◄ | | |
| 0401100 | Pumpkin seeds | | | | | ►M77 — ◄ | | |
| 0401110 | Safflower | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0401120 | Borage | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0401130 | Gold of pleasure | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0401140 | Hempseed | | | | | ►M77 — ◄ | | |
| 0401150 | Castor bean | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0401990 | Others | | | | | ►M77 — ◄ | | |
| 0402000 | (ii) **Oilfruits** | | | | | ►M77 — ◄ | | |
| 0402010 | Olives for oil production | | | | ►M58 — ◄ | ►M77 — ◄ | | |
| 0402020 | Palm nuts (palmoil kernels) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0402030 | Palmfruit | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0402040 | Kapok | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0402990 | Others | | | | ►M58 — ◄ | ►M77 — ◄ | | |
| 0500000 | 5. **CEREALS** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | 0,01 (*) | ►M209 0,01 (*) ◄ |
| 0500010 | Barley | | ►M199 — ◄ | ►M96 **0,05** (+) ◄ | | ►M77 — ◄ | | |
| 0500020 | Buckwheat | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0500030 | Maize | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0500040 | Millet | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0500050 | Oats | | | ►M96 **0,05** (+) ◄ | | ►M77 — ◄ | | |
| 0500060 | Rice | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0500070 | Rye | | ►M199 — ◄ | ►M96 **0,05** (+) ◄ | ►M58 (+) ◄ | ►M77 — ◄ | | |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 0,6 (+) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,15 ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,02 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,02 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 **0,3** ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,02 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,02 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,02 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,02 (*) ◄ | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 4 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,02 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,02 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,02 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,02 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M5 — ◄ | ►M58 **0,01** (*) ◄ | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 0,02 (*) ◄ |
| ►M140 0,9 ◄ | | ►M21 0,3 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,01 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) (+) ◄ | | ►M21 0,01 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,01 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,9 ◄ | | ►M21 0,3 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,02 ◄ | | ►M21 0,01 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,06 ◄ | | ►M21 0,05 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,4 ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M89** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,3 ◄ | ►**M16** **0,01** (*) ◄ | 1 | ►**M21** 0,01 (*) ◄ | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | (**) | (**) | ►**M21** 0,02 (*) ◄ | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | (**) | (**) | ►**M21** 0,02 (*) ◄ | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | (**) | (**) | ►**M21** 0,02 (*) ◄ | ►**M45** — ◄ | (**) |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | ►**M16** **0,02** (*) ◄ | 0,05 (*) | ►**M21** 0,02 (*) ◄ | ►**M45** — ◄ | |
| ►**M79** 0,01 (*) ◄ | ►**M32** — ◄ | | ►**M16** **0,01** (*) ◄ | | ►**M21** 0,01 (*) ◄ | ►**M45** — ◄ | 0,1 (*) |
| | ►**M32** — ◄ | ►**M154** 0,5 ◄ | 0,1 | 10 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | 0,05 (*) | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,02 ◄ | 0,05 (*) | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | 0,05 (*) | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,4 (+) ◄ | 0,1 | 10 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 5 ◄ | 0,05 (*) | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,3 ◄ | 0,1 | 5 | | ►**M45** — ◄ | |

▼M2


(26)
▼M111 (**) ▲
▼M111 (**) ▲
▼M111 (**) ▲
▼M111 (**) ▲
▼M111 0,02 (*) ▲
▼M111 (**) ▲
▼M111 (**) ▲
▼M111 (**) ▲
▼M111 0,05 (*) ▲
▼M111 0,02 (*) ▲

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0500090 | Wheat | | ►M199 — ◄ | ►M96 **0,05** (+) ◄ | ►M58 (+) ◄ | ►M77 — ◄ | | |
| 0500990 | Others | | | ►M96 **0,01** (*) ◄ | | ►M77 — ◄ | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | 0,02 (*) | ►M209 0,05 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | | | | | ►M77 — ◄ | | |
| 0620000 | (ii) **Coffee beans** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0631000 | (a) *Flowers* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0631010 | Camomille flowers | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0631020 | Hybiscus flowers | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0631030 | Rose petals | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0631040 | Jasmine flowers | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0631050 | Lime (linden) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0631990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0632000 | (b) *Leaves* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0632010 | Strawberry leaves | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 0,01 (*) ◄ | | ►M21 0,01 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,1 ◄ | | ►M21 0,05 ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | ►M21 0,01 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M11 — ◄ | ►M58 **0,05** (*) ◄ | ►M21 0,1 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 0,02 (*) ◄ |
| ►M140 10 (+) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,05 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 50 (+) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | 0,05 (*) | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,3 ◄ | 0,1 | 5 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,01 (*) ◄ | 0,05 (*) | 0,05 (*) | | ►**M45** — ◄ | |
| ►**M79** **0,05** (*) ◄ | ►**M32** — ◄ | ►**M154** 0,05 (*) ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** 0,02 (*) ◄ | ►**M45** — ◄ | 0,2 (*) |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |

▼**M2**

| (26) |
| --- |
| |
| |
| ►**M111** 0,05 (*) ◄ |
| |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0632030 | Maté | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0632990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0633000 | (c) *Roots* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0633010 | Valerian root | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0633020 | Ginseng root | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0633990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | 0,02 (*) | ►M209 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810000 | (i) **Seeds** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 0810010 | Anise | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810020 | Black caraway | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810030 | Celery seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810040 | Coriander seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810050 | Cumin seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810060 | Dill seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,02 (+) ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,05 (*) ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,05 (*) ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,05 (*) ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,05 (*) ◄ | ►**M58** **0,05** (*) ◄ | ►**M21** 0,1 (*) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,08 (+) ◄ | ►**M58** **0,05** (*) ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** **0,05** (*) ◄ | ►**M32** — ◄ | ►**M154** 40 ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** 0,02 (*) ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | ►**M21** 0,02 (*) ◄ | ►**M45** — ◄ | (**) |
| ►**M79** **0,05** (*) ◄ | ►**M32** — ◄ | ►**M154** 0,05 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |

▼**M2**

| (26) |
| --- |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810080 | Fenugreek | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810090 | Nutmeg | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0810990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 0820010 | Allspice | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820030 | Caraway | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820040 | Cardamom | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820050 | Juniper berries | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820060 | Pepper, black and white | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820070 | Vanilla pods | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820080 | Tamarind | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0820990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0830000 | (iii) **Bark** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 0830010 | Cinnamon | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0830990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0840010 | Liquorice | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 0840020 | Ginger | ►M58 **0,05** (*) ◄ | ►M199 — ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M180 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 **0,05** (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 **0,05** (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 **0,05** (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 **0,05** (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 **0,05** (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |

▼**M2**

| (26) |
| --- |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M58 (+) ◄ | ►M199 — ◄ | ►M96 (+) ◄ | ►M58 (+) ◄ | ►M77 — ◄ | (**) | ►M180 — ◄ |
| 0840990 | Others | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 0850000 | (v) **Buds** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 0850010 | Cloves | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0850020 | Capers | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0850990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 0860010 | Saffron | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0860990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0870000 | (vii) **Aril** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 0870010 | Mace | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0870990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M58 **0,01** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,01** (*) ◄ | ►M58 **0,01** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0900020 | Sugar cane | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0900030 | Chicory roots | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 0900990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M124 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | | | | ►M77 — ◄ | | ►M180 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 — ◄ | ►M58 (+) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 (*) ◄ | ►M58 **0,05** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 **0,01** (*) ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,02 ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,05 ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,01 (*) ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 **0,01** (*) ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M79 (+) ◄ | ►M32 — ◄ | ►M146 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 0,05 (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 0,05 (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 0,05 (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 0,05 (*) ◄ | ►M32 — ◄ | ►M154 0,05 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 0,01 (*) ◄ | ►M32 — ◄ | ►M81 — ◄ | (**) | (**) | ►M21 0,01 (*) ◄ | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,02 ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| ►M79 — ◄ | ►M32 — ◄ | ►M154 0,01 (*) ◄ | (**) | (**) | (**) | ►M45 — ◄ | (**) |
| | ►M32 — ◄ | ►M44 — ◄ | ►M16 0,01 (*) ◄ | | ►M21 0,01 (*) ◄ | ►M45 — ◄ | |

▼**M2**

| (26) |
| --- |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | | ►M199 0,01 (*) ◄ | | ►M58 — ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1011000 | (a) *Swine* | | | ►M96 **0,02** (*) ◄ | | ►M77 — ◄ | | ►M209 **0,01** (*) ◄ |
| 1011010 | Meat | ►M58 **0,02** (*) ◄ | | ►M96 — ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1011020 | Fat free of lean meat | ►M58 **0,02** (*) ◄ | | ►M96 — ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1011030 | Liver | ►M58 **0,05** (*) ◄ | | ►M96 — ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1011040 | Kidney | ►M58 **0,02** (*) ◄ | | ►M96 — ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1011050 | Edible offal | ►M58 **0,05** (*) ◄ | | ►M96 — ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1011990 | Others | ►M58 **0,05** (*) ◄ | | ►M96 — ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1012000 | (b) *Bovine* | | | | | ►M77 — ◄ | | ►M209 **0,1** ◄ |
| 1012010 | Meat | ►M58 **0,02** (*) ◄ | | ►M96 **0,03** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1012020 | Fat | ►M58 **0,02** (*) ◄ | | ►M96 **0,05** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1012030 | Liver | ►M58 **0,05** (*) ◄ | | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| | ►**M58** **0,01** (*) ◄ | ►**M21** 0,05 (*) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** — ◄ |
| | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,1 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,5 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,5 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,5 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,1 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,04 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,5 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M79** **0,01** (*) ◄ | ►**M32** — ◄ | ►**M81** — ◄ | 0,05 (*) | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | 0,2 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,06 ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,07 ◄ | | 0,5 | | ►**M45** — ◄ | |

▼M2

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | (26) | ▼M111 0,01 (*) ▼ | | | | | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M58 **0,02** (*) ◄ | | ►M96 **0,15** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1012050 | Edible offal | ►M58 **0,05** (*) ◄ | | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1012990 | Others | ►M58 **0,05** (*) ◄ | | ►M96 **0,02** (*) ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1013000 | (c) *Sheep* | | | | | ►M77 — ◄ | | ►M209 **0,01 (*)** ◄ |
| 1013010 | Meat | ►M58 **0,02** (*) ◄ | | ►M96 **0,03** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1013020 | Fat | ►M58 **0,02** (*) ◄ | | ►M96 **0,05** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1013030 | Liver | ►M58 **0,05** (*) ◄ | | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1013040 | Kidney | ►M58 **0,02** (*) ◄ | | ►M96 **0,15** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1013050 | Edible offal | ►M58 **0,05** (*) ◄ | | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1013990 | Others | ►M58 **0,05** (*) ◄ | | ►M96 **0,02** (*) ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1014000 | (d) *Goat* | | | | | ►M77 — ◄ | | ►M209 **0,1** ◄ |
| 1014010 | Meat | ►M58 **0,02** (*) ◄ | | ►M96 **0,03** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1014020 | Fat | ►M58 **0,02** (*) ◄ | | ►M96 **0,05** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1014030 | Liver | ►M58 **0,05** (*) ◄ | | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1014040 | Kidney | ►M58 **0,02** (*) ◄ | | ►M96 **0,15** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1014050 | Edible offal | ►M58 **0,05** (*) ◄ | | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1014990 | Others | ►M58 **0,05** (*) ◄ | | ►M96 **0,02** (*) ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 1015010 | Meat | ►M58 **0,02** (*) ◄ | ►M55 — ◄ | ►M96 **0,03** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1015020 | Fat | ►M58 **0,02** (*) ◄ | ►M55 — ◄ | ►M96 **0,05** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1015030 | Liver | ►M58 **0,05** (*) ◄ | ►M55 — ◄ | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,1 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,04 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,1 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,04 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,5 ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,01 (*) ◄ | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,1 ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,04 ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M140 0,5 ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | 0,2 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,07 ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,06 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,07 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,07 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,06 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,07 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,07 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | | | | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,04 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,06 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,07 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |


▼M2
(26)
▼M111 (**) ▲
▼M111 (**) ▲
▼M111 (**) ▲
▼M111 (**) ▲

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M58 **0,02** (*) ◄ | ►M55 — ◄ | ►M96 **0,15** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1015050 | Edible offal | ►M58 **0,05** (*) ◄ | ►M55 — ◄ | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1015990 | Others | ►M58 **0,05** (*) ◄ | ►M55 — ◄ | ►M96 **0,02** (*) ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | | | ►M77 — ◄ | | ►M209 **0,01** (*) ◄ |
| 1016010 | Meat | ►M58 **0,02** (*) ◄ | | ►M96 **0,05** (+) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1016020 | Fat | ►M58 **0,02** (*) ◄ | | ►M96 **0,05** (+) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1016030 | Liver | ►M58 **0,05** (*) ◄ | | ►M96 **0,2** (+) ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1016040 | Kidney | ►M58 **0,02** (*) ◄ | | ►M96 **0,02** (*) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1016050 | Edible offal | ►M58 **0,05** (*) ◄ | | ►M96 **0,2** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1016990 | Others | ►M58 **0,05** (*) ◄ | | ►M96 **0,02** (*) ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 **0,01** (*) ◄ |
| 1017010 | Meat | ►M58 **0,02** (*) ◄ | ►M55 — ◄ | ►M96 **0,03** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1017020 | Fat | ►M58 **0,02** (*) ◄ | ►M55 — ◄ | ►M96 **0,05** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1017030 | Liver | ►M58 **0,05** (*) ◄ | ►M55 — ◄ | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1017040 | Kidney | ►M58 **0,02** (*) ◄ | ►M55 — ◄ | ►M96 **0,15** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1017050 | Edible offal | ►M58 **0,05** (*) ◄ | ►M55 — ◄ | ►M96 **0,3** ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1017990 | Others | ►M58 **0,05** (*) ◄ | ►M55 — ◄ | ►M96 **0,02** (*) ◄ | ►M58 0,05 (*) ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M140** 0,5 ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,5 ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,01 (*) ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,02 ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M140** 0,01 (*) ◄ | | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | |
| ►**M81** — ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,1 ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,04 ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,5 ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,5 ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,5 ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,01 (*) ◄ | ►**M58** — ◄ | ►**M15** (**) ◄ | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M155** — ◄ | ►**M27** (**) ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,04 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,07 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| | ►**M32** — ◄ | ►**M154** 0,04 ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,1 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | 0,05 (*) | | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,04 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,06 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,07 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,04 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,07 ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |

▼**M2**

| (26) |
| --- |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| |
| |
| |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M58 **0,02** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,015** ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 — ◄ |
| 1020010 | Cattle | | | | | ►M77 — ◄ | | ►M209 **0,1** ◄ |
| 1020020 | Sheep | | | | | ►M77 — ◄ | | ►M209 0,01 (*) ◄ |
| 1020030 | Goat | | | | | ►M77 — ◄ | | ►M209 **0,1** ◄ |
| 1020040 | Horse | | | | | ►M77 — ◄ | | ►M209 **0,01 (*)** ◄ |
| 1020990 | Others | | | | | ►M77 — ◄ | | ►M209 **0,01 (*)** ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M58 **0,02** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,05** (+) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | | ►M209 **0,01 (*)** ◄ |
| 1030010 | Chicken | | | | | ►M77 — ◄ | | ►M209 — ◄ |
| 1030020 | Duck | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1030030 | Goose | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M140 0,05 ◄ | ►M58 **0,01** (*) ◄ | ►M21 0,05 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 — ◄ |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M140 0,02 (*) ◄ | ►M58 **0,01** (*) ◄ | ►M21 0,05 (*) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 — ◄ |
| | | | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | ►M15 (**) ◄ | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M155 — ◄ | ►M27 (**) ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M79** **0,01** (*) ◄ | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | 0,05 (*) | 0,1 | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | ►**M146** — ◄ | | | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| ►**M79** **0,01** (*) ◄ | ►**M32** — ◄ | ►**M154** 0,04 ◄ | 0,05 (*) | 0,01 (*) | | ►**M45** — ◄ | |
| | ►**M32** — ◄ | | | | | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |

▼**M2**

| (26) |
| --- |
| ►**M111** **0,01** (*) ◄ |
| |
| |
| ►**M111** **0,01** (*) ◄ |
| |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1030990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | (**) | ►M209 — ◄ |
| 1040000 | (iv) **Honey** | ►M58 **0,05** (*) ◄ | ►M199 0,05 (*) ◄ | ►M96 **0,05** (*) ◄ | ►M58 **0,05** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M58 **0,02** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,02** (*) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►M58 **0,02** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,02** (*) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M58 **0,02** (*) ◄ | ►M199 0,01 (*) ◄ | ►M96 **0,02** (*) ◄ | ►M58 **0,02** (*) ◄ | ►M77 — ◄ | (**) | ►M209 0,01 (*) ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,2 ◄ | ►**M58** **0,05** (*) ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,01 (*) ◄ | ►**M58** **0,01** (*) ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,01 (*) ◄ | ►**M58** **0,01** (*) ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |
| ►**M140** 0,01 (*) ◄ | ►**M58** **0,01** (*) ◄ | ►**M15** (**) ◄ | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M155** —— ◄ | ►**M27** (**) ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** **0,05** (*) ◄ | ►**M32** — ◄ | ►**M154** 0,05 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** **0,01** (*) ◄ | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** **0,01** (*) ◄ | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |
| ►**M79** **0,01** (*) ◄ | ►**M32** — ◄ | ►**M154** 0,02 (*) ◄ | (**) | (**) | (**) | ►**M45** — ◄ | (**) |

▼**M2**

| (26) |
| --- |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |
| ►**M111** (**) ◄ |

▼**M5**

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M113** Permethrin (sum of isomers) [F] ◄ | ►**M77** —— ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►**M113** 0,05 (*) ◄ | ►**M77** —— ◄ |
| 0110000 | (i) **Citrus fruit** | | ►**M77** —— ◄ |
| 0110010 | Grapefruit | | ►**M77** —— ◄ |
| 0110020 | Oranges | | ►**M77** —— ◄ |
| 0110030 | Lemons | | ►**M77** —— ◄ |
| 0110040 | Limes | | ►**M77** —— ◄ |
| 0110050 | Mandarins | | ►**M77** —— ◄ |
| 0110990 | Others | | ►**M77** —— ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | | ►**M77** —— ◄ |
| 0120010 | Almonds | | ►**M77** —— ◄ |
| 0120020 | Brazil nuts | | ►**M77** —— ◄ |
| 0120030 | Cashew nuts | | ►**M77** —— ◄ |
| 0120040 | Chestnuts | | ►**M77** —— ◄ |
| 0120050 | Coconuts | | ►**M77** —— ◄ |
| 0120060 | Hazelnuts | | ►**M77** —— ◄ |
| 0120070 | Macadamia | | ►**M77** —— ◄ |
| 0120080 | Pecans | | ►**M77** —— ◄ |
| 0120090 | Pine nuts | | ►**M77** —— ◄ |
| 0120100 | Pistachios | | ►**M77** —— ◄ |
| 0120110 | Walnuts | | ►**M77** —— ◄ |
| 0120990 | Others | | ►**M77** —— ◄ |
| 0130000 | (iii) **Pome fruit** | | ►**M77** —— ◄ |
| 0130010 | Apples | | ►**M77** —— ◄ |
| 0130020 | Pears | | ►**M77** —— ◄ |
| 0130030 | Quinces | | ►**M77** —— ◄ |
| 0130040 | Medlar | ►**M113** —— ◄ | ►**M77** —— ◄ |
| 0130050 | Loquat | ►**M113** —— ◄ | ►**M77** —— ◄ |
| 0130990 | Others | | ►**M77** —— ◄ |
| 0140000 | (iv) **Stone fruit** | | ►**M77** —— ◄ |
| 0140010 | Apricots | | ►**M77** —— ◄ |
| 0140020 | Cherries | | ►**M77** —— ◄ |
| 0140030 | Peaches | | ►**M77** —— ◄ |
| 0140040 | Plums | | ►**M77** —— ◄ |
| 0140990 | Others | | ►**M77** —— ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0150000 | (v) **Berries & small fruit** | | ►M77 — ◄ |
| 0151000 | (a) *Table and wine grapes* | | ►M77 — ◄ |
| 0151010 | Table grapes | | ►M77 — ◄ |
| 0151020 | Wine grapes | | ►M77 — ◄ |
| 0152000 | (b) *Strawberries* | | ►M77 — ◄ |
| 0153000 | (c) *Cane fruit* | | ►M77 — ◄ |
| 0153010 | Blackberries | | ►M77 — ◄ |
| 0153020 | Dewberries | | ►M77 — ◄ |
| 0153030 | Raspberries | | ►M77 — ◄ |
| 0153990 | Others | | ►M77 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | | ►M77 — ◄ |
| 0154010 | Blueberries | | ►M77 — ◄ |
| 0154020 | Cranberries | | ►M77 — ◄ |
| 0154030 | Currants (red, black and white) | | ►M77 — ◄ |
| 0154040 | Gooseberries | | ►M77 — ◄ |
| 0154050 | Rose hips | ►M113 — ◄ | ►M77 — ◄ |
| 0154060 | Mulberries | ►M113 — ◄ | ►M77 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M113 — ◄ | ►M77 — ◄ |
| 0154080 | Elderberries | ►M113 — ◄ | ►M77 — ◄ |
| 0154990 | Others | | ►M77 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | | ►M77 — ◄ |
| 0161000 | (a) *Edible peel* | | ►M77 — ◄ |
| 0161010 | Dates | | ►M77 — ◄ |
| 0161020 | Figs | | ►M77 — ◄ |
| 0161030 | Table olives | | ►M77 — ◄ |
| 0161040 | Kumquats | | ►M77 — ◄ |
| 0161050 | Carambola | ►M113 — ◄ | ►M77 — ◄ |
| 0161060 | Persimmon | ►M113 — ◄ | ►M77 — ◄ |
| 0161070 | Jambolan (java plum) | ►M113 — ◄ | ►M77 — ◄ |
| 0161990 | Others | | ►M77 — ◄ |
| 0162000 | (b) *Inedible peel, small* | | ►M77 — ◄ |
| 0162010 | Kiwi | | ►M77 — ◄ |
| 0162020 | Lychee (Litchi) | | ►M77 — ◄ |
| 0162030 | Passion fruit | | ►M77 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M113 — ◄ | ►M77 — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0162050 | Star apple | ►M113 — ◄ | ►M77 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M113 — ◄ | ►M77 — ◄ |
| 0162990 | Others | | ►M77 — ◄ |
| 0163000 | (c) *Inedible peel, large* | | ►M77 — ◄ |
| 0163010 | Avocados | | ►M77 — ◄ |
| 0163020 | Bananas | | ►M77 — ◄ |
| 0163030 | Mangoes | | ►M77 — ◄ |
| 0163040 | Papaya | | ►M77 — ◄ |
| 0163050 | Pomegranate | | ►M77 — ◄ |
| 0163060 | Cherimoya | ►M113 — ◄ | ►M77 — ◄ |
| 0163070 | Guava | ►M113 — ◄ | ►M77 — ◄ |
| 0163080 | Pineapples | | ►M77 — ◄ |
| 0163090 | Bread fruit | ►M113 — ◄ | ►M77 — ◄ |
| 0163100 | Durian | ►M113 — ◄ | ►M77 — ◄ |
| 0163110 | Soursop (guanabana) | ►M113 — ◄ | ►M77 — ◄ |
| 0163990 | Others | | ►M77 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | | ►M77 — ◄ |
| 0211000 | (a) *Potatoes* | | ►M77 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | ►M77 — ◄ |
| 0212010 | Cassava | | ►M77 — ◄ |
| 0212020 | Sweet potatoes | | ►M77 — ◄ |
| 0212030 | Yams | | ►M77 — ◄ |
| 0212040 | Arrowroot | ►M113 — ◄ | ►M77 — ◄ |
| 0212990 | Others | | ►M77 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | ►M77 — ◄ |
| 0213010 | Beetroot | | ►M77 — ◄ |
| 0213020 | Carrots | | ►M77 — ◄ |
| 0213030 | Celeriac | | ►M77 — ◄ |
| 0213040 | Horseradish | | ►M77 — ◄ |
| 0213050 | Jerusalem artichokes | | ►M77 — ◄ |
| 0213060 | Parsnips | | ►M77 — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0213070 | Parsley root | | ►M77 — ◄ |
| 0213080 | Radishes | | ►M77 — ◄ |
| 0213090 | Salsify | | ►M77 — ◄ |
| 0213100 | Swedes | | ►M77 — ◄ |
| 0213110 | Turnips | | ►M77 — ◄ |
| 0213990 | Others | | ►M77 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | | ►M77 — ◄ |
| 0220010 | Garlic | | ►M77 — ◄ |
| 0220020 | Onions | | ►M77 — ◄ |
| 0220030 | Shallots | | ►M77 — ◄ |
| 0220040 | Spring onions | | ►M77 — ◄ |
| 0220990 | Others | | ►M77 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | | ►M77 — ◄ |
| 0231000 | (a) *Solanacea* | | ►M77 — ◄ |
| 0231010 | Tomatoes | | ►M77 — ◄ |
| 0231020 | Peppers | | ►M77 — ◄ |
| 0231030 | Aubergines (egg plants) | | ►M77 — ◄ |
| 0231040 | Okra, lady's fingers | | ►M77 — ◄ |
| 0231990 | Others | | ►M77 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | | ►M77 — ◄ |
| 0232010 | Cucumbers | | ►M77 — ◄ |
| 0232020 | Gherkins | | ►M77 — ◄ |
| 0232030 | Courgettes | | ►M77 — ◄ |
| 0232990 | Others | | ►M77 — ◄ |
| 0233000 | (c) *Cucurbits — inedible peel* | | ►M77 — ◄ |
| 0233010 | Melons | | ►M77 — ◄ |
| 0233020 | Pumpkins | | ►M77 — ◄ |
| 0233030 | Watermelons | | ►M77 — ◄ |
| 0233990 | Others | | ►M77 — ◄ |
| 0234000 | (d) *Sweet corn* | | ►M77 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | | ►M77 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | | ►M77 — ◄ |
| 0241000 | (a) *Flowering brassica* | | ►M77 — ◄ |
| 0241010 | Broccoli | | ►M77 — ◄ |
| 0241020 | Cauliflower | | ►M77 — ◄ |
| 0241990 | Others | | ►M77 — ◄ |
| 0242000 | (b) *Head brassica* | | ►M77 — ◄ |
| 0242010 | Brussels sprouts | | ►M77 — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0242020 | Head cabbage | | ►M77 — ◄ |
| 0242990 | Others | | ►M77 — ◄ |
| 0243000 | (c) *Leafy brassica* | | ►M77 — ◄ |
| 0243010 | Chinese cabbage | | ►M77 — ◄ |
| 0243020 | Kale | | ►M77 — ◄ |
| 0243990 | Others | | ►M77 — ◄ |
| 0244000 | (d) *Kohlrabi* | | ►M77 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | ►M77 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | | ►M77 — ◄ |
| 0251010 | Lamb's lettuce | | ►M77 — ◄ |
| 0251020 | Lettuce | | ►M77 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | | ►M77 — ◄ |
| 0251040 | Cress | | ►M77 — ◄ |
| 0251050 | Land cress | ►M113 — ◄ | ►M77 — ◄ |
| 0251060 | Rocket, Rucola | | ►M77 — ◄ |
| 0251070 | Red mustard | ►M113 — ◄ | ►M77 — ◄ |
| 0251080 | Leaves and sprouts of *Brassica spp.* | | ►M77 — ◄ |
| 0251990 | Others | | ►M77 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | | ►M77 — ◄ |
| 0252010 | Spinach | | ►M77 — ◄ |
| 0252020 | Purslane | ►M113 — ◄ | ►M77 — ◄ |
| 0252030 | Beet leaves (chard) | | ►M77 — ◄ |
| 0252990 | Others | | ►M77 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M113 — ◄ | ►M77 — ◄ |
| 0254000 | (d) *Water cress* | | ►M77 — ◄ |
| 0255000 | (e) *Witloof* | | ►M77 — ◄ |
| 0256000 | (f) *Herbs* | | ►M77 — ◄ |
| 0256010 | Chervil | | ►M77 — ◄ |
| 0256020 | Chives | | ►M77 — ◄ |
| 0256030 | Celery leaves | | ►M77 — ◄ |
| 0256040 | Parsley | | ►M77 — ◄ |
| 0256050 | Sage | ►M113 — ◄ | ►M77 — ◄ |
| 0256060 | Rosemary | ►M113 — ◄ | ►M77 — ◄ |
| 0256070 | Thyme | ►M113 — ◄ | ►M77 — ◄ |
| 0256080 | Basil | ►M113 — ◄ | ►M77 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M113 — ◄ | ►M77 — ◄ |
| 0256100 | Tarragon | ►M113 — ◄ | ►M77 — ◄ |
| 0256990 | Others | | ►M77 — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | (vi) **Legume vegetables (fresh)** | | ►M77 — ◄ |
| 0260010 | Beans (with pods) | | ►M77 — ◄ |
| 0260020 | Beans (without pods) | | ►M77 — ◄ |
| 0260030 | Peas (with pods) | | ►M77 — ◄ |
| 0260040 | Peas (without pods) | | ►M77 — ◄ |
| 0260050 | Lentils | | ►M77 — ◄ |
| 0260990 | Others | | ►M77 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | | ►M77 — ◄ |
| 0270010 | Asparagus | | ►M77 — ◄ |
| 0270020 | Cardoons | | ►M77 — ◄ |
| 0270030 | Celery | | ►M77 — ◄ |
| 0270040 | Fennel | | ►M77 — ◄ |
| 0270050 | Globe artichokes | | ►M77 — ◄ |
| 0270060 | Leek | | ►M77 — ◄ |
| 0270070 | Rhubarb | | ►M77 — ◄ |
| 0270080 | Bamboo shoots | ►M113 — ◄ | ►M77 — ◄ |
| 0270090 | Palm hearts | ►M113 — ◄ | ►M77 — ◄ |
| 0270990 | Others | | ►M77 — ◄ |
| 0280000 | (viii) **Fungi** | | ►M77 — ◄ |
| 0280010 | Cultivated | | ►M77 — ◄ |
| 0280020 | Wild | | ►M77 — ◄ |
| 0280990 | Others | | ►M77 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M113 — ◄ | ►M77 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0300010 | Beans | | ►M77 — ◄ |
| 0300020 | Lentils | | ►M77 — ◄ |
| 0300030 | Peas | | ►M77 — ◄ |
| 0300040 | Lupins | | ►M77 — ◄ |
| 0300990 | Others | | ►M77 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M113 — ◄ | ►M77 — ◄ |
| 0401000 | (i) **Oilseeds** | | ►M77 — ◄ |
| 0401010 | Linseed | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401020 | Peanuts | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401030 | Poppy seed | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401040 | Sesame seed | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401050 | Sunflower seed | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401060 | Rape seed | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401070 | Soya bean | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401080 | Mustard seed | ►M113 0,05 (*) ◄ | ►M77 — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0401090 | Cotton seed | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401100 | Pumpkin seeds | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401110 | Safflower | ►M113 0,1 (*) ◄ | ►M77 — ◄ |
| 0401120 | Borage | ►M113 0,1 (*) ◄ | ►M77 — ◄ |
| 0401130 | Gold of pleasure | ►M113 0,1 (*) ◄ | ►M77 — ◄ |
| 0401140 | Hempseed | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0401150 | Castor bean | ►M113 0,1 (*) ◄ | ►M77 — ◄ |
| 0401990 | Others | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0402000 | (ii) **Oilfruits** | | ►M77 — ◄ |
| 0402010 | Olives for oil production | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M113 0,1 (*) ◄ | ►M77 — ◄ |
| 0402030 | Palmfruit | ►M113 0,1 (*) ◄ | ►M77 — ◄ |
| 0402040 | Kapok | ►M113 0,1 (*) ◄ | ►M77 — ◄ |
| 0402990 | Others | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0500000 | 5. **CEREALS** | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0500010 | Barley | | ►M77 — ◄ |
| 0500020 | Buckwheat | | ►M77 — ◄ |
| 0500030 | Maize | | ►M77 — ◄ |
| 0500040 | Millet | | ►M77 — ◄ |
| 0500050 | Oats | | ►M77 — ◄ |
| 0500060 | Rice | | ►M77 — ◄ |
| 0500070 | Rye | | ►M77 — ◄ |
| 0500080 | Sorghum | | ►M77 — ◄ |
| 0500090 | Wheat | | ►M77 — ◄ |
| 0500990 | Others | | ►M77 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M113 0,1 (*) ◄ | ►M77 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of *Camellia sinensis*)** | | ►M77 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M113 — ◄ | ►M77 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M113 — ◄ | ►M77 — ◄ |
| 0631000 | (a) *Flowers* | ►M113 — ◄ | ►M77 — ◄ |
| 0631010 | Camomille flowers | ►M113 — ◄ | ►M77 — ◄ |
| 0631020 | Hybiscus flowers | ►M113 — ◄ | ►M77 — ◄ |
| 0631030 | Rose petals | ►M113 — ◄ | ►M77 — ◄ |
| 0631040 | Jasmine flowers | ►M113 — ◄ | ►M77 — ◄ |
| 0631050 | Lime (linden) | ►M113 — ◄ | ►M77 — ◄ |
| 0631990 | Others | ►M113 — ◄ | ►M77 — ◄ |

▼**M5**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0632000 | (b) *Leaves* | ►**M113** — ◄ | ►**M77** — ◄ |
| 0632010 | Strawberry leaves | ►**M113** — ◄ | ►**M77** — ◄ |
| 0632020 | Rooibos leaves | ►**M113** — ◄ | ►**M77** — ◄ |
| 0632030 | Maté | ►**M113** — ◄ | ►**M77** — ◄ |
| 0632990 | Others | ►**M113** — ◄ | ►**M77** — ◄ |
| 0633000 | (c) *Roots* | ►**M113** — ◄ | ►**M77** — ◄ |
| 0633010 | Valerian root | ►**M113** — ◄ | ►**M77** — ◄ |
| 0633020 | Ginseng root | ►**M113** — ◄ | ►**M77** — ◄ |
| 0633990 | Others | ►**M113** — ◄ | ►**M77** — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►**M113** — ◄ | ►**M77** — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►**M113** — ◄ | ►**M77** — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►**M113** — ◄ | ►**M77** — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►**M113** 0,1 (*) ◄ | ►**M77** — ◄ |
| 0800000 | 8. **SPICES** | ►**M113** 0,1 (*) ◄ | ►**M77** — ◄ |
| 0810000 | (i) **Seeds** | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810010 | Anise | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810020 | Black caraway | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810030 | Celery seed | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810040 | Coriander seed | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810050 | Cumin seed | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810060 | Dill seed | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810070 | Fennel seed | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810080 | Fenugreek | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810090 | Nutmeg | ►**M113** — ◄ | ►**M77** — ◄ |
| 0810990 | Others | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820010 | Allspice | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820030 | Caraway | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820040 | Cardamom | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820050 | Juniper berries | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820060 | Pepper, black and white | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820070 | Vanilla pods | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820080 | Tamarind | ►**M113** — ◄ | ►**M77** — ◄ |
| 0820990 | Others | ►**M113** — ◄ | ►**M77** — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0830000 | (iii) **Bark** | ►M113 — ◄ | ►M77 — ◄ |
| 0830010 | Cinnamon | ►M113 — ◄ | ►M77 — ◄ |
| 0830990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M113 — ◄ | ►M77 — ◄ |
| 0840010 | Liquorice | ►M113 — ◄ | ►M77 — ◄ |
| 0840020 | Ginger | ►M113 — ◄ | ►M77 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M113 — ◄ | ►M77 — ◄ |
| 0840040 | Horseradish | ►M113 — ◄ | ►M77 — ◄ |
| 0840990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0850000 | (v) **Buds** | ►M113 — ◄ | ►M77 — ◄ |
| 0850010 | Cloves | ►M113 — ◄ | ►M77 — ◄ |
| 0850020 | Capers | ►M113 — ◄ | ►M77 — ◄ |
| 0850990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M113 — ◄ | ►M77 — ◄ |
| 0860010 | Saffron | ►M113 — ◄ | ►M77 — ◄ |
| 0860990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0870000 | (vii) **Aril** | ►M113 — ◄ | ►M77 — ◄ |
| 0870010 | Mace | ►M113 — ◄ | ►M77 — ◄ |
| 0870990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 0900010 | Sugar beet (root) | ►M113 — ◄ | ►M77 — ◄ |
| 0900020 | Sugar cane | ►M113 — ◄ | ►M77 — ◄ |
| 0900030 | Chicory roots | ►M113 — ◄ | ►M77 — ◄ |
| 0900990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS** | | ►M77 — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M113 — ◄ | ►M77 — ◄ |
| 1011000 | (a) *Swine* | ►M113 0,05 (*) ◄ | ►M77 — ◄ |
| 1011010 | Meat | | ►M77 — ◄ |

▼**M5**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1011020 | Fat free of lean meat | | ►**M77** — ◄ |
| 1011030 | Liver | | ►**M77** — ◄ |
| 1011040 | Kidney | | ►**M77** — ◄ |
| 1011050 | Edible offal | | ►**M77** — ◄ |
| 1011990 | Others | | ►**M77** — ◄ |
| 1012000 | (b) *Bovine* | | ►**M77** — ◄ |
| 1012010 | Meat | ►**M113** **0,05** ◄ | ►**M77** — ◄ |
| 1012020 | Fat | ►**M113** **0,5** ◄ | ►**M77** — ◄ |
| 1012030 | Liver | ►**M113** **0,05** ◄ | ►**M77** — ◄ |
| 1012040 | Kidney | ►**M113** **0,05** ◄ | ►**M77** — ◄ |
| 1012050 | Edible offal | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1012990 | Others | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1013000 | (c) *Sheep* | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1013010 | Meat | | ►**M77** — ◄ |
| 1013020 | Fat | | ►**M77** — ◄ |
| 1013030 | Liver | | ►**M77** — ◄ |
| 1013040 | Kidney | | ►**M77** — ◄ |
| 1013050 | Edible offal | | ►**M77** — ◄ |
| 1013990 | Others | | ►**M77** — ◄ |
| 1014000 | (d) *Goat* | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1014010 | Meat | | ►**M77** — ◄ |
| 1014020 | Fat | | ►**M77** — ◄ |
| 1014030 | Liver | | ►**M77** — ◄ |
| 1014040 | Kidney | | ►**M77** — ◄ |
| 1014050 | Edible offal | | ►**M77** — ◄ |
| 1014990 | Others | | ►**M77** — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►**M113** — ◄ | ►**M77** — ◄ |
| 1015010 | Meat | ►**M113** — ◄ | ►**M77** — ◄ |
| 1015020 | Fat | ►**M113** — ◄ | ►**M77** — ◄ |
| 1015030 | Liver | ►**M113** — ◄ | ►**M77** — ◄ |
| 1015040 | Kidney | ►**M113** — ◄ | ►**M77** — ◄ |
| 1015050 | Edible offal | ►**M113** — ◄ | ►**M77** — ◄ |
| 1015990 | Others | ►**M113** — ◄ | ►**M77** — ◄ |

▼**M5**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl —, ostrich, pigeon* | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1016010 | Meat | | ►**M77** — ◄ |
| 1016020 | Fat | | ►**M77** — ◄ |
| 1016030 | Liver | | ►**M77** — ◄ |
| 1016040 | Kidney | | ►**M77** — ◄ |
| 1016050 | Edible offal | | ►**M77** — ◄ |
| 1016990 | Others | | ►**M77** — ◄ |
| 1017000 | (g) *Other farm animals* | ►**M113** — ◄ | ►**M77** — ◄ |
| 1017010 | Meat | ►**M113** — ◄ | ►**M77** — ◄ |
| 1017020 | Fat | ►**M113** — ◄ | ►**M77** — ◄ |
| 1017030 | Liver | ►**M113** — ◄ | ►**M77** — ◄ |
| 1017040 | Kidney | ►**M113** — ◄ | ►**M77** — ◄ |
| 1017050 | Edible offal | ►**M113** — ◄ | ►**M77** — ◄ |
| 1017990 | Others | ►**M113** — ◄ | ►**M77** — ◄ |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►**M113** — ◄ | ►**M77** — ◄ |
| 1020010 | Cattle | ►**M113** **0,05** ◄ | ►**M77** — ◄ |
| 1020020 | Sheep | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1020030 | Goat | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1020040 | Horse | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1020990 | Others | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►**M113** — ◄ | ►**M77** — ◄ |
| 1030010 | Chicken | ►**M113** 0,05 (*) ◄ | ►**M77** — ◄ |
| 1030020 | Duck | ►**M113** — ◄ | ►**M77** — ◄ |
| 1030030 | Goose | ►**M113** — ◄ | ►**M77** — ◄ |

▼**M5**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1030040 | Quail | ►**M113** — ◄ | ►**M77** — ◄ |
| 1030990 | Others | ►**M113** — ◄ | ►**M77** — ◄ |
| 1040000 | (iv) **Honey** | ►**M113** — ◄ | ►**M77** — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►**M113** — ◄ | ►**M77** — ◄ |
| 1060000 | (vi) **Snails** | ►**M113** — ◄ | ►**M77** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M113** — ◄ | ►**M77** — ◄ |

▼**M10**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M128** 2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenylphenol) [R] ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | |
| 0110000 | (i) **Citrus fruit** | ►**M128** **10** ◄ |
| 0110010 | Grapefruit | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►**M128** **0,01** (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | ►**M128** **0,01** (*) ◄ |
| 0130010 | Apples | ►**M128** **0,01** (*) ◄ |
| 0130020 | Pears | ►**M128** **20** ◄ |
| 0130030 | Quinces | ►**M128** **0,01** (*) ◄ |
| 0130040 | Medlar | ►**M128** **0,01** (*) ◄ |
| 0130050 | Loquat | ►**M128** **0,01** (*) ◄ |
| 0130990 | Others | ►**M128** **0,01** (*) ◄ |
| 0140000 | (iv) **Stone fruit** | ►**M128** **0,01** (*) ◄ |
| 0140010 | Apricots | |
| 0140020 | Cherries | |
| 0140030 | Peaches | |
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | (v) **Berries and small fruit** | ►**M128** **0,01** (*) ◄ |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries | |
| 0154050 | Rose hips | ►**M128** — ◄ |
| 0154060 | Mulberries | ►**M128** — ◄ |
| 0154070 | Azarole (Mediterranean medlar) | ►**M128** — ◄ |
| 0154080 | Elderberries | ►**M128** — ◄ |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | ►**M128** **0,01** (*) ◄ |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambola | ►**M128** — ◄ |
| 0161060 | Persimmon | ►**M128** — ◄ |
| 0161070 | Jambolan (java plum) | ►**M128** — ◄ |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | ►**M128** — ◄ |
| 0162050 | Star apple | ►**M128** — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►**M128** — ◄ |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | ►**M128** — ◄ |
| 0163070 | Guava | ►**M128** — ◄ |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit | ►**M128** — ◄ |
| 0163100 | Durian | ►**M128** — ◄ |
| 0163110 | Soursop (guanabana) | ►**M128** — ◄ |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►**M128** — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►**M128** **0,01** (*) ◄ |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |
| 0212040 | Arrowroot | ►**M128** — ◄ |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes | |
| 0213090 | Salsify | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | ►**M128** **0,01** (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions | |
| 0220990 | Others | |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 0230000 | (iii) **Fruiting vegetables** | ►**M128** **0,01** (*) ◄ |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Peppers | |
| 0231030 | Aubergines | |
| 0231040 | Okra, lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbitsinedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | ►**M128** **0,01** (*) ◄ |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage | |
| 0243020 | Kale | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables and fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►**M128** **0,01** (*) ◄ |
| 0251010 | Lamb's lettuce | |
| 0251020 | Lettuce | |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 0251030 | Scarole | |
| 0251040 | Cress | |
| 0251050 | Land cress | ►**M128** — ◄ |
| 0251060 | Rocket, Rucola | |
| 0251070 | Red mustard | ►**M128** — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach and similar (leaves)* | ►**M128** **0,01** (*) ◄ |
| 0252010 | Spinach | |
| 0252020 | Purslane | ►**M128** — ◄ |
| 0252030 | Beet leaves (chard) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►**M128** **0,01** (*) ◄ |
| 0254000 | (d) *Water cress* | ►**M128** **0,01** (*) ◄ |
| 0255000 | (e) *Witloof* | ►**M128** **0,01** (*) ◄ |
| 0256000 | (f) *Herbs* | ►**M128** **0,02** (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | ►**M128** — ◄ |
| 0256060 | Rosemary | ►**M128** — ◄ |
| 0256070 | Thyme | ►**M128** — ◄ |
| 0256080 | Basil | ►**M128** — ◄ |
| 0256090 | Bay leaves | ►**M128** — ◄ |
| 0256100 | Tarragon | ►**M128** — ◄ |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►**M128** **0,01** (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►**M128** **0,01** (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celery | |
| 0270040 | Fennel | |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 0270050 | Globe artichokes | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | ►**M128** — ◄ |
| 0270090 | Palm hearts | ►**M128** — ◄ |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | ►**M128** **0,01** (*) ◄ |
| 0280010 | Cultivated | |
| 0280020 | Wild | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | ►**M128** 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►**M128** **0,02** (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►**M128** **0,01** (*) ◄ |
| 0401000 | (i) **Oilseeds** | ►**M128** — ◄ |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower | ►**M128** — ◄ |
| 0401120 | Borage | ►**M128** — ◄ |
| 0401130 | Gold of pleasure | ►**M128** — ◄ |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | ►**M128** — ◄ |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | ►**M128** — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►**M128** — ◄ |
| 0402030 | Palmfruit | ►**M128** — ◄ |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 0402040 | Kapok | ►**M128** — ◄ |
| 0402990 | Others | ►**M128** — ◄ |
| 0500000 | 5. **CEREALS** | ►**M128** **0,02** (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat | |
| 0500030 | Maize | |
| 0500040 | Millet | |
| 0500050 | Oats | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►**M128** **0,05** (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of *Camellia sinensis*)** | |
| 0620000 | (ii) **Coffee beans** | ►**M128** — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►**M128** — ◄ |
| 0631000 | (a) *Flowers* | ►**M128** — ◄ |
| 0631010 | Camomille flowers | ►**M128** — ◄ |
| 0631020 | Hybiscus flowers | ►**M128** — ◄ |
| 0631030 | Rose petals | ►**M128** — ◄ |
| 0631040 | Jasmine flowers | ►**M128** — ◄ |
| 0631050 | Lime (linden) | ►**M128** — ◄ |
| 0631990 | Others | ►**M128** — ◄ |
| 0632000 | (b) *Leaves* | ►**M128** — ◄ |
| 0632010 | Strawberry leaves | ►**M128** — ◄ |
| 0632020 | Rooibos leaves | ►**M128** — ◄ |
| 0632030 | Maté | ►**M128** — ◄ |
| 0632990 | Others | ►**M128** — ◄ |
| 0633000 | (c) *Roots* | ►**M128** — ◄ |
| 0633010 | Valerian root | ►**M128** — ◄ |
| 0633020 | Ginseng root | ►**M128** — ◄ |
| 0633990 | Others | ►**M128** — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►**M128** — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►**M128** — ◄ |
| 0650000 | (v) **Carob (St Johns bread)** | ►**M128** — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►**M128** **0,05** (*) ◄ |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 0800000 | 8. **SPICES** | ►**M128** — ◄ |
| 0810000 | (i) **Seeds** | ►**M128** **0,05** (*) ◄ |
| 0810010 | Anise | ►**M128** — ◄ |
| 0810020 | Black caraway | ►**M128** — ◄ |
| 0810030 | Celery seed | ►**M128** — ◄ |
| 0810040 | Coriander seed | ►**M128** — ◄ |
| 0810050 | Cumin seed | ►**M128** — ◄ |
| 0810060 | Dill seed | ►**M128** — ◄ |
| 0810070 | Fennel seed | ►**M128** — ◄ |
| 0810080 | Fenugreek | ►**M128** — ◄ |
| 0810090 | Nutmeg | ►**M128** — ◄ |
| 0810990 | Others | ►**M128** — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►**M128** **0,05** (*) ◄ |
| 0820010 | Allspice | ►**M128** — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►**M128** — ◄ |
| 0820030 | Caraway | ►**M128** — ◄ |
| 0820040 | Cardamom | ►**M128** — ◄ |
| 0820050 | Juniper berries | ►**M128** — ◄ |
| 0820060 | Pepper, black and white | ►**M128** — ◄ |
| 0820070 | Vanilla pods | ►**M128** — ◄ |
| 0820080 | Tamarind | ►**M128** — ◄ |
| 0820990 | Others | ►**M128** — ◄ |
| 0830000 | (iii) **Bark** | ►**M128** **0,05** (*) ◄ |
| 0830010 | Cinnamon | ►**M128** — ◄ |
| 0830990 | Others | ►**M128** — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►**M128** — ◄ |
| 0840010 | Liquorice | ►**M128** **0,05** (*) ◄ |
| 0840020 | Ginger | ►**M128** **0,05** (*) ◄ |
| 0840030 | Turmeric (Curcuma) | ►**M128** **0,05** (*) ◄ |
| 0840040 | Horseradish | ►**M128** (+) ◄ |
| 0840990 | Others | ►**M128** **0,05** (*) ◄ |
| 0850000 | (v) **Buds** | ►**M128** **0,05** (*) ◄ |
| 0850010 | Cloves | ►**M128** — ◄ |
| 0850020 | Capers | ►**M128** — ◄ |
| 0850990 | Others | ►**M128** — ◄ |
| 0860000 | (vi) **Flower stigma** | ►**M128** **0,05** (*) ◄ |
| 0860010 | Saffron | ►**M128** — ◄ |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 0860990 | Others | ►**M128** — ◄ |
| 0870000 | (vii) **Aril** | ►**M128** **0,05** (*) ◄ |
| 0870010 | Mace | ►**M128** — ◄ |
| 0870990 | Others | ►**M128** — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►**M128** **0,01** (*) ◄ |
| 0900010 | Sugar beet (root) | ►**M128** — ◄ |
| 0900020 | Sugar cane | ►**M128** — ◄ |
| 0900030 | Chicory roots | ►**M128** — ◄ |
| 0900990 | Others | ►**M128** — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS** | ►**M128** — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►**M128** **0,01** (*) ◄ |
| 1011000 | (a) *Swine* | |
| 1011010 | Meat | |
| 1011020 | Fat free of lean meat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Meat | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Meat | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 1014000 | (d) *Goat* | |
| 1014010 | Meat | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►**M128** — ◄ |
| 1015010 | Meat | ►**M128** — ◄ |
| 1015020 | Fat | ►**M128** — ◄ |
| 1015030 | Liver | ►**M128** — ◄ |
| 1015040 | Kidney | ►**M128** — ◄ |
| 1015050 | Edible offal | ►**M128** — ◄ |
| 1015990 | Others | ►**M128** — ◄ |
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Meat | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals* | ►**M128** — ◄ |
| 1017010 | Meat | ►**M128** — ◄ |
| 1017020 | Fat | ►**M128** — ◄ |
| 1017030 | Liver | ►**M128** — ◄ |
| 1017040 | Kidney | ►**M128** — ◄ |
| 1017050 | Edible offal | ►**M128** — ◄ |
| 1017990 | Others | ►**M128** — ◄ |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►**M128** **0,01** (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |

▼**M10**

| (1) | (2) | (3) |
|---|---|---|
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►**M128** **0,01** (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | ►**M128** — ◄ |
| 1030030 | Goose | ►**M128** — ◄ |
| 1030040 | Quail | ►**M128** — ◄ |
| 1030990 | Others | ►**M128** — ◄ |
| 1040000 | (iv) **Honey** | ►**M128** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►**M128** **0,01** (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M128** **0,01** (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M128** **0,01** (*) ◄ |

▼**M40**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M165** Dimethomorph (sum of isomers) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►**M165** 0,01 (*) ◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►**M165** 0,8 ◄ |
| 0110030 | Lemons (Citron, lemon) | ►**M165** 0,01 (*) ◄ |
| 0110040 | Limes | ►**M165** 0,01 (*) ◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | ►**M165** 0,01 (*) ◄ |
| 0110990 | Others | ►**M165** 0,01 (*) ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►**M165** 0,02 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | ►**M165** 0,01 (*) ◄ |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | ►**M165** 0,01 (*) ◄ |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | |
| 0140990 | Others | |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | ►**M165** 3 ◄ |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | ►**M165** 0,7 ◄ |
| 0153000 | (c) *Cane fruit* | ►**M165** **0,01** (*) ◄ |
| 0153010 | Blackberries | ►**M165** — ◄ |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberries) | ►**M165** — ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus x idaeus)*) | ►**M165** — ◄ |
| 0153990 | Others | ►**M165** — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►**M165** 0,01 (*) ◄ |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (*arbutus berry*) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | ►**M109** — ◄ |
| 0161000 | (a) *Edible peel* | ►**M165** 0,01 (*) ◄ |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia x Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (*grumichama Eugenia uniflora*),) | |
| 0161990 | Others | |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 0162000 | (b) *Inedible peel, small* | ►**M165** 0,01 (*) ◄ |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | ►**M165** 0,01 (*) ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►**M165** 0,01 (*) ◄ |
| 0163030 | Mangoes | ►**M165** 0,01 (*) ◄ |
| 0163040 | Papaya | ►**M165** 0,7 ◄ |
| 0163050 | Pomegranate | ►**M165** 0,01 (*) ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | ►**M165** 0,01 (*) ◄ |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | ►**M165** 0,01 (*) ◄ |
| 0163080 | Pineapples | ►**M165** 0,01 (*) ◄ |
| 0163090 | Bread fruit (Jackfruit) | ►**M165** 0,01 (*) ◄ |
| 0163100 | Durian | ►**M165** 0,01 (*) ◄ |
| 0163110 | Soursop (guanabana) | ►**M165** 0,01 (*) ◄ |
| 0163990 | Others | ►**M165** 0,01 (*) ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | ►**M165** 0,05 ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►**M165** 0,01 (*) ◄ |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | |
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | ►**M165** 0,01 (*) ◄ |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 0213020 | Carrots | ►**M165** 0,01 (*) ◄ |
| 0213030 | Celeriac | ►**M165** 0,01 (*) ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | ►**M165** 0,01 (*) ◄ |
| 0213050 | Jerusalem artichokes | ►**M165** 0,01 (*) ◄ |
| 0213060 | Parsnips | ►**M165** 0,01 (*) ◄ |
| 0213070 | Parsley root | ►**M165** 0,01 (*) ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | ►**M165** 1.5 ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oysterplant)) | ►**M165** 0,01 (*) ◄ |
| 0213100 | Swedes | ►**M165** 0,01 (*) ◄ |
| 0213110 | Turnips | ►**M165** 0,01 (*) ◄ |
| 0213990 | Others | ►**M165** 0,01 (*) ◄ |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | ►**M165** 0,6 ◄ |
| 0220020 | Onions (Silverskin onions) | ►**M165** 0,6 ◄ |
| 0220030 | Shallots | ►**M165** 0,6 ◄ |
| 0220040 | Spring onions (Welsh onion and similar varieties) | ►**M165** 9 ◄ |
| 0220990 | Others | ►**M165** 0,15 ◄ |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) *Solanacea* | ►**M165** 1 ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*)) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino) | |
| 0231040 | Okra, lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits - edible peel* | ►**M165** 0,5 ◄ |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►**M165** 0,5 ◄ |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn* | ►**M165** 0,01 (*) ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►**M165** 0,01 (*) ◄ |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | ►**M165** 5 ◄ |
| 0241020 | Cauliflower | ►**M165** 0,6 ◄ |
| 0241990 | Others | ►**M165** 0,6 ◄ |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | ►**M165** 0,01 (*) ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►**M165** 6 ◄ |
| 0242990 | Others | ►**M165** 0,01 (*) ◄ |
| 0243000 | (c) *Leafy brassica* | ►**M165** 3 ◄ |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai), ) | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | ►**M165** 0,02 ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | |
| 0251010 | Lamb's lettuce (Italian cornsalad) | ►**M165** 10 ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►**M165** 15 ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | ►**M165** 6 ◄ |
| 0251040 | Cress | ►**M165** 10 ◄ |
| 0251050 | Land cress | ►**M165** 10 ◄ |
| 0251060 | Rocket, Rucola (Wild rocket) | ►**M165** 10 ◄ |
| 0251070 | Red mustard | ►**M165** 10 ◄ |
| 0251080 | Leaves and sprouts of *Brassica* spp (Mizuna, leaves of peas and radish and other babyleaf *brassica* crops (crops harvested up to 8 true leaf stage)) | ►**M165** 10 ◄ |
| 0251990 | Others | ►**M165** 10 ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | ►**M165** 30 ◄ |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (*Salsola soda*)) | ►**M165** 4 ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►**M165** 4 ◄ |
| 0252990 | Others | ►**M165** 4 ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►**M165** 0,01 (*) ◄ |
| 0254000 | (d) *Water cress* | ►**M165** 0,01 (*) ◄ |
| 0255000 | (e) *Witloof* | ►**M165** 0,05 ◄ |
| 0256000 | (f) *Herbs* | ►**M165** 10 ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves) | |
| 0256040 | Parsley | |
| 0256050 | Sage (Winter savory, summer savory,) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |
| 0256080 | Basil (Balm leaves, mint, peppermint) | |
| 0256090 | Bay leaves (laurel) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others (Edible flowers) | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | ►**M165** 0,01 (*) ◄ |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | ►**M165** 0,04 ◄ |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | ►**M165** 0,01 (*) ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►**M165** 0,15 ◄ |
| 0260050 | Lentils | ►**M165** 0,01 (*) ◄ |
| 0260990 | Others | ►**M165** 0,01 (*) ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | |
| 0270010 | Asparagus | ►**M165** 0,01 (*) ◄ |
| 0270020 | Cardoons | ►**M165** 0,01 (*) ◄ |
| 0270030 | Celery | ►**M165** 15 ◄ |
| 0270040 | Fennel | ►**M165** 0,01 (*) ◄ |
| 0270050 | Globe artichokes | ►**M165** 2 ◄ |
| 0270060 | Leek | ►**M165** 1.5 ◄ |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 0270070 | Rhubarb | ►**M165** 0,01 (*) ◄ |
| 0270080 | Bamboo shoots | ►**M165** 0,01 (*) ◄ |
| 0270090 | Palm hearts | ►**M165** 0,01 (*) ◄ |
| 0270990 | Others | ►**M165** 0,01 (*) ◄ |
| 0280000 | (viii) **Fungi** | ►**M165** 0,01 (*) ◄ |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | ►**M165** 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►**M165** 0,01 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►**M165** 0,02 (*) ◄ |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | |
| 0401110 | Safflower | |
| 0401120 | Borage | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | ►**M165** 0,01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff) | |
| 0500050 | Oats | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►**M165** 0,05 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of *Camellia sinensis*)** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*) ) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoa (fermented beans)** | |
| 0650000 | (v) **Carob (St johns bread)** | |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►**M165** 80 ◄ |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 0800000 | 8. **SPICES** | ►**M48** — ◄ |
| 0810000 | (i) **Seeds** | |
| 0810010 | Anise | ►**M165** 30 ◄ |
| 0810020 | Black caraway | ►**M165** 30 ◄ |
| 0810030 | Celery seed (Lovage seed) | ►**M165** 30 ◄ |
| 0810040 | Coriander seed | ►**M165** 30 ◄ |
| 0810050 | Cumin seed | ►**M165** 30 ◄ |
| 0810060 | Dill seed | ►**M165** 30 ◄ |
| 0810070 | Fennel seed | ►**M165** 30 ◄ |
| 0810080 | Fenugreek | ►**M165** 30 ◄ |
| 0810090 | Nutmeg | ►**M165** 0,05 (*) ◄ |
| 0810990 | Others | ►**M165** 30 ◄ |
| 0820000 | (ii) **Fruits and berries** | |
| 0820010 | Allspice | ►**M165** 0,05 (*) ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►**M165** 0,05 (*) ◄ |
| 0820030 | Caraway | ►**M165** 30 ◄ |
| 0820040 | Cardamom | ►**M165** 0,05 (*) ◄ |
| 0820050 | Juniper berries | ►**M165** 0,05 (*) ◄ |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | ►**M165** 0,05 (*) ◄ |
| 0820070 | Vanilla pods | ►**M165** 0,05 (*) ◄ |
| 0820080 | Tamarind | ►**M165** 0,05 (*) ◄ |
| 0820990 | Others | ►**M165** 0,05 (*) ◄ |
| 0830000 | (iii) **Bark** | ►**M165** 0,05 (*) ◄ |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | ►**M165** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M165** — ◄ |
| 0840030 | Turmeric (Curcuma) | ►**M165** 0,05 (*) ◄ |
| 0840040 | Horseradish | ►**M165** — ◄ |
| 0840990 | Others | ►**M165** 0,05 (*) ◄ |
| 0850000 | (v) **Buds** | ►**M165** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | ►**M165** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | ►**M165** 0,05 (*) ◄ |
| 0870010 | Mace | |

▼M40

| (1) | (2) | (3) |
|---|---|---|
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | ►M165 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | ►M165 0,01 (*) ◄ |
| 1011000 | (a) *Swine* | |
| 1011010 | Meat | |
| 1011020 | Fat free of lean meat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Meat | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Meat | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Meat | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |

▼M40

| (1) | (2) | (3) |
|---|---|---|
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Meat | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon* | |
| 1016010 | Meat | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | |
| 1017010 | Meat | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M165 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M165 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M40**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | ►**M165** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M165** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M165** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M165** 0,01 (*) ◄ |

▼**M42**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Clodinafop and its S-isomers and their salts, expressed as clodinafop (F) | ►**M140** Clomazone ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | | |
| 0110000 | (i) **Citrus fruit** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | 0,05 (*) | ►**M140** 0,02 (*) ◄ |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **(iii) Pome fruit** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet cherries, sour cherries) | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | |

▼**M42**

| Diuron | ►**M109** Metconazole (sum of isomers) (F) ◄ | ►**M204** Prosulfocarb ◄ | ►**M145** — ◄ |
|---|---|---|---|
| (5) | (6) | (7) | (8) |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,02 (*)** | ►**M109** 0,05 (*) ◄ | ►**M204** 0,02 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** (+) | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,1 ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,2 ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,1 ◄ | | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0151000 | (a) *Table and wine grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *Strawberries* | | |
| 0153000 | (c) *Cane fruit* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberries) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus x idaeus*)) | | |
| 0153990 | Others | | |
| 0154000 | (d) *Other small fruit & berries* | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (arbutus berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | |
| 0154080 | Elderberries (Black chokeberry (apple-berry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0161000 | (a) *Edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia x Fortunella* spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |
| 0161060 | Persimmon | | |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama *Eugenia uniflora*),) | | |
| 0161990 | Others | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** — ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **(+)** | | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,05 (+) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** **0,4** ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| **0,01 (*)** | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0162000 | (b) *Inedible peel, small* | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) *Inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | | |
| 0163070 | Guava (Red pitaya or dragon fruit (*Hylocereus undatus*)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | |
| 0210000 | (i) **Root and tuber vegetables** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0211000 | (a) *Potatoes* | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | | |
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | |
| 0213010 | Beetroot | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,1 ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** — ◄ | | ►**M145** — ◄ |
| | ►**M109** **0,04** (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** **0,04** (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oysterplant)) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0220010 | Garlic | | |
| 0220020 | Onions (Silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions (Welsh onion and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0231000 | (a) *Solanacea* | | |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*)) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino) | | |
| 0231040 | Okra, lady's fingers | | |
| 0231990 | Others | | |
| 0232000 | (b) *Cucurbits — edible peel* | | |
| 0232010 | Cucumbers | | ►**M140** (+) ◄ |
| 0232020 | Gherkins | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | | |
| 0232990 | Others | | |
| 0233000 | (c) *Cucurbits — inedible peel* | | |
| 0233010 | Melons (Kiwano) | | ►**M140** (+) ◄ |
| 0233020 | Pumpkins (Winter squash) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | | ►**M204** 1 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,08 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,08 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,08 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,08 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,08 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,03 ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,03 ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,02 ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| **0,01 (*)** | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,05 (+) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0234000 | (d) *Sweet corn* | | |
| 0239000 | (e) *Other fruiting vegetables* | | |
| 0240000 | (iv) **Brassica vegetables** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) *Head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) *Leafy brassica* | | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) *Kohlrabi* | | ►**M140** (+) ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | ►**M140** — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuce (Italian cornsalad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | | |
| 0251040 | Cress | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of *Brassica* spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | | |
| 0251990 | Others | | |
| 0252000 | (b) *Spinach & similar (leaves)* | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄<br>►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄<br>►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄<br>►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0252990 | Others | | |
| 0253000 | (c) *Vine leaves (grape leaves)* | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0254000 | (d) *Water cress* | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0255000 | (e) *Witloof* | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0256000 | (f) *Herbs* | **0,05 (*)** | ►**M140** 0,15 ◄ |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves) | | |
| 0256040 | Parsley | | |
| 0256050 | Sage (Winter savory, summer savory,) | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme (Marjoram, oregano) | | |
| 0256080 | Basil (Balm leaves, mint, peppermint) | | |
| 0256090 | Bay leaves (laurel) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others (Edible flowers) | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | | |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| **0,02 (*)** | ►**M109** 0,05 (*) ◄ | ►**M204** **20** ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 1,5 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,05 (*) | ►**M140** 0,02 (*) ◄ |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of *cucurbitacea*) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) **Oilfruits** | | |
| 0402010 | Olives for oil production | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄<br>►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| **0,01 (*)** | ►**M109** **0,15** ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** — ◄<br>►**M109** — ◄<br>►**M109** — ◄<br>►**M109** — ◄ | | ►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄ |
| | ►**M109** — ◄ | | ►**M145** — ◄ |
| **0,02 (*)** | | ►**M204** 0,02 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,2 ◄<br>►**M109** 0,05 (*) ◄<br>►**M109** 0,15 ◄<br>►**M109** 0,05 (*) ◄<br>►**M109** **0,7** ◄<br>►**M109** 0,2 ◄<br>►**M109** 0,05 (*) ◄<br>►**M109** 0,2 ◄<br>►**M109** 0,3 ◄<br>►**M109** 0,05 (*) ◄<br>►**M109** 0,05 (*) ◄<br>►**M109** 0,05 (*) ◄<br>►**M109** 0,05 (*) ◄<br>►**M109** 0,05 (*) ◄<br>►**M109** 0,05 (*) ◄ | | ►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄ |
| | ►**M109** 0,05 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,05 (*) ◄ | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |

▼M42

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | **0,02 (*)** | ►M140 0,01 (*) ◄ |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff) | | |
| 0500050 | Oats | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |
| 0500990 | Others | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,1 (*)** | ►M140 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of *Camellia sinensis*)** | | ►M140 0,05 (*) ◄ |
| 0620000 | (ii) **Coffee beans** | | ►M140 0,05 (*) ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) *Flowers* | | |
| 0631010 | Camomille flowers | | ►M140 **0,5** ◄ |
| 0631020 | Hybiscus flowers | | ►M140 0,05 (*) ◄ |
| 0631030 | Rose petals | | ►M140 0,05 (*) ◄ |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | ►M140 0,05 (*) ◄ |
| 0631050 | Lime (linden) | | ►M140 0,05 (*) ◄ |
| 0631990 | Others | | ►M140 0,05 (*) ◄ |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,4 ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,1 ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,4 ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,06 ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,15 ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| **0,05 (*)** | ►**M109** 0,1 (*) ◄ | | ►**M145** — ◄ |
| | | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | ►**M204** 2 ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0632000 | (b) *Leaves* | | |
| 0632010 | Strawberry leaves | | ►**M140** **0,5** ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | ►**M140** 0,05 (*) ◄ |
| 0632030 | Maté | | ►**M140** 0,05 (*) ◄ |
| 0632990 | Others | | ►**M140** 0,05 (*) ◄ |
| 0633000 | (c) *Roots* | | ►**M140** 0,05 (*) ◄ |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) *Other herbal infusions* | | ►**M140** 0,05 (*) ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | | ►**M140** 0,05 (*) ◄ |
| 0650000 | (v) **Carob (St johns bread)** | | ►**M140** 0,05 (*) ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | **0,1 (*)** | ►**M140** 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | **0,1 (*)** | ►**M140** — ◄ |
| 0810000 | (i) **Seeds** | | ►**M140** 0,05 (*) ◄ |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | | ►**M140** 0,05 (*) ◄ |
| 0820010 | Allspice | | |
| 0820020 | Anise pepper (Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | | ►**M204** 2 ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| **0,05 (*)** | ►**M109** 0,1 (*) ◄ | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| **0,05 (*)** | ►**M61** — ◄ | | ►**M145** — ◄ |
| | ►**M109** 0,1 (*) ◄ | ►**M204** 0,3 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,1 (*) ◄ | ►**M204** 0,3 (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |
| | | ►**M204** (+) ◄ | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0830000 | (iii) **Bark** | | ►**M140** 0,05 (*) ◄ |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | | ►**M140** 0,05 (*) ◄ |
| 0840020 | Ginger | | ►**M140** 0,05 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | | ►**M140** 0,05 (*) ◄ |
| 0840040 | Horseradish | | |
| 0840990 | Others | | ►**M140** 0,05 (*) ◄ |
| 0850000 | (v) **Buds** | | ►**M140** 0,05 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | | ►**M140** 0,05 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | | ►**M140** 0,05 (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS** | | |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 1011000 | (a) *Swine* | | |
| 1011010 | Meat | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | ►**M109** 0,1 (*) ◄ | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | ►**M204** — ◄ | ►**M145** — ◄ |
| | ►**M109** 0,1 (*) ◄<br>►**M109** 0,1 (*) ◄<br>►**M109** 0,1 (*) ◄<br>►**M109** (+) ◄ | ►**M204** 0,05 (*) ◄<br><br>►**M204** 0,05 (*) ◄ | ►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄ |
| | ►**M109** 0,1 (*) ◄ | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,1 (*) ◄ | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄<br>►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,1 (*) ◄ | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,1 (*) ◄ | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| **0,01 (*)** | | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,06 ◄<br>►**M109** 0,02 (*) ◄<br>►**M109** 0,02 (*) ◄ | | ►**M145** — ◄<br>►**M145** — ◄<br>►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | | ►**M145** — ◄ |
| 0,05 (*) | | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |

▼M42

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1011020 | Fat free of lean meat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offal | | |
| 1011990 | Others | | |
| 1012000 | (b) *Bovine* | | |
| 1012010 | Meat | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offal | | |
| 1012990 | Others | | |
| 1013000 | (c) *Sheep* | | |
| 1013010 | Meat | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offal | | |
| 1013990 | Others | | |
| 1014000 | (d) *Goat* | | |
| 1014010 | Meat | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offal | | |
| 1014990 | Others | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | |
| 1015010 | Meat | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offal | | |
| 1015990 | Others | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon* | | |
| 1016010 | Meat | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | | |
| 1017010 | Meat | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offal | | |
| 1017990 | Others | | |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | 0,02 (*) | ►**M140** 0,01 (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |
| | | | ►**M145** — ◄ |

▼**M42**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | **0,05 (*)** | ►**M140** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,02 (*)** | ►**M140** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | **0,02 (*)** | ►**M140** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | **0,02 (*)** | ►**M140** 0,01 (*) ◄ |

▼**M42**

| (5) | (6) | (7) | (8) |
|---|---|---|---|
| | ►**M109** 0,05 (*) ◄ | ►**M204** 0,05 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |
| | ►**M109** 0,02 (*) ◄ | ►**M204** 0,01 (*) ◄ | ►**M145** — ◄ |

▼M46

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Beflubutamid |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | **0,02** (*) |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (*Arbutus berry)* | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | **0,02** (*) |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | **0,02** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | **0,02** (*) |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits — inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | **0,02** (*) |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,02** (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,02** (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,02** (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,02** (*) |
| 0255000 | (e) *Witloof* | **0,02** (*) |
| 0256000 | (f) *Herbs* | 0,05 (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,02** (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,02** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (*Borago officinalis* stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | **0,02** (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | **0,02** (*) |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02** (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | |
| 0500010 | Barley | 0,05 (*) |
| 0500020 | Buckwheat (*Amaranthus, quinoa*) | **0,01** (*) |
| 0500030 | Maize | **0,01** (*) |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | **0,01** (*) |
| 0500050 | Oats | 0,05 (*) |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | **0,01** (*) |
| 0500070 | Rye | 0,05 (*) |
| 0500080 | Sorghum | **0,01** (*) |
| 0500090 | Wheat (Spelt, triticale) | **0,05** (*) |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | **0,01** (*) |

▼M46

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,05** (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | **0,05** (*) |
| 0800000 | 8. **SPICES** | **0,05** (*) |
| 0810000 | (i) **Seeds** | |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | |
| 0820010 | Allspice | |

▼M46

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger | |
| 0840030 | Turmeric (Curcuma) | |
| 0840040 | Horseradish | |
| 0840990 | Others | |
| 0850000 | (v) **Buds** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,02** (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | **0,01** (*) |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | **0,01 (*)** |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M46**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | 0,05 (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01** (*) |
| 1060000 | (vi) **Snails** | **0,01** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01** (*) |

▼M49

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin) (R) (S) | ►M72 Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride) ◄ | ►M136 Tebuconazole (R) ◄ |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | | |
| 0110000 | (i) **Citrus fruit** | **0,01 (*)** | ►M72 0,01 (*) ◄ | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | ►M136 5 ◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | ►M136 0,9 ◄ |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | | ►M136 5 ◄ |
| 0110040 | Limes | | | ►M136 5 ◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | | | ►M136 5 ◄ |
| 0110990 | Others | | | ►M136 5 ◄ |
| 0120000 | (ii) **Tree nuts** | **0,01 (*)** | ►M72 0,01 (*) ◄ | ►M136 0,05 ◄ |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts (Filbert) | | | |
| 0120070 | Macadamia | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nuts | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others | | | |
| 0130000 | (iii) **Pome fruit** | **0,01 (*)** | ►M72 0,01 (*) ◄ | |
| 0130010 | Apples (Crab apple) | | | ►M136 0,3 ◄ |
| 0130020 | Pears (Oriental pear) | | | ►M136 0,3 ◄ |
| 0130030 | Quinces | | | ►M136 0,5 ◄ |
| 0130040 | Medlar | | | ►M136 0,5 ◄ |
| 0130050 | Loquat | | | ►M136 0,5 ◄ |
| 0130990 | Others | | | ►M136 0,5 ◄ |
| 0140000 | (iv) **Stone fruit** | **0,01 (*)** | ►M72 0,01 (*) ◄ | |
| 0140010 | Apricots | | | ►M136 0,6 ◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | ►M136 1 (+) ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | ►M136 0,6 ◄ |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | | | ►**M136** 1 ◄ |
| 0140990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0150000 | (v) **Berries & small fruit** | **0,01 (*)** | | |
| 0151000 | (a) *Table and wine grapes* | | ►**M72** 0,1 ◄ | |
| 0151010 | Table grapes | | | ►**M136** 0,5 ◄ |
| 0151020 | Wine grapes | | | ►**M136** 1 (+) ◄ |
| 0152000 | (b) *Strawberries* | | ►**M72** **0,4** ◄ | ►**M136** 0,02 (*) ◄ |
| 0153000 | (c) *Cane fruit* | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,5 ◄ |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloud-berries and other *Rubus* hybrids) | | | ►**M136** (+) ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | | | |
| 0153990 | Others | | | ►**M136** (+) ◄ |
| 0154000 | (d) *Other small fruit & berries* | | ►**M72** 0,01 (*) ◄ | ►**M136** 1,5 ◄ |
| 0154010 | Blueberries (Bilberries) | | | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | | |
| 0154030 | Currants (red, black and white) | | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | | |
| 0154050 | Rose hips | | | |
| 0154060 | Mulberries (*Arbutus* berry) | | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other tree-berries) | | | |
| 0154990 | Others | | | |
| 0160000 | (vi) **Miscellaneous fruit** | | ►**M72** 0,01 (*) ◄ | |
| 0161000 | (a) *Edible peel* | **0,01 (*)** | | |
| 0161010 | Dates | | | ►**M136** 0,02 (*) ◄ |
| 0161020 | Figs | | | ►**M136** 0,02 (*) ◄ |
| 0161030 | Table olives | | | ►**M136** **0,5** ◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | | | ►**M136** 0,02 (*) ◄ |
| 0161050 | Carambola (Bilimbi) | | | ►**M136** 0,02 (*) ◄ |
| 0161060 | Persimmon | | | ►**M136** 0,02 (*) ◄ |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | | | ►**M136** 0,02 (*) ◄ |
| 0161990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0162000 | (b) *Inedible peel, small* | **0,01 (*)** | | |
| 0162010 | Kiwi | | | ►**M136** 0,02 (*) ◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | | ►**M136** 0,02 (*) ◄ |
| 0162030 | Passion fruit | | | ►**M136** 1 ◄ |
| 0162040 | Prickly pear (cactus fruit) | | | ►**M136** 0,02 (*) ◄ |
| 0162050 | Star apple | | | ►**M136** 0,02 (*) ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/ yellow sapote, mammey sapote) | | | ►**M136** 0,02 (*) ◄ |
| 0162990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0163000 | (c) *Inedible peel, large* | | | |
| 0163010 | Avocados | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | **0,2** | | ►**M136** 1,5 ◄ |
| 0163030 | Mangoes | **0,01 (*)** | | ►**M136** 0,1 ◄ |
| 0163040 | Papaya | **0,01 (*)** | | ►**M136** 2 ◄ |
| 0163050 | Pomegranate | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0163080 | Pineapples | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0163090 | Bread fruit (Jackfruit) | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0163100 | Durian | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0163110 | Soursop (guanabana) | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0163990 | Others | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | |
| 0211000 | (a) *Potatoes* | | | ►**M136** 0,02 (*) ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | ►**M136** 0,02 (*) ◄ |
| 0212010 | Cassava (Dasheen, eddoe/ Japanese taro, tannia) | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | | |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroot | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | |
| 0213010 | Beetroot | | | ►**M136** 0,02 (*) ◄ |
| 0213020 | Carrots | | | ►**M136** 0,4 ◄ |
| 0213030 | Celeriac | | | ►**M136** 0,5 ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | | ►**M136** 0,4 ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | | | ►**M136** 0,02 (*) ◄ |
| 0213060 | Parsnips | | | ►**M136** 0,4 ◄ |
| 0213070 | Parsley root | | | ►**M136** 0,4 ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | | ►**M136** 0,02 (*) ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | | | ►**M136** 0,4 (+) ◄ |
| 0213100 | Swedes | | | ►**M136** 0,3 ◄ |
| 0213110 | Turnips | | | ►**M136** 0,3 ◄ |
| 0213990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0220000 | (ii) **Bulb vegetables** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | |
| 0220010 | Garlic | | | ►**M136** 0,1 ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | | ►**M136** 0,15 ◄ |
| 0220030 | Shallots | | | ►**M136** 0,15 ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | | ►**M136** 2 ◄ |
| 0220990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0230000 | (iii) **Fruiting vegetables** | **0,01 (*)** | | |
| 0231000 | (a) *Solanacea* | | | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | | ►**M72** 0,3 ◄ | ►**M136** 0,9 ◄ |
| 0231020 | Peppers (Chilli peppers) | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,6 ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | | ►**M72** 0,3 ◄ | ►**M136** 0,4 (+) ◄ |
| 0231040 | Okra (lady's fingers) | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0231990 | Others | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | | | |
| 0232010 | Cucumbers | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,6 ◄ |
| 0232020 | Gherkins | | ►**M72** 0,3 ◄ | ►**M136** 0,02 (*) ◄ |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,6 ◄ |
| 0232990 | Others | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | | ►**M72** 0,3 ◄ | |
| 0233010 | Melons (Kiwano) | | | ►**M136** 0,2 (+) ◄ |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | ►**M136** 0,15 ◄ |
| 0233030 | Watermelons | | | ►**M136** 0,15 ◄ |
| 0233990 | Others | | | ►**M136** 0,15 ◄ |
| 0234000 | (d) *Sweet corn (Baby corn)* | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,6 ◄ |
| 0239000 | (e) *Other fruiting vegetables* | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0240000 | (iv) **Brassica vegetables** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | |
| 0241000 | (a) *Flowering brassica* | | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | ►**M136** 0,15 ◄ |
| 0241020 | Cauliflower | | | ►**M136** 0,05 ◄ |
| 0241990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0242000 | (b) *Head brassica* | | | ►**M136** 0,7 ◄ |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *Leafy brassica* | | | ►**M136** 0,02 (*) ◄ |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *Kohlrabi* | | | ►**M136** 0,02 (*) ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | ►**M136** 0,5 ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | | | |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | |
| 0251050 | Land cress | | | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | | |
| 0251070 | Red mustard | | | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | | | |
| 0252020 | Purslane (Winter purslane/ miner's lettuce, garden purslane, common purslane, sorrel, glass-worth, agretti (*Salsola soda*)) | | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0254000 | (d) *Water cress (Morning glory/ Chinese convolvulus/water convolvulus/water spinach/ kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0255000 | (e) *Witloof* | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | ►**M136** 0,15 ◄ |
| 0256000 | (f) *Herbs* | **0,02 (*)** | ►**M72** 0,02 (*) ◄ | ►**M136** **2** ◄ |
| 0256010 | Chervil | | | ►**M136** — ◄ |
| 0256020 | Chives | | | ►**M136** — ◄ |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | | | ►**M136** — ◄ |
| 0256040 | Parsley (leaves of root parsley) | | | ►**M136** — ◄ |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | | ►**M136** — ◄ |
| 0256060 | Rosemary | | | ►**M136** — ◄ |
| 0256070 | Thyme (Marjoram, oregano) | | | ►**M136** — ◄ |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | ►**M136** — ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | ►**M136** — ◄ |
| 0256100 | Tarragon (Hyssop) | | | ►**M136** — ◄ |
| 0256990 | Others | | | ►**M136** — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | | ►**M136** 2 (+) ◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | | ►**M136** 2 (+) ◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | | ►**M136** 2 (+) ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | | ►**M136** 0,02 (*) ◄ |
| 0260050 | Lentils | | | ►**M136** 0,02 (*) ◄ |
| 0260990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | |
| 0270010 | Asparagus | | | ►**M136** 0,02 (*) ◄ |
| 0270020 | Cardoons (*Borago officinalis* stems) | | | ►**M136** 0,02 (*) ◄ |
| 0270030 | Celery | | | ►**M136** 0,5 (+) ◄ |
| 0270040 | Fennel | | | ►**M136** 0,02 (*) ◄ |
| 0270050 | Globe artichokes (Banana flower) | | | ►**M136** 0,6 ◄ |
| 0270060 | Leek | | | ►**M136** 0,6 ◄ |
| 0270070 | Rhubarb | | | ►**M136** 0,02 (*) ◄ |
| 0270080 | Bamboo shoots | | | ►**M136** 0,02 (*) ◄ |
| 0270090 | Palm hearts | | | ►**M136** 0,02 (*) ◄ |
| 0270990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0280000 | (viii) **Fungi** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | | |
| 0280990 | Others | | | |
| 0290000 | (ix) **Sea weeds** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | ►**M136** 0,3 ◄ |
| 0300020 | Lentils | | | ►**M136** 0,2 ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | ►**M136** 0,2 ◄ |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0300040 | Lupins | | | ►**M136** 0,2 ◄ |
| 0300990 | Others | | | ►**M136** 0,2 ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,01 (*)** | ►**M72** 0,01 (*) ◄ | |
| 0401000 | (i) **Oilseeds** | | | |
| 0401010 | Linseed | | | ►**M136** 0,6 ◄ |
| 0401020 | Peanuts | | | ►**M136** 0,15 ◄ |
| 0401030 | Poppy seed | | | ►**M136** 0,2 ◄ |
| 0401040 | Sesame seed | | | ►**M136** 0,02 (*) ◄ |
| 0401050 | Sunflower seed | | | ►**M136** 0,02 (*) ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | ►**M136** 0,5 ◄ |
| 0401070 | Soya bean | | | ►**M136** 0,15 ◄ |
| 0401080 | Mustard seed | | | ►**M136** 0,3 ◄ |
| 0401090 | Cotton seed | | | ►**M136** 2 ◄ |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | | | ►**M136** 0,02 (*) ◄ |
| 0401110 | Safflower | | | ►**M136** 0,02 (*) ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | | ►**M136** 0,02 (*) ◄ |
| 0401130 | Gold of pleasure | | | ►**M136** 0,3 ◄ |
| 0401140 | Hempseed | | | ►**M136** 0,02 (*) ◄ |
| 0401150 | Castor bean | | | ►**M136** 0,02 (*) ◄ |
| 0401990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0402000 | (ii) **Oilfruits** | | | |
| 0402010 | Olives for oil production | | | ►**M136** **0,5** ◄ |
| 0402020 | Palm nuts (palmoil kernels) | | | ►**M136** 0,02 (*) ◄ |
| 0402030 | Palmfruit | | | ►**M136** 0,02 (*) ◄ |
| 0402040 | Kapok | | | ►**M136** 0,02 (*) ◄ |
| 0402990 | Others | | | ►**M136** 0,02 (*) ◄ |
| 0500000 | 5. **CEREALS** | | ►**M72** 0,01 (*) ◄ | |
| 0500010 | Barley | **0,6** | | ►**M136** 2 ◄ |
| 0500020 | Buckwheat (*Amaranthus, quinoa*) | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0500030 | Maize | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0500050 | Oats | **0,3** | | ►**M136** 2 ◄ |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | **0,01 (*)** | | ►**M136** **1,5** ◄ |
| 0500070 | Rye | **0,1** | | ►**M136** 0,3 ◄ |
| 0500080 | Sorghum | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |
| 0500090 | Wheat (Spelt, triticale) | **0,1** | | ►**M136** 0,3 ◄ |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | **0,01 (*)** | | ►**M136** 0,02 (*) ◄ |

▼M49

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) | ►M72 0,05 (*) ◄ | |
| 0610000 | (i) **Tea** | | | ►M136 0,05 (*) ◄ |
| 0620000 | (ii) **Coffee beans** | | | ►M136 0,1 ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | | | ►M116 — ◄ |
| 0631000 | (a) *Flowers* | | | ►M136 **15** ◄ |
| 0631010 | Camomille flowers | | | |
| 0631020 | Hybiscus flowers | | | |
| 0631030 | Rose petals | | | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | | |
| 0631050 | Lime (linden) | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *Leaves* | | | ►M136 **15** ◄ |
| 0632010 | Strawberry leaves | | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | |
| 0632030 | Maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *Roots* | | | |
| 0633010 | Valerian root | | | ►M136 0,05 (*) ◄ |
| 0633020 | Ginseng root | | | ►M136 0,15 ◄ |
| 0633990 | Others | | | ►M136 0,05 (*) ◄ |
| 0639000 | (d) *Other herbal infusions* | | | ►M136 0,05 (*) ◄ |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | | ►M136 0,05 (*) ◄ |
| 0650000 | (v) **Carob (st johns bread)** | | | ►M136 0,05 (*) ◄ |
| 0700000 | 7. **HOPS (dried)** | 0,05 (*) | ►M72 0,05 (*) ◄ | ►M136 **40** ◄ |
| 0800000 | 8. **SPICES** | | | |
| 0810000 | (i) **Seeds** | 0,05 (*) | ►M72 0,05 (*) ◄ | ►M136 **1,5** ◄ |
| 0810010 | Anise | | | |
| 0810020 | Black caraway | | | |
| 0810030 | Celery seed (Lovage seed) | | | |
| 0810040 | Coriander seed | | | |
| 0810050 | Cumin seed | | | |
| 0810060 | Dill seed | | | |
| 0810070 | Fennel seed | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | (ii) **Fruits and berries** | 0,05 (*) | ►M72 0,05 (*) ◄ | |
| 0820010 | Allspice | | | ►M136 0,05 (*) ◄ |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | ►**M136** 0,05 (*) ◄ |
| 0820030 | Caraway | | | ►**M136** **1,5** ◄ |
| 0820040 | Cardamom | | | ►**M136** 0,05 (*) ◄ |
| 0820050 | Juniper berries | | | ►**M136** 0,05 (*) ◄ |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | ►**M136** 0,05 (*) ◄ |
| 0820070 | Vanilla pods | | | ►**M136** 0,05 (*) ◄ |
| 0820080 | Tamarind | | | ►**M136** 0,05 (*) ◄ |
| 0820990 | Others | | | ►**M136** 0,05 (*) ◄ |
| 0830000 | (iii) **Bark** | 0,05 (*) | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 0830010 | Cinnamon (Cassia) | | | |
| 0830990 | Others | | | |
| 0840000 | (iv) **Roots or rhizome** | | | |
| 0840010 | Liquorice | 0,05 (*) | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 0840020 | Ginger | 0,05 (*) | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | 0,05 (*) | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 0840040 | Horseradish | **(+)** | ►**M72** (+) ◄ | ►**M136** — ◄ |
| 0840990 | Others | 0,05 (*) | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 0850000 | (v) **Buds** | 0,05 (*) | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | (vi) **Flower stigma** | 0,05 (*) | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | (vii) **Aril** | 0,05 (*) | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | 9. **SUGAR PLANTS** | | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 0900010 | Sugar beet (root) | **0,07** | | |
| 0900020 | Sugar cane | **0,01 (*)** | | |
| 0900030 | Chicory roots | **0,01 (*)** | | |
| 0900990 | Others | **0,01 (*)** | | |

▼M49

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | | | |
| 1010000 | (i) **Tissue** | | ►M72 0,01 (*) ◄ | |
| 1011000 | (a) *Swine* | | | |
| 1011010 | Muscle | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1011020 | Fat | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1011030 | Liver | **0,2** | | ►M136 0,2 ◄ |
| 1011040 | Kidney | **0,05** | | ►M136 0,2 ◄ |
| 1011050 | Edible offal | 0,02 (*) | | ►M136 0,2 ◄ |
| 1011990 | Others | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1012000 | (b) *Bovine* | | | |
| 1012010 | Muscle | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1012020 | Fat | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1012030 | Liver | **0,5** | | ►M136 0,2 ◄ |
| 1012040 | Kidney | **0,1** | | ►M136 0,2 ◄ |
| 1012050 | Edible offal | 0,02 (*) | | ►M136 0,2 ◄ |
| 1012990 | Others | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1013000 | (c) *Sheep* | | | |
| 1013010 | Muscle | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1013020 | Fat | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1013030 | Liver | **0,5** | | ►M136 0,2 ◄ |
| 1013040 | Kidney | **0,1** | | ►M136 0,2 ◄ |
| 1013050 | Edible offal | 0,02 (*) | | ►M136 0,2 ◄ |
| 1013990 | Others | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1014000 | (d) *Goat* | | | |
| 1014010 | Muscle | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1014020 | Fat | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1014030 | Liver | **0,5** | | ►M136 0,2 ◄ |
| 1014040 | Kidney | **0,1** | | ►M136 0,2 ◄ |
| 1014050 | Edible offal | 0,02 (*) | | ►M136 0,2 ◄ |
| 1014990 | Others | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | | |
| 1015010 | Muscle | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1015020 | Fat | 0,02 (*) | | ►M136 0,1 (*) ◄ |
| 1015030 | Liver | **0,5** | | ►M136 0,2 ◄ |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | **0,1** | | ►**M136** 0,2 ◄ |
| 1015050 | Edible offal | 0,02 (*) | | ►**M136** 0,2 ◄ |
| 1015990 | Others | 0,02 (*) | | ►**M136** 0,1 (*) ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | 0,02 (*) | | ►**M136** 0,1 (*) ◄ |
| 1016010 | Muscle | | | |
| 1016020 | Fat | | | |
| 1016030 | Liver | | | |
| 1016040 | Kidney | | | |
| 1016050 | Edible offal | | | |
| 1016990 | Others | | | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | | |
| 1017010 | Muscle | 0,02 (*) | | ►**M136** 0,1 (*) ◄ |
| 1017020 | Fat | 0,02 (*) | | ►**M136** 0,1 (*) ◄ |
| 1017030 | Liver | **0,5** | | ►**M136** 0,2 ◄ |
| 1017040 | Kidney | **0,1** | | ►**M136** 0,2 ◄ |
| 1017050 | Edible offal | 0,02 (*) | | ►**M136** 0,2 ◄ |
| 1017990 | Others | 0,02 (*) | | ►**M136** 0,1 (*) ◄ |
| 1020000 | (ii) **Milk** | **0,02** | ►**M72** 0,01 (*) ◄ | ►**M136** 0,02 (*) ◄ |
| 1020010 | Cattle | | | |
| 1020020 | Sheep | | | |
| 1020030 | Goat | | | |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | (iii) **Bird eggs** | 0,02 (*) | ►**M72** 0,01 (*) ◄ | ►**M136** 0,1 (*) ◄ |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Goose | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M49**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05 (*)** | ►**M72** 0,05 (*) ◄ | ►**M136** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | 0,02 (*) | ►**M72** 0,01 (*) ◄ | ►**M136** 0,1 (*) ◄ |
| 1060000 | (vi) **Snails** | 0,02 (*) | ►**M72** 0,01 (*) ◄ | ►**M136** 0,1 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | 0,02 (*) | ►**M72** 0,01 (*) ◄ | ►**M136** 0,1 (*) ◄ |

▼**M50**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M193** Fludioxonil [R] [F] ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | |
| 0110000 | (i) **Citrus fruit** | ►**M193** 10 ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | ►**M193** 0,01 (*) ◄ |
| 0120020 | Brazil nuts | ►**M193** 0,01 (*) ◄ |
| 0120030 | Cashew nuts | ►**M193** 0,01 (*) ◄ |
| 0120040 | Chestnuts | ►**M193** 0,01 (*) ◄ |
| 0120050 | Coconuts | ►**M193** 0,01 (*) ◄ |
| 0120060 | Hazelnuts (Filbert) | ►**M193** 0,01 (*) ◄ |
| 0120070 | Macadamia | ►**M193** 0,01 (*) ◄ |
| 0120080 | Pecans | ►**M193** 0,01 (*) ◄ |
| 0120090 | Pine nuts | ►**M193** 0,01 (*) ◄ |
| 0120100 | Pistachios | ►**M193** 0,2 ◄ |
| 0120110 | Walnuts | ►**M193** 0,01 (*) ◄ |
| 0120990 | Others | ►**M193** 0,01 (*) ◄ |
| 0130000 | (iii) **Pome fruit** | ►**M193** 5 ◄ |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | ►**M75** — ◄ |
| 0130050 | Loquat | ►**M75** — ◄ |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | ►**M193** 5 ◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | ►**M193** 5 ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►**M193** 10 ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | ►**M193** 5 ◄ |
| 0140990 | Others | ►**M193** 0,01 (*) ◄ |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | ►**M193** 5 ◄ |
| 0151020 | Wine grapes | ►**M193** 4 ◄ |
| 0152000 | (b) *Strawberries* | ►**M193** 4 ◄ |
| 0153000 | (c) *Cane fruit* | ►**M193** 5 ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus hybrids*) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | ►**M193** 4 ◄ |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | ►**M193** 4 ◄ |
| 0154030 | Currants (red, black and white) | ►**M193** 4 ◄ |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | ►**M193** 4 ◄ |
| 0154050 | Rose hips | ►**M193** 0,01 (*) ◄ |
| 0154060 | Mulberries (Arbutus berry) | ►**M193** 0,01 (*) ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | ►**M193** 0,01 (*) ◄ |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | ►**M193** 4 ◄ |
| 0154990 | Others | ►**M193** 0,01 (*) ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | ►**M193** 0,01 (*) ◄ |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | ►**M75** — ◄ |
| 0161060 | Persimmon | ►**M75** — ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | ►**M75** — ◄ |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | ►**M193** 15 ◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | ►**M193** 0,01 (*) ◄ |
| 0162030 | Passion fruit | ►**M193** 0,01 (*) ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►**M193** 0,01 (*) ◄ |
| 0162050 | Star apple | ►**M193** 0,01 (*) ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | ►**M193** 0,01 (*) ◄ |
| 0162990 | Others | ►**M193** 0,01 (*) ◄ |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | ►**M193** 1,5 ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►**M193** **2** ◄ |
| 0163030 | Mangoes | ►**M193** 2 ◄ |
| 0163040 | Papaya | ►**M193** 0,01 (*) ◄ |
| 0163050 | Pomegranate | ►**M193** 3 ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | ►**M193** 0,01 (*) ◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | ►**M193** 0,5 ◄ |
| 0163080 | Pineapples | ►**M193** 7 ◄ |
| 0163090 | Bread fruit (Jackfruit) | ►**M193** 0,01 (*) ◄ |
| 0163100 | Durian | ►**M193** 0,01 (*) ◄ |
| 0163110 | Soursop (guanabana) | ►**M193** 0,01 (*) ◄ |
| 0163990 | Others | ►**M193** 0,01 (*) ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | ►**M193** 5 ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | ►**M193** 0,01 (*) ◄ |
| 0212020 | Sweet potatoes | ►**M193** 10 ◄ |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | ►**M193** 10 ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroot | ►**M193** 0,01 (*) ◄ |
| 0212990 | Others | ►**M193** 0,01 (*) ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | ►**M193** 1 ◄ |
| 0213020 | Carrots | ►**M193** 1 ◄ |
| 0213030 | Celeriac | ►**M193** 0,2 ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►**M193** 1 ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | ►**M193** 0,01 (*) ◄ |
| 0213060 | Parsnips | ►**M193** 1 ◄ |
| 0213070 | Parsley root | ►**M193** 1 ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | ►**M193** 0,3 ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | ►**M193** 1 ◄ |
| 0213100 | Swedes | ►**M193** 0,01 (*) ◄ |
| 0213110 | Turnips | ►**M193** 0,01 (*) ◄ |
| 0213990 | Others | ►**M193** 0,01 (*) ◄ |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | ►**M193** 0,5 ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | ►**M193** 0,5 ◄ |
| 0220030 | Shallots | ►**M193** 0,5 ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | ►**M193** 5 ◄ |
| 0220990 | Others | ►**M193** 0,5 ◄ |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | ►**M193** 3 ◄ |
| 0231020 | Peppers (Chilli peppers) | ►**M193** 1 ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | ►**M193** 0,4 ◄ |
| 0231040 | Okra (lady's fingers) | ►**M193** 0,01 (*) ◄ |
| 0231990 | Others | ►**M193** 0,01 (*) ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►**M193** 0,4 ◄ |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►**M193** 0,3 ◄ |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | ►**M193** 0,01 (*) ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►**M193** 0,01 (*) ◄ |
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | ►**M193** 0,7 ◄ |
| 0241020 | Cauliflower | ►**M193** 0,01 (*) ◄ |
| 0241990 | Others | ►**M193** 0,01 (*) ◄ |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | ►**M193** 0,01 (*) ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►**M193** 2 ◄ |
| 0242990 | Others | ►**M193** 0,01 (*) ◄ |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | ►**M193** 10 ◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►**M193** 0,01 (*) ◄ |
| 0243990 | Others | ►**M193** 0,01 (*) ◄ |
| 0244000 | (d) *Kohlrabi* | ►**M193** 0,01 (*) ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►**M75** — ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | ►**M193** 20 ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►**M193** 40 ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | ►**M193** 20 ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | ►**M193** 20 ◄ |
| 0251050 | Land cress | ►**M193** 20 ◄ |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | ►**M193** 20 ◄ |
| 0251070 | Red mustard | ►**M193** 20 ◄ |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (*Mizuna*, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | ►**M193** 20 ◄ |
| 0251990 | Others | ►**M193** 20 ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►**M75** — ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | ►**M193** 30 ◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | ►**M193** 20 ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►**M193** 20 ◄ |
| 0252990 | Others | ►**M193** 20 ◄ |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | ►**M193** 0,01 (*) ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | ►**M193** 10 ◄ |
| 0255000 | (e) *Witloof* | ►**M193** 0,02 ◄ |
| 0256000 | (f) *Herbs* | ►**M193** 20 ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | ►**M75** — ◄ |
| 0256060 | Rosemary | ►**M75** — ◄ |
| 0256070 | Thyme (Marjoram, oregano) | ►**M75** — ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | ►**M75** — ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | ►**M75** — ◄ |
| 0256100 | Tarragon (Hyssop) | ►**M75** — ◄ |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | ►**M193** 1 ◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | ►**M193** 0,4 ◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | ►**M193** 1 ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►**M193** 0,3 ◄ |
| 0260050 | Lentils | ►**M193** 0,05 ◄ |
| 0260990 | Others | ►**M193** 0,01 (*) ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | |
| 0270010 | Asparagus | ►**M193** 0,01 (*) ◄ |
| 0270020 | Cardoons (*Borago officinalis* stems) | ►**M193** 0,01 (*) ◄ |
| 0270030 | Celery | ►**M193** 1,5 ◄ |
| 0270040 | Fennel | ►**M193** 1,5 ◄ |
| 0270050 | Globe artichokes (Banana flower) | ►**M193** 0,01 (*) ◄ |
| 0270060 | Leek | ►**M193** 0,01 (*) ◄ |
| 0270070 | Rhubarb | ►**M193** 0,7 ◄ |
| 0270080 | Bamboo shoots | ►**M193** 0,01 (*) ◄ |
| 0270090 | Palm hearts | ►**M193** 0,01 (*) ◄ |
| 0270990 | Others | ►**M193** 0,01 (*) ◄ |
| 0280000 | (viii) **Fungi** | ►**M193** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | ►**M193** 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►**M75** — ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►**M193** 0,5 ◄ |
| 0300020 | Lentils | ►**M193** 0,4 ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►**M193** 0,4 ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0300040 | Lupins | ►**M193** 0,4 ◄ |
| 0300990 | Others | ►**M193** 0,4 ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►**M161** — ◄ |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | ►**M193** 0,3 ◄ |
| 0401020 | Peanuts | ►**M193** 0,01 (*) ◄ |
| 0401030 | Poppy seed | ►**M193** 0,01 (*) ◄ |
| 0401040 | Sesame seed | ►**M193** 0,3 ◄ |
| 0401050 | Sunflower seed | ►**M193** 0,01 (*) ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►**M193** 0,3 ◄ |
| 0401070 | Soya bean | ►**M193** 0,2 ◄ |
| 0401080 | Mustard seed | ►**M193** 0,3 ◄ |
| 0401090 | Cotton seed | ►**M193** 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | ►**M193** 0,01 (*) ◄ |
| 0401110 | Safflower | ►**M193** 0,01 (*) ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | ►**M193** 0,3 ◄ |
| 0401130 | Gold of pleasure | ►**M193** 0,3 ◄ |
| 0401140 | Hempseed | ►**M193** 0,3 ◄ |
| 0401150 | Castor bean | ►**M193** 0,01 (*) ◄ |
| 0401990 | Others | ►**M193** 0,01 (*) ◄ |
| 0402000 | (ii) **Oilfruits** | ►**M193** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | ►**M75** — ◄ |
| 0402030 | Palmfruit | ►**M75** — ◄ |
| 0402040 | Kapok | ►**M75** — ◄ |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | ►**M193** 0,01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat (*Amaranthus*, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | |

▼M50

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | |
| 0610000 | (i) **Tea** | ►M193 0,05 (*) ◄ |
| 0620000 | (ii) **Coffee beans** | ►M193 0,05 (*) ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M75 — ◄ |
| 0631000 | (a) *Flowers* | ►M193 0,05 (*) ◄ |
| 0631010 | Camomille flowers | ►M75 — ◄ |
| 0631020 | Hybiscus flowers | ►M75 — ◄ |
| 0631030 | Rose petals | ►M75 — ◄ |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | ►M75 — ◄ |
| 0631050 | Lime (linden) | ►M75 — ◄ |
| 0631990 | Others | ►M75 — ◄ |
| 0632000 | (b) *Leaves* | ►M193 0,05 (*) ◄ |
| 0632010 | Strawberry leaves | ►M75 — ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M75 — ◄ |
| 0632030 | Maté | ►M75 — ◄ |
| 0632990 | Others | ►M75 — ◄ |
| 0633000 | (c) *Roots* | ►M75 — ◄ |
| 0633010 | Valerian root | ►M193 1 ◄ |
| 0633020 | Ginseng root | ►M193 4 ◄ |
| 0633990 | Others | ►M193 1 ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M193 0,05 (*) ◄ |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | ►M193 0,05 (*) ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M193 0,05 (*) ◄ |
| 0700000 | 7. **HOPS (dried)** | ►M193 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M75 — ◄ |
| 0810000 | (i) **Seeds** | ►M193 0,05 (*) ◄ |
| 0810010 | Anise | ►M75 — ◄ |
| 0810020 | Black caraway | ►M75 — ◄ |
| 0810030 | Celery seed (Lovage seed) | ►M75 — ◄ |
| 0810040 | Coriander seed | ►M75 — ◄ |
| 0810050 | Cumin seed | ►M75 — ◄ |
| 0810060 | Dill seed | ►M75 — ◄ |
| 0810070 | Fennel seed | ►M75 — ◄ |
| 0810080 | Fenugreek | ►M75 — ◄ |
| 0810090 | Nutmeg | ►M75 — ◄ |
| 0810990 | Others | ►M75 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M193 0,05 (*) ◄ |
| 0820010 | Allspice | ►M75 — ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | ►**M75** — ◄ |
| 0820030 | Caraway | ►**M75** — ◄ |
| 0820040 | Cardamom | ►**M75** — ◄ |
| 0820050 | Juniper berries | ►**M75** — ◄ |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | ►**M75** — ◄ |
| 0820070 | Vanilla pods | ►**M75** — ◄ |
| 0820080 | Tamarind | ►**M75** — ◄ |
| 0820990 | Others | ►**M75** — ◄ |
| 0830000 | (iii) **Bark** | ►**M193** 0,05 (*) ◄ |
| 0830010 | Cinnamon (*Cassia*) | ►**M75** — ◄ |
| 0830990 | Others | ►**M75** — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►**M75** — ◄ |
| 0840010 | Liquorice | ►**M193** 1 ◄ |
| 0840020 | Ginger | ►**M161** — ◄ |
| 0840030 | Turmeric (Curcuma) | ►**M193** 1 ◄ |
| 0840040 | Horseradish | ►**M154** — ◄ |
| 0840990 | Others | ►**M193** 1 ◄ |
| 0850000 | (v) **Buds** | ►**M193** 0,05 (*) ◄ |
| 0850010 | Cloves | ►**M75** — ◄ |
| 0850020 | Capers | ►**M75** — ◄ |
| 0850990 | Others | ►**M75** — ◄ |
| 0860000 | (vi) **Flower stigma** | ►**M193** 0,05 (*) ◄ |
| 0860010 | Saffron | ►**M75** — ◄ |
| 0860990 | Others | ►**M75** — ◄ |
| 0870000 | (vii) **Aril** | ►**M193** 0,05 (*) ◄ |
| 0870010 | Mace | ►**M75** — ◄ |
| 0870990 | Others | ►**M75** — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►**M193** — ◄ |
| 0900010 | Sugar beet (root) | ►**M193** **4** ◄ |
| 0900020 | Sugar cane | ►**M193** 0,01 (*) ◄ |
| 0900030 | Chicory roots | ►**M193** 0,01 (*) ◄ |
| 0900990 | Others | ►**M193** 0,01 (*) ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | ►**M193** 0,02 ◄ |
| 1011020 | Fat | ►**M193** 0,02 ◄ |
| 1011030 | Liver | ►**M193** 0,1 ◄ |
| 1011040 | Kidney | ►**M193** 0,1 ◄ |
| 1011050 | Edible offal | ►**M193** 0,1 ◄ |
| 1011990 | Others | ►**M193** 0,02 ◄ |
| 1012000 | (b) *Bovine* | ►**M165** — ◄ |
| 1012010 | Muscle | ►**M193** 0,02 ◄ |
| 1012020 | Fat | ►**M193** 0,02 ◄ |
| 1012030 | Liver | ►**M193** 0,1 ◄ |
| 1012040 | Kidney | ►**M193** 0,1 ◄ |
| 1012050 | Edible offal | ►**M193** 0,1 ◄ |
| 1012990 | Others | ►**M193** 0,02 ◄ |
| 1013000 | (c) *Sheep* | ►**M165** — ◄ |
| 1013010 | Muscle | ►**M193** 0,02 ◄ |
| 1013020 | Fat | ►**M193** 0,02 ◄ |
| 1013030 | Liver | ►**M193** 0,1 ◄ |
| 1013040 | Kidney | ►**M193** 0,1 ◄ |
| 1013050 | Edible offal | ►**M193** 0,1 ◄ |
| 1013990 | Others | ►**M193** 0,02 ◄ |
| 1014000 | (d) *Goat* | ►**M165** — ◄ |
| 1014010 | Muscle | ►**M193** 0,02 ◄ |
| 1014020 | Fat | ►**M193** 0,02 ◄ |
| 1014030 | Liver | ►**M193** 0,1 ◄ |
| 1014040 | Kidney | ►**M193** 0,1 ◄ |
| 1014050 | Edible offal | ►**M193** 0,1 ◄ |
| 1014990 | Others | ►**M193** 0,02 ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►**M75** — ◄ |
| 1015010 | Muscle | ►**M193** 0,02 ◄ |
| 1015020 | Fat | ►**M193** 0,02 ◄ |
| 1015030 | Liver | ►**M193** 0,1 ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M193** 0,1 ◄ |
| 1015050 | Edible offal | ►**M193** 0,1 ◄ |
| 1015990 | Others | ►**M193** 0,02 ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | ►**M193** 0,01 (*) ◄ |
| 1016020 | Fat | ►**M193** 0,01 (*) ◄ |
| 1016030 | Liver | ►**M193** 0,1 ◄ |
| 1016040 | Kidney | ►**M193** 0,1 ◄ |
| 1016050 | Edible offal | ►**M193** 0,1 ◄ |
| 1016990 | Others | ►**M193** 0,01 (*) ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | ►**M75** — ◄ |
| 1017010 | Muscle | ►**M193** 0,02 ◄ |
| 1017020 | Fat | ►**M193** 0,02 ◄ |
| 1017030 | Liver | ►**M193** 0,1 ◄ |
| 1017040 | Kidney | ►**M193** 0,1 ◄ |
| 1017050 | Edible offal | ►**M193** 0,1 ◄ |
| 1017990 | Others | ►**M193** 0,02 ◄ |
| 1020000 | (ii) **Milk** | ►**M193** 0,04 ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | ►**M193** 0,02 ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | ►**M75** — ◄ |
| 1030030 | Goose | ►**M75** — ◄ |
| 1030040 | Quail | ►**M75** — ◄ |
| 1030990 | Others | ►**M75** — ◄ |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►**M193** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M193** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M193** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►**M193** 0,02 ◄ |

▼M51

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Chlorotoluron | ►M122 Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac) ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | ►M122 0,01 (*) ◄ |
| 0110000 | (i) **Citrus fruit** | **0,01 (*)** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts** | **0,02 (*)** | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | | |
| 0130010 | Apples (Crab apple) | **0,05 (*) (+)** | |
| 0130020 | Pears (Oriental pear) | **0,05 (*) (+)** | |
| 0130030 | Quinces | **0,01 (*)** | |
| 0130040 | Medlar | **0,01 (*)** | |
| 0130050 | Loquat | **0,01 (*)** | |
| 0130990 | Others | **0,01 (*)** | |
| 0140000 | (iv) **Stone fruit** | **0,01 (*)** | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | **0,01 (*)** | |
| 0151000 | (a) *Table and wine grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *Strawberries* | | |
| 0153000 | (c) *Cane fruit* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | | |
| 0153990 | Others | | |
| 0154000 | (d) *Other small fruit & berries* | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (*Arbutus* berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01 (*)** | |
| 0161000 | (a) *Edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |
| 0161060 | Persimmon | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | | |
| 0161990 | Others | | |
| 0162000 | (b) *Inedible peel, small* | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) *Inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0211000 | (a) *Potatoes* | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0220010 | Garlic | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0231000 | (a) *Solanacea* | | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | | |
| 0231040 | Okra (lady's fingers) | | |
| 0231990 | Others | | |
| 0232000 | (b) *Cucurbits — edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | |
| 0239000 | (e) *Other fruiting vegetables* | | |
| 0240000 | (iv) **Brassica vegetables** | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) *Head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) *Leafy brassica* | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) *Kohlrabi* | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0255000 | (e) *Witloof* | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0256000 | (f) *Herbs* | **0,02 (*)** | ►**M122** 0,02 (*) ◄ |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme (Marjoram, oregano) | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons (*Borago officinalis* stems) | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes (Banana flower) | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | **0,01 (*)** | |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | ►**M122** 10 (+) ◄ |
| 0300020 | Lentils | | ►**M122** 0,02 (*) ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | ►**M122** 0,02 (*) ◄ |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0300040 | Lupins | | ►**M122** 0,02 (*) ◄ |
| 0300990 | Others | | ►**M122** 0,02 (*) ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02 (*)** | |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | ►**M122** 0,01 (*) ◄ |
| 0401020 | Peanuts | | ►**M122** 0,01 (*) ◄ |
| 0401030 | Poppy seed | | ►**M122** 7 ◄ |
| 0401040 | Sesame seed | | ►**M122** 0,01 (*) ◄ |
| 0401050 | Sunflower seed | | ►**M122** 0,01 (*) ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | ►**M122** 2 ◄ |
| 0401070 | Soya bean | | ►**M122** 0,01 (*) ◄ |
| 0401080 | Mustard seed | | ►**M122** 0,01 (*) ◄ |
| 0401090 | Cotton seed | | ►**M122** 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | | ►**M122** 0,01 (*) ◄ |
| 0401110 | Safflower | | ►**M122** 0,01 (*) ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | ►**M122** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure | | ►**M122** 0,01 (*) ◄ |
| 0401140 | Hempseed | | ►**M122** 0,01 (*) ◄ |
| 0401150 | Castor bean | | ►**M122** 0,01 (*) ◄ |
| 0401990 | Others | | ►**M122** 0,01 (*) ◄ |
| 0402000 | (ii) **Oilfruits** | | ►**M122** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | | |
| 0500010 | Barley | **0,1 (+)** | ►**M122** 3 ◄ |
| 0500020 | Buckwheat (*Amaranthus*, quinoa) | **0,01 (*)** | ►**M122** 0,02 (*) ◄ |
| 0500030 | Maize | **0,01 (*)** | ►**M122** 0,02 (*) ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | **0,01 (*)** | ►**M122** 0,02 (*) ◄ |
| 0500050 | Oats | **0,1 (+)** | ►**M122** 3 ◄ |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | **0,01 (*)** | ►**M122** 0,02 (*) ◄ |
| 0500070 | Rye | **0,1 (+)** | ►**M122** 0,5 ◄ |
| 0500080 | Sorghum | **0,01 (*)** | ►**M122** 0,02 (*) ◄ |
| 0500090 | Wheat (Spelt, triticale) | **0,1 (+)** | ►**M122** 3 ◄ |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | **0,01 (*)** | ►**M122** 0,02 (*) ◄ |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) | ►M122 0,05 (*) ◄ |
| 0610000 | (i) **Tea** | | |
| 0620000 | (ii) **Coffee beans** | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) *Flowers* | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) *Leaves* | | |
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *Roots* | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) *Other herbal infusions* | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | |
| 0650000 | (v) **Carob (st johns bread)** | | |
| 0700000 | 7. **HOPS (dried)** | 0,05 (*) | ►M122 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | | |
| 0810000 | (i) **Seeds** | 0,05 (*) | ►M122 0,05 (*) ◄ |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | 0,05 (*) | ►M122 0,05 (*) ◄ |
| 0820010 | Allspice | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | 0,05 (*) | ►**M122** 0,05 (*) ◄ |
| 0830010 | Cinnamon (*Cassia*) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | 0,05 (*) | ►**M122** 0,05 (*) ◄ |
| 0840020 | Ginger | 0,05 (*) | ►**M122** 0,05 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | 0,05 (*) | ►**M122** 0,05 (*) ◄ |
| 0840040 | Horseradish | **(+)** | ►**M122** (+) ◄ |
| 0840990 | Others | 0,05 (*) | ►**M122** 0,05 (*) ◄ |
| 0850000 | (v) **Buds** | 0,05 (*) | ►**M122** 0,05 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | 0,05 (*) | ►**M122** 0,05 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | 0,05 (*) | ►**M122** 0,05 (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01 (*)** | ►**M75** — ◄ |
| 0900010 | Sugar beet (root) | | ►**M122** 0,01 (*) ◄ |
| 0900020 | Sugar cane | | ►**M122** 0,5 ◄ |
| 0900030 | Chicory roots | | ►**M122** 0,01 (*) ◄ |
| 0900990 | Others | | ►**M122** 0,01 (*) ◄ |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | | |
| 1010000 | (i) **Tissue** | | |
| 1011000 | (a) *Swine* | | |
| 1011010 | Muscle | **0,02 (*)** | ►M122 0,01 (*) ◄ |
| 1011020 | Fat | **0,01 (*)** | ►M122 0,01 (*) ◄ |
| 1011030 | Liver | **0,01 (*)** | ►M122 0,01 (*) ◄ |
| 1011040 | Kidney | **0,01 (*)** | ►M122 0,05 ◄ |
| 1011050 | Edible offal | **0,01 (*)** | ►M122 0,01 (*) ◄ |
| 1011990 | Others | **0,01 (*)** | ►M122 0,01 (*) ◄ |
| 1012000 | (b) *Bovine* | **0,05** | |
| 1012010 | Muscle | **(+)** | ►M122 0,01 (*) ◄ |
| 1012020 | Fat | | ►M122 0,01 (*) ◄ |
| 1012030 | Liver | | ►M122 0,01 (*) ◄ |
| 1012040 | Kidney | | ►M122 0,05 ◄ |
| 1012050 | Edible offal | | ►M122 0,01 (*) ◄ |
| 1012990 | Others | | ►M122 0,01 (*) ◄ |
| 1013000 | (c) *Sheep* | **0,05** | |
| 1013010 | Muscle | **(+)** | ►M122 0,01 (*) ◄ |
| 1013020 | Fat | | ►M122 0,01 (*) ◄ |
| 1013030 | Liver | | ►M122 0,01 (*) ◄ |
| 1013040 | Kidney | | ►M122 0,05 ◄ |
| 1013050 | Edible offal | | ►M122 0,01 (*) ◄ |
| 1013990 | Others | | ►M122 0,01 (*) ◄ |
| 1014000 | (d) *Goat* | **0,05** | |
| 1014010 | Muscle | **(+)** | ►M122 0,01 (*) ◄ |
| 1014020 | Fat | | ►M122 0,01 (*) ◄ |
| 1014030 | Liver | | ►M122 0,01 (*) ◄ |
| 1014040 | Kidney | | ►M122 0,05 ◄ |
| 1014050 | Edible offal | | ►M122 0,01 (*) ◄ |
| 1014990 | Others | | ►M122 0,01 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | **0,05** | |
| 1015010 | Muscle | **(+)** | ►M122 0,01 (*) ◄ |
| 1015020 | Fat | | ►M122 0,01 (*) ◄ |
| 1015030 | Liver | | ►M122 0,01 (*) ◄ |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | ►**M122** 0,05 ◄ |
| 1015050 | Edible offal | | ►**M122** 0,01 (*) ◄ |
| 1015990 | Others | | ►**M122** 0,01 (*) ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | ►**M75** — ◄ |
| 1016010 | Muscle | **0,02 (*)** | ►**M122** 0,01 (*) ◄ |
| 1016020 | Fat | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 1016030 | Liver | **0,01 (*)** | ►**M122** 0,05 ◄ |
| 1016040 | Kidney | **0,01 (*)** | ►**M122** 0,05 ◄ |
| 1016050 | Edible offal | **0,01 (*)** | ►**M122** 0,05 ◄ |
| 1016990 | Others | **0,01 (*)** | ►**M122** 0,01 (*) ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | **0,05** | |
| 1017010 | Muscle | **(+)** | ►**M122** 0,01 (*) ◄ |
| 1017020 | Fat | | ►**M122** 0,01 (*) ◄ |
| 1017030 | Liver | | ►**M122** 0,01 (*) ◄ |
| 1017040 | Kidney | | ►**M122** 0,05 ◄ |
| 1017050 | Edible offal | | ►**M122** 0,01 (*) ◄ |
| 1017990 | Others | | ►**M122** 0,01 (*) ◄ |
| 1020000 | (ii) **Milk** | **0,01** | ►**M122** 0,01 ◄ |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Bird eggs** | **0,02 (*)** | ►**M122** 0,01 (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05 (*)** | ►**M122** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,02 (*)** | ►**M122** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | **0,02 (*)** | ►**M122** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,02 (*)** | ►**M122** 0,01 (*) ◄ |

▼**M52**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M161** Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) [R] ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | ►**M161** 0.01 (*) ◄ |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (*Arbutus* berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | ►**M161** 0.3 ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►**M161** 0.01 (*) ◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | ►**M161** 0.01 (*) ◄ |
| 0213020 | Carrots | ►**M161** 0.01 (*) ◄ |
| 0213030 | Celeriac | ►**M161** 0.09 ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►**M161** 0.01 (*) ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | ►**M161** 0.01 (*) ◄ |
| 0213060 | Parsnips | ►**M161** 0.01 (*) ◄ |
| 0213070 | Parsley root | ►**M161** 0.01 (*) ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | ►**M161** 3 ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | ►**M161** 0.01 (*) ◄ |
| 0213100 | Swedes | ►**M161** 0.01 (*) ◄ |
| 0213110 | Turnips | ►**M161** 0.01 (*) ◄ |
| 0213990 | Others | ►**M161** 0.01 (*) ◄ |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | ►**M161** 2 ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | ►**M161** 2 ◄ |
| 0220030 | Shallots | ►**M161** 2 ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | ►**M161** 30 ◄ |
| 0220990 | Others | ►**M161** 0.01 (*) ◄ |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | ►**M161** 4 ◄ |
| 0231020 | Peppers (Chilli peppers) | ►**M161** 3 ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | ►**M161** 4 ◄ |
| 0231040 | Okra (lady's fingers) | ►**M161** 0.01 (*) ◄ |
| 0231990 | Others | ►**M161** 0.01 (*) ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►**M161** 5 ◄ |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►**M161** 5 ◄ |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | ►**M161** 0.01 (*) ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►**M161** 0.01 (*) ◄ |
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | ►**M161** 3 ◄ |
| 0241020 | Cauliflower | ►**M161** 10 (+) ◄ |
| 0241990 | Others | ►**M161** 0.01 (*) ◄ |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | ►**M161** 2 ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►**M161** **1** ◄ |
| 0242990 | Others | ►**M161** 0.01 (*) ◄ |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | ►**M161** 20 ◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►**M161** 20 ◄ |
| 0243990 | Others | ►**M161** 0.01 (*) ◄ |
| 0244000 | (d) *Kohlrabi* | ►**M161** 0.3 ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | |
| 0251010 | Lamb's lettuce (Italian corn salad) | ►**M161** 20 (+) ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►**M161** 40 ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum*/*C. intybus* var. *foliosum*), dandelion greens) | ►**M161** 20 (+) ◄ |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | ►**M161** 20 (+) ◄ |
| 0251050 | Land cress | ►**M161** 20 (+) ◄ |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | ►**M161** 30 ◄ |
| 0251070 | Red mustard | ►**M161** 20 (+) ◄ |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | ►**M161** 20 (+) ◄ |
| 0251990 | Others | ►**M161** 0.01 (*) ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►**M161** 40 ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | ►**M133** — ◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | ►**M133** — ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►**M133** — ◄ |
| 0252990 | Others | ►**M133** — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | ►**M161** 0.01 (*) ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | ►**M161** 0.01 (*) ◄ |
| 0255000 | (e) *Witloof* | ►**M161** 15 ◄ |
| 0256000 | (f) *Herbs* | ►**M161** 30 (+) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | ►**M161** 0.1 ◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | ►**M161** 0.01 (*) ◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | ►**M161** 0.01 (*) ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►**M161** 0.01 (*) ◄ |
| 0260050 | Lentils | ►**M161** 0.01 (*) ◄ |
| 0260990 | Others | ►**M161** 0.01 (*) ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►**M89** — ◄ |
| 0270010 | Asparagus | ►**M161** 0.01 (*) ◄ |
| 0270020 | Cardoons (*Borago officinalis* stems) | ►**M161** 0.01 (*) ◄ |
| 0270030 | Celery | ►**M161** 0.01 (*) ◄ |
| 0270040 | Fennel | ►**M161** 0.01 (*) ◄ |
| 0270050 | Globe artichokes (Banana flower) | ►**M161** 0.01 (*) ◄ |
| 0270060 | Leek | ►**M161** 20 ◄ |
| 0270070 | Rhubarb | ►**M161** 0.01 (*) ◄ |
| 0270080 | Bamboo shoots | ►**M161** 0.01 (*) ◄ |
| 0270090 | Palm hearts | ►**M161** 0.01 (*) ◄ |
| 0270990 | Others | ►**M161** 0.01 (*) ◄ |
| 0280000 | (viii) **Fungi** | ►**M161** 0.01 (*) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | ►**M161** 0.01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►**M161** 0.01 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►**M161** 0.01 (*) ◄ |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | ►**M161** 0.01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat (*Amaranthus*, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | |

▼M52

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M161 0.05 (*) ◄ |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | ►M161 0.05 (*) ◄ |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | ►M161 0.05 (*) ◄ |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | ►M161 0.05 (*) ◄ |
| 0820010 | Allspice | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | ►**M161** 0.05 (*) ◄ |
| 0830010 | Cinnamon (*Cassia*) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | ►**M161** 0.05 (*) ◄ |
| 0840020 | Ginger | ►**M161** — ◄ |
| 0840030 | Turmeric (Curcuma) | ►**M161** 0.05 (*) ◄ |
| 0840040 | Horseradish | ►**M161** — ◄ |
| 0840990 | Others | ►**M161** 0.05 (*) ◄ |
| 0850000 | (v) **Buds** | ►**M161** 0.05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | ►**M161** 0.05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | ►**M161** 0.05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | ►**M161** 0.01 (*) ◄ |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | ►**M161** 0.01 (+) ◄ |
| 1011020 | Fat | ►**M161** 0.01 (+) ◄ |
| 1011030 | Liver | ►**M161** 0.1 (+) ◄ |
| 1011040 | Kidney | ►**M161** 0.02 (+) ◄ |
| 1011050 | Edible offal | ►**M161** 0.1 ◄ |
| 1011990 | Others | ►**M161** 0.01 (*) ◄ |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | ►**M161** 0.01 (+) ◄ |
| 1012020 | Fat | ►**M161** 0.01 (+) ◄ |
| 1012030 | Liver | ►**M161** 0.2 (+) ◄ |
| 1012040 | Kidney | ►**M161** 0.05 (+) ◄ |
| 1012050 | Edible offal | ►**M161** 0.2 ◄ |
| 1012990 | Others | ►**M161** 0.01 (*) ◄ |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | ►**M161** 0.01 (+) ◄ |
| 1013020 | Fat | ►**M161** 0.01 (+) ◄ |
| 1013030 | Liver | ►**M161** 0.2 (+) ◄ |
| 1013040 | Kidney | ►**M161** 0.05 (+) ◄ |
| 1013050 | Edible offal | ►**M161** 0.2 ◄ |
| 1013990 | Others | ►**M161** 0.01 (*) ◄ |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | ►**M161** 0.01 (+) ◄ |
| 1014020 | Fat | ►**M161** 0.01 (+) ◄ |
| 1014030 | Liver | ►**M161** 0.2 (+) ◄ |
| 1014040 | Kidney | ►**M161** 0.05 (+) ◄ |
| 1014050 | Edible offal | ►**M161** 0.2 ◄ |
| 1014990 | Others | ►**M161** 0.01 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | ►**M161** 0.01 ◄ |
| 1015020 | Fat | ►**M161** 0.01 ◄ |
| 1015030 | Liver | ►**M161** 0.2 ◄ |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M161** 0.05 ◄ |
| 1015050 | Edible offal | ►**M161** 0.2 ◄ |
| 1015990 | Others | ►**M161** 0.01 (*) ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | ►**M161** 0.02 (+) ◄ |
| 1016020 | Fat | ►**M161** 0.01 (+) ◄ |
| 1016030 | Liver | ►**M161** 0.05 (+) ◄ |
| 1016040 | Kidney | ►**M161** 0.01 (*) ◄ |
| 1016050 | Edible offal | ►**M161** 0.05 ◄ |
| 1016990 | Others | ►**M161** 0.01 (*) ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | ►**M161** 0.01 ◄ |
| 1017020 | Fat | ►**M161** 0.01 ◄ |
| 1017030 | Liver | ►**M161** 0.2 ◄ |
| 1017040 | Kidney | ►**M161** 0.05 ◄ |
| 1017050 | Edible offal | ►**M161** 0.2 ◄ |
| 1017990 | Others | ►**M161** 0.01 (*) ◄ |
| 1020000 | (ii) **Milk** | ►**M161** 0.01 (+) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | ►**M161** 0.05 (+) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M52**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►**M161** 0.05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M161** 0.01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M161** 0.01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►**M161** 0.01 (*) ◄ |

▼M55

**Pesticide residues and maximum residue levels(mg/kg)**

| Code number | Groups and examples of individual products towhich the MRLs apply [a] | Benthiavalicarb (Benthiavalicarb-isopropyl(KIF-230 R-L) and its enantiomer (KIF-230 S-D) and its diastereomers(KIF-230 S-L and KIF-230 R-D), expressed as benthiavalicarb-isopropyl)(A) | Forchlorfenuron |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | |
| 0110000 | (i) **Citrus fruit** | 0,01 (*) | **0,01 (*)** |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo(except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and otherhybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and otherhybrids tangor (*Citrus reticulata* × *sinensis*)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts** | **0,02 (*)** | **0,02 (*)** |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | 0,01 (*) | **0,01 (*)** |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | 0,01 (*) | **0,01 (*)** |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |

▼**M55**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140030 | Peaches (Nectarines and similar hybrids) | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, reddate/Chinese date/Chinese jujube (*Ziziphus-zizyphus*)) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | | **0,01 (*)** |
| 0151000 | (a) **Table and wine grapes** | **0,3** | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) **Strawberries** | 0,01 (*) | |
| 0153000 | (c) **Cane fruit** | 0,01 (*) | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries,cloudberries and other *Rubus*hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry,(Rubus arcticus), nectar raspberries (*Rubusarcticus* × *Rubus idaeus*)) | | |
| 0153990 | Others | | |
| 0154000 | (d) **Other small fruit & berries** | 0,01 (*) | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other Ribesspecies) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (Arbutus berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountainash, buckthorn/sea sallowthorn, hawthorn, serviceberries, andother treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | 0,01 (*) | **0,01 (*)** |
| 0161000 | (a) **Edible peel** | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats(*Citrus aurantifolia* × *Fortunella* spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |

▼**M55**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161060 | Persimmon | | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac,rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | | |
| 0161990 | Others | | |
| 0162000 | (b) **Inedible peel, small** | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi,longan, mangosteen, langsat, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote,white sapote, green sapote, canistel/yellow sapote, mammeysapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) **Inedible peel, large** | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama(*Annona diversifolia*) and other mediumsized *Annonaceae* fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | |
| 0210000 | (i) **Root and tuber vegetables** | | **0,01 (*)** |
| 0211000 | (a) **Potatoes** | **0,02 (*)** | |
| 0212000 | (b) **Tropical root and tubervegetables** | 0,01 (*) | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |

▼M55

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) **Other root and tuber vegetables exceptsugar beet** | 0,01 (*) | |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentianaroots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radishand similar varieties, tiger nut (*Cyperusesculentus*)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanishoysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | | **0,01 (*)** |
| 0220010 | Garlic | **0,02 (*)** | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | **0,02 (*)** | |
| 0220030 | Shallots | **0,02 (*)** | |
| 0220040 | Spring onions and welsh onions (Other green onions andsimilar varieties) | 0,01 (*) | |
| 0220990 | Others | 0,01 (*) | |
| 0230000 | (iii) **Fruiting vegetables** | | **0,01 (*)** |
| 0231000 | (a) **Solanacea** | | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*),tree tomato) | 0,3 | |
| 0231020 | Peppers (Chilli peppers) | 0,01 (*) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/whiteeggplant (*S. macrocarpon*)) | 0,01 (*) | |
| 0231040 | Okra (lady's fingers) | 0,01 (*) | |
| 0231990 | Others | 0,01 (*) | |
| 0232000 | (b) **Cucurbits — edible peel** | 0,01 (*) | |
| 0232010 | Cucumbers | **(+)** | |

▼**M55**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232020 | Gherkins | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki(*Lagenaria siceraria*), chayote,sopropo/bitter melon, snake gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) **Cucurbits-inedible peel** | 0,01 (*) | |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) **Sweet corn (Baby corn)** | 0,01 (*) | |
| 0239000 | (e) **Other fruiting vegetables** | 0,01 (*) | |
| 0240000 | (iv) **Brassica vegetables** | 0,01 (*) | **0,01 (*)** |
| 0241000 | (a) **Flowering brassica** | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinesebroccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) **Head brassica** | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoycabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) **Leafy brassica** | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi,Chinese flat cabbage/ ai goo choi), choi sum, Pekingcabbage/ pe-tsai) | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale,Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) **Kohlrabi** | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | |
| 0251000 | (a) **Lettuce and other salad plants includ-ingBrassicacea** | 0,01 (*) | **0,01 (*)** |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce),iceberg lettuce, romaine (cos) lettuce) | | |

▼**M55**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leavedchicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum*/*C. intybus* var. *foliosum*), dandelion greens) | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnipgreens (Mizuna, leaves of peas and radish and other babyleaf-crops, including brassica crops (crops harvested up to 8 true leafstage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) **Spinach & similar (leaves)** | 0,01 (*) | **0,01 (*)** |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach(pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, gardenpurslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) **Vine leaves (grape leaves) (Malabar-nightshade, banana leaves, climbing wattle (Acaciapennata))** | 0,01 (*) | **0,01 (*)** |
| 0254000 | (d) **Water cress (Morning glory/Chinese-convolvulus/water convolvulus/water spinach/kangkung (Ipomeaaquatica), water clover, water mimosa)** | 0,01 (*) | **0,01 (*)** |
| 0255000 | (e) **Witloof** | 0,01 (*) | **0,01 (*)** |
| 0256000 | (f) **Herbs** | **0,02 (*)** | **0,02 (*)** |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dillleaves, caraway leaves, lovage, angelica, sweet cisely and otherApiacea leaves, culantro/stinking/ long coriander/stink weed (*Eryngium foetidum*)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | |
| 0256060 | Rosemary | | |

▼**M55**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0256070 | Thyme (Marjoram, oregano) | | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil,sweet basil, hairy basil, edible flowers (marigold flower andothers), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,01 (*) | **0,01 (*)** |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans,scarlet runner bean, slicing bean, yard long beans, guar beans, soyabeans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jackbean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea,chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,01 (*) | **0,01 (*)** |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons (*Borago officinalis*stems) | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes (Banana flower) | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | 0,01 (*) | **0,01 (*)** |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom,shiitake, fungus mycelium (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | 0,01 (*) | **0,01 (*)** |
| 0300000 | 3. **PULSES, DRY** | **0,02 (*)** | **0,02 (*)** |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans,lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |

▼M55

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02 (*)** | **0,02 (*)** |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) **Oilfruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | **0,02 (*)** | **0,02 (*)** |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (*Amaranthus,quinoa*) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearlmillet) | | |
| 0500050 | Oats | | |
| 0500060 | Rice (Indian/wild rice (*Zizaniaaquatica*)) | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |

▼M55

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0500990 | Others (Canary grass seeds (*Phalariscanariensis*)) | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS ANDCOCOA** | **0,05 (*)** | 0,05 (*) |
| 0610000 | (i) **Tea** | | |
| 0620000 | (ii) **Coffee beans** | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) **Flowers** | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) **Leaves** | | |
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) **Roots** | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) **Other herbal infusions** | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | |
| 0650000 | (v) **Carob (st johns bread)** | | |
| 0700000 | 7. **HOPS (dried)** | **0,05 (*)** | 0,05 (*) |
| 0800000 | 8. **SPICES** | | |
| 0810000 | (i) **Seeds** | **0,05 (*)** | 0,05 (*) |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | **0,05 (*)** | 0,05 (*) |

▼M55

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820010 | Allspice | | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pinkpepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | **0,05 (*)** | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | **0,05 (*)** | 0,05 (*) |
| 0840020 | Ginger | **0,05 (*)** | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | **0,05 (*)** | 0,05 (*) |
| 0840040 | Horseradish | **(+)** | (+) |
| 0840990 | Others | **0,05 (*)** | 0,05 (*) |
| 0850000 | (v) **Buds** | **0,05 (*)** | 0,05 (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | **0,05 (*)** | 0,05 (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | **0,05 (*)** | 0,05 (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | 0,01 (*) | **0,01 (*)** |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |

▼M55

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0900990 | Others | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIALANIMALS** | | |
| 1010000 | (i) **Tissue** | **0,01 (*)** | **0,01 (*)** |
| 1011000 | (a) **Swine** | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offal | | |
| 1011990 | Others | | |
| 1012000 | (b) **Bovine** | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offal | | |
| 1012990 | Others | | |
| 1013000 | (c) **Sheep** | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offal | | |
| 1013990 | Others | | |
| 1014000 | (d) **Goat** | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offal | | |
| 1014990 | Others | | |
| 1015000 | (e) **Horses, asses, mules or hinnies** | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |

▼**M55**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offal | | |
| 1015990 | Others | | |
| 1016000 | (f) **Poultry -chicken, geese, duck, turkey andGuinea fowl-, ostrich, pigeon** | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) **Other farm animals (Rabbit, kangaroo,deer)** | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offal | | |
| 1017990 | Others | | |
| 1020000 | (ii) **Milk** | **0,01 (*)** | **0,01 (*)** |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Bird eggs** | **0,01 (*)** | **0,01 (*)** |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |

▼**M55**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1030990 | Others | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb withhoney (comb honey))** | **0,05 (*)** | 0,05 (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs,crocodiles)** | **0,01 (*)** | **0,01 (*)** |
| 1060000 | (vi) **Snails** | **0,01 (*)** | **0,01 (*)** |
| 1070000 | (vii) **Other terrestrial animal products (Wildgame)** | **0,01 (*)** | **0,01 (*)** |

▼**M58**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Nicosulfuron |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | |
| 0110000 | (i) **Citrus fruit** | **0,01** (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | **0,02** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | **0,01** (*) |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | **0,01** (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | **0,01** (*) |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (Arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01** (*) |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | **(+)** |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | **0,01** (*) |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including* Brassicacea | **0,01** (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01** (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle* (Acacia pennata)*)* | **0,01** (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung* (Ipomea aquatica)*, water clover, water mimosa)* | **0,01** (*) |
| 0255000 | (e) *Witloof* | **0,01** (*) |
| 0256000 | (f) *Herbs* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01** (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (*Borago officinalis* stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | **0,01** (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | **0,01** (*) |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02** (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | **(+)** |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | |

▼M58

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | 0,05 (*) |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | 0,05 (*) |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | 0,05 (*) |
| 0820010 | Allspice | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | 0,05 (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | 0,05 (*) |
| 0850000 | (v) **Buds** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | **0,02** (*) |
| 1011020 | Fat | **0,02** (*) |
| 1011030 | Liver | 0,05 (*) |
| 1011040 | Kidney | **0,02** (*) |
| 1011050 | Edible offal | 0,05 (*) |
| 1011990 | Others | 0,05 (*) |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | **0,02** (*) |
| 1012020 | Fat | **0,02** (*) |
| 1012030 | Liver | 0,05 (*) |
| 1012040 | Kidney | **0,02** (*) |
| 1012050 | Edible offal | 0,05 (*) |
| 1012990 | Others | 0,05 (*) |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | **0,02** (*) |
| 1013020 | Fat | **0,02** (*) |
| 1013030 | Liver | 0,05 (*) |
| 1013040 | Kidney | **0,02** (*) |
| 1013050 | Edible offal | 0,05 (*) |
| 1013990 | Others | 0,05 (*) |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | **0,02** (*) |
| 1014020 | Fat | **0,02** (*) |
| 1014030 | Liver | 0,05 (*) |
| 1014040 | Kidney | **0,02** (*) |
| 1014050 | Edible offal | 0,05 (*) |
| 1014990 | Others | 0,05 (*) |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | **0,02** (*) |
| 1015020 | Fat | **0,02** (*) |
| 1015030 | Liver | 0,05 (*) |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | **0,02** (*) |
| 1015050 | Edible offal | 0,05 (*) |
| 1015990 | Others | 0,05 (*) |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | **0,02** (*) |
| 1016020 | Fat | **0,02** (*) |
| 1016030 | Liver | 0,05 (*) |
| 1016040 | Kidney | **0,02** (*) |
| 1016050 | Edible offal | 0,05 (*) |
| 1016990 | Others | 0,05 (*) |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | **0,02** (*) |
| 1017020 | Fat | **0,02** (*) |
| 1017030 | Liver | 0,05 (*) |
| 1017040 | Kidney | **0,02** (*) |
| 1017050 | Edible offal | 0,05 (*) |
| 1017990 | Others | 0,05 (*) |
| 1020000 | (ii) **Milk** | **0,02** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | **0,02** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M58**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,02** (*) |
| 1060000 | (vi) **Snails** | **0,02** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,02** (*) |

▼M66

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | 0,01 (*) |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* × *sinensis*)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼M66

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* × *Rubus idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (Arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* × *Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | 0,01 (*) |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | 0,01 (*) |
| 0220020 | Onions (Other bulb onions, silverskin onions) | 0,2 (+) |
| 0220030 | Shallots | 0,01 (*) |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | 0,01 (*) |
| 0220990 | Others | 0,01 (*) |
| 0230000 | (iii) **Fruiting vegetables** | 0,01 (*) |
| 0231000 | (a) Solanacea | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits — inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | 0,01 (*) |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including* Brassicacea | 0,01 (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | 0,01 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (*Acacia pennata*))* | 0,01 (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (*Ipomea aquatica*), water clover, water mimosa)* | 0,01 (*) |
| 0255000 | (e) *Witloof* | 0,01 (*) |
| 0256000 | (f) *Herbs* | 0,02 (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,01 (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,01 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (*Borago officinalis* stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | 0,01 (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | 0,01 (*) |
| 0300000 | 3. **PULSES, DRY** | 0,02 (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,01 (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | 0,02 (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | 0,05 (*) |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | 0,05 (*) |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | 0,05 (*) |
| 0820010 | Allspice | |

▼M66

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | 0,05 (*) |
| 0840040 | Horseradish | (+) |
| 0840990 | Others | 0,05 (*) |
| 0850000 | (v) **Buds** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | 0,01 (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M66

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | 0,01 (*) |
| 1011020 | Fat | 0,01 (*) |
| 1011030 | Liver | 0,02 (*) |
| 1011040 | Kidney | 0,01 (*) |
| 1011050 | Edible offal | 0,01 (*) |
| 1011990 | Others | 0,01 (*) |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | 0,01 (*) |
| 1012020 | Fat | 0,01 (*) |
| 1012030 | Liver | 0,02 (*) |
| 1012040 | Kidney | 0,01 (*) |
| 1012050 | Edible offal | 0,01 (*) |
| 1012990 | Others | 0,01 (*) |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | 0,01 (*) |
| 1013020 | Fat | 0,01 (*) |
| 1013030 | Liver | 0,02 (*) |
| 1013040 | Kidney | 0,01 (*) |
| 1013050 | Edible offal | 0,01 (*) |
| 1013990 | Others | 0,01 (*) |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | 0,01 (*) |
| 1014020 | Fat | 0,01 (*) |
| 1014030 | Liver | 0,02 (*) |
| 1014040 | Kidney | 0,01 (*) |
| 1014050 | Edible offal | 0,01 (*) |
| 1014990 | Others | 0,01 (*) |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | 0,01 (*) |
| 1015020 | Fat | 0,01 (*) |
| 1015030 | Liver | 0,02 (*) |

▼M66

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 1015040 | Kidney | 0,01 (*) |
| 1015050 | Edible offal | 0,01 (*) |
| 1015990 | Others | 0,01 (*) |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | 0,01 (*) |
| 1016020 | Fat | 0,01 (*) |
| 1016030 | Liver | 0,02 (*) |
| 1016040 | Kidney | 0,01 (*) |
| 1016050 | Edible offal | 0,01 (*) |
| 1016990 | Others | 0,01 (*) |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | 0,01 (*) |
| 1017020 | Fat | 0,01 (*) |
| 1017030 | Liver | 0,02 (*) |
| 1017040 | Kidney | 0,01 (*) |
| 1017050 | Edible offal | 0,01 (*) |
| 1017990 | Others | 0,01 (*) |
| 1020000 | (ii) **Milk** | 0,01 (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | 0,01 (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dicloran |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | 0,05 (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | 0,01 (*) |
| 1060000 | (vi) **Snails** | 0,01 (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | 0,01 (*) |

▼M67

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 —— ◄ |
|---|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | ►M155 —— ◄ |
| 0110000 | (i) **Citrus fruit** | 0,02 (*) | ►M155 —— ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | ►M155 —— ◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | ►M155 —— ◄ |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | ►M155 —— ◄ |
| 0110040 | Limes | | ►M155 —— ◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* × *sinensis*)) | | ►M155 —— ◄ |
| 0110990 | Others | | ►M155 —— ◄ |
| 0120000 | (ii) **Tree nuts** | 0,05 (*) | ►M155 —— ◄ |
| 0120010 | Almonds | | ►M155 —— ◄ |
| 0120020 | Brazil nuts | | ►M155 —— ◄ |
| 0120030 | Cashew nuts | | ►M155 —— ◄ |
| 0120040 | Chestnuts | | ►M155 —— ◄ |
| 0120050 | Coconuts | | ►M155 —— ◄ |
| 0120060 | Hazelnuts (Filbert) | | ►M155 —— ◄ |
| 0120070 | Macadamia | | ►M155 —— ◄ |
| 0120080 | Pecans | | ►M155 —— ◄ |
| 0120090 | Pine nuts | | ►M155 —— ◄ |
| 0120100 | Pistachios | | ►M155 —— ◄ |
| 0120110 | Walnuts | | ►M155 —— ◄ |
| 0120990 | Others | | ►M155 —— ◄ |
| 0130000 | (iii) **Pome fruit** | 0,02 (*) | ►M155 —— ◄ |
| 0130010 | Apples (Crab apple) | | ►M155 —— ◄ |
| 0130020 | Pears (Oriental pear) | | ►M155 —— ◄ |
| 0130030 | Quinces | | ►M155 —— ◄ |
| 0130040 | Medlar | | ►M155 —— ◄ |
| 0130050 | Loquat | | ►M155 —— ◄ |
| 0130990 | Others | | ►M155 —— ◄ |
| 0140000 | (iv) **Stone fruit** | 0,02 (*) | ►M155 —— ◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 — ◄ |
|---|---|---|---|
| 0140010 | Apricots | | ►M155 — ◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | ►M155 — ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | | ►M155 — ◄ |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | | ►M155 — ◄ |
| 0140990 | Others | | ►M155 — ◄ |
| 0150000 | (v) **Berries & small fruit** | 0,02 (*) | ►M155 — ◄ |
| 0151000 | (a) *Table and wine grapes* | | ►M155 — ◄ |
| 0151010 | Table grapes | | ►M155 — ◄ |
| 0151020 | Wine grapes | | ►M155 — ◄ |
| 0152000 | (b) *Strawberries* | | ►M155 — ◄ |
| 0153000 | (c) *Cane fruit* | | ►M155 — ◄ |
| 0153010 | Blackberries | | ►M155 — ◄ |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | | ►M155 — ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* × *Rubus idaeus*)) | | ►M155 — ◄ |
| 0153990 | Others | | ►M155 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | | ►M155 — ◄ |
| 0154010 | Blueberries (Bilberries) | | ►M155 — ◄ |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | ►M155 — ◄ |
| 0154030 | Currants (red, black and white) | | ►M155 — ◄ |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | | ►M155 — ◄ |
| 0154050 | Rose hips | | ►M155 — ◄ |
| 0154060 | Mulberries (Arbutus berry) | | ►M155 — ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | ►M155 — ◄ |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | ►M155 — ◄ |
| 0154990 | Others | | ►M155 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | 0,02 (*) | ►M155 — ◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 —◄ |
|---|---|---|---|
| 0161000 | (a) *Edible peel* | | ►M155 —◄ |
| 0161010 | Dates | | ►M155 —◄ |
| 0161020 | Figs | | ►M155 —◄ |
| 0161030 | Table olives | | ►M155 —◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* × *Fortunella* spp.)) | | ►M155 —◄ |
| 0161050 | Carambola (Bilimbi) | | ►M155 —◄ |
| 0161060 | Persimmon | | ►M155 —◄ |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | | ►M155 —◄ |
| 0161990 | Others | | ►M155 —◄ |
| 0162000 | (b) *Inedible peel, small* | | ►M155 —◄ |
| 0162010 | Kiwi | | ►M155 —◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | ►M155 —◄ |
| 0162030 | Passion fruit | | ►M155 —◄ |
| 0162040 | Prickly pear (cactus fruit) | | ►M155 —◄ |
| 0162050 | Star apple | | ►M155 —◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | ►M155 —◄ |
| 0162990 | Others | | ►M155 —◄ |
| 0163000 | (c) *Inedible peel, large* | | ►M155 —◄ |
| 0163010 | Avocados | | ►M155 —◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | ►M155 —◄ |
| 0163030 | Mangoes | | ►M155 —◄ |
| 0163040 | Papaya | | ►M155 —◄ |
| 0163050 | Pomegranate | | ►M155 —◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (*Annona diversifolia*) and other medium sized Annonaceae fruits) | | ►M155 —◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | | ►M155 —◄ |
| 0163080 | Pineapples | | ►M155 —◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 — ◄ |
|---|---|---|---|
| 0163090 | Bread fruit (Jackfruit) | | ►M155 — ◄ |
| 0163100 | Durian | | ►M155 — ◄ |
| 0163110 | Soursop (guanabana) | | ►M155 — ◄ |
| 0163990 | Others | | ►M155 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | ►M155 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | 0,02 (*) | ►M155 — ◄ |
| 0211000 | (a) *Potatoes* | | ►M155 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | ►M155 — ◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | ►M155 — ◄ |
| 0212020 | Sweet potatoes | | ►M155 — ◄ |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | ►M155 — ◄ |
| 0212040 | Arrowroot | | ►M155 — ◄ |
| 0212990 | Others | | ►M155 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | ►M155 — ◄ |
| 0213010 | Beetroot | | ►M155 — ◄ |
| 0213020 | Carrots | | ►M155 — ◄ |
| 0213030 | Celeriac | | ►M155 — ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | ►M155 — ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | | ►M155 — ◄ |
| 0213060 | Parsnips | | ►M155 — ◄ |
| 0213070 | Parsley root | | ►M155 — ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | ►M155 — ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | ►M155 — ◄ |
| 0213100 | Swedes | | ►M155 — ◄ |
| 0213110 | Turnips | | ►M155 — ◄ |
| 0213990 | Others | | ►M155 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | 0,02 (*) | ►M155 — ◄ |
| 0220010 | Garlic | | ►M155 — ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | ►M155 — ◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 — ◄ |
|---|---|---|---|
| 0220030 | Shallots | | ►M155 — ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | ►M155 — ◄ |
| 0220990 | Others | | ►M155 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | | ►M155 — ◄ |
| 0231000 | (a) Solanacea | 0,02 (*) | ►M155 — ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | | ►M155 — ◄ |
| 0231020 | Peppers (Chilli peppers) | | ►M155 — ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | | ►M155 — ◄ |
| 0231040 | Okra (lady's fingers) | | ►M155 — ◄ |
| 0231990 | Others | | ►M155 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | 0,05 (*) | ►M155 — ◄ |
| 0232010 | Cucumbers | | ►M155 — ◄ |
| 0232020 | Gherkins | | ►M155 — ◄ |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | ►M155 — ◄ |
| 0232990 | Others | | ►M155 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | | ►M155 — ◄ |
| 0233010 | Melons (Kiwano) | 0,02 (*) | ►M155 — ◄ |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | 0,05 (*) | ►M155 — ◄ |
| 0233030 | Watermelons | 0,02 (*) | ►M155 — ◄ |
| 0233990 | Others | 0,05 (*) | ►M155 — ◄ |
| 0234000 | (d) *Sweet corn (Baby corn)* | 0,02 (*) | ►M155 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | 0,02 (*) | ►M155 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | 0,02 (*) | ►M155 — ◄ |
| 0241000 | (a) *Flowering brassica* | | ►M155 — ◄ |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | ►M155 — ◄ |
| 0241020 | Cauliflower | | ►M155 — ◄ |
| 0241990 | Others | | ►M155 — ◄ |

▼**M67**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►**M155** — ◄ |
|---|---|---|---|
| 0242000 | (b) *Head brassica* | | ►**M155** — ◄ |
| 0242010 | Brussels sprouts | | ►**M155** — ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | ►**M155** — ◄ |
| 0242990 | Others | | ►**M155** — ◄ |
| 0243000 | (c) *Leafy brassica* | | ►**M155** — ◄ |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | ►**M155** — ◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | ►**M155** — ◄ |
| 0243990 | Others | | ►**M155** — ◄ |
| 0244000 | (d) *Kohlrabi* | | ►**M155** — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | ►**M155** — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | 0,02 (*) | ►**M155** — ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | | ►**M155** — ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | ►**M155** — ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | | ►**M155** — ◄ |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | ►**M155** — ◄ |
| 0251050 | Land cress | | ►**M155** — ◄ |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | ►**M155** — ◄ |
| 0251070 | Red mustard | | ►**M155** — ◄ |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | ►**M155** — ◄ |

▼**M67**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►**M155** — ◄ |
|---|---|---|---|
| 0251990 | Others | | ►**M155** — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | 0,02 (*) | ►**M155** — ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | ►**M155** — ◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | | ►**M155** — ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | ►**M155** — ◄ |
| 0252990 | Others | | ►**M155** — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (*Acacia pennata*))* | 0,02 (*) | ►**M155** — ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (*Ipomea aquatica*), water clover, water mimosa)* | 0,02 (*) | ►**M155** — ◄ |
| 0255000 | (e) *Witloof* | 0,02 (*) | ►**M155** — ◄ |
| 0256000 | (f) *Herbs* | 0,05 (*) | ►**M155** — ◄ |
| 0256010 | Chervil | | ►**M155** — ◄ |
| 0256020 | Chives | | ►**M155** — ◄ |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | | ►**M155** — ◄ |
| 0256040 | Parsley (leaves of root parsley) | | ►**M155** — ◄ |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | ►**M155** — ◄ |
| 0256060 | Rosemary | | ►**M155** — ◄ |
| 0256070 | Thyme (Marjoram, oregano) | | ►**M155** — ◄ |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | ►**M155** — ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | ►**M155** — ◄ |
| 0256100 | Tarragon (Hyssop) | | ►**M155** — ◄ |
| 0256990 | Others | | ►**M155** — ◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 —◄ |
|---|---|---|---|
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,02 (*) | ►M155 —◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | ►M155 —◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | ►M155 —◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | ►M155 —◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | ►M155 —◄ |
| 0260050 | Lentils | | ►M155 —◄ |
| 0260990 | Others | | ►M155 —◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,02 (*) | ►M155 —◄ |
| 0270010 | Asparagus | | ►M155 —◄ |
| 0270020 | Cardoons (*Borago officinalis* stems) | | ►M155 —◄ |
| 0270030 | Celery | | ►M155 —◄ |
| 0270040 | Fennel | | ►M155 —◄ |
| 0270050 | Globe artichokes (Banana flower) | | ►M155 —◄ |
| 0270060 | Leek | | ►M155 —◄ |
| 0270070 | Rhubarb | | ►M155 —◄ |
| 0270080 | Bamboo shoots | | ►M155 —◄ |
| 0270090 | Palm hearts | | ►M155 —◄ |
| 0270990 | Others | | ►M155 —◄ |
| 0280000 | (viii) **Fungi** | 0,02 (*) | ►M155 —◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | | ►M155 —◄ |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | ►M155 —◄ |
| 0280990 | Others | | ►M155 —◄ |
| 0290000 | (ix) **Sea weeds** | 0,02 (*) | ►M155 —◄ |
| 0300000 | 3. **PULSES, DRY** | 0,05 (*) | ►M155 —◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 — ◄ |
|---|---|---|---|
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | ►M155 — ◄ |
| 0300020 | Lentils | | ►M155 — ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | ►M155 — ◄ |
| 0300040 | Lupins | | ►M155 — ◄ |
| 0300990 | Others | | ►M155 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,05 (*) | ►M155 — ◄ |
| 0401000 | (i) **Oilseeds** | | ►M155 — ◄ |
| 0401010 | Linseed | | ►M155 — ◄ |
| 0401020 | Peanuts | | ►M155 — ◄ |
| 0401030 | Poppy seed | | ►M155 — ◄ |
| 0401040 | Sesame seed | | ►M155 — ◄ |
| 0401050 | Sunflower seed | | ►M155 — ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | ►M155 — ◄ |
| 0401070 | Soya bean | | ►M155 — ◄ |
| 0401080 | Mustard seed | | ►M155 — ◄ |
| 0401090 | Cotton seed | | ►M155 — ◄ |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | | ►M155 — ◄ |
| 0401110 | Safflower | | ►M155 — ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | ►M155 — ◄ |
| 0401130 | Gold of pleasure | | ►M155 — ◄ |
| 0401140 | Hempseed | | ►M155 — ◄ |
| 0401150 | Castor bean | | ►M155 — ◄ |
| 0401990 | Others | | ►M155 — ◄ |
| 0402000 | (ii) **Oilfruits** | | ►M155 — ◄ |
| 0402010 | Olives for oil production | | ►M155 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | | ►M155 — ◄ |
| 0402030 | Palmfruit | | ►M155 — ◄ |
| 0402040 | Kapok | | ►M155 — ◄ |
| 0402990 | Others | | ►M155 — ◄ |
| 0500000 | 5. **CEREALS** | 0,05 (*) | ►M155 — ◄ |
| 0500010 | Barley | | ►M155 — ◄ |
| 0500020 | Buckwheat (*Amaranthus*, quinoa) | | ►M155 — ◄ |
| 0500030 | Maize | | ►M155 — ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | ►M155 — ◄ |
| 0500050 | Oats | | ►M155 — ◄ |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | | ►M155 — ◄ |
| 0500070 | Rye | | ►M155 — ◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 —— ◄ |
|---|---|---|---|
| 0500080 | Sorghum | | ►M155 —— ◄ |
| 0500090 | Wheat (Spelt, triticale) | | ►M155 —— ◄ |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | | ►M155 —— ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0.1 (*) | ►M155 —— ◄ |
| 0610000 | (i) **Tea** | | ►M155 —— ◄ |
| 0620000 | (ii) **Coffee beans** | | ►M155 —— ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | | ►M155 —— ◄ |
| 0631000 | (a) *Flowers* | | ►M155 —— ◄ |
| 0631010 | Camomille flowers | | ►M155 —— ◄ |
| 0631020 | Hybiscus flowers | | ►M155 —— ◄ |
| 0631030 | Rose petals | | ►M155 —— ◄ |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | ►M155 —— ◄ |
| 0631050 | Lime (linden) | | ►M155 —— ◄ |
| 0631990 | Others | | ►M155 —— ◄ |
| 0632000 | (b) *Leaves* | | ►M155 —— ◄ |
| 0632010 | Strawberry leaves | | ►M155 —— ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | ►M155 —— ◄ |
| 0632030 | Maté | | ►M155 —— ◄ |
| 0632990 | Others | | ►M155 —— ◄ |
| 0633000 | (c) *Roots* | | ►M155 —— ◄ |
| 0633010 | Valerian root | | ►M155 —— ◄ |
| 0633020 | Ginseng root | | ►M155 —— ◄ |
| 0633990 | Others | | ►M155 —— ◄ |
| 0639000 | (d) *Other herbal infusions* | | ►M155 —— ◄ |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | ►M155 —— ◄ |
| 0650000 | (v) **Carob (st johns bread)** | | ►M155 —— ◄ |
| 0700000 | 7. **HOPS (dried)** | 0.1 (*) | ►M155 —— ◄ |
| 0800000 | 8. **SPICES** | | ►M155 —— ◄ |
| 0810000 | (i) **Seeds** | 0.1 (*) | ►M155 —— ◄ |
| 0810010 | Anise | | ►M155 —— ◄ |
| 0810020 | Black caraway | | ►M155 —— ◄ |
| 0810030 | Celery seed (Lovage seed) | | ►M155 —— ◄ |
| 0810040 | Coriander seed | | ►M155 —— ◄ |
| 0810050 | Cumin seed | | ►M155 —— ◄ |
| 0810060 | Dill seed | | ►M155 —— ◄ |
| 0810070 | Fennel seed | | ►M155 —— ◄ |
| 0810080 | Fenugreek | | ►M155 —— ◄ |
| 0810090 | Nutmeg | | ►M155 —— ◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 —— ◄ |
|---|---|---|---|
| 0810990 | Others | | ►M155 —— ◄ |
| 0820000 | (ii) **Fruits and berries** | 0.1 (*) | ►M155 —— ◄ |
| 0820010 | Allspice | | ►M155 —— ◄ |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | ►M155 —— ◄ |
| 0820030 | Caraway | | ►M155 —— ◄ |
| 0820040 | Cardamom | | ►M155 —— ◄ |
| 0820050 | Juniper berries | | ►M155 —— ◄ |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | ►M155 —— ◄ |
| 0820070 | Vanilla pods | | ►M155 —— ◄ |
| 0820080 | Tamarind | | ►M155 —— ◄ |
| 0820990 | Others | | ►M155 —— ◄ |
| 0830000 | (iii) **Bark** | 0.1 (*) | ►M155 —— ◄ |
| 0830010 | Cinnamon (Cassia) | | ►M155 —— ◄ |
| 0830990 | Others | | ►M155 —— ◄ |
| 0840000 | (iv) **Roots or rhizome** | | ►M155 —— ◄ |
| 0840010 | Liquorice | 0.1 (*) | ►M155 —— ◄ |
| 0840020 | Ginger | 0.1 (*) | ►M155 —— ◄ |
| 0840030 | Turmeric (Curcuma) | 0.1 (*) | ►M155 —— ◄ |
| 0840040 | Horseradish | (+) | ►M155 —— ◄ |
| 0840990 | Others | 0.1 (*) | ►M155 —— ◄ |
| 0850000 | (v) **Buds** | 0.1 (*) | ►M155 —— ◄ |
| 0850010 | Cloves | | ►M155 —— ◄ |
| 0850020 | Capers | | ►M155 —— ◄ |
| 0850990 | Others | | ►M155 —— ◄ |
| 0860000 | (vi) **Flower stigma** | 0.1 (*) | ►M155 —— ◄ |
| 0860010 | Saffron | | ►M155 —— ◄ |
| 0860990 | Others | | ►M155 —— ◄ |
| 0870000 | (vii) **Aril** | 0.1 (*) | ►M155 —— ◄ |
| 0870010 | Mace | | ►M155 —— ◄ |
| 0870990 | Others | | ►M155 —— ◄ |
| 0900000 | 9. **SUGAR PLANTS** | 0,02 (*) | ►M155 —— ◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 —— ◄ |
|---|---|---|---|
| 0900010 | Sugar beet (root) | | ►M155 —— ◄ |
| 0900020 | Sugar cane | | ►M155 —— ◄ |
| 0900030 | Chicory roots | | ►M155 —— ◄ |
| 0900990 | Others | | ►M155 —— ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | ►M155 —— ◄ |
| 1010000 | (i) **Tissue** | | ►M155 —— ◄ |
| 1011000 | (a) *Swine* | | ►M155 —— ◄ |
| 1011010 | Muscle | 0,05 (*) | ►M155 —— ◄ |
| 1011020 | Fat | 0,05 (*) | ►M155 —— ◄ |
| 1011030 | Liver | 0.1 (*) | ►M155 —— ◄ |
| 1011040 | Kidney | 0,05 (*) | ►M155 —— ◄ |
| 1011050 | Edible offal | 0.1 (*) | ►M155 —— ◄ |
| 1011990 | Others | 0.1 (*) | ►M155 —— ◄ |
| 1012000 | (b) *Bovine* | | ►M155 —— ◄ |
| 1012010 | Muscle | 0,05 (*) | ►M155 —— ◄ |
| 1012020 | Fat | 0,05 (*) | ►M155 —— ◄ |
| 1012030 | Liver | 0.1 (*) | ►M155 —— ◄ |
| 1012040 | Kidney | 0,05 (*) | ►M155 —— ◄ |
| 1012050 | Edible offal | 0.1 (*) | ►M155 —— ◄ |
| 1012990 | Others | 0.1 (*) | ►M155 —— ◄ |
| 1013000 | (c) *Sheep* | | ►M155 —— ◄ |
| 1013010 | Muscle | 0,05 (*) | ►M155 —— ◄ |
| 1013020 | Fat | 0,05 (*) | ►M155 —— ◄ |
| 1013030 | Liver | 0.1 (*) | ►M155 —— ◄ |
| 1013040 | Kidney | 0,05 (*) | ►M155 —— ◄ |
| 1013050 | Edible offal | 0.1 (*) | ►M155 —— ◄ |
| 1013990 | Others | 0.1 (*) | ►M155 —— ◄ |
| 1014000 | (d) *Goat* | | ►M155 —— ◄ |
| 1014010 | Muscle | 0,05 (*) | ►M155 —— ◄ |
| 1014020 | Fat | 0,05 (*) | ►M155 —— ◄ |
| 1014030 | Liver | 0.1 (*) | ►M155 —— ◄ |
| 1014040 | Kidney | 0,05 (*) | ►M155 —— ◄ |
| 1014050 | Edible offal | 0.1 (*) | ►M155 —— ◄ |
| 1014990 | Others | 0.1 (*) | ►M155 —— ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | ►M155 —— ◄ |

▼M67

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►M155 —— ◄ |
|---|---|---|---|
| 1015010 | Muscle | 0,05 (*) | ►M155 —— ◄ |
| 1015020 | Fat | 0,05 (*) | ►M155 —— ◄ |
| 1015030 | Liver | 0.1 (*) | ►M155 —— ◄ |
| 1015040 | Kidney | 0,05 (*) | ►M155 —— ◄ |
| 1015050 | Edible offal | 0.1 (*) | ►M155 —— ◄ |
| 1015990 | Others | 0.1 (*) | ►M155 —— ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | ►M155 —— ◄ |
| 1016010 | Muscle | 0,05 (*) | ►M155 —— ◄ |
| 1016020 | Fat | 0,05 (*) | ►M155 —— ◄ |
| 1016030 | Liver | 0.1 (*) | ►M155 —— ◄ |
| 1016040 | Kidney | 0,05 (*) | ►M155 —— ◄ |
| 1016050 | Edible offal | 0.1 (*) | ►M155 —— ◄ |
| 1016990 | Others | 0.1 (*) | ►M155 —— ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | ►M155 —— ◄ |
| 1017010 | Muscle | 0,05 (*) | ►M155 —— ◄ |
| 1017020 | Fat | 0,05 (*) | ►M155 —— ◄ |
| 1017030 | Liver | 0.1 (*) | ►M155 —— ◄ |
| 1017040 | Kidney | 0,05 (*) | ►M155 —— ◄ |
| 1017050 | Edible offal | 0.1 (*) | ►M155 —— ◄ |
| 1017990 | Others | 0.1 (*) | ►M155 —— ◄ |
| 1020000 | (ii) **Milk** | 0,03 (*) | ►M155 —— ◄ |
| 1020010 | Cattle | | ►M155 —— ◄ |
| 1020020 | Sheep | | ►M155 —— ◄ |
| 1020030 | Goat | | ►M155 —— ◄ |
| 1020040 | Horse | | ►M155 —— ◄ |
| 1020990 | Others | | ►M155 —— ◄ |
| 1030000 | (iii) **Bird eggs** | 0,05 (*) | ►M155 —— ◄ |
| 1030010 | Chicken | | ►M155 —— ◄ |
| 1030020 | Duck | | ►M155 —— ◄ |

▼**M67**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | ►**M155** —— ◄ |
|---|---|---|---|
| 1030030 | Goose | | ►**M155** —— ◄ |
| 1030040 | Quail | | ►**M155** —— ◄ |
| 1030990 | Others | | ►**M155** —— ◄ |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | 0,05 (*) | ►**M155** —— ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | 0,05 (*) | ►**M155** —— ◄ |
| 1060000 | (vi) **Snails** | 0,05 (*) | ►**M155** —— ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | 0,05 (*) | ►**M155** —— ◄ |

▼M68

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | 0,02 (*) |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* × *sinensis*)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* × *Rubus idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (*Arbutus* berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* × *Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | 0,02 (*) |
| 0212000 | (b) *Tropical root and tuber vegetables* | 0,02 (*) |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | 0,02 (*) |
| 0213020 | Carrots | 0,02 (*) |
| 0213030 | Celeriac | 0,02 (*) |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | 0,02 (*) |
| 0213050 | Jerusalem artichokes (Crosne) | 0,02 (*) |
| 0213060 | Parsnips | 0,02 (*) |
| 0213070 | Parsley root | 0,02 (*) |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | 0,02 (*) |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | 0,05 |
| 0213100 | Swedes | 0,02 (*) |
| 0213110 | Turnips | 0,02 (*) |
| 0213990 | Others | 0,02 (*) |
| 0220000 | (ii) **Bulb vegetables** | 0,02 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | 0,02 (*) |
| 0231000 | (a) Solanacea | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits — inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | 0,02 (*) |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including* Brassicacea | 0,02 (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum*/*C. intybus* var. *foliosum*), dandelion greens) | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | 0,02 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (*Acacia pennata*))* | 0,02 (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (*Ipomea aquatica*), water clover, water mimosa)* | 0,02 (*) |
| 0255000 | (e) *Witloof* | 0,02 (*) |
| 0256000 | (f) *Herbs* | 0,05 (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,02 (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,02 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (*Borago officinalis* stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | 0,02 (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | 0,02 (*) |
| 0300000 | 3. **PULSES, DRY** | 0,05 (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,02 (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | 0,02 (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (*Amaranthus*, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,1 (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | 0,1 (*) |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | 0,1 (*) |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | 0,1 (*) |
| 0820010 | Allspice | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | 0,1 (*) |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | 0,1 (*) |
| 0840020 | Ginger | 0,1 (*) |
| 0840030 | Turmeric (Curcuma) | 0,1 (*) |
| 0840040 | Horseradish | (+) |
| 0840990 | Others | 0,1 (*) |
| 0850000 | (v) **Buds** | 0,1 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | 0,1 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | 0,1 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | 0,02 (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | 0,02 (*) |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk** | 0,02 (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | 0,02 (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Benfluralin (F) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | 0,05 (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | 0,02 (*) |
| 1060000 | (vi) **Snails** | 0,02 (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | 0,02 (*) |

▼**M71**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0110000 | (i) **Citrus fruit** | ►**M218** 0,02 (*) ◄ | | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | | | |
| 0110990 | Others | | | |
| 0120000 | (ii) **Tree nuts** | ►**M146** — ◄ | | |
| 0120010 | Almonds | ►**M218** 0,02 (*) (+) ◄ | | |
| 0120020 | Brazil nuts | ►**M218** 0,04 ◄ | | |
| 0120030 | Cashew nuts | ►**M218** 0,04 ◄ | | |
| 0120040 | Chestnuts | ►**M218** 0,04 ◄ | | |
| 0120050 | Coconuts | ►**M218** 0,04 ◄ | | |
| 0120060 | Hazelnuts (Filbert) | ►**M218** 0,04 ◄ | | |
| 0120070 | Macadamia | ►**M218** 0,04 ◄ | | |
| 0120080 | Pecans | ►**M218** 0,04 ◄ | | |
| 0120090 | Pine nuts | ►**M218** 0,04 ◄ | | |
| 0120100 | Pistachios | ►**M218** 0,02 (*) ◄ | | |
| 0120110 | Walnuts | ►**M218** 0,04 ◄ | | |
| 0120990 | Others | ►**M218** 0,04 ◄ | | |
| 0130000 | (iii) **Pome fruit** | ►**M218** 2 ◄ | | |
| 0130010 | Apples (Crab apple) | ►**M98** — ◄ | | |
| 0130020 | Pears (Oriental pear) | ►**M98** — ◄ | | |
| 0130030 | Quinces | ►**M98** — ◄ | | |
| 0130040 | Medlar | ►**M98** — ◄ | | |
| 0130050 | Loquat | ►**M98** — ◄ | | |
| 0130990 | Others | ►**M98** — ◄ | | |
| 0140000 | (iv) **Stone fruit** | ►**M218** 2 ◄ | | |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | | | |
| 0140990 | Others | | | |
| 0150000 | (v) **Berries & small fruit** | | | |
| 0151000 | (a) *Table and wine grapes* | ►**M218** 3 ◄ | | |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *Strawberries* | ►**M218** 5 ◄ | | |
| 0153000 | (c) *Cane fruit* | | | |
| 0153010 | Blackberries | ►**M218** 3 ◄ | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | ►**M218** 0,02 (*) ◄ | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | ►**M218** 3 ◄ | | |
| 0153990 | Others | ►**M218** 0,02 (*) ◄ | | |
| 0154000 | (d) *Other small fruit & berries* | ►**M181** — ◄ | | |
| 0154010 | Blueberries (Bilberries) | ►**M218** 8 ◄ | | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | ►**M218** 8 ◄ | | |
| 0154030 | Currants (red, black and white) | ►**M218** 8 ◄ | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | ►**M218** 8 ◄ | | |
| 0154050 | Rose hips | ►**M218** 3 ◄ | | |
| 0154060 | Mulberries (Arbutus berry) | ►**M218** 3 ◄ | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | ►**M218** 3 ◄ | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | ►**M218** 3 ◄ | | |
| 0154990 | Others | ►**M218** 3 ◄ | | |
| 0160000 | (vi) **Miscellaneous fruit** | ►**M98** — ◄ | | |
| 0161000 | (a) *Edible peel* | | | |
| 0161010 | Dates | ►**M218** 0,02 (*) ◄ | | |
| 0161020 | Figs | ►**M218** 0,02 (*) ◄ | | |
| 0161030 | Table olives | ►**M218** 0,02 (*) ◄ | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | ►**M218** 0,02 (*) ◄ | | |
| 0161050 | Carambola (Bilimbi) | ►**M218** 0,02 (*) ◄ | | |
| 0161060 | Persimmon | ►**M218** 2 ◄ | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | ►**M218** 0,02 (*) ◄ | | |
| 0161990 | Others | ►**M218** 0,02 (*) ◄ | | |
| 0162000 | (b) *Inedible peel, small* | ►**M218** 0,02 (*) ◄ | | |
| 0162010 | Kiwi | | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | | |
| 0162030 | Passion fruit | | | |
| 0162040 | Prickly pear (cactus fruit) | | | |
| 0162050 | Star apple | | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | | |
| 0162990 | Others | | | |
| 0163000 | (c) *Inedible peel, large* | | | |
| 0163010 | Avocados | ►**M218** 1 ◄ | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►**M218** 0,02 (*) ◄ | | |
| 0163030 | Mangoes | ►**M218** 0,02 (*) ◄ | | |
| 0163040 | Papaya | ►**M218** 0,02 (*) ◄ | | |
| 0163050 | Pomegranate | ►**M218** 5 ◄ | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | ►**M218** 0,02 (*) ◄ | | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | ►**M218** 1,5 ◄ | | |
| 0163080 | Pineapples | ►**M218** 0,02 (*) ◄ | | |
| 0163090 | Bread fruit (Jackfruit) | ►**M218** 0,02 (*) ◄ | | |
| 0163100 | Durian | ►**M218** 0,02 (*) ◄ | | |
| 0163110 | Soursop (guanabana) | ►**M218** 0,02 (*) ◄ | | |
| 0163990 | Others | ►**M218** 0,02 (*) ◄ | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | |
| 0210000 | (i) **Root and tuber vegetables** | | | |
| 0211000 | (a) *Potatoes* | ►**M218** 0,02 (*) ◄ | ►**M220** 0,15 ◄ | ►**M209** 0,02 (*) ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0212040 | Arrowroot | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | ►**M220** — ◄ | |
| 0213010 | Beetroot | ►**M218** 1,5 ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,02 (*) ◄ |
| 0213020 | Carrots | ►**M218** 1,5 ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,02 (*) ◄ |
| 0213030 | Celeriac | ►**M218** 0,3 ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,02 (*) ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►**M218** 1,5 ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,9 ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | ►**M218** 0,02 (*) ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,02 (*) ◄ |
| 0213060 | Parsnips | ►**M218** 1,5 ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,02 (*) ◄ |
| 0213070 | Parsley root | ►**M218** 1,5 ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,02 (*) ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | ►**M218** 0,3 ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** **0,06 (*)** ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | ►**M218** 1,5 ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,02 (*) ◄ |
| 0213100 | Swedes | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,9 ◄ |
| 0213110 | Turnips | ►**M218** 0,02 (*) ◄ | ►**M220** 0,3 (+) ◄ | ►**M209** 0,9 ◄ |
| 0213990 | Others | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0220000 | (ii) **Bulb vegetables** | | ►**M220** 0,05 (*) ◄ | |
| 0220010 | Garlic | ►**M218** 0,07 ◄ | | ►**M209** 0,06 (*) ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | ►**M218** 0,3 ◄ | | ►**M209** 0,02 (*) ◄ |
| 0220030 | Shallots | ►**M218** 0,07 ◄ | | ►**M209** 0,02 (*) ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | ►**M218** 0,8 ◄ | | ►**M209** 0,02 (*) ◄ |
| 0220990 | Others | ►**M218** 0,02 (*) ◄ | | ►**M209** 0,02 (*) ◄ |
| 0230000 | (iii) **Fruiting vegetables** | | | ►**M209** 0,02 (*) ◄ |
| 0231000 | (a) *Solanacea* | | | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | ►**M218** 1,5 ◄ | ►**M220** 0,15 (+) ◄ | |
| 0231020 | Peppers (Chilli peppers) | ►**M218** 1,5 ◄ | ►**M220** 0,05 (*) ◄ | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | ►**M218** 1,5 ◄ | ►**M220** 0,15 (+) ◄ | |
| 0231040 | Okra (lady's fingers) | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | |
| 0231990 | Others | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | |
| 0232000 | (b) *Cucurbits — edible peel* | ►**M218** 0,5 ◄ | ►**M220** 0,05 (*) ◄ | |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►**M218** 0,6 ◄ | ►**M220** 0,05 (*) ◄ | |
| 0233010 | Melons (Kiwano) | | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | |
| 0239000 | (e) *Other fruiting vegetables* | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | |
| 0240000 | (iv) **Brassica vegetables** | ►**M98** — ◄ | ►**M220** — ◄ | |
| 0241000 | (a) *Flowering brassica* | ►**M218** 2 ◄ | ►**M220** **0,7** ◄ | ►**M209** **0,06 (*)** ◄ |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | ►**M209** — ◄ |
| 0241020 | Cauliflower | | | ►**M209** — ◄ |
| 0241990 | Others | | | ►**M209** — ◄ |
| 0242000 | (b) *Head brassica* | | ►**M220** 0,4 ◄ | |
| 0242010 | Brussels sprouts | ►**M218** 0,02 (*) ◄ | | ►**M209** 0,06 (*) ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►**M218** 0,7 ◄ | | ►**M209** 0,4 ◄ |
| 0242990 | Others | ►**M218** 0,02 (*) ◄ | | ►**M209** 0,02 (*) ◄ |
| 0243000 | (c) *Leafy brassica* | ►**M218** 0,02 (*) ◄ | ►**M220** **6** ◄ | ►**M133** — ◄ |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | | | ►**M209** 0,6 ◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | ►**M209** **0,15** ◄ |
| 0243990 | Others | | | ►**M209** 0,2 ◄ |
| 0244000 | (d) *Kohlrabi* | ►**M218** 0,02 (*) ◄ | ►**M220** 0,15 ◄ | ►**M209** 0,3 ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►**M218** 15 ◄ | ►**M220** 2 ◄ | ►**M209** 0,02 (*) ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | |
| 0251050 | Land cress | | | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | | | |
| 0251070 | Red mustard | | | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *Spinach & similar (leaves)* | ►**M218** 15 ◄ | ►**M220** 2 ◄ | ►**M209** 0,02 (*) ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0255000 | (e) *Witloof* | ►**M218** 0,06 ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0256000 | (f) *Herbs* | ►**M218** 40 ◄ | ►**M220** 2 ◄ | ►**M209** 0,1 (*) ◄ |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | | | |
| 0256040 | Parsley (leaves of root parsley) | | | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme (Marjoram, oregano) | | | |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M218 Cyprodinil (R) (F) ◄ | ►M220 Metaldehyde ◄ | ►M209 Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | |
| 0256100 | Tarragon (Hyssop) | | | |
| 0256990 | Others | | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | | | ►M209 0,02 (*) ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | ►M218 2 ◄ | ►M220 0,4 ◄ | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | ►M218 0,08 ◄ | ►M220 0,3 ◄ | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | ►M218 2 ◄ | ►M220 0,4 ◄ | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►M218 0,08 ◄ | ►M220 0,3 ◄ | |
| 0260050 | Lentils | ►M218 **2** ◄ | ►M220 0,05 (*) ◄ | |
| 0260990 | Others | ►M218 0,02 (*) ◄ | ►M220 0,05 (*) ◄ | |
| 0270000 | (vii) **Stem vegetables (fresh)** | | | |
| 0270010 | Asparagus | ►M218 0,02 (*) ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0270020 | Cardoons (Borago officinalis stems) | ►M218 0,02 (*) ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0270030 | Celery | ►M218 30 ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0270040 | Fennel | ►M218 4 ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0270050 | Globe artichokes (Banana flower) | ►M218 4 ◄ | ►M220 0,07 ◄ | ►M209 0,06 (*) ◄ |
| 0270060 | Leek | ►M218 0,02 (*) ◄ | ►M220 1,5 ◄ | ►M209 0,06 (*) ◄ |
| 0270070 | Rhubarb | ►M218 2 ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0270080 | Bamboo shoots | ►M218 0,02 (*) ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0270090 | Palm hearts | ►M218 0,02 (*) ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0270990 | Others | ►M218 0,02 (*) ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0280000 | (viii) **Fungi** | ►M218 0,02 (*) ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | | |
| 0280990 | Others | | | |
| 0290000 | (ix) **Sea weeds** | ►M218 0,02 (*) ◄ | ►M220 0,05 (*) ◄ | ►M209 0,02 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M218 **0,2** ◄ | ►M220 0,2 ◄ | ►M209 0,02 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►M218 — ◄ | | |
| 0300020 | Lentils | ►M218 — ◄ | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►M218 — ◄ | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0300040 | Lupins | ►**M218** — ◄ | | |
| 0300990 | Others | ►**M218** — ◄ | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►**M116** — ◄ | | |
| 0401000 | (i) **Oilseeds** | | | |
| 0401010 | Linseed | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,06 (*) ◄ |
| 0401020 | Peanuts | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0401030 | Poppy seed | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,02 (*) ◄ |
| 0401040 | Sesame seed | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,02 (*) ◄ |
| 0401050 | Sunflower seed | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,06 (*) ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►**M218** 0,02 ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,06 (*) ◄ |
| 0401070 | Soya bean | ►**M218** 0,3 ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,02 (*) ◄ |
| 0401080 | Mustard seed | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,06 (*) ◄ |
| 0401090 | Cotton seed | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,02 (*) ◄ |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,02 (*) ◄ |
| 0401110 | Safflower | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,02 (*) ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,06 (*) ◄ |
| 0401130 | Gold of pleasure | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,06 (*) ◄ |
| 0401140 | Hempseed | ►**M218** 0,02 (*) ◄ | ►**M220** 0,6 ◄ | ►**M209** 0,02 (*) ◄ |
| 0401150 | Castor bean | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0401990 | Others | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0402000 | (ii) **Oilfruits** | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0402010 | Olives for oil production | | | |
| 0402020 | Palm nuts (palmoil kernels) | | | |
| 0402030 | Palmfruit | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others | | | |
| 0500000 | 5. **CEREALS** | | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0500010 | Barley | ►**M218** 4 ◄ | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | ►**M218** 0,02 (*) ◄ | | |
| 0500030 | Maize | ►**M218** 0,02 (*) ◄ | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | ►**M218** 0,02 (*) ◄ | | |
| 0500050 | Oats | ►**M218** 4 ◄ | | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | ►**M218** 0,02 (*) ◄ | | |
| 0500070 | Rye | ►**M218** 0,5 ◄ | | |
| 0500080 | Sorghum | ►**M218** 0,02 (*) ◄ | | |
| 0500090 | Wheat (Spelt, triticale) | ►**M218** 0,5 ◄ | | |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | ►**M218** 0,02 (*) ◄ | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0610000 | (i) **Tea** | ►**M218** 0,1 (*) ◄ | | |
| 0620000 | (ii) **Coffee beans** | ►**M218** 0,1 (*) ◄ | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | | |
| 0631000 | (a) *Flowers* | ►**M218** 0,1 (*) ◄ | | |
| 0631010 | Camomille flowers | | | |
| 0631020 | Hybiscus flowers | | | |
| 0631030 | Rose petals | | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | | |
| 0631050 | Lime (linden) | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *Leaves* | ►**M218** 0,1 (*) ◄ | | |
| 0632010 | Strawberry leaves | | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | |
| 0632030 | Maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *Roots* | ►**M218** — ◄ | | |
| 0633010 | Valerian root | ►**M218** 1,5 (+) ◄ | | |
| 0633020 | Ginseng root | ►**M218** **3** (+) ◄ | | |
| 0633990 | Others | ►**M218** 1,5 (+) ◄ | | |
| 0639000 | (d) *Other herbal infusions* | ►**M218** 0,1 (*) ◄ | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | ►**M218** 0,1 (*) ◄ | | |
| 0650000 | (v) **Carob (st johns bread)** | ►**M218** 0,1 (*) ◄ | | |
| 0700000 | 7. **HOPS (dried)** | ►**M218** 0,1 (*) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0800000 | 8. **SPICES** | | | |
| 0810000 | (i) **Seeds** | ►**M218** 0,1 (*) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0810010 | Anise | | | |
| 0810020 | Black caraway | | | |
| 0810030 | Celery seed (Lovage seed) | | | |
| 0810040 | Coriander seed | | | |
| 0810050 | Cumin seed | | | |
| 0810060 | Dill seed | | | |
| 0810070 | Fennel seed | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | (ii) **Fruits and berries** | ►**M218** 0,1 (*) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0820010 | Allspice | | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berries | | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | |
| 0820070 | Vanilla pods | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | (iii) **Bark** | ►**M218** 0,1 (*) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0830010 | Cinnamon (Cassia) | | | |
| 0830990 | Others | | | |
| 0840000 | (iv) **Roots or rhizome** | ►**M161** — ◄ | | |
| 0840010 | Liquorice | ►**M218** 1,5 (+) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0840020 | Ginger | ►**M161** — ◄ | ►**M220** — ◄ | ►**M180** — ◄ |
| 0840030 | Turmeric (Curcuma) | ►**M218** 1,5 (+) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0840040 | Horseradish | | ►**M220** — ◄ | ►**M180** — ◄ |
| 0840990 | Others | ►**M218** 1,5 (+) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0850000 | (v) **Buds** | ►**M218** 0,1 (*) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | (vi) **Flower stigma** | ►**M218** 0,1 (*) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | (vii) **Aril** | ►**M218** 0,1 (*) ◄ | ►**M220** 0,1 (*) ◄ | ►**M209** 0,1 (*) ◄ |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | 9. **SUGAR PLANTS** | ►**M218** 0,02 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0900010 | Sugar beet (root) | | | |
| 0900020 | Sugar cane | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►**M181** — ◄ | ►**M220** — ◄ | |
| 1010000 | (i) **Tissue** | ►**M218** (+) ◄ | ►**M220** 0,01 (*) (+) ◄ | |
| 1011000 | (a) *Swine* | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | |
| 1011010 | Muscle | ►**M218** (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1011020 | Fat | ►**M218** (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1011030 | Liver | ►**M218** (+) ◄ | ►**M220** (+) ◄ | ►**M209** **0,15** ◄ |
| 1011040 | Kidney | ►**M218** (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1011050 | Edible offal | ►**M218** (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1011990 | Others | ►**M218** (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1012000 | (b) *Bovine* | | ►**M220** (+) ◄ | |
| 1012010 | Muscle | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1012020 | Fat | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1012030 | Liver | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,4 ◄ |
| 1012040 | Kidney | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1012050 | Edible offal | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1012990 | Others | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1013000 | (c) *Sheep* | | ►**M220** (+) ◄ | |
| 1013010 | Muscle | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1013020 | Fat | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1013030 | Liver | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,3 ◄ |
| 1013040 | Kidney | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1013050 | Edible offal | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1013990 | Others | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1014000 | (d) *Goat* | | ►**M220** (+) ◄ | |
| 1014010 | Muscle | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1014020 | Fat | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1014030 | Liver | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,3 ◄ |
| 1014040 | Kidney | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1014050 | Edible offal | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1014990 | Others | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | ►**M220** (+) ◄ | |
| 1015010 | Muscle | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1015020 | Fat | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 1015030 | Liver | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,3 ◄ |
| 1015040 | Kidney | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1015050 | Edible offal | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1015990 | Others | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1016010 | Muscle | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1016020 | Fat | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1016030 | Liver | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1016040 | Kidney | | ►**M220** (+) ◄ | |
| 1016050 | Edible offal | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1016990 | Others | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | ►**M220** (+) ◄ | |
| 1017010 | Muscle | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1017020 | Fat | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1017030 | Liver | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,3 ◄ |
| 1017040 | Kidney | ►**M218** 0,05 (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1017050 | Edible offal | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1017990 | Others | ►**M218** 0,02 (*) (+) ◄ | ►**M220** (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1020000 | (ii) **Milk** | ►**M218** 0,02 (*) (+) ◄ | ►**M220** 0,01 (*) (+) ◄ | ►**M209** 0,01 (*) ◄ |
| 1020010 | Cattle | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1020020 | Sheep | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1020030 | Goat | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1020040 | Horse | | ►**M220** (+) ◄ | |
| 1020990 | Others | | ►**M220** (+) ◄ | |
| 1030000 | (iii) **Bird eggs** | ►**M218** 0,02 (*) (+) ◄ | ►**M220** 0,01 (*) (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1030010 | Chicken | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1030020 | Duck | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1030030 | Goose | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1030040 | Quail | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |
| 1030990 | Others | ►**M218** (+) ◄ | ►**M220** (+) ◄ | |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Cyprodinil (R) (F) ◄ | ►**M220** Metaldehyde ◄ | ►**M209** Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R) ◄ |
|---|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►**M218** 0,05 (*) ◄ | ►**M220** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M218** 0,02 (*) ◄ | ►**M220** 0,01 (*) (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M218** 0,02 (*) ◄ | ►**M220** 0,01 (*) (+) ◄ | ►**M209** 0,05 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►**M218** 0,02 (*) ◄ | ►**M220** 0,01 (*) (+) ◄ | ►**M209** 0,05 (*) ◄ |

▼M73

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | **0,01** (*) |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (Arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (Eugenia uniflora)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | **0,01** (*) |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01** (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01** (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01** (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01** (*) |
| 0255000 | (e) *Witloof* | **0,01** (*) |
| 0256000 | (f) *Herbs* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01** (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (Borago officinalis stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | **0,01** (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | **0,01** (*) |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,01** (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | **(+)** |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | **(+)** |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | |
| 0500010 | Barley | **0,02** |
| 0500020 | Buckwheat (Amaranthus, quinoa) | **0,01** (*) |
| 0500030 | Maize | **0,01** (*) |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | **0,01** (*) |
| 0500050 | Oats | **0,02** |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | **0,01** (*) |
| 0500070 | Rye | **0,02** |
| 0500080 | Sorghum | **0,01** (*) |
| 0500090 | Wheat (Spelt, triticale) | **0,02** |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | **0,01** (*) |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | 0,05 (*) |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | 0,05 (*) |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | 0,05 (*) |
| 0820010 | Allspice | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | 0,05 (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | 0,05 (*) |
| 0850000 | (v) **Buds** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | **0,01** (*) |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bifenox (F) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01** (*) |
| 1060000 | (vi) **Snails** | **0,01** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01** (*) |

▼M74

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M113 Diflufenican [F] ◄ | ►M191 Flutolanil (R) ◄ | ►M200 Spinosad (spinosad, sum of spinosyn A and spinosyn D) [F] ◄ |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | ►M113 0,01 (*) ◄ | ►M191 0,01 (*) ◄ | |
| 0110000 | (i) **Citrus fruit** | ►M113 (+) ◄ | | ►M200 0,3 ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | | | |
| 0110990 | Others | | | |
| 0120000 | (ii) **Tree nuts** | | | ►M200 0,07 ◄ |
| 0120010 | Almonds | ►M113 (+) ◄ | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts (Filbert) | | | |
| 0120070 | Macadamia | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nuts | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | ►M113 (+) ◄ | | |
| 0120990 | Others | | | |
| 0130000 | (iii) **Pome fruit** | ►M113 (+) ◄ | | ►M200 0,3 ◄ |
| 0130010 | Apples (Crab apple) | | | |
| 0130020 | Pears (Oriental pear) | | | |
| 0130030 | Quinces | | | |
| 0130040 | Medlar | | | |
| 0130050 | Loquat | | | |
| 0130990 | Others | | | |
| 0140000 | (iv) **Stone fruit** | ►M113 (+) ◄ | | |
| 0140010 | Apricots | | | ►M200 0,6 ◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | ►M200 0,2 ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | ►M200 0,6 ◄ |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | | | ►M200 0,2 ◄ |
| 0140990 | Others | | | ►M200 0,02 (*) ◄ |
| 0150000 | (v) **Berries & small fruit** | | | |
| 0151000 | (a) *Table and wine grapes* | ►M113 (+) ◄ | | ►M200 0,5 ◄ |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *Strawberries* | | | ►M200 0,3 ◄ |
| 0153000 | (c) *Cane fruit* | | | |
| 0153010 | Blackberries | | | ►M200 1,5 ◄ |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | | | ►M200 1 ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | | | ►M200 1,5 ◄ |
| 0153990 | Others | | | ►M200 0,02 (*) ◄ |
| 0154000 | (d) *Other small fruit & berries* | | | ►M200 1,5 ◄ |
| 0154010 | Blueberries (Bilberries) | | | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | | | |
| 0154030 | Currants (red, black and white) | | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | | |
| 0154050 | Rose hips | | | |
| 0154060 | Mulberries (Arbutus berry) | | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | | | |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other tree-berries) | | | |
| 0154990 | Others | | | |
| 0160000 | (vi) **Miscellaneous fruit** | | | |
| 0161000 | (a) *Edible peel* | | | ►M200 0,02 (*) ◄ |
| 0161010 | Dates | | | |
| 0161020 | Figs | | | |
| 0161030 | Table olives | | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | | | |
| 0161050 | Carambola (Bilimbi) | | | |
| 0161060 | Persimmon | | | |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (Eugenia uniflora)) | | | |
| 0161990 | Others | | | |
| 0162000 | (b) *Inedible peel, small* | | | |
| 0162010 | Kiwi | ►**M113** (+) ◄ | | ►**M200** 0,05 ◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | | ►**M200** 0,02 (*) ◄ |
| 0162030 | Passion fruit | | | ►**M200** 0,7 ◄ |
| 0162040 | Prickly pear (cactus fruit) | | | ►**M200** 0,02 (*) ◄ |
| 0162050 | Star apple | | | ►**M200** 0,02 (*) ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | | ►**M200** 0,02 (*) ◄ |
| 0162990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 0163000 | (c) *Inedible peel, large* | | | |
| 0163010 | Avocados | | | ►**M200** 0,02 (*) ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | ►**M200** 2 ◄ |
| 0163030 | Mangoes | | | ►**M200** 0,02 (*) ◄ |
| 0163040 | Papaya | | | ►**M200** 0,5 ◄ |
| 0163050 | Pomegranate | | | ►**M200** 0,02 (*) ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | | | ►**M200** 0,02 (*) ◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | | | ►**M200** 0,02 (*) ◄ |
| 0163080 | Pineapples | | | ►**M200** 0,02 (*) ◄ |
| 0163090 | Bread fruit (Jackfruit) | | | ►**M200** 0,02 (*) ◄ |
| 0163100 | Durian | | | ►**M200** 0,02 (*) ◄ |
| 0163110 | Soursop (guanabana) | | | ►**M200** 0,02 (*) ◄ |
| 0163990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | |
| 0210000 | (i) **Root and tuber vegetables** | ►**M113** 0,01 (*) ◄ | | |
| 0211000 | (a) *Potatoes* | | ►**M191** 0,1 ◄ | ►**M200** 0,02 (*) ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | ►**M191** 0,01 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | | |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroot | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | ►**M191** 0,01 (*) ◄ | |
| 0213010 | Beetroot | | | ►**M200** 0,02 (*) ◄ |
| 0213020 | Carrots | | | ►**M200** 0,02 (*) ◄ |
| 0213030 | Celeriac | | | ►**M200** 0,02 (*) ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | | ►**M200** 0,02 (*) ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | | | ►**M200** 0,02 (*) ◄ |
| 0213060 | Parsnips | | | ►**M200** 0,02 (*) ◄ |
| 0213070 | Parsley root | | | ►**M200** 0,02 (*) ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | | ►**M200** 0,3 ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | | | ►**M200** 0,02 (*) ◄ |
| 0213100 | Swedes | | | ►**M200** 0,02 (*) ◄ |
| 0213110 | Turnips | | | ►**M200** 0,02 (*) ◄ |
| 0213990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | |
| 0220010 | Garlic | | | ►**M200** 0,07 ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | | ►**M200** 0,07 ◄ |
| 0220030 | Shallots | | | ►**M200** 0,07 ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | | ►**M200** 4 ◄ |
| 0220990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | |
| 0231000 | (a) *Solanacea* | | | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | | | ►**M200** 0,7 ◄ |
| 0231020 | Peppers (Chilli peppers) | | ►**M191** (+) ◄ | ►**M200** **0,6** ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | | | ►**M200** 0,7 ◄ |
| 0231040 | Okra (lady's fingers) | | | ►**M200** 0,02 (*) ◄ |
| 0231990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | | | ►**M200** 0,3 ◄ |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | | ►**M200** 1 ◄ |
| 0233010 | Melons (Kiwano) | | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | | ►**M200** 0,02 (*) ◄ |
| 0239000 | (e) *Other fruiting vegetables* | | | ►**M200** 0,02 (*) ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►**M113** 0,01 (*) ◄ | ►**M98** — ◄ | ►**M200** 2 ◄ |
| 0241000 | (a) *Flowering brassica* | | ►**M191** 0,05 ◄ | ►**M200** (+) ◄ |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | ►**M200** (+) ◄ |
| 0241020 | Cauliflower | | | ►**M200** (+) ◄ |
| 0241990 | Others | | | ►**M200** (+) ◄ |
| 0242000 | (b) *Head brassica* | | ►**M191** 0,05 ◄ | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *Leafy brassica* | | ►**M191** 0,01 (*) ◄ | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *Kohlrabi* | | ►**M191** 0,01 (*) ◄ | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | |
| 0251010 | Lamb's lettuce (Italian corn salad) | | | ►**M200** 10 ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | ►**M200** **4** ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | | | ►**M200** **3** ◄ |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | ►**M200** 10 ◄ |
| 0251050 | Land cress | | | ►**M200** 10 ◄ |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | | | ►**M200** 10 ◄ |
| 0251070 | Red mustard | | | ►**M200** 10 ◄ |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | ►**M200** 15 ◄ |
| 0251990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | | | ►**M200** **4 (+)** ◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | | | ►**M200** 10 ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | ►**M200** **4** ◄ |
| 0252990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | ►**M200** 10 ◄ |
| 0254000 | (d) *Water cress (Morning glory/ Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | ►**M200** 10 ◄ |
| 0255000 | (e) *Witloof* | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | ►**M200** **0,02** (*) ◄ |
| 0256000 | (f) *Herbs* | ►**M113** 0,02 (*) ◄ | ►**M191** 0,02 (*) ◄ | |
| 0256010 | Chervil | | | ►**M200** 15 ◄ |
| 0256020 | Chives | | | ►**M200** 15 ◄ |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | | | ►**M200** 15 ◄ |
| 0256040 | Parsley (leaves of root parsley) | | | ►**M200** 60 ◄ |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | | | ►**M200** 15 ◄ |
| 0256060 | Rosemary | | | ►**M200** 15 ◄ |
| 0256070 | Thyme (Marjoram, oregano) | | | ►**M200** 15 ◄ |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | ►**M200** 15 ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | ►**M200** 15 ◄ |
| 0256100 | Tarragon (Hyssop) | | | ►**M200** 15 ◄ |
| 0256990 | Others | | | ►**M200** 0,05 (*) ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | ►**M200** 0,3 ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | ►**M187** — ◄ | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others | | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | |
| 0270010 | Asparagus | | | ►**M200** 0,02 (*) ◄ |
| 0270020 | Cardoons (Borago officinalis stems) | | | ►**M200** 0,02 (*) ◄ |
| 0270030 | Celery | | | ►**M200** 5 ◄ |
| 0270040 | Fennel | | | ►**M200** 5 ◄ |
| 0270050 | Globe artichokes (Banana flower) | | ►**M187** — ◄ | ►**M200** 0,15 (+) ◄ |
| 0270060 | Leek | | | ►**M200** 0,2 ◄ |
| 0270070 | Rhubarb | | | ►**M200** 0,02 (*) ◄ |
| 0270080 | Bamboo shoots | | | ►**M200** 0,02 (*) ◄ |
| 0270090 | Palm hearts | | | ►**M200** 0,02 (*) ◄ |
| 0270990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 0280000 | (viii) **Fungi** | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | | |
| 0280990 | Others | | | |
| 0290000 | (ix) **Sea weeds** | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►**M113** 0,01 (*) ◄ | ►**M191** 0,01 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0300040 | Lupins | | | |
| 0300990 | Others | | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | | ►M191 — ◄ | ►M200 0,02 (*) ◄ |
| 0401000 | (i) **Oilseeds** | ►M113 0,01 (*) ◄ | | |
| 0401010 | Linseed | | ►M191 0,01 (*) ◄ | |
| 0401020 | Peanuts | | ►M191 **0,02** ◄ | |
| 0401030 | Poppy seed | | ►M191 0,01 (*) ◄ | |
| 0401040 | Sesame seed | | ►M191 0,01 (*) ◄ | |
| 0401050 | Sunflower seed | | ►M191 0,01 (*) ◄ | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | ►M191 0,01 (*) ◄ | |
| 0401070 | Soya bean | | ►M191 0,01 (*) ◄ | |
| 0401080 | Mustard seed | | ►M191 0,01 (*) ◄ | |
| 0401090 | Cotton seed | | ►M191 0,01 (*) ◄ | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | | ►M191 0,01 (*) ◄ | |
| 0401110 | Safflower | | ►M191 0,01 (*) ◄ | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | | ►M191 0,01 (*) ◄ | |
| 0401130 | Gold of pleasure | | ►M191 0,01 (*) ◄ | |
| 0401140 | Hempseed | | ►M191 0,01 (*) ◄ | |
| 0401150 | Castor bean | | ►M191 0,01 (*) ◄ | |
| 0401990 | Others | | ►M191 0,01 (*) ◄ | |
| 0402000 | (ii) **Oilfruits** | | ►M191 0,01 (*) ◄ | |
| 0402010 | Olives for oil production | ►M113 **0,6** ◄ | | |
| 0402020 | Palm nuts (palmoil kernels) | ►M113 0,01 (*) ◄ | | |
| 0402030 | Palmfruit | ►M113 0,01 (*) ◄ | | |
| 0402040 | Kapok | ►M113 0,01 (*) ◄ | | |
| 0402990 | Others | ►M113 0,01 (*) ◄ | | |
| 0500000 | 5. **CEREALS** | | | ►M200 2 (+) ◄ |
| 0500010 | Barley | ►M113 0,02 ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |
| 0500020 | Buckwheat (Amaranthus, quinoa) | ►M113 0,01 (*) ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |
| 0500030 | Maize | ►M113 0,01 (*) ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | ►M113 0,01 (*) ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |
| 0500050 | Oats | ►M113 0,02 ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | ►M113 0,01 (*) ◄ | ►M191 2 ◄ | ►M200 (+) ◄ |
| 0500070 | Rye | ►M113 0,02 ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |
| 0500080 | Sorghum | ►M113 0,01 (*) ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M113 0,02 ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | ►M113 0,01 (*) ◄ | ►M191 0,01 (*) ◄ | ►M200 (+) ◄ |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0610000 | (i) **Tea** | | | |
| 0620000 | (ii) **Coffee beans** | | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | | |
| 0631000 | (a) *Flowers* | | | |
| 0631010 | Camomille flowers | | | |
| 0631020 | Hybiscus flowers | | | |
| 0631030 | Rose petals | | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | | |
| 0631050 | Lime (linden) | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *Leaves* | | | |
| 0632010 | Strawberry leaves | | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | |
| 0632030 | Maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *Roots* | | | |
| 0633010 | Valerian root | | | |
| 0633020 | Ginseng root | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *Other herbal infusions* | | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | | |
| 0650000 | (v) **Carob (st johns bread)** | | | |
| 0700000 | 7. **HOPS (dried)** | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0800000 | 8. **SPICES** | | | |
| 0810000 | (i) **Seeds** | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0810010 | Anise | | | |
| 0810020 | Black caraway | | | |
| 0810030 | Celery seed (Lovage seed) | | | |
| 0810040 | Coriander seed | | | |
| 0810050 | Cumin seed | | | |
| 0810060 | Dill seed | | | |
| 0810070 | Fennel seed | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | (ii) **Fruits and berries** | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0820010 | Allspice | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berries | | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | |
| 0820070 | Vanilla pods | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | (iii) **Bark** | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0830010 | Cinnamon (Cassia) | | | |
| 0830990 | Others | | | |
| 0840000 | (iv) **Roots or rhizome** | | | |
| 0840010 | Liquorice | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0840020 | Ginger | ►M113 0,05 (*) ◄ | ►M187 — ◄ | ►M200 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0840040 | Horseradish | ►M113 (+) ◄ | ►M187 — ◄ | ►M200 — ◄ |
| 0840990 | Others | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0850000 | (v) **Buds** | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | (vi) **Flower stigma** | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | (vii) **Aril** | ►M113 0,05 (*) ◄ | ►M191 0,05 (*) ◄ | ►M200 0,1 (*) ◄ |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | 9. **SUGAR PLANTS** | ►M113 0,01 (*) ◄ | ►M191 0,01 (*) ◄ | ►M200 0,02 (*) ◄ |
| 0900010 | Sugar beet (root) | | | |
| 0900020 | Sugar cane | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | | |
| 1010000 | (i) **Tissue** | ►**M113** 0,02 (*) ◄ | | |
| 1011000 | (a) *Swine* | | | |
| 1011010 | Muscle | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,1 ◄ |
| 1011020 | Fat | | ►**M191** 0,05 (*) ◄ | ►**M200** 2 ◄ |
| 1011030 | Liver | | ►**M191** 0,5 ◄ | ►**M200** 0,7 ◄ |
| 1011040 | Kidney | | ►**M191** 0,5 ◄ | ►**M200** 0,5 ◄ |
| 1011050 | Edible offal | | ►**M191** 0,5 ◄ | ►**M200** 2 ◄ |
| 1011990 | Others | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 1012000 | (b) *Bovine* | | | |
| 1012010 | Muscle | ►**M113** (+) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,3 ◄ |
| 1012020 | Fat | ►**M113** (+) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 3 ◄ |
| 1012030 | Liver | ►**M113** (+) ◄ | ►**M191** 0,5 ◄ | ►**M200** 2 ◄ |
| 1012040 | Kidney | ►**M113** (+) ◄ | ►**M191** 0,5 ◄ | ►**M200** 1 ◄ |
| 1012050 | Edible offal | | ►**M191** 0,5 ◄ | ►**M200** 3 ◄ |
| 1012990 | Others | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 1013000 | (c) *Sheep* | | | |
| 1013010 | Muscle | ►**M113** (+) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,2 ◄ |
| 1013020 | Fat | ►**M113** (+) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 3 ◄ |
| 1013030 | Liver | ►**M113** (+) ◄ | ►**M191** 0,5 ◄ | ►**M200** 1,5 ◄ |
| 1013040 | Kidney | ►**M113** (+) ◄ | ►**M191** 0,5 ◄ | ►**M200** 0,5 ◄ |
| 1013050 | Edible offal | | ►**M191** 0,5 ◄ | ►**M200** 3 ◄ |
| 1013990 | Others | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 1014000 | (d) *Goat* | | | |
| 1014010 | Muscle | ►**M113** (+) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,2 ◄ |
| 1014020 | Fat | ►**M113** (+) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 3 ◄ |
| 1014030 | Liver | ►**M113** (+) ◄ | ►**M191** 0,5 ◄ | ►**M200** 1,5 ◄ |
| 1014040 | Kidney | ►**M113** (+) ◄ | ►**M191** 0,5 ◄ | ►**M200** 0,5 ◄ |
| 1014050 | Edible offal | | ►**M191** 0,5 ◄ | ►**M200** 3 ◄ |
| 1014990 | Others | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | | |
| 1015010 | Muscle | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,2 ◄ |
| 1015020 | Fat | | ►**M191** 0,05 (*) ◄ | ►**M200** 3 ◄ |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015030 | Liver | | ►**M191** 0,5 ◄ | ►**M200** 1,5 ◄ |
| 1015040 | Kidney | | ►**M191** 0,5 ◄ | ►**M200** 0,5 ◄ |
| 1015050 | Edible offal | | ►**M191** 0,5 ◄ | ►**M200** 3 ◄ |
| 1015990 | Others | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | ►**M191** 0,05 (*) ◄ | |
| 1016010 | Muscle | | ►**M187** — ◄ | ►**M200** 0,2 (+) ◄ |
| 1016020 | Fat | | ►**M187** — ◄ | ►**M200** 1 (+) ◄ |
| 1016030 | Liver | | ►**M187** — ◄ | ►**M200** 0,2 (+) ◄ |
| 1016040 | Kidney | | | ►**M200** 0,02 (*) ◄ |
| 1016050 | Edible offal | | | ►**M200** 1 ◄ |
| 1016990 | Others | | | ►**M200** 0,02 (*) ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | | |
| 1017010 | Muscle | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,2 ◄ |
| 1017020 | Fat | | ►**M191** 0,05 (*) ◄ | ►**M200** 3 ◄ |
| 1017030 | Liver | | ►**M191** 0,5 ◄ | ►**M200** 1,5 ◄ |
| 1017040 | Kidney | | ►**M191** 0,5 ◄ | ►**M200** 0,5 ◄ |
| 1017050 | Edible offal | | ►**M191** 0,5 ◄ | ►**M200** 3 ◄ |
| 1017990 | Others | | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 1020000 | (ii) **Milk** | ►**M113** 0,01 (*) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,2 ◄ |
| 1020010 | Cattle | ►**M113** (+) ◄ | ►**M187** — ◄ | |
| 1020020 | Sheep | ►**M113** (+) ◄ | ►**M187** — ◄ | |
| 1020030 | Goat | ►**M113** (+) ◄ | ►**M187** — ◄ | |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | (iii) **Bird eggs** | ►**M113** 0,02 (*) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,2 (+) ◄ |
| 1030010 | Chicken | | | ►**M200** (+) ◄ |
| 1030020 | Duck | | | ►**M200** (+) ◄ |
| 1030030 | Goose | | | ►**M200** (+) ◄ |
| 1030040 | Quail | | | ►**M200** (+) ◄ |
| 1030990 | Others | | | ►**M200** (+) ◄ |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►**M113** 0,05 (*) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M113** 0,02 (*) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M113** 0,02 (*) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►**M113** 0,02 (*) ◄ | ►**M191** 0,05 (*) ◄ | ►**M200** 0,02 (*) ◄ |

▼M79

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dimoxystrobin (R) (A) | ►M132 Metrafenone [F] ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | 0,01 (*) | |
| 0110000 | **Citrus fruits** | | ►M132 0,01 (*) ◄ |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others | | |
| 0120000 | **Tree nuts** | | ►M132 0,01 (*) ◄ |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **Pome fruits** | | ►M132 **1** ◄ |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others | | |
| 0140000 | **Stone fruits** | | ►M132 — ◄ |
| 0140010 | Apricots | | ►M132 **0,7** ◄ |
| 0140020 | Cherries (sweet) | | ►M132 **2** ◄ |
| 0140030 | Peaches | | ►M132 **0,7** ◄ |
| 0140040 | Plums | | ►M132 0,01 (*) ◄ |
| 0140990 | Others | | ►M132 0,01 (*) ◄ |

▼M79

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) **grapes** | | ►M132 7 ◄ |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) **strawberries** | | ►M132 0,6 ◄ |
| 0153000 | (c) **cane fruits** | | ►M132 0,01 (*) ◄ |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others | | |
| 0154000 | (d) **other small fruits and berries** | | ►M132 — ◄ |
| 0154010 | Blueberries | | ►M132 0,01 (*) ◄ |
| 0154020 | Cranberries | | ►M132 0,01 (*) ◄ |
| 0154030 | Currants (black, red and white) | | ►M132 0,01 (*) ◄ |
| 0154040 | Gooseberries (green, red and yellow) | | ►M132 0,01 (*) ◄ |
| 0154050 | Rose hips | | ►M132 0,01 (*) ◄ |
| 0154060 | Mulberries (black and white) | | ►M132 0,01 (*) ◄ |
| 0154070 | Azaroles/Mediterranean medlars | | ►M132 **1** ◄ |
| 0154080 | Elderberries | | ►M132 0,01 (*) ◄ |
| 0154990 | Others | | ►M132 0,01 (*) ◄ |
| 0160000 | **Miscellaneous fruits with** | | ►M132 — ◄ |
| 0161000 | (a) **edible peel** | | |
| 0161010 | Dates | | ►M132 0,01 (*) ◄ |
| 0161020 | Figs | | ►M132 0,01 (*) ◄ |
| 0161030 | Table olives | | ►M132 0,01 (*) ◄ |
| 0161040 | Kumquats | | ►M132 0,01 (*) ◄ |
| 0161050 | Carambolas | | ►M132 0,01 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | | ►M132 **1** ◄ |
| 0161070 | Jambuls/jambolans | | ►M132 0,01 (*) ◄ |
| 0161990 | Others | | ►M132 0,01 (*) ◄ |
| 0162000 | (b) **inedible peel, small** | | ►M132 0,01 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |

▼M79

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others | | |
| 0163000 | (c) **inedible peel, large** | | ►M132 0,01 (*) ◄ |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0211000 | (a) **potatoes** | | |
| 0212000 | (b) **tropical root and tuber vegetables** | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) **other root and tuber vegetables except sugar beets** | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |

▼M79

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | **Bulb vegetables** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others | | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) | |
| 0231000 | (a) **solanacea** | | |
| 0231010 | Tomatoes | | ►M132 **0,6** ◄ |
| 0231020 | Sweet peppers/bell peppers | | ►M132 2 ◄ |
| 0231030 | Aubergines/eggplants | | ►M132 **0,6** ◄ |
| 0231040 | Okra/lady's fingers | | ►M132 0,01 (*) ◄ |
| 0231990 | Others | | ►M132 0,01 (*) ◄ |
| 0232000 | (b) **cucurbits with edible peel** | | ►M132 **0,5** ◄ |
| 0232010 | Cucumbers | | ►M132 — ◄ |
| 0232020 | Gherkins | | ►M132 — ◄ |
| 0232030 | Courgettes | | ►M132 — ◄ |
| 0232990 | Others | | ►M132 — ◄ |
| 0233000 | (c) **cucurbits with inedible peel** | | ►M132 **0,5** ◄ |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) **sweet corn** | | ►M132 0,01 (*) ◄ |
| 0239000 | (e) **other fruiting vegetables** | | ►M132 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0241000 | (a) **flowering brassica** | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) **head brassica** | | |
| 0242010 | Brussels sprouts | | |

▼M79

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) **leafy brassica** | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others | | |
| 0244000 | (d) **kohlrabies** | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) **lettuces and salad plants** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others | | |
| 0252000 | (b) **spinaches and similar leaves** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others | | |
| 0253000 | (c) **grape leaves and similar species** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0254000 | (d) **watercresses** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0255000 | (e) **witloofs/Belgian endives** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0256000 | (f) **herbs and edible flowers** | **0,02** (*) | ►M132 0,02 (*) ◄ |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leave | | |
| 0256100 | Tarragon | | |
| 0256990 | Others | | |

▼M79

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | **Stem vegetables** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) | |
| 0280010 | Cultivated fungi | | ►M132 0,5 ◄ |
| 0280020 | Wild fungi | | ►M132 0,01 (*) ◄ |
| 0280990 | Mosses and lichens | | ►M132 0,01 (*) ◄ |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0300000 | **PULSES** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others | | |
| 0400000 | **OILSEEDS AND OIL FRUITS** | | ►M132 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | 0,01 (*) | |
| 0401020 | Peanuts/groundnuts | 0,01 (*) | |
| 0401030 | Poppy seeds | 0,01 (*) | |
| 0401040 | Sesame seeds | 0,01 (*) | |
| 0401050 | Sunflower seeds | 0,3 | |
| 0401060 | Rapeseeds/canola seeds | **0,05** (*) | |
| 0401070 | Soyabeans | 0,01 (*) | |
| 0401080 | Mustard seeds | **0,05** (*) | |

▼M79

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0401090 | Cotton seeds | 0,01 (*) | |
| 0401100 | Pumpkin seeds | 0,01 (*) | |
| 0401110 | Safflower seeds | 0,01 (*) | |
| 0401120 | Borage seeds | 0,01 (*) | |
| 0401130 | Gold of pleasure seeds | 0,01 (*) | |
| 0401140 | Hemp seeds | 0,01 (*) | |
| 0401150 | Castor beans | 0,01 (*) | |
| 0401990 | Others | 0,01 (*) | |
| 0402000 | **Oil fruits** | 0,01 (*) | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | **CEREALS** | | |
| 0500010 | Barley | **0,01** (*) | ►M132 0,6 ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0500030 | Maize/corn | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0500040 | Common millet/proso millet | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0500050 | Oat | 0,01 (*) | ►M132 0,6 ◄ |
| 0500060 | Rice | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0500070 | Rye | 0,08 | ►M132 0,07 ◄ |
| 0500080 | Sorghum | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0500090 | Wheat | **0,08** | ►M132 0,07 ◄ |
| 0500990 | Others | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) **flowers** | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |

▼**M79**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0632000 | (b) **leaves and herbs** | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) **roots** | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) **any other parts of the plant** | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | **0,05** (*) | ►**M132** 80 ◄ |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | **0,05** (*) | ►**M132** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | **0,05** (*) | ►**M132** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | | |
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |

▼M79

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0830000 | **Bark spices** | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0840020 | Ginger | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0840030 | Turmeric/curcuma | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0840040 | Horseradish | **(+)** | ►M132 (+) ◄ |
| 0840990 | Others | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0850000 | **Bud spices** | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | **0,05** (*) | ►M132 0,05 (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) | ►M132 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Tissues from** | **0,03** (*) | ►M98 — ◄ |
| 1011000 | (a) **swine** | | |
| 1011010 | Muscle | | ►M132 0,01 (*) ◄ |

▼**M79**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1011020 | Fat tissue | | ►**M132** 0,01 (*) ◄ |
| 1011030 | Liver | | ►**M132** 0,01 ◄ |
| 1011040 | Kidney | | ►**M132** 0,01 ◄ |
| 1011050 | Edible offals (other than liver and kidney) | | ►**M132** 0,01 ◄ |
| 1011990 | Others | | ►**M132** 0,01 (*) ◄ |
| 1012000 | (b) **bovine** | **(+)** | |
| 1012010 | Muscle | | ►**M132** 0,01 (*) ◄ |
| 1012020 | Fat tissue | | ►**M132** 0,01 (*) ◄ |
| 1012030 | Liver | | ►**M132** 0,01 ◄ |
| 1012040 | Kidney | | ►**M132** 0,01 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | | ►**M132** 0,01 ◄ |
| 1012990 | Others | | ►**M132** 0,01 (*) ◄ |
| 1013000 | (c) **sheep** | **(+)** | |
| 1013010 | Muscle | | ►**M132** 0,01 (*) ◄ |
| 1013020 | Fat tissue | | ►**M132** 0,01 (*) ◄ |
| 1013030 | Liver | | ►**M132** 0,01 ◄ |
| 1013040 | Kidney | | ►**M132** 0,01 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | | ►**M132** 0,01 ◄ |
| 1013990 | Others | | ►**M132** 0,01 (*) ◄ |
| 1014000 | (d) **goat** | **(+)** | |
| 1014010 | Muscle | | ►**M132** 0,01 (*) ◄ |
| 1014020 | Fat tissue | | ►**M132** 0,01 (*) ◄ |
| 1014030 | Liver | | ►**M132** 0,01 ◄ |
| 1014040 | Kidney | | ►**M132** 0,01 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | | ►**M132** 0,01 ◄ |
| 1014990 | Others | | ►**M132** 0,01 (*) ◄ |
| 1015000 | (e) **equine** | | |
| 1015010 | Muscle | | ►**M132** 0,01 (*) ◄ |
| 1015020 | Fat tissue | | ►**M132** 0,01 (*) ◄ |
| 1015030 | Liver | | ►**M132** 0,01 ◄ |
| 1015040 | Kidney | | ►**M132** 0,01 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | | ►**M132** 0,01 ◄ |
| 1015990 | Others | | ►**M132** 0,01 (*) ◄ |

▼**M79**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1016000 | (f) **poultry** | | ►**M132** 0,01 (*) ◄ |
| 1016010 | Muscle | | |
| 1016020 | Fat tissue | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others | | |
| 1017000 | (g) **other farmed terrestrial animals** | | |
| 1017010 | Muscle | | ►**M132** 0,01 (*) ◄ |
| 1017020 | Fat tissue | | ►**M132** 0,01 (*) ◄ |
| 1017030 | Liver | | ►**M132** 0,01 ◄ |
| 1017040 | Kidney | | ►**M132** 0,01 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | | ►**M132** 0,01 ◄ |
| 1017990 | Others | | ►**M132** 0,01 (*) ◄ |
| 1020000 | **Milk** | **0,01** (*) **(+)** | ►**M132** 0,01 (*) ◄ |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | **0,02** (*) | ►**M132** 0,01 (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M79**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | 0,05 (*) | ►**M132** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | **0,03** (*) | ►**M132** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | **0,03** (*) | ►**M132** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,03** (*) | ►**M132** 0,01 (*) ◄ |

▼M81

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Amidosulfuron (A) (R) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | 0,01 (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | Stone fruits | |
| 0140010 | **Apricots** | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | 0,01 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |

▼M81

| (1) | (2) | (3) |
|---|---|---|
| 0256100 | Tarragon | |
| 0256990 | Others | |
| 0260000 | **Legume vegetables** | 0,01 (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | 0,01 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) |
| 0300000 | **PULSES** | 0,01 (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | **(+)** |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | **(+)** |
| 0500060 | Rice | |
| 0500070 | Rye | **(+)** |
| 0500080 | Sorghum | |
| 0500090 | Wheat | **(+)** |
| 0500990 | Others | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | 0,05 (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | 0,05 (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | 0,05 (*) |
| 0820010 | Allspice/pimento | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | 0,05 (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric/curcuma | 0,05 (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | 0,02 (*) |
| 1011020 | Fat tissue | 0,02 (*) |
| 1011030 | Liver | 0,02 (*) |
| 1011040 | Kidney | **0,05** |
| 1011050 | Edible offals (other than liver and kidney) | **0,05** |
| 1011990 | Others | 0,02 (*) |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | **0,03** |
| 1012020 | Fat tissue | **0,03** |
| 1012030 | Liver | **0,04** |
| 1012040 | Kidney | **0,2** |
| 1012050 | Edible offals (other than liver and kidney) | **0,2** |
| 1012990 | Others | 0,02 (*) |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | **0,03** |
| 1013020 | Fat tissue | **0,03** |
| 1013030 | Liver | **0,04** |
| 1013040 | Kidney | **0,2** |
| 1013050 | Edible offals (other than liver and kidney) | **0,2** |
| 1013990 | Others | 0,02 (*) |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | **0,03** |
| 1014020 | Fat tissue | **0,03** |
| 1014030 | Liver | **0,04** |
| 1014040 | Kidney | **0,2** |
| 1014050 | Edible offals (other than liver and kidney) | **0,2** |
| 1014990 | Others | 0,02 (*) |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | **0,03** |
| 1015020 | Fat tissue | **0,03** |
| 1015030 | Liver | **0,04** |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | **0,2** |
| 1015050 | Edible offals (other than liver and kidney) | **0,2** |
| 1015990 | Others | 0,02 (*) |
| 1016000 | (f) *poultry* | 0,02 (*) |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | **0,03** |
| 1017020 | Fat tissue | **0,03** |
| 1017030 | Liver | **0,04** |
| 1017040 | Kidney | **0,2** |
| 1017050 | Edible offals (other than liver and kidney) | **0,2** |
| 1017990 | Others | 0,02 (*) |
| 1020000 | **Milk** | **0,07** |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M81**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | 0,02 (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,02 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,02 (*) |

▼M89

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Halauxifen-methyl (sum of halauxifen-methyl and X11393729 (halauxifen), expressed as halauxifen-methyl) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | **0,02** (*) |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | **0,05** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | **0,02** (*) |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | 0,02 (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | **0,02** (*) |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | **0,02** (*) |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,02** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | **0,02** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | **0,02** (*) |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,02** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,02** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | **0,02** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | **0,02** (*) |
| 0254000 | (d) *watercresses* | **0,02** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,02** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,05** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼M89

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,02** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | **0,02** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | **0,02** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,02** (*) |
| 0300000 | **PULSES** | **0,02** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,05** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,02** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,1** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,1** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,1** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | **0,1** (*) |
| 0820010 | Allspice/pimento | |

▼M89

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | **0,1** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,1** (*) |
| 0840020 | Ginger | **0,1** (*) |
| 0840030 | Turmeric/curcuma | **0,1** (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | **0,1** (*) |
| 0850000 | **Bud spices** | **0,1** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | **0,1** (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | **0,1** (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | **0,02** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | **0,02** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | **0,02** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,02** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M89**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,02** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,02** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,02** (*) |

▼M97

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Flumetralin (F) | ►M175 Mandestrobin ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | ►M133 — ◄ |
| 0110000 | **Citrus fruits** | | ►M175 0,01 (*) ◄ |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others | | |
| 0120000 | **Tree nuts** | | ►M175 0,01 (*) ◄ |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **Pome fruits** | | ►M175 0,01 (*) ◄ |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others | | |
| 0140000 | **Stone fruits** | | |
| 0140010 | Apricots | | ►M175 2 ◄ |
| 0140020 | Cherries (sweet) | | ►M175 3 ◄ |
| 0140030 | Peaches | | ►M175 2 ◄ |

▼**M97**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | ►**M175** 0,5 ◄ |
| 0140990 | Others | | ►**M175** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | | ►**M175** — ◄ |
| 0151000 | (a) *grapes* | | ►**M175** **5** ◄ |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | ►**M175** **3** ◄ |
| 0153000 | (c) *cane fruits* | | ►**M175** 0,01 (*) ◄ |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others | | |
| 0154000 | (d) *other small fruits and berries* | | ►**M175** 0,01 (*) ◄ |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others | | |
| 0160000 | **Miscellaneous fruits with** | | ►**M175** 0,01 (*) ◄ |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/ Virginia kaki | | |
| 0162990 | Others | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0,01** (*) | ►M175 0,01 (*) ◄ |
| 0210000 | **Root and tuber vegetables** | | |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | **Bulb vegetables** | | |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others | | |
| 0230000 | **Fruiting vegetables** | | |
| 0231000 | (a) *solanacea* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | | |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others | | |
| 0252000 | (b) *spinaches and similar leaves* | | |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others | | |
| 0253000 | (c) *grape leaves and similar species* | | |
| 0254000 | (d) *watercresses* | | |
| 0255000 | (e) *witloofs/Belgian endives* | | |
| 0256000 | (f) *herbs and edible flowers* | | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leave | | |
| 0256100 | Tarragon | | |
| 0256990 | Others | | |

▼**M97**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | **Stem vegetables** | | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | **Fungi, mosses and lichens** | | |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | | |
| 0300000 | **PULSES** | **0,01** (*) | ►**M175** 0,01 (*) ◄ |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others | | |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | ►M175 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | **CEREALS** | **0,01** (*) | ►M175 0,01 (*) ◄ |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudo-cereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others | | |

▼**M97**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | | |

▼**M97**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | **Bark spices** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0840020 | Ginger | **0,05** (*) | ►**M175** — ◄ |
| 0840030 | Turmeric/curcuma | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0840040 | Horseradish | (+) | ►**M175** — ◄ |
| 0840990 | Others | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | ►**M175** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |

▼**M97**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | | |
| 1010000 | **Tissues from** | **0,01** (*) | ►**M175** 0,01 (*) ◄ |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat tissue | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat tissue | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat tissue | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others | | |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat tissue | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat tissue | | |
| 1015030 | Liver | | |

▼**M97**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others | | |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat tissue | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat tissue | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others | | |
| 1020000 | **Milk** | **0,01** (*) | ►**M175** 0,01 (*) ◄ |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | **0,01** (*) | ►**M175** 0,01 (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M97**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) | ►**M175** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | ►**M175** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | ►**M175** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | ►**M175** 0,01 (*) ◄ |

▼**M84**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M125** Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop [R] ◄ | ►**M122** Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio)) [F] [R] ◄ | Oryzalin (F) |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | ►**M122** 0,01 (*) ◄ | **0,01** (*) |
| 0110000 | **Citrus fruits** | ►**M125** **0,3** ◄ | | |
| 0110010 | Grapefruits | ►**M125** — ◄ | | |
| 0110020 | Oranges | ►**M125** — ◄ | | |
| 0110030 | Lemons | ►**M125** — ◄ | | |
| 0110040 | Limes | ►**M125** — ◄ | | |
| 0110050 | Mandarins | ►**M125** — ◄ | | |
| 0110990 | Others | ►**M125** — ◄ | | |
| 0120000 | **Tree nuts** | ►**M125** 0,02 (*) ◄ | | |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts/cobnuts | | | |
| 0120070 | Macadamias | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nut kernels | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others | | | |
| 0130000 | **Pome fruits** | ►**M125** 0,02 (*) ◄ | | |
| 0130010 | Apples | | | |
| 0130020 | Pears | | | |
| 0130030 | Quinces | | | |
| 0130040 | Medlars | | | |
| 0130050 | Loquats/Japanese medlars | | | |
| 0130990 | Others | | | |
| 0140000 | **Stone fruits** | ►**M125** 0,02 (*) ◄ | | |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (sweet) | | | |
| 0140030 | Peaches | | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums | | | |
| 0140990 | Others | | | |
| 0150000 | **Berries and small fruits** | ►**M125** 0,02 (*) ◄ | | |
| 0151000 | (a) *grapes* | | | |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *strawberries* | | | |
| 0153000 | (c) *cane fruits* | | | |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries | | | |
| 0153030 | Raspberries (red and yellow) | | | |
| 0153990 | Others | | | |
| 0154000 | (d) *other small fruits and berries* | | | |
| 0154010 | Blueberries | | | |
| 0154020 | Cranberries | | | |
| 0154030 | Currants (black, red and white) | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | |
| 0154050 | Rose hips | | | |
| 0154060 | Mulberries (black and white) | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | |
| 0154080 | Elderberries | | | |
| 0154990 | Others | | | |
| 0160000 | **Miscellaneous fruits with** | ►**M125** 0,02 (*) ◄ | | |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | | | |
| 0161020 | Figs | | | |
| 0161030 | Table olives | | | |
| 0161040 | Kumquats | | | |
| 0161050 | Carambolas | | | |
| 0161060 | Kaki/Japanese persimmons | | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | |
| 0161990 | Others | | | |
| 0162000 | (b) *inedible peel, small* | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | **(+)** |
| 0162020 | Litchis/lychees | | | |
| 0162030 | Passionfruits/maracujas | | | |
| 0162040 | Prickly pears/cactus fruits | | | |
| 0162050 | Star apples/cainitos | | | |
| 0162060 | American persimmons/Virginia kaki | | | |
| 0162990 | Others | | | |
| 0163000 | (c) *inedible peel, large* | | | |
| 0163010 | Avocados | | | |
| 0163020 | Bananas | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papayas | | | |
| 0163050 | Granate apples/pomegranates | | | |
| 0163060 | Cherimoyas | | | |
| 0163070 | Guavas | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Breadfruits | | | |
| 0163100 | Durians | | | |
| 0163110 | Soursops/guanabanas | | | |
| 0163990 | Others | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | |
| 0210000 | **Root and tuber vegetables** | ►**M125** 0,02 (*) ◄ | | 0,01 (*) |
| 0211000 | (a) *potatoes* | | ►**M122** 0,01 (*) ◄ | |
| 0212000 | (b) *tropical root and tuber vegetables* | | ►**M122** 0,01 (*) ◄ | |
| 0212010 | Cassava roots/manioc | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams | | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | |
| 0213010 | Beetroots | | ►**M122** 0,01 (*) ◄ | |
| 0213020 | Carrots | | ►**M122** 0,09 (+) ◄ | |
| 0213030 | Celeriacs/turnip rooted celeries | | ►**M122** 0,01 (*) ◄ | |
| 0213040 | Horseradishes | | ►**M122** 0,01 (*) ◄ | |
| 0213050 | Jerusalem artichokes | | ►**M122** 0,01 (*) ◄ | |
| 0213060 | Parsnips | | ►**M122** 0,01 (*) ◄ | |
| 0213070 | Parsley roots/Hamburg roots parsley | | ►**M122** **0,09** ◄ | |
| 0213080 | Radishes | | ►**M122** 0,01 (*) ◄ | |
| 0213090 | Salsifies | | ►**M122** 0,01 (*) ◄ | |
| 0213100 | Swedes/rutabagas | | ►**M122** 0,01 (*) ◄ | |
| 0213110 | Turnips | | ►**M122** 0,01 (*) ◄ | |
| 0213990 | Others | | ►**M122** 0,01 (*) ◄ | |
| 0220000 | **Bulb vegetables** | ►**M125** 0,02 (*) ◄ | | 0,01 (*) |
| 0220010 | Garlic | | ►**M122** 0,01 (*) ◄ | |
| 0220020 | Onions | | ►**M122** 0,2 (+) ◄ | |
| 0220030 | Shallots | | ►**M122** 0,01 (*) ◄ | |
| 0220040 | Spring onions/green onions and Welsh onions | | ►**M122** 0,01 (*) ◄ | |
| 0220990 | Others | | ►**M122** 0,01 (*) ◄ | |
| 0230000 | **Fruiting vegetables** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0231000 | (a) *solanacea* | | | |
| 0231010 | Tomatoes | | | |
| 0231020 | Sweet peppers/bell peppers | | | |
| 0231030 | Aubergines/eggplants | | | |
| 0231040 | Okra/lady's fingers | | | |
| 0231990 | Others | | | |
| 0232000 | (b) *cucurbits with edible peel* | | | |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | |
| 0233010 | Melons | | | |
| 0233020 | Pumpkins | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *sweet corn* | | | |
| 0239000 | (e) *other fruiting vegetables* | | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | | | |
| 0241010 | Broccoli | | | |
| 0241020 | Cauliflowers | | | |
| 0241990 | Others | | | |
| 0242000 | (b) *head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbages | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *leafy brassica* | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | |
| 0243020 | Kales | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *kohlrabies* | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | | | |
| 0251020 | Lettuces | | | |
| 0251030 | Escaroles/broad-leaved endives | | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | |
| 0251050 | Land cresses | | | |
| 0251060 | Roman rocket/rucola | | | |
| 0251070 | Red mustards | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0252010 | Spinaches | | | |
| 0252020 | Purslanes | | | |
| 0252030 | Chards/beet leaves | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0254000 | (d) *watercresses* | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | ►**M125** 0,05 (*) ◄ | ►**M122** 0,02 (*) ◄ | **0,02** (*) |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves | | | |
| 0256040 | Parsley | | | |
| 0256050 | Sage | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme | | | |
| 0256080 | Basil and edible flowers | | | |
| 0256090 | Laurel/bay leave | | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0256100 | Tarragon | | | |
| 0256990 | Others | | | |
| 0260000 | **Legume vegetables** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0260010 | Beans (with pods) | | | |
| 0260020 | Beans (without pods) | | | |
| 0260030 | Peas (with pods) | | | |
| 0260040 | Peas (without pods) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others | | | |
| 0270000 | **Stem vegetables** | ►**M125** 0,02 (*) ◄ | ►**M122** — ◄ | |
| 0270010 | Asparagus | | ►**M122** 0,01 (*) ◄ | **0,05** (*) **(+)** |
| 0270020 | Cardoons | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0270030 | Celeries | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0270040 | Florence fennels | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0270050 | Globe artichokes | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0270060 | Leeks | | ►**M122** **0,09** ◄ | 0,01 (*) |
| 0270070 | Rhubarbs | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0270080 | Bamboo shoots | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0270090 | Palm hearts | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0270990 | Others | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0280000 | **Fungi, mosses and lichens** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0300000 | **PULSES** | ►**M125** 0,02 (*) ◄ | | 0,01 (*) |
| 0300010 | Beans | | ►**M122** 0,15 (+) ◄ | |
| 0300020 | Lentils | | ►**M122** 0,01 (*) ◄ | |
| 0300030 | Peas | | ►**M122** 0,15 (+) ◄ | |
| 0300040 | Lupins/lupini beans | | ►**M122** 0,01 (*) ◄ | |
| 0300990 | Others | | ►**M122** 0,01 (*) ◄ | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M125** 0,02 (*) ◄ | | 0,01 (*) |
| 0401000 | **Oilseeds** | | | |
| 0401010 | Linseeds | | ►**M122** 0,01 (*) ◄ | |
| 0401020 | Peanuts/groundnuts | | ►**M122** 0,01 (*) ◄ | |
| 0401030 | Poppy seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401040 | Sesame seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401050 | Sunflower seeds | | ►**M122** 0,4 (+) ◄ | |
| 0401060 | Rapeseeds/canola seeds | | ►**M122** 0,2 (+) ◄ | |
| 0401070 | Soyabeans | | ►**M122** 0,5 ◄ | |
| 0401080 | Mustard seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401090 | Cotton seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401100 | Pumpkin seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401110 | Safflower seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401120 | Borage seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401130 | Gold of pleasure seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401140 | Hemp seeds | | ►**M122** 0,01 (*) ◄ | |
| 0401150 | Castor beans | | ►**M122** 0,01 (*) ◄ | |
| 0401990 | Others | | ►**M122** 0,01 (*) ◄ | |
| 0402000 | **Oil fruits** | | ►**M122** 0,01 (*) ◄ | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Oil palms kernels | | | |
| 0402030 | Oil palms fruits | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others | | | |
| 0500000 | **CEREALS** | | ►**M122** 0,01 (*) ◄ | 0,01 (*) |
| 0500010 | Barley | ►**M125** 0,1 ◄ | | |
| 0500020 | Buckwheat and other pseudo-cereals | ►**M125** 0,02 (*) ◄ | | |
| 0500030 | Maize/corn | ►**M125** 0,02 (*) ◄ | | |
| 0500040 | Common millet/proso millet | ►**M125** 0,02 (*) ◄ | | |
| 0500050 | Oat | ►**M125** 0,1 ◄ | | |
| 0500060 | Rice | ►**M125** 0,02 (*) ◄ | | |
| 0500070 | Rye | ►**M125** 0,1 ◄ | | |
| 0500080 | Sorghum | ►**M125** 0,02 (*) ◄ | | |
| 0500090 | Wheat | ►**M125** 0,1 ◄ | | |
| 0500990 | Others | ►**M125** 0,02 (*) ◄ | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0610000 | **Teas** | | | |
| 0620000 | **Coffee beans** | | | |
| 0630000 | **Herbal infusions from** | | | |
| 0631000 | (a) *flowers* | | | |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *leaves and herbs* | | | |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *roots* | | | |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *any other parts of the plant* | | | |
| 0640000 | **Cocoa beans** | | | |
| 0650000 | **Carobs/Saint John's breads** | | | |
| 0700000 | **HOPS** | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0800000 | **SPICES** | | | |
| 0810000 | **Seed spices** | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0810010 | Anise/aniseed | | | |
| 0810020 | Black caraway/black cumin | | | |
| 0810030 | Celery | | | |
| 0810040 | Coriander | | | |
| 0810050 | Cumin | | | |
| 0810060 | Dill | | | |
| 0810070 | Fennel | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | **Fruit spices** | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0820010 | Allspice/pimento | | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berry | | | |
| 0820060 | Peppercorn (black, green and white) | | | |
| 0820070 | Vanilla | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | **Bark spices** | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0830010 | Cinnamon | | | |
| 0830990 | Others | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0840020 | Ginger | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0840030 | Turmeric/curcuma | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0840040 | Horseradish | ►**M125** (+) ◄ | ►**M122** (+) ◄ | **(+)** |
| 0840990 | Others | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0850000 | **Bud spices** | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | **Flower pistil spices** | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | **Aril spices** | ►**M125** 0,1 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | **SUGAR PLANTS** | ►**M125** 0,02 (*) ◄ | | 0,01 (*) |
| 0900010 | Sugar beet roots | | ►**M122** 0,2 (+) ◄ | |
| 0900020 | Sugar canes | | ►**M122** 0,01 (*) ◄ | |
| 0900030 | Chicory roots | | ►**M122** 0,01 (*) ◄ | |
| 0900990 | Others | | ►**M122** 0,01 (*) ◄ | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | |
| 1010000 | **Tissues from** | | | **0,01** (*) |
| 1011000 | (a) *swine* | | | |
| 1011010 | Muscle | ►**M125** 0,02 (*) (+) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1011020 | Fat tissue | ►**M125** 0,02 (*) (+) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1011030 | Liver | ►**M125** 0,05 (*) (+) ◄ | ►**M122** 0,03 (+) ◄ | |
| 1011040 | Kidney | ►**M125** 0,1 (+) ◄ | ►**M122** 0,06 (+) ◄ | |
| 1011050 | Edible offals (other than liver and kidney) | ►**M125** 0,1 ◄ | ►**M122** 0,06 ◄ | |
| 1011990 | Others | ►**M125** 0,05 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1012000 | (b) *bovine* | | | |
| 1012010 | Muscle | ►**M125** 0,02 (*) (+) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1012020 | Fat tissue | ►**M125** 0,02 (*) (+) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1012030 | Liver | ►**M125** 0,06 (+) ◄ | ►**M122** 0,03 (+) ◄ | |
| 1012040 | Kidney | ►**M125** 0,7 (+) ◄ | ►**M122** 0,07 (+) ◄ | |
| 1012050 | Edible offals (other than liver and kidney) | ►**M125** 0,7 ◄ | ►**M122** 0,07 ◄ | |
| 1012990 | Others | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1013000 | (c) *sheep* | | | |
| 1013010 | Muscle | ►**M125** 0,02 (*) (+) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1013020 | Fat tissue | ►**M125** 0,02 (*) (+) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1013030 | Liver | ►**M125** 0,06 (+) ◄ | ►**M122** 0,03 (+) ◄ | |
| 1013040 | Kidney | ►**M125** 0,7 (+) ◄ | ►**M122** 0,07 (+) ◄ | |
| 1013050 | Edible offals (other than liver and kidney) | ►**M125** 0,7 ◄ | ►**M122** 0,07 ◄ | |
| 1013990 | Others | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1014000 | d) *goat* | | | |
| 1014010 | Muscle | ►**M125** 0,02 (*) (+) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1014020 | Fat tissue | ►**M125** 0,02 (*) (+) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1014030 | Liver | ►**M125** 0,06 (+) ◄ | ►**M122** 0,03 (+) ◄ | |
| 1014040 | Kidney | ►**M125** 0,7 (+) ◄ | ►**M122** 0,07 (+) ◄ | |
| 1014050 | Edible offals (other than liver and kidney) | ►**M125** 0,7 ◄ | ►**M122** 0,07 ◄ | |
| 1014990 | Others | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1015000 | (e) *equine* | | | |
| 1015010 | Muscle | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1015020 | Fat tissue | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1015030 | Liver | ►**M125** 0,06 ◄ | ►**M122** 0,03 ◄ | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | ►**M125** 0,7 ◄ | ►**M122** 0,07 ◄ | |
| 1015050 | Edible offals (other than liver and kidney) | ►**M125** 0,7 ◄ | ►**M122** 0,07 ◄ | |
| 1015990 | Others | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1016000 | (f) *poultry* | | | |
| 1016010 | Muscle | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) (+) ◄ | |
| 1016020 | Fat tissue | ►**M125** 0,02 (*) ◄ | ►**M122** 0,015 (+) ◄ | |
| 1016030 | Liver | ►**M125** 0,05 (*) ◄ | ►**M122** 0,03 (+) ◄ | |
| 1016040 | Kidney | ►**M125** 0,05 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1016050 | Edible offals (other than liver and kidney) | ►**M125** 0,05 (*) ◄ | ►**M122** 0,03 ◄ | |
| 1016990 | Others | ►**M125** 0,05 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1017020 | Fat tissue | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1017030 | Liver | ►**M125** 0,06 ◄ | ►**M122** 0,03 ◄ | |
| 1017040 | Kidney | ►**M125** 0,7 ◄ | ►**M122** 0,07 ◄ | |
| 1017050 | Edible offals (other than liver and kidney) | ►**M125** 0,7 ◄ | ►**M122** 0,07 ◄ | |
| 1017990 | Others | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | |
| 1020000 | **Milk** | ►**M125** 0,01 (*) ◄ | ►**M122** 0,015 ◄ | **0,01** (*) |
| 1020010 | Cattle | ►**M125** (+) ◄ | ►**M122** (+) ◄ | |
| 1020020 | Sheep | ►**M125** (+) ◄ | ►**M122** (+) ◄ | |
| 1020030 | Goat | ►**M125** (+) ◄ | ►**M122** (+) ◄ | |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | **Birds eggs** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) (+) ◄ | **0,01** (*) |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Geese | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M84**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M125** 0,05 (*) ◄ | ►**M122** 0,05 (*) ◄ | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M125** 0,02 (*) ◄ | ►**M122** 0,01 (*) ◄ | **0,01** (*) |

▼**M87**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | ►**M111** Diethofencarb ◄ | Metosulam |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | 0,01 (*) |
| 0110000 | **Citrus fruits** | ►**M111** 0,01 (*) ◄ | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others | | |
| 0120000 | **Tree nuts** | ►**M111** 0,01 (*) ◄ | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **Pome fruits** | | **(+)** |
| 0130010 | Apples | ►**M111** 0,01 (*) ◄ | |
| 0130020 | Pears | ►**M111** 0,8 (+) ◄ | |
| 0130030 | Quinces | ►**M111** 0,01 (*) ◄ | |
| 0130040 | Medlars | ►**M111** 0,01 (*) ◄ | |
| 0130050 | Loquats/Japanese medlars | ►**M111** 0,01 (*) ◄ | |
| 0130990 | Others | ►**M111** 0,01 (*) ◄ | |
| 0140000 | **Stone fruits** | ►**M111** 0,01 (*) ◄ | **(+)** |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | | **(+)** |
| 0151010 | Table grapes | ►**M111** 0,01 (*) ◄ | |
| 0151020 | Wine grapes | ►**M111** 0,9 (+) ◄ | |
| 0152000 | (b) *strawberries* | ►**M111** 0,01 (*) ◄ | **(+)** |
| 0153000 | (c) *cane fruits* | ►**M111** 0,01 (*) ◄ | **(+)** |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others | | |
| 0154000 | (d) *other small fruits and berries* | ►**M111** 0,01 (*) ◄ | **(+)** |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others | | |
| 0160000 | **Miscellaneous fruits with** | ►**M111** — ◄ | |
| 0161000 | (a) *edible peel* | ►**M111** 0,01 (*) ◄ | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others | | |
| 0162000 | (b) *inedible peel, small* | ►**M111** 0,01 (*) ◄ | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/ Virginia kaki | | |
| 0162990 | Others | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | ►**M111** 0,01 (*) ◄ | |
| 0163020 | Bananas | ►**M111** **0,09** ◄ | |
| 0163030 | Mangoes | ►**M111** 0,01 (*) ◄ | |
| 0163040 | Papayas | ►**M111** 0,01 (*) ◄ | |
| 0163050 | Granate apples/pomegranates | ►**M111** 0,01 (*) ◄ | |
| 0163060 | Cherimoyas | ►**M111** 0,01 (*) ◄ | |
| 0163070 | Guavas | ►**M111** 0,01 (*) ◄ | |
| 0163080 | Pineapples | ►**M111** 0,01 (*) ◄ | |
| 0163090 | Breadfruits | ►**M111** 0,01 (*) ◄ | |
| 0163100 | Durians | ►**M111** 0,01 (*) ◄ | |
| 0163110 | Soursops/guanabanas | ►**M111** 0,01 (*) ◄ | |
| 0163990 | Others | ►**M111** 0,01 (*) ◄ | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0211000 | (a) *potatoes* | | **(+)** |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | **Bulb vegetables** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others | | |
| 0230000 | **Fruiting vegetables** | | 0,01 (*) |
| 0231000 | (a) *solanacea* | | |
| 0231010 | Tomatoes | ►**M111** 0,7 (+) ◄ | |
| 0231020 | Sweet peppers/bell peppers | ►**M111** 0,01 (*) ◄ | |
| 0231030 | Aubergines/eggplants | ►**M111** 0,7 (+) ◄ | |
| 0231040 | Okra/lady's fingers | ►**M111** 0,01 (*) ◄ | |
| 0231990 | Others | ►**M111** 0,01 (*) ◄ | |
| 0232000 | (b) *cucurbits with edible peel* | ►**M111** 0,01 (*) ◄ | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M111** 0,01 (*) ◄ | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *sweet corn* | ►**M111** 0,01 (*) ◄ | (+) |
| 0239000 | (e) *other fruiting vegetables* | ►**M111** 0,01 (*) ◄ | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others | | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0254000 | (d) *watercresses* | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | ►**M111** 0,02 (*) ◄ | **0,02** (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leave | | |
| 0256100 | Tarragon | | |
| 0256990 | Others | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | **Stem vegetables** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | **Fungi, mosses and lichens** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0300000 | **PULSES** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | **CEREALS** | ►**M111** 0,01 (*) ◄ | **0,01** (*) |
| 0500010 | **Barley** | | |
| 0500020 | **Buckwheat and other pseudo-cereals** | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0820010 | Allspice/pimento | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | **Bark spices** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0840020 | Ginger | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0840030 | Turmeric/curcuma | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0840040 | Horseradish | ►**M111** (+) ◄ | **(+)** |
| 0840990 | Others | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0850000 | **Bud spices** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Tissues from** | ►**M111** 0,01 (*) ◄ | **0,01** (*) |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat tissue | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat tissue | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat tissue | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others | | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat tissue | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat tissue | | |
| 1015030 | Liver | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others | | |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat tissue | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat tissue | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others | | |
| 1020000 | **Milk** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | ►**M111** 0,01 (*) ◄ | 0,01 (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M87**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M111** 0,05 (*) ◄ | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | ►**M111** 0,01 (*) ◄ | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | ►**M111** 0,01 (*) ◄ | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M111** 0,01 (*) ◄ | **0,01** (*) |

▼M91

▼C10

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M189 Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid) [R] ◄ | ►M209 Flutriafol ◄ | Pirimicarb (R) | ►M146 Prothioconazole: prothioconazole-desthio (sum of isomers) [F] ◄ | ►M165 Tefluben-zuron [F] ◄ |
|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | | | |
| 0110000 | **Citrus fruits** | ►M189 **0,15** ◄ | ►M209 0,01 (*) ◄ | 3 | ►M146 0,01 (*) ◄ | ►M165 0,5 ◄ |
| 0110010 | Grapefruits | | | | | ►M149 — ◄ |
| 0110020 | Oranges | | | | | ►M149 — ◄ |
| 0110030 | Lemons | | | | | ►M149 — ◄ |
| 0110040 | Limes | | | | | ►M149 — ◄ |
| 0110050 | Mandarins | | | | | ►M149 — ◄ |
| 0110990 | Others | | | | | ►M149 — ◄ |
| 0120000 | **Tree nuts** | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,02** (*) | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0120010 | Almonds | | | | | |
| 0120020 | Brazil nuts | | | | | |
| 0120030 | Cashew nuts | | | | | |
| 0120040 | Chestnuts | | | | | |
| 0120050 | Coconuts | | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | | |
| 0120070 | Macadamias | | | | | |
| 0120080 | Pecans | | | | | |
| 0120090 | Pine nut kernels | | | | | |
| 0120100 | Pistachios | | | | | |
| 0120110 | Walnuts | | | | | |
| 0120990 | Others | | | | | |
| 0130000 | **Pome fruits** | ►M189 0,3 ◄ | ►M209 0,4 ◄ | | ►M146 0,01 (*) ◄ | ►M165 1 ◄ |
| 0130010 | Apples | | | **0,5** (+) | | ►M165 — ◄ |
| 0130020 | Pears | | | **0,5** (+) | | |
| 0130030 | Quinces | | | **1,5** (+) | | |
| 0130040 | Medlars | | | **1** | | |
| 0130050 | Loquats/Japanese medlars | | | **1** | | |
| 0130990 | Others | | | **0,01** (*) | | |
| 0140000 | **Stone fruits** | | | | ►M146 0,01 (*) ◄ | |
| 0140010 | Apricots | ►M189 0,3 ◄ | ►M209 0,01 (*) ◄ | **3** | | ►M165 0,01 (*) ◄ |
| 0140020 | Cherries (sweet) | ►M189 **0,4** ◄ | ►M209 1 ◄ | **5** (+) | | ►M165 0,01 (*) ◄ |
| 0140030 | Peaches | ►M189 0,4 ◄ | ►M209 0,6 ◄ | **1,5** (+) | | ►M165 0,01 (*) ◄ |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0140040 | Plums | ►M189 **0,3** ◄ | ►M209 0,4 ◄ | **3** | | ►M165 0,1 (*) ◄ |
| 0140990 | Others | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,01** (*) | | ►M165 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | ►M189 — ◄ | | | | ►M132 — ◄ |
| 0151000 | (a) *grapes* | ►M189 0,03 (*) ◄ | | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 0,7 ◄ |
| 0151010 | Table grapes | | ►M209 0,8 ◄ | | | |
| 0151020 | Wine grapes | | ►M209 1,5 ◄ | | | |
| 0152000 | (b) *strawberries* | ►M189 **0,7** ◄ | ►M209 1,5 ◄ | **1,5** | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0153000 | (c) *cane fruits* | | ►M209 0,01 (*) ◄ | **4 (+)** | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0153010 | Blackberries | ►M189 **1** ◄ | | | | |
| 0153020 | Dewberries | ►M189 0,03 (*) ◄ | | | | |
| 0153030 | Raspberries (red and yellow) | ►M189 **1** ◄ | | | | |
| 0153990 | Others | ►M189 0,03 (*) ◄ | | | | |
| 0154000 | (d) *other small fruits and berries* | | ►M209 0,01 (*) ◄ | **1** | | ►M165 0,01 (*) ◄ |
| 0154010 | Blueberries | ►M189 **0,8** ◄ | | | ►M146 0,01 (*) ◄ | |
| 0154020 | Cranberries | ►M189 **0,8** ◄ | | | ►M146 0,15 ◄ | |
| 0154030 | Currants (black, red and white) | ►M189 **0,8** ◄ | | | ►M146 0,01 (*) ◄ | |
| 0154040 | Gooseberries (green, red and yellow) | ►M189 **0,8** ◄ | | | ►M146 0,01 (*) ◄ | |
| 0154050 | Rose hips | ►M189 **0,7** ◄ | | | ►M146 0,01 (*) ◄ | |
| 0154060 | Mulberries (black and white) | ►M189 **0,7** ◄ | | | ►M146 0,01 (*) ◄ | |
| 0154070 | Azaroles/ Mediterranean medlars | ►M189 **0,7** ◄ | | | ►M146 0,01 (*) ◄ | |
| 0154080 | Elderberries | ►M189 **0,7** ◄ | | | ►M146 0,01 (*) ◄ | |
| 0154990 | Others | ►M189 **0,7** ◄ | | | ►M146 0,01 (*) ◄ | |
| 0160000 | **Miscellaneous fruits with** | ►M189 0,03 (*) ◄ | | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M132 — ◄ |
| 0161000 | (a) *edible peel* | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0161010 | Dates | | | | | |
| 0161020 | Figs | | | | | |
| 0161030 | Table olives | | | | | |
| 0161040 | Kumquats | | | | | |
| 0161050 | Carambolas | | | | | |
| 0161060 | Kaki/ Japanese persimmons | | | | | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0161070 | Jambuls/ jambolans | | | | | |
| 0161990 | Others | | | | | |
| 0162000 | (b) *inedible peel, small* | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | | |
| 0162020 | Litchis/ lychees | | | | | |
| 0162030 | Passion-fruits/ maracujas | | | | | |
| 0162040 | Prickly pears/cactus fruits | | | | | |
| 0162050 | Star apples/ cainitos | | | | | |
| 0162060 | American persimmons/ Virginia kaki | | | | | |
| 0162990 | Others | | | | | |
| 0163000 | (c) *inedible peel, large* | | | | | |
| 0163010 | Avocados | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163020 | Bananas | | ►M209 0,3 ◄ | | | ►M165 0,01 (*) ◄ |
| 0163030 | Mangoes | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163040 | Papayas | | ►M209 0,01 (*) ◄ | | | ►M165 0,4 ◄ |
| 0163050 | Granate apples/ pomegranates | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163060 | Cherimoyas | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163070 | Guavas | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163080 | Pineapples | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163090 | Breadfruits | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163100 | Durians | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163110 | Soursops/ guanabanas | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0163990 | Others | | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | | |
| 0210000 | **Root and tuber vegetables** | | | **0,05** | | |
| 0211000 | (a) *potatoes* | ►M189 0,09 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,02 (*) ◄ | ►M165 0,05 ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0212010 | Cassava roots/manioc | | | | | |
| 0212020 | Sweet potatoes | | | | | |
| 0212030 | Yams | | | | | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | | |
| 0212990 | Others | | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M189** — ◄ | | | | ►**M165** 0,01 (*) ◄ |
| 0213010 | Beetroots | ►**M189** **0,3** ◄ | ►**M209** 0,06 ◄ | | ►**M146** 0,1 (+) ◄ | |
| 0213020 | Carrots | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,1 (+) ◄ | |
| 0213030 | Celeriacs/ turnip rooted celeries | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,01 (*) ◄ | |
| 0213040 | Horse-radishes | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,1 (+) ◄ | |
| 0213050 | Jerusalem artichokes | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,01 (*) ◄ | |
| 0213060 | Parsnips | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,1 (+) ◄ | |
| 0213070 | Parsley roots/ Hamburg roots parsley | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,1 (+) ◄ | |
| 0213080 | Radishes | ►**M189** **0,6** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,01 (*) ◄ | |
| 0213090 | Salsifies | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,1 (+) ◄ | |
| 0213100 | Swedes/ rutabagas | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,1 (+) ◄ | |
| 0213110 | Turnips | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,1 (+) ◄ | |
| 0213990 | Others | ►**M189** **0,3** ◄ | ►**M209** 0,01 (*) ◄ | | ►**M146** 0,01 (*) ◄ | |
| 0220000 | **Bulb vegetables** | ►**M189** 0,03 (*) ◄ | ►**M209** 0,01 (*) ◄ | | | ►**M165** 0,01 (*) ◄ |
| 0220010 | Garlic | | | **0,1** | ►**M146** 0,01 (*) ◄ | |
| 0220020 | Onions | | | **0,1** | ►**M146** 0,05 (+) ◄ | |
| 0220030 | Shallots | | | **0,01** (*) | ►**M146** 0,05 (+) ◄ | |
| 0220040 | Spring onions/ green onions and Welsh onions | | | **0,01** (*) | ►**M146** 0,01 (*) ◄ | |
| 0220990 | Others | | | **0,01** (*) | ►**M146** 0,01 (*) ◄ | |
| 0230000 | **Fruiting vegetables** | | | | | |
| 0231000 | (a) *solanacea* | | | **0,5** | ►**M146** 0,01 (*) ◄ | ►**M165** 1.5 ◄ |
| 0231010 | Tomatoes | ►**M189** **0,5** ◄ | ►**M209** 0,8 ◄ | | | ►**M132** — ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M189** 0,3 ◄ | ►**M209** 1 ◄ | | | |
| 0231030 | Aubergines/ eggplants | ►**M189** **0,5** ◄ | ►**M209** 0,01 (*) ◄ | | | |
| 0231040 | Okra/lady's fingers | ►**M189** 0,03 (*) ◄ | ►**M209** 0,01 (*) ◄ | | | |
| 0231990 | Others | ►**M189** 0,03 (*) ◄ | ►**M209** 0,01 (*) ◄ | | | |
| 0232000 | (b) *cucurbits with edible peel* | ►**M189** 0,5 ◄ | ►**M209** 0,15 ◄ | 1 | ►**M146** 0,01 (*) ◄ | |
| 0232010 | Cucumbers | | | | | ►**M165** 0,5 ◄ |
| 0232020 | Gherkins | | | | | ►**M165** 1.5 ◄ |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0232030 | Courgettes | ►M189 — ◄ | | | | ►M165 0,5 ◄ |
| 0232990 | Others | | | | | ►M165 0,5 ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | ►M189 **0,4** ◄ | ►M209 **0,3** ◄ | | ►M146 0,01 (*) ◄ | ►M132 — ◄ |
| 0233010 | Melons | | ►M209 — ◄ | **0,4 (+)** | | ►M165 0,3 ◄ |
| 0233020 | Pumpkins | | ►M209 — ◄ | 1 | | ►M165 0,01 (*) ◄ |
| 0233030 | Watermelons | | ►M209 — ◄ | **0,5 (+)** | | ►M165 0,01 (*) ◄ |
| 0233990 | Others | | ►M209 — ◄ | **0,01** (*) | | ►M165 0,01 (*) ◄ |
| 0234000 | (d) *sweet corn* | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,05** | ►M146 0,02 ◄ | ►M165 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | ►M209 0,01 (*) ◄ | | | |
| 0241000 | (a) *flowering brassica* | ►M189 0,03 (*) ◄ | | **0,5** | ►M146 0,05 (+) ◄ | ►M165 0,01 (*) ◄ |
| 0241010 | Broccoli | | | | | |
| 0241020 | Cauliflowers | | | | | |
| 0241990 | Others | | | | | |
| 0242000 | (b) *head brassica* | | | | | |
| 0242010 | Brussels sprouts | ►M189 0,6 ◄ | | **0,6 (+)** | ►M146 0,1 (+) ◄ | ►M165 0,5 ◄ |
| 0242020 | Head cabbages | ►M189 0,5 ◄ | | **0,5** | ►M146 0,09 (+) ◄ | ►M165 0,2 ◄ |
| 0242990 | Others | ►M189 0,03 (*) ◄ | | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0243000 | (c) *leafy brassica* | ►M189 0,03 (*) ◄ | | | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0243010 | Chinese cabbages/pe-tsai | | | **0,5** | | |
| 0243020 | Kales | | | **0,3 (+)** | | |
| 0243990 | Others | | | **0,01** (*) | | |
| 0244000 | (d) *kohlrabies* | ►M189 0,03 (*) ◄ | | 0,5 | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | |
| 0251000 | (a) *lettuces and salad plants* | ►M189 **0,07** ◄ | ►M116 — ◄ | | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | | ►M209 0,01 (*) ◄ | **15** | | |
| 0251020 | Lettuces | | ►M209 1,5 ◄ | **1,5** | | |
| 0251030 | Escaroles/ broad-leaved endives | | ►M209 0,01 (*) ◄ | **1 (+)** | | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | ►M209 0,01 (*) ◄ | **15** | | |
| 0251050 | Land cresses | | ►M209 0,01 (*) ◄ | **15** | | |
| 0251060 | Roman rocket/rucola | | ►M209 0,01 (*) ◄ | **15** | | |
| 0251070 | Red mustards | | ►M209 0,01 (*) ◄ | **15** | | |
| 0251080 | Baby leaf crops (including brassica species) | | ►M209 0,01 (*) ◄ | **15** | | |
| 0251990 | Others | | ►M209 0,01 (*) ◄ | **0,01** (*) | | |
| 0252000 | (b) *spinaches and similar leaves* | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,06** | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0252010 | Spinaches | | | | | |
| 0252020 | Purslanes | | | **(+)** | | |
| 0252030 | Chards/beet leaves | | | **(+)** | | |
| 0252990 | Others | | | | | |
| 0253000 | (c) *grape leaves and similar species* | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/ Belgian endives* | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,05 (+)** | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►M189 6 ◄ | ►M209 0,02 (*) ◄ | | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0256010 | Chervil | | | **0,8** | | |
| 0256020 | Chives | | | **0,8** | | |
| 0256030 | Celery leaves | | | **3** | | |
| 0256040 | Parsley | | | **3** | | |
| 0256050 | Sage | | | **0,8** | | |
| 0256060 | Rosemary | | | **0,8** | | |
| 0256070 | Thyme | | | **0,8** | | |
| 0256080 | Basil and edible flowers | | | **0,8** | | |
| 0256090 | Laurel/bay leave | | | **0,8** | | |
| 0256100 | Tarragon | | | **0,8** | | |
| 0256990 | Others | | | **0,02** (*) | | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | | ►M209 0,01 (*) ◄ | | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | ►M189 1.5 ◄ | | **1,5 (+)** | | |
| 0260020 | Beans (without pods) | ►M189 0,03 (*) ◄ | | **0,7** | | |
| 0260030 | Peas (with pods) | ►M189 1.5 ◄ | | **1,5 (+)** | | |
| 0260040 | Peas (without pods) | ►M189 0,7 ◄ | | **0,7** | | |
| 0260050 | Lentils | ►M189 0,03 (*) ◄ | | 0,7 | | |
| 0260990 | Others | ►M189 0,03 (*) ◄ | | **0,01** (*) | | |
| 0270000 | **Stem vegetables** | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | | | ►M165 0,01 (*) ◄ |
| 0270010 | Asparagus | | | **0,01** (*) | ►M146 0,01 (*) ◄ | |
| 0270020 | Cardoons | | | **0,2 (+)** | ►M146 0,01 (*) ◄ | |
| 0270030 | Celeries | | | **0,15 (+)** | ►M146 0,01 (*) ◄ | |
| 0270040 | Florence fennels | | | **2** | ►M146 0,01 (*) ◄ | |
| 0270050 | Globe artichokes | | | 5 | ►M146 0,01 (*) ◄ | |
| 0270060 | Leeks | | | **0,01** (*) | ►M146 0,06 (+) ◄ | |
| 0270070 | Rhubarbs | | | **2** | ►M146 0,01 (*) ◄ | |
| 0270080 | Bamboo shoots | | | **0,01** (*) | ►M146 0,01 (*) ◄ | |
| 0270090 | Palm hearts | | | **0,01** (*) | ►M146 0,01 (*) ◄ | |
| 0270990 | Others | | | **0,01** (*) | ►M146 0,01 (*) ◄ | |
| 0280000 | **Fungi, mosses and lichens** | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | | | | | |
| 0280020 | Wild fungi | | | | | |
| 0280990 | Mosses and lichens | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►M189 **0,8** ◄ | ►M209 0,01 (*) ◄ | **0,2** | | ►M165 0,01 (*) ◄ |
| 0300010 | Beans | | | | ►M146 0,05 (+) ◄ | |
| 0300020 | Lentils | | | | ►M146 1 (+) ◄ | |
| 0300030 | Peas | | | | ►M146 1 (+) ◄ | |
| 0300040 | Lupins/lupini beans | | | | ►M146 1 (+) ◄ | |
| 0300990 | Others | | | | ►M146 0,01 (*) ◄ | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | | | | ►M132 — ◄ |
| 0401000 | **Oilseeds** | | | | | |
| 0401010 | Linseeds | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,05 (+)** | ►M146 0,09 (+) ◄ | ►M165 0,02 (*) ◄ |
| 0401020 | Peanuts/ groundnuts | ►M189 0,06 (*) ◄ | ►M209 0,15 ◄ | **0,02** (*) | ►M146 0,02 (*) (+) ◄ | ►M165 0,02 (*) ◄ |
| 0401030 | Poppy seeds | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,05** | ►M146 0,09 (+) ◄ | ►M165 0,02 (*) ◄ |
| 0401040 | Sesame seeds | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,02** (*) | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0401050 | Sunflower seeds | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,1** | ►M146 0,2 ◄ | ►M165 0,3 ◄ |
| 0401060 | Rapeseeds/canola seeds | ►M189 0,06 (*) ◄ | ►M209 0,5 ◄ | **0,05 (+)** | ►M146 0,15 (+) ◄ | ►M165 0,02 (*) ◄ |
| 0401070 | Soyabeans | ►M189 0,06 (*) ◄ | ►M209 0,4 ◄ | **0,02** (*) | ►M146 0,2 ◄ | ►M165 0,05 ◄ |
| 0401080 | Mustard seeds | ►M189 0,06 (*) ◄ | ►M209 0,5 ◄ | **0,05 (+)** | ►M146 0,09 (+) ◄ | ►M165 0,02 (*) ◄ |
| 0401090 | Cotton seeds | ►M189 0,2 ◄ | ►M209 0,5 ◄ | **0,02** (*) | ►M146 **0,3** ◄ | ►M165 0,02 (*) ◄ |
| 0401100 | Pumpkin seeds | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,02** (*) | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0401110 | Safflower seeds | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,02** (*) | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0401120 | Borage seeds | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,1 (+)** | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►M189 0,06 (*) ◄ | ►M209 0,5 ◄ | **0,05** | ►M146 0,04 (+) ◄ | ►M165 0,02 (*) ◄ |
| 0401140 | Hemp seeds | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,02** (*) | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0401150 | Castor beans | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,02** (*) | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0401990 | Others | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,02** (*) | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0402000 | **Oil fruits** | ►M189 0,06 (*) ◄ | ►M209 0,02 (*) ◄ | **0,02** (*) | ►M146 0,02 (*) ◄ | ►M165 0,02 (*) ◄ |
| 0402010 | Olives for oil production | | | | | |
| 0402020 | Oil palms kernels | | | | | |
| 0402030 | Oil palms fruits | | | | | |
| 0402040 | Kapok | | | | | |
| 0402990 | Others | | | | | |
| 0500000 | **CEREALS** | | | **0,05** | | ►M165 0,01 (*) ◄ |
| 0500010 | Barley | ►M189 0,4 ◄ | ►M209 0,15 ◄ | | ►M146 0,2 (+) ◄ | |
| 0500020 | Buckwheat and other pseudo-cereals | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,01 (*) ◄ | |
| 0500030 | Maize/corn | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,1 ◄ | |
| 0500040 | Common millet/proso millet | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,01 (*) ◄ | |
| 0500050 | Oat | ►M189 0,4 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,05 (+) ◄ | |
| 0500060 | Rice | ►M189 0,03 (*) ◄ | ►M209 **1** ◄ | | ►M146 0,01 (*) ◄ | |
| 0500070 | Rye | ►M189 **2** ◄ | ►M209 0,15 ◄ | | ►M146 0,05 (+) ◄ | |
| 0500080 | Sorghum | ►M189 0,03 (*) ◄ | ►M209 1,5 ◄ | | ►M146 0,01 (*) ◄ | |
| 0500090 | Wheat | ►M189 **2** ◄ | ►M209 0,15 ◄ | | ►M146 0,1 (+) ◄ | |
| 0500990 | Others | ►M189 0,03 (*) ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,01 (*) ◄ | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M189 0,1 (*) ◄ | | | ►M146 0,05 (*) ◄ | ►M132 — ◄ |
| 0610000 | **Teas** | | ►M209 0,05 (*) ◄ | 0,05 (*) | | ►M165 0,05 (*) ◄ |
| 0620000 | **Coffee beans** | | ►M209 0,15 ◄ | 0,05 (*) | | ►M165 0,3 ◄ |
| 0630000 | **Herbal infusions from** | | ►M209 0,05 (*) ◄ | | | ►M165 0,05 (*) ◄ |
| 0631000 | (a) *flowers* | | | **10 (+)** | | |
| 0631010 | Chamomile | | | | | |
| 0631020 | Hibiscus/ roselle | | | | | |
| 0631030 | Rose | | | | | |
| 0631040 | Jasmine | | | | | |
| 0631050 | Lime/linden | | | | | |
| 0631990 | Others | | | | | |
| 0632000 | (b) *leaves and herbs* | | | **10 (+)** | | |
| 0632010 | Strawberry | | | | | |
| 0632020 | Rooibos | | | | | |
| 0632030 | Mate/maté | | | | | |
| 0632990 | Others | | | | | |
| 0633000 | (c) *roots* | | | **0,05** (*) | | |
| 0633010 | Valerian | | | | | |
| 0633020 | Ginseng | | | | | |
| 0633990 | Others | | | | | |
| 0639000 | (d) *any other parts of the plant* | | | **0,05** (*) | | |
| 0640000 | **Cocoa beans** | | ►M209 0,05 (*) ◄ | 0,05 (*) | | ►M165 0,05 (*) ◄ |
| 0650000 | **Carobs/Saint John's breads** | | ►M209 0,05 (*) ◄ | 0,05 (*) | | ►M165 0,05 (*) ◄ |
| 0700000 | **HOPS** | ►M189 **3** ◄ | ►M209 20 ◄ | **0,05** (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0800000 | **SPICES** | | | | | |
| 0810000 | **Seed spices** | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 5 | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | | | | | |
| 0810020 | Black caraway/ black cumin | | | | | |
| 0810030 | Celery | | | | | |
| 0810040 | Coriander | | | | | |
| 0810050 | Cumin | | | | | |
| 0810060 | Dill | | | | | |
| 0810070 | Fennel | | | | | |
| 0810080 | Fenugreek | | | | | |
| 0810090 | Nutmeg | | | | | |
| 0810990 | Others | | | | | |
| 0820000 | **Fruit spices** | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | | | | | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | | |
| 0820030 | Caraway | | | | | |
| 0820040 | Cardamom | | | | | |
| 0820050 | Juniper berry | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | |
| 0820070 | Vanilla | | | | | |
| 0820080 | Tamarind | | | | | |
| 0820990 | Others | | | | | |
| 0830000 | **Bark spices** | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0830010 | Cinnamon | | | | | |
| 0830990 | Others | | | | | |
| 0840000 | **Root and rhizome spices** | | | | | |
| 0840010 | Liquorice | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0840020 | Ginger | ►M189 — ◄ | ►M209 — ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 — ◄ |
| 0840030 | Turmeric/curcuma | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0840040 | Horseradish | ►M189 — ◄ | ►M209 — ◄ | (+) | ►M146 — ◄ | ►M165 — ◄ |
| 0840990 | Others | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0850010 | Cloves | | | | | |
| 0850020 | Capers | | | | | |
| 0850990 | Others | | | | | |
| 0860000 | **Flower pistil spices** | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0860010 | Saffron | | | | | |
| 0860990 | Others | | | | | |
| 0870000 | **Aril spices** | ►M189 0,1 (*) ◄ | ►M209 0,05 (*) ◄ | 0,05 (*) | ►M146 0,05 (*) ◄ | ►M165 0,05 (*) ◄ |
| 0870010 | Mace | | | | | |
| 0870990 | Others | | | | | |
| 0900000 | **SUGAR PLANTS** | ►M189 0,03 (*) ◄ | | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | | ►M209 0,06 ◄ | | | |
| 0900020 | Sugar canes | | ►M209 0,01 (*) ◄ | | | |
| 0900030 | Chicory roots | | ►M209 0,01 (*) ◄ | | | |
| 0900990 | Others | | ►M209 0,01 (*) ◄ | | | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | | ►M165 — ◄ |
| 1010000 | **Tissues from** | | | | | ►M165 **0,01** (*) ◄ |
| 1011000 | (a) *swine* | | | **0,05** (+) | | |
| 1011010 | Muscle | ►M189 0,15 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,01** ◄ | |
| 1011020 | Fat tissue | ►M189 0,05 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,02** ◄ | |
| 1011030 | Liver | ►M189 0,2 ◄ | ►M209 0,1 ◄ | | ►M146 0,5 (+) ◄ | |
| 1011040 | Kidney | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1011050 | Edible offals (other than liver and kidney) | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1011990 | Others | ►M189 0,03 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1012000 | (b) *bovine* | | | **0,05** (+) | | |
| 1012010 | Muscle | ►M189 0,15 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,01** ◄ | |
| 1012020 | Fat tissue | ►M189 0,05 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,02** ◄ | |
| 1012030 | Liver | ►M189 0,2 ◄ | ►M209 0,3 ◄ | | ►M146 0,5 (+) ◄ | |
| 1012040 | Kidney | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1012050 | Edible offals (other than liver and kidney) | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1012990 | Others | ►M189 0,04 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1013000 | (c) *sheep* | | | **0,05** (+) | | |
| 1013010 | Muscle | ►M189 0,15 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,01** ◄ | |
| 1013020 | Fat tissue | ►M189 0,05 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,02** ◄ | |
| 1013030 | Liver | ►M189 0,2 ◄ | ►M209 0,3 ◄ | | ►M146 0,5 (+) ◄ | |
| 1013040 | Kidney | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1013050 | Edible offals (other than liver and kidney) | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1013990 | Others | ►M189 0,04 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1014000 | (d) *goat* | | | **0,05** (+) | | |
| 1014010 | Muscle | ►M189 0,15 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,01** ◄ | |
| 1014020 | Fat tissue | ►M189 0,05 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,02** ◄ | |
| 1014030 | Liver | ►M189 0,2 ◄ | ►M209 0,3 ◄ | | ►M146 0,5 (+) ◄ | |
| 1014040 | Kidney | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1014050 | Edible offals (other than liver and kidney) | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1014990 | Others | ►M189 0,04 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1015000 | (e) *equine* | | | **0,05** (+) | | |
| 1015010 | Muscle | ►M189 0,15 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,01** ◄ | |
| 1015020 | Fat tissue | ►M189 0,05 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,02** ◄ | |
| 1015030 | Liver | ►M189 0,2 ◄ | ►M209 0,3 ◄ | | ►M146 0,5 (+) ◄ | |

▼C10

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1015050 | Edible offals (other than liver and kidney) | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1015990 | Others | ►M189 0,04 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1016000 | (f) *poultry* | | ►M116 — ◄ | **0,01** (*) | ►M146 — ◄ | |
| 1016010 | Muscle | ►M189 0,1 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,01 (*) ◄ | |
| 1016020 | Fat tissue | ►M189 0,05 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,01 (*) ◄ | |
| 1016030 | Liver | ►M189 0,1 ◄ | ►M209 0,03 ◄ | | ►M146 **0,1** ◄ | |
| 1016040 | Kidney | ►M189 0,1 ◄ | ►M209 0,03 ◄ | | ►M146 **0,1** ◄ | |
| 1016050 | Edible offals (other than liver and kidney) | ►M189 0,1 ◄ | ►M209 0,03 ◄ | | ►M146 **0,1** ◄ | |
| 1016990 | Others | ►M189 0,03 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,01 (*) ◄ | |
| 1017000 | (g) *other farmed terrestrial animals* | | | **0,05 (+)** | | |
| 1017010 | Muscle | ►M189 0,15 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,01** ◄ | |
| 1017020 | Fat tissue | ►M189 0,05 ◄ | ►M209 0,01 (*) ◄ | | ►M146 **0,02** ◄ | |
| 1017030 | Liver | ►M189 0,2 ◄ | ►M209 0,3 ◄ | | ►M146 0,5 (+) ◄ | |
| 1017040 | Kidney | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1017050 | Edible offals (other than liver and kidney) | ►M189 0,2 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1017990 | Others | ►M189 0,04 ◄ | ►M209 0,01 (*) ◄ | | ►M146 0,5 (+) ◄ | |
| 1020000 | **Milk** | ►M189 0,15 ◄ | ►M209 0,01 (*) ◄ | **0,05 (+)** | ►M146 0,01 (*) (+) ◄ | ►M165 **0,01** (*) ◄ |
| 1020010 | Cattle | | | | | |
| 1020020 | Sheep | | | | | |
| 1020030 | Goat | | | | | |
| 1020040 | Horse | | | | | |
| 1020990 | Others | | | | | |
| 1030000 | **Birds eggs** | ►M189 0,15 ◄ | ►M209 0,01 (*) ◄ | **0,01** (*) | ►M146 0,01 (*) ◄ | ►M165 **0,01** (*) ◄ |
| 1030010 | Chicken | | | | | |
| 1030020 | Duck | | | | | |
| 1030030 | Geese | | | | | |
| 1030040 | Quail | | | | | |
| 1030990 | Others | | | | | |

▼**C10**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M189** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ | 0,05 (*) | ►**M146** 0,05 (*) ◄ | ►**M165** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M189** 0,02 (*) ◄ | ►**M209** 0,01 (*) ◄ | **0,05** | ►**M146** 0,01 (*) ◄ | ►**M165** **0,01** (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M189** 0,02 (*) ◄ | ►**M209** 0,01 (*) ◄ | **0,05** | ►**M146** 0,01 (*) ◄ | ►**M165** **0,01** (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M189** 0,02 (*) ◄ | ►**M209** 0,01 (*) ◄ | **0,05** | ►**M146** 0,01 ◄ | ►**M165** **0,01** (*) ◄ |

▼**M93**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M196** Boscalid ([R]) ([F]) ◄ | ►**M118** Clothianidin ◄ | ►**M118** Thiamethoxam ◄ | ►**M196** Tolclofos-methyl ([F]) ◄ |
|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | | ►**M196** 0,01 (*) ◄ |
| 0110000 | **Citrus fruits** | ►**M196** 2 (+) ◄ | ►**M118** 0,06 (+) ◄ | ►**M118** 0,15 (+) ◄ | |
| 0110010 | Grapefruits | ►**M196** (+) ◄ | | | |
| 0110020 | Oranges | ►**M196** (+) ◄ | | | |
| 0110030 | Lemons | ►**M196** (+) ◄ | | | |
| 0110040 | Limes | ►**M196** (+) ◄ | | | |
| 0110050 | Mandarins | ►**M196** (+) ◄ | | | |
| 0110990 | Others | ►**M196** (+) ◄ | | | |
| 0120000 | **Tree nuts** | ►**M196** — ◄ | ►**M118** 0,01 (*) ◄ | | |
| 0120010 | Almonds | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120020 | Brazil nuts | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120030 | Cashew nuts | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120040 | Chestnuts | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120050 | Coconuts | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120060 | Hazelnuts/cobnuts | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120070 | Macadamias | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120080 | Pecans | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,02 (*) ◄ | |
| 0120090 | Pine nut kernels | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120100 | Pistachios | ►**M196** 1 (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120110 | Walnuts | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0120990 | Others | ►**M196** 0,05 (*) (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0130000 | **Pome fruits** | | ►**M118** 0,4 ◄ | ►**M118** 0,3 ◄ | |
| 0130010 | Apples | ►**M196** 2 (+) ◄ | | | |
| 0130020 | Pears | ►**M196** 1,5 (+) ◄ | | | |
| 0130030 | Quinces | ►**M196** 1,5 (+) ◄ | | | |
| 0130040 | Medlars | ►**M196** 0,01 (*) ◄ | | | |
| 0130050 | Loquats/Japanese medlars | ►**M196** 0,01 (*) ◄ | | | |
| 0130990 | Others | ►**M196** 0,01 (*) ◄ | | | |
| 0140000 | **Stone fruits** | | | | |
| 0140010 | Apricots | ►**M196** 5 (+) ◄ | ►**M118** 0,15 ◄ | ►**M118** 0,07 (+) ◄ | |
| 0140020 | Cherries (sweet) | ►**M196** **5** (+) ◄ | ►**M118** 0,03 (+) ◄ | ►**M118** 0,6 (+) ◄ | |
| 0140030 | Peaches | ►**M196** 5 (+) ◄ | ►**M118** 0,15 ◄ | ►**M118** 0,07 ◄ | |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0140040 | Plums | ►**M196** 3 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0140990 | Others | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0150000 | **Berries and small fruits** | | | | |
| 0151000 | (a) *grapes* | ►**M196** 5 (+) ◄ | ►**M118** 0,7 (+) ◄ | ►**M118** 0,4 (+) ◄ | |
| 0151010 | Table grapes | ►**M196** (+) ◄ | | | |
| 0151020 | Wine grapes | ►**M196** (+) ◄ | | | |
| 0152000 | (b) *strawberries* | ►**M196** 6 (+) ◄ | ►**M118** 0,02 (*) (+) ◄ | ►**M118** 0,3 (+) ◄ | |
| 0153000 | (c) *cane fruits* | ►**M196** 10 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0153010 | Blackberries | ►**M196** (+) ◄ | | | |
| 0153020 | Dewberries | ►**M196** (+) ◄ | | | |
| 0153030 | Raspberries (red and yellow) | ►**M196** (+) ◄ | | | |
| 0153990 | Others | ►**M196** (+) ◄ | | | |
| 0154000 | (d) *other small fruits and berries* | ►**M196** 15 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0154010 | Blueberries | ►**M196** (+) ◄ | | | |
| 0154020 | Cranberries | ►**M196** (+) ◄ | | | |
| 0154030 | Currants (black, red and white) | ►**M196** (+) ◄ | | | |
| 0154040 | Gooseberries (green, red and yellow) | ►**M196** (+) ◄ | | | |
| 0154050 | Rose hips | ►**M196** (+) ◄ | | | |
| 0154060 | Mulberries (black and white) | ►**M196** (+) ◄ | | | |
| 0154070 | Azaroles/ Mediter-ranean medlars | ►**M196** (+) ◄ | | | |
| 0154080 | Elderberries | ►**M196** (+) ◄ | | | |
| 0154990 | Others | ►**M196** (+) ◄ | | | |
| 0160000 | **Miscellaneous fruits with** | | | | |
| 0161000 | (a) *edible peel* | ►**M196** 0,01 (*) ◄ | | | |
| 0161010 | Dates | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0161020 | Figs | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0161030 | Table olives | | ►**M118** 0,09 ◄ | ►**M118** 0,4 ◄ | |
| 0161040 | Kumquats | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0161050 | Carambolas | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0161060 | Kaki/ Japanese persimmons | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0161070 | Jambuls/ jambolans | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0161990 | Others | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0162000 | (b) *inedible peel, small* | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0162010 | Kiwi fruits (green, red, yellow) | ►**M196** 5 (+) ◄ | | | |
| 0162020 | Litchis/ lychees | ►**M196** 0,01 (*) ◄ | | | |
| 0162030 | Passion-fruits/ maracujas | ►**M196** 0,01 (*) ◄ | | | |
| 0162040 | Prickly pears/cactus fruits | ►**M196** 0,01 (*) ◄ | | | |
| 0162050 | Star apples/ cainitos | ►**M196** 0,01 (*) ◄ | | | |
| 0162060 | American persimmons/ Virginia kaki | ►**M196** 0,01 (*) ◄ | | | |
| 0162990 | Others | ►**M196** 0,01 (*) ◄ | | | |
| 0163000 | (c) *inedible peel, large* | | | | |
| 0163010 | Avocados | ►**M196** 0,01 (*) ◄ | ►**M118** **0,03** ◄ | ►**M118** **0,5** ◄ | |
| 0163020 | Bananas | ►**M196** 0,6 (+) ◄ | ►**M118** 0,02 ◄ | ►**M118** 0,02 (*) ◄ | |
| 0163030 | Mangoes | ►**M196** **2** ◄ | ►**M118** **0,04** ◄ | ►**M118** **0,2** ◄ | |
| 0163040 | Papayas | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | |
| 0163050 | Granate apples/ pomegranat-es | ►**M196** 2 ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0163060 | Cherimoyas | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0163070 | Guavas | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0163080 | Pineapples | ►**M196** 0,01 (*) ◄ | ►**M118** 0,02 (*) (+) ◄ | ►**M118** 0,02 (*) (+) ◄ | |
| 0163090 | Breadfruits | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0163100 | Durians | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0163110 | Soursops/ guanabanas | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0163990 | Others | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | | | | |
| 0211000 | (a) *potatoes* | ►**M196** 2 (+) ◄ | ►**M118** 0,03 ◄ | ►**M118** 0,07 ◄ | ►**M196** 0,2 ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M196** 2 ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0212010 | Cassava roots/manioc | ►**M196** (+) ◄ | | | |
| 0212020 | Sweet potatoes | ►**M196** (+) ◄ | | | |
| 0212030 | Yams | ►**M196** (+) ◄ | | | |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | ►**M196** (+) ◄ | | | |
| 0212990 | Others | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M196** — ◄ | | | |
| 0213010 | Beetroots | ►**M196** 4 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213020 | Carrots | ►**M196** 2 (+) ◄ | ►**M118** 0,06 ◄ | ►**M118** 0,3 ◄ | ►**M196** 0,01 (*) ◄ |
| 0213030 | Celeriacs/ turnip rooted celeries | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213040 | Horse-radishes | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213050 | Jerusalem artichokes | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213060 | Parsnips | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213070 | Parsley roots/ Hamburg roots parsley | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213080 | Radishes | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,1 (+) ◄ |
| 0213090 | Salsifies | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213100 | Swedes/ rutabagas | ►**M196** 2 (+) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213110 | Turnips | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0213990 | Others | ►**M196** 2 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0220000 | **Bulb vegetables** | ►**M196** — ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0220010 | Garlic | ►**M196** 5 (+) ◄ | | | |
| 0220020 | Onions | ►**M196** 5 (+) ◄ | | | |
| 0220030 | Shallots | ►**M196** 5 (+) ◄ | | | |
| 0220040 | Spring onions/ green onions and Welsh onions | ►**M196** 6 (+) ◄ | | | |
| 0220990 | Others | ►**M196** 0,5 (+) ◄ | | | |
| 0230000 | **Fruiting vegetables** | ►**M196** — ◄ | | | ►**M196** 0,01 (*) ◄ |
| 0231000 | (a) *solanacea* | ►**M196** 3 (+) ◄ | | | |
| 0231010 | Tomatoes | ►**M196** (+) ◄ | ►**M118** 0,04 ◄ | ►**M118** 0,2 ◄ | |
| 0231020 | Sweet peppers/bell peppers | ►**M196** (+) ◄ | ►**M118** 0,04 ◄ | ►**M118** 0,7 ◄ | |
| 0231030 | Aubergines/ eggplants | ►**M196** (+) ◄ | ►**M118** 0,04 ◄ | ►**M118** 0,2 ◄ | |
| 0231040 | Okra/lady's fingers | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0231990 | Others | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0232000 | (b) *cucurbits with edible peel* | ►**M196** 4 (+) ◄ | | | |
| 0232010 | Cucumbers | ►**M196** (+) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,5 ◄ | |
| 0232020 | Gherkins | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0232030 | Courgettes | ►**M196** (+) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,5 ◄ | |
| 0232990 | Others | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M196** 3 (+) ◄ | | | |
| 0233010 | Melons | ►**M196** (+) ◄ | ►**M118** 0,02 (*) (+) ◄ | ►**M118** 0,15 (+) ◄ | |
| 0233020 | Pumpkins | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0233030 | Watermelons | ►**M196** (+) ◄ | ►**M118** 0,02 (*) (+) ◄ | ►**M118** 0,15 (+) ◄ | |
| 0233990 | Others | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0234000 | (d) *sweet corn* | ►**M196** 0,05 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | |
| 0239000 | (e) *other fruiting vegetables* | ►**M196** 0,9 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M196** — ◄ | | | ►**M196** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | ►**M196** 5 (+) ◄ | ►**M118** 0,02 (*) ◄ | | |
| 0241010 | Broccoli | ►**M196** (+) ◄ | | ►**M118** 0,3 ◄ | ►**M196** (+) ◄ |
| 0241020 | Cauliflowers | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** (+) ◄ |
| 0241990 | Others | ►**M196** (+) ◄ | | ►**M118** 0,01 (*) ◄ | |
| 0242000 | (b) *head brassica* | ►**M196** 5 (+) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 (*) ◄ | |
| 0242010 | Brussels sprouts | ►**M196** (+) ◄ | | | ►**M196** (+) ◄ |
| 0242020 | Head cabbages | ►**M196** (+) ◄ | | | ►**M196** (+) ◄ |
| 0242990 | Others | ►**M196** (+) ◄ | | | |
| 0243000 | (c) *leafy brassica* | ►**M196** 9 (+) ◄ | ►**M118** 0,3 ◄ | ►**M118** 0,02 (*) ◄ | |
| 0243010 | Chinese cabbages/pe-tsai | ►**M196** (+) ◄ | | | |
| 0243020 | Kales | ►**M196** (+) ◄ | | | |
| 0243990 | Others | ►**M196** (+) ◄ | | | |
| 0244000 | (d) *kohlrabies* | ►**M196** 5 (+) ◄ | ►**M118** 0,04 (+) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | ►**M196** — ◄ | | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M196** 50 (+) ◄ | | | ►**M196** — ◄ |
| 0251010 | Lamb's lettuces/corn salads | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,9 (+) ◄ |
| 0251020 | Lettuces | ►**M196** (+) ◄ | ►**M118** 0,1 ◄ | ►**M118** 5 ◄ | ►**M196** 2 (+) ◄ |
| 0251030 | Escaroles/ broad-leaved endives | ►**M196** (+) ◄ | ►**M118** 0,1 (+) ◄ | ►**M118** 5 (+) ◄ | ►**M196** 0,9 (+) ◄ |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,9 (+) ◄ |
| 0251050 | Land cresses | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,9 (+) ◄ |
| 0251060 | Roman rocket/rucola | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,9 (+) ◄ |
| 0251070 | Red mustards | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,9 (+) ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,9 (+) ◄ |
| 0251990 | Others | ►**M196** (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,9 (+) ◄ |
| 0252000 | (b) *spinaches and similar leaves* | | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0252010 | Spinaches | ►**M196** 50 (+) ◄ | | | |
| 0252020 | Purslanes | ►**M196** 0,9 (+) ◄ | | | |
| 0252030 | Chards/beet leaves | ►**M196** 30 (+) ◄ | | | |
| 0252990 | Others | ►**M196** 0,9 (+) ◄ | | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M196** 0,01 (*) (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** **0,7** ◄ |
| 0254000 | (d) *watercresses* | ►**M196** 0,01 (*) (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/ Belgian endives* | ►**M196** 7 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M196** 50 (+) ◄ | ►**M118** 1,5 ◄ | ►**M118** — ◄ | ►**M196** — ◄ |
| 0256010 | Chervil | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** **0,7** ◄ |
| 0256020 | Chives | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** 0,02 (*) ◄ |
| 0256030 | Celery leaves | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** **0,7** ◄ |
| 0256040 | Parsley | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** 0,02 (*) ◄ |
| 0256050 | Sage | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** 0,02 (*) ◄ |
| 0256060 | Rosemary | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** 0,02 (*) ◄ |
| 0256070 | Thyme | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** 0,02 (*) ◄ |
| 0256080 | Basil and edible flowers | ►**M196** (+) ◄ | | ►**M118** **1,5** ◄ | ►**M196** 0,02 (*) ◄ |
| 0256090 | Laurel/bay leave | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** 0,02 (*) ◄ |
| 0256100 | Tarragon | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** 0,02 (*) ◄ |
| 0256990 | Others | ►**M196** (+) ◄ | | ►**M118** 0,02 (*) ◄ | ►**M196** 0,02 (*) ◄ |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | ►**M196** — ◄ | | | ►**M196** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | ►**M196** 5 (+) ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,3 ◄ | |
| 0260020 | Beans (without pods) | ►**M196** 3 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | |
| 0260030 | Peas (with pods) | ►**M196** 5 (+) ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,3 ◄ | |
| 0260040 | Peas (without pods) | ►**M196** 3 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | |
| 0260050 | Lentils | ►**M196** 3 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | |
| 0260990 | Others | ►**M196** 0,06 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0270000 | **Stem vegetables** | ►**M196** — ◄ | | | ►**M196** 0,01 (*) ◄ |
| 0270010 | Asparagus | ►**M196** 0,9 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0270020 | Cardoons | ►**M196** 0,9 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0270030 | Celeries | ►**M196** 9 (+) ◄ | ►**M118** 0,04 ◄ | ►**M118** 1 ◄ | |
| 0270040 | Florence fennels | ►**M196** 9 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0270050 | Globe artichokes | ►**M196** 5 (+) ◄ | ►**M118** 0,05 ◄ | ►**M118** 0,5 ◄ | |
| 0270060 | Leeks | ►**M196** 9 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0270070 | Rhubarbs | ►**M196** 0,9 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0270080 | Bamboo shoots | ►**M196** 0,01 (*) (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0270090 | Palm hearts | ►**M196** 0,01 (*) (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0270990 | Others | ►**M196** 0,5 (+) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 0280000 | **Fungi, mosses and lichens** | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | | | | |
| 0280020 | Wild fungi | | | | |
| 0280990 | Mosses and lichens | | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M196** 3 (+) ◄ | ►**M118** 0,02 ◄ | ►**M118** 0,04 ◄ | ►**M196** 0,01 (*) ◄ |
| 0300010 | Beans | ►**M196** (+) ◄ | | | |
| 0300020 | Lentils | ►**M196** (+) ◄ | | | |
| 0300030 | Peas | ►**M196** (+) ◄ | | | |
| 0300040 | Lupins/lupini beans | ►**M196** (+) ◄ | | | |
| 0300990 | Others | ►**M196** (+) ◄ | | | |

▼M93

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | | | ►M196 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | ►M196 — ◄ | ►M118 0,02 (*) ◄ | | |
| 0401010 | Linseeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401020 | Peanuts/ groundnuts | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401030 | Poppy seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401040 | Sesame seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401050 | Sunflower seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401060 | Rapeseeds/canola seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401070 | Soyabeans | ►M196 3 (+) ◄ | | ►M118 0,04 ◄ | |
| 0401080 | Mustard seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401090 | Cotton seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401100 | Pumpkin seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401110 | Safflower seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401120 | Borage seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401130 | Gold of pleasure seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401140 | Hemp seeds | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401150 | Castor beans | ►M196 1 (+) ◄ | | ►M118 0,02 (*) ◄ | |
| 0401990 | Others | ►M196 0,06 (+) ◄ | | ►M118 0,01 (*) ◄ | |
| 0402000 | **Oil fruits** | ►M196 0,01 (*) ◄ | | | |
| 0402010 | Olives for oil production | | ►M118 0,09 ◄ | ►M118 0,4 ◄ | |
| 0402020 | Oil palms kernels | | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |
| 0402030 | Oil palms fruits | | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |
| 0402040 | Kapok | | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |
| 0402990 | Others | | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |
| 0500000 | **CEREALS** | ►M196 — ◄ | | | ►M196 0,01 (*) ◄ |
| 0500010 | Barley | ►M196 4 (+) ◄ | ►M118 0,04 ◄ | ►M118 0,4 ◄ | |
| 0500020 | Buckwheat and other pseudo-cereals | ►M196 0,15 (+) ◄ | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |
| 0500030 | Maize/corn | ►M196 0,15 (+) ◄ | ►M118 0,02 (*) ◄ | ►M118 0,05 ◄ | |
| 0500040 | Common millet/proso millet | ►M196 0,15 (+) ◄ | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |
| 0500050 | Oat | ►M196 4 (+) ◄ | ►M118 0,02 (*) ◄ | ►M118 0,02 (*) ◄ | |
| 0500060 | Rice | ►M196 0,15 (+) ◄ | ►M118 0,5 ◄ | ►M118 0,01 (*) ◄ | |
| 0500070 | Rye | ►M196 0,8 (+) ◄ | ►M118 0,02 (*) ◄ | ►M118 0,02 (*) ◄ | |
| 0500080 | Sorghum | ►M196 0,15 (+) ◄ | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |
| 0500090 | Wheat | ►M196 0,8 (+) ◄ | ►M118 0,02 (*) ◄ | ►M118 0,05 ◄ | |
| 0500990 | Others | ►M196 0,15 (+) ◄ | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | | | ►**M196** 0,05 (*) ◄ |
| 0610000 | **Teas** | ►**M196** **40** ◄ | ►**M118** 0,7 ◄ | ►**M118** 20 ◄ | |
| 0620000 | **Coffee beans** | ►**M196** 0,05 (*) (+) ◄ | ►**M118** 0,05 ◄ | ►**M118** 0,2 ◄ | |
| 0630000 | **Herbal infusions from** | ►**M196** — ◄ | ►**M118** 0,05 (*) ◄ | ►**M118** 0,05 (*) ◄ | |
| 0631000 | (a) *flowers* | ►**M196** 0,9 (+) ◄ | | | |
| 0631010 | Chamomile | ►**M196** (+) ◄ | | | |
| 0631020 | Hibiscus/ roselle | ►**M196** (+) ◄ | | | |
| 0631030 | Rose | ►**M196** (+) ◄ | | | |
| 0631040 | Jasmine | ►**M196** (+) ◄ | | | |
| 0631050 | Lime/linden | ►**M196** (+) ◄ | | | |
| 0631990 | Others | ►**M196** (+) ◄ | | | |
| 0632000 | (b) *leaves and herbs* | ►**M196** 0,9 (+) ◄ | | | |
| 0632010 | Strawberry | ►**M196** (+) ◄ | | | |
| 0632020 | Rooibos | ►**M196** (+) ◄ | | | |
| 0632030 | Mate/maté | ►**M196** (+) ◄ | | | |
| 0632990 | Others | ►**M196** (+) ◄ | | | |
| 0633000 | (c) *roots* | ►**M196** 3 (+) ◄ | | | |
| 0633010 | Valerian | ►**M196** (+) ◄ | | | |
| 0633020 | Ginseng | ►**M196** (+) ◄ | | | |
| 0633990 | Others | ►**M196** (+) ◄ | | | |
| 0639000 | (d) *any other parts of the plant* | ►**M196** 0,01 (*) (+) ◄ | | | |
| 0640000 | **Cocoa beans** | ►**M196** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 (*) ◄ | |
| 0650000 | **Carobs/Saint John's breads** | ►**M196** 0,01 (*) ◄ | ►**M118** 0,05 (*) ◄ | ►**M118** 0,05 (*) ◄ | |
| 0700000 | **HOPS** | ►**M196** 80 (+) ◄ | ►**M118** **0,07** ◄ | ►**M118** **0,09** ◄ | ►**M196** 0,05 (*) ◄ |
| 0800000 | **SPICES** | ►**M196** (+) ◄ | | | |
| 0810000 | **Seed spices** | ►**M196** 0,9 (+) ◄ | ►**M118** 0,05 (*) ◄ | ►**M118** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | ►**M196** (+) ◄ | | | |
| 0810020 | Black caraway/ black cumin | ►**M196** (+) ◄ | | | |
| 0810030 | Celery | ►**M196** (+) ◄ | | | |
| 0810040 | Coriander | ►**M196** (+) ◄ | | | |
| 0810050 | Cumin | ►**M196** (+) ◄ | | | |
| 0810060 | Dill | ►**M196** (+) ◄ | | | |
| 0810070 | Fennel | ►**M196** (+) ◄ | | | |
| 0810080 | Fenugreek | ►**M196** (+) ◄ | | | |
| 0810090 | Nutmeg | ►**M196** (+) ◄ | | | |
| 0810990 | Others | ►**M196** (+) ◄ | | | |
| 0820000 | **Fruit spices** | ►**M196** 0,9 (+) ◄ | ►**M118** 0,05 (*) ◄ | ►**M118** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | ►**M196** (+) ◄ | | | |

▼M93

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | ►M196 (+) ◄ | | | |
| 0820030 | Caraway | ►M196 (+) ◄ | | | |
| 0820040 | Cardamom | ►M196 (+) ◄ | | | |
| 0820050 | Juniper berry | ►M196 (+) ◄ | | | |
| 0820060 | Peppercorn (black, green and white) | ►M196 (+) ◄ | | | |
| 0820070 | Vanilla | ►M196 (+) ◄ | | | |
| 0820080 | Tamarind | ►M196 (+) ◄ | | | |
| 0820990 | Others | ►M196 (+) ◄ | | | |
| 0830000 | **Bark spices** | ►M196 0,9 (+) ◄ | ►M118 0,05 (*) ◄ | ►M118 0,05 (*) ◄ | ►M196 0,05 (*) ◄ |
| 0830010 | Cinnamon | ►M196 (+) ◄ | | | |
| 0830990 | Others | ►M196 (+) ◄ | | | |
| 0840000 | **Root and rhizome spices** | ►M196 (+) ◄ | | | |
| 0840010 | Liquorice | ►M196 0,4 (+) ◄ | ►M118 0,05 (*) ◄ | ►M118 0,05 (*) ◄ | ►M196 0,05 (*) ◄ |
| 0840020 | Ginger | ►M196 (+) ◄ | ►M118 0,05 (*) ◄ | ►M118 0,05 (*) ◄ | ►M196 — ◄ |
| 0840030 | Turmeric/curcuma | ►M196 0,4 (+) ◄ | ►M118 0,05 (*) ◄ | ►M118 0,05 (*) ◄ | ►M196 0,05 (*) ◄ |
| 0840040 | Horseradish | ►M196 (+) ◄ | ►M118 (+) ◄ | ►M118 (+) ◄ | ►M196 — ◄ |
| 0840990 | Others | ►M196 0,4 (+) ◄ | ►M118 0,05 (*) ◄ | ►M118 0,05 (*) ◄ | ►M196 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►M196 0,9 (+) ◄ | ►M118 0,05 (*) ◄ | ►M118 0,05 (*) ◄ | ►M196 0,05 (*) ◄ |
| 0850010 | Cloves | ►M196 (+) ◄ | | | |
| 0850020 | Capers | ►M196 (+) ◄ | | | |
| 0850990 | Others | ►M196 (+) ◄ | | | |
| 0860000 | **Flower pistil spices** | ►M196 0,9 (+) ◄ | ►M118 0,05 (*) ◄ | ►M118 0,05 (*) ◄ | ►M196 0,05 (*) ◄ |
| 0860010 | Saffron | ►M196 (+) ◄ | | | |
| 0860990 | Others | ►M196 (+) ◄ | | | |
| 0870000 | **Aril spices** | ►M196 0,9 (+) ◄ | ►M118 0,05 (*) ◄ | ►M118 0,05 (*) ◄ | ►M196 0,05 (*) ◄ |
| 0870010 | Mace | ►M196 (+) ◄ | | | |
| 0870990 | Others | ►M196 (+) ◄ | | | |
| 0900000 | **SUGAR PLANTS** | | | | ►M196 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | ►M196 0,4 (+) ◄ | ►M118 0,02 (*) ◄ | ►M118 0,02 (*) ◄ | |
| 0900020 | Sugar canes | ►M196 7 (+) ◄ | ►M118 0,4 ◄ | ►M118 0,01 (*) ◄ | |
| 0900030 | Chicory roots | ►M196 0,4 (+) ◄ | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |
| 0900990 | Others | ►M196 0,5 ◄ | ►M118 0,01 (*) ◄ | ►M118 0,01 (*) ◄ | |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | |
| 1010000 | **Tissues from** | | | | ►**M196** 0,01 (*) ◄ |
| 1011000 | (a) *swine* | | | | |
| 1011010 | Muscle | ►**M196** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 ◄ | |
| 1011020 | Fat tissue | ►**M196** 0,07 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1011030 | Liver | ►**M196** 0,05 (*) ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,01 (*) ◄ | |
| 1011040 | Kidney | ►**M196** 0,05 (*) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1011050 | Edible offals (other than liver and kidney) | ►**M196** 0,07 ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,02 ◄ | |
| 1011990 | Others | ►**M196** 0,05 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1012000 | (b) *bovine* | | | | |
| 1012010 | Muscle | ►**M196** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 ◄ | |
| 1012020 | Fat tissue | ►**M196** 0,3 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1012030 | Liver | ►**M196** 0,2 (+) ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,01 (*) ◄ | |
| 1012040 | Kidney | ►**M196** 0,2 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1012050 | Edible offals (other than liver and kidney) | ►**M196** 0,3 ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,02 ◄ | |
| 1012990 | Others | ►**M196** 0,05 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1013000 | (c) *sheep* | | | | |
| 1013010 | Muscle | ►**M196** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 ◄ | |
| 1013020 | Fat tissue | ►**M196** 0,3 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1013030 | Liver | ►**M196** 0,2 (+) ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,01 (*) ◄ | |
| 1013040 | Kidney | ►**M196** 0,2 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1013050 | Edible offals (other than liver and kidney) | ►**M196** 0,3 ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,02 ◄ | |
| 1013990 | Others | ►**M196** 0,05 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1014000 | d) *goat* | | | | |
| 1014010 | Muscle | ►**M196** 0,2 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 ◄ | |
| 1014020 | Fat tissue | ►**M196** 0,3 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1014030 | Liver | ►**M196** 0,2 (+) ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,01 (*) ◄ | |
| 1014040 | Kidney | ►**M196** 0,2 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1014050 | Edible offals (other than liver and kidney) | ►**M196** 0,3 ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,02 ◄ | |
| 1014990 | Others | ►**M196** 0,05 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1015000 | (e) *equine* | | | | |
| 1015010 | Muscle | ►**M196** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 ◄ | |
| 1015020 | Fat tissue | ►**M196** 0,3 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1015030 | Liver | ►**M196** 0,2 ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,01 (*) ◄ | |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1015040 | Kidney | ►**M196** 0,2 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1015050 | Edible offals (other than liver and kidney) | ►**M196** 0,3 ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,02 ◄ | |
| 1015990 | Others | ►**M196** 0,05 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1016000 | (f) *poultry* | | | ►**M118** 0,01 (*) ◄ | |
| 1016010 | Muscle | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | | |
| 1016020 | Fat tissue | ►**M196** 0,08 ◄ | ►**M118** 0,01 (*) ◄ | | |
| 1016030 | Liver | ►**M196** 0,15 (+) ◄ | ►**M118** 0,1 ◄ | | |
| 1016040 | Kidney | ►**M196** 0,05 (*) ◄ | ►**M118** 0,01 (*) ◄ | | |
| 1016050 | Edible offals (other than liver and kidney) | ►**M196** 0,15 ◄ | ►**M118** 0,1 ◄ | | |
| 1016990 | Others | ►**M196** 0,05 (*) ◄ | ►**M118** 0,01 (*) ◄ | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | |
| 1017010 | Muscle | ►**M196** 0,01 (*) ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,02 ◄ | |
| 1017020 | Fat tissue | ►**M196** 0,3 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1017030 | Liver | ►**M196** 0,2 ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,01 (*) ◄ | |
| 1017040 | Kidney | ►**M196** 0,2 ◄ | ►**M118** 0,02 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1017050 | Edible offals (other than liver and kidney) | ►**M196** 0,3 ◄ | ►**M118** 0,2 ◄ | ►**M118** 0,02 ◄ | |
| 1017990 | Others | ►**M196** 0,05 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | |
| 1020000 | **Milk** | ►**M196** 0,02 ◄ | ►**M118** 0,02 ◄ | ►**M118** 0,05 ◄ | ►**M196** 0,01 (*) ◄ |
| 1020010 | Cattle | | | | |
| 1020020 | Sheep | | | | |
| 1020030 | Goat | | | | |
| 1020040 | Horse | | | | |
| 1020990 | Others | | | | |
| 1030000 | **Birds eggs** | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 1030010 | Chicken | | | | |
| 1030020 | Duck | | | | |
| 1030030 | Geese | | | | |
| 1030040 | Quail | | | | |
| 1030990 | Others | | | | |

▼**M93**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M196** 0,15 ◄ | ►**M118** 0,05 (*) ◄ | ►**M118** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M196** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M118** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |

▼**M101**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M196** Benzovindiflupyr ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►**M122** — ◄ |
| 0110000 | **Citrus fruits** | ►**M196** 0,01 (*) ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | ►**M196** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | ►**M196** 0,2 ◄ |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | ►**M196** 0,01 (*) ◄ |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | ►**M196** 1 ◄ |
| 0151010 | Table grapes | ►**M132** — ◄ |
| 0151020 | Wine grapes | ►**M132** — ◄ |
| 0152000 | (b) *strawberries* | ►**M196** 0,01 (*) ◄ |
| 0153000 | (c) *cane fruits* | ►**M196** 0,01 (*) ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | ►**M132** — ◄ |
| 0154010 | Blueberries | ►**M196** 0,01 (*) ◄ |
| 0154020 | Cranberries | ►**M196** 0,01 (*) ◄ |
| 0154030 | Currants (black, red and white) | ►**M196** 0,01 (*) ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►**M196** 0,01 (*) ◄ |
| 0154050 | Rose hips | ►**M196** 0,01 (*) ◄ |
| 0154060 | Mulberries (black and white) | ►**M196** 0,01 (*) ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►**M196** 0,2 ◄ |
| 0154080 | Elderberries | ►**M196** 0,01 (*) ◄ |
| 0154990 | Others | ►**M196** 0,01 (*) ◄ |
| 0160000 | **Miscellaneous fruits with** | ►**M132** — ◄ |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | ►**M196** 0,01 (*) ◄ |
| 0161020 | Figs | ►**M196** 0,01 (*) ◄ |
| 0161030 | Table olives | ►**M196** 0,01 (*) ◄ |
| 0161040 | Kumquats | ►**M196** 0,01 (*) ◄ |
| 0161050 | Carambolas | ►**M196** 0,01 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | ►**M196** 0,2 ◄ |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M196** 0,01 (*) ◄ |
| 0161990 | Others | ►**M196** 0,01 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | ►**M196** 0,01 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | ►**M196** 0,01 (*) ◄ |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M122** — ◄ |
| 0211000 | (a) *potatoes* | ►**M196** 0,02 ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M196** 0,02 ◄ |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | ►**M196** 0,01 (*) ◄ |
| 0213020 | Carrots | ►**M196** 0,01 (*) ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | ►**M196** 0,01 (*) ◄ |
| 0213040 | Horseradishes | ►**M196** 0,01 (*) ◄ |
| 0213050 | Jerusalem artichokes | ►**M196** 0,02 ◄ |
| 0213060 | Parsnips | ►**M196** 0,01 (*) ◄ |
| 0213070 | Parsley roots/Hamburg roots parsley | ►**M196** 0,01 (*) ◄ |
| 0213080 | Radishes | ►**M196** 0,01 (*) ◄ |
| 0213090 | Salsifies | ►**M196** 0,01 (*) ◄ |
| 0213100 | Swedes/rutabagas | ►**M196** 0,01 (*) ◄ |
| 0213110 | Turnips | ►**M196** 0,01 (*) ◄ |
| 0213990 | Others | ►**M196** 0,01 (*) ◄ |
| 0220000 | **Bulb vegetables** | ►**M191** — ◄ |
| 0220010 | Garlic | ►**M196** **0,02** ◄ |
| 0220020 | Onions | ►**M196** **0,02** ◄ |
| 0220030 | Shallots | ►**M196** **0,02** ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M196** 0,09 ◄ |
| 0220990 | Others | ►**M196** 0,01 (*) ◄ |
| 0230000 | **Fruiting vegetables** | ►**M122** — ◄ |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | ►**M196** 0,9 ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M196** 1 ◄ |
| 0231030 | Aubergines/eggplants | ►**M196** 0,9 ◄ |
| 0231040 | Okra/lady's fingers | ►**M196** 1 ◄ |
| 0231990 | Others | ►**M196** 1 ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M196** 0,08 ◄ |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M196** 0,01 (*) ◄ |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | ►**M196** 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M196** 0,9 ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M196** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M196** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M196** 0,01 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | ►**M196** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M196** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M196** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M196** 1 ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M196** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | ►**M191** — ◄ |
| 0270010 | Asparagus | ►**M196** 0,01 (*) ◄ |
| 0270020 | Cardoons | ►**M196** 0,01 (*) ◄ |
| 0270030 | Celeries | ►**M196** 0,01 (*) ◄ |
| 0270040 | Florence fennels | ►**M196** 0,01 (*) ◄ |
| 0270050 | Globe artichokes | ►**M196** 0,01 (*) ◄ |
| 0270060 | Leeks | ►**M196** 0,09 ◄ |
| 0270070 | Rhubarbs | ►**M196** 0,01 (*) ◄ |
| 0270080 | Bamboo shoots | ►**M196** 0,01 (*) ◄ |
| 0270090 | Palm hearts | ►**M196** 0,01 (*) ◄ |
| 0270990 | Others | ►**M196** 0,01 (*) ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►**M196** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M196** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M196** 0,2 ◄ |
| 0300010 | Beans | ►**M132** — ◄ |
| 0300020 | Lentils | ►**M132** — ◄ |
| 0300030 | Peas | ►**M132** — ◄ |
| 0300040 | Lupins/lupini beans | ►**M132** — ◄ |
| 0300990 | Others | ►**M132** — ◄ |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | ►**M196** 0,15 ◄ |
| 0401020 | Peanuts/groundnuts | ►**M196** 0,04 ◄ |
| 0401030 | Poppy seeds | ►**M196** 0,15 ◄ |
| 0401040 | Sesame seeds | ►**M196** 0,01 (*) ◄ |
| 0401050 | Sunflower seeds | ►**M196** 0,01 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | ►**M196** 0,2 ◄ |
| 0401070 | Soyabeans | ►**M196** 0,08 ◄ |
| 0401080 | Mustard seeds | ►**M196** 0,15 ◄ |
| 0401090 | Cotton seeds | ►**M196** 0,15 ◄ |
| 0401100 | Pumpkin seeds | ►**M196** 0,01 (*) ◄ |
| 0401110 | Safflower seeds | ►**M196** 0,01 (*) ◄ |
| 0401120 | Borage seeds | ►**M196** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►**M196** 0,15 ◄ |
| 0401140 | Hemp seeds | ►**M196** 0,01 (*) ◄ |
| 0401150 | Castor beans | ►**M196** 0,01 (*) ◄ |
| 0401990 | Others | ►**M196** 0,01 (*) ◄ |
| 0402000 | **Oil fruits** | ►**M196** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | ►**M196** 1,5 ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | ►**M196** 0,01 (*) ◄ |
| 0500030 | Maize/corn | ►**M196** 0,02 ◄ |
| 0500040 | Common millet/proso millet | ►**M196** 0,01 (*) ◄ |
| 0500050 | Oat | ►**M196** 1,5 ◄ |
| 0500060 | Rice | ►**M196** 0,01 (*) ◄ |
| 0500070 | Rye | ►**M196** 0,1 ◄ |
| 0500080 | Sorghum | ►**M196** 0,01 (*) ◄ |
| 0500090 | Wheat | ►**M196** 0,1 ◄ |
| 0500990 | Others | ►**M196** 0,01 (*) ◄ |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M132** — ◄ |
| 0610000 | **Teas** | ►**M196** 0,05 (*) ◄ |
| 0620000 | **Coffee beans** | ►**M196** 0,15 ◄ |
| 0630000 | **Herbal infusions from** | ►**M196** 0,05 (*) ◄ |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | ►**M196** 0,05 (*) ◄ |
| 0650000 | **Carobs/Saint John's breads** | ►**M196** 0,05 (*) ◄ |
| 0700000 | **HOPS** | ►**M196** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M196** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | ►**M196** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | ►**M196** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M196** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M191** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M196** 0,15 ◄ |
| 0840040 | Horseradish | ►**M191** — ◄ |
| 0840990 | Others | ►**M196** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M196** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | ►**M196** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | ►**M196** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | |
| 0900010 | Sugar beet roots | ►**M196** 0,01 (*) ◄ |
| 0900020 | Sugar canes | ►**M196** **0,4** ◄ |
| 0900030 | Chicory roots | ►**M196** 0,01 (*) ◄ |
| 0900990 | Others | ►**M196** 0,01 (*) ◄ |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | Tissues from | |
| 1011000 | (a) *swine* | ►**M132** — ◄ |
| 1011010 | Muscle | ►**M196** 0,01 (*) ◄ |
| 1011020 | Fat tissue | ►**M196** 0,03 ◄ |
| 1011030 | Liver | ►**M196** 0,1 ◄ |
| 1011040 | Kidney | ►**M196** 0,1 ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M196** 0,1 ◄ |
| 1011990 | Others | ►**M196** 0,01 (*) ◄ |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►**M196** 0,01 (*) ◄ |
| 1012020 | Fat tissue | ►**M196** 0,03 ◄ |
| 1012030 | Liver | ►**M196** 0,1 ◄ |
| 1012040 | Kidney | ►**M196** 0,1 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M196** 0,1 ◄ |
| 1012990 | Others | ►**M196** 0,01 (*) ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►**M196** 0,01 (*) ◄ |
| 1013020 | Fat tissue | ►**M196** 0,03 ◄ |
| 1013030 | Liver | ►**M196** 0,1 ◄ |
| 1013040 | Kidney | ►**M196** 0,1 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M196** 0,1 ◄ |
| 1013990 | Others | ►**M196** 0,01 (*) ◄ |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | ►**M196** 0,01 (*) ◄ |
| 1014020 | Fat tissue | ►**M196** 0,03 ◄ |
| 1014030 | Liver | ►**M196** 0,1 ◄ |
| 1014040 | Kidney | ►**M196** 0,1 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M196** 0,1 ◄ |
| 1014990 | Others | ►**M196** 0,01 (*) ◄ |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | ►**M196** 0,01 (*) ◄ |
| 1015020 | Fat tissue | ►**M196** 0,03 ◄ |
| 1015030 | Liver | ►**M196** 0,1 ◄ |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M196** 0,1 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M196** 0,1 ◄ |
| 1015990 | Others | ►**M196** 0,01 (*) ◄ |
| 1016000 | (f) *poultry* | ►**M196** 0,01 (*) ◄ |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | ►**M196** 0,01 (*) ◄ |
| 1017020 | Fat tissue | ►**M196** 0,03 ◄ |
| 1017030 | Liver | ►**M196** 0,1 ◄ |
| 1017040 | Kidney | ►**M196** 0,1 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M196** 0,1 ◄ |
| 1017990 | Others | ►**M196** 0,01 (*) ◄ |
| 1020000 | **Milk** | ►**M196** 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | ►**M196** 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M101**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M196** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M196** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M196** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M196** 0,01 (*) ◄ |

▼**M100**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M194** Dodine ◄ | Glufosinate (sum of glufosinate isomers, its salts and its metabolites 3-[hydroxy(methyl)phosphinoyl]propionic acid (MPP) and N-acetyl-glufosinate (NAG), expressed as glufosinate) |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | |
| 0110000 | **Citrus fruits** | ►**M194** **1,5** ◄ | **0,05** |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others | | |
| 0120000 | **Tree nuts** | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **Pome fruits** | | **0,1** |
| 0130010 | Apples | ►**M194** 0,9 ◄ | |
| 0130020 | Pears | ►**M194** 0,9 ◄ | |
| 0130030 | Quinces | ►**M194** 5 ◄ | |
| 0130040 | Medlars | ►**M194** 5 ◄ | |
| 0130050 | Loquats/Japanese medlars | ►**M194** 5 ◄ | |
| 0130990 | Others | ►**M194** 0,9 ◄ | |
| 0140000 | **Stone fruits** | | **0,15** |
| 0140010 | Apricots | ►**M194** 0,1 ◄ | |
| 0140020 | Cherries (sweet) | ►**M194** 3 ◄ | |
| 0140030 | Peaches | ►**M194** 0,1 ◄ | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | ►**M194** 0,01 (*) ◄ | |
| 0140990 | Others | ►**M194** 0,01 (*) ◄ | |
| 0150000 | **Berries and small fruits** | ►**M194** 0,01 (*) ◄ | |
| 0151000 | (a) *grapes* | | **0,15** |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | **0,3** |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | **0,03** (*) |
| 0153020 | Dewberries | | **0,03** (*) |
| 0153030 | Raspberries (red and yellow) | | **0,1** |
| 0153990 | Others | | **0,03** (*) |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | **0,9** (+) |
| 0154020 | Cranberries | | **0,03** (*) |
| 0154030 | Currants (black, red and white) | | **1** |
| 0154040 | Gooseberries (green, red and yellow) | | **0,9** (+) |
| 0154050 | Rose hips | | **0,03** (*) |
| 0154060 | Mulberries (black and white) | | **0,03** (*) |
| 0154070 | Azaroles/Mediterranean medlars | | **0,03** (*) |
| 0154080 | Elderberries | | **0,03** (*) |
| 0154990 | Others | | **0,03** (*) |
| 0160000 | **Miscellaneous fruits with** | | |
| 0161000 | (a) *edible peel* | | **0,1** |
| 0161010 | Dates | ►**M194** 0,01 (*) ◄ | |
| 0161020 | Figs | ►**M194** 0,01 (*) ◄ | |
| 0161030 | Table olives | ►**M194** 20 ◄ | |
| 0161040 | Kumquats | ►**M194** 0,01 (*) ◄ | |
| 0161050 | Carambolas | ►**M194** 0,01 (*) ◄ | |
| 0161060 | Kaki/Japanese persimmons | ►**M194** 0,01 (*) ◄ | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M194** 0,01 (*) ◄ | |
| 0161990 | Others | ►**M194** 0,01 (*) ◄ | |
| 0162000 | (b) *inedible peel, small* | ►**M194** 0,01 (*) ◄ | |
| 0162010 | Kiwi fruits (green, red, yellow) | | 0,6 |
| 0162020 | Litchis/lychees | | **0,1** |
| 0162030 | Passionfruits/maracujas | | **0,1** |
| 0162040 | Prickly pears/cactus fruits | | **0,1** |
| 0162050 | Star apples/cainitos | | **0,1** |
| 0162060 | American persimmons/Virginia kaki | | **0,1** |
| 0162990 | Others | | **0,1** |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163020 | Bananas | ►**M194** 0,5 ◄ | 0,2 |
| 0163030 | Mangoes | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163040 | Papayas | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163050 | Granate apples/pomegranates | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163060 | Cherimoyas | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163070 | Guavas | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163080 | Pineapples | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163090 | Breadfruits | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163100 | Durians | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163110 | Soursops/guanabanas | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0163990 | Others | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | ►**M194** 0,01 (*) ◄ | |
| 0211000 | (a) *potatoes* | | 0,3 |
| 0212000 | (b) *tropical root and tuber vegetables* | | **0,03** (*) |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | **0,1** |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | **Bulb vegetables** | ►**M194** 0,01 (*) ◄ | |
| 0220010 | Garlic | | **0,03** (*) |
| 0220020 | Onions | | **0,05** |
| 0220030 | Shallots | | **0,03** (*) |
| 0220040 | Spring onions/green onions and Welsh onions | | **0,03** (*) |
| 0220990 | Others | | **0,03** (*) |
| 0230000 | **Fruiting vegetables** | ►**M194** 0,01 (*) ◄ | |
| 0231000 | (a) *solanacea* | | |
| 0231010 | Tomatoes | | **0,1** |
| 0231020 | Sweet peppers/bell peppers | | **0,03** (*) |
| 0231030 | Aubergines/eggplants | | **0,1** |
| 0231040 | Okra/lady's fingers | | **0,03** (*) |
| 0231990 | Others | | **0,03** (*) |
| 0232000 | (b) *cucurbits with edible peel* | | **0,1** |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others | | |
| 0233000 | (c) *cucurbits with inedible peel* | | **0,03** (*) |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *sweet corn* | | **0,03** (*) |
| 0239000 | (e) *other fruiting vegetables* | | **0,03** (*) |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M194** 0,01 (*) ◄ | **0,03** (*) |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M194** 0,01 (*) ◄ | |
| 0251010 | Lamb's lettuces/corn salads | | **0,07** |
| 0251020 | Lettuces | | **0,4** |
| 0251030 | Escaroles/broad-leaved endives | | **0,06** |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | **0,06 (+)** |
| 0251050 | Land cresses | | **0,06 (+)** |
| 0251060 | Roman rocket/rucola | | **0,06 (+)** |
| 0251070 | Red mustards | | **0,06 (+)** |
| 0251080 | Baby leaf crops (including brassica species) | | **0,06 (+)** |
| 0251990 | Others | | **0,06 (+)** |
| 0252000 | (b) *spinaches and similar leaves* | ►**M194** 0,01 (*) ◄ | |
| 0252010 | Spinaches | | **0,06** |
| 0252020 | Purslanes | | **0,03** (*) |
| 0252030 | Chards/beet leaves | | **0,04** |
| 0252990 | Others | | **0,03** (*) |
| 0253000 | (c) *grape leaves and similar species* | ►**M194** 0,01 (*) ◄ | **0,03** (*) |
| 0254000 | (d) *watercresses* | ►**M194** 0,01 (*) ◄ | **0,03** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M194** 0,01 (*) ◄ | **0,03** (*) |
| 0256000 | (f) *herbs and edible flowers* | ►**M194** 0,02 (*) ◄ | |
| 0256010 | Chervil | | **0,04** |
| 0256020 | Chives | | **0,04** |
| 0256030 | Celery leaves | | **0,04** |
| 0256040 | Parsley | | **0,06** |
| 0256050 | Sage | | **0,04** |
| 0256060 | Rosemary | | **0,04** |
| 0256070 | Thyme | | **0,04** |
| 0256080 | Basil and edible flowers | | **0,04** |
| 0256090 | Laurel/bay leave | | **0,04** |
| 0256100 | Tarragon | | **0,04** |
| 0256990 | Others | | **0,04** |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | ►**M194** 0,01 (*) ◄ | **0,1** |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | **Stem vegetables** | ►**M194** 0,01 (*) ◄ | |
| 0270010 | Asparagus | | 0,4 |
| 0270020 | Cardoons | | **0,03** (*) |
| 0270030 | Celeries | | **0,03** (*) |
| 0270040 | Florence fennels | | **0,03** (*) |
| 0270050 | Globe artichokes | | **0,03** (*) |
| 0270060 | Leeks | | **0,03** (*) |
| 0270070 | Rhubarbs | | **0,03** (*) |
| 0270080 | Bamboo shoots | | **0,03** (*) |
| 0270090 | Palm hearts | | **0,03** (*) |
| 0270990 | Others | | **0,03** (*) |
| 0280000 | **Fungi, mosses and lichens** | ►**M194** 0,01 (*) ◄ | **0,03** (*) |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M194** 0,01 (*) ◄ | **0,03** (*) |
| 0300000 | **PULSES** | ►**M194** 0,01 (*) ◄ | |
| 0300010 | Beans | | **0,05** |
| 0300020 | Lentils | | **0,03** (*) |
| 0300030 | Peas | | **0,03** (*) |
| 0300040 | Lupins/lupini beans | | **0,03** (*) |
| 0300990 | Others | | **0,03** (*) |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | |
| 0401000 | **Oilseeds** | ►**M194** 0,01 (*) ◄ | |
| 0401010 | Linseeds | | **0,03** (*) |
| 0401020 | Peanuts/groundnuts | | **0,03** (*) |
| 0401030 | Poppy seeds | | **0,03** (*) |
| 0401040 | Sesame seeds | | **0,03** (*) |
| 0401050 | Sunflower seeds | | **0,03** (*) |
| 0401060 | Rapeseeds/canola seeds | | **1,5** |
| 0401070 | Soyabeans | | 2 |
| 0401080 | Mustard seeds | | **0,03** (*) |
| 0401090 | Cotton seeds | | 5 |
| 0401100 | Pumpkin seeds | | **0,03** (*) |
| 0401110 | Safflower seeds | | **0,03** (*) |
| 0401120 | Borage seeds | | **0,03** (*) |
| 0401130 | Gold of pleasure seeds | | **0,03** (*) |
| 0401140 | Hemp seeds | | **0,03** (*) |
| 0401150 | Castor beans | | **0,03** (*) |
| 0401990 | Others | | **0,03** (*) |
| 0402000 | **Oil fruits** | | **0,03** (*) |
| 0402010 | Olives for oil production | ►**M194** 20 ◄ | |
| 0402020 | Oil palms kernels | ►**M194** 0,01 (*) ◄ | |
| 0402030 | Oil palms fruits | ►**M194** 0,01 (*) ◄ | |
| 0402040 | Kapok | ►**M194** 0,01 (*) ◄ | |
| 0402990 | Others | ►**M194** 0,01 (*) ◄ | |
| 0500000 | **CEREALS** | ►**M194** 0,01 (*) ◄ | |
| 0500010 | Barley | | **0,03** (*) |
| 0500020 | Buckwheat and other pseudo-cereals | | **0,03** (*) |
| 0500030 | Maize/corn | | **0,1** |
| 0500040 | Common millet/proso millet | | **0,03** (*) |
| 0500050 | Oat | | **0,03** (*) |
| 0500060 | Rice | | 0,9 |
| 0500070 | Rye | | **0,03** (*) |
| 0500080 | Sorghum | | **0,03** (*) |
| 0500090 | Wheat | | **0,03** (*) |
| 0500990 | Others | | **0,03** (*) |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M194** 0,05 (*) ◄ | |
| 0610000 | **Teas** | | 0,1 (*) |
| 0620000 | **Coffee beans** | | **0,1** |
| 0630000 | **Herbal infusions from** | | 0,1 (*) |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | 0,1 (*) |
| 0650000 | **Carobs/Saint John's breads** | | 0,1 (*) |
| 0700000 | **HOPS** | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0820010 | Allspice/pimento | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | **Bark spices** | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0840020 | Ginger | ►**M194** — ◄ | 0,1 (*) |
| 0840030 | Turmeric/curcuma | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0840040 | Horseradish | ►**M194** — ◄ | (+) |
| 0840990 | Others | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0850000 | **Bud spices** | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | ►**M194** 0,05 (*) ◄ | 0,1 (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | ►**M194** 0,01 (*) ◄ | |
| 0900010 | Sugar beet roots | | 1,5 |
| 0900020 | Sugar canes | | **0,03** (*) |
| 0900030 | Chicory roots | | **0,03** (*) |
| 0900990 | Others | | **0,03** (*) |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | | |
| 1010000 | **Tissues from** | ►**M194** 0,01 (*) ◄ | |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | **0,05** |
| 1011020 | Fat tissue | | **0,1** |
| 1011030 | Liver | | 3 |
| 1011040 | Kidney | | 3 |
| 1011050 | Edible offals (other than liver and kidney) | | 3 |
| 1011990 | Others | | **0,03** (*) |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | ►**M194** (+) ◄ | **0,05** |
| 1012020 | Fat tissue | ►**M194** (+) ◄ | **0,1** |
| 1012030 | Liver | ►**M194** (+) ◄ | 3 |
| 1012040 | Kidney | ►**M194** (+) ◄ | 3 |
| 1012050 | Edible offals (other than liver and kidney) | | 3 |
| 1012990 | Others | | **0,03** (*) |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | ►**M194** (+) ◄ | **0,05** |
| 1013020 | Fat tissue | ►**M194** (+) ◄ | **0,1** |
| 1013030 | Liver | ►**M194** (+) ◄ | 3 |
| 1013040 | Kidney | ►**M194** (+) ◄ | 3 |
| 1013050 | Edible offals (other than liver and kidney) | | 3 |
| 1013990 | Others | | **0,03** (*) |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | ►**M194** (+) ◄ | **0,05** |
| 1014020 | Fat tissue | ►**M194** (+) ◄ | **0,1** |
| 1014030 | Liver | ►**M194** (+) ◄ | 3 |
| 1014040 | Kidney | ►**M194** (+) ◄ | 3 |
| 1014050 | Edible offals (other than liver and kidney) | | 3 |
| 1014990 | Others | | **0,03** (*) |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | **0,05** |
| 1015020 | Fat tissue | | **0,1** |
| 1015030 | Liver | | 3 |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | 3 |
| 1015050 | Edible offals (other than liver and kidney) | | 3 |
| 1015990 | Others | | **0,03** (*) |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | **0,05** |
| 1016020 | Fat tissue | | **0,05** |
| 1016030 | Liver | | **0,1** |
| 1016040 | Kidney | | **0,1** |
| 1016050 | Edible offals (other than liver and kidney) | | **0,1** |
| 1016990 | Others | | **0,03** (*) |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | **0,05** |
| 1017020 | Fat tissue | | **0,1** |
| 1017030 | Liver | | 3 |
| 1017040 | Kidney | | 3 |
| 1017050 | Edible offals (other than liver and kidney) | | 3 |
| 1017990 | Others | | **0,03** (*) |
| 1020000 | **Milk** | ►**M194** 0,01 (*) ◄ | **0,03** (*) |
| 1020010 | Cattle | ►**M194** (+) ◄ | |
| 1020020 | Sheep | ►**M194** (+) ◄ | |
| 1020030 | Goat | ►**M194** (+) ◄ | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | ►**M194** 0,01 (*) ◄ | **0,05** |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M194** 0,05 (*) ◄ | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | ►**M194** 0,01 (*) ◄ | **0,05** |
| 1060000 | **Terrestrial invertebrate animals** | ►**M194** 0,01 (*) ◄ | **0,05** |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M194** 0,01 (*) ◄ | **0,05** |

▼M102

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | 1-Naphthylacetamide and 1-naphthylacetic acid (sum of 1-naphthylacetamide and 1-naphthylacetic acid and its salts, expressed as 1-naphthylacetic acid) | ▼ — ▲ M212 | ▲ M196 Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop) ▼ | Fuberidazole | ▼ — ▲ M154 | ▼ — ▲ M212 |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0110000 | **Citrus fruits** | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0110010 | Grapefruits | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0110020 | Oranges | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0110030 | Lemons | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0110040 | Limes | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0110050 | Mandarins | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0110990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120000 | **Tree nuts** | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0120010 | Almonds | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120020 | Brazil nuts | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120030 | Cashew nuts | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120040 | Chestnuts | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120050 | Coconuts | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120060 | Hazelnuts/cobnuts | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120070 | Macadamias | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120080 | Pecans | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120090 | Pine nut kernels | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120100 | Pistachios | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120110 | Walnuts | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0120990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0130000 | **Pome fruits** | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0130010 | Apples | **0,15 (+)** | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0130020 | Pears | **0,15 (+)** | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0130030 | Quinces | **0,06** (*) | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0130040 | Medlars | **0,06** (*) | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0130050 | Loquats/Japanese medlars | **0,06** (*) | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0130990 | Others | **0,06** (*) | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0140000 | **Stone fruits** | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0140010 | Apricots | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0140020 | Cherries (sweet) | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0140030 | Peaches | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0140040 | Plums | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0140990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0150000 | **Berries and small fruits** | **0,06** (*) | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0151000 | (a) *grapes* | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0151010 | Table grapes | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0151020 | Wine grapes | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0152000 | (b) *strawberries* | | ►M212 — ◄ | ►M196 0,3 ◄ | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0153000 | (c) *cane fruits* | | ►M212 — ◄ | ►M196 **0,08** ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0153010 | Blackberries | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0153020 | Dewberries | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0153030 | Raspberries (red and yellow) | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0153990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0154000 | (d) *other small fruits and berries* | | ►M212 — ◄ | ►M196 — ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154010 | Blueberries | | ►M212 — ◄ | ►M196 **0,3** ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154020 | Cranberries | | ►M212 — ◄ | ►M196 0,1 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154030 | Currants (black, red and white) | | ►M212 — ◄ | ►M196 **0,3** ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154040 | Gooseberries (green, red and yellow) | | ►M212 — ◄ | ►M196 **0,3** ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154050 | Rose hips | | ►M212 — ◄ | ►M196 **0,3** ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154060 | Mulberries (black and white) | | ►M212 — ◄ | ►M196 0,1 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154070 | Azaroles/Mediterranean medlars | | ►M212 — ◄ | ►M196 0,1 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154080 | Elderberries | | ►M212 — ◄ | ►M196 0,1 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0154990 | Others | | ►M212 — ◄ | ►M196 0,1 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0160000 | **Miscellaneous fruits with** | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0161000 | (a) *edible peel* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0161010 | Dates | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0161020 | Figs | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0161030 | Table olives | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0161040 | Kumquats | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0161050 | Carambolas | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0161060 | Kaki/Japanese persimmons | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0161070 | Jambuls/jambolans | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0161990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0162000 | (b) *inedible peel, small* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0162020 | Litchis/lychees | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0162030 | Passionfruits/maracujas | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0162040 | Prickly pears/cactus fruits | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0162050 | Star apples/cainitos | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0162060 | American persimmons/Virginia kaki | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0162990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163000 | (c) *inedible peel, large* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163010 | Avocados | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163020 | Bananas | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163030 | Mangoes | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163040 | Papayas | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163050 | Granate apples/pomegranates | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163060 | Cherimoyas | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163070 | Guavas | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163080 | Pineapples | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163090 | Breadfruits | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163100 | Durians | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163110 | Soursops/guanabanas | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0163990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0210000 | **Root and tuber vegetables** | **0,06** (*) | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0211000 | (a) *potatoes* | | ►M212 — ◄ | ►M196 0,15 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0212010 | Cassava roots/manioc | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0212020 | Sweet potatoes | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0212030 | Yams | | ►M212 — ◄ | ►M196 0,15 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0212040 | Arrowroots | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0212990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0213010 | Beetroots | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213020 | Carrots | | ►M212 — ◄ | ►M196 0,4 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213040 | Horseradishes | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213050 | Jerusalem artichokes | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213060 | Parsnips | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213070 | Parsley roots/Hamburg roots parsley | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213080 | Radishes | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213090 | Salsifies | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213100 | Swedes/rutabagas | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213110 | Turnips | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0213990 | Others | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0220000 | **Bulb vegetables** | **0,06** (*) | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0220010 | Garlic | | ►M212 — ◄ | ►M196 0,3 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0220020 | Onions | | ►M212 — ◄ | ►M196 0,3 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0220030 | Shallots | | ►M212 — ◄ | ►M196 0,3 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0220990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0230000 | **Fruiting vegetables** | **0,06** (*) | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0231000 | (a) *solanacea* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0231010 | Tomatoes | (+) | ►M212 — ◄ | ►M196 0,06 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0231020 | Sweet peppers/bell peppers | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0231030 | Aubergines/eggplants | (+) | ►M212 — ◄ | ►M196 1 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0231040 | Okra/lady's fingers | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0231990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0232000 | (b) *cucurbits with edible peel* | | ►M212 — ◄ | ►M196 0,03 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0232010 | Cucumbers | | ►M212 — ◄ | ►M125 — ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0232020 | Gherkins | | ►M212 — ◄ | ►M125 — ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0232030 | Courgettes | | ►M212 — ◄ | ►M125 — ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0232990 | Others | | ►M212 — ◄ | ►M125 — ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0233010 | Melons | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0233020 | Pumpkins | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0233030 | Watermelons | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0233990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0234000 | (d) *sweet corn* | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0239000 | (e) *other fruiting vegetables* | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0241000 | (a) *flowering brassica* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0241010 | Broccoli | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0241020 | Cauliflowers | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0241990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0242000 | (b) *head brassica* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0242010 | Brussels sprouts | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0242020 | Head cabbages | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0242990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0243000 | (c) *leafy brassica* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0243010 | Chinese cabbages/pe-tsai | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0243020 | Kales | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0243990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0244000 | (d) *kohlrabies* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251000 | (a) *lettuces and salad plants* | **0,06** (*) | ►M212 — ◄ | ►M196 0,02 ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0251010 | Lamb's lettuces/corn salads | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251020 | Lettuces | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251030 | Escaroles/broad-leaved endives | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251040 | Cresses and other sprouts and shoots | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251050 | Land cresses | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251060 | Roman rocket/rucola | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251070 | Red mustards | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251080 | Baby leaf crops (including brassica species) | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0251990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0252000 | (b) *spinaches and similar leaves* | **0,06** (*) | ►M212 — ◄ | ►M196 0,02 ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0252010 | Spinaches | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0252020 | Purslanes | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0252030 | Chards/beet leaves | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0252990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0253000 | (c) *grape leaves and similar species* | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0254000 | (d) *watercresses* | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0256000 | (f) *herbs and edible flowers* | **0,1** (*) | ►M212 — ◄ | ►M196 0,02 ◄ | **0,02** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0256010 | Chervil | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256020 | Chives | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256030 | Celery leaves | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256040 | Parsley | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256050 | Sage | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256060 | Rosemary | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256070 | Thyme | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256080 | Basil and edible flowers | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256090 | Laurel/bay leave | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256100 | Tarragon | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0256990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0260000 | **Legume vegetables** | **0,06** (*) | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0260010 | Beans (with pods) | | ►M212 — ◄ | ►M196 1,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0260020 | Beans (without pods) | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0260030 | Peas (with pods) | | ►M212 — ◄ | ►M196 2 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0260040 | Peas (without pods) | | ►M212 — ◄ | ►M196 1,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0260050 | Lentils | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0260990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0270000 | **Stem vegetables** | **0,06** (*) | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0270010 | Asparagus | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270020 | Cardoons | | ►M212 — ◄ | ►M196 0,3 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270030 | Celeries | | ►M212 — ◄ | ►M196 0,3 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270040 | Florence fennels | | ►M212 — ◄ | ►M196 0,3 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270050 | Globe artichokes | | ►M212 — ◄ | ►M196 0,9 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270060 | Leeks | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270070 | Rhubarbs | | ►M212 — ◄ | ►M196 0,3 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270080 | Bamboo shoots | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270090 | Palm hearts | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0270990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0280000 | **Fungi, mosses and lichens** | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0280010 | Cultivated fungi | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0280020 | Wild fungi | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0280990 | Mosses and lichens | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0290000 | **Algae and prokaryotes organisms** | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0300000 | **PULSES** | **0,06** (*) | ►M212 — ◄ | ►M196 4 ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0300010 | Beans | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0300020 | Lentils | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0300030 | Peas | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0300040 | Lupins/lupini beans | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0300990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,06** (*) | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0401000 | **Oilseeds** | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0401010 | Linseeds | | ►M212 — ◄ | ►M196 9 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401020 | Peanuts/groundnuts | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401030 | Poppy seeds | | ►M212 — ◄ | ►M196 9 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401040 | Sesame seeds | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401050 | Sunflower seeds | | ►M212 — ◄ | ►M196 0,1 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401060 | Rapeseeds/canola seeds | | ►M212 — ◄ | ►M196 9 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401070 | Soyabeans | | ►M212 — ◄ | ►M196 15 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401080 | Mustard seeds | | ►M212 — ◄ | ►M196 4 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401090 | Cotton seeds | | ►M212 — ◄ | ►M196 0,7 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401100 | Pumpkin seeds | | ►M212 — ◄ | ►M196 5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401110 | Safflower seeds | | ►M212 — ◄ | ►M196 9 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401120 | Borage seeds | | ►M212 — ◄ | ►M196 4 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401130 | Gold of pleasure seeds | | ►M212 — ◄ | ►M196 9 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401140 | Hemp seeds | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401150 | Castor beans | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0401990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0402000 | **Oil fruits** | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0402010 | Olives for oil production | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0402020 | Oil palms kernels | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0402030 | Oil palms fruits | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0402040 | Kapok | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0402990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500000 | **CEREALS** | **0,06** (*) | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0500010 | Barley | | ►M212 — ◄ | | **0,05** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500030 | Maize/corn | | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500040 | Common millet/proso millet | | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500050 | Oat | | ►M212 — ◄ | | **0,05** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500060 | Rice | | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500070 | Rye | | ►M212 — ◄ | | **0,05** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500080 | Sorghum | | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500090 | Wheat | | ►M212 — ◄ | | **0,05** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0500990 | Others | | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,1** (*) | ►M212 — ◄ | | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0610000 | **Teas** | | ►M212 — ◄ | ►M196 0,05 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0620000 | **Coffee beans** | | ►M212 — ◄ | ►M196 0,05 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0630000 | **Herbal infusions from** | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0631000 | (a) *flowers* | | ►M212 — ◄ | ►M196 0,04 (*) (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0631010 | Chamomile | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0631020 | Hibiscus/roselle | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0631030 | Rose | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0631040 | Jasmine | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0631050 | Lime/linden | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0631990 | Others | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |

▼**M102**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632000 | (b) *leaves and herbs* | | ►**M212** — ◄ | ►**M196** 0,04 (*) (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0632010 | Strawberry | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0632020 | Rooibos | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0632030 | Mate/maté | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0632990 | Others | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0633000 | (c) *roots* | | ►**M212** — ◄ | ►**M196** 4 (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0633010 | Valerian | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0633020 | Ginseng | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0633990 | Others | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0639000 | (d) *any other parts of the plant* | | ►**M212** — ◄ | ►**M196** 0,05 (*) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0640000 | **Cocoa beans** | | ►**M212** — ◄ | ►**M196** 0,05 (*) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0650000 | **Carobs/Saint John's breads** | | ►**M212** — ◄ | ►**M196** 0,05 (*) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0700000 | **HOPS** | **0,1** (*) | ►**M212** — ◄ | ►**M196** 0,05 (*) (+) ◄ | 0,05 (*) | ►**M154** — ◄ | ►**M212** — ◄ |
| 0800000 | **SPICES** | | ►**M212** — ◄ | | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0810000 | **Seed spices** | **0,1** (*) | ►**M212** — ◄ | ►**M196** 0,03 (*) (+) ◄ | 0,05 (*) | ►**M154** — ◄ | ►**M212** — ◄ |
| 0810010 | Anise/aniseed | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |
| 0810020 | Black caraway/black cumin | | ►**M212** — ◄ | ►**M196** (+) ◄ | | ►**M154** — ◄ | ►**M212** — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810030 | Celery | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0810040 | Coriander | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0810050 | Cumin | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0810060 | Dill | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0810070 | Fennel | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0810080 | Fenugreek | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0810090 | Nutmeg | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0810990 | Others | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820000 | **Fruit spices** | **0,1** (*) | ►M212 — ◄ | ►M196 0,03 (*) (+) ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0820010 | Allspice/pimento | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820020 | Sichuan pepper | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820030 | Caraway | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820040 | Cardamom | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820050 | Juniper berry | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820060 | Peppercorn (black, green and white) | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820070 | Vanilla | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820080 | Tamarind | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0820990 | Others | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0830000 | **Bark spices** | **0,1** (*) | ►M212 — ◄ | ►M196 0,05 (*) ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0830010 | Cinnamon | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0830990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840000 | **Root and rhizome spices** | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0840010 | Liquorice | **0,1** (*) | ►M212 — ◄ | ►M196 4 (+) ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0840020 | Ginger | **0,1** (*) | ►M212 — ◄ | ►M196 — ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0840030 | Turmeric/curcuma | **0,1** (*) | ►M212 — ◄ | ►M196 4 (+) ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0840040 | Horseradish | **(+)** | ►M212 — ◄ | | **(+)** | ►M154 — ◄ | ►M212 — ◄ |
| 0840990 | Others | **0,1** (*) | ►M212 — ◄ | ►M196 4 (+) ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0850000 | **Bud spices** | **0,1** (*) | ►M212 — ◄ | ►M196 0,05 (*) ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0850010 | Cloves | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0850020 | Capers | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0850990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0860000 | **Flower pistil spices** | **0,1** (*) | ►M212 — ◄ | ►M196 0,05 (*) ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0860010 | Saffron | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0860990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0870000 | **Aril spices** | **0,1** (*) | ►M212 — ◄ | ►M196 0,05 (*) ◄ | 0,05 (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0870010 | Mace | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0870990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 0900000 | **SUGAR PLANTS** | **0,06** (*) | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 0900010 | Sugar beet roots | | ►M212 — ◄ | ►M196 0,5 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0900020 | Sugar canes | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0900030 | Chicory roots | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 0900990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **0,06** (*) | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1010000 | **Tissues from** | | ►M212 — ◄ | | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 1011000 | (a) *swine* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1011010 | Muscle | | ►M212 — ◄ | ►M196 0,02 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1011020 | Fat tissue | | ►M212 — ◄ | ►M196 0,04 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1011030 | Liver | | ►M212 — ◄ | ►M196 0,03 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1011040 | Kidney | | ►M212 — ◄ | ►M196 0,06 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1011050 | Edible offals (other than liver and kidney) | | ►M212 — ◄ | ►M196 0,06 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1011990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1012000 | (b) *bovine* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1012010 | Muscle | | ►M212 — ◄ | ►M196 0,02 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1012020 | Fat tissue | | ►M212 — ◄ | ►M196 0,04 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1012030 | Liver | | ►M212 — ◄ | ►M196 0,03 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1012040 | Kidney | | ►M212 — ◄ | ►M196 0,07 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1012050 | Edible offals (other than liver and kidney) | | ►M212 — ◄ | ►M196 0,07 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1012990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1013000 | (c) *sheep* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1013010 | Muscle | | ►M212 — ◄ | ►M196 0,02 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1013020 | Fat tissue | | ►M212 — ◄ | ►M196 0,04 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1013030 | Liver | | ►M212 — ◄ | ►M196 0,03 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1013040 | Kidney | | ►M212 — ◄ | ►M196 0,07 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1013050 | Edible offals (other than liver and kidney) | | ►M212 — ◄ | ►M196 0,07 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1013990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1014000 | d) *goat* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1014010 | Muscle | | ►M212 — ◄ | ►M196 0,02 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1014020 | Fat tissue | | ►M212 — ◄ | ►M196 0,04 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1014030 | Liver | | ►M212 — ◄ | ►M196 0,03 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1014040 | Kidney | | ►M212 — ◄ | ►M196 0,07 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1014050 | Edible offals (other than liver and kidney) | | ►M212 — ◄ | ►M196 0,07 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1014990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1015000 | (e) *equine* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1015010 | Muscle | | ►M212 — ◄ | ►M196 0,02 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1015020 | Fat tissue | | ►M212 — ◄ | ►M196 0,04 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1015030 | Liver | | ►M212 — ◄ | ►M196 0,03 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1015040 | Kidney | | ►M212 — ◄ | ►M196 0,07 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1015050 | Edible offals (other than liver and kidney) | | ►M212 — ◄ | ►M196 0,07 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1015990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1016000 | (f) *poultry* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1016010 | Muscle | | ►M212 — ◄ | ►M196 0,02 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1016020 | Fat tissue | | ►M212 — ◄ | ►M196 0,02 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1016030 | Liver | | ►M212 — ◄ | ►M196 0,04 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1016040 | Kidney | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1016050 | Edible offals (other than liver and kidney) | | ►M212 — ◄ | ►M196 0,04 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1016990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1017010 | Muscle | | ►M212 — ◄ | ►M196 0,02 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1017020 | Fat tissue | | ►M212 — ◄ | ►M196 0,04 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1017030 | Liver | | ►M212 — ◄ | ►M196 0,03 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1017040 | Kidney | | ►M212 — ◄ | ►M196 0,07 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1017050 | Edible offals (other than liver and kidney) | | ►M212 — ◄ | ►M196 0,07 ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1017990 | Others | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1020000 | **Milk** | | ►M212 — ◄ | ►M196 0,08 ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 1020010 | Cattle | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1020020 | Sheep | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1020030 | Goat | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1020040 | Horse | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |
| 1020990 | Others | | ►M212 — ◄ | | | ►M154 — ◄ | ►M212 — ◄ |

▼M102

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030000 | **Birds eggs** | | ►M212 — ◄ | ►M196 0,02 (+) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 1030010 | Chicken | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1030020 | Duck | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1030030 | Geese | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1030040 | Quail | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1030990 | Others | | ►M212 — ◄ | ►M196 (+) ◄ | | ►M154 — ◄ | ►M212 — ◄ |
| 1040000 | **Honey and other apiculture products** | | ►M212 — ◄ | ►M196 0,05 (*) ◄ | **0,05** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 1050000 | **Amphibians and Reptiles** | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 1060000 | **Terrestrial invertebrate animals** | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | | ►M212 — ◄ | ►M196 0,01 (*) ◄ | **0,01** (*) | ►M154 — ◄ | ►M212 — ◄ |

▼**M103**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M140** Fluoxastrobin (sum of fluoxastrobin and its Z-isomer) ([R]) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►**M140** 0,01 (*) ◄ |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | ►**M140** 0,1 ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M140** 0,01 (*) ◄ |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M140** 0,01 (*) ◄ |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | ►**M140** **0,04** ◄ |
| 0220020 | Onions | ►**M140** 0,04 ◄ |
| 0220030 | Shallots | ►**M140** 0,04 ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M140** 0,01 (*) ◄ |
| 0220990 | Others | ►**M140** 0,01 (*) ◄ |
| 0230000 | **Fruiting vegetables** | ►**M140** 0,01 (*) ◄ |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M140** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M140** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M140** 0,01 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | ►**M140** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M140** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M140** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M140** 0,02 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M140** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | ►**M140** 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | ►**M140** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M140** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M140** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M140** — ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | ►**M140** **0,05** ◄ |
| 0401020 | Peanuts/groundnuts | ►**M140** 0,01 (*) ◄ |
| 0401030 | Poppy seeds | ►**M140** **0,05** ◄ |
| 0401040 | Sesame seeds | ►**M140** 0,01 (*) ◄ |
| 0401050 | Sunflower seeds | ►**M140** 0,01 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | ►**M140** **0,05** ◄ |
| 0401070 | Soyabeans | ►**M140** 0,01 (*) ◄ |
| 0401080 | Mustard seeds | ►**M140** **0,05** ◄ |
| 0401090 | Cotton seeds | ►**M140** 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds | ►**M140** 0,01 (*) ◄ |
| 0401110 | Safflower seeds | ►**M140** 0,01 (*) ◄ |
| 0401120 | Borage seeds | ►**M140** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►**M140** **0,05** ◄ |
| 0401140 | Hemp seeds | ►**M140** 0,01 (*) ◄ |
| 0401150 | Castor beans | ►**M140** 0,01 (*) ◄ |
| 0401990 | Others | ►**M140** 0,01 (*) ◄ |
| 0402000 | **Oil fruits** | ►**M140** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | ►**M140** 0,5 (+) ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | ►**M140** 0,01 (*) ◄ |
| 0500030 | Maize/corn | ►**M140** 0,01 (*) ◄ |
| 0500040 | Common millet/proso millet | ►**M140** 0,01 (*) ◄ |
| 0500050 | Oat | ►**M140** 0,5 (+) ◄ |
| 0500060 | Rice | ►**M140** 0,01 (*) ◄ |
| 0500070 | Rye | ►**M140** 0,03 ◄ |
| 0500080 | Sorghum | ►**M140** 0,01 (*) ◄ |
| 0500090 | Wheat | ►**M140** 0,03 ◄ |
| 0500990 | Others | ►**M140** 0,01 (*) ◄ |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M140** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M140** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M140** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | ►**M140** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | ►**M140** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M140** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M140** 0,05 (*) ◄ |
| 0840030 | Turmeric/curcuma | ►**M140** 0,05 (*) ◄ |
| 0840040 | Horseradish | ►**M140** — ◄ |
| 0840990 | Others | ►**M140** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M140** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | ►**M140** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | ►**M140** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | ►**M140** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | Tissues from | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | ►**M140** 0,02 (*) ◄ |
| 1011020 | Fat tissue | ►**M140** 0,02 (*) ◄ |
| 1011030 | Liver | ►**M140** 0,05 (*) ◄ |
| 1011040 | Kidney | ►**M140** 0,05 (*) ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M140** 0,05 (*) ◄ |
| 1011990 | Others | ►**M140** 0,05 (*) ◄ |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►**M140** 0,02 (*) ◄ |
| 1012020 | Fat tissue | ►**M140** 0,05 ◄ |
| 1012030 | Liver | ►**M140** 0,05 (*) ◄ |
| 1012040 | Kidney | ►**M140** 0,1 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M140** 0,05 (*) ◄ |
| 1012990 | Others | ►**M140** 0,05 (*) ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►**M140** 0,02 (*) ◄ |
| 1013020 | Fat tissue | ►**M140** 0,05 ◄ |
| 1013030 | Liver | ►**M140** 0,05 (*) ◄ |
| 1013040 | Kidney | ►**M140** 0,1 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M140** 0,05 (*) ◄ |
| 1013990 | Others | ►**M140** 0,05 (*) ◄ |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | ►**M140** 0,02 (*) ◄ |
| 1014020 | Fat tissue | ►**M140** 0,05 ◄ |
| 1014030 | Liver | ►**M140** 0,05 (*) ◄ |
| 1014040 | Kidney | ►**M140** 0,1 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M140** 0,05 (*) ◄ |
| 1014990 | Others | ►**M140** 0,05 (*) ◄ |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | ►**M140** 0,02 (*) ◄ |
| 1015020 | Fat tissue | ►**M140** 0,05 ◄ |
| 1015030 | Liver | ►**M140** 0,05 (*) ◄ |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M140** 0,1 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M140** 0,05 (*) ◄ |
| 1015990 | Others | ►**M140** 0,05 (*) ◄ |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | ►**M140** 0,02 (*) ◄ |
| 1016020 | Fat tissue | ►**M140** 0,02 (*) ◄ |
| 1016030 | Liver | ►**M140** 0,05 (*) ◄ |
| 1016040 | Kidney | ►**M140** 0,05 (*) ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►**M140** 0,05 (*) ◄ |
| 1016990 | Others | ►**M140** 0,05 (*) ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | ►**M140** 0,02 (*) ◄ |
| 1017020 | Fat tissue | ►**M140** 0,05 ◄ |
| 1017030 | Liver | ►**M140** 0,05 (*) ◄ |
| 1017040 | Kidney | ►**M140** 0,1 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M140** 0,05 (*) ◄ |
| 1017990 | Others | ►**M140** 0,05 (*) ◄ |
| 1020000 | **Milk** | ►**M140** 0,02 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | ►**M140** 0,05 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M103**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M140** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M140** 0,02 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M140** 0,02 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M140** 0,02 (*) ◄ |

▼**M111**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M217** Cyantraniliprole ◄ | ►**M196** Isofetamid ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | |
| 0110000 | **Citrus fruits** | ►**M217** 0,9 ◄ | ►**M196** 0,01 (*) ◄ |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others | | |
| 0120000 | **Tree nuts** | ►**M217** 0,04 ◄ | ►**M196** 0,01 (*) ◄ |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **Pome fruits** | ►**M217** 0,8 ◄ | ►**M196** 0,6 ◄ |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others | | |
| 0140000 | **Stone fruits** | | ►**M161** — ◄ |
| 0140010 | Apricots | ►**M217** **0,7** ◄ | ►**M196** 3 ◄ |
| 0140020 | Cherries (sweet) | ►**M217** 6 ◄ | ►**M196** 4 ◄ |
| 0140030 | Peaches | ►**M217** 1,5 ◄ | ►**M196** 3 ◄ |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | ►**M217** 0,7 ◄ | ►**M196** 0,8 ◄ |
| 0140990 | Others | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | ►**M217** 1,5 ◄ | ►**M196** 4 ◄ |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | ►**M217** 1,5 ◄ | ►**M196** 4 ◄ |
| 0153000 | (c) *cane fruits* | ►**M217** 0,01 (*) ◄ | ►**M196** 7 ◄ |
| 0153010 | Blackberries | ►**M191** — ◄ | |
| 0153020 | Dewberries | ►**M191** — ◄ | |
| 0153030 | Raspberries (red and yellow) | ►**M191** — ◄ | |
| 0153990 | Others | ►**M191** — ◄ | |
| 0154000 | (d) *other small fruits and berries* | | ►**M132** — ◄ |
| 0154010 | Blueberries | ►**M217** 4 ◄ | ►**M196** 4 ◄ |
| 0154020 | Cranberries | ►**M217** 0,08 ◄ | ►**M196** 4 ◄ |
| 0154030 | Currants (black, red and white) | ►**M217** 4 ◄ | ►**M196** 4 ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►**M217** 4 ◄ | ►**M196** 4 ◄ |
| 0154050 | Rose hips | ►**M217** 4 ◄ | ►**M196** 4 ◄ |
| 0154060 | Mulberries (black and white) | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►**M217** 0,8 ◄ | ►**M196** 0,6 ◄ |
| 0154080 | Elderberries | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0154990 | Others | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0160000 | **Miscellaneous fruits with** | | ►**M161** — ◄ |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0161020 | Figs | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0161030 | Table olives | ►**M217** 3 ◄ | ►**M196** 0,01 (*) ◄ |
| 0161040 | Kumquats | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0161050 | Carambolas | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | ►**M217** 0,8 ◄ | ►**M196** 0,6 ◄ |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0161990 | Others | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/ Virginia kaki | | |
| 0162990 | Others | | |
| 0163000 | (c) *inedible peel, large* | ►**M161** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0163010 | Avocados | ►**M217** 0,01 (*) ◄ | |
| 0163020 | Bananas | ►**M217** 0,01 (*) ◄ | |
| 0163030 | Mangoes | ►**M217** 0,7 ◄ | |
| 0163040 | Papayas | ►**M217** 0,01 (*) ◄ | |
| 0163050 | Granate apples/ pomegranates | ►**M217** 0,01 (*) ◄ | |
| 0163060 | Cherimoyas | ►**M217** 0,01 (*) ◄ | |
| 0163070 | Guavas | ►**M217** 0,01 (*) ◄ | |
| 0163080 | Pineapples | ►**M217** 0,01 (*) ◄ | |
| 0163090 | Breadfruits | ►**M217** 0,01 (*) ◄ | |
| 0163100 | Durians | ►**M217** 0,01 (*) ◄ | |
| 0163110 | Soursops/guanabanas | ►**M217** 0,01 (*) ◄ | |
| 0163990 | Others | ►**M217** 0,01 (*) ◄ | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | ►**M217** **0,15** ◄ | |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M217** **0,15** ◄ | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M217** 0,05 ◄ | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | **Bulb vegetables** | | ►**M196** 0,01 (*) ◄ |
| 0220010 | Garlic | ►**M217** 0,05 ◄ | |
| 0220020 | Onions | ►**M217** 0,05 ◄ | |
| 0220030 | Shallots | ►**M217** 0,05 ◄ | |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M217** 8 ◄ | |
| 0220990 | Others | ►**M217** 0,05 ◄ | |
| 0230000 | **Fruiting vegetables** | | ►**M136** — ◄ |
| 0231000 | (a) *solanacea* | | |
| 0231010 | Tomatoes | ►**M217** 1 ◄ | ►**M196** 1,5 ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M217** 1,5 ◄ | ►**M196** 3 ◄ |
| 0231030 | Aubergines/eggplants | ►**M217** 1 ◄ | ►**M196** 1,5 ◄ |
| 0231040 | Okra/lady's fingers | ►**M217** 1,5 ◄ | ►**M196** 3 ◄ |
| 0231990 | Others | ►**M217** 1,5 ◄ | ►**M196** 3 ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M217** 0,4 ◄ | ►**M196** 1 ◄ |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M217** **0,4** ◄ | ►**M196** 0,01 (*) ◄ |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *sweet corn* | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M217** **0,01** (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | ►**M196** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | ►**M217** 2 ◄ | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) *head brassica* | ►**M217** 2 ◄ | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) *leafy brassica* | ►**M217** — ◄ | |
| 0243010 | Chinese cabbages/pe-tsai | ►**M217** **30** ◄ | |
| 0243020 | Kales | ►**M217** 0,01 (*) ◄ | |
| 0243990 | Others | ►**M217** **30** ◄ | |
| 0244000 | (d) *kohlrabies* | ►**M217** 2 ◄ | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M217** **15** ◄ | |
| 0251010 | Lamb's lettuces/corn salads | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0251020 | Lettuces | ►**M217** — ◄ | ►**M196** 20 ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0251050 | Land cresses | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0251060 | Roman rocket/rucola | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0251070 | Red mustards | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0251990 | Others | ►**M217** — ◄ | ►**M196** 0,01 (*) ◄ |
| 0252000 | (b) *spinaches and similar leaves* | ►**M217** — ◄ | ►**M196** 20 ◄ |
| 0252010 | Spinaches | ►**M217** 0,01 (*) ◄ | |
| 0252020 | Purslanes | ►**M217** **20** ◄ | |
| 0252030 | Chards/beet leaves | ►**M217** **20** ◄ | |
| 0252990 | Others | ►**M217** **20** ◄ | |
| 0253000 | (c) *grape leaves and similar species* | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M217** — ◄ | ►**M196** 20 ◄ |
| 0256010 | Chervil | ►**M217** 0,02 (*) ◄ | |
| 0256020 | Chives | ►**M217** 0,02 (*) ◄ | |
| 0256030 | Celery leaves | ►**M217** 0,02 (*) ◄ | |
| 0256040 | Parsley | ►**M217** **20** ◄ | |
| 0256050 | Sage | ►**M217** 0,02 (*) ◄ | |
| 0256060 | Rosemary | ►**M217** 0,02 (*) ◄ | |
| 0256070 | Thyme | ►**M217** 0,02 (*) ◄ | |
| 0256080 | Basil and edible flowers | ►**M217** 0,02 (*) ◄ | |
| 0256090 | Laurel/bay leave | ►**M217** 0,02 (*) ◄ | |
| 0256100 | Tarragon | ►**M217** 0,02 (*) ◄ | |
| 0256990 | Others | ►**M217** 0,02 (*) ◄ | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | ►**M161** — ◄ |
| 0260010 | Beans (with pods) | ►**M217** 1,5 ◄ | ►**M196** 0,6 ◄ |
| 0260020 | Beans (without pods) | ►**M217** 0,3 ◄ | ►**M196** 0,01 (*) ◄ |
| 0260030 | Peas (with pods) | ►**M217** 2 ◄ | ►**M196** 0,6 ◄ |
| 0260040 | Peas (without pods) | ►**M217** 0,3 ◄ | ►**M196** 0,01 (*) ◄ |
| 0260050 | Lentils | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0260990 | Others | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0270000 | **Stem vegetables** | | ►**M196** 0,01 (*) ◄ |
| 0270010 | Asparagus | ►**M217** 0,01 (*) ◄ | |
| 0270020 | Cardoons | ►**M217** 0,01 (*) ◄ | |
| 0270030 | Celeries | ►**M217** 15 ◄ | |
| 0270040 | Florence fennels | ►**M217** 0,01 (*) ◄ | |
| 0270050 | Globe artichokes | ►**M217** 0,1 ◄ | |
| 0270060 | Leeks | ►**M217** 0,01 (*) ◄ | |
| 0270070 | Rhubarbs | ►**M217** 0,01 (*) ◄ | |
| 0270080 | Bamboo shoots | ►**M217** 0,01 (*) ◄ | |
| 0270090 | Palm hearts | ►**M217** 0,01 (*) ◄ | |
| 0270990 | Others | ►**M217** 0,01 (*) ◄ | |
| 0280000 | **Fungi, mosses and lichens** | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M116** — ◄ | ►**M196** **0,09** ◄ |
| 0300010 | Beans | ►**M217** 0,3 ◄ | |
| 0300020 | Lentils | ►**M217** 0,01 (*) ◄ | |
| 0300030 | Peas | ►**M217** 0,01 (*) ◄ | |
| 0300040 | Lupins/lupini beans | ►**M217** 0,01 (*) ◄ | |
| 0300990 | Others | ►**M217** 0,01 (*) ◄ | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | ►**M132** — ◄ |
| 0401000 | **Oilseeds** | ►**M116** — ◄ | |
| 0401010 | Linseeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401020 | Peanuts/groundnuts | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0401030 | Poppy seeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401040 | Sesame seeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401050 | Sunflower seeds | ►**M217** 0,5 ◄ | ►**M196** 0,01 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | ►**M217** 0,8 ◄ | ►**M196** 0,015 ◄ |
| 0401070 | Soyabeans | ►**M217** 0,4 ◄ | ►**M196** 0,01 (*) ◄ |
| 0401080 | Mustard seeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401090 | Cotton seeds | ►**M217** 1,5 ◄ | ►**M196** 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401110 | Safflower seeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401120 | Borage seeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401140 | Hemp seeds | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401150 | Castor beans | ►**M217** **1,5** ◄ | ►**M196** 0,01 (*) ◄ |
| 0401990 | Others | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0402000 | **Oil fruits** | | ►**M196** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | ►**M217** 3 ◄ | |
| 0402020 | Oil palms kernels | ►**M217** 0,01 (*) ◄ | |
| 0402030 | Oil palms fruits | ►**M217** 0,01 (*) ◄ | |
| 0402040 | Kapok | ►**M217** 0,01 (*) ◄ | |
| 0402990 | Others | ►**M217** 0,01 (*) ◄ | |
| 0500000 | **CEREALS** | ►**M217** 0,01 (*) ◄ | ►**M196** 0,01 (*) ◄ |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudo-cereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others | | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | ►**M196** 0,05 (*) ◄ |
| 0610000 | **Teas** | ►**M217** 0,05 (*) ◄ | |
| 0620000 | **Coffee beans** | ►**M217** 0,05 ◄ | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | ►**M217** 0,05 (*) ◄ | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |
| 0632000 | (b) *leaves and herbs* | ►**M217** 0,05 (*) ◄ | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *roots* | ►**M217** 0,2 ◄ | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) *any other parts of the plant* | ►**M217** 0,05 (*) ◄ | |
| 0640000 | **Cocoa beans** | ►**M217** 0,05 (*) ◄ | |
| 0650000 | **Carobs/Saint John's breads** | ►**M217** 0,05 (*) ◄ | |
| 0700000 | **HOPS** | ►**M217** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | ►**M217** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | ►**M217** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | **Bark spices** | ►**M217** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | ►**M217** 0,2 ◄ | ►**M196** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M161** — ◄ | ►**M161** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M217** 0,2 ◄ | ►**M196** 0,05 (*) ◄ |
| 0840040 | Horseradish | ►**M161** — ◄ | ►**M136** — ◄ |
| 0840990 | Others | ►**M217** 0,2 ◄ | ►**M196** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M217** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | ►**M217** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | ►**M217** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | | ►**M196** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | ►**M217** 0,05 ◄ | |
| 0900020 | Sugar canes | ►**M217** 0,01 (*) ◄ | |
| 0900030 | Chicory roots | ►**M217** 0,05 ◄ | |
| 0900990 | Others | ►**M217** 0,01 (*) ◄ | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Tissues from** | | ►**M196** 0,01 (*) ◄ |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | ►**M217** 0,2 ◄ | |
| 1011020 | Fat tissue | ►**M217** 0,5 ◄ | |
| 1011030 | Liver | ►**M217** 1,5 ◄ | |
| 1011040 | Kidney | ►**M217** 1,5 ◄ | |
| 1011050 | Edible offals (other than liver and kidney) | ►**M217** 1,5 ◄ | |
| 1011990 | Others | ►**M217** 0,01 ◄ | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | ►**M217** 0,2 ◄ | |
| 1012020 | Fat tissue | ►**M217** 0,5 ◄ | |
| 1012030 | Liver | ►**M217** 1,5 ◄ | |
| 1012040 | Kidney | ►**M217** 1,5 ◄ | |
| 1012050 | Edible offals (other than liver and kidney) | ►**M217** 1,5 ◄ | |
| 1012990 | Others | ►**M217** 0,01 ◄ | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | ►**M217** 0,2 ◄ | |
| 1013020 | Fat tissue | ►**M217** 0,5 ◄ | |
| 1013030 | Liver | ►**M217** 1,5 ◄ | |
| 1013040 | Kidney | ►**M217** 1,5 ◄ | |
| 1013050 | Edible offals (other than liver and kidney) | ►**M217** 1,5 ◄ | |
| 1013990 | Others | ►**M217** 0,01 ◄ | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | ►**M217** 0,2 ◄ | |
| 1014020 | Fat tissue | ►**M217** 0,5 ◄ | |
| 1014030 | Liver | ►**M217** 1,5 ◄ | |
| 1014040 | Kidney | ►**M217** 1,5 ◄ | |
| 1014050 | Edible offals (other than liver and kidney) | ►**M217** 1,5 ◄ | |
| 1014990 | Others | ►**M217** 0,01 ◄ | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | ►**M217** 0,2 ◄ | |
| 1015020 | Fat tissue | ►**M217** 0,5 ◄ | |
| 1015030 | Liver | ►**M217** 1,5 ◄ | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | ►**M217** 1,5 ◄ | |
| 1015050 | Edible offals (other than liver and kidney) | ►**M217** 1,5 ◄ | |
| 1015990 | Others | ►**M217** 0,01 ◄ | |
| 1016000 | (f) *poultry* | ►**M116** — ◄ | |
| 1016010 | Muscle | ►**M217** 0,02 ◄ | |
| 1016020 | Fat tissue | ►**M217** 0,04 ◄ | |
| 1016030 | Liver | ►**M217** 0,15 ◄ | |
| 1016040 | Kidney | ►**M217** 0,15 ◄ | |
| 1016050 | Edible offals (other than liver and kidney) | ►**M217** 0,15 ◄ | |
| 1016990 | Others | ►**M217** 0,01 ◄ | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | ►**M217** 0,2 ◄ | |
| 1017020 | Fat tissue | ►**M217** 0,5 ◄ | |
| 1017030 | Liver | ►**M217** 1,5 ◄ | |
| 1017040 | Kidney | ►**M217** 1,5 ◄ | |
| 1017050 | Edible offals (other than liver and kidney) | ►**M217** 1,5 ◄ | |
| 1017990 | Others | ►**M217** 0,01 ◄ | |
| 1020000 | **Milk** | ►**M217** 0,02 ◄ | ►**M196** 0,01 (*) ◄ |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | ►**M217** 0,15 ◄ | ►**M196** 0,01 (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M111**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M217** 0,05 (*) ◄ | ►**M196** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M217** 0,01 ◄ | ►**M196** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M217** 0,01 ◄ | ►**M196** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M217** 0,01 ◄ | ►**M196** 0,01 (*) ◄ |

▼**M112**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M133** Sulfoxaflor (sum of isomers) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | ►**M133** 0,15 ◄ |
| 0110020 | Oranges | ►**M133** 0,8 ◄ |
| 0110030 | Lemons | ►**M133** 0,4 ◄ |
| 0110040 | Limes | ►**M133** 0,01 (*) ◄ |
| 0110050 | Mandarins | ►**M133** 0,8 ◄ |
| 0110990 | Others | ►**M133** 0,01 (*) ◄ |
| 0120000 | **Tree nuts** | ►**M133** 0,02 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | ►**M133** 0,4 ◄ |
| 0130020 | Pears | ►**M133** 0,4 ◄ |
| 0130030 | Quinces | ►**M133** 0,3 ◄ |
| 0130040 | Medlars | ►**M133** 0,3 ◄ |
| 0130050 | Loquats/Japanese medlars | ►**M133** 0,3 ◄ |
| 0130990 | Others | ►**M133** 0,3 ◄ |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | ►**M133** 0,5 ◄ |
| 0140020 | Cherries (sweet) | ►**M133** 1,5 ◄ |
| 0140030 | Peaches | ►**M133** 0,5 ◄ |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M133** 0,5 ◄ |
| 0140990 | Others | ►**M133** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | ►**M133** 2 ◄ |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | ►**M133** 0,5 ◄ |
| 0153000 | (c) *cane fruits* | ►**M133** 0,01 (*) ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | ►**M133** 0,01 (*) ◄ |
| 0154020 | Cranberries | ►**M133** 0,01 (*) ◄ |
| 0154030 | Currants (black, red and white) | ►**M133** 0,01 (*) ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►**M133** 0,01 (*) ◄ |
| 0154050 | Rose hips | ►**M133** 0,01 (*) ◄ |
| 0154060 | Mulberries (black and white) | ►**M133** 0,01 (*) ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►**M133** 0,3 ◄ |
| 0154080 | Elderberries | ►**M133** 0,01 (*) ◄ |
| 0154990 | Others | ►**M133** 0,01 (*) ◄ |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | ►**M133** 0,01 (*) ◄ |
| 0161020 | Figs | ►**M133** 0,01 (*) ◄ |
| 0161030 | Table olives | ►**M133** 0,01 (*) ◄ |
| 0161040 | Kumquats | ►**M133** 0,01 (*) ◄ |
| 0161050 | Carambolas | ►**M133** 0,01 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | ►**M133** 0,3 ◄ |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M133** 0,01 (*) ◄ |
| 0161990 | Others | ►**M133** 0,01 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | ►**M133** 0,01 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | ►**M133** 0,01 (*) ◄ |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | ►**M133** 0,03 ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M133** 0,03 ◄ |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | ►**M133** 0,03 ◄ |
| 0213020 | Carrots | ►**M133** 0,05 ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | ►**M133** 0,03 ◄ |
| 0213040 | Horseradishes | ►**M133** 0,03 ◄ |
| 0213050 | Jerusalem artichokes | ►**M133** 0,03 ◄ |
| 0213060 | Parsnips | ►**M133** 0,03 ◄ |
| 0213070 | Parsley roots/Hamburg roots parsley | ►**M133** 0,03 ◄ |
| 0213080 | Radishes | ►**M133** 0,03 ◄ |
| 0213090 | Salsifies | ►**M133** 0,03 ◄ |
| 0213100 | Swedes/rutabagas | ►**M133** 0,03 ◄ |
| 0213110 | Turnips | ►**M133** 0,03 ◄ |
| 0213990 | Others | ►**M133** 0,03 ◄ |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | ►**M133** 0,01 (*) ◄ |
| 0220020 | Onions | ►**M133** 0,01 (*) ◄ |
| 0220030 | Shallots | ►**M133** 0,01 (*) ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M133** 0,7 ◄ |
| 0220990 | Others | ►**M133** 0,01 (*) ◄ |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | ►**M133** 0,3 ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M133** 0,4 ◄ |
| 0231030 | Aubergines/eggplants | ►**M133** 0,3 ◄ |
| 0231040 | Okra/lady's fingers | ►**M133** 0,01 (*) ◄ |
| 0231990 | Others | ►**M133** 0,01 (*) ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M133** 0,5 ◄ |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M133** 0,5 ◄ |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | ►**M133** 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M133** 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | ►**M133** 3 ◄ |
| 0241020 | Cauliflowers | ►**M133** 0,04 ◄ |
| 0241990 | Others | ►**M133** 0,01 (*) ◄ |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | ►**M133** 0,01 (*) ◄ |
| 0242020 | Head cabbages | ►**M133** 0,4 ◄ |
| 0242990 | Others | ►**M133** 0,01 (*) ◄ |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | ►**M133** 2 ◄ |
| 0243020 | Kales | ►**M133** 0,01 (*) ◄ |
| 0243990 | Others | ►**M133** 0,01 (*) ◄ |
| 0244000 | (d) *kohlrabies* | ►**M133** 0,01 (*) ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | ►**M133** 0,01 (*) ◄ |
| 0251020 | Lettuces | ►**M133** 4 ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►**M133** 0,01 (*) ◄ |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M133** 0,01 (*) ◄ |
| 0251050 | Land cresses | ►**M133** 0,01 (*) ◄ |
| 0251060 | Roman rocket/rucola | ►**M133** 0,01 (*) ◄ |
| 0251070 | Red mustards | ►**M133** 0,01 (*) ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M133** 0,01 (*) ◄ |
| 0251990 | Others | ►**M133** 0,01 (*) ◄ |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | ►**M133** 6 ◄ |
| 0252020 | Purslanes | ►**M133** 0,01 (*) ◄ |
| 0252030 | Chards/beet leaves | ►**M133** 0,01 (*) ◄ |
| 0252990 | Others | ►**M133** 0,01 (*) ◄ |
| 0253000 | (c) *grape leaves and similar species* | ►**M133** **2** ◄ |
| 0254000 | (d) *watercresses* | ►**M133** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M133** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | ►**M133** 0,02 (*) ◄ |
| 0256020 | Chives | ►**M133** 0,02 (*) ◄ |
| 0256030 | Celery leaves | ►**M133** 1,5 ◄ |
| 0256040 | Parsley | ►**M133** 0,02 (*) ◄ |
| 0256050 | Sage | ►**M133** 0,02 (*) ◄ |
| 0256060 | Rosemary | ►**M133** 0,02 (*) ◄ |
| 0256070 | Thyme | ►**M133** 0,02 (*) ◄ |
| 0256080 | Basil and edible flowers | ►**M133** 0,02 (*) ◄ |
| 0256090 | Laurel/bay leave | ►**M133** 0,02 (*) ◄ |
| 0256100 | Tarragon | ►**M133** 0,02 (*) ◄ |
| 0256990 | Others | ►**M133** 0,02 (*) ◄ |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M133** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | |
| 0270010 | Asparagus | ►**M133** 0,01 (*) ◄ |
| 0270020 | Cardoons | ►**M133** 0,01 (*) ◄ |
| 0270030 | Celeries | ►**M133** 1,5 ◄ |
| 0270040 | Florence fennels | ►**M133** 0,01 (*) ◄ |
| 0270050 | Globe artichokes | ►**M133** **0,06** ◄ |
| 0270060 | Leeks | ►**M133** 0,01 (*) ◄ |
| 0270070 | Rhubarbs | ►**M133** 0,01 (*) ◄ |
| 0270080 | Bamboo shoots | ►**M133** 0,01 (*) ◄ |
| 0270090 | Palm hearts | ►**M133** 0,01 (*) ◄ |
| 0270990 | Others | ►**M133** 0,01 (*) ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►**M133** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M133** 0,01 (*) ◄ |
| 0300000 | **PULSES** | |
| 0300010 | Beans | ►**M133** 0,3 ◄ |
| 0300020 | Lentils | ►**M133** 0,01 (*) ◄ |
| 0300030 | Peas | ►**M133** 0,01 (*) ◄ |
| 0300040 | Lupins/lupini beans | ►**M133** 0,01 (*) ◄ |
| 0300990 | Others | ►**M133** 0,01 (*) ◄ |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | Oilseeds | |
| 0401010 | Linseeds | ►**M133** 0,02 (*) ◄ |
| 0401020 | Peanuts/groundnuts | ►**M133** 0,02 (*) ◄ |
| 0401030 | Poppy seeds | ►**M133** 0,02 (*) ◄ |
| 0401040 | Sesame seeds | ►**M133** 0,02 (*) ◄ |
| 0401050 | Sunflower seeds | ►**M133** 0,02 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | ►**M133** 0,15 ◄ |
| 0401070 | Soyabeans | ►**M133** 0,3 ◄ |
| 0401080 | Mustard seeds | ►**M133** 0,02 (*) ◄ |
| 0401090 | Cotton seeds | ►**M133** 0,4 ◄ |
| 0401100 | Pumpkin seeds | ►**M133** 0,02 (*) ◄ |
| 0401110 | Safflower seeds | ►**M133** 0,02 (*) ◄ |
| 0401120 | Borage seeds | ►**M133** 0,02 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►**M133** 0,02 (*) ◄ |
| 0401140 | Hemp seeds | ►**M133** 0,02 (*) ◄ |
| 0401150 | Castor beans | ►**M133** 0,02 (*) ◄ |
| 0401990 | Others | ►**M133** 0,02 (*) ◄ |
| 0402000 | Oil fruits | ►**M133** 0,02 (*) ◄ |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | ►**M133** 0,6 ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | ►**M133** 0,01 (*) ◄ |
| 0500030 | Maize/corn | ►**M133** 0,01 (*) ◄ |
| 0500040 | Common millet/proso millet | ►**M133** 0,01 (*) ◄ |
| 0500050 | Oat | ►**M133** 0,04 ◄ |
| 0500060 | Rice | ►**M133** 0,01 (*) ◄ |
| 0500070 | Rye | ►**M133** 0,015 ◄ |
| 0500080 | Sorghum | ►**M133** 0,01 (*) ◄ |
| 0500090 | Wheat | ►**M133** 0,2 ◄ |
| 0500990 | Others | ►**M133** 0,01 (*) ◄ |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M133** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M133** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M133** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | ►**M133** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | ►**M133** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M133** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M133** 0,05 (*) ◄ |
| 0840030 | Turmeric/curcuma | ►**M133** 0,05 (*) ◄ |
| 0840040 | Horseradish | ►**M133** (+) ◄ |
| 0840990 | Others | ►**M133** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M133** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | ►**M133** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | ►**M133** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | ►**M133** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | ►**M133** 0,3 ◄ |
| 1011020 | Fat tissue | ►**M133** 0,1 ◄ |
| 1011030 | Liver | ►**M133** 0,6 ◄ |
| 1011040 | Kidney | ►**M133** 0,6 ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M133** 0,6 ◄ |
| 1011990 | Others | ►**M133** 0,01 (*) ◄ |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►**M133** 0,3 ◄ |
| 1012020 | Fat tissue | ►**M133** 0,1 ◄ |
| 1012030 | Liver | ►**M133** 0,6 ◄ |
| 1012040 | Kidney | ►**M133** 0,6 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M133** 0,6 ◄ |
| 1012990 | Others | ►**M133** 0,01 (*) ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►**M133** 0,3 ◄ |
| 1013020 | Fat tissue | ►**M133** 0,1 ◄ |
| 1013030 | Liver | ►**M133** 0,6 ◄ |
| 1013040 | Kidney | ►**M133** 0,6 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M133** 0,6 ◄ |
| 1013990 | Others | ►**M133** 0,01 (*) ◄ |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | ►**M133** 0,3 ◄ |
| 1014020 | Fat tissue | ►**M133** 0,1 ◄ |
| 1014030 | Liver | ►**M133** 0,6 ◄ |
| 1014040 | Kidney | ►**M133** 0,6 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M133** 0,6 ◄ |
| 1014990 | Others | ►**M133** 0,01 (*) ◄ |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | ►**M133** 0,3 ◄ |
| 1015020 | Fat tissue | ►**M133** 0,1 ◄ |
| 1015030 | Liver | ►**M133** 0,6 ◄ |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M133** 0,6 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M133** 0,6 ◄ |
| 1015990 | Others | ►**M133** 0,01 (*) ◄ |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | ►**M133** 0,1 ◄ |
| 1016020 | Fat tissue | ►**M133** 0,03 ◄ |
| 1016030 | Liver | ►**M133** 0,3 ◄ |
| 1016040 | Kidney | ►**M133** 0,3 ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►**M133** 0,3 ◄ |
| 1016990 | Others | ►**M133** 0,01 (*) ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | ►**M133** 0,3 ◄ |
| 1017020 | Fat tissue | ►**M133** 0,1 ◄ |
| 1017030 | Liver | ►**M133** 0,6 ◄ |
| 1017040 | Kidney | ►**M133** 0,6 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M133** 0,6 ◄ |
| 1017990 | Others | ►**M133** 0,01 (*) ◄ |
| 1020000 | **Milk** | ►**M133** 0,2 ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | ►**M133** 0,1 ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M112**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M133** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M133** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M133** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M133** 0,01 (*) ◄ |

▼**M113**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Coumaphos | Flumequine | Strep-tomycin |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | |
| 0110000 | **Citrus fruits** | | | |
| 0110010 | Grapefruits | | | |
| 0110020 | Oranges | | | |
| 0110030 | Lemons | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins | | | |
| 0110990 | Others | | | |
| 0120000 | **Tree nuts** | | | |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts/cobnuts | | | |
| 0120070 | Macadamias | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nut kernels | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others | | | |
| 0130000 | **Pome fruits** | | | |
| 0130010 | Apples | | | |
| 0130020 | Pears | | | |
| 0130030 | Quinces | | | |
| 0130040 | Medlars | | | |
| 0130050 | Loquats/Japanese medlars | | | |
| 0130990 | Others | | | |
| 0140000 | **Stone fruits** | | | |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (sweet) | | | |
| 0140030 | Peaches | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums | | | |
| 0140990 | Others | | | |
| 0150000 | **Berries and small fruits** | | | |
| 0151000 | (a) *grapes* | | | |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *strawberries* | | | |
| 0153000 | (c) *cane fruits* | | | |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries | | | |
| 0153030 | Raspberries (red and yellow) | | | |
| 0153990 | Others | | | |
| 0154000 | (d) *other small fruits and berries* | | | |
| 0154010 | Blueberries | | | |
| 0154020 | Cranberries | | | |
| 0154030 | Currants (black, red and white) | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | |
| 0154050 | Rose hips | | | |
| 0154060 | Mulberries (black and white) | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | |
| 0154080 | Elderberries | | | |
| 0154990 | Others | | | |
| 0160000 | **Miscellaneous fruits with** | | | |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | | | |
| 0161020 | Figs | | | |
| 0161030 | Table olives | | | |
| 0161040 | Kumquats | | | |
| 0161050 | Carambolas | | | |
| 0161060 | Kaki/Japanese persimmons | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | |
| 0161990 | Others | | | |
| 0162000 | (b) *inedible peel, small* | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | |
| 0162020 | Litchis/lychees | | | |
| 0162030 | Passionfruits/maracujas | | | |
| 0162040 | Prickly pears/cactus fruits | | | |
| 0162050 | Star apples/cainitos | | | |
| 0162060 | American persimmons/Virginia kaki | | | |
| 0162990 | Others | | | |
| 0163000 | (c) *inedible peel, large* | | | |
| 0163010 | Avocados | | | |
| 0163020 | Bananas | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papayas | | | |
| 0163050 | Granate apples/pomegranates | | | |
| 0163060 | Cherimoyas | | | |
| 0163070 | Guavas | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Breadfruits | | | |
| 0163100 | Durians | | | |
| 0163110 | Soursops/guanabanas | | | |
| 0163990 | Others | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | |
| 0210000 | **Root and tuber vegetables** | | | |
| 0211000 | (a) *potatoes* | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | |
| 0212010 | Cassava roots/manioc | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | |
| 0213010 | Beetroots | | | |
| 0213020 | Carrots | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | |
| 0213040 | Horseradishes | | | |
| 0213050 | Jerusalem artichokes | | | |
| 0213060 | Parsnips | | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | | |
| 0213080 | Radishes | | | |
| 0213090 | Salsifies | | | |
| 0213100 | Swedes/rutabagas | | | |
| 0213110 | Turnips | | | |
| 0213990 | Others | | | |
| 0220000 | Bulb vegetables | | | |
| 0220010 | Garlic | | | |
| 0220020 | Onions | | | |
| 0220030 | Shallots | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | |
| 0220990 | Others | | | |
| 0230000 | **Fruiting vegetables** | | | |
| 0231000 | (a) *solanacea* | | | |
| 0231010 | Tomatoes | | | |
| 0231020 | Sweet peppers/bell peppers | | | |
| 0231030 | Aubergines/eggplants | | | |
| 0231040 | Okra/lady's fingers | | | |
| 0231990 | Others | | | |
| 0232000 | (b) *cucurbits with edible peel* | | | |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | |
| 0233010 | Melons | | | |
| 0233020 | Pumpkins | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *sweet corn* | | | |
| 0239000 | (e) *other fruiting vegetables* | | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | | |
| 0241000 | (a) *flowering brassica* | | | |
| 0241010 | Broccoli | | | |
| 0241020 | Cauliflowers | | | |
| 0241990 | Others | | | |
| 0242000 | (b) *head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbages | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *leafy brassica* | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | |
| 0243020 | Kales | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *kohlrabies* | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | | | |
| 0251010 | Lamb's lettuces/corn salads | | | |
| 0251020 | Lettuces | | | |
| 0251030 | Escaroles/broad-leaved endives | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | |
| 0251050 | Land cresses | | | |
| 0251060 | Roman rocket/rucola | | | |
| 0251070 | Red mustards | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *spinaches and similar leaves* | | | |
| 0252010 | Spinaches | | | |
| 0252020 | Purslanes | | | |
| 0252030 | Chards/beet leaves | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *grape leaves and similar species* | | | |
| 0254000 | (d) *watercresses* | | | |
| 0255000 | (e) *witloofs/Belgian endives* | | | |
| 0256000 | (f) *herbs and edible flowers* | | | |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves | | | |
| 0256040 | Parsley | | | |
| 0256050 | Sage | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme | | | |
| 0256080 | Basil and edible flowers | | | |
| 0256090 | Laurel/bay leave | | | |
| 0256100 | Tarragon | | | |
| 0256990 | Others | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | | | |
| 0260010 | Beans (with pods) | | | |
| 0260020 | Beans (without pods) | | | |
| 0260030 | Peas (with pods) | | | |
| 0260040 | Peas (without pods) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others | | | |
| 0270000 | **Stem vegetables** | | | |
| 0270010 | Asparagus | | | |
| 0270020 | Cardoons | | | |
| 0270030 | Celeries | | | |
| 0270040 | Florence fennels | | | |
| 0270050 | Globe artichokes | | | |
| 0270060 | Leeks | | | |
| 0270070 | Rhubarbs | | | |
| 0270080 | Bamboo shoots | | | |
| 0270090 | Palm hearts | | | |
| 0270990 | Others | | | |
| 0280000 | **Fungi, mosses and lichens** | | | |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | | | |
| 0300000 | **PULSES** | | | |
| 0300010 | Beans | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas | | | |
| 0300040 | Lupins/lupini beans | | | |
| 0300990 | Others | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | | |
| 0401000 | **Oilseeds** | | | |
| 0401010 | Linseeds | | | |
| 0401020 | Peanuts/groundnuts | | | |
| 0401030 | Poppy seeds | | | |
| 0401040 | Sesame seeds | | | |
| 0401050 | Sunflower seeds | | | |
| 0401060 | Rapeseeds/canola seeds | | | |
| 0401070 | Soyabeans | | | |
| 0401080 | Mustard seeds | | | |
| 0401090 | Cotton seeds | | | |
| 0401100 | Pumpkin seeds | | | |
| 0401110 | Safflower seeds | | | |
| 0401120 | Borage seeds | | | |
| 0401130 | Gold of pleasure seeds | | | |
| 0401140 | Hemp seeds | | | |
| 0401150 | Castor beans | | | |
| 0401990 | Others | | | |
| 0402000 | **Oil fruits** | | | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Oil palms kernels | | | |
| 0402030 | Oil palms fruits | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others | | | |
| 0500000 | **CEREALS** | | | |
| 0500010 | Barley | | | |
| 0500020 | Buckwheat and other pseudo-cereals | | | |
| 0500030 | Maize/corn | | | |
| 0500040 | Common millet/proso millet | | | |
| 0500050 | Oat | | | |
| 0500060 | Rice | | | |
| 0500070 | Rye | | | |
| 0500080 | Sorghum | | | |
| 0500090 | Wheat | | | |
| 0500990 | Others | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | | |
| 0610000 | **Teas** | | | |
| 0620000 | **Coffee beans** | | | |
| 0630000 | **Herbal infusions from** | | | |
| 0631000 | (a) *flowers* | | | |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *leaves and herbs* | | | |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *roots* | | | |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *any other parts of the plant* | | | |
| 0640000 | **Cocoa beans** | | | |
| 0650000 | **Carobs/Saint John's breads** | | | |
| 0700000 | **HOPS** | | | |
| 0800000 | **SPICES** | | | |
| 0810000 | **Seed spices** | | | |
| 0810010 | Anise/aniseed | | | |
| 0810020 | Black caraway/black cumin | | | |
| 0810030 | Celery | | | |
| 0810040 | Coriander | | | |
| 0810050 | Cumin | | | |
| 0810060 | Dill | | | |
| 0810070 | Fennel | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | **Fruit spices** | | | |
| 0820010 | Allspice/pimento | | | |

▼M113

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berry | | | |
| 0820060 | Peppercorn (black, green and white) | | | |
| 0820070 | Vanilla | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | **Bark spices** | | | |
| 0830010 | Cinnamon | | | |
| 0830990 | Others | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | | | |
| 0840020 | Ginger | | | |
| 0840030 | Turmeric/curcuma | | | |
| 0840040 | Horseradish | | | |
| 0840990 | Others | | | |
| 0850000 | **Bud spices** | | | |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | **Flower pistil spices** | | | |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | **Aril spices** | | | |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | **SUGAR PLANTS** | | | |
| 0900010 | Sugar beet roots | | | |
| 0900020 | Sugar canes | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | |
| 1010000 | **Tissues from** | | | |
| 1011000 | (a) *swine* | | | |
| 1011010 | Muscle | | **0,2** | **0,5** |
| 1011020 | Fat tissue | | **0,3** | **0,5** |
| 1011030 | Liver | | **0,5** | **0,5** |
| 1011040 | Kidney | | **1,5** | **1** |
| 1011050 | Edible offals (other than liver and kidney) | | | |
| 1011990 | Others | | | |
| 1012000 | (b) *bovine* | | | |
| 1012010 | Muscle | | **0,2** | **0,5** |
| 1012020 | Fat tissue | | **0,3** | **0,5** |
| 1012030 | Liver | | **0,5** | **0,5** |
| 1012040 | Kidney | | **1,5** | **1** |
| 1012050 | Edible offals (other than liver and kidney) | | | |
| 1012990 | Others | | | |
| 1013000 | (c) *sheep* | | | |
| 1013010 | Muscle | | **0,2** | **0,5** |
| 1013020 | Fat tissue | | **0,3** | **0,5** |
| 1013030 | Liver | | **0,5** | **0,5** |
| 1013040 | Kidney | | **1,5** | **1** |
| 1013050 | Edible offals (other than liver and kidney) | | | |
| 1013990 | Others | | | |
| 1014000 | d) *goat* | | | |
| 1014010 | Muscle | | **0,2** | **0,5** |
| 1014020 | Fat tissue | | **0,3** | **0,5** |
| 1014030 | Liver | | **0,5** | **0,5** |
| 1014040 | Kidney | | **1,5** | **1** |
| 1014050 | Edible offals (other than liver and kidney) | | | |
| 1014990 | Others | | | |
| 1015000 | (e) *equine* | | | |
| 1015010 | Muscle | | **0,2** | |
| 1015020 | Fat tissue | | **0,25** | |
| 1015030 | Liver | | **0,5** | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | | **1** | |
| 1015050 | Edible offals (other than liver and kidney) | | | |
| 1015990 | Others | | | |
| 1016000 | (f) *poultry* | | | |
| 1016010 | Muscle | | **0,4** | |
| 1016020 | Fat tissue | | **0,25** | |
| 1016030 | Liver | | **0,8** | |
| 1016040 | Kidney | | **1** | |
| 1016050 | Edible offals (other than liver and kidney) | | | |
| 1016990 | Others | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | | **0,2** | **0,5** |
| 1017020 | Fat tissue | | **0,25** | **0,5** |
| 1017030 | Liver | | **0,5** | **0,5** |
| 1017040 | Kidney | | **1** | **1** |
| 1017050 | Edible offals (other than liver and kidney) | | | |
| 1017990 | Others | | | |
| 1020000 | **Milk** | | | |
| 1020010 | Cattle | | **0,05** | **0,2** |
| 1020020 | Sheep | | **0,05** | **0,2** |
| 1020030 | Goat | | **0,05** | **0,2** |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | **Birds eggs** | | | |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Geese | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M113**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,1** | | |
| 1050000 | **Amphibians and Reptiles** | | | |
| 1060000 | **Terrestrial invertebrate animals** | | | |
| 1070000 | **Wild terrestrial vertebrate animals** | | | |

▼M106

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M199 Cymoxanil ◄ | Phosphane and phosphide salts (sum of phosphane and phosphane generators (relevant phosphide salts), determined and expressed as phosphane) | ►M173 Sodium 5-nitroguaiacolate, sodium o-nitrophenolate and sodium p-nitrophenolate (Sum of sodium 5-nitroguaiacolate, sodium o-nitrophenolate and sodium p-nitrophenolate, expressed as sodium 5-nitroguaiacolate) ◄ |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | ►M173 — ◄ |
| 0110000 | **Citrus fruits** | ►M199 0,01 (*) ◄ | **0,01** (*) | ►M173 0,03 (*) ◄ |
| 0110010 | Grapefruits | | | |
| 0110020 | Oranges | | | |
| 0110030 | Lemons | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins | | | |
| 0110990 | Others | | | |
| 0120000 | **Tree nuts** | ►M199 0,01 (*) ◄ | | ►M173 0,03 (*) ◄ |
| 0120010 | Almonds | | **0,09 (+)** | |
| 0120020 | Brazil nuts | | **0,09 (+)** | |
| 0120030 | Cashew nuts | | **0,09 (+)** | |
| 0120040 | Chestnuts | | **0,09 (+)** | |
| 0120050 | Coconuts | | **0,09 (+)** | |
| 0120060 | Hazelnuts/cobnuts | | **0,09 (+)** | |
| 0120070 | Macadamias | | **0,09 (+)** | |
| 0120080 | Pecans | | **0,09 (+)** | |
| 0120090 | Pine nut kernels | | **0,09 (+)** | |
| 0120100 | Pistachios | | **0,1 (+)** | |
| 0120110 | Walnuts | | **0,09 (+)** | |
| 0120990 | Others | | **0,01** (*) | |
| 0130000 | **Pome fruits** | ►M199 0,01 (*) ◄ | **0,01** (*) | ►M173 0,03 (*) ◄ |
| 0130010 | Apples | | | |
| 0130020 | Pears | | | |
| 0130030 | Quinces | | | |
| 0130040 | Medlars | | | |
| 0130050 | Loquats/Japanese medlars | | | |
| 0130990 | Others | | | |
| 0140000 | **Stone fruits** | ►M199 0,01 (*) ◄ | **0,01** (*) | ►M173 0,03 (*) ◄ |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (sweet) | | | |
| 0140030 | Peaches | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums | | | |
| 0140990 | Others | | | |
| 0150000 | **Berries and small fruits** | | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0151000 | (a) *grapes* | ►**M199** **0,05** ◄ | | ►**M167** — ◄ |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *strawberries* | ►**M199** 0,01 (*) ◄ | | ►**M167** — ◄ |
| 0153000 | (c) *cane fruits* | ►**M199** 0,01 (*) ◄ | | |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries | | | |
| 0153030 | Raspberries (red and yellow) | | | ►**M167** — ◄ |
| 0153990 | Others | | | |
| 0154000 | (d) *other small fruits and berries* | ►**M199** 0,01 (*) ◄ | | |
| 0154010 | Blueberries | | | |
| 0154020 | Cranberries | | | |
| 0154030 | Currants (black, red and white) | | | ►**M167** — ◄ |
| 0154040 | Gooseberries (green, red and yellow) | | | |
| 0154050 | Rose hips | | | |
| 0154060 | Mulberries (black and white) | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | |
| 0154080 | Elderberries | | | |
| 0154990 | Others | | | |
| 0160000 | **Miscellaneous fruits with** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | | | ►**M173** 0,03 (*) ◄ |
| 0161020 | Figs | | | ►**M173** 0,03 (*) ◄ |
| 0161030 | Table olives | | | ►**M173** **0,12** ◄ |
| 0161040 | Kumquats | | | ►**M173** 0,03 (*) ◄ |
| 0161050 | Carambolas | | | ►**M173** 0,03 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | | | ►**M173** 0,03 (*) ◄ |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | ►**M173** 0,03 (*) ◄ |
| 0161990 | Others | | | ►**M173** 0,03 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | | | ►**M173** 0,03 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | | | |
| 0162020 | Litchis/lychees | | | |
| 0162030 | Passionfruits/maracujas | | | |
| 0162040 | Prickly pears/cactus fruits | | | |
| 0162050 | Star apples/cainitos | | | |
| 0162060 | American persimmons/ Virginia kaki | | | |
| 0162990 | Others | | | |
| 0163000 | (c) *inedible peel, large* | | | ►**M173** 0,03 (*) ◄ |
| 0163010 | Avocados | | | |
| 0163020 | Bananas | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papayas | | | |
| 0163050 | Granate apples/ pomegranates | | | |
| 0163060 | Cherimoyas | | | |
| 0163070 | Guavas | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Breadfruits | | | |
| 0163100 | Durians | | | |
| 0163110 | Soursops/guanabanas | | | |
| 0163990 | Others | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | |
| 0210000 | **Root and tuber vegetables** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0211000 | (a) *potatoes* | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | |
| 0212010 | Cassava roots/manioc | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | |
| 0213010 | Beetroots | | | |
| 0213020 | Carrots | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | |
| 0213040 | Horseradishes | | | |
| 0213050 | Jerusalem artichokes | | | |
| 0213060 | Parsnips | | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | | |
| 0213080 | Radishes | | | |
| 0213090 | Salsifies | | | |
| 0213100 | Swedes/rutabagas | | | |
| 0213110 | Turnips | | | |
| 0213990 | Others | | | |
| 0220000 | **Bulb vegetables** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0220010 | Garlic | | | |
| 0220020 | Onions | | | |
| 0220030 | Shallots | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | |
| 0220990 | Others | | | |
| 0230000 | **Fruiting vegetables** | | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0231000 | (a) *solanacea* | | | |
| 0231010 | Tomatoes | ►**M199** 0,4 ◄ | | |
| 0231020 | Sweet peppers/bell peppers | ►**M199** 0,01 (*) ◄ | | |
| 0231030 | Aubergines/eggplants | ►**M199** 0,3 ◄ | | |
| 0231040 | Okra/lady's fingers | ►**M199** 0,01 (*) ◄ | | |
| 0231990 | Others | ►**M199** 0,01 (*) ◄ | | |
| 0232000 | (b) *cucurbits with edible peel* | ►**M199** 0,08 ◄ | | |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M199** 0,4 ◄ | | |
| 0233010 | Melons | | | |
| 0233020 | Pumpkins | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *sweet corn* | ►**M199** 0,01 (*) ◄ | | |
| 0239000 | (e) *other fruiting vegetables* | ►**M199** 0,01 (*) ◄ | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0241000 | (a) *flowering brassica* | | | |
| 0241010 | Broccoli | | | |
| 0241020 | Cauliflowers | | | |
| 0241990 | Others | | | |
| 0242000 | (b) *head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbages | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *leafy brassica* | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | |
| 0243020 | Kales | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *kohlrabies* | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | ►**M199** 0,01 (*) ◄ | | |
| 0251020 | Lettuces | ►**M199** 0,03 ◄ | | |
| 0251030 | Escaroles/broad-leaved endives | ►**M199** 0,01 (*) ◄ | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M199** 0,01 (*) ◄ | | |
| 0251050 | Land cresses | ►**M199** 0,01 (*) ◄ | | |
| 0251060 | Roman rocket/rucola | ►**M199** 0,01 (*) ◄ | | |
| 0251070 | Red mustards | ►**M199** 0,01 (*) ◄ | | |
| 0251080 | Baby leaf crops (including brassica species) | ►**M199** 0,01 (*) ◄ | | |
| 0251990 | Others | ►**M199** 0,01 (*) ◄ | | |
| 0252000 | (b) *spinaches and similar leaves* | | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0252010 | Spinaches | ►**M199** **0,9** ◄ | | |
| 0252020 | Purslanes | ►**M199** 0,01 (*) ◄ | | |
| 0252030 | Chards/beet leaves | ►**M199** 0,01 (*) ◄ | | |
| 0252990 | Others | ►**M199** 0,01 (*) ◄ | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M199** 0,02 (*) ◄ | **0,015** | ►**M173** 0,06 (*) ◄ |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves | | | |
| 0256040 | Parsley | | | |
| 0256050 | Sage | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme | | | |
| 0256080 | Basil and edible flowers | | | |
| 0256090 | Laurel/bay leave | | | |
| 0256100 | Tarragon | | | |
| 0256990 | Others | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0260010 | Beans (with pods) | ►**M199** 0,05 (*) ◄ | | |
| 0260020 | Beans (without pods) | ►**M199** 0,05 (*) ◄ | | |
| 0260030 | Peas (with pods) | ►**M199** 0,15 ◄ | | |
| 0260040 | Peas (without pods) | ►**M199** 0,05 (*) ◄ | | |
| 0260050 | Lentils | ►**M199** 0,01 (*) ◄ | | |
| 0260990 | Others | ►**M199** 0,01 (*) ◄ | | |
| 0270000 | **Stem vegetables** | | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0270010 | Asparagus | ►**M199** 0,01 (*) ◄ | | |
| 0270020 | Cardoons | ►**M199** 0,01 (*) ◄ | | |
| 0270030 | Celeries | ►**M199** 0,01 (*) ◄ | | |
| 0270040 | Florence fennels | ►**M199** 0,01 (*) ◄ | | |
| 0270050 | Globe artichokes | ►**M199** 0,01 (*) ◄ | | |
| 0270060 | Leeks | ►**M199** 0,02 ◄ | | |
| 0270070 | Rhubarbs | ►**M199** 0,01 (*) ◄ | | |
| 0270080 | Bamboo shoots | ►**M199** 0,01 (*) ◄ | | |
| 0270090 | Palm hearts | ►**M199** 0,01 (*) ◄ | | |
| 0270990 | Others | ►**M199** 0,01 (*) ◄ | | |
| 0280000 | **Fungi, mosses and lichens** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0300000 | **PULSES** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 0300010 | Beans | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas | | | |
| 0300040 | Lupins/lupini beans | | | |
| 0300990 | Others | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M199** 0,01 (*) ◄ | | ►**M173** — ◄ |
| 0401000 | **Oilseeds** | | **0,05** | ►**M173** 0,03 (*) ◄ |
| 0401010 | Linseeds | | **(+)** | |
| 0401020 | Peanuts/groundnuts | | **(+)** | |
| 0401030 | Poppy seeds | | **(+)** | |
| 0401040 | Sesame seeds | | **(+)** | |
| 0401050 | Sunflower seeds | | **(+)** | |
| 0401060 | Rapeseeds/canola seeds | | **(+)** | |
| 0401070 | Soyabeans | | **(+)** | |
| 0401080 | Mustard seeds | | **(+)** | |
| 0401090 | Cotton seeds | | **(+)** | |
| 0401100 | Pumpkin seeds | | **(+)** | |
| 0401110 | Safflower seeds | | **(+)** | |
| 0401120 | Borage seeds | | **(+)** | |
| 0401130 | Gold of pleasure seeds | | **(+)** | |
| 0401140 | Hemp seeds | | **(+)** | |
| 0401150 | Castor beans | | **(+)** | |
| 0401990 | Others | | | |
| 0402000 | **Oil fruits** | | **0,01** (*) | |
| 0402010 | Olives for oil production | | | ►**M173** **0,12** ◄ |
| 0402020 | Oil palms kernels | | | ►**M173** 0,03 (*) ◄ |
| 0402030 | Oil palms fruits | | | ►**M173** 0,03 (*) ◄ |
| 0402040 | Kapok | | | ►**M173** 0,03 (*) ◄ |
| 0402990 | Others | | | ►**M173** 0,03 (*) ◄ |
| 0500000 | **CEREALS** | ►**M199** 0,01 (*) ◄ | | ►**M173** 0,03 (*) ◄ |
| 0500010 | Barley | | **0,05 (+)** | |
| 0500020 | Buckwheat and other pseudo-cereals | | **0,7 (+)** | |
| 0500030 | Maize/corn | | **0,7 (+)** | ►**M167** — ◄ |
| 0500040 | Common millet/proso millet | | **0,7 (+)** | |
| 0500050 | Oat | | **0,05 (+)** | |
| 0500060 | Rice | | **0,05 (+)** | ►**M167** — ◄ |
| 0500070 | Rye | | **0,05 (+)** | |
| 0500080 | Sorghum | | **0,7 (+)** | |
| 0500090 | Wheat | | **0,05 (+)** | ►**M167** — ◄ |
| 0500990 | Others | | **0,01** (*) | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M199** 0,1 (*) ◄ | | ►**M173** 0,15 (*) ◄ |
| 0610000 | **Teas** | | **0,02** | |
| 0620000 | **Coffee beans** | | **0,15** | |
| 0630000 | **Herbal infusions from** | | **0,02** | |
| 0631000 | (a) *flowers* | ►**M199** — ◄ | | |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *leaves and herbs* | | | |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *roots* | | | |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *any other parts of the plant* | | | |
| 0640000 | **Cocoa beans** | | **0,02** | |
| 0650000 | **Carobs/Saint John's breads** | | **0,05** (*) | |
| 0700000 | **HOPS** | ►**M199** 0,1 (*) ◄ | **0,05** (*) | ►**M173** 0,3 (*) ◄ |
| 0800000 | **SPICES** | | | |
| 0810000 | **Seed spices** | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0810010 | Anise/aniseed | | | |
| 0810020 | Black caraway/black cumin | | | |
| 0810030 | Celery | | | |
| 0810040 | Coriander | | | |
| 0810050 | Cumin | | | |
| 0810060 | Dill | | | |
| 0810070 | Fennel | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | **Fruit spices** | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0820010 | Allspice/pimento | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berry | | | |
| 0820060 | Peppercorn (black, green and white) | | | |
| 0820070 | Vanilla | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | **Bark spices** | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0830010 | Cinnamon | | | |
| 0830990 | Others | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0840020 | Ginger | ►**M199** — ◄ | **0,02** | ►**M167** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0840040 | Horseradish | ►**M199** — ◄ | **(+)** | ►**M167** — ◄ |
| 0840990 | Others | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0850000 | **Bud spices** | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | **Flower pistil spices** | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | **Aril spices** | ►**M199** 0,1 (*) ◄ | **0,02** | ►**M173** 0,15 (*) ◄ |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | **SUGAR PLANTS** | ►**M199** 0,01 (*) ◄ | 0,01 (*) | ►**M173** 0,03 (*) ◄ |
| 0900010 | Sugar beet roots | | | |
| 0900020 | Sugar canes | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | **(+)** | |
| 1010000 | **Tissues from** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 1011000 | (a) *swine* | | | |
| 1011010 | Muscle | | | |
| 1011020 | Fat tissue | | | |
| 1011030 | Liver | | | |
| 1011040 | Kidney | | | |
| 1011050 | Edible offals (other than liver and kidney) | | | |
| 1011990 | Others | | | |
| 1012000 | (b) *bovine* | | | |
| 1012010 | Muscle | | | |
| 1012020 | Fat tissue | | | |
| 1012030 | Liver | | | |
| 1012040 | Kidney | | | |
| 1012050 | Edible offals (other than liver and kidney) | | | |
| 1012990 | Others | | | |
| 1013000 | (c) *sheep* | | | |
| 1013010 | Muscle | | | |
| 1013020 | Fat tissue | | | |
| 1013030 | Liver | | | |
| 1013040 | Kidney | | | |
| 1013050 | Edible offals (other than liver and kidney) | | | |
| 1013990 | Others | | | |
| 1014000 | (d) *goat* | | | |
| 1014010 | Muscle | | | |
| 1014020 | Fat tissue | | | |
| 1014030 | Liver | | | |
| 1014040 | Kidney | | | |
| 1014050 | Edible offals (other than liver and kidney) | | | |
| 1014990 | Others | | | |
| 1015000 | (e) *equine* | | | |
| 1015010 | Muscle | | | |
| 1015020 | Fat tissue | | | |
| 1015030 | Liver | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | | | |
| 1015050 | Edible offals (other than liver and kidney) | | | |
| 1015990 | Others | | | |
| 1016000 | (f) *poultry* | | | |
| 1016010 | Muscle | | | |
| 1016020 | Fat tissue | | | |
| 1016030 | Liver | | | |
| 1016040 | Kidney | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | |
| 1016990 | Others | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | | | |
| 1017020 | Fat tissue | | | |
| 1017030 | Liver | | | |
| 1017040 | Kidney | | | |
| 1017050 | Edible offals (other than liver and kidney) | | | |
| 1017990 | Others | | | |
| 1020000 | **Milk** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 1020010 | Cattle | | | |
| 1020020 | Sheep | | | |
| 1020030 | Goat | | | |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | **Birds eggs** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Geese | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M106**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M199** 0,05 (*) ◄ | **0,05** (*) | ►**M173** 0,15 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M199** 0,01 (*) ◄ | **0,01** (*) | ►**M173** 0,03 (*) ◄ |

▼**M107**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M176** Aclonifen ◄ | ►**M126** Fluazinam [F] ◄ | Sulcotrione (R) |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►**M176** 0,01 (*) ◄ | | |
| 0110000 | **Citrus fruits** | | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0110010 | Grapefruits | | | |
| 0110020 | Oranges | | | |
| 0110030 | Lemons | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins | | | |
| 0110990 | Others | | | |
| 0120000 | **Tree nuts** | | ►**M126** 0,01 (*) ◄ | 0,05 (*) |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts/cobnuts | | | |
| 0120070 | Macadamias | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nut kernels | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others | | | |
| 0130000 | **Pome fruits** | | | **0,01** (*) |
| 0130010 | Apples | | ►**M126** 0,3 (+) ◄ | |
| 0130020 | Pears | | ►**M126** 0,3 (+) ◄ | |
| 0130030 | Quinces | | ►**M126** 0,01 (*) ◄ | |
| 0130040 | Medlars | | ►**M126** 0,01 (*) ◄ | |
| 0130050 | Loquats/Japanese medlars | | ►**M126** 0,01 (*) ◄ | |
| 0130990 | Others | | ►**M126** 0,01 (*) ◄ | |
| 0140000 | **Stone fruits** | | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (sweet) | | | |
| 0140030 | Peaches | | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums | | | |
| 0140990 | Others | | | |
| 0150000 | **Berries and small fruits** | | | **0,01** (*) |
| 0151000 | (a) *grapes* | | | |
| 0151010 | Table grapes | | ►**M126** 0,01 (*) (+) ◄ | |
| 0151020 | Wine grapes | | ►**M126** 3 (+) ◄ | |
| 0152000 | (b) *strawberries* | | ►**M126** 0,01 (*) ◄ | |
| 0153000 | (c) *cane fruits* | | ►**M126** 0,01 (*) (+) ◄ | |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries | | | |
| 0153030 | Raspberries (red and yellow) | | | |
| 0153990 | Others | | | |
| 0154000 | (d) *other small fruits and berries* | | | |
| 0154010 | Blueberries | | ►**M126** 3 ◄ | |
| 0154020 | Cranberries | | ►**M126** 0,01 (*) ◄ | |
| 0154030 | Currants (black, red and white) | | ►**M126** 0,01 (*) ◄ | |
| 0154040 | Gooseberries (green, red and yellow) | | ►**M126** 0,01 (*) ◄ | |
| 0154050 | Rose hips | | ►**M126** 0,01 (*) ◄ | |
| 0154060 | Mulberries (black and white) | | ►**M126** 0,01 (*) ◄ | |
| 0154070 | Azaroles/Mediterranean medlars | | ►**M126** 0,01 (*) ◄ | |
| 0154080 | Elderberries | | ►**M126** 0,01 (*) ◄ | |
| 0154990 | Others | | ►**M126** 0,01 (*) ◄ | |
| 0160000 | **Miscellaneous fruits with** | | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | | | |
| 0161020 | Figs | | | |
| 0161030 | Table olives | | | |
| 0161040 | Kumquats | | | |
| 0161050 | Carambolas | | | |
| 0161060 | Kaki/Japanese persimmons | | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | |
| 0161990 | Others | | | |
| 0162000 | (b) *inedible peel, small* | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | |
| 0162020 | Litchis/lychees | | | |
| 0162030 | Passionfruits/maracujas | | | |
| 0162040 | Prickly pears/cactus fruits | | | |
| 0162050 | Star apples/cainitos | | | |
| 0162060 | American persimmons/Virginia kaki | | | |
| 0162990 | Others | | | |
| 0163000 | (c) *inedible peel, large* | | | |
| 0163010 | Avocados | | | |
| 0163020 | Bananas | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papayas | | | |
| 0163050 | Granate apples/pomegranates | | | |
| 0163060 | Cherimoyas | | | |
| 0163070 | Guavas | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Breadfruits | | | |
| 0163100 | Durians | | | |
| 0163110 | Soursops/guanabanas | | | |
| 0163990 | Others | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | |
| 0210000 | **Root and tuber vegetables** | | | |
| 0211000 | (a) *potatoes* | ►**M176** 0,02 (*) ◄ | ►**M126** 0,02 ◄ | **0,01** (*) |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0212010 | Cassava roots/manioc | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams | | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | ►**M126** 0,01 (*) ◄ | |
| 0213010 | Beetroots | ►**M176** 0,01 (*) ◄ | | **0,01** (*) |
| 0213020 | Carrots | ►**M176** 0,08 ◄ | | **0,01** (*) |
| 0213030 | Celeriacs/turnip rooted celeries | ►**M176** 0,3 ◄ | | **0,01** (*) |
| 0213040 | Horseradishes | ►**M176** 0,07 ◄ | | **0,01** (*) |
| 0213050 | Jerusalem artichokes | ►**M176** 0,1 ◄ | | **0,01** (*) |
| 0213060 | Parsnips | ►**M176** 0,1 ◄ | | **0,01** (*) |
| 0213070 | Parsley roots/Hamburg roots parsley | ►**M176** 0,01 (*) ◄ | | **0,01** (*) |
| 0213080 | Radishes | ►**M176** 0,01 (*) ◄ | | **0,01** (*) |
| 0213090 | Salsifies | ►**M176** 0,01 (*) ◄ | | **0,05** (*) **(+)** |
| 0213100 | Swedes/rutabagas | ►**M176** 0,01 (*) ◄ | | **0,01** (*) |
| 0213110 | Turnips | ►**M176** 0,01 (*) ◄ | | **0,01** (*) |
| 0213990 | Others | ►**M176** 0,01 (*) ◄ | | **0,01** (*) |
| 0220000 | **Bulb vegetables** | | ►**M126** — ◄ | **0,01** (*) |
| 0220010 | Garlic | ►**M176** 0,02 (*) ◄ | ►**M126** **0,06** ◄ | |
| 0220020 | Onions | ►**M176** 0,02 (*) ◄ | ►**M126** **0,06** ◄ | |
| 0220030 | Shallots | ►**M176** 0,02 (*) ◄ | ►**M126** **0,06** ◄ | |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | |
| 0220990 | Others | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | |
| 0230000 | **Fruiting vegetables** | | | |
| 0231000 | (a) *solanacea* | | | **0,01** (*) |
| 0231010 | Tomatoes | ►**M176** 0,01 (*) ◄ | ►**M126** 0,3 ◄ | |
| 0231020 | Sweet peppers/bell peppers | ►**M176** 0,02 (*) ◄ | ►**M126** 0,01 (*) ◄ | |
| 0231030 | Aubergines/eggplants | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | |
| 0231040 | Okra/lady's fingers | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | |
| 0231990 | Others | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | |
| 0232000 | (b) *cucurbits with edible peel* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0233010 | Melons | | | |
| 0233020 | Pumpkins | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *sweet corn* | ►**M176** 0,02 (*) ◄ | ►**M126** 0,01 (*) ◄ | 0,05 (*) |
| 0239000 | (e) *other fruiting vegetables* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | | |
| 0241010 | Broccoli | | | |
| 0241020 | Cauliflowers | | | |
| 0241990 | Others | | | |
| 0242000 | (b) *head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbages | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *leafy brassica* | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | |
| 0243020 | Kales | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *kohlrabies* | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | | | |
| 0251020 | Lettuces | | | |
| 0251030 | Escaroles/broad-leaved endives | | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | |
| 0251050 | Land cresses | | | |
| 0251060 | Roman rocket/rucola | | | |
| 0251070 | Red mustards | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0252010 | Spinaches | | | |
| 0252020 | Purslanes | | | |
| 0252030 | Chards/beet leaves | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0254000 | (d) *watercresses* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | ►**M176** 0,8 ◄ | ►**M126** 0,05 (*) ◄ | **0,1** (*) |
| 0256010 | Chervil | ►**M148** — ◄ | | |
| 0256020 | Chives | ►**M148** — ◄ | | |
| 0256030 | Celery leaves | ►**M148** — ◄ | | |
| 0256040 | Parsley | ►**M148** — ◄ | | |
| 0256050 | Sage | ►**M148** — ◄ | | |
| 0256060 | Rosemary | ►**M148** — ◄ | | |
| 0256070 | Thyme | ►**M148** — ◄ | | |
| 0256080 | Basil and edible flowers | ►**M148** — ◄ | | |
| 0256090 | Laurel/bay leave | ►**M148** — ◄ | | |
| 0256100 | Tarragon | ►**M148** — ◄ | | |
| 0256990 | Others | ►**M148** — ◄ | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0260010 | Beans (with pods) | ►**M176** 0,08 ◄ | | |
| 0260020 | Beans (without pods) | ►**M176** 0,02 (*) ◄ | | |
| 0260030 | Peas (with pods) | ►**M176** 0,08 ◄ | | |
| 0260040 | Peas (without pods) | ►**M176** 0,01 (*) ◄ | | |
| 0260050 | Lentils | ►**M176** 0,02 ◄ | | |
| 0260990 | Others | ►**M176** 0,01 (*) ◄ | | |
| 0270000 | **Stem vegetables** | | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0270010 | Asparagus | ►**M176** 0,01 (*) ◄ | | |
| 0270020 | Cardoons | ►**M176** 0,01 (*) ◄ | | |
| 0270030 | Celeries | ►**M176** 0,01 (*) ◄ | | |
| 0270040 | Florence fennels | ►**M176** 0,01 (*) ◄ | | |
| 0270050 | Globe artichokes | ►**M176** 0,02 (*) ◄ | | |
| 0270060 | Leeks | ►**M176** 0,01 (*) ◄ | | |
| 0270070 | Rhubarbs | ►**M176** 0,01 (*) ◄ | | |
| 0270080 | Bamboo shoots | ►**M176** 0,01 (*) ◄ | | |
| 0270090 | Palm hearts | ►**M176** 0,01 (*) ◄ | | |
| 0270990 | Others | ►**M176** 0,01 (*) ◄ | | |
| 0280000 | **Fungi, mosses and lichens** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0300000 | **PULSES** | | ►**M126** 0,02 (*) ◄ | **0,02** (*) |
| 0300010 | Beans | ►**M176** 0,08 ◄ | ►**M126** (+) ◄ | |
| 0300020 | Lentils | ►**M176** 0,08 ◄ | | |
| 0300030 | Peas | ►**M176** 0,08 ◄ | | |
| 0300040 | Lupins/lupini beans | ►**M176** 0,01 (*) ◄ | | |
| 0300990 | Others | ►**M176** 0,01 (*) ◄ | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | ►**M126** 0,01 (*) ◄ | 0,05 (*) |
| 0401000 | **Oilseeds** | | | |
| 0401010 | Linseeds | ►**M176** 0,01 (*) ◄ | | |
| 0401020 | Peanuts/groundnuts | ►**M176** 0,01 (*) ◄ | | |
| 0401030 | Poppy seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401040 | Sesame seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401050 | Sunflower seeds | ►**M176** 0,02 (*) ◄ | | |
| 0401060 | Rapeseeds/canola seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401070 | Soyabeans | ►**M176** 0,01 (*) ◄ | | |
| 0401080 | Mustard seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401090 | Cotton seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401100 | Pumpkin seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401110 | Safflower seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401120 | Borage seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401130 | Gold of pleasure seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401140 | Hemp seeds | ►**M176** 0,01 (*) ◄ | | |
| 0401150 | Castor beans | ►**M176** 0,01 (*) ◄ | | |
| 0401990 | Others | ►**M176** 0,01 (*) ◄ | | |
| 0402000 | **Oil fruits** | ►**M176** 0,01 (*) ◄ | | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Oil palms kernels | | | |
| 0402030 | Oil palms fruits | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others | | | |
| 0500000 | **CEREALS** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,02 (*) ◄ | |
| 0500010 | Barley | | | **0,02** (*) |
| 0500020 | Buckwheat and other pseudo-cereals | | | **0,02** (*) |
| 0500030 | Maize/corn | | | 0,05 (*) |
| 0500040 | Common millet/proso millet | | | **0,02** (*) |
| 0500050 | Oat | | | **0,02** (*) |
| 0500060 | Rice | | | **0,02** (*) |
| 0500070 | Rye | | | **0,02** (*) |
| 0500080 | Sorghum | | | 0,05 (*) |
| 0500090 | Wheat | | | **0,02** (*) |
| 0500990 | Others | | | **0,02** (*) |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | | **0,1** (*) |
| 0610000 | **Teas** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | |
| 0620000 | **Coffee beans** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | |
| 0630000 | **Herbal infusions from** | | | |
| 0631000 | (a) *flowers* | ►**M176** 0,08 ◄ | ►**M126** 0,1 (*) ◄ | |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *leaves and herbs* | ►**M176** 0,08 ◄ | ►**M126** 0,1 (*) ◄ | |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *roots* | ►**M176** 0,05 (*) ◄ | ►**M126** 3 (+) ◄ | |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *any other parts of the plant* | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | |
| 0640000 | **Cocoa beans** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | |
| 0650000 | **Carobs/Saint John's breads** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | |
| 0700000 | **HOPS** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0800000 | **SPICES** | | | |
| 0810000 | **Seed spices** | ►**M176** — ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0810010 | Anise/aniseed | ►**M176** 0,01 (*) ◄ | | |
| 0810020 | Black caraway/black cumin | ►**M176** 0,01 (*) ◄ | | |
| 0810030 | Celery | ►**M176** 0,01 (*) ◄ | | |
| 0810040 | Coriander | ►**M176** 0,01 (*) ◄ | | |
| 0810050 | Cumin | ►**M176** 0,01 (*) ◄ | | |
| 0810060 | Dill | ►**M176** 0,01 (*) ◄ | | |
| 0810070 | Fennel | ►**M176** **0,03** ◄ | | |
| 0810080 | Fenugreek | ►**M176** 0,01 (*) ◄ | | |
| 0810090 | Nutmeg | ►**M176** 0,01 (*) ◄ | | |
| 0810990 | Others | ►**M176** 0,01 (*) ◄ | | |
| 0820000 | **Fruit spices** | ►**M176** — ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0820010 | Allspice/pimento | ►**M176** 0,01 (*) ◄ | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | ►**M176** 0,01 (*) ◄ | | |
| 0820030 | Caraway | ►**M176** **0,03** ◄ | | |
| 0820040 | Cardamom | ►**M176** 0,01 (*) ◄ | | |
| 0820050 | Juniper berry | ►**M176** 0,01 (*) ◄ | | |
| 0820060 | Peppercorn (black, green and white) | ►**M176** 0,01 (*) ◄ | | |
| 0820070 | Vanilla | ►**M176** 0,01 (*) ◄ | | |
| 0820080 | Tamarind | ►**M176** 0,01 (*) ◄ | | |
| 0820990 | Others | ►**M176** 0,01 (*) ◄ | | |
| 0830000 | **Bark spices** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0830010 | Cinnamon | | | |
| 0830990 | Others | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0840020 | Ginger | ►**M167** — ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0840030 | Turmeric/curcuma | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0840040 | Horseradish | ►**M148** — ◄ | ►**M126** (+) ◄ | (+) |
| 0840990 | Others | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0850000 | **Bud spices** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | **Flower pistil spices** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | **Aril spices** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,1 (*) ◄ | **0,1** (*) |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | **SUGAR PLANTS** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 0900010 | Sugar beet roots | | | |
| 0900020 | Sugar canes | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | |
| 1010000 | **Tissues from** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | |
| 1011000 | (a) *swine* | | | **0,01** (*) |
| 1011010 | Muscle | | | **(+)** |
| 1011020 | Fat tissue | | | **(+)** |
| 1011030 | Liver | | | **(+)** |
| 1011040 | Kidney | | | **(+)** |
| 1011050 | Edible offals (other than liver and kidney) | | | |
| 1011990 | Others | | | |
| 1012000 | (b) *bovine* | | | |
| 1012010 | Muscle | | | **0,01** (*) **(+)** |
| 1012020 | Fat tissue | | | **0,01** (*) **(+)** |
| 1012030 | Liver | | | **0,01** (*) **(+)** |
| 1012040 | Kidney | | | **0,015 (+)** |
| 1012050 | Edible offals (other than liver and kidney) | | | **0,015** |
| 1012990 | Others | | | **0,01** (*) |
| 1013000 | (c) *sheep* | | | |
| 1013010 | Muscle | | | **0,01** (*) **(+)** |
| 1013020 | Fat tissue | | | **0,01** (*) **(+)** |
| 1013030 | Liver | | | **0,01** (*) **(+)** |
| 1013040 | Kidney | | | **0,015 (+)** |
| 1013050 | Edible offals (other than liver and kidney) | | | **0,015** |
| 1013990 | Others | | | **0,01** (*) |
| 1014000 | d) *goat* | | | |
| 1014010 | Muscle | | | **0,01** (*) **(+)** |
| 1014020 | Fat tissue | | | **0,01** (*) **(+)** |
| 1014030 | Liver | | | **0,01** (*) **(+)** |
| 1014040 | Kidney | | | **0,015 (+)** |
| 1014050 | Edible offals (other than liver and kidney) | | | **0,015** |
| 1014990 | Others | | | **0,01** (*) |
| 1015000 | (e) *equine* | | | |
| 1015010 | Muscle | | | **0,01** (*) |
| 1015020 | Fat tissue | | | **0,01** (*) |
| 1015030 | Liver | | | **0,01** (*) |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | | | **0,015** |
| 1015050 | Edible offals (other than liver and kidney) | | | **0,015** |
| 1015990 | Others | | | **0,01** (*) |
| 1016000 | (f) *poultry* | | | **0,01** (*) |
| 1016010 | Muscle | | | |
| 1016020 | Fat tissue | | | |
| 1016030 | Liver | | | |
| 1016040 | Kidney | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | |
| 1016990 | Others | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | | | **0,01** (*) |
| 1017020 | Fat tissue | | | **0,01** (*) |
| 1017030 | Liver | | | **0,01** (*) |
| 1017040 | Kidney | | | **0,015** |
| 1017050 | Edible offals (other than liver and kidney) | | | **0,015** |
| 1017990 | Others | | | **0,01** (*) |
| 1020000 | **Milk** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 1020010 | Cattle | | | **(+)** |
| 1020020 | Sheep | | | **(+)** |
| 1020030 | Goat | | | **(+)** |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | **Birds eggs** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Geese | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M107**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M176** 0,05 (*) ◄ | ►**M126** 0,05 (*) ◄ | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M176** 0,01 (*) ◄ | ►**M126** 0,01 (*) ◄ | **0,01** (*) |

▼**M110**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbetamide (sum of carbetamide and its S isomer) | Triflusulfuron (6-(2,2,2-trifluoroethoxy)-1,3,5-triazine-2,4-diamine (IN-M7222) (A) |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | |
| 0110000 | **Citrus fruits** | **0,01** (*) | **0,01** (*) |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others | | |
| 0120000 | **Tree nuts** | **0,02** (*) | 0,02 (*) |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **Pome fruits** | **0,01** (*) | **0,01** (*) |
| 0130010 | Apples | **(+)** | |
| 0130020 | Pears | **(+)** | |
| 0130030 | Quinces | **(+)** | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others | | |
| 0140000 | **Stone fruits** | **0,01** (*) **(+)** | **0,01** (*) |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others | | |
| 0150000 | **Berries and small fruits** | **0,01** (*) | **0,01** (*) |
| 0151000 | (a) *grapes* | **(+)** | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others | | |
| 0160000 | **Miscellaneous fruits with** | **0,01** (*) | **0,01** (*) |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | **0,01** (*) |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,01** (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others | | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | **0,01** (*) |
| 0231000 | (a) *solanacea* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | **0,01** (*) | |
| 0251020 | Lettuces | **0,6 (+)** | |
| 0251030 | Escaroles/broad-leaved endives | **0,6 (+)** | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | **0,01** (*) | |
| 0251050 | Land cresses | **0,01** (*) | |
| 0251060 | Roman rocket/rucola | **0,01** (*) | |
| 0251070 | Red mustards | **0,01** (*) | |
| 0251080 | Baby leaf crops (including brassica species) | **0,01** (*) | |
| 0251990 | Others | **0,01** (*) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) | **0,01** (*) |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,02** (*) **(+)** | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | 0,02 (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leave | | |
| 0256100 | Tarragon | | |
| 0256990 | Others | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | 0,01 (*) |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | **Stem vegetables** | **0,01** (*) | **0,01** (*) |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | **0,01** (*) |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | **0,01** (*) |
| 0300000 | **PULSES** | | **0,01** (*) |
| 0300010 | Beans | **0,01** (*) | |
| 0300020 | Lentils | **0,02** (*) **(+)** | |
| 0300030 | Peas | **0,02** (*) **(+)** | |
| 0300040 | Lupins/lupini beans | **0,01** (*) | |
| 0300990 | Others | **0,01** (*) | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,02** (*) | 0,02 (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | **CEREALS** | **0,01** (*) | **0,01** (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudo-cereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | 0,05 (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | 0,05 (*) | 0,05 (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | 0,05 (*) | 0,05 (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | 0,05 (*) | 0,05 (*) |
| 0820010 | Allspice/pimento | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | **Bark spices** | 0,05 (*) | 0,05 (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | 0,05 (*) | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) | 0,05 (*) |
| 0840030 | Turmeric/curcuma | 0,05 (*) | 0,05 (*) |
| 0840040 | Horseradish | **(+)** | **(+)** |
| 0840990 | Others | 0,05 (*) | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) | 0,05 (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | 0,05 (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | 0,05 (*) | 0,05 (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | | **0,01** (*) |
| 0900010 | Sugar beet roots | **0,01** (*) | |
| 0900020 | Sugar canes | **0,01** (*) | |
| 0900030 | Chicory roots | **0,02** (*) **(+)** | |
| 0900990 | Others | **0,01** (*) | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Tissues from** | **0,01** (*) | **0,01** (*) |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat tissue | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat tissue | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat tissue | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others | | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat tissue | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat tissue | | |
| 1015030 | Liver | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others | | |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat tissue | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat tissue | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others | | |
| 1020000 | **Milk** | 0,01 (*) | 0,01 (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | **0,01** (*) | **0,01** (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M110**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | **0,01** (*) |

▼**M122**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M206** Oxathiapiprolin ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | ►**M206** 0,05 ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | ►**M206** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | ►**M206** 0,01 (*) ◄ |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | ►**M206** 0,01 (*) ◄ |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | ►**M206** 0,7 ◄ |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | ►**M206** 0,01 (*) ◄ |
| 0153000 | (c) *cane fruits* | ►**M180** — ◄ |
| 0153010 | Blackberries | ►**M206** 0,5 ◄ |
| 0153020 | Dewberries | ►**M206** 0,01 (*) ◄ |
| 0153030 | Raspberries (red and yellow) | ►**M206** 0,5 ◄ |
| 0153990 | Others | ►**M206** 0,01 (*) ◄ |
| 0154000 | (d) *other small fruits and berries* | ►**M206** — ◄ |
| 0154010 | Blueberries | ►**M206** **0,5** ◄ |
| 0154020 | Cranberries | ►**M206** 0,01 (*) ◄ |
| 0154030 | Currants (black, red and white) | ►**M206** 0,01 (*) ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►**M206** 0,01 (*) ◄ |
| 0154050 | Rose hips | ►**M206** 0,01 (*) ◄ |
| 0154060 | Mulberries (black and white) | ►**M206** 0,01 (*) ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►**M206** 0,01 (*) ◄ |
| 0154080 | Elderberries | ►**M206** 0,01 (*) ◄ |
| 0154990 | Others | ►**M206** 0,01 (*) ◄ |
| 0160000 | **Miscellaneous fruits with** | ►**M206** 0,01 (*) ◄ |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M206** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | ►**M180** — ◄ |
| 0220010 | Garlic | ►**M206** 0,04 ◄ |
| 0220020 | Onions | ►**M206** 0,04 ◄ |
| 0220030 | Shallots | ►**M206** 0,04 ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M206** 2 ◄ |
| 0220990 | Others | ►**M206** 0,04 ◄ |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | ►**M206** 0,4 ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M206** 0,2 ◄ |
| 0231030 | Aubergines/eggplants | ►**M206** 0,4 ◄ |
| 0231040 | Okra/lady's fingers | ►**M206** 0,2 ◄ |
| 0231990 | Others | ►**M206** 0,2 ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M206** 0,2 ◄ |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M206** 0,2 ◄ |
| 0233010 | Melons | ►**M180** — ◄ |
| 0233020 | Pumpkins | ►**M180** — ◄ |
| 0233030 | Watermelons | ►**M180** — ◄ |
| 0233990 | Others | ►**M180** — ◄ |
| 0234000 | (d) *sweet corn* | ►**M206** 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M206** 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M180** — ◄ |
| 0241000 | (a) *flowering brassica* | ►**M206** 1,5 ◄ |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | ►**M206** 0,01 (*) ◄ |
| 0242020 | Head cabbages | ►**M206** 0,7 ◄ |
| 0242990 | Others | ►**M206** 0,01 (*) ◄ |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | ►**M206** 9 ◄ |
| 0243020 | Kales | ►**M206** 0,01 (*) ◄ |
| 0243990 | Others | ►**M206** 0,01 (*) ◄ |
| 0244000 | (d) *kohlrabies* | ►**M206** 0,01 (*) ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M206** 5 ◄ |
| 0251010 | Lamb's lettuces/corn salads | ►**M180** — ◄ |
| 0251020 | Lettuces | ►**M180** — ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►**M180** — ◄ |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M180** — ◄ |
| 0251050 | Land cresses | ►**M180** — ◄ |
| 0251060 | Roman rocket/rucola | ►**M180** — ◄ |
| 0251070 | Red mustards | ►**M180** — ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M180** — ◄ |
| 0251990 | Others | ►**M180** — ◄ |
| 0252000 | (b) *spinaches and similar leaves* | ►**M206** 15 ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | ►**M206** 40 ◄ |
| 0254000 | (d) *watercresses* | ►**M206** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M206** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M180** — ◄ |
| 0256010 | Chervil | ►**M206** 0,02 (*) ◄ |
| 0256020 | Chives | ►**M206** 0,02 (*) ◄ |
| 0256030 | Celery leaves | ►**M206** 0,02 (*) ◄ |
| 0256040 | Parsley | ►**M206** 0,02 (*) ◄ |
| 0256050 | Sage | ►**M206** 0,02 (*) ◄ |
| 0256060 | Rosemary | ►**M206** 0,02 (*) ◄ |
| 0256070 | Thyme | ►**M206** 0,02 (*) ◄ |
| 0256080 | Basil and edible flowers | ►**M206** 10 ◄ |
| 0256090 | Laurel/bay leave | ►**M206** 0,02 (*) ◄ |
| 0256100 | Tarragon | ►**M206** 0,02 (*) ◄ |
| 0256990 | Others | ►**M206** 0,02 (*) ◄ |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M180** — ◄ |
| 0260010 | Beans (with pods) | ►**M206** 0,01 (*) ◄ |
| 0260020 | Beans (without pods) | ►**M206** 0,01 (*) ◄ |
| 0260030 | Peas (with pods) | ►**M206** 1 ◄ |
| 0260040 | Peas (without pods) | ►**M206** 0,01 (*) ◄ |
| 0260050 | Lentils | ►**M206** 0,01 (*) ◄ |
| 0260990 | Others | ►**M206** 0,01 (*) ◄ |
| 0270000 | **Stem vegetables** | ►**M180** — ◄ |
| 0270010 | Asparagus | ►**M206** 2 ◄ |
| 0270020 | Cardoons | ►**M206** 0,01 (*) ◄ |
| 0270030 | Celeries | ►**M206** 0,01 (*) ◄ |
| 0270040 | Florence fennels | ►**M206** 0,01 (*) ◄ |
| 0270050 | Globe artichokes | ►**M206** 0,01 (*) ◄ |
| 0270060 | Leeks | ►**M206** 2 ◄ |
| 0270070 | Rhubarbs | ►**M206** 0,01 (*) ◄ |
| 0270080 | Bamboo shoots | ►**M206** 0,01 (*) ◄ |
| 0270090 | Palm hearts | ►**M206** 0,01 (*) ◄ |
| 0270990 | Others | ►**M206** 0,01 (*) ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►**M206** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M206** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M206** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M206** 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | ►**M206** 0,01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M180** — ◄ |
| 0610000 | **Teas** | ►**M206** 0,05 (*) ◄ |
| 0620000 | **Coffee beans** | ►**M206** 0,05 (*) ◄ |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | ►**M206** 0,05 (*) ◄ |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | ►**M206** 0,05 (*) ◄ |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | ►**M206** 0,05 (*) ◄ |
| 0633020 | Ginseng | ►**M206** 0,15 ◄ |
| 0633990 | Others | ►**M206** 0,05 (*) ◄ |
| 0639000 | (d) *any other parts of the plant* | ►**M206** 0,05 (*) ◄ |
| 0640000 | **Cocoa beans** | ►**M206** 0,05 (*) ◄ |
| 0650000 | **Carobs/Saint John's breads** | ►**M206** 0,05 (*) ◄ |
| 0700000 | **HOPS** | ►**M206** 8 ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M206** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | ►**M206** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | ►**M206** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M206** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M180** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M206** 0,05 (*) ◄ |
| 0840040 | Horseradish | ►**M180** — ◄ |
| 0840990 | Others | ►**M206** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M206** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | ►**M206** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | ►**M206** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | ►**M206** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | ►**M206** 0,01 (*) ◄ |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | ►**M206** 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | ►**M206** 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M122**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M206** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M206** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M206** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M206** 0,01 (*) ◄ |

▼M117

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M218 Fenpyroximate (R) (F) (A) ◄ | ►M209 Triadimenol (any ratio of constituent isomers) ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | ►M209 **0,01 (*)** ◄ |
| 0110000 | **Citrus fruits** | ►M218 0,5 (+) ◄ | ►M209 — ◄ |
| 0110010 | Grapefruits | ►M218 (+) ◄ | |
| 0110020 | Oranges | ►M218 (+) ◄ | |
| 0110030 | Lemons | ►M218 (+) ◄ | |
| 0110040 | Limes | ►M218 (+) ◄ | |
| 0110050 | Mandarins | ►M218 (+) ◄ | |
| 0110990 | Others | ►M218 (+) ◄ | |
| 0120000 | **Tree nuts** | ►M218 0,05 ◄ | ►M209 — ◄ |
| 0120010 | Almonds | ►M146 — ◄ | |
| 0120020 | Brazil nuts | ►M146 — ◄ | |
| 0120030 | Cashew nuts | ►M146 — ◄ | |
| 0120040 | Chestnuts | ►M146 — ◄ | |
| 0120050 | Coconuts | ►M146 — ◄ | |
| 0120060 | Hazelnuts/cobnuts | ►M146 — ◄ | |
| 0120070 | Macadamias | ►M146 — ◄ | |
| 0120080 | Pecans | ►M146 — ◄ | |
| 0120090 | Pine nut kernels | ►M146 — ◄ | |
| 0120100 | Pistachios | ►M146 — ◄ | |
| 0120110 | Walnuts | ►M146 — ◄ | |
| 0120990 | Others | ►M146 — ◄ | |
| 0130000 | **Pome fruits** | | |
| 0130010 | Apples | ►M218 0,3 (+) ◄ | ►M209 — ◄ |
| 0130020 | Pears | ►M218 0,3 (+) ◄ | ►M209 — ◄ |
| 0130030 | Quinces | ►M218 0,2 (+) ◄ | ►M209 — ◄ |
| 0130040 | Medlars | ►M218 0,2 (+) ◄ | ►M209 — ◄ |
| 0130050 | Loquats/Japanese medlars | ►M218 0,2 (+) ◄ | ►M209 — ◄ |
| 0130990 | Others | ►M218 0,01 (*) ◄ | ►M209 — ◄ |
| 0140000 | **Stone fruits** | | ►M209 — ◄ |
| 0140010 | Apricots | ►M218 0,3 (+) ◄ | |
| 0140020 | Cherries (sweet) | ►M218 2 (+) ◄ | |
| 0140030 | Peaches | ►M218 0,3 (+) ◄ | |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | ►**M218** 0,1 (+) ◄ | |
| 0140990 | Others | ►**M218** 0,01 (*) ◄ | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | ►**M218** 0,3 ◄ | ►**M209** — ◄ |
| 0151010 | Table grapes | ►**M218** (+) ◄ | |
| 0151020 | Wine grapes | ►**M218** (+) ◄ | |
| 0152000 | (b) *strawberries* | ►**M218** 0,3 ◄ | ►**M209** — ◄ |
| 0153000 | (c) *cane fruits* | | ►**M209** — ◄ |
| 0153010 | Blackberries | ►**M218** 0,7 (+) ◄ | |
| 0153020 | Dewberries | ►**M218** 0,5 (+) ◄ | |
| 0153030 | Raspberries (red and yellow) | ►**M218** 1,5 (+) ◄ | |
| 0153990 | Others | ►**M218** 0,01 (*) ◄ | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | ►**M218** 0,4 (+) ◄ | ►**M209** — ◄ |
| 0154020 | Cranberries | ►**M218** 0,5 (+) ◄ | ►**M209** — ◄ |
| 0154030 | Currants (black, red and white) | ►**M218** 0,4 (+) ◄ | ►**M209** — ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►**M218** 0,4 (+) ◄ | ►**M209** — ◄ |
| 0154050 | Rose hips | ►**M218** 0,4 (+) ◄ | ►**M209** — ◄ |
| 0154060 | Mulberries (black and white) | ►**M218** 0,4 (+) ◄ | ►**M209** — ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►**M218** 0,4 (+) ◄ | ►**M209** — ◄ |
| 0154080 | Elderberries | ►**M218** 0,4 (+) ◄ | ►**M209** — ◄ |
| 0154990 | Others | ►**M218** 0,01 (*) ◄ | ►**M209** — ◄ |
| 0160000 | **Miscellaneous fruits with** | ►**M146** — ◄ | ►**M209** — ◄ |
| 0161000 | (a) *edible peel* | ►**M218** 0,01 (*) ◄ | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others | | |
| 0162000 | (b) *inedible peel, small* | ►**M218** 0,01 (*) ◄ | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | ►**M218** 0,2 ◄ | |
| 0163020 | Bananas | ►**M218** 0,01 (*) ◄ | |
| 0163030 | Mangoes | ►**M218** 0,01 (*) ◄ | |
| 0163040 | Papayas | ►**M218** 0,01 (*) ◄ | |
| 0163050 | Granate apples/pomegranates | ►**M218** 0,01 (*) ◄ | |
| 0163060 | Cherimoyas | ►**M218** 0,01 (*) ◄ | |
| 0163070 | Guavas | ►**M218** 0,01 (*) ◄ | |
| 0163080 | Pineapples | ►**M218** 0,01 (*) ◄ | |
| 0163090 | Breadfruits | ►**M218** 0,01 (*) ◄ | |
| 0163100 | Durians | ►**M218** 0,01 (*) ◄ | |
| 0163110 | Soursops/guanabanas | ►**M218** 0,01 (*) ◄ | |
| 0163990 | Others | ►**M218** 0,01 (*) ◄ | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | ►**M146** — ◄ | ►**M209** **0,01 (*)** ◄ |
| 0211000 | (a) *potatoes* | ►**M218** 0,05 ◄ | ►**M209** — ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M218** 0,01 (*) ◄ | ►**M209** — ◄ |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M218** 0,01 (*) ◄ | |
| 0213010 | Beetroots | | ►**M209** — ◄ |
| 0213020 | Carrots | | ►**M209** — ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | | ►**M209** — ◄ |
| 0213040 | Horseradishes | | ►**M209** — ◄ |
| 0213050 | Jerusalem artichokes | | ►**M209** — ◄ |
| 0213060 | Parsnips | | ►**M209** — ◄ |
| 0213070 | Parsley roots/Hamburg roots parsley | | ►**M209** — ◄ |
| 0213080 | Radishes | | ►**M209** — ◄ |
| 0213090 | Salsifies | | ►**M209** — ◄ |
| 0213100 | Swedes/rutabagas | | ►**M209** — ◄ |
| 0213110 | Turnips | | ►**M209** — ◄ |
| 0213990 | Others | | ►**M209** — ◄ |
| 0220000 | **Bulb vegetables** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others | | |
| 0230000 | **Fruiting vegetables** | | ►**M209** **0,01 (*)** ◄ |
| 0231000 | (a) *solanacea* | | |
| 0231010 | Tomatoes | ►**M218** 0,3 ◄ | ►**M209** — ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M218** 0,3 (+) ◄ | ►**M209** — ◄ |
| 0231030 | Aubergines/eggplants | ►**M218** 0,3 ◄ | ►**M209** — ◄ |
| 0231040 | Okra/lady's fingers | ►**M218** 0,01 (*) ◄ | ►**M209** — ◄ |
| 0231990 | Others | ►**M218** 0,01 (*) ◄ | ►**M209** — ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M218** 0,08 ◄ | ►**M209** — ◄ |
| 0232010 | Cucumbers | ►**M218** (+) ◄ | ►**M209** — ◄ |
| 0232020 | Gherkins | ►**M218** (+) ◄ | ►**M209** — ◄ |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | ►**M218** (+) ◄ | ►**M209** — ◄ |
| 0232990 | Others | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M218** 0,01 (*) ◄ | ►**M209** — ◄ |
| 0233010 | Melons | | ►**M209** — ◄ |
| 0233020 | Pumpkins | | ►**M209** — ◄ |
| 0233030 | Watermelons | | ►**M209** — ◄ |
| 0233990 | Others | | |
| 0234000 | (d) *sweet corn* | ►**M218** 0,01 (*) ◄ | ►**M209** — ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M218** 0,01 (*) ◄ | ►**M209** — ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others | | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M218** 0,02 (*) ◄ | ►**M209** 0,02 (*) ◄ |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leave | | |
| 0256100 | Tarragon | | |
| 0256990 | Others | | |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | ►**M209** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | ►**M218** 0,7 (+) ◄ | |
| 0260020 | Beans (without pods) | ►**M218** **0,05** ◄ | |
| 0260030 | Peas (with pods) | ►**M218** 0,01 (*) ◄ | |
| 0260040 | Peas (without pods) | ►**M218** 0,01 (*) ◄ | |
| 0260050 | Lentils | ►**M218** 0,01 (*) ◄ | |
| 0260990 | Others | ►**M218** 0,01 (*) ◄ | |
| 0270000 | **Stem vegetables** | ►**M218** 0,01 (*) ◄ | ►**M209** **0,01 (*)** ◄ |
| 0270010 | Asparagus | | ►**M209** — ◄ |
| 0270020 | Cardoons | | ►**M209** — ◄ |
| 0270030 | Celeries | | ►**M209** — ◄ |
| 0270040 | Florence fennels | | ►**M209** — ◄ |
| 0270050 | Globe artichokes | | ►**M209** — ◄ |
| 0270060 | Leeks | | ►**M209** — ◄ |
| 0270070 | Rhubarbs | | ►**M209** — ◄ |
| 0270080 | Bamboo shoots | | ►**M209** — ◄ |
| 0270090 | Palm hearts | | ►**M209** — ◄ |
| 0270990 | Others | | ►**M209** — ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others | | |

▼M117

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►M218 0,01 (*) ◄ | ►M209 **0,01 (*)** ◄ |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | ►M209 — ◄ |
| 0401020 | Peanuts/groundnuts | | ►M209 — ◄ |
| 0401030 | Poppy seeds | | ►M209 — ◄ |
| 0401040 | Sesame seeds | | ►M209 — ◄ |
| 0401050 | Sunflower seeds | | ►M209 — ◄ |
| 0401060 | Rapeseeds/canola seeds | | ►M209 — ◄ |
| 0401070 | Soyabeans | | ►M209 — ◄ |
| 0401080 | Mustard seeds | | ►M209 — ◄ |
| 0401090 | Cotton seeds | | ►M209 — ◄ |
| 0401100 | Pumpkin seeds | | ►M209 — ◄ |
| 0401110 | Safflower seeds | | ►M209 — ◄ |
| 0401120 | Borage seeds | | ►M209 — ◄ |
| 0401130 | Gold of pleasure seeds | | ►M209 — ◄ |
| 0401140 | Hemp seeds | | ►M209 — ◄ |
| 0401150 | Castor beans | | ►M209 — ◄ |
| 0401990 | Others | | ►M209 — ◄ |
| 0402000 | **Oil fruits** | | ►M209 — ◄ |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | **CEREALS** | ►M218 0,01 (*) ◄ | ►M209 **0,01 (*)** ◄ |
| 0500010 | Barley | | ►M209 — ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | | ►M209 — ◄ |
| 0500030 | Maize/corn | | ►M209 — ◄ |
| 0500040 | Common millet/proso millet | | ►M209 — ◄ |
| 0500050 | Oat | | ►M209 — ◄ |
| 0500060 | Rice | | ►M209 — ◄ |
| 0500070 | Rye | | ►M209 — ◄ |
| 0500080 | Sorghum | | ►M209 — ◄ |
| 0500090 | Wheat | | ►M209 — ◄ |
| 0500990 | Others | | ►M209 — ◄ |

▼M117

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M146 — ◄ | ►M209 0,05 (*) ◄ |
| 0610000 | **Teas** | ►M218 8 ◄ | |
| 0620000 | **Coffee beans** | ►M218 0,05 (*) ◄ | |
| 0630000 | **Herbal infusions from** | ►M218 0,05 (*) ◄ | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | ►M218 0,05 (*) ◄ | |
| 0650000 | **Carobs/Saint John's breads** | ►M218 0,05 (*) ◄ | |
| 0700000 | **HOPS** | ►M218 15 (+) ◄ | ►M209 **0,05 (*)** ◄ |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | ►M218 0,05 (*) ◄ | ►M209 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | ►M218 0,05 (*) ◄ | ►M209 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | | |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | **Bark spices** | ►**M218** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | ►**M218** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M161** — ◄ | ►**M209** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M218** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 0840040 | Horseradish | ►**M146** — ◄ | ►**M209** — ◄ |
| 0840990 | Others | ►**M218** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M218** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | ►**M218** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | ►**M218** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | ►**M218** 0,01 (*) ◄ | ►**M209** **0,01 (*)** ◄ |
| 0900010 | Sugar beet roots | | ►**M209** — ◄ |
| 0900020 | Sugar canes | | ►**M209** — ◄ |
| 0900030 | Chicory roots | | ►**M209** — ◄ |
| 0900990 | Others | | ►**M209** — ◄ |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Tissues from** | | |
| 1011000 | (a) *swine* | ►**M161** — ◄ | |
| 1011010 | Muscle | ►**M218** 0,02 ◄ | ►**M209** 0,01 (*) ◄ |
| 1011020 | Fat tissue | ►**M218** **0,2** ◄ | ►**M209** 0,05 (*) ◄ |
| 1011030 | Liver | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1011040 | Kidney | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1011990 | Others | ►**M218** 0,01 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | ►**M218** 0,02 ◄ | ►**M209** 0,01 (*) ◄ |
| 1012020 | Fat tissue | ►**M218** **0,2** ◄ | ►**M209** 0,05 (*) ◄ |
| 1012030 | Liver | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1012040 | Kidney | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1012990 | Others | ►**M218** 0,01 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | ►**M218** 0,02 ◄ | ►**M209** 0,01 (*) ◄ |
| 1013020 | Fat tissue | ►**M218** **0,2** ◄ | ►**M209** 0,05 (*) ◄ |
| 1013030 | Liver | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1013040 | Kidney | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1013990 | Others | ►**M218** 0,01 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | ►**M218** 0,02 ◄ | ►**M209** 0,01 (*) ◄ |
| 1014020 | Fat tissue | ►**M218** **0,2** ◄ | ►**M209** 0,05 (*) ◄ |
| 1014030 | Liver | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1014040 | Kidney | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1014990 | Others | ►**M218** 0,01 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | ►**M218** 0,02 ◄ | ►**M209** 0,01 (*) ◄ |
| 1015020 | Fat tissue | ►**M218** **0,2** ◄ | ►**M209** 0,05 (*) ◄ |
| 1015030 | Liver | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1015990 | Others | ►**M218** 0,01 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 1016000 | (f) *poultry* | ►**M218** 0,01 (*) ◄ | |
| 1016010 | Muscle | | ►**M209** 0,01 (*) ◄ |
| 1016020 | Fat tissue | | ►**M209** 0,05 (*) ◄ |
| 1016030 | Liver | | ►**M209** 0,05 (*) ◄ |
| 1016040 | Kidney | | ►**M209** 0,05 (*) ◄ |
| 1016050 | Edible offals (other than liver and kidney) | | ►**M209** 0,05 (*) ◄ |
| 1016990 | Others | | ►**M209** 0,05 (*) ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | ►**M218** 0,02 ◄ | ►**M209** 0,01 (*) ◄ |
| 1017020 | Fat tissue | ►**M218** **0,2** ◄ | ►**M209** 0,05 (*) ◄ |
| 1017030 | Liver | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1017040 | Kidney | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M218** **0,8** ◄ | ►**M209** 0,05 (*) ◄ |
| 1017990 | Others | ►**M218** 0,01 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 1020000 | **Milk** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 1020010 | Cattle | | ►**M209** — ◄ |
| 1020020 | Sheep | | ►**M209** — ◄ |
| 1020030 | Goat | | ►**M209** — ◄ |
| 1020040 | Horse | | ►**M209** — ◄ |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M117**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M218** 0,05 (*) ◄ | ►**M209** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M218** 0,01 (*) ◄ | ►**M209** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M218** 0,02 ◄ | ►**M209** 0,01 (*) ◄ |

▼**M119**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Tebufenpyrad (F) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | 0,6 |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | **0,01** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | **0,3** |
| 0130020 | Pears | **0,3** |
| 0130030 | Quinces | **0,8** |
| 0130040 | Medlars | **0,8** |
| 0130050 | Loquats/Japanese medlars | **0,8** |
| 0130990 | Others | **0,01** (*) |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | **0,4 (+)** |
| 0140020 | Cherries (sweet) | **0,01** (*) |
| 0140030 | Peaches | **0,4 (+)** |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | **0,2** |
| 0140990 | Others | **0,01** (*) |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | **0,6** |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | 1 |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | **0,05** (+) |
| 0153020 | Dewberries | **0,05** (+) |
| 0153030 | Raspberries (red and yellow) | **0,15** |
| 0153990 | Others | **0,01** (*) |
| 0154000 | (d) *other small fruits and berries* | **1,5** |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | **0,01** (*) |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | 0,8 |
| 0231020 | Sweet peppers/bell peppers | **0,01** (*) |
| 0231030 | Aubergines/eggplants | 0,8 |
| 0231040 | Okra/lady's fingers | **0,01** (*) |
| 0231990 | Others | **0,01** (*) |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | 0,3 |
| 0232020 | Gherkins | 0,5 |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | 0,3 |
| 0232990 | Others | **0,01** (*) |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | **0,3** |
| 0233020 | Pumpkins | **0,01** (*) |
| 0233030 | Watermelons | **0,3** |
| 0233990 | Others | **0,01** (*) |
| 0234000 | (d) *sweet corn* | **0,01** (*) |
| 0239000 | (e) *other fruiting vegetables* | **0,01** (*) |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | **0,3 (+)** |
| 0260020 | Beans (without pods) | **0,01** (*) |
| 0260030 | Peas (with pods) | **0,01** (*) |
| 0260040 | Peas (without pods) | **0,01** (*) |
| 0260050 | Lentils | **0,01** (*) |
| 0260990 | Others | **0,01** (*) |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | **0,01** (*) |
| 0401020 | Peanuts/groundnuts | **0,01** (*) |
| 0401030 | Poppy seeds | **0,01** (*) |
| 0401040 | Sesame seeds | **0,01** (*) |
| 0401050 | Sunflower seeds | **0,01** (*) |
| 0401060 | Rapeseeds/canola seeds | **0,01** (*) |
| 0401070 | Soyabeans | **0,01** (*) |
| 0401080 | Mustard seeds | **0,01** (*) |
| 0401090 | Cotton seeds | 0,05 (*) |
| 0401100 | Pumpkin seeds | **0,01** (*) |
| 0401110 | Safflower seeds | **0,01** (*) |
| 0401120 | Borage seeds | **0,01** (*) |
| 0401130 | Gold of pleasure seeds | **0,01** (*) |
| 0401140 | Hemp seeds | **0,01** (*) |
| 0401150 | Castor beans | **0,01** (*) |
| 0401990 | Others | **0,01** (*) |
| 0402000 | **Oil fruits** | **0,01** (*) |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **1,5** (+) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger | **0,05** (*) |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **(+)** |
| 1010000 | **Tissues from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |

▼M123

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M166 — ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►M166 — ◄ |
| 0110000 | **Citrus fruits** | ►M166 — ◄ |
| 0110010 | Grapefruits | ►M166 — ◄ |
| 0110020 | Oranges | ►M166 — ◄ |
| 0110030 | Lemons | ►M166 — ◄ |
| 0110040 | Limes | ►M166 — ◄ |
| 0110050 | Mandarins | ►M166 — ◄ |
| 0110990 | Others | ►M166 — ◄ |
| 0120000 | **Tree nuts** | ►M166 — ◄ |
| 0120010 | Almonds | ►M166 — ◄ |
| 0120020 | Brazil nuts | ►M166 — ◄ |
| 0120030 | Cashew nuts | ►M166 — ◄ |
| 0120040 | Chestnuts | ►M166 — ◄ |
| 0120050 | Coconuts | ►M166 — ◄ |
| 0120060 | Hazelnuts/cobnuts | ►M166 — ◄ |
| 0120070 | Macadamias | ►M166 — ◄ |
| 0120080 | Pecans | ►M166 — ◄ |
| 0120090 | Pine nut kernels | ►M166 — ◄ |
| 0120100 | Pistachios | ►M166 — ◄ |
| 0120110 | Walnuts | ►M166 — ◄ |
| 0120990 | Others | ►M166 — ◄ |
| 0130000 | **Pome fruits** | ►M166 — ◄ |
| 0130010 | Apples | ►M166 — ◄ |
| 0130020 | Pears | ►M166 — ◄ |
| 0130030 | Quinces | ►M166 — ◄ |
| 0130040 | Medlars | ►M166 — ◄ |
| 0130050 | Loquats/Japanese medlars | ►M166 — ◄ |
| 0130990 | Others | ►M166 — ◄ |
| 0140000 | **Stone fruits** | ►M166 — ◄ |
| 0140010 | Apricots | ►M166 — ◄ |
| 0140020 | Cherries (sweet) | ►M166 — ◄ |
| 0140030 | Peaches | ►M166 — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M166** — ◄ |
| 0140990 | Others | ►**M166** — ◄ |
| 0150000 | **Berries and small fruits** | ►**M166** — ◄ |
| 0151000 | (a) *grapes* | ►**M166** — ◄ |
| 0151010 | Table grapes | ►**M166** — ◄ |
| 0151020 | Wine grapes | ►**M166** — ◄ |
| 0152000 | (b) *strawberries* | ►**M166** — ◄ |
| 0153000 | (c) *cane fruits* | ►**M166** — ◄ |
| 0153010 | Blackberries | ►**M166** — ◄ |
| 0153020 | Dewberries | ►**M166** — ◄ |
| 0153030 | Raspberries (red and yellow) | ►**M166** — ◄ |
| 0153990 | Others | ►**M166** — ◄ |
| 0154000 | (d) *other small fruits and berries* | ►**M166** — ◄ |
| 0154010 | Blueberries | ►**M166** — ◄ |
| 0154020 | Cranberries | ►**M166** — ◄ |
| 0154030 | Currants (black, red and white) | ►**M166** — ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►**M166** — ◄ |
| 0154050 | Rose hips | ►**M166** — ◄ |
| 0154060 | Mulberries (black and white) | ►**M166** — ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►**M166** — ◄ |
| 0154080 | Elderberries | ►**M166** — ◄ |
| 0154990 | Others | ►**M166** — ◄ |
| 0160000 | **Miscellaneous fruits with** | ►**M166** — ◄ |
| 0161000 | (a) *edible peel* | ►**M166** — ◄ |
| 0161010 | Dates | ►**M166** — ◄ |
| 0161020 | Figs | ►**M166** — ◄ |
| 0161030 | Table olives | ►**M166** — ◄ |
| 0161040 | Kumquats | ►**M166** — ◄ |
| 0161050 | Carambolas | ►**M166** — ◄ |
| 0161060 | Kaki/Japanese persimmons | ►**M166** — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M166** — ◄ |
| 0161990 | Others | ►**M166** — ◄ |
| 0162000 | (b) *inedible peel, small* | ►**M166** — ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | ►**M166** — ◄ |
| 0162020 | Litchis/lychees | ►**M166** — ◄ |
| 0162030 | Passionfruits/maracujas | ►**M166** — ◄ |
| 0162040 | Prickly pears/cactus fruits | ►**M166** — ◄ |
| 0162050 | Star apples/cainitos | ►**M166** — ◄ |
| 0162060 | American persimmons/Virginia kaki | ►**M166** — ◄ |
| 0162990 | Others | ►**M166** — ◄ |
| 0163000 | (c) *inedible peel, large* | ►**M166** — ◄ |
| 0163010 | Avocados | ►**M166** — ◄ |
| 0163020 | Bananas | ►**M166** — ◄ |
| 0163030 | Mangoes | ►**M166** — ◄ |
| 0163040 | Papayas | ►**M166** — ◄ |
| 0163050 | Granate apples/pomegranates | ►**M166** — ◄ |
| 0163060 | Cherimoyas | ►**M166** — ◄ |
| 0163070 | Guavas | ►**M166** — ◄ |
| 0163080 | Pineapples | ►**M166** — ◄ |
| 0163090 | Breadfruits | ►**M166** — ◄ |
| 0163100 | Durians | ►**M166** — ◄ |
| 0163110 | Soursops/guanabanas | ►**M166** — ◄ |
| 0163990 | Others | ►**M166** — ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | ►**M166** — ◄ |
| 0210000 | **Root and tuber vegetables** | ►**M166** — ◄ |
| 0211000 | (a) *potatoes* | ►**M166** — ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M166** — ◄ |
| 0212010 | Cassava roots/manioc | ►**M166** — ◄ |
| 0212020 | Sweet potatoes | ►**M166** — ◄ |
| 0212030 | Yams | ►**M166** — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | ►**M166** — ◄ |
| 0212990 | Others | ►**M166** — ◄ |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M166** — ◄ |
| 0213010 | Beetroots | ►**M166** — ◄ |
| 0213020 | Carrots | ►**M166** — ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | ►**M166** — ◄ |
| 0213040 | Horseradishes | ►**M166** — ◄ |
| 0213050 | Jerusalem artichokes | ►**M166** — ◄ |
| 0213060 | Parsnips | ►**M166** — ◄ |
| 0213070 | Parsley roots/Hamburg roots parsley | ►**M166** — ◄ |
| 0213080 | Radishes | ►**M166** — ◄ |
| 0213090 | Salsifies | ►**M166** — ◄ |
| 0213100 | Swedes/rutabagas | ►**M166** — ◄ |
| 0213110 | Turnips | ►**M166** — ◄ |
| 0213990 | Others | ►**M166** — ◄ |
| 0220000 | **Bulb vegetables** | ►**M166** — ◄ |
| 0220010 | Garlic | ►**M166** — ◄ |
| 0220020 | Onions | ►**M166** — ◄ |
| 0220030 | Shallots | ►**M166** — ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M166** — ◄ |
| 0220990 | Others | ►**M166** — ◄ |
| 0230000 | **Fruiting vegetables** | ►**M166** — ◄ |
| 0231000 | (a) *solanacea* | ►**M166** — ◄ |
| 0231010 | Tomatoes | ►**M166** — ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M166** — ◄ |
| 0231030 | Aubergines/eggplants | ►**M166** — ◄ |
| 0231040 | Okra/lady's fingers | ►**M166** — ◄ |
| 0231990 | Others | ►**M166** — ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M166** — ◄ |
| 0232010 | Cucumbers | ►**M166** — ◄ |
| 0232020 | Gherkins | ►**M166** — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | ►**M166** — ◄ |
| 0232990 | Others | ►**M166** — ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M166** — ◄ |
| 0233010 | Melons | ►**M166** — ◄ |
| 0233020 | Pumpkins | ►**M166** — ◄ |
| 0233030 | Watermelons | ►**M166** — ◄ |
| 0233990 | Others | ►**M166** — ◄ |
| 0234000 | (d) *sweet corn* | ►**M166** — ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M166** — ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M166** — ◄ |
| 0241000 | (a) *flowering brassica* | ►**M166** — ◄ |
| 0241010 | Broccoli | ►**M166** — ◄ |
| 0241020 | Cauliflowers | ►**M166** — ◄ |
| 0241990 | Others | ►**M166** — ◄ |
| 0242000 | (b) *head brassica* | ►**M166** — ◄ |
| 0242010 | Brussels sprouts | ►**M166** — ◄ |
| 0242020 | Head cabbages | ►**M166** — ◄ |
| 0242990 | Others | ►**M166** — ◄ |
| 0243000 | (c) *leafy brassica* | ►**M166** — ◄ |
| 0243010 | Chinese cabbages/pe-tsai | ►**M166** — ◄ |
| 0243020 | Kales | ►**M166** — ◄ |
| 0243990 | Others | ►**M166** — ◄ |
| 0244000 | (d) *kohlrabies* | ►**M166** — ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | ►**M166** — ◄ |
| 0251000 | (a) *lettuces and salad plants* | ►**M166** — ◄ |
| 0251010 | Lamb's lettuces/corn salads | ►**M166** — ◄ |
| 0251020 | Lettuces | ►**M166** — ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►**M166** — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M166** — ◄ |
| 0251050 | Land cresses | ►**M166** — ◄ |
| 0251060 | Roman rocket/rucola | ►**M166** — ◄ |
| 0251070 | Red mustards | ►**M166** — ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M166** — ◄ |
| 0251990 | Others | ►**M166** — ◄ |
| 0252000 | (b) *spinaches and similar leaves* | ►**M166** — ◄ |
| 0252010 | Spinaches | ►**M166** — ◄ |
| 0252020 | Purslanes | ►**M166** — ◄ |
| 0252030 | Chards/beet leaves | ►**M166** — ◄ |
| 0252990 | Others | ►**M166** — ◄ |
| 0253000 | (c) *grape leaves and similar species* | ►**M166** — ◄ |
| 0254000 | (d) *watercresses* | ►**M166** — ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M166** — ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M166** — ◄ |
| 0256010 | Chervil | ►**M166** — ◄ |
| 0256020 | Chives | ►**M166** — ◄ |
| 0256030 | Celery leaves | ►**M166** — ◄ |
| 0256040 | Parsley | ►**M166** — ◄ |
| 0256050 | Sage | ►**M166** — ◄ |
| 0256060 | Rosemary | ►**M166** — ◄ |
| 0256070 | Thyme | ►**M166** — ◄ |
| 0256080 | Basil and edible flowers | ►**M166** — ◄ |
| 0256090 | Laurel/bay leave | ►**M166** — ◄ |
| 0256100 | Tarragon | ►**M166** — ◄ |
| 0256990 | Others | ►**M166** — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M166** — ◄ |
| 0260010 | Beans (with pods) | ►**M166** — ◄ |
| 0260020 | Beans (without pods) | ►**M166** — ◄ |
| 0260030 | Peas (with pods) | ►**M166** — ◄ |
| 0260040 | Peas (without pods) | ►**M166** — ◄ |
| 0260050 | Lentils | ►**M166** — ◄ |
| 0260990 | Others | ►**M166** — ◄ |
| 0270000 | **Stem vegetables** | ►**M166** — ◄ |
| 0270010 | Asparagus | ►**M166** — ◄ |
| 0270020 | Cardoons | ►**M166** — ◄ |
| 0270030 | Celeries | ►**M166** — ◄ |
| 0270040 | Florence fennels | ►**M166** — ◄ |
| 0270050 | Globe artichokes | ►**M166** — ◄ |
| 0270060 | Leeks | ►**M166** — ◄ |
| 0270070 | Rhubarbs | ►**M166** — ◄ |
| 0270080 | Bamboo shoots | ►**M166** — ◄ |
| 0270090 | Palm hearts | ►**M166** — ◄ |
| 0270990 | Others | ►**M166** — ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►**M166** — ◄ |
| 0280010 | Cultivated fungi | ►**M166** — ◄ |
| 0280020 | Wild fungi | ►**M166** — ◄ |
| 0280990 | Mosses and lichens | ►**M166** — ◄ |
| 0290000 | **Algae and prokaryotes organisms** | ►**M166** — ◄ |
| 0300000 | **PULSES** | ►**M166** — ◄ |
| 0300010 | Beans | ►**M166** — ◄ |
| 0300020 | Lentils | ►**M166** — ◄ |
| 0300030 | Peas | ►**M166** — ◄ |
| 0300040 | Lupins/lupini beans | ►**M166** — ◄ |
| 0300990 | Others | ►**M166** — ◄ |

▼M123

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►M166 — ◄ |
| 0401000 | **Oilseeds** | ►M166 — ◄ |
| 0401010 | Linseeds | ►M166 — ◄ |
| 0401020 | Peanuts/groundnuts | ►M166 — ◄ |
| 0401030 | Poppy seeds | ►M166 — ◄ |
| 0401040 | Sesame seeds | ►M166 — ◄ |
| 0401050 | Sunflower seeds | ►M166 — ◄ |
| 0401060 | Rapeseeds/canola seeds | ►M166 — ◄ |
| 0401070 | Soyabeans | ►M166 — ◄ |
| 0401080 | Mustard seeds | ►M166 — ◄ |
| 0401090 | Cotton seeds | ►M166 — ◄ |
| 0401100 | Pumpkin seeds | ►M166 — ◄ |
| 0401110 | Safflower seeds | ►M166 — ◄ |
| 0401120 | Borage seeds | ►M166 — ◄ |
| 0401130 | Gold of pleasure seeds | ►M166 — ◄ |
| 0401140 | Hemp seeds | ►M166 — ◄ |
| 0401150 | Castor beans | ►M166 — ◄ |
| 0401990 | Others | ►M166 — ◄ |
| 0402000 | **Oil fruits** | ►M166 — ◄ |
| 0402010 | Olives for oil production | ►M166 — ◄ |
| 0402020 | Oil palms kernels | ►M166 — ◄ |
| 0402030 | Oil palms fruits | ►M166 — ◄ |
| 0402040 | Kapok | ►M166 — ◄ |
| 0402990 | Others | ►M166 — ◄ |
| 0500000 | **CEREALS** | ►M166 — ◄ |
| 0500010 | Barley | ►M166 — ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | ►M166 — ◄ |
| 0500030 | Maize/corn | ►M166 — ◄ |
| 0500040 | Common millet/proso millet | ►M166 — ◄ |
| 0500050 | Oat | ►M166 — ◄ |
| 0500060 | Rice | ►M166 — ◄ |
| 0500070 | Rye | ►M166 — ◄ |
| 0500080 | Sorghum | ►M166 — ◄ |
| 0500090 | Wheat | ►M166 — ◄ |
| 0500990 | Others | ►M166 — ◄ |

▼M123

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M166 — ◄ |
| 0610000 | **Teas** | ►M166 — ◄ |
| 0620000 | **Coffee beans** | ►M166 — ◄ |
| 0630000 | **Herbal infusions from** | ►M166 — ◄ |
| 0631000 | (a) *flowers* | ►M166 — ◄ |
| 0631010 | Chamomile | ►M166 — ◄ |
| 0631020 | Hibiscus/roselle | ►M166 — ◄ |
| 0631030 | Rose | ►M166 — ◄ |
| 0631040 | Jasmine | ►M166 — ◄ |
| 0631050 | Lime/linden | ►M166 — ◄ |
| 0631990 | Others | ►M166 — ◄ |
| 0632000 | (b) *leaves and herbs* | ►M166 — ◄ |
| 0632010 | Strawberry | ►M166 — ◄ |
| 0632020 | Rooibos | ►M166 — ◄ |
| 0632030 | Mate/maté | ►M166 — ◄ |
| 0632990 | Others | ►M166 — ◄ |
| 0633000 | (c) *roots* | ►M166 — ◄ |
| 0633010 | Valerian | ►M166 — ◄ |
| 0633020 | Ginseng | ►M166 — ◄ |
| 0633990 | Others | ►M166 — ◄ |
| 0639000 | (d) *any other parts of the plant* | ►M166 — ◄ |
| 0640000 | **Cocoa beans** | ►M166 — ◄ |
| 0650000 | **Carobs/Saint John's breads** | ►M166 — ◄ |
| 0700000 | **HOPS** | ►M166 — ◄ |
| 0800000 | **SPICES** | ►M166 — ◄ |
| 0810000 | **Seed spices** | ►M166 — ◄ |
| 0810010 | Anise/aniseed | ►M166 — ◄ |
| 0810020 | Black caraway/black cumin | ►M166 — ◄ |
| 0810030 | Celery | ►M166 — ◄ |
| 0810040 | Coriander | ►M166 — ◄ |
| 0810050 | Cumin | ►M166 — ◄ |
| 0810060 | Dill | ►M166 — ◄ |
| 0810070 | Fennel | ►M166 — ◄ |
| 0810080 | Fenugreek | ►M166 — ◄ |
| 0810090 | Nutmeg | ►M166 — ◄ |
| 0810990 | Others | ►M166 — ◄ |
| 0820000 | **Fruit spices** | ►M166 — ◄ |
| 0820010 | Allspice/pimento | ►M166 — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | ►**M166** — ◄ |
| 0820030 | Caraway | ►**M166** — ◄ |
| 0820040 | Cardamom | ►**M166** — ◄ |
| 0820050 | Juniper berry | ►**M166** — ◄ |
| 0820060 | Peppercorn (black, green and white) | ►**M166** — ◄ |
| 0820070 | Vanilla | ►**M166** — ◄ |
| 0820080 | Tamarind | ►**M166** — ◄ |
| 0820990 | Others | ►**M166** — ◄ |
| 0830000 | **Bark spices** | ►**M166** — ◄ |
| 0830010 | Cinnamon | ►**M166** — ◄ |
| 0830990 | Others | ►**M166** — ◄ |
| 0840000 | **Root and rhizome spices** | ►**M166** — ◄ |
| 0840010 | Liquorice | ►**M166** — ◄ |
| 0840020 | Ginger | ►**M166** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M166** — ◄ |
| 0840040 | Horseradish | ►**M166** — ◄ |
| 0840990 | Others | ►**M166** — ◄ |
| 0850000 | **Bud spices** | ►**M166** — ◄ |
| 0850010 | Cloves | ►**M166** — ◄ |
| 0850020 | Capers | ►**M166** — ◄ |
| 0850990 | Others | ►**M166** — ◄ |
| 0860000 | **Flower pistil spices** | ►**M166** — ◄ |
| 0860010 | Saffron | ►**M166** — ◄ |
| 0860990 | Others | ►**M166** — ◄ |
| 0870000 | **Aril spices** | ►**M166** — ◄ |
| 0870010 | Mace | ►**M166** — ◄ |
| 0870990 | Others | ►**M166** — ◄ |
| 0900000 | **SUGAR PLANTS** | ►**M166** — ◄ |
| 0900010 | Sugar beet roots | ►**M166** — ◄ |
| 0900020 | Sugar canes | ►**M166** — ◄ |
| 0900030 | Chicory roots | ►**M166** — ◄ |
| 0900990 | Others | ►**M166** — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | ►**M166** — ◄ |
| 1010000 | **Tissues from** | ►**M166** — ◄ |
| 1011000 | (a) *swine* | ►**M166** — ◄ |
| 1011010 | Muscle | ►**M166** — ◄ |
| 1011020 | Fat tissue | ►**M166** — ◄ |
| 1011030 | Liver | ►**M166** — ◄ |
| 1011040 | Kidney | ►**M166** — ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M166** — ◄ |
| 1011990 | Others | ►**M166** — ◄ |
| 1012000 | (b) *bovine* | ►**M166** — ◄ |
| 1012010 | Muscle | ►**M166** — ◄ |
| 1012020 | Fat tissue | ►**M166** — ◄ |
| 1012030 | Liver | ►**M166** — ◄ |
| 1012040 | Kidney | ►**M166** — ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M166** — ◄ |
| 1012990 | Others | ►**M166** — ◄ |
| 1013000 | (c) *sheep* | ►**M166** — ◄ |
| 1013010 | Muscle | ►**M166** — ◄ |
| 1013020 | Fat tissue | ►**M166** — ◄ |
| 1013030 | Liver | ►**M166** — ◄ |
| 1013040 | Kidney | ►**M166** — ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M166** — ◄ |
| 1013990 | Others | ►**M166** — ◄ |
| 1014000 | d) *goat* | ►**M166** — ◄ |
| 1014010 | Muscle | ►**M166** — ◄ |
| 1014020 | Fat tissue | ►**M166** — ◄ |
| 1014030 | Liver | ►**M166** — ◄ |
| 1014040 | Kidney | ►**M166** — ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M166** — ◄ |
| 1014990 | Others | ►**M166** — ◄ |
| 1015000 | (e) *equine* | ►**M166** — ◄ |
| 1015010 | Muscle | ►**M166** — ◄ |
| 1015020 | Fat tissue | ►**M166** — ◄ |
| 1015030 | Liver | ►**M166** — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M166** — ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M166** — ◄ |
| 1015990 | Others | ►**M166** — ◄ |
| 1016000 | (f) *poultry* | ►**M166** — ◄ |
| 1016010 | Muscle | ►**M166** — ◄ |
| 1016020 | Fat tissue | ►**M166** — ◄ |
| 1016030 | Liver | ►**M166** — ◄ |
| 1016040 | Kidney | ►**M166** — ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►**M166** — ◄ |
| 1016990 | Others | ►**M166** — ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | ►**M166** — ◄ |
| 1017010 | Muscle | ►**M166** — ◄ |
| 1017020 | Fat tissue | ►**M166** — ◄ |
| 1017030 | Liver | ►**M166** — ◄ |
| 1017040 | Kidney | ►**M166** — ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M166** — ◄ |
| 1017990 | Others | ►**M166** — ◄ |
| 1020000 | **Milk** | ►**M166** — ◄ |
| 1020010 | Cattle | ►**M166** — ◄ |
| 1020020 | Sheep | ►**M166** — ◄ |
| 1020030 | Goat | ►**M166** — ◄ |
| 1020040 | Horse | ►**M166** — ◄ |
| 1020990 | Others | ►**M166** — ◄ |
| 1030000 | **Birds eggs** | ►**M166** — ◄ |
| 1030010 | Chicken | ►**M166** — ◄ |
| 1030020 | Duck | ►**M166** — ◄ |
| 1030030 | Geese | ►**M166** — ◄ |
| 1030040 | Quail | ►**M166** — ◄ |
| 1030990 | Others | ►**M166** — ◄ |

▼**M123**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M166** — ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M166** — ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M166** — ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M166** — ◄ |

▼**M124**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M190** Acrinathrin (F) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | ►**M190** 0,02 (*) ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | ►**M190** 0,02 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | ►**M190** 0,02 (*) ◄ |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | ►**M190** — ◄ |
| 0140010 | Apricots | ►**M190** 0,02 (*) ◄ |
| 0140020 | Cherries (sweet) | ►**M190** 0,02 (*) ◄ |
| 0140030 | Peaches | ►**M190** **0,08** ◄ |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M190** 0,02 (*) ◄ |
| 0140990 | Others | ►**M190** 0,02 (*) ◄ |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | ►**M190** 0,05 (*) ◄ |
| 0151020 | Wine grapes | ►**M190** 0,1 ◄ |
| 0152000 | (b) *strawberries* | ►**M190** 0,02 (*) ◄ |
| 0153000 | (c) *cane fruits* | ►**M190** 0,02 (*) ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | ►**M190** 0,02 (*) ◄ |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | ►**M190** 0,02 (*) ◄ |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M190** 0,02 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | ►**M190** 0,02 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | ►**M190** — ◄ |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | ►**M190** 0,02 (*) ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M190** **0,08** ◄ |
| 0231030 | Aubergines/eggplants | ►**M190** 0,02 (*) ◄ |
| 0231040 | Okra/lady's fingers | ►**M190** 0,02 (*) ◄ |
| 0231990 | Others | ►**M190** 0,02 (*) ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M190** 0,02 (*) ◄ |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M190** 0,02 (*) ◄ |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | ►**M190** 0,02 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M190** 0,02 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M190** 0,02 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | ►**M190** 0,06 (+) ◄ |
| 0251020 | Lettuces | ►**M190** 0,1 ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►**M190** 0,06 (+) ◄ |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M190** 0,06 (+) ◄ |
| 0251050 | Land cresses | ►**M190** 0,02 (*) ◄ |
| 0251060 | Roman rocket/rucola | ►**M190** 0,06 (+) ◄ |
| 0251070 | Red mustards | ►**M190** 0,06 (+) ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M190** 0,02 (*) ◄ |
| 0251990 | Others | ►**M190** 0,02 (*) ◄ |
| 0252000 | (b) *spinaches and similar leaves* | ►**M190** 0,02 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | ►**M190** 0,02 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M190** 0,02 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M190** 0,02 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M190** 0,02 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M190** 0,02 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | ►**M190** 0,02 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | ►**M190** 0,02 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M190** 0,02 (*) ◄ |
| 0300000 | **PULSES** | ►**M190** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M190** 0,02 (*) ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | ►**M190** 0,01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M190** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M190** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M190** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | ►**M190** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | ►**M190** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M190** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M176** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M190** 0,05 (*) ◄ |
| 0840040 | Horseradish | ►**M176** — ◄ |
| 0840990 | Others | ►**M190** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M190** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | ►**M190** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | ►**M190** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | ►**M190** 0,02 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | ►**M190** 0,01 (*) ◄ |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | ►**M190** 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | ►**M190** 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M124**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M190** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M190** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M190** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M190** 0,01 (*) ◄ |

▼**M133**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propargite (F) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | 0,01 (*) |
| 0110020 | Oranges | **4** |
| 0110030 | Lemons | 0,01 (*) |
| 0110040 | Limes | 0,01 (*) |
| 0110050 | Mandarins | 0,01 (*) |
| 0110990 | Others (2) | 0,01 (*) |
| 0120000 | **Tree nuts** | 0,02 (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | 0,01 (*) |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | 0,01 (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | 0,01 (*) |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | 0,01 (*) |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | 0,01 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | 0,02 (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | 0,01 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) |
| 0300000 | **PULSES** | 0,01 (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,02 (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | 0,01 (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | |
| 0610000 | **Teas** | **10** |
| 0620000 | **Coffee beans** | 0,05 (*) |
| 0630000 | **Herbal infusions from** | 0,05 (*) |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | 0,05 (*) |
| 0650000 | **Carobs/Saint John's breads** | 0,05 (*) |
| 0700000 | **HOPS** | 0,05 (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | 0,05 (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | 0,05 (*) |
| 0820010 | Allspice/pimento | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | 0,05 (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger (10) | 0,05 (*) |
| 0840030 | Turmeric/curcuma | 0,05 (*) |
| 0840040 | Horseradish (11) | (+) |
| 0840990 | Others (2) | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | 0,01 (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | 0,01 (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | 0,01 (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |

▼**M133**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼M128

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Bensulfuron-methyl | Dimethachlor | ►M161 Lufenuron (any ratio of constituent isomers) (F) ◄ |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | **0,01** (*) | |
| 0110000 | **Citrus fruits** | | | ►M161 — ◄ |
| 0110010 | Grapefruits | | | ►M161 0.01 (*) ◄ |
| 0110020 | Oranges | | | ►M161 **0.3** ◄ |
| 0110030 | Lemons | | | ►M161 0.01 (*) ◄ |
| 0110040 | Limes | | | ►M161 **0.4** ◄ |
| 0110050 | Mandarins | | | ►M161 0.01 (*) ◄ |
| 0110990 | Others | | | ►M161 0.01 (*) ◄ |
| 0120000 | **Tree nuts** | | | ►M161 0.01 (*) ◄ |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts/cobnuts | | | |
| 0120070 | Macadamias | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nut kernels | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others | | | |
| 0130000 | **Pome fruits** | | | ►M161 **1** ◄ |
| 0130010 | Apples | | | |
| 0130020 | Pears | | | |
| 0130030 | Quinces | | | |
| 0130040 | Medlars | | | |
| 0130050 | Loquats/Japanese medlars | | | |
| 0130990 | Others | | | |
| 0140000 | **Stone fruits** | | | |
| 0140010 | Apricots | | | ►M161 0.2 (+) ◄ |
| 0140020 | Cherries (sweet) | | | ►M161 0.01 (*) ◄ |
| 0140030 | Peaches | | | ►M161 0.2 (+) ◄ |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums | | | ►**M161** 0.01 (*) ◄ |
| 0140990 | Others | | | ►**M161** 0.01 (*) ◄ |
| 0150000 | **Berries and small fruits** | | | ►**M161** — ◄ |
| 0151000 | (a) *grapes* | | | ►**M161** 0.01 (*) ◄ |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *strawberries* | | | ►**M161** 0.01 (*) ◄ |
| 0153000 | (c) *cane fruits* | | | ►**M161** 0.01 (*) ◄ |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries | | | |
| 0153030 | Raspberries (red and yellow) | | | |
| 0153990 | Others | | | |
| 0154000 | (d) *other small fruits and berries* | | | |
| 0154010 | Blueberries | | | ►**M161** 0.01 (*) ◄ |
| 0154020 | Cranberries | | | ►**M161** 0.01 (*) ◄ |
| 0154030 | Currants (black, red and white) | | | ►**M161** 0.01 (*) ◄ |
| 0154040 | Gooseberries (green, red and yellow) | | | ►**M161** 0.01 (*) ◄ |
| 0154050 | Rose hips | | | ►**M161** 0.01 (*) ◄ |
| 0154060 | Mulberries (black and white) | | | ►**M161** 0.01 (*) ◄ |
| 0154070 | Azaroles/Mediterranean medlars | | | ►**M161** 1 ◄ |
| 0154080 | Elderberries | | | ►**M161** 0.01 (*) ◄ |
| 0154990 | Others | | | ►**M161** 0.01 (*) ◄ |
| 0160000 | **Miscellaneous fruits with** | | | ►**M161** — ◄ |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | | | ►**M161** 0.01 (*) ◄ |
| 0161020 | Figs | | | ►**M161** 0.01 (*) ◄ |
| 0161030 | Table olives | | | ►**M161** 0.01 (*) ◄ |
| 0161040 | Kumquats | | | ►**M161** 0.01 (*) ◄ |
| 0161050 | Carambolas | | | ►**M161** 0.01 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | | | ►**M161** 1 ◄ |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | ►**M161** 0.01 (*) ◄ |
| 0161990 | Others | | | ►**M161** 0.01 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | | | ►**M161** 0.01 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | | | |
| 0162020 | Litchis/lychees | | | |
| 0162030 | Passionfruits/maracujas | | | |
| 0162040 | Prickly pears/cactus fruits | | | |
| 0162050 | Star apples/cainitos | | | |
| 0162060 | American persimmons/Virginia kaki | | | |
| 0162990 | Others | | | |
| 0163000 | (c) *inedible peel, large* | | | ►**M161** 0.01 (*) ◄ |
| 0163010 | Avocados | | | |
| 0163020 | Bananas | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papayas | | | |
| 0163050 | Granate apples/pomegranates | | | |
| 0163060 | Cherimoyas | | | |
| 0163070 | Guavas | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Breadfruits | | | |
| 0163100 | Durians | | | |
| 0163110 | Soursops/guanabanas | | | |
| 0163990 | Others | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0211000 | (a) *potatoes* | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | |
| 0212010 | Cassava roots/manioc | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams | | | |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | |
| 0213010 | Beetroots | | | |
| 0213020 | Carrots | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | |
| 0213040 | Horseradishes | | | |
| 0213050 | Jerusalem artichokes | | | |
| 0213060 | Parsnips | | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | | |
| 0213080 | Radishes | | | |
| 0213090 | Salsifies | | | |
| 0213100 | Swedes/rutabagas | | | |
| 0213110 | Turnips | | | |
| 0213990 | Others | | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0220010 | Garlic | | | |
| 0220020 | Onions | | | |
| 0220030 | Shallots | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | |
| 0220990 | Others | | | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | **0,01** (*) | |
| 0231000 | (a) *solanacea* | | | |
| 0231010 | Tomatoes | | | ►**M161** 0.4 ◄ |
| 0231020 | Sweet peppers/bell peppers | | | ►**M161** 0.8 ◄ |
| 0231030 | Aubergines/eggplants | | | ►**M161** 0.3 ◄ |
| 0231040 | Okra/lady's fingers | | | ►**M161** 0.01 (*) ◄ |
| 0231990 | Others | | | ►**M161** 0.01 (*) ◄ |
| 0232000 | (b) *cucurbits with edible peel* | | | |
| 0232010 | Cucumbers | | | ►**M161** 0.15 ◄ |
| 0232020 | Gherkins | | | ►**M161** 0.15 ◄ |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes | | | ►**M161** 0.15 ◄ |
| 0232990 | Others | | | ►**M161** 0.01 (*) ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | | | |
| 0233010 | Melons | | | ►**M161** 0.4 ◄ |
| 0233020 | Pumpkins | | | ►**M161** 0.4 ◄ |
| 0233030 | Watermelons | | | ►**M161** 0.4 ◄ |
| 0233990 | Others | | | ►**M161** 0.01 (*) ◄ |
| 0234000 | (d) *sweet corn* | | | ►**M161** 0.01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | | | ►**M161** 0.01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | | | |
| 0241010 | Broccoli | | | |
| 0241020 | Cauliflowers | | | |
| 0241990 | Others | | | |
| 0242000 | (b) *head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbages | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *leafy brassica* | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | |
| 0243020 | Kales | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *kohlrabies* | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | | | |
| 0251020 | Lettuces | | | |
| 0251030 | Escaroles/broad-leaved endives | | | |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | |
| 0251050 | Land cresses | | | |
| 0251060 | Roman rocket/rucola | | | |
| 0251070 | Red mustards | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0252010 | Spinaches | | | |
| 0252020 | Purslanes | | | |
| 0252030 | Chards/beet leaves | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0254000 | (d) *watercresses* | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | 0,02 (*) | ►**M161** 0.02 (*) ◄ |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves | | | |
| 0256040 | Parsley | | | |
| 0256050 | Sage | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme | | | |
| 0256080 | Basil and edible flowers | | | |
| 0256090 | Laurel/bay leave | | | |
| 0256100 | Tarragon | | | |
| 0256990 | Others | | | |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0260010 | Beans (with pods) | | | |
| 0260020 | Beans (without pods) | | | |
| 0260030 | Peas (with pods) | | | |
| 0260040 | Peas (without pods) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others | | | |
| 0270000 | **Stem vegetables** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0270010 | Asparagus | | | |
| 0270020 | Cardoons | | | |
| 0270030 | Celeries | | | |
| 0270040 | Florence fennels | | | |
| 0270050 | Globe artichokes | | | |
| 0270060 | Leeks | | | |
| 0270070 | Rhubarbs | | | |
| 0270080 | Bamboo shoots | | | |
| 0270090 | Palm hearts | | | |
| 0270990 | Others | | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0300000 | **PULSES** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0300010 | Beans | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas | | | |
| 0300040 | Lupins/lupini beans | | | |
| 0300990 | Others | | | |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | | ►**M161** 0.01 (*) ◄ |
| 0401000 | **Oilseeds** | | | |
| 0401010 | Linseeds | | **0,01** (*) | |
| 0401020 | Peanuts/groundnuts | | **0,01** (*) | |
| 0401030 | Poppy seeds | | **0,01** (*) | |
| 0401040 | Sesame seeds | | **0,01** (*) | |
| 0401050 | Sunflower seeds | | **0,01** (*) | |
| 0401060 | Rapeseeds/canola seeds | | **0,02** (*) | |
| 0401070 | Soyabeans | | **0,01** (*) | |
| 0401080 | Mustard seeds | | 0,02 (*) | |
| 0401090 | Cotton seeds | | **0,01** (*) | |
| 0401100 | Pumpkin seeds | | **0,01** (*) | |
| 0401110 | Safflower seeds | | **0,01** (*) | |
| 0401120 | Borage seeds | | **0,01** (*) | |
| 0401130 | Gold of pleasure seeds | | 0,02 (*) | |
| 0401140 | Hemp seeds | | **0,01** (*) | |
| 0401150 | Castor beans | | **0,01** (*) | |
| 0401990 | Others | | **0,01** (*) | |
| 0402000 | **Oil fruits** | | **0,01** (*) | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Oil palms kernels | | | |
| 0402030 | Oil palms fruits | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others | | | |
| 0500000 | **CEREALS** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0500010 | Barley | | | |
| 0500020 | Buckwheat and other pseudo-cereals | | | |
| 0500030 | Maize/corn | | | |
| 0500040 | Common millet/proso millet | | | |
| 0500050 | Oat | | | |
| 0500060 | Rice | | | |
| 0500070 | Rye | | | |
| 0500080 | Sorghum | | | |
| 0500090 | Wheat | | | |
| 0500990 | Others | | | |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) | **0,05** (*) | ►**M161** — ◄ |
| 0610000 | **Teas** | | | ►**M161** 0.05 (*) ◄ |
| 0620000 | **Coffee beans** | | | ►**M161** **0.07** ◄ |
| 0630000 | **Herbal infusions from** | | | ►**M161** 0.05 (*) ◄ |
| 0631000 | (a) *flowers* | | | |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *leaves and herbs* | | | |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *roots* | | | |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *any other parts of the plant* | | | |
| 0640000 | **Cocoa beans** | | | ►**M161** 0.05 (*) ◄ |
| 0650000 | **Carobs/Saint John's breads** | | | ►**M161** 0.05 (*) ◄ |
| 0700000 | **HOPS** | **0,05** (*) | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0800000 | **SPICES** | **0,05** (*) | | |
| 0810000 | **Seed spices** | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0810010 | Anise/aniseed | | | |
| 0810020 | Black caraway/black cumin | | | |
| 0810030 | Celery | | | |
| 0810040 | Coriander | | | |
| 0810050 | Cumin | | | |
| 0810060 | Dill | | | |
| 0810070 | Fennel | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | **Fruit spices** | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0820010 | Allspice/pimento | | | |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berry | | | |
| 0820060 | Peppercorn (black, green and white) | | | |
| 0820070 | Vanilla | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | **Bark spices** | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0830010 | Cinnamon | | | |
| 0830990 | Others | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0840020 | Ginger | | **0,05** (*) | ►**M161** — ◄ |
| 0840030 | Turmeric/curcuma | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0840040 | Horseradish | **(+)** | (+) | ►**M161** — ◄ |
| 0840990 | Others | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0850000 | **Bud spices** | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | **Flower pistil spices** | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | **Aril spices** | | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) | ►**M161** 0.01 (*) ◄ |
| 0900010 | Sugar beet roots | | | |
| 0900020 | Sugar canes | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | |
| 1010000 | **Tissues from** | **0,01** (*) | **0,01** (*) | |
| 1011000 | (a) *swine* | | | |
| 1011010 | Muscle | | | ►**M161** **0.08** ◄ |
| 1011020 | Fat tissue | | | ►**M161** **2** ◄ |
| 1011030 | Liver | | | ►**M161** **0.15** ◄ |
| 1011040 | Kidney | | | ►**M161** **0.15** ◄ |
| 1011050 | Edible offals (other than liver and kidney) | | | ►**M161** 0.7 ◄ |
| 1011990 | Others | | | ►**M161** 0.02 (*) ◄ |
| 1012000 | (b) *bovine* | | | |
| 1012010 | Muscle | | | ►**M161** **0.08** ◄ |
| 1012020 | Fat tissue | | | ►**M161** **2** ◄ |
| 1012030 | Liver | | | ►**M161** **0.15** ◄ |
| 1012040 | Kidney | | | ►**M161** **0.15** ◄ |
| 1012050 | Edible offals (other than liver and kidney) | | | ►**M161** 0.7 ◄ |
| 1012990 | Others | | | ►**M161** 0.02 (*) ◄ |
| 1013000 | (c) *sheep* | | | |
| 1013010 | Muscle | | | ►**M161** **0.08** ◄ |
| 1013020 | Fat tissue | | | ►**M161** **2** ◄ |
| 1013030 | Liver | | | ►**M161** **0.15** ◄ |
| 1013040 | Kidney | | | ►**M161** **0.15** ◄ |
| 1013050 | Edible offals (other than liver and kidney) | | | ►**M161** 0.7 ◄ |
| 1013990 | Others | | | ►**M161** 0.02 (*) ◄ |
| 1014000 | (d) *goat* | | | |
| 1014010 | Muscle | | | ►**M161** **0.08** ◄ |
| 1014020 | Fat tissue | | | ►**M161** **2** ◄ |
| 1014030 | Liver | | | ►**M161** **0.15** ◄ |
| 1014040 | Kidney | | | ►**M161** **0.15** ◄ |
| 1014050 | Edible offals (other than liver and kidney) | | | ►**M161** 0.7 ◄ |
| 1014990 | Others | | | ►**M161** 0.02 (*) ◄ |
| 1015000 | (e) *equine* | | | |
| 1015010 | Muscle | | | ►**M161** **0.08** ◄ |
| 1015020 | Fat tissue | | | ►**M161** **2** ◄ |
| 1015030 | Liver | | | ►**M161** **0.15** ◄ |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | | | ►**M161** **0.15** ◄ |
| 1015050 | Edible offals (other than liver and kidney) | | | ►**M161** 0.7 ◄ |
| 1015990 | Others | | | ►**M161** 0.02 (*) ◄ |
| 1016000 | (f) *poultry* | | | |
| 1016010 | Muscle | | | ►**M161** 0.02 (*) ◄ |
| 1016020 | Fat tissue | | | ►**M161** 0.04 ◄ |
| 1016030 | Liver | | | ►**M161** 0.02 (*) (+) ◄ |
| 1016040 | Kidney | | | ►**M161** 0.02 (*) (+) ◄ |
| 1016050 | Edible offals (other than liver and kidney) | | | ►**M161** 0.04 ◄ |
| 1016990 | Others | | | ►**M161** 0.02 (*) ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | | | ►**M161** **0.08** ◄ |
| 1017020 | Fat tissue | | | ►**M161** **2** ◄ |
| 1017030 | Liver | | | ►**M161** **0.15** ◄ |
| 1017040 | Kidney | | | ►**M161** **0.15** ◄ |
| 1017050 | Edible offals (other than liver and kidney) | | | ►**M161** 0.7 ◄ |
| 1017990 | Others | | | ►**M161** 0.02 (*) ◄ |
| 1020000 | **Milk** | **0,01** (*) | **0,01** (*) | ►**M161** **0.15** ◄ |
| 1020010 | Cattle | | | |
| 1020020 | Sheep | | | |
| 1020030 | Goat | | | |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | **Birds eggs** | **0,01** (*) | **0,01** (*) | ►**M161** 0.02 (*) ◄ |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Geese | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M128**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) | **0,05** (*) | ►**M161** 0.05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | **0,01** (*) | ►**M161** 0.02 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | **0,01** (*) | ►**M161** 0.02 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | **0,01** (*) | ►**M161** **0.08** ◄ |

▼**M131**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M211** Triclopyr ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH OR FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | ►**M211** 0,1 (+) ◄ |
| 0110020 | Oranges | ►**M211** 0,1 (+) ◄ |
| 0110030 | Lemons | ►**M211** 0,1 (+) ◄ |
| 0110040 | Limes | ►**M211** 0,01 (*) ◄ |
| 0110050 | Mandarins | ►**M211** 0,1 (+) ◄ |
| 0110990 | Others | ►**M211** 0,01 (*) ◄ |
| 0120000 | **Tree nuts** | ►**M211** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | ►**M211** 0,05 (+) ◄ |
| 0130020 | Pears | ►**M211** 0,05 (+) ◄ |
| 0130030 | Quinces | ►**M211** 0,01 (*) ◄ |
| 0130040 | Medlars | ►**M211** 0,01 (*) ◄ |
| 0130050 | Loquats/Japanese medlars | ►**M211** 0,01 (*) ◄ |
| 0130990 | Others | ►**M211** 0,01 (*) ◄ |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | ►**M211** 0,05 (+) ◄ |
| 0140020 | Cherries (sweet) | ►**M211** 0,01 (*) ◄ |
| 0140030 | Peaches | ►**M211** 0,05 (+) ◄ |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M211** 0,01 (*) ◄ |
| 0140990 | Others | ►**M211** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | ►**M211** 0,01 (*) ◄ |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | ►**M167** — ◄ |
| 0161000 | (a) *edible peel* | ►**M211** 0,01 (*) ◄ |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | ►**M211** 0,15 ◄ |
| 0162020 | Litchis/lychees | ►**M211** 0,01 (*) ◄ |
| 0162030 | Passionfruits/maracujas | ►**M211** 0,01 (*) ◄ |
| 0162040 | Prickly pears/cactus fruits | ►**M211** 0,01 (*) ◄ |
| 0162050 | Star apples/cainitos | ►**M211** 0,01 (*) ◄ |
| 0162060 | American persimmons/Virginia kaki | ►**M211** 0,01 (*) ◄ |
| 0162990 | Others | ►**M211** 0,01 (*) ◄ |
| 0163000 | (c) *inedible peel, large* | ►**M211** 0,01 (*) ◄ |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH OR FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M211** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | ►**M211** 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | ►**M211** 0,01 (*) ◄ |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M211** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M211** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M211** 0,01 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | ►**M211** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M211** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M211** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M211** 0,02 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M211** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | ►**M211** 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | ►**M211** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M211** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M211** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M211** 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | ►**M211** 0,01 (*) ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | ►**M211** 0,01 (*) ◄ |
| 0500030 | Maize/corn | ►**M211** 0,01 (*) ◄ |
| 0500040 | Common millet/proso millet | ►**M211** 0,01 (*) ◄ |
| 0500050 | Oat | ►**M211** 0,01 (*) ◄ |
| 0500060 | Rice | ►**M211** 0,3 (+) ◄ |
| 0500070 | Rye | ►**M211** 0,01 (*) ◄ |
| 0500080 | Sorghum | ►**M211** 0,01 (*) ◄ |
| 0500090 | Wheat | ►**M211** 0,01 (*) ◄ |
| 0500990 | Others | ►**M211** 0,01 (*) ◄ |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M211** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M211** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M211** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | ►**M211** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | ►**M211** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M211** 0,05 (*) ◄ |
| 0840020 | Ginger | ►**M167** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M211** 0,05 (*) ◄ |
| 0840040 | Horseradish | ►**M167** — ◄ |
| 0840990 | Others | ►**M211** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M211** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | ►**M211** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | ►**M211** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | ►**M211** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | |
| 1011000 | (a) *swine* | ►**M211** 0,01 (*) ◄ |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►**M211** 0,06 ◄ |
| 1012020 | Fat tissue | ►**M211** 0,06 ◄ |
| 1012030 | Liver | ►**M211** 0,06 ◄ |
| 1012040 | Kidney | ►**M211** 0,08 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M211** 0,08 ◄ |
| 1012990 | Others | ►**M211** 0,08 ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►**M211** 0,06 ◄ |
| 1013020 | Fat tissue | ►**M211** 0,06 ◄ |
| 1013030 | Liver | ►**M211** 0,06 ◄ |
| 1013040 | Kidney | ►**M211** 0,08 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M211** 0,08 ◄ |
| 1013990 | Others | ►**M211** 0,08 ◄ |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | ►**M211** 0,06 ◄ |
| 1014020 | Fat tissue | ►**M211** 0,06 ◄ |
| 1014030 | Liver | ►**M211** 0,06 ◄ |
| 1014040 | Kidney | ►**M211** 0,08 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M211** 0,08 ◄ |
| 1014990 | Others | ►**M211** 0,08 ◄ |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | ►**M211** 0,06 ◄ |
| 1015020 | Fat tissue | ►**M211** 0,06 ◄ |
| 1015030 | Liver | ►**M211** 0,06 ◄ |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M211** 0,08 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M211** 0,08 ◄ |
| 1015990 | Others | ►**M211** 0,08 ◄ |
| 1016000 | (f) *poultry* | ►**M211** 0,01 (*) ◄ |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | ►**M211** 0,06 ◄ |
| 1017020 | Fat tissue | ►**M211** 0,06 ◄ |
| 1017030 | Liver | ►**M211** 0,06 ◄ |
| 1017040 | Kidney | ►**M211** 0,08 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M211** 0,08 ◄ |
| 1017990 | Others | ►**M211** 0,01 (*) ◄ |
| 1020000 | **Milk** | ►**M211** 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | ►**M211** 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M131**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M211** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M211** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M211** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M211** 0,01 (*) ◄ |

▼**M140**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Fenpicoxamid (R) (F) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | ►**M218** 0,01 (*) ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | ►**M218** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | ►**M218** 0,01 (*) ◄ |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | ►**M218** 0,01 (*) ◄ |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | ►**M218** 0,01 (*) ◄ |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | ►**M218** 0,01 (*) ◄ |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | ►**M218** 0,01 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | ►**M218** 0,01 (*) ◄ |
| 0163020 | Bananas | ►**M218** 0,15 ◄ |
| 0163030 | Mangoes | ►**M218** 0,01 (*) ◄ |
| 0163040 | Papayas | ►**M218** 0,01 (*) ◄ |
| 0163050 | Granate apples/pomegranates | ►**M218** 0,01 (*) ◄ |
| 0163060 | Cherimoyas | ►**M218** 0,01 (*) ◄ |
| 0163070 | Guavas | ►**M218** 0,01 (*) ◄ |
| 0163080 | Pineapples | ►**M218** 0,01 (*) ◄ |
| 0163090 | Breadfruits | ►**M218** 0,01 (*) ◄ |
| 0163100 | Durians | ►**M218** 0,01 (*) ◄ |
| 0163110 | Soursops/guanabanas | ►**M218** 0,01 (*) ◄ |
| 0163990 | Others (2) | ►**M218** 0,01 (*) ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M218** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | ►**M218** 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | ►**M218** 0,01 (*) ◄ |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M218** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M218** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M218** 0,01 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | ►**M218** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M218** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M218** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M218** 0,02 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M218** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | ►**M218** 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | ►**M218** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M218** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M218** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M218** 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | ►**M218** 0,01 (*) ◄ |
| 0500020 | Buckwheat and other pseudocereals | ►**M218** 0,01 (*) ◄ |
| 0500030 | Maize/corn | ►**M218** 0,01 (*) ◄ |
| 0500040 | Common millet/proso millet | ►**M218** 0,01 (*) ◄ |
| 0500050 | Oat | ►**M218** 0,01 (*) ◄ |
| 0500060 | Rice | ►**M218** 0,01 (*) ◄ |
| 0500070 | Rye | ►**M218** 0,6 ◄ |
| 0500080 | Sorghum | ►**M218** 0,01 (*) ◄ |
| 0500090 | Wheat | ►**M218** 0,6 ◄ |
| 0500990 | Others (2) | ►**M218** 0,01 (*) ◄ |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M218** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M218** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M218** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | ►**M218** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | ►**M218** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M218** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | ►**M218** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M218** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | ►**M218** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M218** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | ►**M218** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | ►**M218** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | ►**M218** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | ►**M218** — ◄ |
| 1011010 | Muscle | ►**M218** **0,015** ◄ |
| 1011020 | Fat | ►**M218** **0,015** ◄ |
| 1011030 | Liver | ►**M218** **0,02** ◄ |
| 1011040 | Kidney | ►**M218** **0,02** ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M218** **0,02** ◄ |
| 1011990 | Others (2) | ►**M218** **0,02** ◄ |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►**M218** **0,015** ◄ |
| 1012020 | Fat | ►**M218** **0,015** ◄ |
| 1012030 | Liver | ►**M218** **0,02** ◄ |
| 1012040 | Kidney | ►**M218** 0,02 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M218** **0,02** ◄ |
| 1012990 | Others (2) | ►**M218** **0,02** ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►**M218** **0,015** ◄ |
| 1013020 | Fat | ►**M218** **0,015** ◄ |
| 1013030 | Liver | ►**M218** 0,02 ◄ |
| 1013040 | Kidney | ►**M218** 0,02 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M218** **0,02** ◄ |
| 1013990 | Others (2) | ►**M218** **0,02** ◄ |
| 1014000 | (d) *goat* | ►**M218** — ◄ |
| 1014010 | Muscle | ►**M218** **0,015** ◄ |
| 1014020 | Fat | ►**M218** **0,015** ◄ |
| 1014030 | Liver | ►**M218** **0,02** ◄ |
| 1014040 | Kidney | ►**M218** **0,02** ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M218** **0,02** ◄ |
| 1014990 | Others (2) | ►**M218** **0,02** ◄ |
| 1015000 | (e) *equine* | ►**M218** — ◄ |
| 1015010 | Muscle | ►**M218** **0,015** ◄ |
| 1015020 | Fat | ►**M218** **0,015** ◄ |
| 1015030 | Liver | ►**M218** **0,02** ◄ |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M218** **0,02** ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M218** **0,02** ◄ |
| 1015990 | Others (2) | ►**M218** **0,02** ◄ |
| 1016000 | (f) *poultry* | ►**M218** 0,01 (*) ◄ |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | ►**M218** — ◄ |
| 1017010 | Muscle | ►**M218** **0,015** ◄ |
| 1017020 | Fat | ►**M218** **0,015** ◄ |
| 1017030 | Liver | ►**M218** **0,02** ◄ |
| 1017040 | Kidney | ►**M218** **0,02** ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M218** **0,02** ◄ |
| 1017990 | Others (2) | ►**M218** **0,02** ◄ |
| 1020000 | **Milk** | ►**M218** **0,015** ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | ►**M218** 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M218** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M218** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M218** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M218** 0,01 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M138**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Penoxsulam | ►**M205** —— ◄ | Triflum-uron (F) |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | 0,01 (*) | ►**M205** —— ◄ | |
| 0110000 | **Citrus fruits** | | ►**M205** —— ◄ | **0,01** (*) |
| 0110010 | Grapefruits | | ►**M205** —— ◄ | |
| 0110020 | Oranges | | ►**M205** —— ◄ | |
| 0110030 | Lemons | | ►**M205** —— ◄ | |
| 0110040 | Limes | | ►**M205** —— ◄ | |
| 0110050 | Mandarins | | ►**M205** —— ◄ | |
| 0110990 | Others (2) | | ►**M205** —— ◄ | |
| 0120000 | **Tree nuts** | | ►**M205** —— ◄ | **0,01** (*) |
| 0120010 | Almonds | | ►**M205** —— ◄ | |
| 0120020 | Brazil nuts | | ►**M205** —— ◄ | |
| 0120030 | Cashew nuts | | ►**M205** —— ◄ | |
| 0120040 | Chestnuts | | ►**M205** —— ◄ | |
| 0120050 | Coconuts | | ►**M205** —— ◄ | |
| 0120060 | Hazelnuts/cobnuts | | ►**M205** —— ◄ | |
| 0120070 | Macadamias | | ►**M205** —— ◄ | |
| 0120080 | Pecans | | ►**M205** —— ◄ | |
| 0120090 | Pine nut kernels | | ►**M205** —— ◄ | |
| 0120100 | Pistachios | | ►**M205** —— ◄ | |
| 0120110 | Walnuts | | ►**M205** —— ◄ | |
| 0120990 | Others (2) | | ►**M205** —— ◄ | |
| 0130000 | **Pome fruits** | | ►**M205** —— ◄ | |
| 0130010 | Apples | | ►**M205** —— ◄ | **0,5** (+) |
| 0130020 | Pears | | ►**M205** —— ◄ | **0,5** (+) |
| 0130030 | Quinces | | ►**M205** —— ◄ | **0,01** (*) |
| 0130040 | Medlars | | ►**M205** —— ◄ | **0,01** (*) |
| 0130050 | Loquats/Japanese medlars | | ►**M205** —— ◄ | **0,01** (*) |
| 0130990 | Others (2) | | ►**M205** —— ◄ | **0,01** (*) |
| 0140000 | **Stone fruits** | | ►**M205** —— ◄ | |
| 0140010 | Apricots | | ►**M205** —— ◄ | **1** (+) |
| 0140020 | Cherries (sweet) | | ►**M205** —— ◄ | **0,01** (*) |
| 0140030 | Peaches | | ►**M205** —— ◄ | **0,4** (+) |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums | | ►**M205** —◄ | **0,1** (+) |
| 0140990 | Others (2) | | ►**M205** —◄ | **0,01** (*) |
| 0150000 | **Berries and small fruits** | | ►**M205** —◄ | **0,01** (*) |
| 0151000 | (a) *grapes* | | ►**M205** —◄ | |
| 0151010 | Table grapes | | ►**M205** —◄ | |
| 0151020 | Wine grapes | | ►**M205** —◄ | |
| 0152000 | (b) *strawberries* | | ►**M205** —◄ | |
| 0153000 | (c) *cane fruits* | | ►**M205** —◄ | |
| 0153010 | Blackberries | | ►**M205** —◄ | |
| 0153020 | Dewberries | | ►**M205** —◄ | |
| 0153030 | Raspberries (red and yellow) | | ►**M205** —◄ | |
| 0153990 | Others (2) | | ►**M205** —◄ | |
| 0154000 | (d) *other small fruits and berries* | | ►**M205** —◄ | |
| 0154010 | Blueberries | | ►**M205** —◄ | |
| 0154020 | Cranberries | | ►**M205** —◄ | |
| 0154030 | Currants (black, red and white) | | ►**M205** —◄ | |
| 0154040 | Gooseberries (green, red and yellow) | | ►**M205** —◄ | |
| 0154050 | Rose hips | | ►**M205** —◄ | |
| 0154060 | Mulberries (black and white) | | ►**M205** —◄ | |
| 0154070 | Azaroles/Mediterranean medlars | | ►**M205** —◄ | |
| 0154080 | Elderberries | | ►**M205** —◄ | |
| 0154990 | Others (2) | | ►**M205** —◄ | |
| 0160000 | **Miscellaneous fruits with** | | ►**M205** —◄ | **0,01** (*) |
| 0161000 | (a) *edible peel* | | ►**M205** —◄ | |
| 0161010 | Dates | | ►**M205** —◄ | |
| 0161020 | Figs | | ►**M205** —◄ | |
| 0161030 | Table olives | | ►**M205** —◄ | |
| 0161040 | Kumquats | | ►**M205** —◄ | |
| 0161050 | Carambolas | | ►**M205** —◄ | |
| 0161060 | Kaki/Japanese persimmons | | ►**M205** —◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | ►**M205** —◄ | |
| 0161990 | Others (2) | | ►**M205** —◄ | |
| 0162000 | (b) *inedible peel, small* | | ►**M205** —◄ | |
| 0162010 | Kiwi fruits (green, red, yellow) | | ►**M205** —◄ | |
| 0162020 | Litchis/lychees | | ►**M205** —◄ | |
| 0162030 | Passionfruits/maracujas | | ►**M205** —◄ | |
| 0162040 | Prickly pears/cactus fruits | | ►**M205** —◄ | |
| 0162050 | Star apples/cainitos | | ►**M205** —◄ | |
| 0162060 | American persimmons/Virginia kaki | | ►**M205** —◄ | |
| 0162990 | Others (2) | | ►**M205** —◄ | |
| 0163000 | (c) *inedible peel, large* | | ►**M205** —◄ | |
| 0163010 | Avocados | | ►**M205** —◄ | |
| 0163020 | Bananas | | ►**M205** —◄ | |
| 0163030 | Mangoes | | ►**M205** —◄ | |
| 0163040 | Papayas | | ►**M205** —◄ | |
| 0163050 | Granate apples/pomegranates | | ►**M205** —◄ | |
| 0163060 | Cherimoyas | | ►**M205** —◄ | |
| 0163070 | Guavas | | ►**M205** —◄ | |
| 0163080 | Pineapples | | ►**M205** —◄ | |
| 0163090 | Breadfruits | | ►**M205** —◄ | |
| 0163100 | Durians | | ►**M205** —◄ | |
| 0163110 | Soursops/guanabanas | | ►**M205** —◄ | |
| 0163990 | Others (2) | | ►**M205** —◄ | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | ►**M205** —◄ | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0211000 | (a) *potatoes* | | ►**M205** —◄ | |
| 0212000 | (b) *tropical root and tuber vegetables* | | ►**M205** —◄ | |
| 0212010 | Cassava roots/manioc | | ►**M205** —◄ | |
| 0212020 | Sweet potatoes | | ►**M205** —◄ | |
| 0212030 | Yams | | ►**M205** —◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroots | | ►**M205** —◄ | |
| 0212990 | Others (2) | | ►**M205** —◄ | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | ►**M205** —◄ | |
| 0213010 | Beetroots | | ►**M205** —◄ | |
| 0213020 | Carrots | | ►**M205** —◄ | |
| 0213030 | Celeriacs/turnip rooted celeries | | ►**M205** —◄ | |
| 0213040 | Horseradishes | | ►**M205** —◄ | |
| 0213050 | Jerusalem artichokes | | ►**M205** —◄ | |
| 0213060 | Parsnips | | ►**M205** —◄ | |
| 0213070 | Parsley roots/Hamburg roots parsley | | ►**M205** —◄ | |
| 0213080 | Radishes | | ►**M205** —◄ | |
| 0213090 | Salsifies | | ►**M205** —◄ | |
| 0213100 | Swedes/rutabagas | | ►**M205** —◄ | |
| 0213110 | Turnips | | ►**M205** —◄ | |
| 0213990 | Others (2) | | ►**M205** —◄ | |
| 0220000 | **Bulb vegetables** | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0220010 | Garlic | | ►**M205** —◄ | |
| 0220020 | Onions | | ►**M205** —◄ | |
| 0220030 | Shallots | | ►**M205** —◄ | |
| 0220040 | Spring onions/green onions and Welsh onions | | ►**M205** —◄ | |
| 0220990 | Others (2) | | ►**M205** —◄ | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | ►**M205** —◄ | |
| 0231010 | Tomatoes | | ►**M205** —◄ | |
| 0231020 | Sweet peppers/bell peppers | | ►**M205** —◄ | |
| 0231030 | Aubergines/eggplants | | ►**M205** —◄ | |
| 0231040 | Okra/lady's fingers | | ►**M205** —◄ | |
| 0231990 | Others (2) | | ►**M205** —◄ | |
| 0232000 | (b) *cucurbits with edible peel* | | ►**M205** —◄ | |
| 0232010 | Cucumbers | | ►**M205** —◄ | |
| 0232020 | Gherkins | | ►**M205** —◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes | | ►**M205** —◄ | |
| 0232990 | Others (2) | | ►**M205** —◄ | |
| 0233000 | (c) *cucurbits with inedible peel* | | ►**M205** —◄ | |
| 0233010 | Melons | | ►**M205** —◄ | |
| 0233020 | Pumpkins | | ►**M205** —◄ | |
| 0233030 | Watermelons | | ►**M205** —◄ | |
| 0233990 | Others (2) | | ►**M205** —◄ | |
| 0234000 | (d) *sweet corn* | | ►**M205** —◄ | |
| 0239000 | (e) *other fruiting vegetables* | | ►**M205** —◄ | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | ►**M205** —◄ | |
| 0241010 | Broccoli | | ►**M205** —◄ | |
| 0241020 | Cauliflowers | | ►**M205** —◄ | |
| 0241990 | Others (2) | | ►**M205** —◄ | |
| 0242000 | (b) *head brassica* | | ►**M205** —◄ | |
| 0242010 | Brussels sprouts | | ►**M205** —◄ | |
| 0242020 | Head cabbages | | ►**M205** —◄ | |
| 0242990 | Others (2) | | ►**M205** —◄ | |
| 0243000 | (c) *leafy brassica* | | ►**M205** —◄ | |
| 0243010 | Chinese cabbages/pe-tsai | | ►**M205** —◄ | |
| 0243020 | Kales | | ►**M205** —◄ | |
| 0243990 | Others (2) | | ►**M205** —◄ | |
| 0244000 | (d) *kohlrabies* | | ►**M205** —◄ | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | ►**M205** —◄ | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | | ►**M205** —◄ | |
| 0251020 | Lettuces | | ►**M205** —◄ | |
| 0251030 | Escaroles/broad-leaved endives | | ►**M205** —◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | ►**M205** —◄ | |
| 0251050 | Land cresses | | ►**M205** —◄ | |
| 0251060 | Roman rocket/rucola | | ►**M205** —◄ | |
| 0251070 | Red mustards | | ►**M205** —◄ | |
| 0251080 | Baby leaf crops (including brassica species) | | ►**M205** —◄ | |
| 0251990 | Others (2) | | ►**M205** —◄ | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0252010 | Spinaches | | ►**M205** —◄ | |
| 0252020 | Purslanes | | ►**M205** —◄ | |
| 0252030 | Chards/beet leaves | | ►**M205** —◄ | |
| 0252990 | Others (2) | | ►**M205** —◄ | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) | ►**M205** —◄ | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | ►**M205** —◄ | **0,02** (*) |
| 0256010 | Chervil | | ►**M205** —◄ | |
| 0256020 | Chives | | ►**M205** —◄ | |
| 0256030 | Celery leaves | | ►**M205** —◄ | |
| 0256040 | Parsley | | ►**M205** —◄ | |
| 0256050 | Sage | | ►**M205** —◄ | |
| 0256060 | Rosemary | | ►**M205** —◄ | |
| 0256070 | Thyme | | ►**M205** —◄ | |
| 0256080 | Basil and edible flowers | | ►**M205** —◄ | |
| 0256090 | Laurel/bay leaves | | ►**M205** —◄ | |
| 0256100 | Tarragon | | ►**M205** —◄ | |
| 0256990 | Others (2) | | ►**M205** —◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | ►**M205** — ◄ | **0,01** (*) |
| 0260010 | Beans (with pods) | | ►**M205** — ◄ | |
| 0260020 | Beans (without pods) | | ►**M205** — ◄ | |
| 0260030 | Peas (with pods) | | ►**M205** — ◄ | |
| 0260040 | Peas (without pods) | | ►**M205** — ◄ | |
| 0260050 | Lentils | | ►**M205** — ◄ | |
| 0260990 | Others (2) | | ►**M205** — ◄ | |
| 0270000 | **Stem vegetables** | 0,01 (*) | ►**M205** — ◄ | **0,01** (*) |
| 0270010 | Asparagus | | ►**M205** — ◄ | |
| 0270020 | Cardoons | | ►**M205** — ◄ | |
| 0270030 | Celeries | | ►**M205** — ◄ | |
| 0270040 | Florence fennels | | ►**M205** — ◄ | |
| 0270050 | Globe artichokes | | ►**M205** — ◄ | |
| 0270060 | Leeks | | ►**M205** — ◄ | |
| 0270070 | Rhubarbs | | ►**M205** — ◄ | |
| 0270080 | Bamboo shoots | | ►**M205** — ◄ | |
| 0270090 | Palm hearts | | ►**M205** — ◄ | |
| 0270990 | Others (2) | | ►**M205** — ◄ | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) | ►**M205** — ◄ | **0,01** (*) |
| 0280010 | Cultivated fungi | | ►**M205** — ◄ | |
| 0280020 | Wild fungi | | ►**M205** — ◄ | |
| 0280990 | Mosses and lichens | | ►**M205** — ◄ | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) | ►**M205** — ◄ | **0,01** (*) |
| 0300000 | **PULSES** | 0,01 (*) | ►**M205** — ◄ | **0,01** (*) |
| 0300010 | Beans | | ►**M205** — ◄ | |
| 0300020 | Lentils | | ►**M205** — ◄ | |
| 0300030 | Peas | | ►**M205** — ◄ | |
| 0300040 | Lupins/lupini beans | | ►**M205** — ◄ | |
| 0300990 | Others (2) | | ►**M205** — ◄ | |

▼M138

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,01 (*) | ►M205 — ◄ | **0,01** (*) |
| 0401000 | **Oilseeds** | | ►M205 — ◄ | |
| 0401010 | Linseeds | | ►M205 — ◄ | |
| 0401020 | Peanuts/groundnuts | | ►M205 — ◄ | |
| 0401030 | Poppy seeds | | ►M205 — ◄ | |
| 0401040 | Sesame seeds | | ►M205 — ◄ | |
| 0401050 | Sunflower seeds | | ►M205 — ◄ | |
| 0401060 | Rapeseeds/canola seeds | | ►M205 — ◄ | |
| 0401070 | Soyabeans | | ►M205 — ◄ | |
| 0401080 | Mustard seeds | | ►M205 — ◄ | |
| 0401090 | Cotton seeds | | ►M205 — ◄ | |
| 0401100 | Pumpkin seeds | | ►M205 — ◄ | |
| 0401110 | Safflower seeds | | ►M205 — ◄ | |
| 0401120 | Borage seeds | | ►M205 — ◄ | |
| 0401130 | Gold of pleasure seeds | | ►M205 — ◄ | |
| 0401140 | Hemp seeds | | ►M205 — ◄ | |
| 0401150 | Castor beans | | ►M205 — ◄ | |
| 0401990 | Others (2) | | ►M205 — ◄ | |
| 0402000 | **Oil fruits** | | ►M205 — ◄ | |
| 0402010 | Olives for oil production | | ►M205 — ◄ | |
| 0402020 | Oil palms kernels | | ►M205 — ◄ | |
| 0402030 | Oil palms fruits | | ►M205 — ◄ | |
| 0402040 | Kapok | | ►M205 — ◄ | |
| 0402990 | Others (2) | | ►M205 — ◄ | |
| 0500000 | **CEREALS** | 0,01 (*) | ►M205 — ◄ | **0,01** (*) |
| 0500010 | Barley | | ►M205 — ◄ | |
| 0500020 | Buckwheat and other pseudocereals | | ►M205 — ◄ | |
| 0500030 | Maize/corn | | ►M205 — ◄ | |
| 0500040 | Common millet/proso millet | | ►M205 — ◄ | |
| 0500050 | Oat | | ►M205 — ◄ | |
| 0500060 | Rice | | ►M205 — ◄ | |
| 0500070 | Rye | | ►M205 — ◄ | |
| 0500080 | Sorghum | | ►M205 — ◄ | |
| 0500090 | Wheat | | ►M205 — ◄ | |
| 0500990 | Others (2) | | ►M205 — ◄ | |

▼M138

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) | ►M205 — ◄ | 0,05 (*) |
| 0610000 | **Teas** | | ►M205 — ◄ | |
| 0620000 | **Coffee beans** | | ►M205 — ◄ | |
| 0630000 | **Herbal infusions from** | | ►M205 — ◄ | |
| 0631000 | (a) *flowers* | | ►M205 — ◄ | |
| 0631010 | Chamomile | | ►M205 — ◄ | |
| 0631020 | Hibiscus/roselle | | ►M205 — ◄ | |
| 0631030 | Rose | | ►M205 — ◄ | |
| 0631040 | Jasmine | | ►M205 — ◄ | |
| 0631050 | Lime/linden | | ►M205 — ◄ | |
| 0631990 | Others (2) | | ►M205 — ◄ | |
| 0632000 | (b) *leaves and herbs* | | ►M205 — ◄ | |
| 0632010 | Strawberry | | ►M205 — ◄ | |
| 0632020 | Rooibos | | ►M205 — ◄ | |
| 0632030 | Mate/maté | | ►M205 — ◄ | |
| 0632990 | Others (2) | | ►M205 — ◄ | |
| 0633000 | (c) *roots* | | ►M205 — ◄ | |
| 0633010 | Valerian | | ►M205 — ◄ | |
| 0633020 | Ginseng | | ►M205 — ◄ | |
| 0633990 | Others (2) | | ►M205 — ◄ | |
| 0639000 | (d) *any other parts of the plant* | | ►M205 — ◄ | |
| 0640000 | **Cocoa beans** | | ►M205 — ◄ | |
| 0650000 | **Carobs/Saint John's breads** | | ►M205 — ◄ | |
| 0700000 | **HOPS** | **0,05** (*) | ►M205 — ◄ | 0,05 (*) |
| 0800000 | **SPICES** | | ►M205 — ◄ | |
| 0810000 | **Seed spices** | **0,05** (*) | ►M205 — ◄ | 0,05 (*) |
| 0810010 | Anise/aniseed | | ►M205 — ◄ | |
| 0810020 | Black caraway/black cumin | | ►M205 — ◄ | |
| 0810030 | Celery | | ►M205 — ◄ | |
| 0810040 | Coriander | | ►M205 — ◄ | |
| 0810050 | Cumin | | ►M205 — ◄ | |
| 0810060 | Dill | | ►M205 — ◄ | |
| 0810070 | Fennel | | ►M205 — ◄ | |
| 0810080 | Fenugreek | | ►M205 — ◄ | |
| 0810090 | Nutmeg | | ►M205 — ◄ | |
| 0810990 | Others (2) | | ►M205 — ◄ | |
| 0820000 | **Fruit spices** | **0,05** (*) | ►M205 — ◄ | 0,05 (*) |
| 0820010 | Allspice/pimento | | ►M205 — ◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | ►**M205** —— ◄ | |
| 0820030 | Caraway | | ►**M205** —— ◄ | |
| 0820040 | Cardamom | | ►**M205** —— ◄ | |
| 0820050 | Juniper berry | | ►**M205** —— ◄ | |
| 0820060 | Peppercorn (black, green and white) | | ►**M205** —— ◄ | |
| 0820070 | Vanilla | | ►**M205** —— ◄ | |
| 0820080 | Tamarind | | ►**M205** —— ◄ | |
| 0820990 | Others (2) | | ►**M205** —— ◄ | |
| 0830000 | **Bark spices** | **0,05** (*) | ►**M205** —— ◄ | 0,05 (*) |
| 0830010 | Cinnamon | | ►**M205** —— ◄ | |
| 0830990 | Others (2) | | ►**M205** —— ◄ | |
| 0840000 | **Root and rhizome spices** | | ►**M205** —— ◄ | |
| 0840010 | Liquorice | **0,05** (*) | ►**M205** —— ◄ | 0,05 (*) |
| 0840020 | Ginger (10) | **0,05** (*) | ►**M205** —— ◄ | 0,05 (*) |
| 0840030 | Turmeric/curcuma | **0,05** (*) | ►**M205** —— ◄ | 0,05 (*) |
| 0840040 | Horseradish (11) | | ►**M205** —— ◄ | |
| 0840990 | Others (2) | **0,05** (*) | ►**M205** —— ◄ | 0,05 (*) |
| 0850000 | **Bud spices** | **0,05** (*) | ►**M205** —— ◄ | 0,05 (*) |
| 0850010 | Cloves | | ►**M205** —— ◄ | |
| 0850020 | Capers | | ►**M205** —— ◄ | |
| 0850990 | Others (2) | | ►**M205** —— ◄ | |
| 0860000 | **Flower pistil spices** | **0,05** (*) | ►**M205** —— ◄ | 0,05 (*) |
| 0860010 | Saffron | | ►**M205** —— ◄ | |
| 0860990 | Others (2) | | ►**M205** —— ◄ | |
| 0870000 | **Aril spices** | **0,05** (*) | ►**M205** —— ◄ | 0,05 (*) |
| 0870010 | Mace | | ►**M205** —— ◄ | |
| 0870990 | Others (2) | | ►**M205** —— ◄ | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) | ►**M205** —— ◄ | **0,01** (*) |
| 0900010 | Sugar beet roots | | ►**M205** —— ◄ | |
| 0900020 | Sugar canes | | ►**M205** —— ◄ | |
| 0900030 | Chicory roots | | ►**M205** —— ◄ | |
| 0900990 | Others (2) | | ►**M205** —— ◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | | ►**M205** —— ◄ | |
| 1010000 | **Commodities from** | **0,01** (*) | ►**M205** —— ◄ | 0,01 (*) |
| 1011000 | (a) *swine* | | ►**M205** —— ◄ | |
| 1011010 | Muscle | | ►**M205** —— ◄ | |
| 1011020 | Fat | | ►**M205** —— ◄ | |
| 1011030 | Liver | | ►**M205** —— ◄ | |
| 1011040 | Kidney | | ►**M205** —— ◄ | |
| 1011050 | Edible offals (other than liver and kidney) | | ►**M205** —— ◄ | |
| 1011990 | Others (2) | | ►**M205** —— ◄ | |
| 1012000 | (b) *bovine* | | ►**M205** —— ◄ | |
| 1012010 | Muscle | | ►**M205** —— ◄ | |
| 1012020 | Fat | | ►**M205** —— ◄ | |
| 1012030 | Liver | | ►**M205** —— ◄ | |
| 1012040 | Kidney | | ►**M205** —— ◄ | |
| 1012050 | Edible offals (other than liver and kidney) | | ►**M205** —— ◄ | |
| 1012990 | Others (2) | | ►**M205** —— ◄ | |
| 1013000 | (c) *sheep* | | ►**M205** —— ◄ | |
| 1013010 | Muscle | | ►**M205** —— ◄ | |
| 1013020 | Fat | | ►**M205** —— ◄ | |
| 1013030 | Liver | | ►**M205** —— ◄ | |
| 1013040 | Kidney | | ►**M205** —— ◄ | |
| 1013050 | Edible offals (other than liver and kidney) | | ►**M205** —— ◄ | |
| 1013990 | Others (2) | | ►**M205** —— ◄ | |
| 1014000 | (d) *goat* | | ►**M205** —— ◄ | |
| 1014010 | Muscle | | ►**M205** —— ◄ | |
| 1014020 | Fat | | ►**M205** —— ◄ | |
| 1014030 | Liver | | ►**M205** —— ◄ | |
| 1014040 | Kidney | | ►**M205** —— ◄ | |
| 1014050 | Edible offals (other than liver and kidney) | | ►**M205** —— ◄ | |
| 1014990 | Others (2) | | ►**M205** —— ◄ | |
| 1015000 | (e) *equine* | | ►**M205** —— ◄ | |
| 1015010 | Muscle | | ►**M205** —— ◄ | |
| 1015020 | Fat | | ►**M205** —— ◄ | |
| 1015030 | Liver | | ►**M205** —— ◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | | ►**M205** —◄ | |
| 1015050 | Edible offals (other than liver and kidney) | | ►**M205** —◄ | |
| 1015990 | Others (2) | | ►**M205** —◄ | |
| 1016000 | (f) *poultry* | | ►**M205** —◄ | |
| 1016010 | Muscle | | ►**M205** —◄ | |
| 1016020 | Fat | | ►**M205** —◄ | |
| 1016030 | Liver | | ►**M205** —◄ | |
| 1016040 | Kidney | | ►**M205** —◄ | |
| 1016050 | Edible offals (other than liver and kidney) | | ►**M205** —◄ | |
| 1016990 | Others (2) | | ►**M205** —◄ | |
| 1017000 | (g) *other farmed terrestrial animals* | | ►**M205** —◄ | |
| 1017010 | Muscle | | ►**M205** —◄ | |
| 1017020 | Fat | | ►**M205** —◄ | |
| 1017030 | Liver | | ►**M205** —◄ | |
| 1017040 | Kidney | | ►**M205** —◄ | |
| 1017050 | Edible offals (other than liver and kidney) | | ►**M205** —◄ | |
| 1017990 | Others (2) | | ►**M205** —◄ | |
| 1020000 | **Milk** | **0,01** (*) | ►**M205** —◄ | 0,01 (*) |
| 1020010 | Cattle | | ►**M205** —◄ | |
| 1020020 | Sheep | | ►**M205** —◄ | |
| 1020030 | Goat | | ►**M205** —◄ | |
| 1020040 | Horse | | ►**M205** —◄ | |
| 1020990 | Others (2) | | ►**M205** —◄ | |
| 1030000 | **Birds eggs** | **0,01** (*) | ►**M205** —◄ | 0,01 (*) |
| 1030010 | Chicken | | ►**M205** —◄ | |
| 1030020 | Duck | | ►**M205** —◄ | |
| 1030030 | Geese | | ►**M205** —◄ | |
| 1030040 | Quail | | ►**M205** —◄ | |
| 1030990 | Others (2) | | ►**M205** —◄ | |

▼**M138**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | ►**M205** — ◄ | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | ►**M205** — ◄ | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | ►**M205** — ◄ | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | ►**M205** — ◄ | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | ►**M205** — ◄ | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | ►**M205** — ◄ | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | ►**M205** — ◄ | |

▼**M143**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M167** Etofenprox [F] ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | ►**M167** 1,5 ◄ |
| 0110010 | Grapefruits | ►**M167** (+) ◄ |
| 0110020 | Oranges | ►**M167** (+) ◄ |
| 0110030 | Lemons | ►**M167** (+) ◄ |
| 0110040 | Limes | ►**M167** (+) ◄ |
| 0110050 | Mandarins | ►**M167** (+) ◄ |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | ►**M167** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | ►**M167** 0,7 ◄ |
| 0130020 | Pears | ►**M167** 0,7 ◄ |
| 0130030 | Quinces | ►**M167** 0,01 (*) ◄ |
| 0130040 | Medlars | ►**M167** 0,01 (*) ◄ |
| 0130050 | Loquats/Japanese medlars | ►**M167** 0,01 (*) ◄ |
| 0130990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | ►**M167** 0,6 (+) ◄ |
| 0140020 | Cherries (sweet) | ►**M167** 0,8 (+) ◄ |
| 0140030 | Peaches | ►**M167** 0,6 ◄ |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M167** **0,2** ◄ |
| 0140990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | ►**M167** 4 (+) ◄ |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | ►**M167** 0,01 (*) ◄ |
| 0153000 | (c) *cane fruits* | ►**M167** 0,01 (*) ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | ►**M167** 0,01 (*) ◄ |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | ►**M167** 0,01 (*) ◄ |
| 0161020 | Figs | ►**M167** 0,01 (*) ◄ |
| 0161030 | Table olives | ►**M167** 0,01 (*) ◄ |
| 0161040 | Kumquats | ►**M167** 0,01 (*) ◄ |
| 0161050 | Carambolas | ►**M167** 0,01 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | ►**M167** 0,8 (+) ◄ |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M167** 0,01 (*) ◄ |
| 0161990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | ►**M167** 1 (+) ◄ |
| 0162020 | Litchis/lychees | ►**M167** 0,01 (*) ◄ |
| 0162030 | Passionfruits/maracujas | ►**M167** 0,01 (*) ◄ |
| 0162040 | Prickly pears/cactus fruits | ►**M167** 0,01 (*) ◄ |
| 0162050 | Star apples/cainitos | ►**M167** 0,01 (*) ◄ |
| 0162060 | American persimmons/Virginia kaki | ►**M167** 0,01 (*) ◄ |
| 0162990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0163000 | (c) *inedible peel, large* | ►**M167** 0,01 (*) ◄ |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M167** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | ►**M167** 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | ►**M167** 0,7 (+) ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M167** 0,01 (*) ◄ |
| 0231030 | Aubergines/eggplants | ►**M167** 0,01 (*) ◄ |
| 0231040 | Okra/lady's fingers | ►**M167** 0,01 (*) ◄ |
| 0231990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M167** 0,01 (*) ◄ |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M167** 0,01 (*) ◄ |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | ►**M167** 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M167** 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | ►**M167** 0,4 ◄ |
| 0241010 | Broccoli | ►**M167** (+) ◄ |
| 0241020 | Cauliflowers | ►**M167** (+) ◄ |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | ►**M167** 0,01 (*) ◄ |
| 0242020 | Head cabbages | ►**M167** 0,7 (+) ◄ |
| 0242990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0243000 | (c) *leafy brassica* | ►**M167** 0,01 (*) ◄ |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | ►**M167** 0,01 (*) ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | ►**M167** 3 (+) ◄ |
| 0251020 | Lettuces | ►**M167** 3 (+) ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►**M167** 3 (+) ◄ |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M167** 3 (+) ◄ |
| 0251050 | Land cresses | ►**M167** 0,01 (*) ◄ |
| 0251060 | Roman rocket/rucola | ►**M167** 3 (+) ◄ |
| 0251070 | Red mustards | ►**M167** 0,01 (*) ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M167** 0,01 (*) ◄ |
| 0251990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | ►**M167** 3 (+) ◄ |
| 0252020 | Purslanes | ►**M167** 0,01 (*) ◄ |
| 0252030 | Chards/beet leaves | ►**M167** 3 (+) ◄ |
| 0252990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0253000 | (c) *grape leaves and similar species* | ►**M167** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M167** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M167** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M167** 3 ◄ |
| 0256010 | Chervil | ►**M167** (+) ◄ |
| 0256020 | Chives | ►**M167** (+) ◄ |
| 0256030 | Celery leaves | ►**M167** (+) ◄ |
| 0256040 | Parsley | ►**M167** (+) ◄ |
| 0256050 | Sage | ►**M167** (+) ◄ |
| 0256060 | Rosemary | ►**M167** (+) ◄ |
| 0256070 | Thyme | ►**M167** (+) ◄ |
| 0256080 | Basil and edible flowers | ►**M167** (+) ◄ |
| 0256090 | Laurel/bay leaves | ►**M167** (+) ◄ |
| 0256100 | Tarragon | ►**M167** (+) ◄ |
| 0256990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | ►**M167** 0,4 (+) ◄ |
| 0260020 | Beans (without pods) | ►**M167** 0,01 (*) ◄ |
| 0260030 | Peas (with pods) | ►**M167** 0,01 (*) ◄ |
| 0260040 | Peas (without pods) | ►**M167** 0,01 (*) ◄ |
| 0260050 | Lentils | ►**M167** 0,01 (*) ◄ |
| 0260990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0270000 | **Stem vegetables** | ►**M167** 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | ►**M167** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M167** 0,01 (*) ◄ |
| 0300000 | **PULSES** | |
| 0300010 | Beans | ►**M167** 0,05 (+) ◄ |
| 0300020 | Lentils | ►**M167** 0,01 (*) ◄ |
| 0300030 | Peas | ►**M167** 0,01 (*) ◄ |
| 0300040 | Lupins/lupini beans | ►**M167** 0,01 (*) ◄ |
| 0300990 | Others (2) | ►**M167** 0,01 (*) ◄ |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | ►**M167** 0,01 (*) ◄ |
| 0401020 | Peanuts/groundnuts | ►**M167** 0,01 (*) ◄ |
| 0401030 | Poppy seeds | ►**M167** 0,01 (*) ◄ |
| 0401040 | Sesame seeds | ►**M167** 0,01 (*) ◄ |
| 0401050 | Sunflower seeds | ►**M167** 0,01 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | ►**M167** 0,05 (+) ◄ |
| 0401070 | Soyabeans | ►**M167** 0,01 (*) ◄ |
| 0401080 | Mustard seeds | ►**M167** 0,01 (*) ◄ |
| 0401090 | Cotton seeds | ►**M167** 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds | ►**M167** 0,01 (*) ◄ |
| 0401110 | Safflower seeds | ►**M167** 0,01 (*) ◄ |
| 0401120 | Borage seeds | ►**M167** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►**M167** 0,01 (*) ◄ |
| 0401140 | Hemp seeds | ►**M167** 0,01 (*) ◄ |
| 0401150 | Castor beans | ►**M167** 0,01 (*) ◄ |
| 0401990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0402000 | **Oil fruits** | ►**M167** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | ►**M167** 0,01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M167** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M167** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M167** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | ►**M167** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | ►**M167** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M167** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | ►**M167** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M167** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | ►**M167** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M167** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | ►**M167** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | ►**M167** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | ►**M167** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | ►**M167** 0,05 (+) ◄ |
| 1011020 | Fat | ►**M167** 1,5 (+) ◄ |
| 1011030 | Liver | ►**M167** 0,05 (+) ◄ |
| 1011040 | Kidney | ►**M167** 0,05 (+) ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M167** 1,5 ◄ |
| 1011990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►**M167** 0,06 (+) ◄ |
| 1012020 | Fat | ►**M167** 2 (+) ◄ |
| 1012030 | Liver | ►**M167** 0,06 (+) ◄ |
| 1012040 | Kidney | ►**M167** 0,07 (+) ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M167** 2 ◄ |
| 1012990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►**M167** 0,05 (+) ◄ |
| 1013020 | Fat | ►**M167** 1,5 (+) ◄ |
| 1013030 | Liver | ►**M167** 0,05 (+) ◄ |
| 1013040 | Kidney | ►**M167** 0,05 (+) ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M167** 1,5 ◄ |
| 1013990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | ►**M167** 0,05 (+) ◄ |
| 1014020 | Fat | ►**M167** 1,5 (+) ◄ |
| 1014030 | Liver | ►**M167** 0,05 (+) ◄ |
| 1014040 | Kidney | ►**M167** 0,05 (+) ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M167** 1,5 ◄ |
| 1014990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | ►**M167** 0,06 (+) ◄ |
| 1015020 | Fat | ►**M167** 2 (+) ◄ |
| 1015030 | Liver | ►**M167** 0,06 (+) ◄ |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M167** 0,07 (+) ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M167** 2 ◄ |
| 1015990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | ►**M167** 0,01 (*) ◄ |
| 1016020 | Fat | ►**M167** 0,04 (+) ◄ |
| 1016030 | Liver | ►**M167** 0,01 (*) ◄ |
| 1016040 | Kidney | ►**M167** 0,01 (*) ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►**M167** 0,04 ◄ |
| 1016990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | ►**M167** 0,05 (+) ◄ |
| 1017020 | Fat | ►**M167** 1,5 (+) ◄ |
| 1017030 | Liver | ►**M167** 0,05 (+) ◄ |
| 1017040 | Kidney | ►**M167** 0,05 (+) ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M167** 1,5 ◄ |
| 1017990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 1020000 | **Milk** | ►**M167** (+) ◄ |
| 1020010 | Cattle | ►**M167** 0,07 ◄ |
| 1020020 | Sheep | ►**M167** 0,04 ◄ |
| 1020030 | Goat | ►**M167** 0,04 ◄ |
| 1020040 | Horse | ►**M167** 0,07 ◄ |
| 1020990 | Others (2) | ►**M167** 0,04 ◄ |
| 1030000 | **Birds eggs** | ►**M167** 0,015 (+) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M167** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M167** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M167** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M167** 0,01 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M143**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M220** Paclobutrazol (sum of constituent isomers) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | ►**M220** 0,01 (*) ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | ►**M220** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | ►**M220** 0,05 ◄ |
| 0130010 | Apples | ►**M220** — ◄ |
| 0130020 | Pears | ►**M220** — ◄ |
| 0130030 | Quinces | ►**M220** — ◄ |
| 0130040 | Medlars | ►**M220** — ◄ |
| 0130050 | Loquats/Japanese medlars | ►**M220** — ◄ |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | ►**M220** 0,15 ◄ |
| 0140020 | Cherries (sweet) | ►**M220** 0,01 (*) ◄ |
| 0140030 | Peaches | ►**M220** 0,15 ◄ |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M220** 0,01 (*) ◄ |
| 0140990 | Others (2) | ►**M220** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | ►**M220** 0,01 (*) ◄ |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | ►**M220** 0,01 (*) ◄ |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M220** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | ►**M220** 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | ►**M220** 0,01 (*) ◄ |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M220** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M220** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M220** 0,01 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | ►**M220** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M220** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M220** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M220** 0,02 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M220** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | ►**M220** 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | ►**M220** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M220** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M220** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M220** 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | ►**M220** 0,01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M220** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M220** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M220** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | ►**M220** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | ►**M220** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M220** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | ►**M220** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M220** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | ►**M220** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M220** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | ►**M220** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | ►**M220** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | ►**M220** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | ►**M220** 0,01 (*) ◄ |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | ►**M220** 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | ►**M220** 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M220** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M220** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M220** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M220** 0,01 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M144**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Bromuconazole (sum of diastereoisomers) (F) | Carboxin (carboxin plus its metabolites carboxin sulfoxide and oxycarboxin (carboxin sulfone), expressed as carboxin) | ►**M148** Fenpyrazamine (F) ◄ | ►**M211** Pyridaben (F) ◄ |
|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | | | |
| 0110000 | **Citrus fruits** | | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** — ◄ |
| 0110010 | Grapefruits | | | | ►**M211** **0,5** ◄ |
| 0110020 | Oranges | | | | ►**M211** 0,3 ◄ |
| 0110030 | Lemons | | | | ►**M211** 0,3 ◄ |
| 0110040 | Limes | | | | ►**M211** 0,3 ◄ |
| 0110050 | Mandarins | | | | ►**M211** 0,3 ◄ |
| 0110990 | Others (2) | | | | ►**M211** 0,3 ◄ |
| 0120000 | **Tree nuts** | | 0,05 (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,05 ◄ |
| 0120010 | Almonds | | | ►**M148** — ◄ | |
| 0120020 | Brazil nuts | | | | |
| 0120030 | Cashew nuts | | | | |
| 0120040 | Chestnuts | | | | |
| 0120050 | Coconuts | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | |
| 0120070 | Macadamias | | | | |
| 0120080 | Pecans | | | | |
| 0120090 | Pine nut kernels | | | | |
| 0120100 | Pistachios | | | | |
| 0120110 | Walnuts | | | | |
| 0120990 | Others (2) | | | | |
| 0130000 | **Pome fruits** | | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,9 ◄ |
| 0130010 | Apples | | | | ►**M211** (+) ◄ |
| 0130020 | Pears | | | | ►**M211** (+) ◄ |
| 0130030 | Quinces | | | | ►**M211** (+) ◄ |
| 0130040 | Medlars | | | | ►**M211** (+) ◄ |
| 0130050 | Loquats/Japanese medlars | | | | ►**M211** (+) ◄ |
| 0130990 | Others (2) | | | | |
| 0140000 | **Stone fruits** | | **0,03** (*) | | |
| 0140010 | Apricots | | | ►**M148** 5 ◄ | ►**M211** 0,3 (+) ◄ |
| 0140020 | Cherries (sweet) | | | ►**M148** 4 ◄ | ►**M211** 0,01 (*) ◄ |
| 0140030 | Peaches | | | ►**M148** 5 ◄ | ►**M211** 0,3 (+) ◄ |
| 0140040 | Plums | | | ►**M148** 3 ◄ | ►**M211** 0,01 (*) ◄ |
| 0140990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0150000 | **Berries and small fruits** | | **0,03** (*) | | |
| 0151000 | (a) *grapes* | | | ►**M148** 3 ◄ | ►**M211** 0,01 (*) ◄ |
| 0151010 | Table grapes | | | | |
| 0151020 | Wine grapes | | | | |
| 0152000 | (b) *strawberries* | | | ►**M148** 3 ◄ | ►**M211** 0,9 ◄ |
| 0153000 | (c) *cane fruits* | | | ►**M148** 5 ◄ | ►**M211** 0,01 (*) ◄ |
| 0153010 | Blackberries | | | | |
| 0153020 | Dewberries | | | | |
| 0153030 | Raspberries (red and yellow) | | | | |
| 0153990 | Others (2) | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | ►**M211** 0,01 (*) ◄ |
| 0154010 | Blueberries | | | ►**M148** 4 ◄ | |
| 0154020 | Cranberries | | | ►**M148** 0,01 (*) ◄ | |
| 0154030 | Currants (black, red and white) | | | ►**M148** 4 ◄ | |
| 0154040 | Gooseberries (green, red and yellow) | | | ►**M148** 4 ◄ | |
| 0154050 | Rose hips | | | ►**M148** 4 ◄ | |
| 0154060 | Mulberries (black and white) | | | ►**M148** 4 ◄ | |
| 0154070 | Azaroles/Mediterranean medlars | | | ►**M148** 0,01 (*) ◄ | |
| 0154080 | Elderberries | | | ►**M148** 4 ◄ | |
| 0154990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | |
| 0160000 | **Miscellaneous fruits with** | | | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0161000 | (a) *edible peel* | | | | |
| 0161010 | Dates | | **0,03** (*) | | |
| 0161020 | Figs | | **0,03** (*) | | |
| 0161030 | Table olives | | 0,05 (*) | | |
| 0161040 | Kumquats | | **0,03** (*) | | |
| 0161050 | Carambolas | | **0,03** (*) | | |
| 0161060 | Kaki/Japanese persimmons | | **0,03** (*) | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0161070 | Jambuls/ jambolans | | **0,03** (*) | | |
| 0161990 | Others (2) | | **0,03** (*) | | |
| 0162000 | (b) *inedible peel, small* | | **0,03** (*) | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | |
| 0162020 | Litchis/lychees | | | | |
| 0162030 | Passionfruits/ maracujas | | | | |
| 0162040 | Prickly pears/ cactus fruits | | | | |
| 0162050 | Star apples/ cainitos | | | | |
| 0162060 | American persimmons/ Virginia kaki | | | | |
| 0162990 | Others (2) | | | | |
| 0163000 | (c) *inedible peel, large* | | | | |
| 0163010 | Avocados | | 0,05 (*) | | |
| 0163020 | Bananas | | **0,03** (*) | | |
| 0163030 | Mangoes | | **0,03** (*) | | |
| 0163040 | Papayas | | **0,03** (*) | | |
| 0163050 | Granate apples/ pomegranates | | **0,03** (*) | | |
| 0163060 | Cherimoyas | | **0,03** (*) | | |
| 0163070 | Guavas | | **0,03** (*) | | |
| 0163080 | Pineapples | | **0,03** (*) | | |
| 0163090 | Breadfruits | | **0,03** (*) | | |
| 0163100 | Durians | | **0,03** (*) | | |
| 0163110 | Soursops/ guanabanas | | **0,03** (*) | | |
| 0163990 | Others (2) | | **0,03** (*) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | |
| 0212010 | Cassava roots/ manioc | | | | |
| 0212020 | Sweet potatoes | | | | |
| 0212030 | Yams | | | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | |
| 0212990 | Others (2) | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | |
| 0213010 | Beetroots | | | | |
| 0213020 | Carrots | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | |
| 0213040 | Horseradishes | | | | |
| 0213050 | Jerusalem artichokes | | | | |
| 0213060 | Parsnips | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | | | |
| 0213080 | Radishes | | | | |
| 0213090 | Salsifies | | | | |
| 0213100 | Swedes/rutabagas | | | | |
| 0213110 | Turnips | | | | |
| 0213990 | Others (2) | | | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0220010 | Garlic | | | | |
| 0220020 | Onions | | | | |
| 0220030 | Shallots | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | |
| 0220990 | Others (2) | | | | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | **0,03** (*) | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | |
| 0231010 | Tomatoes | | | ►**M148** 3 ◄ | ►**M211** 0,15 ◄ |
| 0231020 | Sweet peppers/ bell peppers | | | ►**M148** 3 ◄ | ►**M211** 0,3 ◄ |
| 0231030 | Aubergines/ eggplants | | | ►**M148** 3 ◄ | ►**M211** 0,15 ◄ |
| 0231040 | Okra/lady's fingers | | | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0231990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0232000 | (b) *cucurbits with edible peel* | | | ►**M148** 0,7 ◄ | ►**M211** 0,15 ◄ |
| 0232010 | Cucumbers | | | | |
| 0232020 | Gherkins | | | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | |
| 0232990 | Others (2) | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0233010 | Melons | | | | |
| 0233020 | Pumpkins | | | | |
| 0233030 | Watermelons | | | | |
| 0233990 | Others (2) | | | | |
| 0234000 | (d) *sweet corn* | | | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | | | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | | | | |
| 0241010 | Broccoli | | | | |
| 0241020 | Cauliflowers | | | | |
| 0241990 | Others (2) | | | | |
| 0242000 | (b) *head brassica* | | | | |
| 0242010 | Brussels sprouts | | | | |
| 0242020 | Head cabbages | | | | |
| 0242990 | Others (2) | | | | |
| 0243000 | (c) *leafy brassica* | | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | | |
| 0243020 | Kales | | | | |
| 0243990 | Others (2) | | | | |
| 0244000 | (d) *kohlrabies* | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) | **0,03** (*) | | ►**M211** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/ corn salads | | | ►**M148** 8 ◄ | |
| 0251020 | Lettuces | | | ►**M148** 8 ◄ | |
| 0251030 | Escaroles/broad-leaved endives | | | ►**M148** 4 ◄ | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | ►**M148** 8 ◄ | |
| 0251050 | Land cresses | | | ►**M148** 8 ◄ | |
| 0251060 | Roman rocket/ rucola | | | ►**M148** 8 ◄ | |
| 0251070 | Red mustards | | | ►**M148** 8 ◄ | |
| 0251080 | Baby leaf crops (including brassica species) | | | ►**M148** 0,01 (*) ◄ | |
| 0251990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) | **0,03** (*) | ►**M148** 8 ◄ | ►**M211** 0,01 (*) ◄ |
| 0252010 | Spinaches | | | | |
| 0252020 | Purslanes | | | | |
| 0252030 | Chards/beet leaves | | | | |
| 0252990 | Others (2) | | | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | **0,06** (*) | ►**M148** 0,02 (*) ◄ | ►**M211** 0,02 (*) ◄ |
| 0256010 | Chervil | | | | |
| 0256020 | Chives | | | | |
| 0256030 | Celery leaves | | | | |
| 0256040 | Parsley | | | | |
| 0256050 | Sage | | | | |
| 0256060 | Rosemary | | | | |
| 0256070 | Thyme | | | | |
| 0256080 | Basil and edible flowers | | | | |
| 0256090 | Laurel/bay leaves | | | | |
| 0256100 | Tarragon | | | | |
| 0256990 | Others (2) | | | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | |
| 0260010 | Beans (with pods) | | | | ►**M211** 0,2 (+) ◄ |
| 0260020 | Beans (without pods) | | | | ►**M211** 0,01 (*) ◄ |
| 0260030 | Peas (with pods) | | | | ►**M211** 0,01 (*) ◄ |
| 0260040 | Peas (without pods) | | | | ►**M211** 0,01 (*) ◄ |
| 0260050 | Lentils | | | | ►**M211** 0,01 (*) ◄ |
| 0260990 | Others (2) | | | | ►**M211** 0,01 (*) ◄ |
| 0270000 | **Stem vegetables** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0270010 | Asparagus | | | | |
| 0270020 | Cardoons | | | | |
| 0270030 | Celeries | | | | |
| 0270040 | Florence fennels | | | | |
| 0270050 | Globe artichokes | | | | |
| 0270060 | Leeks | | | | |
| 0270070 | Rhubarbs | | | | |
| 0270080 | Bamboo shoots | | | | |
| 0270090 | Palm hearts | | | | |
| 0270990 | Others (2) | | | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | | | | |
| 0280020 | Wild fungi | | | | |
| 0280990 | Mosses and lichens | | | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0300000 | **PULSES** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0300010 | Beans | | | | |
| 0300020 | Lentils | | | | |
| 0300030 | Peas | | | | |
| 0300040 | Lupins/lupini beans | | | | |
| 0300990 | Others (2) | | | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | **0,05** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | | | | |
| 0401010 | Linseeds | | | | |
| 0401020 | Peanuts/groundnuts | | | | |
| 0401030 | Poppy seeds | | | | |
| 0401040 | Sesame seeds | | | | |
| 0401050 | Sunflower seeds | | | | |
| 0401060 | Rapeseeds/canola seeds | | | | |
| 0401070 | Soyabeans | | | | |
| 0401080 | Mustard seeds | | | | |
| 0401090 | Cotton seeds | | | | |
| 0401100 | Pumpkin seeds | | | | |
| 0401110 | Safflower seeds | | | | |
| 0401120 | Borage seeds | | | | |
| 0401130 | Gold of pleasure seeds | | | | |
| 0401140 | Hemp seeds | | | | |
| 0401150 | Castor beans | | | | |
| 0401990 | Others (2) | | | | |
| 0402000 | **Oil fruits** | | | | |
| 0402010 | Olives for oil production | | | | |
| 0402020 | Oil palms kernels | | | | |
| 0402030 | Oil palms fruits | | | | |
| 0402040 | Kapok | | | | |
| 0402990 | Others (2) | | | | |
| 0500000 | **CEREALS** | | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0500010 | Barley | **0,01** (*) | | | |
| 0500020 | Buckwheat and other pseudocereals | **0,01** (*) | | | |
| 0500030 | Maize/corn | **0,01** (*) | | | |
| 0500040 | Common millet/proso millet | **0,01** (*) | | | |
| 0500050 | Oat | **0,01** (*) | | | |
| 0500060 | Rice | **0,01** (*) | | | |
| 0500070 | Rye | **0,03** (+) | | | |
| 0500080 | Sorghum | **0,01** (*) | | | |
| 0500090 | Wheat | **0,2** (+) | | | |
| 0500990 | Others (2) | **0,01** (*) | | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | **0,1** (*) | ►**M148** — ◄ | ►**M211** 0,05 (*) ◄ |
| 0610000 | **Teas** | | | ►**M148** 0,05 (*) ◄ | |
| 0620000 | **Coffee beans** | | | ►**M148** 0,05 (*) ◄ | |
| 0630000 | **Herbal infusions from** | | | | |
| 0631000 | (a) *flowers* | | | ►**M148** 0,05 (*) ◄ | |
| 0631010 | Chamomile | | | | |
| 0631020 | Hibiscus/roselle | | | | |
| 0631030 | Rose | | | | |
| 0631040 | Jasmine | | | | |
| 0631050 | Lime/linden | | | | |
| 0631990 | Others (2) | | | | |
| 0632000 | (b) *leaves and herbs* | | | ►**M148** 0,05 (*) ◄ | |
| 0632010 | Strawberry | | | | |
| 0632020 | Rooibos | | | | |
| 0632030 | Mate/maté | | | | |
| 0632990 | Others (2) | | | | |
| 0633000 | (c) *roots* | | | | |
| 0633010 | Valerian | | | ►**M148** 0,05 (*) ◄ | |
| 0633020 | Ginseng | | | ►**M148** **0,7** ◄ | |
| 0633990 | Others (2) | | | ►**M148** 0,05 (*) ◄ | |
| 0639000 | (d) *any other parts of the plant* | | | ►**M148** 0,05 (*) ◄ | |
| 0640000 | **Cocoa beans** | | | ►**M148** 0,05 (*) ◄ | |
| 0650000 | **Carobs/Saint John's breads** | | | ►**M148** 0,05 (*) ◄ | |
| 0700000 | **HOPS** | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0800000 | **SPICES** | | | | |
| 0810000 | **Seed spices** | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | | | | |
| 0810020 | Black caraway/black cumin | | | | |
| 0810030 | Celery | | | | |
| 0810040 | Coriander | | | | |
| 0810050 | Cumin | | | | |
| 0810060 | Dill | | | | |
| 0810070 | Fennel | | | | |
| 0810080 | Fenugreek | | | | |
| 0810090 | Nutmeg | | | | |
| 0810990 | Others (2) | | | | |
| 0820000 | **Fruit spices** | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | | | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | |
| 0820030 | Caraway | | | | |
| 0820040 | Cardamom | | | | |
| 0820050 | Juniper berry | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | |
| 0820070 | Vanilla | | | | |
| 0820080 | Tamarind | | | | |
| 0820990 | Others (2) | | | | |
| 0830000 | **Bark spices** | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0830010 | Cinnamon | | | | |
| 0830990 | Others (2) | | | | |
| 0840000 | **Root and rhizome spices** | | | | |
| 0840010 | Liquorice | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M163** — ◄ |
| 0840030 | Turmeric/curcuma | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | | | | |
| 0840990 | Others (2) | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0850010 | Cloves | | | | |
| 0850020 | Capers | | | | |
| 0850990 | Others (2) | | | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0860010 | Saffron | | | | |
| 0860990 | Others (2) | | | | |
| 0870000 | **Aril spices** | 0,05 (*) | **0,1** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 0870010 | Mace | | | | |
| 0870990 | Others (2) | | | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | | | | |
| 0900020 | Sugar canes | | | | |
| 0900030 | Chicory roots | | | | |
| 0900990 | Others (2) | | | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | |
| 1010000 | **Commodities from** | **0,02** (*) | **0,03** (*) | ►**M148** — ◄ | ►**M211** 0,05 (*) ◄ |
| 1011000 | (a) *swine* | | | | |
| 1011010 | Muscle | | | ►**M148** **0,02** (*) ◄ | |
| 1011020 | Fat | | | ►**M148** **0,02** (*) ◄ | |
| 1011030 | Liver | | | ►**M148** **0,05** ◄ | |
| 1011040 | Kidney | | | ►**M148** **0,05** ◄ | |
| 1011050 | Edible offals (other than liver and kidney) | | | ►**M148** **0,05** ◄ | |
| 1011990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | |
| 1012000 | (b) *bovine* | | | | |
| 1012010 | Muscle | (+) | | ►**M148** **0,02** (*) ◄ | ►**M211** (+) ◄ |
| 1012020 | Fat | (+) | | ►**M148** **0,02** (*) ◄ | ►**M211** (+) ◄ |
| 1012030 | Liver | (+) | | ►**M148** **0,05** ◄ | ►**M211** (+) ◄ |
| 1012040 | Kidney | (+) | | ►**M148** **0,05** ◄ | ►**M211** (+) ◄ |
| 1012050 | Edible offals (other than liver and kidney) | | | ►**M148** **0,05** ◄ | |
| 1012990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | |
| 1013000 | (c) *sheep* | | | | |
| 1013010 | Muscle | (+) | | ►**M148** **0,02** (*) ◄ | ►**M211** (+) ◄ |
| 1013020 | Fat | (+) | | ►**M148** **0,02** (*) ◄ | ►**M211** (+) ◄ |
| 1013030 | Liver | (+) | | ►**M148** **0,05** ◄ | ►**M211** (+) ◄ |
| 1013040 | Kidney | (+) | | ►**M148** **0,05** ◄ | ►**M211** (+) ◄ |
| 1013050 | Edible offals (other than liver and kidney) | | | ►**M148** **0,05** ◄ | |
| 1013990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | |
| 1014000 | d) *goat* | | | | |
| 1014010 | Muscle | (+) | | ►**M148** **0,02** (*) ◄ | ►**M211** (+) ◄ |
| 1014020 | Fat | (+) | | ►**M148** **0,02** (*) ◄ | ►**M211** (+) ◄ |
| 1014030 | Liver | (+) | | ►**M148** **0,05** ◄ | ►**M211** (+) ◄ |
| 1014040 | Kidney | (+) | | ►**M148** **0,05** ◄ | ►**M211** (+) ◄ |
| 1014050 | Edible offals (other than liver and kidney) | | | ►**M148** **0,05** ◄ | |
| 1014990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | |
| 1015000 | (e) *equine* | | | | |
| 1015010 | Muscle | (+) | | ►**M148** **0,02** (*) ◄ | ►**M211** (+) ◄ |
| 1015020 | Fat | (+) | | ►**M148** **0,02** (*) ◄ | ►**M211** (+) ◄ |
| 1015030 | Liver | (+) | | ►**M148** **0,05** ◄ | ►**M211** (+) ◄ |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1015040 | Kidney | (+) | | ►**M148** **0,05** ◄ | ►**M211** (+) ◄ |
| 1015050 | Edible offals (other than liver and kidney) | | | ►**M148** **0,05** ◄ | |
| 1015990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | |
| 1016000 | (f) *poultry* | | | ►**M148** 0,01 (*) ◄ | |
| 1016010 | Muscle | (+) | | | |
| 1016020 | Fat | (+) | | | |
| 1016030 | Liver | (+) | | | |
| 1016040 | Kidney | | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | | |
| 1016990 | Others (2) | | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | |
| 1017010 | Muscle | | | ►**M148** **0,02** (*) ◄ | |
| 1017020 | Fat | | | ►**M148** **0,02** (*) ◄ | |
| 1017030 | Liver | | | ►**M148** **0,05** ◄ | |
| 1017040 | Kidney | | | ►**M148** **0,05** ◄ | |
| 1017050 | Edible offals (other than liver and kidney) | | | ►**M148** **0,05** ◄ | |
| 1017990 | Others (2) | | | ►**M148** 0,01 (*) ◄ | |
| 1020000 | **Milk** | **0,01** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 1020010 | Cattle | (+) | | | ►**M211** (+) ◄ |
| 1020020 | Sheep | (+) | | | ►**M211** (+) ◄ |
| 1020030 | Goat | (+) | | | ►**M211** (+) ◄ |
| 1020040 | Horse | (+) | | | ►**M211** (+) ◄ |
| 1020990 | Others (2) | | | | |
| 1030000 | **Birds eggs** | **0,02** (*) (+) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,01 (*) ◄ |
| 1030010 | Chicken | | | | |
| 1030020 | Duck | | | | |
| 1030030 | Geese | | | | |
| 1030040 | Quail | | | | |
| 1030990 | Others (2) | | | | |

▼**M144**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | **0,05** (*) | ►**M148** 0,05 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | **0,02** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | **0,02** (*) | **0,03** (*) | ►**M148** 0,01 (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,02** (*) | **0,03** (*) | ►**M148** **0,02** (*) ◄ | ►**M211** 0,05 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | |

▼**M148**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M167** Mefentrifluconazole ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►**M167** — ◄ |
| 0110000 | **Citrus fruits** | ►**M167** 0,01 (*) ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | ►**M167** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | ►**M167** **0,4** ◄ |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | ►**M167** **0,7** ◄ |
| 0140020 | Cherries (sweet) | ►**M167** **2** ◄ |
| 0140030 | Peaches | ►**M167** **0,7** ◄ |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M167** **0,5** ◄ |
| 0140990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | ►**M167** **0,9** ◄ |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | ►**M167** 0,01 (*) ◄ |
| 0153000 | (c) *cane fruits* | ►**M167** 0,01 (*) ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | ►**M167** 0,01 (*) ◄ |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | ►**M167** 0,01 (*) ◄ |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M167** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | ►**M167** 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | ►**M167** 0,01 (*) ◄ |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M167** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M167** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M167** 0,01 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | ►**M167** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M167** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M167** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M167** 0,02 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M167** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | ►**M167** 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | ►**M167** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M167** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M167** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M167** — ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | ►**M167** 0,01 (*) ◄ |
| 0401020 | Peanuts/groundnuts | ►**M167** 0,01 (*) ◄ |
| 0401030 | Poppy seeds | ►**M167** 0,01 (*) ◄ |
| 0401040 | Sesame seeds | ►**M167** 0,01 (*) ◄ |
| 0401050 | Sunflower seeds | ►**M167** **0,05** ◄ |
| 0401060 | Rapeseeds/canola seeds | ►**M167** **0,06** ◄ |
| 0401070 | Soyabeans | ►**M167** 0,01 (*) ◄ |
| 0401080 | Mustard seeds | ►**M167** 0,01 (*) ◄ |
| 0401090 | Cotton seeds | ►**M167** 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds | ►**M167** 0,01 (*) ◄ |
| 0401110 | Safflower seeds | ►**M167** 0,01 (*) ◄ |
| 0401120 | Borage seeds | ►**M167** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►**M167** 0,01 (*) ◄ |
| 0401140 | Hemp seeds | ►**M167** 0,01 (*) ◄ |
| 0401150 | Castor beans | ►**M167** 0,01 (*) ◄ |
| 0401990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 0402000 | **Oil fruits** | ►**M167** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | ►**M167** 0,6 ◄ |
| 0500020 | Buckwheat and other pseudocereals | ►**M167** 0,01 (*) ◄ |
| 0500030 | Maize/corn | ►**M167** 0,01 (*) ◄ |
| 0500040 | Common millet/proso millet | ►**M167** 0,01 (*) ◄ |
| 0500050 | Oat | ►**M167** 0,6 ◄ |
| 0500060 | Rice | ►**M167** 0,01 (*) ◄ |
| 0500070 | Rye | ►**M167** 0,05 ◄ |
| 0500080 | Sorghum | ►**M167** 0,01 (*) ◄ |
| 0500090 | Wheat | ►**M167** 0,05 ◄ |
| 0500990 | Others (2) | ►**M167** 0,01 (*) ◄ |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M167** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M167** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M167** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | ►**M167** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | ►**M167** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M167** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | ►**M167** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M167** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | ►**M167** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M167** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | ►**M167** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | ►**M167** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | ►**M167** — ◄ |
| 0900010 | Sugar beet roots | ►**M167** **0,06** ◄ |
| 0900020 | Sugar canes | ►**M167** 0,01 (*) ◄ |
| 0900030 | Chicory roots | ►**M167** 0,01 (*) ◄ |
| 0900990 | Others (2) | ►**M167** 0,01 (*) ◄ |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | ►**M167** — ◄ |
| 1011010 | Muscle | ►**M167** 0,01 (*) ◄ |
| 1011020 | Fat | ►**M167** 0,01 (*) ◄ |
| 1011030 | Liver | ►**M167** **0,015** ◄ |
| 1011040 | Kidney | ►**M167** 0,01 (*) ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M167** 0,01 (*) ◄ |
| 1011990 | Others (2) | ►**M167** **0,015** ◄ |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►**M167** 0,04 ◄ |
| 1012020 | Fat | ►**M167** 0,2 ◄ |
| 1012030 | Liver | ►**M167** 0,4 ◄ |
| 1012040 | Kidney | ►**M167** **0,15** ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M167** 0,1 ◄ |
| 1012990 | Others (2) | ►**M167** **0,4** ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►**M167** 0,06 ◄ |
| 1013020 | Fat | ►**M167** 0,4 ◄ |
| 1013030 | Liver | ►**M167** 0,7 ◄ |
| 1013040 | Kidney | ►**M167** 0,3 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M167** 0,3 ◄ |
| 1013990 | Others (2) | ►**M167** **0,7** ◄ |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | ►**M167** 0,06 ◄ |
| 1014020 | Fat | ►**M167** 0,4 ◄ |
| 1014030 | Liver | ►**M167** 0,7 ◄ |
| 1014040 | Kidney | ►**M167** 0,3 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M167** 0,3 ◄ |
| 1014990 | Others (2) | ►**M167** **0,7** ◄ |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | ►**M167** 0,04 ◄ |
| 1015020 | Fat | ►**M167** 0,2 ◄ |
| 1015030 | Liver | ►**M167** 0,4 ◄ |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M167** 0,1 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M167** 0,1 ◄ |
| 1015990 | Others (2) | ►**M167** **0,4** ◄ |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | ►**M167** 0,015 ◄ |
| 1016020 | Fat | ►**M167** 0,03 ◄ |
| 1016030 | Liver | ►**M167** 0,03 ◄ |
| 1016040 | Kidney | ►**M167** 0,03 ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►**M167** 0,03 ◄ |
| 1016990 | Others (2) | ►**M167** **0,03** ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | ►**M167** 0,01 (*) ◄ |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | |
| 1020010 | Cattle | ►**M167** **0,03** ◄ |
| 1020020 | Sheep | ►**M167** **0,04** ◄ |
| 1020030 | Goat | ►**M167** **0,04** ◄ |
| 1020040 | Horse | ►**M167** 0,02 ◄ |
| 1020990 | Others (2) | ►**M167** 0,01 (*) ◄ |
| 1030000 | **Birds eggs** | ►**M167** 0,015 ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |

▼**M148**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M167** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M167** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M167** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M167** 0,01 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M149**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Flutianil ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | ►**M218** 0,01 (*) ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | ►**M218** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | ►**M192** — ◄ |
| 0130010 | Apples | ►**M218** 0,15 ◄ |
| 0130020 | Pears | ►**M218** 0,01 (*) ◄ |
| 0130030 | Quinces | ►**M218** 0,01 (*) ◄ |
| 0130040 | Medlars | ►**M218** 0,01 (*) ◄ |
| 0130050 | Loquats/Japanese medlars | ►**M218** 0,01 (*) ◄ |
| 0130990 | Others (2) | ►**M218** 0,01 (*) ◄ |
| 0140000 | **Stone fruits** | ►**M192** — ◄ |
| 0140010 | Apricots | ►**M218** 0,01 (*) ◄ |
| 0140020 | Cherries (sweet) | ►**M218** 0,4 ◄ |
| 0140030 | Peaches | ►**M218** 0,01 (*) ◄ |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M218** 0,01 (*) ◄ |
| 0140990 | Others (2) | ►**M218** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | ►**M218** **0,7** ◄ |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | ►**M218** 0,3 ◄ |
| 0153000 | (c) *cane fruits* | ►**M218** 0,01 (*) ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | ►**M218** 0,01 (*) ◄ |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | ►**M218** 0,01 (*) ◄ |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M218** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | ►**M218** 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | ►**M192** — ◄ |
| 0231000 | (a) *Solanaceae and Malvaceae* | ►**M218** 0,01 (*) ◄ |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | ►**M218** 0,03 ◄ |
| 0232020 | Gherkins | ►**M218** 0,01 (*) ◄ |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | ►**M218** 0,03 ◄ |
| 0232990 | Others (2) | ►**M218** 0,01 (*) ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M218** 0,01 (*) ◄ |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | ►**M218** 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M218** 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M218** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M218** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M218** 0,01 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | ►**M218** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M218** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M218** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M218** 0,02 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M218** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | ►**M218** 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | ►**M218** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M218** 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►**M218** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M218** 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | ►**M218** 0,01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M218** 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►**M218** 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►**M218** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | ►**M218** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | ►**M218** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M218** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | ►**M218** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M218** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | ►**M218** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M218** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | ►**M218** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | ►**M218** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | ►**M218** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | ►**M218** 0,01 (*) ◄ |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | ►**M218** 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | ►**M218** 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |

▼**M149**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M218** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M218** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M218** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M218** 0,01 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M154**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Florpyrauxifen-benzyl |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruitswith** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | **0,01** (*) |
| 0500020 | Buckwheat and other pseudocereals | **0,01** (*) |
| 0500030 | Maize/corn | **0,01** (*) |
| 0500040 | Common millet/proso millet | **0,01** (*) |
| 0500050 | Oat | **0,01** (*) |
| 0500060 | Rice | **0,02** |
| 0500070 | Rye | **0,01** (*) |
| 0500080 | Sorghum | **0,01** (*) |
| 0500090 | Wheat | **0,01** (*) |
| 0500990 | Others (2) | **0,01** (*) |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger (10) | **0,05** (*) |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼M147

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bispyribac (sum of bispyribac, its salts and its esters, expressed as bispyribac) | Denatonium benzoate (sum of denatonium and its salts, expressed as denatonium benzoate) | Fenoxycarb (F) | Flurochloridone (sum of cis- and trans-isomers) (F) | ▲M209 Quizalofop (sum of quizalofop, its salts, its esters (including propaquizafop) and its conjugates, expressed as quizalofop (any ratio of constituent isomers)) ▼ | ▼ ▲M180 Tebufenozide (F) |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | **0,01** (*) | | **0,01** (*) | | |
| 0110000 | **Citrus fruits** | | | **0,01** (*) | | ►M209 0,02 (*) ◄ | ►M180 2 ◄ |
| 0110010 | Grapefruits | | | | | | |
| 0110020 | Oranges | | | | | | |
| 0110030 | Lemons | | | | | | |
| 0110040 | Limes | | | | | | |
| 0110050 | Mandarins | | | | | | |
| 0110990 | Others (2) | | | | | | |
| 0120000 | **Tree nuts** | | | | | ►M209 0,01 (*) ◄ | |
| 0120010 | Almonds | | | **0,01** (*) | | | ►M180 0,05 ◄ |
| 0120020 | Brazil nuts | | | **0,01** (*) | | | ►M180 0,01 (*) ◄ |
| 0120030 | Cashew nuts | | | **0,01** (*) | | | ►M180 0,01 (*) ◄ |
| 0120040 | Chestnuts | | | **0,01** (*) | | | ►M180 0,01 (*) ◄ |
| 0120050 | Coconuts | | | **0,01** (*) | | | ►M180 0,01 (*) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120060 | Hazelnuts/cobnuts | | | **0,01** (*) | | | ►**M180** 0,01 (*) ◄ |
| 0120070 | Macadamias | | | **0,01** (*) | | | ►**M180** 0,01 (*) ◄ |
| 0120080 | Pecans | | | **0,05** | | | ►**M180** 0,01 (*) ◄ |
| 0120090 | Pine nut kernels | | | **0,01** (*) | | | ►**M180** 0,01 (*) ◄ |
| 0120100 | Pistachios | | | **0,01** (*) | | | ►**M180** 0,01 (*) ◄ |
| 0120110 | Walnuts | | | **0,05** | | | ►**M180** 0,05 ◄ |
| 0120990 | Others (2) | | | **0,01** (*) | | | ►**M180** 0,01 (*) ◄ |
| 0130000 | **Pome fruits** | | | **0,7** | | ►**M209** 0,02 (*) ◄ | ►**M180** 1 ◄ |
| 0130010 | Apples | | | | | | |
| 0130020 | Pears | | | | | | |
| 0130030 | Quinces | | | | | | |
| 0130040 | Medlars | | | | | | |
| 0130050 | Loquats/Japanese medlars | | | | | | |
| 0130990 | Others (2) | | | | | | |
| 0140000 | **Stone fruits** | | | | | ►**M209** 0,02 (*) ◄ | |
| 0140010 | Apricots | | | **0,01** (*) | | | ►**M180** **1,5** ◄ |
| 0140020 | Cherries (sweet) | | | **0,01** (*) | | | ►**M180** 0,01 (*) (+) ◄ |
| 0140030 | Peaches | | | 1,5 | | | ►**M180** **1,5** ◄ |
| 0140040 | Plums | | | **0,6** | | | ►**M180** 0,01 (*) ◄ |
| 0140990 | Others (2) | | | 0,01 (*) | | | ►**M180** 0,01 (*) ◄ |
| 0150000 | **Berries and small fruits** | | | | | ►**M209** 0,02 (*) ◄ | |
| 0151000 | (a) *grapes* | | | **0,5** | | | ►**M180** 4 ◄ |
| 0151010 | Table grapes | | | | | | |
| 0151020 | Wine grapes | | | | | | |
| 0152000 | (b) *strawberries* | | | **0,01** (*) | | | ►**M180** 0,01 (*) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0153000 | (c) *cane fruits* | | | **0,01** (*) | | | |
| 0153010 | Blackberries | | | | | | ►**M180** 0,01 (*) ◄ |
| 0153020 | Dewberries | | | | | | ►**M180** 0,01 (*) ◄ |
| 0153030 | Raspberries (red and yellow) | | | | | | ►**M180** 2 ◄ |
| 0153990 | Others (2) | | | | | | ►**M180** 0,01 (*) ◄ |
| 0154000 | (d) *other small fruits and berries* | | | **0,01** (*) | | | |
| 0154010 | Blueberries | | | | | | ►**M180** 3 ◄ |
| 0154020 | Cranberries | | | | | | ►**M180** 0,5 ◄ |
| 0154030 | Currants (black, red and white) | | | | | | ►**M180** 0,01 (*) ◄ |
| 0154040 | Gooseberries (green, red and yellow) | | | | | | ►**M180** 0,01 (*) ◄ |
| 0154050 | Rose hips | | | | | | ►**M180** 0,01 (*) ◄ |
| 0154060 | Mulberries (black and white) | | | | | | ►**M180** 0,01 (*) ◄ |
| 0154070 | Azaroles/Mediterranean medlars | | | | | | ►**M180** 0,01 (*) ◄ |
| 0154080 | Elderberries | | | | | | ►**M180** 0,01 (*) ◄ |
| 0154990 | Others (2) | | | | | | ►**M180** 0,01 (*) ◄ |
| 0160000 | **Miscellaneous fruits with** | | | | | ►**M209** 0,01 (*) ◄ | |
| 0161000 | (a) *edible peel* | | | | | | |
| 0161010 | Dates | | | **0,01** (*) | | | ►**M180** 0,01 (*) ◄ |
| 0161020 | Figs | | | **0,01** (*) | | | ►**M180** 0,01 (*) ◄ |
| 0161030 | Table olives | | | **3 (+)** | | | ►**M180** 0,01 (*) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0161040 | Kumquats | | | **0,01** (*) | | | ►M180 2 ◄ |
| 0161050 | Carambolas | | | **0,01** (*) | | | ►M180 0,01 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | | | **0,01** (*) | | | ►M180 0,01 (*) ◄ |
| 0161070 | Jambuls/jambolans | | | **0,01** (*) | | | ►M180 0,01 (*) ◄ |
| 0161990 | Others (2) | | | **0,01** (*) | | | ►M180 0,01 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | | | **0,01** (*) | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | | | ►M180 0,5 ◄ |
| 0162020 | Litchis/lychees | | | | | | ►M180 0,01 (*) ◄ |
| 0162030 | Passionfruits/maracujas | | | | | | ►M180 0,01 (*) ◄ |
| 0162040 | Prickly pears/cactus fruits | | | | | | ►M180 0,01 (*) ◄ |
| 0162050 | Star apples/cainitos | | | | | | ►M180 0,01 (*) ◄ |
| 0162060 | American persimmons/ Virginia kaki | | | | | | ►M180 0,01 (*) ◄ |
| 0162990 | Others (2) | | | | | | ►M180 0,01 (*) ◄ |
| 0163000 | (c) *inedible peel, large* | | | **0,01** (*) | | | |
| 0163010 | Avocados | | | | | | ►M180 1 ◄ |
| 0163020 | Bananas | | | | | | ►M180 0,01 (*) ◄ |
| 0163030 | Mangoes | | | | | | ►M180 0,01 (*) ◄ |
| 0163040 | Papayas | | | | | | ►M180 0,01 (*) ◄ |
| 0163050 | Granate apples/ pomegranates | | | | | | ►M180 0,01 (*) ◄ |
| 0163060 | Cherimoyas | | | | | | ►M180 0,01 (*) ◄ |
| 0163070 | Guavas | | | | | | ►M180 0,01 (*) ◄ |
| 0163080 | Pineapples | | | | | | ►M180 0,01 (*) ◄ |
| 0163090 | Breadfruits | | | | | | ►M180 0,01 (*) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163100 | Durians | | | | | | ►M180 0,01 (*) ◄ |
| 0163110 | Soursops/guanabanas | | | | | | ►M180 0,01 (*) ◄ |
| 0163990 | Others (2) | | | | | | ►M180 0,01 (*) ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | | | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M180 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | | | | **0,01** (*) | ►M209 0,1 ◄ | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | **0,01** (*) | ►M209 0,01 (*) ◄ | |
| 0212010 | Cassava roots/manioc | | | | | | |
| 0212020 | Sweet potatoes | | | | | | |
| 0212030 | Yams | | | | | | |
| 0212040 | Arrowroots | | | | | | |
| 0212990 | Others (2) | | | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | | | |
| 0213010 | Beetroots | | | | **0,01** (*) | ►M209 0,06 ◄ | |
| 0213020 | Carrots | | | | **0,08** | ►M209 0,2 ◄ | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | **0,08** | ►M209 0,08 ◄ | |
| 0213040 | Horseradishes | | | | **0,01** (*) | ►M209 0,08 ◄ | |
| 0213050 | Jerusalem artichokes | | | | **0,01** (*) | ►M209 0,08 ◄ | |
| 0213060 | Parsnips | | | | **0,08** | ►M209 0,2 ◄ | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213070 | Parsley roots/Hamburg roots parsley | | | | **0,08 (+)** | ►**M209** 0,2 ◄ | |
| 0213080 | Radishes | | | | **0,01** (*) | ►**M209** 0,2 ◄ | |
| 0213090 | Salsifies | | | | **0,01** (*) | ►**M209** 0,2 ◄ | |
| 0213100 | Swedes/rutabagas | | | | **0,01** (*) | ►**M209** 0,06 ◄ | |
| 0213110 | Turnips | | | | **0,01** (*) | ►**M209** 0,08 ◄ | |
| 0213990 | Others (2) | | | | **0,01** (*) | ►**M209** 0,2 ◄ | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►**M180** 0,01 (*) ◄ |
| 0220010 | Garlic | | | | | ►**M209** 0,04 ◄ | |
| 0220020 | Onions | | | | | ►**M209** 0,04 ◄ | |
| 0220030 | Shallots | | | | | ►**M209** 0,04 ◄ | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | | ►**M209** 0,01 (*) ◄ | |
| 0220990 | Others (2) | | | | | ►**M209** 0,01 (*) ◄ | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | | | |
| 0231010 | Tomatoes | | | | | ►**M209** 0,05 ◄ | ►**M180** 1,5 ◄ |
| 0231020 | Sweet peppers/bell peppers | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 1,5 ◄ |
| 0231030 | Aubergines/eggplants | | | | | ►**M209** 0,05 ◄ | ►**M180** 1,5 ◄ |
| 0231040 | Okra/lady's fingers | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0231990 | Others (2) | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0232000 | (b) *cucurbits with edible peel* | | | | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 0232010 | Cucumbers | | | | | | |
| 0232020 | Gherkins | | | | | | |
| 0232030 | Courgettes | | | | | | |
| 0232990 | Others (2) | | | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 0233010 | Melons | | | | | | |
| 0233020 | Pumpkins | | | | | | |
| 0233030 | Watermelons | | | | | | |
| 0233990 | Others (2) | | | | | | |
| 0234000 | (d) *sweet corn* | | | | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | | | | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | |
| 0241000 | (a) *flowering brassica* | | | | | ►M209 0,4 ◄ | |
| 0241010 | Broccoli | | | | | | ►M180 0,5 ◄ |
| 0241020 | Cauliflowers | | | | | | ►M180 0,01 (*) ◄ |
| 0241990 | Others (2) | | | | | | ►M180 0,01 (*) ◄ |
| 0242000 | (b) *head brassica* | | | | | | |
| 0242010 | Brussels sprouts | | | | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 0242020 | Head cabbages | | | | | ►M209 0,6 ◄ | ►M180 5 ◄ |
| 0242990 | Others (2) | | | | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0243000 | (c) *leafy brassica* | | | | | ►M209 0,01 (*) ◄ | ►M180 10 ◄ |
| 0243010 | Chinese cabbages/pe-tsai | | | | | | |
| 0243020 | Kales | | | | | | |
| 0243990 | Others (2) | | | | | | |
| 0244000 | (d) *kohlrabies* | | | | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M209 0,2 ◄ | ►M180 10 ◄ |
| 0251010 | Lamb's lettuces/corn salads | | | | | ►M209 (+) ◄ | |
| 0251020 | Lettuces | | | | | ►M209 (+) ◄ | |
| 0251030 | Escaroles/broad-leaved endives | | | | | ►M209 (+) ◄ | |
| 0251040 | Cresses and other sprouts and shoots | | | | | ►M209 (+) ◄ | |
| 0251050 | Land cresses | | | | | ►M209 (+) ◄ | |
| 0251060 | Roman rocket/rucola | | | | | ►M209 (+) ◄ | |
| 0251070 | Red mustards | | | | | ►M209 (+) ◄ | |
| 0251080 | Baby leaf crops (including brassica species) | | | | | ►M209 (+) ◄ | |
| 0251990 | Others (2) | | | | | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►M180 10 ◄ |
| 0252010 | Spinaches | | | | | ►M209 0,2 (+) ◄ | |
| 0252020 | Purslanes | | | | | ►M209 0,01 (*) ◄ | |
| 0252030 | Chards/beet leaves | | | | | ►M209 0,04 (+) ◄ | |
| 0252990 | Others (2) | | | | | ►M209 0,01 (*) ◄ | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M209 0,01 (*) ◄ | ►M180 10 ◄ |
| 0254000 | (d) *watercresses* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M209 0,01 (*) ◄ | ►M180 10 ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M209 0,01 (*) ◄ | ►M180 0,05 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | ►M209 0,2 ◄ | |
| 0256010 | Chervil | | | | | | ►M180 10 ◄ |
| 0256020 | Chives | | | | | | ►M180 0,01 (*) ◄ |
| 0256030 | Celery leaves | | | | | | ►M180 0,01 (*) ◄ |
| 0256040 | Parsley | | | | | | ►M180 0,01 (*) ◄ |
| 0256050 | Sage | | | | | | ►M180 0,01 (*) ◄ |
| 0256060 | Rosemary | | | | | | ►M180 0,01 (*) ◄ |
| 0256070 | Thyme | | | | | | ►M180 0,01 (*) ◄ |
| 0256080 | Basil and edible flowers | | | | | | ►M180 20 ◄ |
| 0256090 | Laurel/bay leaves | | | | | | ►M180 0,01 (*) ◄ |
| 0256100 | Tarragon | | | | | | ►M180 0,01 (*) ◄ |
| 0256990 | Others (2) | | | | | | ►M180 0,01 (*) ◄ |
| 0260000 | **Legume vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►M180 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | | | | | ►M209 0,3 ◄ | |
| 0260020 | Beans (without pods) | | | | | ►M209 0,2 ◄ | |
| 0260030 | Peas (with pods) | | | | | ►M209 0,03 ◄ | |
| 0260040 | Peas (without pods) | | | | | ►M209 0,2 ◄ | |
| 0260050 | Lentils | | | | | ►M209 0,2 ◄ | |
| 0260990 | Others (2) | | | | | ►M209 0,01 (*) ◄ | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0270000 | **Stem vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0270010 | Asparagus | | | | | | |
| 0270020 | Cardoons | | | | | | |
| 0270030 | Celeries | | | | | | |
| 0270040 | Florence fennels | | | | | | |
| 0270050 | Globe artichokes | | | | | | |
| 0270060 | Leeks | | | | | | |
| 0270070 | Rhubarbs | | | | | | |
| 0270080 | Bamboo shoots | | | | | | |
| 0270090 | Palm hearts | | | | | | |
| 0270990 | Others (2) | | | | | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | | | | | | |
| 0280020 | Wild fungi | | | | | | |
| 0280990 | Mosses and lichens | | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0300000 | **PULSES** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►**M180** 0,01 (*) ◄ |
| 0300010 | Beans | | | | | ►**M209** 0,2 ◄ | |
| 0300020 | Lentils | | | | | ►**M209** 0,2 ◄ | |
| 0300030 | Peas | | | | | ►**M209** 0,2 ◄ | |
| 0300040 | Lupins/lupini beans | | | | | ►**M209** 0,05 (*) ◄ | |
| 0300990 | Others (2) | | | | | ►**M209** 0,01 (*) ◄ | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | **0,01** (*) | | **0,01** (*) | | |
| 0401000 | **Oilseeds** | | | **0,01** (*) | | | |
| 0401010 | Linseeds | | | | | ►**M209** 0,3 ◄ | ►**M180** 0,01 (*) ◄ |
| 0401020 | Peanuts/groundnuts | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0401030 | Poppy seeds | | | | | ►**M209** 0,7 ◄ | ►**M180** 0,01 (*) ◄ |
| 0401040 | Sesame seeds | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0401050 | Sunflower seeds | | | | | ►**M209** 0,8 ◄ | ►**M180** 0,01 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | | | | | ►**M209** 2 ◄ | ►**M180** 2 ◄ |
| 0401070 | Soyabeans | | | | | ►**M209** 0,2 ◄ | ►**M180** 0,01 (*) ◄ |
| 0401080 | Mustard seeds | | | | | ►**M209** 0,7 ◄ | ►**M180** 0,01 (*) ◄ |
| 0401090 | Cotton seeds | | | | | ►**M209** 0,1 ◄ | ►**M180** 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0401110 | Safflower seeds | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0401120 | Borage seeds | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure seeds | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0401140 | Hemp seeds | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0401150 | Castor beans | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0401990 | Others (2) | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0402000 | **Oil fruits** | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | | | 3 | | | |
| 0402020 | Oil palms kernels | | | **0,01** (*) | | | |
| 0402030 | Oil palms fruits | | | **0,01** (*) | | | |
| 0402040 | Kapok | | | **0,01** (*) | | | |
| 0402990 | Others (2) | | | **0,01** (*) | | | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500000 | **CEREALS** | | **0,01** (*) | **0,01** (*) | **0,01** (*) | | |
| 0500010 | Barley | **0,01** (*) | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0500020 | Buckwheat and other pseudocereals | **0,01** (*) | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0500030 | Maize/corn | **0,01** (*) | | | | ►**M209** 0,02 ◄ | ►**M180** 0,01 (*) ◄ |
| 0500040 | Common millet/proso millet | **0,01** (*) | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0500050 | Oat | **0,01** (*) | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0500060 | Rice | **0,02** (*) | | | | ►**M209** 0,05 (*) ◄ | ►**M180** 3 (+) ◄ |
| 0500070 | Rye | **0,01** (*) | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0500080 | Sorghum | **0,01** (*) | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0500090 | Wheat | **0,01** (*) | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0500990 | Others (2) | **0,01** (*) | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | | ►**M180** 0,05 (*) ◄ |
| 0610000 | **Teas** | | | | | ►**M209** 0,05 (*) ◄ | |
| 0620000 | **Coffee beans** | | | | | ►**M209** 0,05 (*) ◄ | |
| 0630000 | **Herbal infusions from** | | | | | | |
| 0631000 | (a) *flowers* | | | | | ►**M209** 0,8 ◄ | |
| 0631010 | Chamomile | | | | | ►**M209** (+) ◄ | |
| 0631020 | Hibiscus/roselle | | | | | ►**M209** (+) ◄ | |
| 0631030 | Rose | | | | | ►**M209** (+) ◄ | |
| 0631040 | Jasmine | | | | | ►**M209** (+) ◄ | |
| 0631050 | Lime/linden | | | | | ►**M209** (+) ◄ | |
| 0631990 | Others (2) | | | | | | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632000 | (b) *leaves and herbs* | | | | | ►M209 0,8 ◄ | |
| 0632010 | Strawberry | | | | | ►M209 (+) ◄ | |
| 0632020 | Rooibos | | | | | ►M209 (+) ◄ | |
| 0632030 | Mate/maté | | | | | ►M209 (+) ◄ | |
| 0632990 | Others (2) | | | | | | |
| 0633000 | (c) *roots* | | | | | ►M209 0,05 (*) ◄ | |
| 0633010 | Valerian | | | | | | |
| 0633020 | Ginseng | | | | | | |
| 0633990 | Others (2) | | | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | | ►M209 0,05 (*) ◄ | |
| 0640000 | **Cocoa beans** | | | | | ►M209 0,05 (*) ◄ | |
| 0650000 | **Carobs/Saint John's breads** | | | | | ►M209 0,05 (*) ◄ | |
| 0700000 | **HOPS** | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►M209 0,05 (*) ◄ | ►M180 0,05 (*) ◄ |
| 0800000 | **SPICES** | | | | | | |
| 0810000 | **Seed spices** | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►M209 0,05 (*) ◄ | ►M180 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | | | | | ►M209 (+) ◄ | |
| 0810020 | Black caraway/black cumin | | | | | ►M209 (+) ◄ | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810030 | Celery | | | | | ►M209 (+) ◄ | |
| 0810040 | Coriander | | | | | ►M209 (+) ◄ | |
| 0810050 | Cumin | | | | | ►M209 (+) ◄ | |
| 0810060 | Dill | | | | | ►M209 (+) ◄ | |
| 0810070 | Fennel | | | | | ►M209 (+) ◄ | |
| 0810080 | Fenugreek | | | | | ►M209 (+) ◄ | |
| 0810090 | Nutmeg | | | | | ►M209 (+) ◄ | |
| 0810990 | Others (2) | | | | | | |
| 0820000 | **Fruit spices** | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►M209 — ◄ | ►M180 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | | | | | ►M209 0,05 (*) (+) ◄ | |
| 0820020 | Sichuan pepper | | | | | ►M209 0,05 (*) (+) ◄ | |
| 0820030 | Caraway | | | | | ►M209 **0,04** (+) ◄ | |
| 0820040 | Cardamom | | | | | ►M209 0,05 (*) (+) ◄ | |
| 0820050 | Juniper berry | | | | | ►M209 0,05 (*) (+) ◄ | |
| 0820060 | Peppercorn (black, green and white) | | | | | ►M209 0,05 (*) (+) ◄ | |
| 0820070 | Vanilla | | | | | ►M209 0,05 (*) (+) ◄ | |
| 0820080 | Tamarind | | | | | ►M209 0,05 (*) (+) ◄ | |
| 0820990 | Others (2) | | | | | ►M209 0,05 (*) ◄ | |
| 0830000 | **Bark spices** | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►M209 0,05 (*) ◄ | ►M180 0,05 (*) ◄ |
| 0830010 | Cinnamon | | | | | | |
| 0830990 | Others (2) | | | | | | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840000 | **Root and rhizome spices** | | | | | | |
| 0840010 | Liquorice | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►**M209** 0,05 (*) ◄ | ►**M180** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►**M209** — ◄ | ►**M180** — ◄ |
| 0840030 | Turmeric/curcuma | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►**M209** 0,05 (*) ◄ | ►**M180** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | | | | | | |
| 0840990 | Others (2) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►**M209** 0,05 (*) ◄ | ►**M180** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►**M209** 0,05 (*) ◄ | ►**M180** 0,05 (*) ◄ |
| 0850010 | Cloves | | | | | | |
| 0850020 | Capers | | | | | | |
| 0850990 | Others (2) | | | | | | |
| 0860000 | **Flower pistil spices** | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►**M209** 0,05 (*) ◄ | ►**M180** 0,05 (*) ◄ |
| 0860010 | Saffron | | | | | | |
| 0860990 | Others (2) | | | | | | |
| 0870000 | **Aril spices** | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | ►**M209** 0,05 (*) ◄ | ►**M180** 0,05 (*) ◄ |
| 0870010 | Mace | | | | | | |
| 0870990 | Others (2) | | | | | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | |
| 0900010 | Sugar beet roots | | | | | ►**M209** 0,06 ◄ | ►**M180** 0,01 (*) ◄ |
| 0900020 | Sugar canes | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 1 ◄ |
| 0900030 | Chicory roots | | | | | ►**M209** 0,08 ◄ | ►**M180** 0,01 (*) ◄ |
| 0900990 | Others (2) | | | | | ►**M209** 0,01 (*) ◄ | ►**M180** 0,01 (*) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | 0,05 (*) | | |
| 1010000 | **Commodities from** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | |
| 1011000 | (a) *swine* | | | | | | |
| 1011010 | Muscle | | | | **(+)** | ►**M209** 0,02 (*) (+) ◄ | ►**M180** 0,05 ◄ |
| 1011020 | Fat | | | | **(+)** | ►**M209** 0,02 (*) (+) ◄ | ►**M180** 0,05 ◄ |
| 1011030 | Liver | | | | **(+)** | ►**M209** 0,02 (*) (+) ◄ | ►**M180** 0,05 (+) ◄ |
| 1011040 | Kidney | | | | **(+)** | ►**M209** 0,1 (+) ◄ | ►**M180** 0,02 (*) (+) ◄ |
| 1011050 | Edible offals (other than liver and kidney) | | | | | ►**M209** 0,1 (+) ◄ | ►**M180** 0,05 (+) ◄ |
| 1011990 | Others (2) | | | | | ►**M209** 0,02 (*) ◄ | ►**M180** 0,02 (*) ◄ |
| 1012000 | (b) *bovine* | | | | | | |
| 1012010 | Muscle | | | | **(+)** | ►**M209** 0,02 (*) (+) ◄ | ►**M180** 0,05 ◄ |
| 1012020 | Fat | | | | **(+)** | ►**M209** 0,02 (*) (+) ◄ | ►**M180** 0,05 ◄ |
| 1012030 | Liver | | | | **(+)** | ►**M209** 0,03 (+) ◄ | ►**M180** 0,05 (+) ◄ |
| 1012040 | Kidney | | | | **(+)** | ►**M209** 0,3 (+) ◄ | ►**M180** 0,02 (*) (+) ◄ |
| 1012050 | Edible offals (other than liver and kidney) | | | | | ►**M209** 0,3 (+) ◄ | ►**M180** 0,05 (+) ◄ |
| 1012990 | Others (2) | | | | | ►**M209** 0,02 (*) ◄ | ►**M180** 0,02 (*) ◄ |
| 1013000 | (c) *sheep* | | | | | | |
| 1013010 | Muscle | | | | **(+)** | ►**M209** 0,02 (*) (+) ◄ | ►**M180** 0,05 ◄ |
| 1013020 | Fat | | | | **(+)** | ►**M209** 0,02 (*) (+) ◄ | ►**M180** 0,05 (+) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1013030 | Liver | | | | (+) | ►M209 0,03 (+) ◄ | ►M180 0,05 (+) ◄ |
| 1013040 | Kidney | | | | (+) | ►M209 0,3 (+) ◄ | ►M180 0,02 (*) (+) ◄ |
| 1013050 | Edible offals (other than liver and kidney) | | | | | ►M209 0,3 (+) ◄ | ►M180 0,05 (+) ◄ |
| 1013990 | Others (2) | | | | | ►M209 0,02 (*) ◄ | ►M180 0,02 (*) ◄ |
| 1014000 | (d) *goat* | | | | | | |
| 1014010 | Muscle | | | | (+) | ►M209 0,02 (*) (+) ◄ | ►M180 0,05 ◄ |
| 1014020 | Fat | | | | (+) | ►M209 0,02 (*) (+) ◄ | ►M180 0,05 (+) ◄ |
| 1014030 | Liver | | | | (+) | ►M209 0,03 (+) ◄ | ►M180 0,05 (+) ◄ |
| 1014040 | Kidney | | | | (+) | ►M209 0,3 (+) ◄ | ►M180 0,02 (*) (+) ◄ |
| 1014050 | Edible offals (other than liver and kidney) | | | | | ►M209 0,3 (+) ◄ | ►M180 0,05 (+) ◄ |
| 1014990 | Others (2) | | | | | ►M209 0,02 (*) ◄ | ►M180 0,02 (*) ◄ |
| 1015000 | (e) *equine* | | | | | | |
| 1015010 | Muscle | | | | (+) | ►M209 0,02 (*) (+) ◄ | ►M180 0,05 ◄ |
| 1015020 | Fat | | | | (+) | ►M209 0,02 (*) (+) ◄ | ►M180 0,05 ◄ |
| 1015030 | Liver | | | | (+) | ►M209 0,03 (+) ◄ | ►M180 0,05 (+) ◄ |
| 1015040 | Kidney | | | | (+) | ►M209 0,3 (+) ◄ | ►M180 0,02 (*) (+) ◄ |
| 1015050 | Edible offals (other than liver and kidney) | | | | | ►M209 0,3 (+) ◄ | ►M180 0,05 (+) ◄ |
| 1015990 | Others (2) | | | | | ►M209 0,02 (*) ◄ | ►M180 0,02 (*) ◄ |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1016000 | (f) *poultry* | | | | | | ►M180 0,02 (*) ◄ |
| 1016010 | Muscle | | | | | ►M209 0,02 (*) (+) ◄ | ►M180 (+) ◄ |
| 1016020 | Fat | | | | | ►M209 0,04 (+) ◄ | ►M180 (+) ◄ |
| 1016030 | Liver | | | | | ►M209 0,04 (+) ◄ | ►M180 (+) ◄ |
| 1016040 | Kidney | | | | | ►M209 0,04 (+) ◄ | ►M180 (+) ◄ |
| 1016050 | Edible offals (other than liver and kidney) | | | | | ►M209 0,04 (+) ◄ | ►M180 (+) ◄ |
| 1016990 | Others (2) | | | | | ►M209 0,02 (*) ◄ | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | | | |
| 1017010 | Muscle | | | | | ►M209 0,02 (*) (+) ◄ | ►M180 0,01 (*) ◄ |
| 1017020 | Fat | | | | | ►M209 0,02 (*) (+) ◄ | ►M180 0,02 (*) ◄ |
| 1017030 | Liver | | | | | ►M209 0,03 (+) ◄ | ►M180 0,02 (*) ◄ |
| 1017040 | Kidney | | | | | ►M209 0,3 (+) ◄ | ►M180 0,02 (*) ◄ |
| 1017050 | Edible offals (other than liver and kidney) | | | | | ►M209 0,3 (+) ◄ | ►M180 0,02 (*) ◄ |
| 1017990 | Others (2) | | | | | ►M209 0,02 (*) ◄ | ►M180 0,02 (*) ◄ |
| 1020000 | **Milk** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►M209 0,015 ◄ | ►M180 0,01 (*) ◄ |
| 1020010 | Cattle | | | | | ►M209 (+) ◄ | ►M180 (+) ◄ |
| 1020020 | Sheep | | | | **(+)** | ►M209 (+) ◄ | ►M180 (+) ◄ |
| 1020030 | Goat | | | | **(+)** | ►M209 (+) ◄ | ►M180 (+) ◄ |
| 1020040 | Horse | | | | | ►M209 (+) ◄ | ►M180 (+) ◄ |
| 1020990 | Others (2) | | | | | | |

▼M147

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030000 | **Birds eggs** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►M209 0,01 (*) ◄ | ►M180 0,02 (*) ◄ |
| 1030010 | Chicken | | | | | ►M209 (+) ◄ | ►M180 (+) ◄ |
| 1030020 | Duck | | | | | ►M209 (+) ◄ | ►M180 (+) ◄ |
| 1030030 | Geese | | | | | ►M209 (+) ◄ | ►M180 (+) ◄ |
| 1030040 | Quail | | | | | ►M209 (+) ◄ | ►M180 (+) ◄ |
| 1030990 | Others (2) | | | | | | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | **0,05** (*) | 0,05 (*) | | ►M209 0,05 (*) ◄ | ►M180 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | ►M209 0,01 (*) ◄ | ►M180 0,01 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | | |

▼**M150**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M218** Mandipropamid (any ratio of constituent isomers) ◄ | Profoxydim |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | **0,01** (*) |
| 0110000 | **Citrus fruits** | ►**M218** — ◄ | |
| 0110010 | Grapefruits | ►**M218** **0,2** ◄ | |
| 0110020 | Oranges | ►**M218** **0,4** ◄ | |
| 0110030 | Lemons | ►**M218** **0,5** ◄ | |
| 0110040 | Limes | ►**M218** **0,5** ◄ | |
| 0110050 | Mandarins | ►**M218** **0,5** ◄ | |
| 0110990 | Others (2) | ►**M218** **0,5** ◄ | |
| 0120000 | **Tree nuts** | ►**M218** 0,01 (*) ◄ | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | ►**M218** 0,01 (*) ◄ | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | ►**M218** 0,01 (*) ◄ | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | ►**M218** 2 ◄ | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | ►**M218** 0,01 (*) ◄ | |
| 0153000 | (c) *cane fruits* | ►**M218** 0,01 (*) ◄ | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | ►**M218** 0,01 (*) ◄ | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruits with** | ►**M218** — ◄ | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | ►**M218** 0,01 (*) ◄ | |
| 0161020 | Figs | ►**M218** 0,01 (*) ◄ | |
| 0161030 | Table olives | ►**M218** 0,01 (*) ◄ | |
| 0161040 | Kumquats | ►**M218** **0,5** ◄ | |
| 0161050 | Carambolas | ►**M218** 0,01 (*) ◄ | |
| 0161060 | Kaki/Japanese persimmons | ►**M218** 0,01 (*) ◄ | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M218** 0,01 (*) ◄ | |
| 0161990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0162000 | (b) *inedible peel, small* | ►**M218** 0,01 (*) ◄ | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | ►**M218** 0,01 (*) ◄ | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | ►**M161** — ◄ | **0,01** (*) |
| 0211000 | (a) *potatoes* | ►**M218** 0,1 ◄ | |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M218** 0,01 (*) ◄ | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | ►**M218** 0,1 ◄ | |
| 0213020 | Carrots | ►**M218** 0,01 (*) ◄ | |
| 0213030 | Celeriacs/turnip rooted celeries | ►**M218** 0,01 (*) ◄ | |
| 0213040 | Horseradishes | ►**M218** 0,01 (*) ◄ | |
| 0213050 | Jerusalem artichokes | ►**M218** 0,01 (*) ◄ | |
| 0213060 | Parsnips | ►**M218** 0,01 (*) ◄ | |
| 0213070 | Parsley roots/Hamburg roots parsley | ►**M218** 0,01 (*) ◄ | |
| 0213080 | Radishes | ►**M218** 0,3 ◄ | |
| 0213090 | Salsifies | ►**M218** 0,01 (*) ◄ | |
| 0213100 | Swedes/rutabagas | ►**M218** 0,01 (*) ◄ | |
| 0213110 | Turnips | ►**M218** 0,01 (*) ◄ | |
| 0213990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0220000 | **Bulb vegetables** | | **0,01** (*) |
| 0220010 | Garlic | ►**M218** 0,01 (*) ◄ | |
| 0220020 | Onions | ►**M218** 0,1 (+) ◄ | |
| 0220030 | Shallots | ►**M218** 0,01 (*) ◄ | |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M218** 7 (+) ◄ | |
| 0220990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0230000 | **Fruiting vegetables** | | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | ►**M218** 3 (+) ◄ | |
| 0231020 | Sweet peppers/bell peppers | ►**M218** 1 ◄ | |
| 0231030 | Aubergines/eggplants | ►**M218** 3 ◄ | |
| 0231040 | Okra/lady's fingers | ►**M218** 0,01 (*) ◄ | |
| 0231990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | ►**M218** 0,2 ◄ | |
| 0232020 | Gherkins | ►**M218** 0,01 (*) ◄ | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | ►**M218** 0,2 (+) ◄ | |
| 0232990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | ►**M218** 0,5 ◄ | |
| 0233020 | Pumpkins | ►**M218** 0,3 ◄ | |
| 0233030 | Watermelons | ►**M218** 0,3 ◄ | |
| 0233990 | Others (2) | ►**M218** 0,3 ◄ | |
| 0234000 | (d) *sweet corn* | ►**M218** 0,01 (*) ◄ | |
| 0239000 | (e) *other fruiting vegetables* | ►**M218** 0,01 (*) ◄ | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | ►**M218** 2 ◄ | |
| 0241020 | Cauliflowers | ►**M218** 0,3 ◄ | |
| 0241990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | ►**M218** 0,2 ◄ | |
| 0242020 | Head cabbages | ►**M218** 3 ◄ | |
| 0242990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0243000 | (c) *leafy brassica* | ►**M218** 25 ◄ | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | ►**M218** 0,1 ◄ | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M218** 25 ◄ | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M218** 25 ◄ | **0,01** (*) |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M218** 25 ◄ | **0,01** (*) |
| 0254000 | (d) *watercresses* | ►**M218** 25 ◄ | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M218** 0,15 ◄ | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | ►**M218** 30 ◄ | **0,02** (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | ►**M161** — ◄ | **0,01** (*) |
| 0260010 | Beans (with pods) | ►**M218** 1 ◄ | |
| 0260020 | Beans (without pods) | ►**M218** 0,01 (*) ◄ | |
| 0260030 | Peas (with pods) | ►**M218** 0,01 (*) ◄ | |
| 0260040 | Peas (without pods) | ►**M218** 0,3 ◄ | |
| 0260050 | Lentils | ►**M218** 0,01 (*) ◄ | |
| 0260990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0270000 | **Stem vegetables** | | **0,01** (*) |
| 0270010 | Asparagus | ►**M218** 0,01 (*) ◄ | |
| 0270020 | Cardoons | ►**M218** 0,01 (*) ◄ | |
| 0270030 | Celeries | ►**M218** 20 ◄ | |
| 0270040 | Florence fennels | ►**M218** 0,01 (*) ◄ | |
| 0270050 | Globe artichokes | ►**M218** 0,3 ◄ | |
| 0270060 | Leeks | ►**M218** 0,01 (*) ◄ | |
| 0270070 | Rhubarbs | ►**M218** 0,01 (*) ◄ | |
| 0270080 | Bamboo shoots | ►**M218** 0,01 (*) ◄ | |
| 0270090 | Palm hearts | ►**M218** 0,01 (*) ◄ | |
| 0270990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 0280000 | **Fungi, mosses and lichens** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 0300000 | **PULSES** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudocereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others (2) | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | **0,05** (*) |
| 0610000 | **Teas** | ►**M218** 0,05 (*) ◄ | |
| 0620000 | **Coffee beans** | ►**M218** 0,05 (*) ◄ | |
| 0630000 | **Herbal infusions from** | ►**M218** 0,05 (*) ◄ | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | ►**M218** 0,06 ◄ | |
| 0650000 | **Carobs/Saint John's breads** | ►**M218** 0,05 (*) ◄ | |
| 0700000 | **HOPS** | ►**M218** 90 ◄ | **0,05** (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0820010 | Allspice/pimento | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0840020 | Ginger (10) | ►**M161** — ◄ | **0,05** (*) |
| 0840030 | Turmeric/curcuma | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0850000 | **Bud spices** | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | ►**M218** — ◄ | **0,01** (*) |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | ►**M218** 0,01 (*) ◄ | |
| 1011020 | Fat | ►**M218** **0,02** ◄ | |
| 1011030 | Liver | ►**M218** 0,01 (*) ◄ | |
| 1011040 | Kidney | ►**M218** 0,01 (*) ◄ | |
| 1011050 | Edible offals (other than liver and kidney) | ►**M218** 0,01 (*) ◄ | |
| 1011990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | ►**M218** 0,01 (*) ◄ | |
| 1012020 | Fat | ►**M218** **0,02** ◄ | |
| 1012030 | Liver | ►**M218** 0,01 (*) ◄ | |
| 1012040 | Kidney | ►**M218** 0,01 (*) ◄ | |
| 1012050 | Edible offals (other than liver and kidney) | ►**M218** 0,01 (*) ◄ | |
| 1012990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | ►**M218** 0,01 (*) ◄ | |
| 1013020 | Fat | ►**M218** **0,02** ◄ | |
| 1013030 | Liver | ►**M218** 0,01 (*) ◄ | |
| 1013040 | Kidney | ►**M218** 0,01 (*) ◄ | |
| 1013050 | Edible offals (other than liver and kidney) | ►**M218** 0,01 (*) ◄ | |
| 1013990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | ►**M218** 0,01 (*) ◄ | |
| 1014020 | Fat | ►**M218** **0,02** ◄ | |
| 1014030 | Liver | ►**M218** 0,01 (*) ◄ | |
| 1014040 | Kidney | ►**M218** 0,01 (*) ◄ | |
| 1014050 | Edible offals (other than liver and kidney) | ►**M218** 0,01 (*) ◄ | |
| 1014990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | ►**M218** 0,01 (*) ◄ | |
| 1015020 | Fat | ►**M218** **0,02** ◄ | |
| 1015030 | Liver | ►**M218** 0,01 (*) ◄ | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | ►**M218** 0,01 (*) ◄ | |
| 1015050 | Edible offals (other than liver and kidney) | ►**M218** 0,01 (*) ◄ | |
| 1015990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 1016000 | (f) *poultry* | ►**M218** 0,01 (*) ◄ | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others (2) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | ►**M218** 0,01 (*) ◄ | |
| 1017020 | Fat | ►**M218** **0,02** ◄ | |
| 1017030 | Liver | ►**M218** 0,01 (*) ◄ | |
| 1017040 | Kidney | ►**M218** 0,01 (*) ◄ | |
| 1017050 | Edible offals (other than liver and kidney) | ►**M218** 0,01 (*) ◄ | |
| 1017990 | Others (2) | ►**M218** 0,01 (*) ◄ | |
| 1020000 | **Milk** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |

▼**M150**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M218** 0,05 (*) ◄ | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M218** 0,01 (*) ◄ | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼M151

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M191 Cyflufenamid (sum of cyflufenamid (Z-isomer) and its E-isomer, expressed as cyflufenamid) (R) (A) ◄ | Fenbuconazole (sum of constituent enantiomers) | Fluquinconazole (F) | Tembotrione (Sum of parent tembotrione (AE 0172747) and its metabolite M5 (4,6-dihydroxy tembotrione), expressed as tembotrione) (R) |
|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | **0,01** (*) | 0,02 (*) |
| 0110000 | **Citrus fruits** | ►M191 0,01 (*) ◄ | | | |
| 0110010 | Grapefruits | | **0,7 (+)** | | |
| 0110020 | Oranges | | **0,9 (+)** | | |
| 0110030 | Lemons | | **1 (+)** | | |
| 0110040 | Limes | | **1 (+)** | | |
| 0110050 | Mandarins | | **0,5 (+)** | | |
| 0110990 | Others (2) | | **0,5** | | |
| 0120000 | **Tree nuts** | ►M191 0,01 (*) ◄ | **0,01** (*) | | |
| 0120010 | Almonds | | **(+)** | | |
| 0120020 | Brazil nuts | | **(+)** | | |
| 0120030 | Cashew nuts | | **(+)** | | |
| 0120040 | Chestnuts | | **(+)** | | |
| 0120050 | Coconuts | | **(+)** | | |
| 0120060 | Hazelnuts/cobnuts | | **(+)** | | |
| 0120070 | Macadamias | | **(+)** | | |
| 0120080 | Pecans | | **(+)** | | |
| 0120090 | Pine nut kernels | | **(+)** | | |
| 0120100 | Pistachios | | **(+)** | | |
| 0120110 | Walnuts | | **(+)** | | |
| 0120990 | Others (2) | | | | |
| 0130000 | **Pome fruits** | ►M191 0,06 ◄ | 0,5 | | |
| 0130010 | Apples | | **(+)** | | |
| 0130020 | Pears | | **(+)** | | |
| 0130030 | Quinces | | **(+)** | | |
| 0130040 | Medlars | | **(+)** | | |
| 0130050 | Loquats/Japanese medlars | | **(+)** | | |
| 0130990 | Others (2) | | | | |
| 0140000 | **Stone fruits** | | | | |
| 0140010 | Apricots | ►M191 0,06 ◄ | **0,6 (+)** | | |
| 0140020 | Cherries (sweet) | ►M191 0,1 ◄ | **1 (+)** | | |
| 0140030 | Peaches | ►M191 0,06 ◄ | **0,6 (+)** | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0140040 | Plums | ►**M191** 0,07 ◄ | **0,6 (+)** | | |
| 0140990 | Others (2) | ►**M191** 0,06 ◄ | **0,6** | | |
| 0150000 | **Berries and small fruits** | | | | |
| 0151000 | (a) *grapes* | ►**M191** 0,2 ◄ | **1,5** | | |
| 0151010 | Table grapes | | **(+)** | | |
| 0151020 | Wine grapes | | **(+)** | | |
| 0152000 | (b) *strawberries* | ►**M191** 0,04 ◄ | **0,01** (*) | | |
| 0153000 | (c) *cane fruits* | ►**M191** — ◄ | **0,01** (*) | | |
| 0153010 | Blackberries | ►**M191** **0,07** ◄ | | | |
| 0153020 | Dewberries | ►**M191** 0,01 (*) ◄ | | | |
| 0153030 | Raspberries (red and yellow) | ►**M191** **0,07** ◄ | | | |
| 0153990 | Others (2) | ►**M191** 0,01 (*) ◄ | | | |
| 0154000 | (d) *other small fruits and berries* | ►**M191** 0,01 (*) ◄ | | | |
| 0154010 | Blueberries | | **0,5 (+)** | | |
| 0154020 | Cranberries | | **1 (+)** | | |
| 0154030 | Currants (black, red and white) | | **0,01** (*) | | |
| 0154040 | Gooseberries (green, red and yellow) | | **0,01** (*) | | |
| 0154050 | Rose hips | | **0,01** (*) | | |
| 0154060 | Mulberries (black and white) | | **0,01** (*) | | |
| 0154070 | Azaroles/Mediterranean medlars | | **0,01** (*) | | |
| 0154080 | Elderberries | | **0,01** (*) | | |
| 0154990 | Others (2) | | **0,01** (*) | | |
| 0160000 | **Miscellaneous fruits with** | ►**M191** 0,01 (*) ◄ | | | |
| 0161000 | (a) *edible peel* | | **0,01** (*) | | |
| 0161010 | Dates | | | | |
| 0161020 | Figs | | | | |
| 0161030 | Table olives | | | | |
| 0161040 | Kumquats | | | | |
| 0161050 | Carambolas | | | | |
| 0161060 | Kaki/Japanese persimmons | | | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0161070 | Jambuls/ jambolans | | | | |
| 0161990 | Others (2) | | | | |
| 0162000 | (b) *inedible peel, small* | | **0,01** (*) | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | |
| 0162020 | Litchis/lychees | | | | |
| 0162030 | Passionfruits/ maracujas | | | | |
| 0162040 | Prickly pears/ cactus fruits | | | | |
| 0162050 | Star apples/ cainitos | | | | |
| 0162060 | American persimmons/ Virginia kaki | | | | |
| 0162990 | Others (2) | | | | |
| 0163000 | (c) *inedible peel, large* | | | | |
| 0163010 | Avocados | | **0,01** (*) | | |
| 0163020 | Bananas | | **0,05 (+)** | | |
| 0163030 | Mangoes | | **0,01** (*) | | |
| 0163040 | Papayas | | **0,01** (*) | | |
| 0163050 | Granate apples/ pomegranates | | **0,01** (*) | | |
| 0163060 | Cherimoyas | | **0,01** (*) | | |
| 0163070 | Guavas | | **0,01** (*) | | |
| 0163080 | Pineapples | | **0,01** (*) | | |
| 0163090 | Breadfruits | | **0,01** (*) | | |
| 0163100 | Durians | | **0,01** (*) | | |
| 0163110 | Soursops/ guanabanas | | **0,01** (*) | | |
| 0163990 | Others (2) | | **0,01** (*) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0211000 | (a) *potatoes* | | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | |
| 0212010 | Cassava roots/ manioc | | | | |
| 0212020 | Sweet potatoes | | | | |
| 0212030 | Yams | | | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | |
| 0212990 | Others (2) | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | |
| 0213010 | Beetroots | | | | |
| 0213020 | Carrots | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | |
| 0213040 | Horseradishes | | | | |
| 0213050 | Jerusalem artichokes | | | | |
| 0213060 | Parsnips | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | | | |
| 0213080 | Radishes | | | | |
| 0213090 | Salsifies | | | | |
| 0213100 | Swedes/rutabagas | | | | |
| 0213110 | Turnips | | | | |
| 0213990 | Others (2) | | | | |
| 0220000 | **Bulb vegetables** | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0220010 | Garlic | | | | |
| 0220020 | Onions | | | | |
| 0220030 | Shallots | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | |
| 0220990 | Others (2) | | | | |
| 0230000 | **Fruiting vegetables** | | | **0,01** (*) | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | 0,02 (*) |
| 0231010 | Tomatoes | ►**M191** 0,04 ◄ | **0,01** (*) | | |
| 0231020 | Sweet peppers/ bell peppers | ►**M191** 0,06 ◄ | **0,6 (+)** | | |
| 0231030 | Aubergines/ eggplants | ►**M191** 0,02 (*) ◄ | **0,01** (*) | | |
| 0231040 | Okra/lady's fingers | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | |
| 0231990 | Others (2) | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | |
| 0232000 | (b) *cucurbits with edible peel* | ►**M191** 0,05 ◄ | **0,3** | | 0,02 (*) |
| 0232010 | Cucumbers | | **(+)** | | |
| 0232020 | Gherkins | | **(+)** | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0232030 | Courgettes | | **(+)** | | |
| 0232990 | Others (2) | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M191** 0,05 ◄ | **0,3** | | 0,02 (*) |
| 0233010 | Melons | | **(+)** | | |
| 0233020 | Pumpkins | | **(+)** | | |
| 0233030 | Watermelons | | **(+)** | | |
| 0233990 | Others (2) | | | | |
| 0234000 | (d) *sweet corn* | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | **0,05 (+)** |
| 0239000 | (e) *other fruiting vegetables* | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | 0,02 (*) |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0241000 | (a) *flowering brassica* | | | | |
| 0241010 | Broccoli | | | | |
| 0241020 | Cauliflowers | | | | |
| 0241990 | Others (2) | | | | |
| 0242000 | (b) *head brassica* | | | | |
| 0242010 | Brussels sprouts | | | | |
| 0242020 | Head cabbages | | | | |
| 0242990 | Others (2) | | | | |
| 0243000 | (c) *leafy brassica* | | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | | |
| 0243020 | Kales | | | | |
| 0243990 | Others (2) | | | | |
| 0244000 | (d) *kohlrabies* | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0251010 | Lamb's lettuces/ corn salads | | | | |
| 0251020 | Lettuces | | | | |
| 0251030 | Escaroles/broad-leaved endives | | | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | | |
| 0251050 | Land cresses | | | | |
| 0251060 | Roman rocket/ rucola | | | | |
| 0251070 | Red mustards | | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | | |
| 0251990 | Others (2) | | | | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0252010 | Spinaches | | | | |
| 0252020 | Purslanes | | | | |
| 0252030 | Chards/beet leaves | | | | |
| 0252990 | Others (2) | | | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0254000 | (d) *watercresses* | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0256000 | (f) *herbs and edible flowers* | ►**M191** 0,02 (*) ◄ | **0,02** (*) | **0,02** (*) | **0,04** (*) |
| 0256010 | Chervil | | | | |
| 0256020 | Chives | | | | |
| 0256030 | Celery leaves | | | | |
| 0256040 | Parsley | | | | |
| 0256050 | Sage | | | | |
| 0256060 | Rosemary | | | | |
| 0256070 | Thyme | | | | |
| 0256080 | Basil and edible flowers | | | | |
| 0256090 | Laurel/bay leaves | | | | |
| 0256100 | Tarragon | | | | |
| 0256990 | Others (2) | | | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0260010 | Beans (with pods) | | | | |
| 0260020 | Beans (without pods) | | | | |
| 0260030 | Peas (with pods) | | | | |
| 0260040 | Peas (without pods) | | | | |
| 0260050 | Lentils | | | | |
| 0260990 | Others (2) | | | | |
| 0270000 | **Stem vegetables** | | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0270010 | Asparagus | ►**M191** 0,01 (*) ◄ | | | |
| 0270020 | Cardoons | ►**M191** 0,01 (*) ◄ | | | |
| 0270030 | Celeries | ►**M191** 0,01 (*) ◄ | | | |
| 0270040 | Florence fennels | ►**M191** 0,01 (*) ◄ | | | |
| 0270050 | Globe artichokes | ►**M191** 0,04 ◄ | | | |
| 0270060 | Leeks | ►**M191** 0,01 (*) ◄ | | | |
| 0270070 | Rhubarbs | ►**M191** 0,01 (*) ◄ | | | |
| 0270080 | Bamboo shoots | ►**M191** 0,01 (*) ◄ | | | |
| 0270090 | Palm hearts | ►**M191** 0,01 (*) ◄ | | | |
| 0270990 | Others (2) | ►**M191** 0,01 (*) ◄ | | | |
| 0280000 | **Fungi, mosses and lichens** | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0280010 | Cultivated fungi | | | | |
| 0280020 | Wild fungi | | | | |
| 0280990 | Mosses and lichens | | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0300000 | **PULSES** | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0300010 | Beans | | | | |
| 0300020 | Lentils | | | | |
| 0300030 | Peas | | | | |
| 0300040 | Lupins/lupini beans | | | | |
| 0300990 | Others (2) | | | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M191** 0,01 (*) ◄ | | **0,01** (*) | 0,02 (*) |
| 0401000 | **Oilseeds** | | | | |
| 0401010 | Linseeds | | **0,01** (*) | | |
| 0401020 | Peanuts/groundnuts | | **0,1 (+)** | | |
| 0401030 | Poppy seeds | | **0,01** (*) | | |
| 0401040 | Sesame seeds | | **0,01** (*) | | |
| 0401050 | Sunflower seeds | | **0,05 (+)** | | |
| 0401060 | Rapeseeds/canola seeds | | **0,05 (+)** | | |
| 0401070 | Soyabeans | | **0,01** (*) | | |
| 0401080 | Mustard seeds | | **0,01** (*) | | |
| 0401090 | Cotton seeds | | **0,01** (*) | | |
| 0401100 | Pumpkin seeds | | **0,01** (*) | | |
| 0401110 | Safflower seeds | | **0,01** (*) | | |
| 0401120 | Borage seeds | | **0,01** (*) | | |
| 0401130 | Gold of pleasure seeds | | **0,01** (*) | | |
| 0401140 | Hemp seeds | | **0,01** (*) | | |
| 0401150 | Castor beans | | **0,01** (*) | | |
| 0401990 | Others (2) | | **0,01** (*) | | |
| 0402000 | **Oil fruits** | | **0,01** (*) | | |
| 0402010 | Olives for oil production | | | | |
| 0402020 | Oil palms kernels | | | | |
| 0402030 | Oil palms fruits | | | | |
| 0402040 | Kapok | | | | |
| 0402990 | Others (2) | | | | |
| 0500000 | **CEREALS** | | | **0,01** (*) | 0,02 (*) |
| 0500010 | Barley | ►**M191** 0,1 ◄ | **0,2 (+)** | | |
| 0500020 | Buckwheat and other pseudocereals | ►**M191** 0,1 ◄ | **0,01** (*) | | |
| 0500030 | Maize/corn | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | |
| 0500040 | Common millet/proso millet | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | |
| 0500050 | Oat | ►**M191** 0,1 ◄ | **0,01** (*) | | |
| 0500060 | Rice | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | |
| 0500070 | Rye | ►**M191** 0,04 ◄ | **0,1 (+)** | | |
| 0500080 | Sorghum | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | |
| 0500090 | Wheat | ►**M191** 0,04 (+) ◄ | **0,1 (+)** | | |
| 0500990 | Others (2) | ►**M191** 0,01 (*) ◄ | **0,01** (*) | | |

▼M151

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M191 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0610000 | **Teas** | | | | |
| 0620000 | **Coffee beans** | | | | |
| 0630000 | **Herbal infusions from** | | | | |
| 0631000 | (a) *flowers* | | | | |
| 0631010 | Chamomile | | | | |
| 0631020 | Hibiscus/roselle | | | | |
| 0631030 | Rose | | | | |
| 0631040 | Jasmine | | | | |
| 0631050 | Lime/linden | | | | |
| 0631990 | Others (2) | | | | |
| 0632000 | (b) *leaves and herbs* | | | | |
| 0632010 | Strawberry | | | | |
| 0632020 | Rooibos | | | | |
| 0632030 | Mate/maté | | | | |
| 0632990 | Others (2) | | | | |
| 0633000 | (c) *roots* | | | | |
| 0633010 | Valerian | | | | |
| 0633020 | Ginseng | | | | |
| 0633990 | Others (2) | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | |
| 0640000 | **Cocoa beans** | | | | |
| 0650000 | **Carobs/Saint John's breads** | | | | |
| 0700000 | **HOPS** | ►M191 5 ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0800000 | **SPICES** | | | | |
| 0810000 | **Seed spices** | ►M191 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0810010 | Anise/aniseed | | | | |
| 0810020 | Black caraway/black cumin | | | | |
| 0810030 | Celery | | | | |
| 0810040 | Coriander | | | | |
| 0810050 | Cumin | | | | |
| 0810060 | Dill | | | | |
| 0810070 | Fennel | | | | |
| 0810080 | Fenugreek | | | | |
| 0810090 | Nutmeg | | | | |
| 0810990 | Others (2) | | | | |
| 0820000 | **Fruit spices** | ►M191 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0820010 | Allspice/pimento | | | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | |
| 0820030 | Caraway | | | | |
| 0820040 | Cardamom | | | | |
| 0820050 | Juniper berry | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | |
| 0820070 | Vanilla | | | | |
| 0820080 | Tamarind | | | | |
| 0820990 | Others (2) | | | | |
| 0830000 | **Bark spices** | ►**M191** 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0830010 | Cinnamon | | | | |
| 0830990 | Others (2) | | | | |
| 0840000 | **Root and rhizome spices** | | | | |
| 0840010 | Liquorice | ►**M191** 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0840020 | Ginger (10) | ►**M180** — ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0840030 | Turmeric/curcuma | ►**M191** 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0840040 | Horseradish (11) | | | | |
| 0840990 | Others (2) | ►**M191** 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0850000 | **Bud spices** | ►**M191** 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0850010 | Cloves | | | | |
| 0850020 | Capers | | | | |
| 0850990 | Others (2) | | | | |
| 0860000 | **Flower pistil spices** | ►**M191** 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0860010 | Saffron | | | | |
| 0860990 | Others (2) | | | | |
| 0870000 | **Aril spices** | ►**M191** 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 0870010 | Mace | | | | |
| 0870990 | Others (2) | | | | |
| 0900000 | **SUGAR PLANTS** | ►**M191** 0,01 (*) ◄ | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0900010 | Sugar beet roots | | | | |
| 0900020 | Sugar canes | | | | |
| 0900030 | Chicory roots | | | | |
| 0900990 | Others (2) | | | | |

▼M151

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | |
| 1010000 | **Commodities from** | ►M191 0,02 (*) ◄ | | **0,01** (*) | |
| 1011000 | (a) *swine* | | | | |
| 1011010 | Muscle | | 0,05 (*) | | 0,01 (*) |
| 1011020 | Fat | | 0,05 (*) | | 0,01 (*) |
| 1011030 | Liver | | **0,1 (+)** | | **0,015** |
| 1011040 | Kidney | | **0,1 (+)** | | **0,015** |
| 1011050 | Edible offals (other than liver and kidney) | | **0,1 (+)** | | **0,015** |
| 1011990 | Others (2) | | 0,05 (*) | | 0,01 (*) |
| 1012000 | (b) *bovine* | | | | |
| 1012010 | Muscle | | 0,05 (*) | | 0,01 (*) |
| 1012020 | Fat | | 0,05 (*) | | 0,01 (*) |
| 1012030 | Liver | | **0,1 (+)** | | **0,05** |
| 1012040 | Kidney | | **0,1 (+)** | | **0,02** |
| 1012050 | Edible offals (other than liver and kidney) | | **0,1 (+)** | | **0,05** |
| 1012990 | Others (2) | | 0,05 (*) | | 0,01 (*) |
| 1013000 | (c) *sheep* | | | | **0,01** (*) |
| 1013010 | Muscle | | 0,05 (*) | | |
| 1013020 | Fat | | 0,05 (*) | | |
| 1013030 | Liver | | **0,1 (+)** | | |
| 1013040 | Kidney | | **0,1 (+)** | | |
| 1013050 | Edible offals (other than liver and kidney) | | **0,1 (+)** | | |
| 1013990 | Others (2) | | 0,05 (*) | | |
| 1014000 | (d) *goat* | | | | **0,01** (*) |
| 1014010 | Muscle | | 0,05 (*) | | |
| 1014020 | Fat | | 0,05 (*) | | |
| 1014030 | Liver | | **0,1 (+)** | | |
| 1014040 | Kidney | | **0,1 (+)** | | |
| 1014050 | Edible offals (other than liver and kidney) | | **0,1 (+)** | | |
| 1014990 | Others (2) | | 0,05 (*) | | |
| 1015000 | (e) *equine* | | | | |
| 1015010 | Muscle | | 0,05 (*) | | 0,01 (*) |
| 1015020 | Fat | | 0,05 (*) | | 0,01 (*) |
| 1015030 | Liver | | **0,1 (+)** | | **0,05** |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1015040 | Kidney | | **0,1 (+)** | | **0,02** |
| 1015050 | Edible offals (other than liver and kidney) | | **0,1 (+)** | | **0,05** |
| 1015990 | Others (2) | | 0,05 (*) | | 0,01 (*) |
| 1016000 | (f) *poultry* | | 0,05 (*) | | 0,01 (*) |
| 1016010 | Muscle | | | | |
| 1016020 | Fat | | | | |
| 1016030 | Liver | | | | |
| 1016040 | Kidney | | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | | |
| 1016990 | Others (2) | | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | **0,01** (*) |
| 1017010 | Muscle | | 0,05 (*) | | |
| 1017020 | Fat | | 0,05 (*) | | |
| 1017030 | Liver | | **0,1 (+)** | | |
| 1017040 | Kidney | | **0,1 (+)** | | |
| 1017050 | Edible offals (other than liver and kidney) | | **0,1 (+)** | | |
| 1017990 | Others (2) | | 0,05 (*) | | |
| 1020000 | **Milk** | ►**M191** 0,02 (*) ◄ | 0,05 (*) | **0,01** (*) | **0,01** (*) |
| 1020010 | Cattle | | | | |
| 1020020 | Sheep | | | | |
| 1020030 | Goat | | | | |
| 1020040 | Horse | | | | |
| 1020990 | Others (2) | | | | |
| 1030000 | **Birds eggs** | ►**M191** 0,02 (*) ◄ | 0,05 (*) | **0,01** (*) | 0,01 (*) |
| 1030010 | Chicken | | | | |
| 1030020 | Duck | | | | |
| 1030030 | Geese | | | | |
| 1030040 | Quail | | | | |
| 1030990 | Others (2) | | | | |

▼**M151**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M191** 0,05 (*) ◄ | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | ►**M191** 0,02 (*) ◄ | 0,05 (*) | **0,01** (*) | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | ►**M191** 0,02 (*) ◄ | 0,05 (*) | **0,01** (*) | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M191** 0,02 (*) ◄ | 0,05 (*) | **0,01** (*) | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | |

▼**M159**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Napropamide (sum of isomers) | Sintofen |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | **0,01 (*)** |
| 0110000 | **Citrus fruits** | **0,01 (*) (+)** | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | **0,01 (*)** | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | **0,01 (*)** | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | **0,01 (*)** | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | **0,01 (*)** | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | **0,01 (*) (+)** | |
| 0153000 | (c) *cane fruits* | **0,01 (*) (+)** | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | **0,02 (*) (+)** | |
| 0154020 | Cranberries | **0,02 (*) (+)** | |
| 0154030 | Currants (black, red and white) | **0,02 (*) (+)** | |
| 0154040 | Gooseberries (green, red and yellow) | **0,02 (*) (+)** | |
| 0154050 | Rose hips | **0,02 (*) (+)** | |
| 0154060 | Mulberries (black and white) | **0,01 (*)** | |
| 0154070 | Azaroles/Mediterranean medlars | **0,01 (*)** | |
| 0154080 | Elderberries | **0,02 (*) (+)** | |
| 0154990 | Others (2) | **0,01 (*)** | |
| 0160000 | **Miscellaneous fruitswith** | **0,01 (*)** | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others (2) | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | **0,01 (*)** | **0,01 (*)** |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | **0,01 (*)** | **0,01 (*)** |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | **0,01 (*)** | **0,01 (*)** |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | | **0,01 (*)** |
| 0241000 | (a) *flowering brassica* | **0,01 (*)** | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | **0,01 (*)** | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | 0,05 (*) | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | 0,05 (*) | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | | **0,01 (*)** |
| 0251010 | Lamb's lettuces/corn salads | **0,05** | |
| 0251020 | Lettuces | **0,01 (*)** | |
| 0251030 | Escaroles/broad-leaved endives | **0,01 (*)** | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | **0,01 (*)** | |
| 0251050 | Land cresses | **0,01 (*)** | |
| 0251060 | Roman rocket/rucola | **0,05** | |
| 0251070 | Red mustards | **0,05** | |
| 0251080 | Baby leaf crops (including brassica species) | **0,05** | |
| 0251990 | Others (2) | **0,01 (*)** | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01 (*)** | **0,01 (*)** |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01 (*)** | **0,01 (*)** |
| 0254000 | (d) *watercresses* | **0,01 (*)** | **0,01 (*)** |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01 (*)** | **0,01 (*)** |
| 0256000 | (f) *herbs and edible flowers* | **0,05 (+)** | **0,02 (*)** |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01 (*)** | **0,01 (*)** |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | **0,01 (*)** | **0,01 (*)** |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01 (*)** | **0,01 (*)** |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01 (*)** | **0,01 (*)** |
| 0300000 | **PULSES** | **0,01 (*)** | **0,01 (*)** |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | **0,01 (*)** |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | **0,02** | |
| 0401020 | Peanuts/groundnuts | **0,01 (*)** | |
| 0401030 | Poppy seeds | **0,02** | |
| 0401040 | Sesame seeds | **0,02** | |
| 0401050 | Sunflower seeds | **0,02** | |
| 0401060 | Rapeseeds/canola seeds | **0,02** | |
| 0401070 | Soyabeans | **0,02** | |
| 0401080 | Mustard seeds | **0,02** | |
| 0401090 | Cotton seeds | **0,02** | |
| 0401100 | Pumpkin seeds | **0,02** | |
| 0401110 | Safflower seeds | **0,02** | |
| 0401120 | Borage seeds | **0,02** | |
| 0401130 | Gold of pleasure seeds | **0,02** | |
| 0401140 | Hemp seeds | **0,02** | |
| 0401150 | Castor beans | **0,02** | |
| 0401990 | Others (2) | **0,01 (*)** | |
| 0402000 | **Oil fruits** | **0,01 (*)** | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | **0,01 (*)** | **0,01 (*)** |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudocereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | **(+)** |
| 0500990 | Others (2) | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | **0,05 (*)** |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | **(+)** | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | 0,05 (*) | **0,05 (*)** |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | 0,05 (*) | **0,05 (*)** |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | **0,05 (*) (+)** | **0,05 (*)** |
| 0820010 | Allspice/pimento | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | 0,05 (*) | **0,05 (*)** |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | 0,05 (*) | **0,05 (*)** |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | 0,05 (*) | **0,05 (*)** |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | 0,05 (*) | **0,05 (*)** |
| 0850000 | **Bud spices** | 0,05 (*) | **0,05 (*)** |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | **0,05 (*)** |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | 0,05 (*) | **0,05 (*)** |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | **0,01 (*)** | **0,01 (*)** |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | 0,01 (*) | **0,01 (*)** |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others (2) | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others (2) | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others (2) | | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others (2) | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others (2) | | |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others (2) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others (2) | | |
| 1020000 | **Milk** | 0,01 (*) | **0,01 (*)** |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | 0,01 (*) | **0,01 (*)** |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |

▼**M159**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05 (*)** | **0,05 (*)** |
| 1050000 | **Amphibians and Reptiles** | **0,01 (*)** | **0,01 (*)** |
| 1060000 | **Terrestrial invertebrate animals** | **0,01 (*)** | **0,01 (*)** |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01 (*)** | **0,01 (*)** |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼**M160**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Chromafenozide | Fluometuron | Pencycuron (sum of pencycuron and pencycuron-PB-amine, expressed as pencycuron) (F) (R) (A) | ►**M204** Sedaxane (sum of isomers) ◄ | ►**M190** Fluvalinate (sum of isomers) resulting from the use of tau-fluvalinate (F) ◄ | Triazoxide |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01 (*)** | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | | |
| 0110000 | **Citrus fruits** | | | | | ►**M190** 0,4 ◄ | **0,001 (*)** |
| 0110010 | Grapefruits | | | | | | |
| 0110020 | Oranges | | | | | | |
| 0110030 | Lemons | | | | | | |
| 0110040 | Limes | | | | | | |
| 0110050 | Mandarins | | | | | | |
| 0110990 | Others (2) | | | | | | |
| 0120000 | **Tree nuts** | | | | | ►**M190** 0,01 (*) ◄ | **0,005 (*)** |
| 0120010 | Almonds | | | | | | |
| 0120020 | Brazil nuts | | | | | | |
| 0120030 | Cashew nuts | | | | | | |
| 0120040 | Chestnuts | | | | | | |
| 0120050 | Coconuts | | | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | | | |
| 0120070 | Macadamias | | | | | | |
| 0120080 | Pecans | | | | | | |
| 0120090 | Pine nut kernels | | | | | | |
| 0120100 | Pistachios | | | | | | |
| 0120110 | Walnuts | | | | | | |
| 0120990 | Others (2) | | | | | | |
| 0130000 | **Pome fruits** | | | | | ►**M190** 0,3 ◄ | **0,001 (*)** |
| 0130010 | Apples | | | | | | |
| 0130020 | Pears | | | | | | |
| 0130030 | Quinces | | | | | | |
| 0130040 | Medlars | | | | | | |
| 0130050 | Loquats/Japanese medlars | | | | | | |
| 0130990 | Others (2) | | | | | | |
| 0140000 | **Stone fruits** | | | | | | **0,001 (*)** |
| 0140010 | Apricots | | | | | ►**M190** 0,3 ◄ | |
| 0140020 | Cherries (sweet) | | | | | ►**M190** 0,4 ◄ | |
| 0140030 | Peaches | | | | | ►**M190** 0,3 ◄ | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0140040 | Plums | | | | | ►**M190** 0,01 (*) ◄ | |
| 0140990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 0150000 | **Berries and small fruits** | | | | | | **0,001 (*)** |
| 0151000 | (a) *grapes* | | | | | ►**M190** 1 ◄ | |
| 0151010 | Table grapes | | | | | | |
| 0151020 | Wine grapes | | | | | | |
| 0152000 | (b) *strawberries* | | | | | ►**M190** 0,3 ◄ | |
| 0153000 | (c) *cane fruits* | | | | | ►**M190** 0,01 (*) ◄ | |
| 0153010 | Blackberries | | | | | | |
| 0153020 | Dewberries | | | | | | |
| 0153030 | Raspberries (red and yellow) | | | | | | |
| 0153990 | Others (2) | | | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | | ►**M190** 0,01 (*) ◄ | |
| 0154010 | Blueberries | | | | | | |
| 0154020 | Cranberries | | | | | | |
| 0154030 | Currants (black, red and white) | | | | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | | | |
| 0154050 | Rose hips | | | | | | |
| 0154060 | Mulberries (black and white) | | | | | | |
| 0154070 | Azaroles/ Mediter-ranean medlars | | | | | | |
| 0154080 | Elderberries | | | | | | |
| 0154990 | Others (2) | | | | | | |
| 0160000 | **Miscellaneous fruitswith** | | | | | ►**M190** 0,01 (*) ◄ | |
| 0161000 | (a) *edible peel* | | | | | | |
| 0161010 | Dates | | | | | | **0,001 (*)** |
| 0161020 | Figs | | | | | | **0,001 (*)** |
| 0161030 | Table olives | | | | | | **0,005 (*)** |
| 0161040 | Kumquats | | | | | | **0,001 (*)** |
| 0161050 | Carambolas | | | | | | **0,001 (*)** |
| 0161060 | Kaki/ Japanese persimmons | | | | | | **0,001 (*)** |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0161070 | Jambuls/ jambolans | | | | | | **0,001 (*)** |
| 0161990 | Others (2) | | | | | | **0,001 (*)** |
| 0162000 | (b) *inedible peel, small* | | | | | | **0,001 (*)** |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | | | |
| 0162020 | Litchis/ lychees | | | | | | |
| 0162030 | Passionfruits/ maracujas | | | | | | |
| 0162040 | Prickly pears/ cactus fruits | | | | | | |
| 0162050 | Star apples/ cainitos | | | | | | |
| 0162060 | American persimmons/ Virginia kaki | | | | | | |
| 0162990 | Others (2) | | | | | | |
| 0163000 | (c) *inedible peel, large* | | | | | | |
| 0163010 | Avocados | | | | | | **0,005 (*)** |
| 0163020 | Bananas | | | | | | **0,001 (*)** |
| 0163030 | Mangoes | | | | | | **0,001 (*)** |
| 0163040 | Papayas | | | | | | **0,001 (*)** |
| 0163050 | Granate apples/pome-granates | | | | | | **0,001 (*)** |
| 0163060 | Cherimoyas | | | | | | **0,001 (*)** |
| 0163070 | Guavas | | | | | | **0,001 (*)** |
| 0163080 | Pineapples | | | | | | **0,001 (*)** |
| 0163090 | Breadfruits | | | | | | **0,001 (*)** |
| 0163100 | Durians | | | | | | **0,001 (*)** |
| 0163110 | Soursops/ guanabanas | | | | | | **0,001 (*)** |
| 0163990 | Others (2) | | | | | | **0,001 (*)** |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | | | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | | ►**M190** 0,01 (*) ◄ | **0,001 (*)** |
| 0211000 | (a) *potatoes* | | | | ►**M204** **0,15** ◄ | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | ►**M204** 0,01 (*) ◄ | | |
| 0212010 | Cassava roots/manioc | | | | | | |
| 0212020 | Sweet potatoes | | | | | | |
| 0212030 | Yams | | | | | | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | | | |
| 0212990 | Others (2) | | | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | ►**M204** 0,01 (*) ◄ | | |
| 0213010 | Beetroots | | | | | | |
| 0213020 | Carrots | | | | | | |
| 0213030 | Celeriacs/ turnip rooted celeries | | | | | | |
| 0213040 | Horseradishes | | | | | | |
| 0213050 | Jerusalem artichokes | | | | | | |
| 0213060 | Parsnips | | | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | | | | | |
| 0213080 | Radishes | | | | | | |
| 0213090 | Salsifies | | | | | | |
| 0213100 | Swedes/ rutabagas | | | | | | |
| 0213110 | Turnips | | | | | | |
| 0213990 | Others (2) | | | | | | |
| 0220000 | **Bulb vegetables** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,001 (*)** |
| 0220010 | Garlic | | | | | | |
| 0220020 | Onions | | | | | | |
| 0220030 | Shallots | | | | | | |
| 0220040 | Spring onions/ green onions and Welsh onions | | | | | | |
| 0220990 | Others (2) | | | | | | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | | **0,001 (*)** |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | | | |
| 0231010 | Tomatoes | | | | | ►**M190** **0,15** ◄ | |
| 0231020 | Sweet peppers/bell peppers | | | | | ►**M190** 0,01 (*) ◄ | |
| 0231030 | Aubergines/ eggplants | | | | | ►**M190** 0,15 ◄ | |
| 0231040 | Okra/lady's fingers | | | | | ►**M190** 0,01 (*) ◄ | |
| 0231990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 0232000 | (b) *cucurbits with edible peel* | | | | | ►**M190** 0,02 ◄ | |
| 0232010 | Cucumbers | | | | | ►**M190** (+) ◄ | |
| 0232020 | Gherkins | | | | | | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | | | |
| 0232990 | Others (2) | | | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | | | | |
| 0233010 | Melons | | | | | ►**M190** 0,09 ◄ | |
| 0233020 | Pumpkins | | | | | ►**M190** 0,01 (*) ◄ | |
| 0233030 | Watermelons | | | | | ►**M190** 0,09 ◄ | |
| 0233990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 0234000 | (d) *sweet corn* | | | | | ►**M190** 0,01 (*) ◄ | |
| 0239000 | (e) *other fruiting vegetables* | | | | | ►**M190** 0,01 (*) ◄ | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | | **0,001 (*)** |
| 0241000 | (a) *flowering brassica* | | | | | ►**M190** 0,3 ◄ | |
| 0241010 | Broccoli | | | | | | |
| 0241020 | Cauliflowers | | | | | | |
| 0241990 | Others (2) | | | | | | |
| 0242000 | (b) *head brassica* | | | | | | |
| 0242010 | Brussels sprouts | | | | | ►**M190** 0,15 ◄ | |
| 0242020 | Head cabbages | | | | | ►**M190** 0,3 ◄ | |
| 0242990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 0243000 | (c) *leafy brassica* | | | | | ►**M190** 0,01 (*) ◄ | |
| 0243010 | Chinese cabbages/pe-tsai | | | | | | |
| 0243020 | Kales | | | | | | |
| 0243990 | Others (2) | | | | | | |
| 0244000 | (d) *kohlrabies* | | | | | ►**M190** 0,08 ◄ | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,7 ◄ | **0,001 (*)** |
| 0251010 | Lamb's lettuces/corn salads | | | | | | |
| 0251020 | Lettuces | | | | | | |
| 0251030 | Escaroles/ broad-leaved endives | | | | | | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | | | | |
| 0251050 | Land cresses | | | | | | |
| 0251060 | Roman rocket/rucola | | | | | | |
| 0251070 | Red mustards | | | | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | | | | |
| 0251990 | Others (2) | | | | | | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,001 (*)** |
| 0252010 | Spinaches | | | | | | |
| 0252020 | Purslanes | | | | | | |
| 0252030 | Chards/beet leaves | | | | | | |
| 0252990 | Others (2) | | | | | | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,001 (*)** |
| 0254000 | (d) *watercresses* | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,001 (*)** |
| 0255000 | (e) *witloofs/ Belgian endives* | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,001 (*)** |
| 0256000 | (f) *herbs and edible flowers* | **0,02 (*)** | **0,02 (*)** | **0,04 (*)** | ►**M204** 0,02 (*) ◄ | ►**M190** 0,02 (*) ◄ | **0,002 (*)** |
| 0256010 | Chervil | | | | | | |
| 0256020 | Chives | | | | | | |
| 0256030 | Celery leaves | | | | | | |
| 0256040 | Parsley | | | | | | |
| 0256050 | Sage | | | | | | |
| 0256060 | Rosemary | | | | | | |
| 0256070 | Thyme | | | | | | |
| 0256080 | Basil and edible flowers | | | | | | |
| 0256090 | Laurel/bay leaves | | | | | | |
| 0256100 | Tarragon | | | | | | |
| 0256990 | Others (2) | | | | | | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | | **0,001 (*)** |
| 0260010 | Beans (with pods) | | | | | ►**M190** 0,6 ◄ | |
| 0260020 | Beans (without pods) | | | | | ►**M190** 0,05 ◄ | |
| 0260030 | Peas (with pods) | | | | | ►**M190** 0,6 ◄ | |
| 0260040 | Peas (without pods) | | | | | ►**M190** 0,05 ◄ | |
| 0260050 | Lentils | | | | | ►**M190** 0,01 (*) ◄ | |
| 0260990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270000 | **Stem vegetables** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | | **0,001 (*)** |
| 0270010 | Asparagus | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270020 | Cardoons | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270030 | Celeries | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270040 | Florence fennels | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270050 | Globe artichokes | | | | | ►**M190** 0,8 ◄ | |
| 0270060 | Leeks | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270070 | Rhubarbs | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270080 | Bamboo shoots | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270090 | Palm hearts | | | | | ►**M190** 0,01 (*) ◄ | |
| 0270990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,001 (*)** |
| 0280010 | Cultivated fungi | | | | | | |
| 0280020 | Wild fungi | | | | | | |
| 0280990 | Mosses and lichens | | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,001 (*)** |
| 0300000 | **PULSES** | 0,01 (*) | **0,005 (*)** | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,003 (*)** |
| 0300010 | Beans | | | | | | |
| 0300020 | Lentils | | | | | | |
| 0300030 | Peas | | | | | | |
| 0300040 | Lupins/lupini beans | | | | | | |
| 0300990 | Others (2) | | | | | | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | | **0,005 (*)** |
| 0401000 | **Oilseeds** | | | | | | |
| 0401010 | Linseeds | | | | | ►**M190** 0,02 ◄ | |
| 0401020 | Peanuts/ groundnuts | | | | | ►**M190** 0,01 (*) ◄ | |
| 0401030 | Poppy seeds | | | | | ►**M190** 0,01 (*) ◄ | |
| 0401040 | Sesame seeds | | | | | ►**M190** 0,01 (*) ◄ | |
| 0401050 | Sunflower seeds | | | | | ►**M190** 0,01 (*) ◄ | |
| 0401060 | Rapeseeds/canola seeds | | | | | ►**M190** 0,02 ◄ | |
| 0401070 | Soyabeans | | | | | ►**M190** 0,01 (*) ◄ | |
| 0401080 | Mustard seeds | | | | | ►**M190** 0,02 ◄ | |
| 0401090 | Cotton seeds | | | | | ►**M190** 0,09 ◄ | |
| 0401100 | Pumpkin seeds | | | | | ►**M190** 0,02 ◄ | |
| 0401110 | Safflower seeds | | | | | ►**M190** 0,02 ◄ | |
| 0401120 | Borage seeds | | | | | ►**M190** 0,02 ◄ | |
| 0401130 | Gold of pleasure seeds | | | | | ►**M190** 0,02 ◄ | |
| 0401140 | Hemp seeds | | | | | ►**M190** 0,02 ◄ | |
| 0401150 | Castor beans | | | | | ►**M190** 0,01 (*) ◄ | |
| 0401990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 0402000 | **Oil fruits** | | | | | ►**M190** 0,01 (*) ◄ | |
| 0402010 | Olives for oil production | | | | | | |
| 0402020 | Oil palms kernels | | | | | | |
| 0402030 | Oil palms fruits | | | | | | |
| 0402040 | Kapok | | | | | | |
| 0402990 | Others (2) | | | | | | |
| 0500000 | **CEREALS** | 0,01 (*) | **0,005 (*)** | **0,02 (*)** | ►**M204** 0,01 (*) ◄ | | **0,003 (*)** |
| 0500010 | Barley | | | | | ►**M190** 0,4 ◄ | |
| 0500020 | Buckwheat and other pseudocereals | | | | | ►**M190** 0,01 (*) ◄ | |
| 0500030 | Maize/corn | | | | | ►**M190** 0,01 (*) ◄ | |
| 0500040 | Common millet/proso millet | | | | | ►**M190** 0,01 (*) ◄ | |
| 0500050 | Oat | | | | | ►**M190** 0,4 ◄ | |
| 0500060 | Rice | | | | | ►**M190** 0,01 (*) ◄ | |
| 0500070 | Rye | | | | | ►**M190** 0,05 ◄ | |
| 0500080 | Sorghum | | | | | ►**M190** 0,01 (*) ◄ | |
| 0500090 | Wheat | | | | | ►**M190** 0,05 ◄ | |
| 0500990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |

▼M160

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0610000 | **Teas** | | | | | | |
| 0620000 | **Coffee beans** | | | | | | |
| 0630000 | **Herbal infusions from** | | | | | | |
| 0631000 | (a) *flowers* | | | | | | |
| 0631010 | Chamomile | | | | | | |
| 0631020 | Hibiscus/ roselle | | | | | | |
| 0631030 | Rose | | | | | | |
| 0631040 | Jasmine | | | | | | |
| 0631050 | Lime/linden | | | | | | |
| 0631990 | Others (2) | | | | | | |
| 0632000 | (b) *leaves and herbs* | | | | | | |
| 0632010 | Strawberry | | | | | | |
| 0632020 | Rooibos | | | | | | |
| 0632030 | Mate/maté | | | | | | |
| 0632990 | Others (2) | | | | | | |
| 0633000 | (c) *roots* | | | | | | |
| 0633010 | Valerian | | | | | | |
| 0633020 | Ginseng | | | | | | |
| 0633990 | Others (2) | | | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | | | |
| 0640000 | **Cocoa beans** | | | | | | |
| 0650000 | **Carobs/Saint John's breads** | | | | | | |
| 0700000 | **HOPS** | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0800000 | **SPICES** | | | | | | |
| 0810000 | **Seed spices** | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0810010 | Anise/aniseed | | | | | | |
| 0810020 | Black caraway/ black cumin | | | | | | |
| 0810030 | Celery | | | | | | |
| 0810040 | Coriander | | | | | | |
| 0810050 | Cumin | | | | | | |
| 0810060 | Dill | | | | | | |
| 0810070 | Fennel | | | | | | |
| 0810080 | Fenugreek | | | | | | |
| 0810090 | Nutmeg | | | | | | |
| 0810990 | Others (2) | | | | | | |
| 0820000 | **Fruit spices** | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0820010 | Allspice/pimento | | | | | | |

▼M160

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | | | |
| 0820030 | Caraway | | | | | | |
| 0820040 | Cardamom | | | | | | |
| 0820050 | Juniper berry | | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | | |
| 0820070 | Vanilla | | | | | | |
| 0820080 | Tamarind | | | | | | |
| 0820990 | Others (2) | | | | | | |
| 0830000 | **Bark spices** | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0830010 | Cinnamon | | | | | | |
| 0830990 | Others (2) | | | | | | |
| 0840000 | **Root and rhizome spices** | | | | | | |
| 0840010 | Liquorice | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0840020 | Ginger (10) | | | | | | |
| 0840030 | Turmeric/curcuma | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0840040 | Horseradish (11) | | | | | | |
| 0840990 | Others (2) | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0850000 | **Bud spices** | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0850010 | Cloves | | | | | | |
| 0850020 | Capers | | | | | | |
| 0850990 | Others (2) | | | | | | |
| 0860000 | **Flower pistil spices** | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0860010 | Saffron | | | | | | |
| 0860990 | Others (2) | | | | | | |
| 0870000 | **Aril spices** | **0,05 (*)** | **0,05 (*)** | **0,1 (*)** | ►M204 0,05 (*) ◄ | ►M190 0,05 (*) ◄ | **0,005 (*)** |
| 0870010 | Mace | | | | | | |
| 0870990 | Others (2) | | | | | | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) | 0,01 (*) | **0,02 (*)** | ►M204 0,01 (*) ◄ | ►M190 0,01 (*) ◄ | **0,001 (*)** |
| 0900010 | Sugar beet roots | | | | | | |
| 0900020 | Sugar canes | | | | | | |
| 0900030 | Chicory roots | | | | | | |
| 0900990 | Others (2) | | | | | | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | | | |
| 1010000 | **Commodities from** | 0,01 (*) | **0,005 (*)** | **0,01 (*)** | ►**M204** 0,01 (*) ◄ | | **0,01 (*)** |
| 1011000 | (a) *swine* | | | | | | |
| 1011010 | Muscle | | | | | ►**M190** 0,015 ◄ | |
| 1011020 | Fat | | | | | ►**M190** 0,05 ◄ | |
| 1011030 | Liver | | | | | ►**M190** 0,01 (*) ◄ | |
| 1011040 | Kidney | | | | | ►**M190** 0,01 (*) ◄ | |
| 1011050 | Edible offals (other than liver and kidney) | | | | | ►**M190** 0,05 ◄ | |
| 1011990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 1012000 | (b) *bovine* | | | | | | |
| 1012010 | Muscle | | | | | ►**M190** 0,05 ◄ | |
| 1012020 | Fat | | | | | ►**M190** 0,3 ◄ | |
| 1012030 | Liver | | | | | ►**M190** 0,01 (*) ◄ | |
| 1012040 | Kidney | | | | | ►**M190** 0,015 ◄ | |
| 1012050 | Edible offals (other than liver and kidney) | | | | | ►**M190** 0,3 ◄ | |
| 1012990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 1013000 | (c) *sheep* | | | | | | |
| 1013010 | Muscle | | | | | ►**M190** 0,05 ◄ | |
| 1013020 | Fat | | | | | ►**M190** 0,3 ◄ | |
| 1013030 | Liver | | | | | ►**M190** 0,01 (*) ◄ | |
| 1013040 | Kidney | | | | | ►**M190** 0,015 ◄ | |
| 1013050 | Edible offals (other than liver and kidney) | | | | | ►**M190** 0,3 ◄ | |
| 1013990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 1014000 | d) *goat* | | | | | | |
| 1014010 | Muscle | | | | | ►**M190** 0,05 ◄ | |
| 1014020 | Fat | | | | | ►**M190** 0,3 ◄ | |
| 1014030 | Liver | | | | | ►**M190** 0,01 (*) ◄ | |
| 1014040 | Kidney | | | | | ►**M190** 0,015 ◄ | |
| 1014050 | Edible offals (other than liver and kidney) | | | | | ►**M190** 0,3 ◄ | |
| 1014990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 1015000 | (e) *equine* | | | | | | |
| 1015010 | Muscle | | | | | ►**M190** 0,05 ◄ | |
| 1015020 | Fat | | | | | ►**M190** 0,3 ◄ | |
| 1015030 | Liver | | | | | ►**M190** 0,01 (*) ◄ | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | | | | | ►**M190** 0,015 ◄ | |
| 1015050 | Edible offals (other than liver and kidney) | | | | | ►**M190** 0,3 ◄ | |
| 1015990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 1016000 | (f) *poultry* | | | | | | |
| 1016010 | Muscle | | | | | ►**M190** 0,01 (*) ◄ | |
| 1016020 | Fat | | | | | ►**M190** 0,03 (+) ◄ | |
| 1016030 | Liver | | | | | ►**M190** 0,01 (*) ◄ | |
| 1016040 | Kidney | | | | | ►**M190** 0,01 (*) ◄ | |
| 1016050 | Edible offals (other than liver and kidney) | | | | | ►**M190** 0,03 (+) ◄ | |
| 1016990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | | | |
| 1017010 | Muscle | | | | | ►**M190** 0,05 ◄ | |
| 1017020 | Fat | | | | | ►**M190** 0,3 ◄ | |
| 1017030 | Liver | | | | | ►**M190** 0,01 (*) ◄ | |
| 1017040 | Kidney | | | | | ►**M190** 0,015 ◄ | |
| 1017050 | Edible offals (other than liver and kidney) | | | | | ►**M190** 0,3 ◄ | |
| 1017990 | Others (2) | | | | | ►**M190** 0,01 (*) ◄ | |
| 1020000 | **Milk** | 0,01 (*) | **0,005 (*)** | **0,01 (*)** | ►**M204** 0,01 (*) ◄ | | **0,01 (*)** |
| 1020010 | Cattle | | | | | ►**M190** 0,03 ◄ | |
| 1020020 | Sheep | | | | | ►**M190** 0,02 ◄ | |
| 1020030 | Goat | | | | | ►**M190** 0,02 ◄ | |
| 1020040 | Horse | | | | | ►**M190** 0,03 ◄ | |
| 1020990 | Others (2) | | | | | ►**M190** 0,02 ◄ | |
| 1030000 | **Birds eggs** | 0,01 (*) | **0,005 (*)** | **0,01 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,01 (*)** |
| 1030010 | Chicken | | | | | | |
| 1030020 | Duck | | | | | | |
| 1030030 | Geese | | | | | | |
| 1030040 | Quail | | | | | | |
| 1030990 | Others (2) | | | | | | |

▼**M160**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) | **0,05 (*)** | **0,05 (*)** | ►**M204** 0,05 (*) ◄ | ►**M190** 0,05 (*) ◄ | **0,05 (*)** |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) | **0,005 (*)** | **0,01 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,01 (*)** |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) | **0,005 (*)** | **0,01 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,01 (*)** |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) | **0,005 (*)** | **0,01 (*)** | ►**M204** 0,01 (*) ◄ | ►**M190** 0,01 (*) ◄ | **0,01 (*)** |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | | |

▼M164

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Bupirimate (A) (F) (R) | ►M176 Ethirimol (A) (F) (R) ◄ | Pyriofenone |
|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | |
| 0110000 | **Citrus fruits** | **0.01** (*) | ►M176 0,01 (*) ◄ | **0.01** (*) |
| 0110010 | Grapefruits | | | |
| 0110020 | Oranges | | | |
| 0110030 | Lemons | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins | | | |
| 0110990 | Others (2) | | | |
| 0120000 | **Tree nuts** | **0.01** (*) | ►M176 0,01 (*) ◄ | **0.01** (*) |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts/cobnuts | | | |
| 0120070 | Macadamias | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nut kernels | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others (2) | | | |
| 0130000 | **Pome fruits** | | | **0.01** (*) |
| 0130010 | Apples | **0.3** | ►M176 0,06 ◄ | |
| 0130020 | Pears | **0.3** | ►M176 0,06 ◄ | |
| 0130030 | Quinces | **0.01** (*) | ►M176 0,01 (*) ◄ | |
| 0130040 | Medlars | **0.01** (*) | ►M176 0,01 (*) ◄ | |
| 0130050 | Loquats/Japanese medlars | **0.01** (*) | ►M176 0,01 (*) ◄ | |
| 0130990 | Others (2) | **0.01** (*) | ►M176 0,01 (*) ◄ | |
| 0140000 | **Stone fruits** | | | **0.01** (*) |
| 0140010 | Apricots | 0.3 | ►M176 0,04 ◄ | |
| 0140020 | Cherries (sweet) | **0.01** (*) | ►M176 0,01 (*) ◄ | |
| 0140030 | Peaches | 0.3 | ►M176 0,04 ◄ | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0140040 | Plums | **0.01** (*) | ►**M176** 0,01 (*) ◄ | |
| 0140990 | Others (2) | **0.01** (*) | ►**M176** 0,01 (*) ◄ | |
| 0150000 | **Berries and small fruits** | | | |
| 0151000 | (a) *grapes* | **1.5 (+)** | ►**M176** 0,4 (+) ◄ | |
| 0151010 | Table grapes | | | 0.9 |
| 0151020 | Wine grapes | | | 0.8 |
| 0152000 | (b) *strawberries* | **1.5** | ►**M176** 0,3 ◄ | 0.5 |
| 0153000 | (c) *cane fruits* | | | 0.9 |
| 0153010 | Blackberries | **0.7** | ►**M176** 0,07 ◄ | |
| 0153020 | Dewberries | **0.7** | ►**M176** 0,07 ◄ | |
| 0153030 | Raspberries (red and yellow) | 1.5 | ►**M176** 0,15 ◄ | |
| 0153990 | Others (2) | **0.7** | ►**M176** 0,07 ◄ | |
| 0154000 | (d) *other small fruits and berries* | **1.5** | ►**M176** 2 ◄ | |
| 0154010 | Blueberries | | | 1.5 |
| 0154020 | Cranberries | | | 0.5 |
| 0154030 | Currants (black, red and white) | | | 1.5 |
| 0154040 | Gooseberries (green, red and yellow) | | | 1.5 |
| 0154050 | Rose hips | | | 1.5 |
| 0154060 | Mulberries (black and white) | | | **0.01** (*) |
| 0154070 | Azaroles/Mediterranean medlars | | | **0.01** (*) |
| 0154080 | Elderberries | | | **0.01** (*) |
| 0154990 | Others (2) | | | **0.01** (*) |
| 0160000 | **Miscellaneous fruitswith** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | | | |
| 0161020 | Figs | | | |
| 0161030 | Table olives | | | |
| 0161040 | Kumquats | | | |
| 0161050 | Carambolas | | | |
| 0161060 | Kaki/Japanese persimmons | | | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | |
| 0161990 | Others (2) | | | |
| 0162000 | (b) *inedible peel, small* | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | |
| 0162020 | Litchis/lychees | | | |
| 0162030 | Passionfruits/maracujas | | | |
| 0162040 | Prickly pears/cactus fruits | | | |
| 0162050 | Star apples/cainitos | | | |
| 0162060 | American persimmons/Virginia kaki | | | |
| 0162990 | Others (2) | | | |
| 0163000 | (c) *inedible peel, large* | | | |
| 0163010 | Avocados | | | |
| 0163020 | Bananas | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papayas | | | |
| 0163050 | Granate apples/pomegranates | | | |
| 0163060 | Cherimoyas | | | |
| 0163070 | Guavas | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Breadfruits | | | |
| 0163100 | Durians | | | |
| 0163110 | Soursops/guanabanas | | | |
| 0163990 | Others (2) | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | |
| 0210000 | **Root and tuber vegetables** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0211000 | (a) *potatoes* | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | |
| 0212010 | **Cassava roots/manioc** | | | |
| 0212020 | **Sweet potatoes** | | | |
| 0212030 | Yams | | | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others (2) | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | |
| 0213010 | Beetroots | | | |
| 0213020 | Carrots | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | |
| 0213040 | Horseradishes | | | |
| 0213050 | Jerusalem artichokes | | | |
| 0213060 | Parsnips | | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | | |
| 0213080 | Radishes | | | |
| 0213090 | Salsifies | | | |
| 0213100 | Swedes/rutabagas | | | |
| 0213110 | Turnips | | | |
| 0213990 | Others (2) | | | |
| 0220000 | **Bulb vegetables** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0220010 | Garlic | | | |
| 0220020 | Onions | | | |
| 0220030 | Shallots | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | |
| 0220990 | Others (2) | | | |
| 0230000 | **Fruiting vegetables** | | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | **0.01** (*) |
| 0231010 | Tomatoes | **0.8** | ►**M176** 0,01 (*) ◄ | |
| 0231020 | Sweet peppers/bell peppers | **1.5** | ►**M176** 0,09 ◄ | |
| 0231030 | Aubergines/eggplants | **1.5 (+)** | ►**M176** 0,1 (+) ◄ | |
| 0231040 | Okra/lady's fingers | **0.01** (*) | ►**M176** 0,01 (*) ◄ | |
| 0231990 | Others (2) | **0.01** (*) | ►**M176** 0,01 (*) ◄ | |
| 0232000 | (b) *cucurbits with edible peel* | **2** | ►**M176** — ◄ | 0.2 |
| 0232010 | Cucumbers | | ►**M176** **0,2** ◄ | |
| 0232020 | Gherkins | | ►**M176** 0,05 ◄ | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0232030 | Courgettes | | ►**M176** 0,05 ◄ | |
| 0232990 | Others (2) | | ►**M176** 0,05 ◄ | |
| 0233000 | (c) *cucurbits with inedible peel* | 0.3 | ►**M176** 0,15 ◄ | 0.2 |
| 0233010 | Melons | | | |
| 0233020 | Pumpkins | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others (2) | | | |
| 0234000 | (d) *sweet corn* | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0239000 | (e) *other fruiting vegetables* | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0241000 | (a) *flowering brassica* | | | |
| 0241010 | Broccoli | | | |
| 0241020 | Cauliflowers | | | |
| 0241990 | Others (2) | | | |
| 0242000 | (b) *head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbages | | | |
| 0242990 | Others (2) | | | |
| 0243000 | (c) *leafy brassica* | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | |
| 0243020 | Kales | | | |
| 0243990 | Others (2) | | | |
| 0244000 | (d) *kohlrabies* | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0251010 | Lamb's lettuces/corn salads | | | |
| 0251020 | Lettuces | | | |
| 0251030 | Escaroles/broad-leaved endives | | | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | |
| 0251050 | Land cresses | | | |
| 0251060 | Roman rocket/rucola | | | |
| 0251070 | Red mustards | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | |
| 0251990 | Others (2) | | | |
| 0252000 | (b) *spinaches and similar leaves* | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0252010 | Spinaches | | | |
| 0252020 | Purslanes | | | |
| 0252030 | Chards/beet leaves | | | |
| 0252990 | Others (2) | | | |
| 0253000 | (c) *grape leaves and similar species* | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0254000 | (d) *watercresses* | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0.02** (*) | ►**M176** 0,02 (*) ◄ | **0.02** (*) |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves | | | |
| 0256040 | Parsley | | | |
| 0256050 | Sage | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme | | | |
| 0256080 | Basil and edible flowers | | | |
| 0256090 | Laurel/bay leaves | | | |
| 0256100 | Tarragon | | | |
| 0256990 | Others (2) | | | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0260010 | Beans (with pods) | | | |
| 0260020 | Beans (without pods) | | | |
| 0260030 | Peas (with pods) | | | |
| 0260040 | Peas (without pods) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others (2) | | | |
| 0270000 | **Stem vegetables** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0270010 | Asparagus | | | |
| 0270020 | Cardoons | | | |
| 0270030 | Celeries | | | |
| 0270040 | Florence fennels | | | |
| 0270050 | Globe artichokes | | | |
| 0270060 | Leeks | | | |
| 0270070 | Rhubarbs | | | |
| 0270080 | Bamboo shoots | | | |
| 0270090 | Palm hearts | | | |
| 0270990 | Others (2) | | | |
| 0280000 | **Fungi, mosses and lichens** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0300000 | **PULSES** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0300010 | Beans | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas | | | |
| 0300040 | Lupins/lupini beans | | | |
| 0300990 | Others (2) | | | |

▼M164

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►M176 Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0.01** (*) | ►M176 0,01 (*) ◄ | **0.01** (*) |
| 0401000 | **Oilseeds** | | | |
| 0401010 | Linseeds | | | |
| 0401020 | Peanuts/groundnuts | | | |
| 0401030 | Poppy seeds | | | |
| 0401040 | Sesame seeds | | | |
| 0401050 | Sunflower seeds | | | |
| 0401060 | Rapeseeds/canola seeds | | | |
| 0401070 | Soyabeans | | | |
| 0401080 | Mustard seeds | | | |
| 0401090 | Cotton seeds | | | |
| 0401100 | Pumpkin seeds | | | |
| 0401110 | Safflower seeds | | | |
| 0401120 | Borage seeds | | | |
| 0401130 | Gold of pleasure seeds | | | |
| 0401140 | Hemp seeds | | | |
| 0401150 | Castor beans | | | |
| 0401990 | Others (2) | | | |
| 0402000 | **Oil fruits** | | | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Oil palms kernels | | | |
| 0402030 | Oil palms fruits | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others (2) | | | |
| 0500000 | **CEREALS** | **0.01** (*) | ►M176 0,01 (*) ◄ | |
| 0500010 | Barley | | | 0.03 |
| 0500020 | Buckwheat and other pseudocereals | | | **0.01** (*) |
| 0500030 | Maize/corn | | | **0.01** (*) |
| 0500040 | Common millet/proso millet | | | **0.01** (*) |
| 0500050 | Oat | | | 0.03 |
| 0500060 | Rice | | | **0.01** (*) |
| 0500070 | Rye | | | 0.01 (*) |
| 0500080 | Sorghum | | | **0.01** (*) |
| 0500090 | Wheat | | | 0.01 (*) |
| 0500990 | Others (2) | | | **0.01** (*) |

▼M164

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►M176 Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0.05 (*) | ►M176 0,05 (*) ◄ | **0.05** (*) |
| 0610000 | **Teas** | | | |
| 0620000 | **Coffee beans** | | | |
| 0630000 | **Herbal infusions from** | | | |
| 0631000 | (a) *flowers* | | | |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others (2) | | | |
| 0632000 | (b) *leaves and herbs* | | | |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others (2) | | | |
| 0633000 | (c) *roots* | | | |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others (2) | | | |
| 0639000 | (d) *any other parts of the plant* | | | |
| 0640000 | **Cocoa beans** | | | |
| 0650000 | **Carobs/Saint John's breads** | | | |
| 0700000 | **HOPS** | **0.05** (*) | ►M176 0,05 (*) ◄ | **0.05** (*) |
| 0800000 | **SPICES** | | | |
| 0810000 | **Seed spices** | 0.05 (*) | ►M176 0,05 (*) ◄ | **0.05** (*) |
| 0810010 | Anise/aniseed | | | |
| 0810020 | Black caraway/black cumin | | | |
| 0810030 | Celery | | | |
| 0810040 | Coriander | | | |
| 0810050 | Cumin | | | |
| 0810060 | Dill | | | |
| 0810070 | Fennel | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others (2) | | | |
| 0820000 | **Fruit spices** | 0.05 (*) | ►M176 0,05 (*) ◄ | **0.05** (*) |
| 0820010 | Allspice/pimento | | | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berry | | | |
| 0820060 | Peppercorn (black, green and white) | | | |
| 0820070 | Vanilla | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others (2) | | | |
| 0830000 | **Bark spices** | 0.05 (*) | ►**M176** 0,05 (*) ◄ | **0.05** (*) |
| 0830010 | Cinnamon | | | |
| 0830990 | Others (2) | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | 0.05 (*) | ►**M176** 0,05 (*) ◄ | **0.05** (*) |
| 0840020 | Ginger (10) | | | |
| 0840030 | Turmeric/curcuma | 0.05 (*) | ►**M176** 0,05 (*) ◄ | **0.05** (*) |
| 0840040 | Horseradish (11) | | | |
| 0840990 | Others (2) | 0.05 (*) | ►**M176** 0,05 (*) ◄ | **0.05** (*) |
| 0850000 | **Bud spices** | 0.05 (*) | ►**M176** 0,05 (*) ◄ | **0.05** (*) |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others (2) | | | |
| 0860000 | **Flower pistil spices** | 0.05 (*) | ►**M176** 0,05 (*) ◄ | **0.05** (*) |
| 0860010 | Saffron | | | |
| 0860990 | Others (2) | | | |
| 0870000 | **Aril spices** | 0.05 (*) | ►**M176** 0,05 (*) ◄ | **0.05** (*) |
| 0870010 | Mace | | | |
| 0870990 | Others (2) | | | |
| 0900000 | **SUGAR PLANTS** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 0900010 | Sugar beet roots | | | |
| 0900020 | Sugar canes | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others (2) | | | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | |
| 1010000 | **Commodities from** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 1011000 | (a) *swine* | **(+)** | ►**M176** (+) ◄ | **(+)** |
| 1011010 | Muscle | | | |
| 1011020 | Fat | | | |
| 1011030 | Liver | | | |
| 1011040 | Kidney | | | |
| 1011050 | Edible offals (other than liver and kidney) | | | |
| 1011990 | Others (2) | | | |
| 1012000 | (b) *bovine* | **(+)** | ►**M176** (+) ◄ | **(+)** |
| 1012010 | Muscle | | | |
| 1012020 | Fat | | | |
| 1012030 | Liver | | | |
| 1012040 | Kidney | | | |
| 1012050 | Edible offals (other than liver and kidney) | | | |
| 1012990 | Others (2) | | | |
| 1013000 | (c) *sheep* | **(+)** | ►**M176** (+) ◄ | **(+)** |
| 1013010 | Muscle | | | |
| 1013020 | Fat | | | |
| 1013030 | Liver | | | |
| 1013040 | Kidney | | | |
| 1013050 | Edible offals (other than liver and kidney) | | | |
| 1013990 | Others (2) | | | |
| 1014000 | d) *goat* | **(+)** | ►**M176** (+) ◄ | **(+)** |
| 1014010 | Muscle | | | |
| 1014020 | Fat | | | |
| 1014030 | Liver | | | |
| 1014040 | Kidney | | | |
| 1014050 | Edible offals (other than liver and kidney) | | | |
| 1014990 | Others (2) | | | |
| 1015000 | (e) *equine* | **(+)** | ►**M176** (+) ◄ | **(+)** |
| 1015010 | Muscle | | | |
| 1015020 | Fat | | | |
| 1015030 | Liver | | | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 1015040 | Kidney | | | |
| 1015050 | Edible offals (other than liver and kidney) | | | |
| 1015990 | Others (2) | | | |
| 1016000 | (f) *poultry* | **(+)** | ►**M176** (+) ◄ | |
| 1016010 | Muscle | | | |
| 1016020 | Fat | | | |
| 1016030 | Liver | | | |
| 1016040 | Kidney | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | |
| 1016990 | Others (2) | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | | | |
| 1017020 | Fat | | | |
| 1017030 | Liver | | | |
| 1017040 | Kidney | | | |
| 1017050 | Edible offals (other than liver and kidney) | | | |
| 1017990 | Others (2) | | | |
| 1020000 | **Milk** | **0.01** (*) **(+)** | ►**M176** 0,01 (*) (+) ◄ | **0.01** (*) **(+)** |
| 1020010 | Cattle | | | |
| 1020020 | Sheep | | | |
| 1020030 | Goat | | | |
| 1020040 | Horse | | | |
| 1020990 | Others (2) | | | |
| 1030000 | **Birds eggs** | **0.01** (*) **(+)** | ►**M176** 0,01 (*) (+) ◄ | **0.01** (*) |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Geese | | | |
| 1030040 | Quail | | | |
| 1030990 | Others (2) | | | |

▼**M164**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bupirimate (A) (F) (R) | ►**M176** Ethirimol (A) [F] [R] ◄ | Pyriofenone |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | 0.05 (*) | ►**M176** 0,05 (*) ◄ | **0.05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0.01** (*) | ►**M176** 0,01 (*) ◄ | **0.01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | |

▼M165

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Flufenoxuron (F) | Phosalone |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | |
| 0110000 | **Citrus fruits** | | 0,01 (*) |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | | **0,02** (*) |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | | 0,01 (*) |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | | **0,01** (*) |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | 0,01 (*) |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruitswith** | | 0,01 (*) |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others (2) | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | 0,01 (*) |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,01** (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | 0,01 (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) | 0,01 (*) |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | 0,01 (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | 0,02 (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) | 0,01 (*) |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | **0,01** (*) | 0,01 (*) |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | 0,01 (*) |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | 0,01 (*) |
| 0300000 | **PULSES** | **0,01** (*) | 0,01 (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | 0,02 (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | **0,01** (*) | 0,01 (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudocereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others (2) | | |

▼M165

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | 0,05 (*) |
| 0610000 | **Teas** | 15 | |
| 0620000 | **Coffee beans** | 0,05 (*) | |
| 0630000 | **Herbal infusions from** | 0,05 (*) | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | 0,05 (*) | |
| 0650000 | **Carobs/Saint John's breads** | 0,05 (*) | |
| 0700000 | **HOPS** | 0,05 (*) | 0,05 (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | 0,05 (*) | 2 |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | 0,05 (*) | 2 |
| 0820010 | Allspice/pimento | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | 0,05 (*) | 0,05 (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | 0,05 (*) | 3 |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | 0,05 (*) | 3 |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | 0,05 (*) | 3 |
| 0850000 | **Bud spices** | 0,05 (*) | 0,05 (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | 0,05 (*) |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | 0,05 (*) | 0,05 (*) |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | 0,01 (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | **0,02** (*) | 0,01 (*) |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others (2) | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others (2) | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others (2) | | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others (2) | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others (2) | | |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others (2) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others (2) | | |
| 1020000 | **Milk** | **0,01** (*) | 0,01 (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | **0,01** (*) | 0,01 (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,02** (*) | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,02** (*) | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,02** (*) | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼**M168**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | 0,01 (*) |
| 0110000 | **Citrus fruits** | 0,01 (*) | ►**M191** 0,01 (*) ◄ | |
| 0110010 | Grapefruits | | | |
| 0110020 | Oranges | | | |
| 0110030 | Lemons | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins | | | |
| 0110990 | Others (2) | | | |
| 0120000 | **Tree nuts** | 0,01 (*) | ►**M191** 0,02 (*) ◄ | |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts/cobnuts | | | |
| 0120070 | Macadamias | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nut kernels | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others (2) | | | |
| 0130000 | **Pome fruits** | 0,01 (*) | | |
| 0130010 | Apples | | ►**M191** 0,08 ◄ | |
| 0130020 | Pears | | ►**M191** 0,08 ◄ | |
| 0130030 | Quinces | | ►**M191** 0,01 (*) ◄ | |
| 0130040 | Medlars | | ►**M191** 0,01 (*) ◄ | |
| 0130050 | Loquats/Japanese medlars | | ►**M191** 0,01 (*) ◄ | |
| 0130990 | Others (2) | | ►**M191** 0,01 (*) ◄ | |
| 0140000 | **Stone fruits** | 0,01 (*) | ►**M191** 0,01 (*) ◄ | |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (sweet) | | | |
| 0140030 | Peaches | | | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0140040 | Plums | | | |
| 0140990 | Others (2) | | | |
| 0150000 | **Berries and small fruits** | | | |
| 0151000 | (a) *grapes* | 2 | ►**M191** 0,5 ◄ | |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *strawberries* | 0,01 (*) | ►**M191** 2 ◄ | |
| 0153000 | (c) *cane fruits* | | ►**M191** 0,01 (*) ◄ | |
| 0153010 | Blackberries | 3 | | |
| 0153020 | Dewberries | 0,01 (*) | | |
| 0153030 | Raspberries (red and yellow) | 0,01 (*) | | |
| 0153990 | Others (2) | 0,01 (*) | | |
| 0154000 | (d) *other small fruits and berries* | 0,01 (*) | | |
| 0154010 | Blueberries | | ►**M191** **1,5** ◄ | |
| 0154020 | Cranberries | | ►**M191** **1,5** ◄ | |
| 0154030 | Currants (black, red and white) | | ►**M191** 1,5 ◄ | |
| 0154040 | Gooseberries (green, red and yellow) | | ►**M191** 1,5 ◄ | |
| 0154050 | Rose hips | | ►**M191** 0,01 (*) ◄ | |
| 0154060 | Mulberries (black and white) | | ►**M191** 0,01 (*) ◄ | |
| 0154070 | Azaroles/Mediterranean medlars | | ►**M191** 0,01 (*) ◄ | |
| 0154080 | Elderberries | | ►**M191** 0,01 (*) ◄ | |
| 0154990 | Others (2) | | ►**M191** 0,01 (*) ◄ | |
| 0160000 | **Miscellaneous fruitswith** | 0,01 (*) | | |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | | ►**M191** 0,01 (*) ◄ | |
| 0161020 | Figs | | ►**M191** 0,01 (*) ◄ | |
| 0161030 | Table olives | | ►**M191** 0,02 (*) ◄ | |
| 0161040 | Kumquats | | ►**M191** 0,01 (*) ◄ | |
| 0161050 | Carambolas | | ►**M191** 0,01 (*) ◄ | |
| 0161060 | Kaki/Japanese persimmons | | ►**M191** 0,01 (*) ◄ | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | ►**M191** 0,01 (*) ◄ | |
| 0161990 | Others (2) | | ►**M191** 0,01 (*) ◄ | |
| 0162000 | (b) *inedible peel, small* | | ►**M191** 0,01 (*) ◄ | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | |
| 0162020 | Litchis/lychees | | | |
| 0162030 | Passionfruits/maracujas | | | |
| 0162040 | Prickly pears/cactus fruits | | | |
| 0162050 | Star apples/cainitos | | | |
| 0162060 | American persimmons/Virginia kaki | | | |
| 0162990 | Others (2) | | | |
| 0163000 | (c) *inedible peel, large* | | | |
| 0163010 | Avocados | | ►**M191** 0,02 (*) ◄ | |
| 0163020 | Bananas | | ►**M191** 0,01 (*) ◄ | |
| 0163030 | Mangoes | | ►**M191** 0,01 (*) ◄ | |
| 0163040 | Papayas | | ►**M191** 0,01 (*) ◄ | |
| 0163050 | Granate apples/pomegranates | | ►**M191** 0,01 (*) ◄ | |
| 0163060 | Cherimoyas | | ►**M191** 0,01 (*) ◄ | |
| 0163070 | Guavas | | ►**M191** 0,01 (*) ◄ | |
| 0163080 | Pineapples | | ►**M191** 0,01 (*) ◄ | |
| 0163090 | Breadfruits | | ►**M191** 0,01 (*) ◄ | |
| 0163100 | Durians | | ►**M191** 0,01 (*) ◄ | |
| 0163110 | Soursops/guanabanas | | ►**M191** 0,01 (*) ◄ | |
| 0163990 | Others (2) | | ►**M191** 0,01 (*) ◄ | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | |
| 0210000 | **Root and tuber vegetables** | | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0211000 | (a) *potatoes* | 0,03 | | |
| 0212000 | (b) *tropical root and tuber vegetables* | **0,01** (*) | | |
| 0212010 | Cassava roots/manioc | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams | | | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others (2) | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | **0,2** | | |
| 0213010 | Beetroots | | | |
| 0213020 | Carrots | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | |
| 0213040 | Horseradishes | | | |
| 0213050 | Jerusalem artichokes | | | |
| 0213060 | Parsnips | | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | | |
| 0213080 | Radishes | | | |
| 0213090 | Salsifies | | | |
| 0213100 | Swedes/rutabagas | | | |
| 0213110 | Turnips | | | |
| 0213990 | Others (2) | | | |
| 0220000 | **Bulb vegetables** | | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0220010 | Garlic | 0,3 | | |
| 0220020 | Onions | 1 | | |
| 0220030 | Shallots | 0,3 | | |
| 0220040 | Spring onions/green onions and Welsh onions | 10 | | |
| 0220990 | Others (2) | 0,01 (*) | | |
| 0230000 | **Fruiting vegetables** | | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | 1 | | |
| 0231010 | Tomatoes | | ►**M191** 0,15 ◄ | **1,5** |
| 0231020 | Sweet peppers/bell peppers | | ►**M191** 0,01 (*) ◄ | **0.9** |
| 0231030 | Aubergines/eggplants | | ►**M191** 0,15 ◄ | **1,5** |
| 0231040 | Okra/lady's fingers | | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0231990 | Others (2) | | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0232000 | (b) *cucurbits with edible peel* | 0,5 | ►**M191** 0,05 ◄ | 0,01 (*) |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0232030 | Courgettes | | | |
| 0232990 | Others (2) | | | |
| 0233000 | (c) *cucurbits with inedible peel* | 0,5 | ►**M191** 0,01 (*) ◄ | **0,01** (*) |
| 0233010 | Melons | | | |
| 0233020 | Pumpkins | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others (2) | | | |
| 0234000 | (d) *sweet corn* | 0,01 (*) | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0239000 | (e) *other fruiting vegetables* | 0,01 (*) | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | 2 | | |
| 0241010 | Broccoli | | | |
| 0241020 | Cauliflowers | | | |
| 0241990 | Others (2) | | | |
| 0242000 | (b) *head brassica* | | | |
| 0242010 | Brussels sprouts | 0,2 | | |
| 0242020 | Head cabbages | **0,3** | | |
| 0242990 | Others (2) | 0,01 (*) | | |
| 0243000 | (c) *leafy brassica* | **2** | | |
| 0243010 | Chinese cabbages/pe-tsai | | | |
| 0243020 | Kales | | | |
| 0243990 | Others (2) | | | |
| 0244000 | (d) *kohlrabies* | 0,03 | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | | ►**M191** 0,01 (*) ◄ | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | **30** | | |
| 0251020 | Lettuces | **6** | | |
| 0251030 | Escaroles/broad-leaved endives | **2 (+)** | | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | **30** | | |
| 0251050 | Land cresses | **30** | | |
| 0251060 | Roman rocket/rucola | **30** | | |
| 0251070 | Red mustards | **30** | | |
| 0251080 | Baby leaf crops (including brassica species) | **30** | | |
| 0251990 | Others (2) | **0,01** (*) | | |
| 0252000 | (b) *spinaches and similar leaves* | **6** | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0252010 | Spinaches | | | |
| 0252020 | Purslanes | | | |
| 0252030 | Chards/beet leaves | | | |
| 0252990 | Others (2) | | | |
| 0253000 | (c) *grape leaves and similar species* | **30** | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0254000 | (d) *watercresses* | **30** | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | | ►**M191** 0,02 (*) ◄ | **0,02** (*) |
| 0256010 | Chervil | **30** | | |
| 0256020 | Chives | 9 | | |
| 0256030 | Celery leaves | 9 | | |
| 0256040 | Parsley | 9 | | |
| 0256050 | Sage | 9 | | |
| 0256060 | Rosemary | 9 | | |
| 0256070 | Thyme | 9 | | |
| 0256080 | Basil and edible flowers | 9 | | |
| 0256090 | Laurel/bay leaves | 9 | | |
| 0256100 | Tarragon | 9 | | |
| 0256990 | Others (2) | **0,02** (*) | | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0260010 | Beans (with pods) | | | |
| 0260020 | Beans (without pods) | | | |
| 0260030 | Peas (with pods) | | | |
| 0260040 | Peas (without pods) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others (2) | | | |
| 0270000 | **Stem vegetables** | | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0270010 | Asparagus | 0,01 (*) | | |
| 0270020 | Cardoons | 0,01 (*) | | |
| 0270030 | Celeries | 0,01 (*) | | |
| 0270040 | Florence fennels | 0,01 (*) | | |
| 0270050 | Globe artichokes | 0,01 (*) | | |
| 0270060 | Leeks | 1,5 | | |
| 0270070 | Rhubarbs | 0,01 (*) | | |
| 0270080 | Bamboo shoots | 0,01 (*) | | |
| 0270090 | Palm hearts | 0,01 (*) | | |
| 0270990 | Others (2) | 0,01 (*) | | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0300000 | **PULSES** | 0,01 (*) | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0300010 | Beans | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas | | | |
| 0300040 | Lupins/lupini beans | | | |
| 0300990 | Others (2) | | | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,01 (*) | ►**M191** 0,02 (*) ◄ | **0,01** (*) |
| 0401000 | **Oilseeds** | | | |
| 0401010 | Linseeds | | | |
| 0401020 | Peanuts/groundnuts | | | |
| 0401030 | Poppy seeds | | | |
| 0401040 | Sesame seeds | | | |
| 0401050 | Sunflower seeds | | | |
| 0401060 | Rapeseeds/canola seeds | | | |
| 0401070 | Soyabeans | | | |
| 0401080 | Mustard seeds | | | |
| 0401090 | Cotton seeds | | | |
| 0401100 | Pumpkin seeds | | | |
| 0401110 | Safflower seeds | | | |
| 0401120 | Borage seeds | | | |
| 0401130 | Gold of pleasure seeds | | | |
| 0401140 | Hemp seeds | | | |
| 0401150 | Castor beans | | | |
| 0401990 | Others (2) | | | |
| 0402000 | **Oil fruits** | | | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Oil palms kernels | | | |
| 0402030 | Oil palms fruits | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others (2) | | | |
| 0500000 | **CEREALS** | 0,01 (*) | | 0,01 (*) |
| 0500010 | Barley | | ►**M191** 0,04 (+) ◄ | |
| 0500020 | Buckwheat and other pseudocereals | | ►**M191** 0,01 (*) ◄ | |
| 0500030 | Maize/corn | | ►**M191** 0,01 (*) ◄ | |
| 0500040 | Common millet/proso millet | | ►**M191** 0,01 (*) ◄ | |
| 0500050 | Oat | | ►**M191** 0,04 (+) ◄ | |
| 0500060 | Rice | | ►**M191** 0,01 (*) ◄ | |
| 0500070 | Rye | | ►**M191** 0,02 ◄ | |
| 0500080 | Sorghum | | ►**M191** 0,01 (*) ◄ | |
| 0500090 | Wheat | | ►**M191** 0,02 ◄ | |
| 0500990 | Others (2) | | ►**M191** 0,01 (*) ◄ | |

▼M168

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Fluopicolide | ►M191 Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | ►M191 0,05 (*) ◄ | **0,05** (*) |
| 0610000 | **Teas** | **0,05** (*) | | |
| 0620000 | **Coffee beans** | **0,05** (*) | | |
| 0630000 | **Herbal infusions from** | | | |
| 0631000 | (a) *flowers* | **0,05** (*) | | |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others (2) | | | |
| 0632000 | (b) *leaves and herbs* | **0,05** (*) | | |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others (2) | | | |
| 0633000 | (c) *roots* | **7** | | |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others (2) | | | |
| 0639000 | (d) *any other parts of the plant* | **0,05** (*) | | |
| 0640000 | **Cocoa beans** | **0,05** (*) | | |
| 0650000 | **Carobs/Saint John's breads** | **0,05** (*) | | |
| 0700000 | **HOPS** | **0,15 (+)** | ►M191 0,05 (*) ◄ | **0,05** (*) |
| 0800000 | **SPICES** | | | |
| 0810000 | **Seed spices** | **0,05** (*) | ►M191 0,05 (*) ◄ | **0,05** (*) |
| 0810010 | Anise/aniseed | | | |
| 0810020 | Black caraway/black cumin | | | |
| 0810030 | Celery | | | |
| 0810040 | Coriander | | | |
| 0810050 | Cumin | | | |
| 0810060 | Dill | | | |
| 0810070 | Fennel | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others (2) | | | |
| 0820000 | **Fruit spices** | **0,05** (*) | ►M191 0,05 (*) ◄ | **0,05** (*) |
| 0820010 | Allspice/pimento | | | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berry | | | |
| 0820060 | Peppercorn (black, green and white) | | | |
| 0820070 | Vanilla | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others (2) | | | |
| 0830000 | **Bark spices** | **0,05** (*) | ►**M191** 0,05 (*) ◄ | **0,05** (*) |
| 0830010 | Cinnamon | | | |
| 0830990 | Others (2) | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | **0,05** (*) | ►**M191** 0,05 (*) ◄ | **0,05** (*) |
| 0840020 | Ginger (10) | | | |
| 0840030 | Turmeric/curcuma | **0,05** (*) | ►**M191** 0,05 (*) ◄ | **0,05** (*) |
| 0840040 | Horseradish (11) | | | |
| 0840990 | Others (2) | **0,05** (*) | ►**M191** 0,05 (*) ◄ | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) | ►**M191** 0,05 (*) ◄ | **0,05** (*) |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others (2) | | | |
| 0860000 | **Flower pistil spices** | **0,05** (*) | ►**M191** 0,05 (*) ◄ | **0,05** (*) |
| 0860010 | Saffron | | | |
| 0860990 | Others (2) | | | |
| 0870000 | **Aril spices** | **0,05** (*) | ►**M191** 0,05 (*) ◄ | **0,05** (*) |
| 0870010 | Mace | | | |
| 0870990 | Others (2) | | | |
| 0900000 | **SUGAR PLANTS** | | ►**M191** 0,01 (*) ◄ | 0,01 (*) |
| 0900010 | Sugar beet roots | 0,15 | | |
| 0900020 | Sugar canes | 0,01 (*) | | |
| 0900030 | Chicory roots | 0,01 (*) | | |
| 0900990 | Others (2) | 0,01 (*) | | |

▼M168

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Fluopicolide | ►M191 Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | |
| 1010000 | **Commodities from** | | ►M191 0,02 (*) ◄ | 0,01 (*) |
| 1011000 | (a) *swine* | | | |
| 1011010 | Muscle | **0,02** (*) **(+)** | | |
| 1011020 | Fat | **0,05** (*) **(+)** | | |
| 1011030 | Liver | **0,05** (*) **(+)** | | |
| 1011040 | Kidney | **0,05** (*) **(+)** | | |
| 1011050 | Edible offals (other than liver and kidney) | **0,05** (*) | | |
| 1011990 | Others (2) | **0,05** (*) | | |
| 1012000 | (b) *bovine* | | | |
| 1012010 | Muscle | **0,02** (*) **(+)** | ►M191 (+) ◄ | |
| 1012020 | Fat | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1012030 | Liver | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1012040 | Kidney | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1012050 | Edible offals (other than liver and kidney) | **0,05** (*) | | |
| 1012990 | Others (2) | **0,05** (*) | | |
| 1013000 | (c) *sheep* | | | |
| 1013010 | Muscle | **0,02** (*) **(+)** | ►M191 (+) ◄ | |
| 1013020 | Fat | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1013030 | Liver | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1013040 | Kidney | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1013050 | Edible offals (other than liver and kidney) | **0,05** (*) | | |
| 1013990 | Others (2) | **0,05** (*) | | |
| 1014000 | (d) *goat* | | | |
| 1014010 | Muscle | **0,02** (*) **(+)** | ►M191 (+) ◄ | |
| 1014020 | Fat | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1014030 | Liver | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1014040 | Kidney | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1014050 | Edible offals (other than liver and kidney) | **0,05** (*) | | |
| 1014990 | Others (2) | **0,05** (*) | | |
| 1015000 | (e) *equine* | | | |
| 1015010 | Muscle | **0,02** (*) **(+)** | ►M191 (+) ◄ | |
| 1015020 | Fat | **0,05** (*) **(+)** | ►M191 (+) ◄ | |
| 1015030 | Liver | **0,05** (*) **(+)** | ►M191 (+) ◄ | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 1015040 | Kidney | **0,05** (*) **(+)** | ►**M191** (+) ◄ | |
| 1015050 | Edible offals (other than liver and kidney) | **0,05** (*) | | |
| 1015990 | Others (2) | **0,05** (*) | | |
| 1016000 | (f) *poultry* | | | |
| 1016010 | Muscle | **0,02** (*) **(+)** | | |
| 1016020 | Fat | **0,05** (*) **(+)** | | |
| 1016030 | Liver | **0,05** (*) **(+)** | | |
| 1016040 | Kidney | **0,05** (*) **(+)** | | |
| 1016050 | Edible offals (other than liver and kidney) | **0,05** (*) | | |
| 1016990 | Others (2) | **0,05** (*) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | **0,02** (*) **(+)** | | |
| 1017020 | Fat | **0,05** (*) **(+)** | | |
| 1017030 | Liver | **0,05** (*) **(+)** | | |
| 1017040 | Kidney | **0,05** (*) **(+)** | | |
| 1017050 | Edible offals (other than liver and kidney) | **0,05** (*) | | |
| 1017990 | Others (2) | **0,05** (*) | | |
| 1020000 | **Milk** | 0,02 | ►**M191** 0,02 (*) ◄ | 0,01 (*) |
| 1020010 | Cattle | **(+)** | ►**M191** (+) ◄ | |
| 1020020 | Sheep | **(+)** | ►**M191** (+) ◄ | |
| 1020030 | Goat | **(+)** | ►**M191** (+) ◄ | |
| 1020040 | Horse | **(+)** | ►**M191** (+) ◄ | |
| 1020990 | Others (2) | | | |
| 1030000 | **Birds eggs** | 0,01 (*) | ►**M191** 0,02 (*) ◄ | 0,01 (*) |
| 1030010 | Chicken | **(+)** | | |
| 1030020 | Duck | **(+)** | | |
| 1030030 | Geese | **(+)** | | |
| 1030040 | Quail | **(+)** | | |
| 1030990 | Others (2) | | | |

▼**M168**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluopicolide | ►**M191** Proquinazid (R) (F) ◄ | Pyridalyl |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) | ►**M191** 0,05 (*) ◄ | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) | ►**M191** 0,02 (*) ◄ | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) | ►**M191** 0,02 (*) ◄ | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) | ►**M191** 0,02 (*) ◄ | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | |

▼**M169**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0110000 | **Citrus fruits** | | | | |
| 0110010 | Grapefruits | | ►**M180** 0,5 ◄ | | |
| 0110020 | Oranges | | ►**M180** 0,5 ◄ | | |
| 0110030 | Lemons | | ►**M180** 0,9 (+) ◄ | | |
| 0110040 | Limes | | ►**M180** 0,01 (*) ◄ | | |
| 0110050 | Mandarins | | ►**M180** 0,9 (+) ◄ | | |
| 0110990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0120000 | **Tree nuts** | | ►**M180** 0,03 ◄ | | |
| 0120010 | Almonds | | | | |
| 0120020 | Brazil nuts | | | | |
| 0120030 | Cashew nuts | | | | |
| 0120040 | Chestnuts | | | | |
| 0120050 | Coconuts | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | |
| 0120070 | Macadamias | | | | |
| 0120080 | Pecans | | | | |
| 0120090 | Pine nut kernels | | | | |
| 0120100 | Pistachios | | | | |
| 0120110 | Walnuts | | | | |
| 0120990 | Others (2) | | | | |
| 0130000 | **Pome fruits** | | ►**M180** 0,8 ◄ | | |
| 0130010 | Apples | | | | |
| 0130020 | Pears | | | | |
| 0130030 | Quinces | | | | |
| 0130040 | Medlars | | | | |
| 0130050 | Loquats/Japanese medlars | | | | |
| 0130990 | Others (2) | | | | |
| 0140000 | **Stone fruits** | | | | |
| 0140010 | Apricots | | ►**M180** 1,5 ◄ | | |
| 0140020 | Cherries (sweet) | | ►**M180** 2 ◄ | | |
| 0140030 | Peaches | | ►**M180** 1,5 ◄ | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0140040 | Plums | | ►**M180** 0,6 ◄ | | |
| 0140990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0150000 | **Berries and small fruits** | | | | |
| 0151000 | (a) *grapes* | | | | |
| 0151010 | Table grapes | | ►**M180** 2 ◄ | | |
| 0151020 | Wine grapes | | ►**M180** 1,5 ◄ | | |
| 0152000 | (b) *strawberries* | | ►**M180** 2 ◄ | | |
| 0153000 | (c) *cane fruits* | | ►**M180** 5 ◄ | | |
| 0153010 | Blackberries | | | | |
| 0153020 | Dewberries | | | | |
| 0153030 | Raspberries (red and yellow) | | | | |
| 0153990 | Others (2) | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | |
| 0154010 | Blueberries | | ►**M180** 7 ◄ | | |
| 0154020 | Cranberries | | ►**M180** 4 ◄ | | |
| 0154030 | Currants (black, red and white) | | ►**M180** 4 ◄ | | |
| 0154040 | Gooseberries (green, red and yellow) | | ►**M180** 4 ◄ | | |
| 0154050 | Rose hips | | ►**M180** 3 ◄ | | |
| 0154060 | Mulberries (black and white) | | ►**M180** 4 ◄ | | |
| 0154070 | Azaroles/Mediterranean medlars | | ►**M180** 0,01 (*) ◄ | | |
| 0154080 | Elderberries | | ►**M180** 4 ◄ | | |
| 0154990 | Others (2) | | ►**M180** 3 ◄ | | |
| 0160000 | **Miscellaneous fruitswith** | | | | |
| 0161000 | (a) *edible peel* | | ►**M180** 0,01 (*) ◄ | | |
| 0161010 | Dates | | | | |
| 0161020 | Figs | | | | |
| 0161030 | Table olives | | | | |
| 0161040 | Kumquats | | | | |
| 0161050 | Carambolas | | | | |
| 0161060 | Kaki/Japanese persimmons | | | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | | |
| 0161990 | Others (2) | | | | |
| 0162000 | (b) *inedible peel, small* | | ►**M180** 0,01 (*) ◄ | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | |
| 0162020 | Litchis/lychees | | | | |
| 0162030 | Passionfruits/ maracujas | | | | |
| 0162040 | Prickly pears/cactus fruits | | | | |
| 0162050 | Star apples/cainitos | | | | |
| 0162060 | American persimmons/Virginia kaki | | | | |
| 0162990 | Others (2) | | | | |
| 0163000 | (c) *inedible peel, large* | | | | |
| 0163010 | Avocados | | ►**M180** 0,01 (*) ◄ | | |
| 0163020 | Bananas | | ►**M180** 0,8 (+) ◄ | | |
| 0163030 | Mangoes | | ►**M180** 0,01 (*) ◄ | | |
| 0163040 | Papayas | | ►**M180** 0,01 (*) ◄ | | |
| 0163050 | Granate apples/ pomegranates | | ►**M180** 0,01 (*) ◄ | | |
| 0163060 | Cherimoyas | | ►**M180** 0,01 (*) ◄ | | |
| 0163070 | Guavas | | ►**M180** 0,01 (*) ◄ | | |
| 0163080 | Pineapples | | ►**M180** 0,01 (*) ◄ | | |
| 0163090 | Breadfruits | | ►**M180** 0,01 (*) ◄ | | |
| 0163100 | Durians | | ►**M180** 0,01 (*) ◄ | | |
| 0163110 | Soursops/guanabanas | | ►**M180** 0,01 (*) ◄ | | |
| 0163990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0211000 | (a) *potatoes* | | ►**M180** 0,08 ◄ | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | |
| 0212010 | Cassava roots/manioc | | ►**M180** 0,06 (+) ◄ | | |
| 0212020 | Sweet potatoes | | ►**M180** 0,15 (+) ◄ | | |
| 0212030 | Yams | | ►**M180** 0,15 (+) ◄ | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | | ►**M180** 0,06 (+) ◄ | | |
| 0212990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | |
| 0213010 | Beetroots | | ►**M180** 0,2 (+) ◄ | | |
| 0213020 | Carrots | | ►**M180** 0,4 (+) ◄ | | |
| 0213030 | Celeriacs/turnip rooted celeries | | ►**M180** 0,4 (+) ◄ | | |
| 0213040 | Horseradishes | | ►**M180** 0,4 (+) ◄ | | |
| 0213050 | Jerusalem artichokes | | ►**M180** 0,4 (+) ◄ | | |
| 0213060 | Parsnips | | ►**M180** 0,4 (+) ◄ | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | ►**M180** 0,4 (+) ◄ | | |
| 0213080 | Radishes | | ►**M180** 0,4 (+) ◄ | | |
| 0213090 | Salsifies | | ►**M180** 0,4 (+) ◄ | | |
| 0213100 | Swedes/rutabagas | | ►**M180** 0,4 (+) ◄ | | |
| 0213110 | Turnips | | ►**M180** 0,4 (+) ◄ | | |
| 0213990 | Others (2) | | ►**M180** 0,4 ◄ | | |
| 0220000 | **Bulb vegetables** | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0220010 | Garlic | | ►**M180** 0,07 ◄ | | |
| 0220020 | Onions | | ►**M180** 0,07 ◄ | | |
| 0220030 | Shallots | | ►**M180** 0,07 ◄ | | |
| 0220040 | Spring onions/green onions and Welsh onions | | ►**M180** 3 (+) ◄ | | |
| 0220990 | Others (2) | | ►**M180** 0,07 ◄ | | |
| 0230000 | **Fruiting vegetables** | **0,02** (*) | | 0,01 (*) | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | |
| 0231010 | Tomatoes | | ►**M180** 0,5 (+) ◄ | | |
| 0231020 | Sweet peppers/bell peppers | | ►**M180** 2 ◄ | | |
| 0231030 | Aubergines/eggplants | | ►**M180** 0,4 ◄ | | |
| 0231040 | Okra/lady's fingers | | ►**M180** 0,01 (*) ◄ | | |
| 0231990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0232000 | (b) *cucurbits with edible peel* | | ►**M180** 0,6 ◄ | | |
| 0232010 | Cucumbers | | | | |
| 0232020 | Gherkins | | | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | |
| 0232990 | Others (2) | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | | |
| 0233010 | Melons | | ►**M180** 0,9 (+) ◄ | | |
| 0233020 | Pumpkins | | ►**M180** 0,4 ◄ | | |
| 0233030 | Watermelons | | ►**M180** 0,4 (+) ◄ | | |
| 0233990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0234000 | (d) *sweet corn* | | ►**M180** 0,02 (+) ◄ | | ►**M178** 0,02 (*) (+) ◄ |
| 0239000 | (e) *other fruiting vegetables* | | ►**M180** 0,01 (*) ◄ | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | | | |
| 0241010 | Broccoli | | ►**M180** 0,5 (+) ◄ | | |
| 0241020 | Cauliflowers | | ►**M180** 0,3 (+) ◄ | | |
| 0241990 | Others (2) | | ►**M180** 0,3 ◄ | | |
| 0242000 | (b) *head brassica* | | | | |
| 0242010 | Brussels sprouts | | ►**M180** 0,4 (+) ◄ | | |
| 0242020 | Head cabbages | | ►**M180** 0,3 (+) ◄ | | |
| 0242990 | Others (2) | | ►**M180** 0,3 ◄ | | |
| 0243000 | (c) *leafy brassica* | | | | |
| 0243010 | Chinese cabbages/pe-tsai | | ►**M180** 2 (+) ◄ | | |
| 0243020 | Kales | | ►**M180** 0,15 (+) ◄ | | |
| 0243990 | Others (2) | | ►**M180** 2 ◄ | | |
| 0244000 | (d) *kohlrabies* | | ►**M180** 0,15 (+) ◄ | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | |
| 0251000 | (a) *lettuces and salad plants* | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | | ►**M180** 20 ◄ | | |
| 0251020 | Lettuces | | ►**M180** 15 ◄ | | |
| 0251030 | Escaroles/broad-leaved endives | | ►**M180** 2 (+) ◄ | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | ►**M180** 20 ◄ | | |
| 0251050 | Land cresses | | ►**M180** 2 (+) ◄ | | |
| 0251060 | Roman rocket/rucola | | ►**M180** 20 ◄ | | |
| 0251070 | Red mustards | | ►**M180** 2 (+) ◄ | | |
| 0251080 | Baby leaf crops (including brassica species) | | ►**M180** 20 ◄ | | |
| 0251990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0252010 | Spinaches | | ►**M180** 2 (+) ◄ | | |
| 0252020 | Purslanes | | ►**M180** 20 ◄ | | |
| 0252030 | Chards/beet leaves | | ►**M180** 2 (+) ◄ | | |
| 0252990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0253000 | (c) *grape leaves and similar species* | **0,02** (*) | ►**M180** 0,01 (*) ◄ | 0,01 (*) | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,02** (*) | ►**M180** 0,15 (+) ◄ | 0,01 (*) | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,02** (*) | ►**M180** 0,3 ◄ | 0,01 (*) | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | 0,05 (*) | | **0,02** (*) | **0,02** (*) |
| 0256010 | Chervil | | ►**M180** 6 ◄ | | |
| 0256020 | Chives | | ►**M180** 6 ◄ | | |
| 0256030 | Celery leaves | | ►**M180** 6 ◄ | | |
| 0256040 | Parsley | | ►**M180** 6 ◄ | | |
| 0256050 | Sage | | ►**M180** 6 ◄ | | |
| 0256060 | Rosemary | | ►**M180** 6 ◄ | | |
| 0256070 | Thyme | | ►**M180** 6 ◄ | | |
| 0256080 | Basil and edible flowers | | ►**M180** 60 ◄ | | |
| 0256090 | Laurel/bay leaves | | ►**M180** 6 ◄ | | |
| 0256100 | Tarragon | | ►**M180** 6 ◄ | | |
| 0256990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0260010 | Beans (with pods) | | ►**M180** 3 ◄ | | |
| 0260020 | Beans (without pods) | | ►**M180** 0,15 ◄ | | |
| 0260030 | Peas (with pods) | | ►**M180** 3 ◄ | | |
| 0260040 | Peas (without pods) | | ►**M180** 0,15 ◄ | | |
| 0260050 | Lentils | | ►**M180** 0,15 ◄ | | |
| 0260990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0270000 | **Stem vegetables** | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0270010 | Asparagus | | ►**M180** 0,01 (*) ◄ | | |
| 0270020 | Cardoons | | ►**M180** 0,01 (*) ◄ | | |
| 0270030 | Celeries | | ►**M180** 20 ◄ | | |
| 0270040 | Florence fennels | | ►**M180** 0,01 (*) ◄ | | |
| 0270050 | Globe artichokes | | ►**M180** 4 (+) ◄ | | |
| 0270060 | Leeks | | ►**M180** 0,8 (+) ◄ | | |
| 0270070 | Rhubarbs | | ►**M180** 0,01 (*) ◄ | | |
| 0270080 | Bamboo shoots | | ►**M180** 0,01 (*) ◄ | | |
| 0270090 | Palm hearts | | ►**M180** 0,01 (*) ◄ | | |
| 0270990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0280000 | **Fungi, mosses and lichens** | **0,02** (*) | ►**M180** 0,01 (*) ◄ | 0,01 (*) | **0,01** (*) |
| 0280010 | Cultivated fungi | | | | |
| 0280020 | Wild fungi | | | | |
| 0280990 | Mosses and lichens | | | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,02** (*) | ►**M180** 0,01 (*) ◄ | 0,01 (*) | **0,01** (*) |
| 0300000 | **PULSES** | **0,02** (*) | ►**M180** 0,5 ◄ | 0,01 (*) | **0,01** (*) |
| 0300010 | Beans | | | | |
| 0300020 | Lentils | | | | |
| 0300030 | Peas | | | | |
| 0300040 | Lupins/lupini beans | | | | **(+)** |
| 0300990 | Others (2) | | | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0401000 | **Oilseeds** | | | | |
| 0401010 | Linseeds | | ►**M180** 0,01 (*) ◄ | | |
| 0401020 | Peanuts/groundnuts | | ►**M180** 0,02 ◄ | | |
| 0401030 | Poppy seeds | | ►**M180** 0,4 ◄ | | |
| 0401040 | Sesame seeds | | ►**M180** 0,01 (*) ◄ | | |
| 0401050 | Sunflower seeds | | ►**M180** 0,7 ◄ | | **(+)** |
| 0401060 | Rapeseeds/canola seeds | | ►**M180** 1 ◄ | | |
| 0401070 | Soyabeans | | ►**M180** **0,2** ◄ | | |
| 0401080 | Mustard seeds | | ►**M180** 0,4 ◄ | | |
| 0401090 | Cotton seeds | | ►**M180** 0,8 ◄ | | **(+)** |
| 0401100 | Pumpkin seeds | | ►**M180** 0,01 (*) ◄ | | |
| 0401110 | Safflower seeds | | ►**M180** 0,01 (*) ◄ | | |
| 0401120 | Borage seeds | | ►**M180** 0,01 (*) ◄ | | |
| 0401130 | Gold of pleasure seeds | | ►**M180** 0,01 (*) ◄ | | |
| 0401140 | Hemp seeds | | ►**M180** 0,01 (*) ◄ | | |
| 0401150 | Castor beans | | ►**M180** 0,01 (*) ◄ | | |
| 0401990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |
| 0402000 | **Oil fruits** | | ►**M180** 0,01 (*) ◄ | | |
| 0402010 | Olives for oil production | | | | |
| 0402020 | Oil palms kernels | | | | |
| 0402030 | Oil palms fruits | | | | |
| 0402040 | Kapok | | | | |
| 0402990 | Others (2) | | | | |
| 0500000 | **CEREALS** | **0,02** (*) | | 0,01 (*) | |
| 0500010 | Barley | **(+)** | ►**M180** 0,2 ◄ | | |
| 0500020 | Buckwheat and other pseudo-cereals | | ►**M180** 0,02 (+) ◄ | | |
| 0500030 | Maize/corn | | ►**M180** 0,02 (+) ◄ | | ►**M178** 0,02 (*) ◄ |
| 0500040 | Common millet/proso millet | | ►**M180** 0,02 (+) ◄ | | |
| 0500050 | Oat | | ►**M180** 0,2 ◄ | | |
| 0500060 | Rice | | ►**M180** 0,02 ◄ | | |
| 0500070 | Rye | | ►**M180** 0,07 ◄ | | |
| 0500080 | Sorghum | | ►**M180** 4 ◄ | | ►**M178** 0,02 (*) ◄ |
| 0500090 | Wheat | **(+)** | ►**M180** 0,9 ◄ | | |
| 0500990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,1** (*) | | **0,05** (*) | 0,05 (*) |
| 0610000 | **Teas** | | ►**M180** 0,05 (*) ◄ | | |
| 0620000 | **Coffee beans** | | ►**M180** 0,05 (*) ◄ | | |
| 0630000 | **Herbal infusions from** | | | | |
| 0631000 | (a) *flowers* | | ►**M180** 40 ◄ | | |
| 0631010 | Chamomile | | | | |
| 0631020 | Hibiscus/roselle | | | | |
| 0631030 | Rose | | | | |
| 0631040 | Jasmine | | | | |
| 0631050 | Lime/linden | | | | |
| 0631990 | Others (2) | | | | |
| 0632000 | (b) *leaves and herbs* | | ►**M180** 40 ◄ | | |
| 0632010 | Strawberry | | | | |
| 0632020 | Rooibos | | | | |
| 0632030 | Mate/maté | | | | |
| 0632990 | Others (2) | | | | |
| 0633000 | (c) *roots* | | ►**M180** 1 ◄ | | |
| 0633010 | Valerian | | ►**M180** (+) ◄ | | |
| 0633020 | Ginseng | | ►**M180** (+) ◄ | | |
| 0633990 | Others (2) | | | | |
| 0639000 | (d) *any other parts of the plant* | | ►**M180** 0,05 (*) ◄ | | |
| 0640000 | **Cocoa beans** | | ►**M180** 0,05 (*) ◄ | | |
| 0650000 | **Carobs/Saint John's breads** | | ►**M180** 0,05 (*) ◄ | | |
| 0700000 | **HOPS** | **0,1** (*) | ►**M180** 60 ◄ | **0,05** (*) | **0,05** (*) |
| 0800000 | **SPICES** | | | | |
| 0810000 | **Seed spices** | **0,1** (*) | | **0,05** (*) | **0,05** (*) |
| 0810010 | Anise/aniseed | | ►**M180** 0,05 (*) ◄ | | |
| 0810020 | Black caraway/black cumin | | ►**M180** 0,05 (*) ◄ | | |
| 0810030 | Celery | | ►**M180** 0,05 (*) ◄ | | |
| 0810040 | Coriander | | ►**M180** 0,05 (*) ◄ | | |
| 0810050 | Cumin | | ►**M180** 0,05 (*) ◄ | | |
| 0810060 | Dill | | ►**M180** 70 ◄ | | |
| 0810070 | Fennel | | ►**M180** 0,05 (*) ◄ | | |
| 0810080 | Fenugreek | | ►**M180** 0,05 (*) ◄ | | |
| 0810090 | Nutmeg | | ►**M180** 0,05 (*) ◄ | | |
| 0810990 | Others (2) | | ►**M180** 0,05 (*) ◄ | | |
| 0820000 | **Fruit spices** | **0,1** (*) | ►**M180** 0,05 (*) ◄ | **0,05** (*) | 0,05 (*) |
| 0820010 | Allspice/pimento | | | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | |
| 0820030 | Caraway | | | | |
| 0820040 | Cardamom | | | | |
| 0820050 | Juniper berry | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | |
| 0820070 | Vanilla | | | | |
| 0820080 | Tamarind | | | | |
| 0820990 | Others (2) | | | | |
| 0830000 | **Bark spices** | **0,1** (*) | ►**M180** 0,05 (*) ◄ | **0,05** (*) | 0,05 (*) |
| 0830010 | Cinnamon | | | | |
| 0830990 | Others (2) | | | | |
| 0840000 | **Root and rhizome spices** | | | | |
| 0840010 | Liquorice | **0,1** (*) | ►**M180** 1 (+) ◄ | **0,05** (*) | 0,05 (*) |
| 0840020 | Ginger (10) | | | | |
| 0840030 | Turmeric/curcuma | **0,1** (*) | ►**M180** 1 (+) ◄ | **0,05** (*) | 0,05 (*) |
| 0840040 | Horseradish (11) | | | | |
| 0840990 | Others (2) | **0,1** (*) | ►**M180** 1 ◄ | **0,05** (*) | 0,05 (*) |
| 0850000 | **Bud spices** | **0,1** (*) | ►**M180** 0,05 (*) ◄ | **0,05** (*) | 0,05 (*) |
| 0850010 | Cloves | | | | |
| 0850020 | Capers | | | | |
| 0850990 | Others (2) | | | | |
| 0860000 | **Flower pistil spices** | **0,1** (*) | ►**M180** 0,05 (*) ◄ | **0,05** (*) | 0,05 (*) |
| 0860010 | Saffron | | | | |
| 0860990 | Others (2) | | | | |
| 0870000 | **Aril spices** | **0,1** (*) | ►**M180** 0,05 (*) ◄ | **0,05** (*) | 0,05 (*) |
| 0870010 | Mace | | | | |
| 0870990 | Others (2) | | | | |
| 0900000 | **SUGAR PLANTS** | **0,02** (*) | | 0,01 (*) | **0,01** (*) |
| 0900010 | Sugar beet roots | | ►**M180** 0,1 (+) ◄ | | |
| 0900020 | Sugar canes | | ►**M180** 0,01 (*) ◄ | | |
| 0900030 | Chicory roots | | ►**M180** 0,1 (+) ◄ | | |
| 0900990 | Others (2) | | ►**M180** 0,01 (*) ◄ | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | |
| 1010000 | **Commodities from** | **0,01** (*) | | **0,01** (*) | **0,01** (*) |
| 1011000 | (a) *swine* | | | | |
| 1011010 | Muscle | | ►**M180** 0,1 ◄ | | |
| 1011020 | Fat | | ►**M180** 0,09 ◄ | | |
| 1011030 | Liver | | ►**M180** 0,5 ◄ | | |
| 1011040 | Kidney | | ►**M180** 0,08 ◄ | | |
| 1011050 | Edible offals (other than liver and kidney) | | ►**M180** 0,5 ◄ | | |
| 1011990 | Others (2) | | ►**M180** 0,02 (*) ◄ | | |
| 1012000 | (b) *bovine* | | | | |
| 1012010 | Muscle | | ►**M180** 0,15 ◄ | | **(+)** |
| 1012020 | Fat | | ►**M180** 0,15 ◄ | | **(+)** |
| 1012030 | Liver | | ►**M180** 0,8 ◄ | | **(+)** |
| 1012040 | Kidney | | ►**M180** 0,15 ◄ | | **(+)** |
| 1012050 | Edible offals (other than liver and kidney) | | ►**M180** 0,8 ◄ | | |
| 1012990 | Others (2) | | ►**M180** 0,02 (*) ◄ | | |
| 1013000 | (c) *sheep* | | | | |
| 1013010 | Muscle | | ►**M180** 0,15 ◄ | | |
| 1013020 | Fat | | ►**M180** 0,15 ◄ | | |
| 1013030 | Liver | | ►**M180** 0,8 ◄ | | |
| 1013040 | Kidney | | ►**M180** 0,15 ◄ | | |
| 1013050 | Edible offals (other than liver and kidney) | | ►**M180** 0,8 ◄ | | |
| 1013990 | Others (2) | | ►**M180** 0,02 (*) ◄ | | |
| 1014000 | (d) *goat* | | | | |
| 1014010 | Muscle | | ►**M180** 0,15 ◄ | | |
| 1014020 | Fat | | ►**M180** 0,15 ◄ | | |
| 1014030 | Liver | | ►**M180** 0,8 ◄ | | |
| 1014040 | Kidney | | ►**M180** 0,15 ◄ | | |
| 1014050 | Edible offals (other than liver and kidney) | | ►**M180** 0,8 ◄ | | |
| 1014990 | Others (2) | | ►**M180** 0,02 (*) ◄ | | |
| 1015000 | (e) *equine* | | | | |
| 1015010 | Muscle | | ►**M180** 0,15 ◄ | | **(+)** |
| 1015020 | Fat | | ►**M180** 0,15 ◄ | | **(+)** |
| 1015030 | Liver | | ►**M180** 0,8 ◄ | | **(+)** |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 1015040 | Kidney | | ►**M180** 0,15 ◄ | | **(+)** |
| 1015050 | Edible offals (other than liver and kidney) | | ►**M180** 0,8 ◄ | | |
| 1015990 | Others (2) | | ►**M180** 0,02 (*) ◄ | | |
| 1016000 | (f) *poultry* | | | | |
| 1016010 | Muscle | | ►**M180** 0,07 ◄ | | |
| 1016020 | Fat | | ►**M180** 0,07 ◄ | | |
| 1016030 | Liver | | ►**M180** 0,3 ◄ | | |
| 1016040 | Kidney | | ►**M180** 0,02 (*) ◄ | | |
| 1016050 | Edible offals (other than liver and kidney) | | ►**M180** 0,3 ◄ | | |
| 1016990 | Others (2) | | ►**M180** 0,02 (*) ◄ | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | |
| 1017010 | Muscle | | ►**M180** 0,15 ◄ | | |
| 1017020 | Fat | | ►**M180** 0,15 ◄ | | |
| 1017030 | Liver | | ►**M180** 0,8 ◄ | | |
| 1017040 | Kidney | | ►**M180** 0,15 ◄ | | |
| 1017050 | Edible offals (other than liver and kidney) | | ►**M180** 0,8 ◄ | | |
| 1017990 | Others (2) | | ►**M180** 0,02 (*) ◄ | | |
| 1020000 | **Milk** | 0,01 (*) | | **0,01** (*) | **0,02** (*) |
| 1020010 | Cattle | | ►**M180** 0,07 ◄ | | **(+)** |
| 1020020 | Sheep | | ►**M180** 0,06 ◄ | | |
| 1020030 | Goat | | ►**M180** 0,06 ◄ | | |
| 1020040 | Horse | | ►**M180** 0,07 ◄ | | **(+)** |
| 1020990 | Others (2) | | ►**M180** 0,02 (*) ◄ | | |
| 1030000 | **Birds eggs** | 0,01 (*) | ►**M180** 0,15 ◄ | **0,01** (*) | **0,01** (*) |
| 1030010 | Chicken | | | | |
| 1030020 | Duck | | | | |
| 1030030 | Geese | | | | |
| 1030040 | Quail | | | | |
| 1030990 | Others (2) | | | | |

▼**M169**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers) | ►**M180** Fluopyram (R) ◄ | Ipconazole (F) | Terbuthylazine (F), (R) |
|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | ►**M180** 0,05 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) | ►**M180** 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) | ►**M180** 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) | ►**M180** 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | |

▼**M170**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M196** Fluxapyroxad [F] ◄ | Hymexazol | Metamitron | Penflufen (sum of isomers) (F) | ►**M216** Spirotetramat and spirotetramat-enol (sum of), expressed as spirotetramat (R) ◄ |
|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | | **0,01** (*) | |
| 0110000 | **Citrus fruits** | | **0,02** (*) | **0,01** (*) | | ►**M216** 0,5 ◄ |
| 0110010 | Grapefruits | ►**M196** **0,6** ◄ | | | | |
| 0110020 | Oranges | ►**M196** **1,5** ◄ | | | | |
| 0110030 | Lemons | ►**M196** **1** ◄ | | | | |
| 0110040 | Limes | ►**M196** **1** ◄ | | | | |
| 0110050 | Mandarins | ►**M196** **1** ◄ | | | | |
| 0110990 | Others (2) | ►**M196** 0,01 (*) ◄ | | | | |
| 0120000 | **Tree nuts** | ►**M196** 0,04 ◄ | 0,05 (*) | **0,01** (*) | | ►**M216** 0,5 ◄ |
| 0120010 | Almonds | | | | | |
| 0120020 | Brazil nuts | | | | | |
| 0120030 | Cashew nuts | | | | | |
| 0120040 | Chestnuts | | | | | |
| 0120050 | Coconuts | | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | | |
| 0120070 | Macadamias | | | | | |
| 0120080 | Pecans | | | | | |
| 0120090 | Pine nut kernels | | | | | |
| 0120100 | Pistachios | | | | | |
| 0120110 | Walnuts | | | | | |
| 0120990 | Others (2) | | | | | |
| 0130000 | **Pome fruits** | ►**M196** 0,9 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 0130010 | Apples | | | **0,02** | | |
| 0130020 | Pears | | | **0,02** | | |
| 0130030 | Quinces | | | **0,01** (*) | | |
| 0130040 | Medlars | | | **0,01** (*) | | |
| 0130050 | Loquats/Japanese medlars | | | **0,01** (*) | | |
| 0130990 | Others (2) | | | **0,01** (*) | | |
| 0140000 | **Stone fruits** | | **0,02** (*) | **0,01** (*) | | ►**M216** 3 ◄ |
| 0140010 | Apricots | ►**M196** 1,5 ◄ | | | | |
| 0140020 | Cherries (sweet) | ►**M196** 3 ◄ | | | | |
| 0140030 | Peaches | ►**M196** 1,5 ◄ | | | | |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0140040 | Plums | ►**M196** 1,5 ◄ | | | | |
| 0140990 | Others (2) | ►**M196** 0,01 (*) ◄ | | | | |
| 0150000 | **Berries and small fruits** | | **0,02** (*) | | | |
| 0151000 | (a) *grapes* | ►**M196** 3 ◄ | | **0,01** (*) | | ►**M216** 2 ◄ |
| 0151010 | Table grapes | | | | | |
| 0151020 | Wine grapes | | | | | |
| 0152000 | (b) *strawberries* | ►**M196** 4 ◄ | | **0,05 (+)** | | ►**M216** 0,3 ◄ |
| 0153000 | (c) *cane fruits* | ►**M196** 0,01 (*) ◄ | | **0,01** (*) | | ►**M216** 0,02 (*) ◄ |
| 0153010 | Blackberries | | | | | |
| 0153020 | Dewberries | | | | | |
| 0153030 | Raspberries (red and yellow) | | | | | |
| 0153990 | Others (2) | | | | | |
| 0154000 | (d) *other small fruits and berries* | | | **0,01** (*) | | ►**M216** 1,5 ◄ |
| 0154010 | Blueberries | ►**M196** 7 ◄ | | | | |
| 0154020 | Cranberries | ►**M196** 0,01 (*) ◄ | | | | |
| 0154030 | Currants (black, red and white) | ►**M196** 0,01 (*) ◄ | | | | |
| 0154040 | Gooseberries (green, red and yellow) | ►**M196** 0,01 (*) ◄ | | | | |
| 0154050 | Rose hips | ►**M196** 0,01 (*) ◄ | | | | |
| 0154060 | Mulberries (black and white) | ►**M196** 0,01 (*) ◄ | | | | |
| 0154070 | Azaroles/Mediterranean medlars | ►**M196** 0,01 (*) ◄ | | | | |
| 0154080 | Elderberries | ►**M196** 0,01 (*) ◄ | | | | |
| 0154990 | Others (2) | ►**M196** 0,01 (*) ◄ | | | | |
| 0160000 | **Miscellaneous fruitswith** | | | **0,01** (*) | | |
| 0161000 | (a) *edible peel* | ►**M196** — ◄ | **0,02** (*) | | | |
| 0161010 | Dates | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0161020 | Figs | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0161030 | Table olives | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 1,5 ◄ |
| 0161040 | Kumquats | ►**M196** **1** ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0161050 | Carambolas | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,4 ◄ |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0161990 | Others (2) | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | | ►**M216** 3 ◄ |
| 0162020 | Litchis/lychees | | | | | ►**M216** 15 ◄ |
| 0162030 | Passionfruits/ maracujas | | | | | ►**M216** 0,02 (*) ◄ |
| 0162040 | Prickly pears/cactus fruits | | | | | ►**M216** 0,02 (*) ◄ |
| 0162050 | Star apples/cainitos | | | | | ►**M216** 0,02 (*) ◄ |
| 0162060 | American persimmons/Virginia kaki | | | | | ►**M216** 0,02 (*) ◄ |
| 0162990 | Others (2) | | | | | ►**M216** 0,02 (*) ◄ |
| 0163000 | (c) *inedible peel, large* | | | | | |
| 0163010 | Avocados | ►**M196** 0,01 (*) ◄ | 0,05 (*) | | | ►**M216** 0,4 ◄ |
| 0163020 | Bananas | ►**M196** 3 ◄ | **0,02** (*) | | | ►**M216** 0,4 ◄ |
| 0163030 | Mangoes | ►**M196** 0,7 ◄ | **0,02** (*) | | | ►**M216** 0,3 ◄ |
| 0163040 | Papayas | ►**M196** 1 ◄ | **0,02** (*) | | | ►**M216** 0,4 ◄ |
| 0163050 | Granate apples/ pomegranates | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,4 ◄ |
| 0163060 | Cherimoyas | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 0163070 | Guavas | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 2 ◄ |
| 0163080 | Pineapples | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,15 ◄ |
| 0163090 | Breadfruits | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 0163100 | Durians | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 0163110 | Soursops/guanabanas | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 0163990 | Others (2) | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | **0,02** (*) | | | |
| 0210000 | **Root and tuber vegetables** | | | **0,01** (*) | **0,01** (*) | |
| 0211000 | (a) *potatoes* | ►**M196** 0,3 (+) ◄ | | | | ►**M216** 0,8 ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M196** 0,2 (+) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0212010 | Cassava roots/manioc | ►**M196** (+) ◄ | | | | |
| 0212020 | Sweet potatoes | ►**M196** (+) ◄ | | | | |
| 0212030 | Yams | ►**M196** (+) ◄ | | | | |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0212040 | Arrowroots | ►**M196** (+) ◄ | | | | |
| 0212990 | Others (2) | ►**M196** (+) ◄ | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M196** 0,9 (+) ◄ | | | | ►**M216** 0,07 ◄ |
| 0213010 | Beetroots | ►**M196** (+) ◄ | | | | |
| 0213020 | Carrots | ►**M196** (+) ◄ | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | ►**M196** (+) ◄ | | | | |
| 0213040 | Horseradishes | ►**M196** (+) ◄ | | | | |
| 0213050 | Jerusalem artichokes | ►**M196** (+) ◄ | | | | |
| 0213060 | Parsnips | ►**M196** (+) ◄ | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | ►**M196** (+) ◄ | | | | |
| 0213080 | Radishes | ►**M196** (+) ◄ | | | | |
| 0213090 | Salsifies | ►**M196** (+) ◄ | | | | |
| 0213100 | Swedes/rutabagas | ►**M196** (+) ◄ | | | | |
| 0213110 | Turnips | ►**M196** (+) ◄ | | | | |
| 0213990 | Others (2) | ►**M196** (+) ◄ | | | | |
| 0220000 | **Bulb vegetables** | ►**M196** — ◄ | | **0,01** (*) | **0,01** (*) | |
| 0220010 | Garlic | ►**M196** 0,2 (+) ◄ | | | | ►**M216** 0,3 ◄ |
| 0220020 | Onions | ►**M196** 0,2 (+) ◄ | | | | ►**M216** 0,4 ◄ |
| 0220030 | Shallots | ►**M196** 0,2 (+) ◄ | | | | ►**M216** 0,3 ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M196** 0,7 (+) ◄ | | | | ►**M216** 0,9 ◄ |
| 0220990 | Others (2) | ►**M196** 0,01 (*) (+) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0230000 | **Fruiting vegetables** | | | **0,01** (*) | **0,01** (*) | |
| 0231000 | (a) *Solanaceae and Malvaceae* | ►**M196** 0,6 ◄ | | | | ►**M216** 1 ◄ |
| 0231010 | Tomatoes | | | | | |
| 0231020 | Sweet peppers/bell peppers | | | | | |
| 0231030 | Aubergines/eggplants | | | | | |
| 0231040 | Okra/lady's fingers | | | | | |
| 0231990 | Others (2) | | | | | |
| 0232000 | (b) *cucurbits with edible peel* | ►**M196** 0,2 ◄ | | | | ►**M216** 0,2 ◄ |
| 0232010 | Cucumbers | | | | | |
| 0232020 | Gherkins | | | | | |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | | |
| 0232990 | Others (2) | | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M196** 0,15 ◄ | | | | ►**M216** 0,2 ◄ |
| 0233010 | Melons | | | | | |
| 0233020 | Pumpkins | | | | | |
| 0233030 | Watermelons | | | | | |
| 0233990 | Others (2) | | | | | |
| 0234000 | (d) *sweet corn* | ►**M196** 0,15 ◄ | | | | ►**M216** 1,5 ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | ►**M196** (+) ◄ | | **0,01** (*) | **0,01** (*) | |
| 0241000 | (a) *flowering brassica* | | | | | ►**M216** 1 ◄ |
| 0241010 | Broccoli | ►**M196** 2 (+) ◄ | | | | |
| 0241020 | Cauliflowers | ►**M196** 0,2 (+) ◄ | | | | |
| 0241990 | Others (2) | ►**M196** 0,01 (*) (+) ◄ | | | | |
| 0242000 | (b) *head brassica* | | | | | |
| 0242010 | Brussels sprouts | ►**M196** 0,4 (+) ◄ | | | | ►**M216** 0,3 (+) ◄ |
| 0242020 | Head cabbages | ►**M196** 0,5 (+) ◄ | | | | ►**M216** 2 ◄ |
| 0242990 | Others (2) | ►**M196** 0,01 (*) (+) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0243000 | (c) *leafy brassica* | | | | | ►**M216** 7 ◄ |
| 0243010 | Chinese cabbages/pe-tsai | ►**M196** 4 (+) ◄ | | | | |
| 0243020 | Kales | ►**M196** 0,15 (+) ◄ | | | | |
| 0243990 | Others (2) | ►**M196** 0,01 (*) (+) ◄ | | | | |
| 0244000 | (d) *kohlrabies* | ►**M196** 0,15 (+) ◄ | | | | ►**M216** 1,5 (+) ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M196** 4 (+) ◄ | | | **0,01** (*) | ►**M216** 7 ◄ |
| 0251010 | Lamb's lettuces/corn salads | ►**M196** (+) ◄ | | **0,01** (*) | | |
| 0251020 | Lettuces | ►**M196** (+) ◄ | | **0,01** (*) | | |
| 0251030 | Escaroles/broad-leaved endives | ►**M196** (+) ◄ | | **0,01** (*) | | |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M196** (+) ◄ | | **0,01** (*) | | |
| 0251050 | Land cresses | ►**M196** (+) ◄ | | **0,01** (*) | | |
| 0251060 | Roman rocket/rucola | ►**M196** (+) ◄ | | **0,03 (+)** | | |
| 0251070 | Red mustards | ►**M196** (+) ◄ | | **0,01** (*) | | |
| 0251080 | Baby leaf crops (including brassica species) | ►**M196** (+) ◄ | | **0,03 (+)** | | |
| 0251990 | Others (2) | ►**M196** (+) ◄ | | **0,01** (*) | | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M196** 3 (+) ◄ | | **(+)** | **0,01** (*) | ►**M216** 7 ◄ |
| 0252010 | Spinaches | ►**M196** (+) ◄ | | **0,08** | | |
| 0252020 | Purslanes | ►**M196** (+) ◄ | | **0,03** | | |
| 0252030 | Chards/beet leaves | ►**M196** (+) ◄ | | **0,08** | | |
| 0252990 | Others (2) | ►**M196** (+) ◄ | | **0,01** (*) | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M196** 0,01 (*) ◄ | | **0,01** (*) | **0,01** (*) | ►**M216** 0,02 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M196** 0,01 (*) ◄ | | **0,01** (*) | **0,01** (*) | ►**M216** 7 ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M196** 6 (+) ◄ | | **0,01** (*) | **0,01** (*) | ►**M216** 0,03 ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M196** 3 (+) ◄ | | | **0,02** (*) | ►**M216** — ◄ |
| 0256010 | Chervil | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **7** ◄ |
| 0256020 | Chives | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **7** ◄ |
| 0256030 | Celery leaves | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **7** ◄ |
| 0256040 | Parsley | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **7** ◄ |
| 0256050 | Sage | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **10** ◄ |
| 0256060 | Rosemary | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **10** ◄ |
| 0256070 | Thyme | ►**M196** (+) ◄ | | **0,15** | | ►**M216** **10** ◄ |
| 0256080 | Basil and edible flowers | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **7** ◄ |
| 0256090 | Laurel/bay leaves | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **10** ◄ |
| 0256100 | Tarragon | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **7** ◄ |
| 0256990 | Others (2) | ►**M196** (+) ◄ | | 0,01 (*) | | ►**M216** **10** ◄ |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | | | **0,01** (*) | **0,01** (*) | |
| 0260010 | Beans (with pods) | ►**M196** 2 ◄ | | | | ►**M216** 2 ◄ |
| 0260020 | Beans (without pods) | ►**M196** 0,09 ◄ | | | | ►**M216** 1,5 ◄ |
| 0260030 | Peas (with pods) | ►**M196** 2 ◄ | | | | ►**M216** 2 ◄ |
| 0260040 | Peas (without pods) | ►**M196** 0,3 ◄ | | | | ►**M216** 1,5 ◄ |
| 0260050 | Lentils | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 1,5 ◄ |
| 0260990 | Others (2) | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0270000 | **Stem vegetables** | | | **0,01** (*) | **0,01** (*) | |
| 0270010 | Asparagus | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0270020 | Cardoons | ►**M196** 9 (+) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0270030 | Celeries | ►**M196** 9 (+) ◄ | | | | ►**M216** 4 ◄ |
| 0270040 | Florence fennels | ►**M196** 9 (+) ◄ | | | | ►**M216** 4 ◄ |
| 0270050 | Globe artichokes | ►**M196** 0,4 (+) ◄ | | | | ►**M216** 1 ◄ |
| 0270060 | Leeks | ►**M196** 0,7 (+) ◄ | | | | ►**M216** 0,9 ◄ |
| 0270070 | Rhubarbs | ►**M196** 9 (+) ◄ | | | | ►**M216** 4 ◄ |
| 0270080 | Bamboo shoots | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0270090 | Palm hearts | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0270990 | Others (2) | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►**M196** 0,01 (*) ◄ | | **0,01** (*) | **0,01** (*) | ►**M216** 0,02 (*) ◄ |
| 0280010 | Cultivated fungi | | | | | |
| 0280020 | Wild fungi | | | | | |
| 0280990 | Mosses and lichens | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M196** 0,01 (*) ◄ | | **0,01** (*) | **0,01** (*) | ►**M216** 0,02 (*) ◄ |
| 0300000 | **PULSES** | ►**M196** — ◄ | **0,02** (*) | **0,01** (*) | **0,01** (*) | ►**M216** 2 ◄ |
| 0300010 | Beans | ►**M196** 0,3 (+) ◄ | | | | |
| 0300020 | Lentils | ►**M196** 0,4 (+) ◄ | | | | |
| 0300030 | Peas | ►**M196** 0,4 (+) ◄ | | | | |
| 0300040 | Lupins/lupini beans | ►**M196** 0,2 (+) ◄ | | | | |
| 0300990 | Others (2) | ►**M196** 0,01 (*) (+) ◄ | | | | |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | 0,05 (*) | **0,01** (*) | **0,01** (*) | |
| 0401000 | **Oilseeds** | | | | | |
| 0401010 | Linseeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401020 | Peanuts/groundnuts | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401030 | Poppy seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401040 | Sesame seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401050 | Sunflower seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401070 | Soyabeans | ►**M196** 0,15 ◄ | | | | ►**M216** 4 ◄ |
| 0401080 | Mustard seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401090 | Cotton seeds | ►**M196** 0,5 ◄ | | | | ►**M216** 0,4 ◄ |
| 0401100 | Pumpkin seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401110 | Safflower seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401120 | Borage seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401140 | Hemp seeds | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401150 | Castor beans | ►**M196** 0,9 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0401990 | Others (2) | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0402000 | **Oil fruits** | | | | | |
| 0402010 | Olives for oil production | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 1,5 ◄ |
| 0402020 | Oil palms kernels | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0402030 | Oil palms fruits | ►**M196** 0,8 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0402040 | Kapok | ►**M196** 0,8 ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0402990 | Others (2) | ►**M196** 0,01 (*) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0500000 | **CEREALS** | ►**M196** — ◄ | **0,02** (*) | **0,01** (*) | **0,01** (*) | ►**M216** 0,02 (*) ◄ |
| 0500010 | Barley | ►**M196** 3 (+) ◄ | | | | |
| 0500020 | Buckwheat and other pseudo-cereals | ►**M196** 0,01 (*) (+) ◄ | | | | |
| 0500030 | Maize/corn | ►**M196** 0,01 (*) (+) ◄ | | | | |
| 0500040 | Common millet/proso millet | ►**M196** 0,01 (*) (+) ◄ | | | | |
| 0500050 | Oat | ►**M196** 3 (+) ◄ | | | | |
| 0500060 | Rice | ►**M196** 5 (+) ◄ | | | | |
| 0500070 | Rye | ►**M196** 0,4 (+) ◄ | | | | |
| 0500080 | Sorghum | ►**M196** 0,8 (+) ◄ | | | | |
| 0500090 | Wheat | ►**M196** 0,4 (+) ◄ | | | | |
| 0500990 | Others (2) | ►**M196** 0,01 (*) (+) ◄ | | | | |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | **0,1** (*) | | **0,05** (*) | |
| 0610000 | **Teas** | ►**M196** 0,05 (*) ◄ | | **0,05** (*) | | ►**M216** 0,1 (*) ◄ |
| 0620000 | **Coffee beans** | ►**M196** 0,2 ◄ | | **0,05** (*) | | ►**M216** 0,1 (*) ◄ |
| 0630000 | **Herbal infusions from** | | | | | |
| 0631000 | (a) *flowers* | ►**M196** 0,05 (*) ◄ | | **0,05** (*) | | ►**M216** 0,1 (*) ◄ |
| 0631010 | Chamomile | | | | | |
| 0631020 | Hibiscus/roselle | | | | | |
| 0631030 | Rose | | | | | |
| 0631040 | Jasmine | | | | | |
| 0631050 | Lime/linden | | | | | |
| 0631990 | Others (2) | | | | | |
| 0632000 | (b) *leaves and herbs* | ►**M196** 30 (+) ◄ | | **0,15 (+)** | | ►**M216** 50 ◄ |
| 0632010 | Strawberry | ►**M196** (+) ◄ | | | | |
| 0632020 | Rooibos | ►**M196** (+) ◄ | | | | |
| 0632030 | Mate/maté | ►**M196** (+) ◄ | | | | |
| 0632990 | Others (2) | ►**M196** (+) ◄ | | | | |
| 0633000 | (c) *roots* | ►**M196** 2 (+) ◄ | | **0,05 (+)** | | ►**M216** 0,1 (*) ◄ |
| 0633010 | Valerian | ►**M196** (+) ◄ | | | | |
| 0633020 | Ginseng | ►**M196** (+) ◄ | | | | |
| 0633990 | Others (2) | ►**M196** (+) ◄ | | | | |
| 0639000 | (d) *any other parts of the plant* | ►**M196** 0,05 (*) ◄ | | **0,05** (*) | | ►**M216** 0,1 (*) ◄ |
| 0640000 | **Cocoa beans** | ►**M196** 0,05 (*) ◄ | | **0,05** (*) | | ►**M216** 0,1 (*) ◄ |
| 0650000 | **Carobs/Saint John's breads** | ►**M196** 0,05 (*) ◄ | | **0,05** (*) | | ►**M216** 0,1 (*) ◄ |
| 0700000 | **HOPS** | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 15 ◄ |
| 0800000 | **SPICES** | | | | | |
| 0810000 | **Seed spices** | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05 (+)** | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0810010 | Anise/aniseed | | | | | |
| 0810020 | Black caraway/black cumin | | | | | |
| 0810030 | Celery | | | | | |
| 0810040 | Coriander | | | | | |
| 0810050 | Cumin | | | | | |
| 0810060 | Dill | | | | | |
| 0810070 | Fennel | | | | | |
| 0810080 | Fenugreek | | | | | |
| 0810090 | Nutmeg | | | | | |
| 0810990 | Others (2) | | | | | |
| 0820000 | **Fruit spices** | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05 (+)** | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0820010 | Allspice/pimento | | | | | |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | | |
| 0820030 | Caraway | | | | | |
| 0820040 | Cardamom | | | | | |
| 0820050 | Juniper berry | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | |
| 0820070 | Vanilla | | | | | |
| 0820080 | Tamarind | | | | | |
| 0820990 | Others (2) | | | | | |
| 0830000 | **Bark spices** | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0830010 | Cinnamon | | | | | |
| 0830990 | Others (2) | | | | | |
| 0840000 | **Root and rhizome spices** | | | | | |
| 0840010 | Liquorice | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0840020 | Ginger (10) | | | | | |
| 0840030 | Turmeric/curcuma | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0840040 | Horseradish (11) | | | | | |
| 0840990 | Others (2) | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0850000 | **Bud spices** | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0850010 | Cloves | | | | | |
| 0850020 | Capers | | | | | |
| 0850990 | Others (2) | | | | | |
| 0860000 | **Flower pistil spices** | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0860010 | Saffron | | | | | |
| 0860990 | Others (2) | | | | | |
| 0870000 | **Aril spices** | ►**M196** 0,05 (*) ◄ | **0,1** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 0,1 (*) ◄ |
| 0870010 | Mace | | | | | |
| 0870990 | Others (2) | | | | | |
| 0900000 | **SUGAR PLANTS** | ►**M196** — ◄ | **0,02** (*) | **0,01** (*) | **0,01** (*) | |
| 0900010 | Sugar beet roots | ►**M196** 0,4 (+) ◄ | | | | ►**M216** 0,06 ◄ |
| 0900020 | Sugar canes | ►**M196** 3 (+) ◄ | | | | ►**M216** 0,02 (*) ◄ |
| 0900030 | Chicory roots | ►**M196** 0,3 (+) ◄ | | | | ►**M216** 0,07 ◄ |
| 0900990 | Others (2) | ►**M196** 0,01 (*) (+) ◄ | | | | ►**M216** 0,02 (*) ◄ |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | | |
| 1010000 | **Commodities from** | | | **0,01** (*) | **0,01** (*) | |
| 1011000 | (a) *swine* | | | | | |
| 1011010 | Muscle | ►**M196** 0,015 ◄ | **0,02** (*) | | | ►**M216** 0,05 ◄ |
| 1011020 | Fat | ►**M196** 0,2 ◄ | **0,01** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1011030 | Liver | ►**M196** 0,1 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1011040 | Kidney | ►**M196** 0,1 ◄ | **0,01** (*) | | | ►**M216** 0,7 ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M196** 0,2 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1011990 | Others (2) | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1012000 | (b) *bovine* | | | | | |
| 1012010 | Muscle | ►**M196** 0,015 ◄ | **0,02** (*) | | | ►**M216** 0,05 ◄ |
| 1012020 | Fat | ►**M196** 0,2 ◄ | **0,01** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1012030 | Liver | ►**M196** 0,1 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1012040 | Kidney | ►**M196** 0,1 ◄ | **0,01** (*) | | | ►**M216** 0,7 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M196** 0,2 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1012990 | Others (2) | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1013000 | (c) *sheep* | | | | | |
| 1013010 | Muscle | ►**M196** 0,015 ◄ | **0,02** (*) | | | ►**M216** 0,05 ◄ |
| 1013020 | Fat | ►**M196** 0,2 ◄ | **0,01** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1013030 | Liver | ►**M196** 0,1 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1013040 | Kidney | ►**M196** 0,1 ◄ | **0,01** (*) | | | ►**M216** 0,7 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M196** 0,2 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1013990 | Others (2) | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1014000 | (d) *goat* | | | | | |
| 1014010 | Muscle | ►**M196** 0,015 ◄ | **0,02** (*) | | | ►**M216** 0,05 ◄ |
| 1014020 | Fat | ►**M196** 0,2 ◄ | **0,01** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1014030 | Liver | ►**M196** 0,1 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1014040 | Kidney | ►**M196** 0,1 ◄ | **0,01** (*) | | | ►**M216** 0,7 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M196** 0,2 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1014990 | Others (2) | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1015000 | (e) *equine* | | | | | |
| 1015010 | Muscle | ►**M196** 0,015 ◄ | **0,02** (*) | | | ►**M216** 0,05 ◄ |
| 1015020 | Fat | ►**M196** 0,2 ◄ | **0,01** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1015030 | Liver | ►**M196** 0,1 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►**M196** 0,1 ◄ | **0,01** (*) | | | ►**M216** 0,7 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M196** 0,2 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1015990 | Others (2) | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1016000 | (f) *poultry* | | | | | ►**M216** 0,02 (*) ◄ |
| 1016010 | Muscle | ►**M196** 0,02 ◄ | **0,02** (*) | | | |
| 1016020 | Fat | ►**M196** 0,05 ◄ | **0,01** (*) | | | |
| 1016030 | Liver | ►**M196** 0,02 ◄ | **0,02** (*) | | | |
| 1016040 | Kidney | ►**M196** 0,01 (*) ◄ | **0,01** (*) | | | |
| 1016050 | Edible offals (other than liver and kidney) | ►**M196** 0,05 ◄ | **0,02** (*) | | | |
| 1016990 | Others (2) | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | | |
| 1017010 | Muscle | ►**M196** 0,015 ◄ | **0,02** (*) | | | ►**M216** 0,05 ◄ |
| 1017020 | Fat | ►**M196** 0,2 ◄ | **0,01** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1017030 | Liver | ►**M196** 0,1 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1017040 | Kidney | ►**M196** 0,1 ◄ | **0,01** (*) | | | ►**M216** 0,7 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M196** 0,2 ◄ | **0,02** (*) | | | ►**M216** 0,7 ◄ |
| 1017990 | Others (2) | ►**M196** 0,01 (*) ◄ | **0,02** (*) | | | ►**M216** 0,02 (*) ◄ |
| 1020000 | **Milk** | ►**M196** 0,02 ◄ | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►**M216** 0,01 (*) ◄ |
| 1020010 | Cattle | | | | | |
| 1020020 | Sheep | | | | | |
| 1020030 | Goat | | | | | |
| 1020040 | Horse | | | | | |
| 1020990 | Others (2) | | | | | |
| 1030000 | **Birds eggs** | ►**M196** 0,02 ◄ | **0,02** (*) | **0,01** (*) | **0,01** (*) | ►**M216** 0,01 (*) ◄ |
| 1030010 | Chicken | | | | | |
| 1030020 | Duck | | | | | |
| 1030030 | Geese | | | | | |
| 1030040 | Quail | | | | | |
| 1030990 | Others (2) | | | | | |

▼**M170**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M196** 0,05 (*) ◄ | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M216** 0,5 ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M196** 0,01 (*) ◄ | **0,02** (*) | **0,01** (*) | **0,01** (*) | ►**M216** 0,02 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M196** 0,01 (*) ◄ | **0,02** (*) | **0,01** (*) | **0,01** (*) | ►**M216** 0,02 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M196** 0,01 (*) ◄ | **0,02** (*) | **0,01** (*) | **0,01** (*) | ►**M216** 0,02 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | |

▼**M183**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Difluoroacetic acid (DFA) | ►**M196** Flupyradifurone ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | |
| 0110000 | **Citrus fruits** | | |
| 0110010 | Grapefruits | **0,05** | ►**M196** 3 ◄ |
| 0110020 | Oranges | **0,05** | ►**M196** 3 ◄ |
| 0110030 | Lemons | **0,05** | ►**M196** 1,5 ◄ |
| 0110040 | Limes | **0,05** | ►**M196** 1,5 ◄ |
| 0110050 | Mandarins | **0,05** | ►**M196** 1,5 ◄ |
| 0110990 | Others (2) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0120000 | **Tree nuts** | **0,04** | ►**M196** 0,02 ◄ |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | **0,2** | ►**M196** 0,6 ◄ |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | 0,15 | ►**M196** 3 ◄ |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | **0,3** | ►**M196** 0,4 ◄ |
| 0153000 | (c) *cane fruits* | | ►**M196** **6** ◄ |
| 0153010 | Blackberries | 0,07 | ►**M196** — ◄ |
| 0153020 | Dewberries | 0,02 (*) | ►**M196** — ◄ |
| 0153030 | Raspberries (red and yellow) | 0,07 | ►**M196** — ◄ |
| 0153990 | Others (2) | 0,02 (*) | ►**M196** — ◄ |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | **0,05** | ►**M196** 4 ◄ |
| 0154020 | Cranberries | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0154030 | Currants (black, red and white) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0154040 | Gooseberries (green, red and yellow) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0154050 | Rose hips | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0154060 | Mulberries (black and white) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0154070 | Azaroles/Mediterranean medlars | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0154080 | Elderberries | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0154990 | Others (2) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0160000 | **Miscellaneous fruitswith** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0161020 | Figs | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0161030 | Table olives | **0,15** | ►**M196** 5 ◄ |
| 0161040 | Kumquats | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0161050 | Carambolas | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | 0,02 (*) | ►**M196** 0,01 (*) ◄ |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0161990 | Others (2) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | 0,02 (*) | ►**M196** — ◄ |
| 0163010 | Avocados | | ►**M196** **0,6** ◄ |
| 0163020 | Bananas | | ►**M196** 0,01 (*) ◄ |
| 0163030 | Mangoes | | ►**M196** 0,01 (*) ◄ |
| 0163040 | Papayas | | ►**M196** 0,01 (*) ◄ |
| 0163050 | Granate apples/pomegranates | | ►**M196** 0,01 (*) ◄ |
| 0163060 | Cherimoyas | | ►**M196** 0,01 (*) ◄ |
| 0163070 | Guavas | | ►**M196** 0,01 (*) ◄ |
| 0163080 | Pineapples | | ►**M196** 0,01 (*) ◄ |
| 0163090 | Breadfruits | | ►**M196** 0,01 (*) ◄ |
| 0163100 | Durians | | ►**M196** 0,01 (*) ◄ |
| 0163110 | Soursops/guanabanas | | ►**M196** 0,01 (*) ◄ |
| 0163990 | Others (2) | | ►**M196** 0,01 (*) ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | | |
| 0211000 | (a) *potatoes* | **0,2** | ►**M196** 0,05 ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | **0,2** | ►**M196** 0,05 ◄ |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | **0,4** | ►**M196** 0,9 ◄ |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | **0,15** | ►**M196** 0,01 (*) ◄ |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | **0,4** | ►**M196** 0,7 ◄ |
| 0231020 | Sweet peppers/bell peppers | **0,9** | ►**M196** 0,9 ◄ |
| 0231030 | Aubergines/eggplants | **0,9** | ►**M196** 1 ◄ |
| 0231040 | Okra/lady's fingers | **0,4** | ►**M196** 0,9 ◄ |
| 0231990 | Others (2) | 0,15 | ►**M196** 0,01 (*) ◄ |
| 0232000 | (b) *cucurbits with edible peel* | **0,7** | ►**M196** 0,6 ◄ |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | **0,3** | ►**M196** 0,01 (*) ◄ |
| 0233020 | Pumpkins | **0,3** | ►**M196** 0,01 (*) ◄ |
| 0233030 | Watermelons | 0,15 | ►**M196** 0,15 ◄ |
| 0233990 | Others (2) | 0,15 | ►**M196** 0,01 (*) ◄ |
| 0234000 | (d) *sweet corn* | **0,2** | ►**M196** 0,05 ◄ |
| 0239000 | (e) *other fruiting vegetables* | 0,15 | ►**M196** 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | | |
| 0241000 | (a) *flowering brassica* | **0,7** | ►**M196** 0,6 ◄ |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | **0,4** | ►**M196** 0,09 ◄ |
| 0242020 | Head cabbages | **0,4** | ►**M196** 0,3 ◄ |
| 0242990 | Others (2) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0243020 | Kales | **0,6** | ►**M196** 5 ◄ |
| 0243990 | Others (2) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0244000 | (d) *kohlrabies* | **0,4** | ►**M196** 0,09 ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | | |
| 0251010 | Lamb's lettuces/corn salads | **0,3** | ►**M196** 6 ◄ |
| 0251020 | Lettuces | **0,2** | ►**M196** 6 ◄ |
| 0251030 | Escaroles/broad-leaved endives | **0,08** | ►**M196** 0,07 ◄ |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | **0,3** | ►**M196** 6 ◄ |
| 0251050 | Land cresses | **0,3** | ►**M196** 6 ◄ |
| 0251060 | Roman rocket/rucola | **0,3** | ►**M196** 6 ◄ |
| 0251070 | Red mustards | **0,3** | ►**M196** 6 ◄ |
| 0251080 | Baby leaf crops (including brassica species) | **0,3** | ►**M196** 6 ◄ |
| 0251990 | Others (2) | **0,3** | ►**M196** 6 ◄ |
| 0252000 | (b) *spinaches and similar leaves* | **0,3** | ►**M196** 6 ◄ |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | 0,04 | ►**M196** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | **0,08** | ►**M196** 0,07 ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | **0,08** | ►**M196** 0,07 ◄ |
| 0256000 | (f) *herbs and edible flowers* | **0,3** | ►**M196** 6 ◄ |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | |
| 0260010 | Beans (with pods) | **0,9** | ►**M196** 0,5 ◄ |
| 0260020 | Beans (without pods) | **1** | ►**M196** 0,4 ◄ |
| 0260030 | Peas (with pods) | **0,9** | ►**M196** 0,5 ◄ |
| 0260040 | Peas (without pods) | **1** | ►**M196** 0,4 ◄ |
| 0260050 | Lentils | **1** | ►**M196** 0,4 ◄ |
| 0260990 | Others (2) | 0,4 | ►**M196** 0,01 (*) ◄ |
| 0270000 | **Stem vegetables** | **0,2** | ►**M196** 0,01 (*) ◄ |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0300000 | **PULSES** | **3** | ►**M196** 3 ◄ |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401020 | Peanuts/groundnuts | **0,06** | ►**M196** 0,04 ◄ |
| 0401030 | Poppy seeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401040 | Sesame seeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401050 | Sunflower seeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | **0,3** | ►**M196** 0,3 ◄ |
| 0401070 | Soyabeans | **0,7** | ►**M196** 1,5 ◄ |
| 0401080 | Mustard seeds | **0,3** | ►**M196** 0,3 ◄ |
| 0401090 | Cotton seeds | **0,08** | ►**M196** 0,8 ◄ |
| 0401100 | Pumpkin seeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401110 | Safflower seeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401120 | Borage seeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure seeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401140 | Hemp seeds | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401150 | Castor beans | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0401990 | Others (2) | 0,05 | ►**M196** 0,01 (*) ◄ |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | **0,15** | ►**M196** 5 ◄ |
| 0402020 | Oil palms kernels | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0402030 | Oil palms fruits | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0402040 | Kapok | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0402990 | Others (2) | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0500000 | **CEREALS** | | |
| 0500010 | Barley | **0,8** | ►**M196** 3 ◄ |
| 0500020 | Buckwheat and other pseudocereals | 0,3 | ►**M196** 0,01 (*) ◄ |
| 0500030 | Maize/corn | **0,1** | ►**M196** 0,02 ◄ |
| 0500040 | Common millet/proso millet | 0,3 | ►**M196** 0,01 (*) ◄ |
| 0500050 | Oat | 0,3 | ►**M196** 0,01 (*) ◄ |
| 0500060 | Rice | 0,3 | ►**M196** 0,01 (*) ◄ |
| 0500070 | Rye | 0,3 | ►**M196** 0,01 (*) ◄ |
| 0500080 | Sorghum | 0,3 | ►**M196** 3 ◄ |
| 0500090 | Wheat | **1,5** | ►**M196** 1 ◄ |
| 0500990 | Others (2) | 0,3 | ►**M196** 0,01 (*) ◄ |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | |
| 0610000 | **Teas** | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0620000 | **Coffee beans** | **0,2** | ►**M196** 1 ◄ |
| 0630000 | **Herbal infusions from** | | ►**M196** 0,05 (*) ◄ |
| 0631000 | (a) *flowers* | 0,1 (*) | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | 0,1 (*) | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | 0,1 (*) | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | **0,06** | ►**M196** 0,05 (*) ◄ |
| 0650000 | **Carobs/Saint John's breads** | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0700000 | **HOPS** | 0,3 | ►**M196** **10** ◄ |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | | |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | 0,1 (*) | ►**M196** 0,05 (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | | |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | **0,15** | ►**M196** 0,03 ◄ |
| 1011020 | Fat | 0,1 | ►**M196** 0,015 ◄ |
| 1011030 | Liver | **0,09** | ►**M196** 0,08 ◄ |
| 1011040 | Kidney | **0,2** | ►**M196** 0,09 ◄ |
| 1011050 | Edible offals (other than liver and kidney) | **0,2** | ►**M196** 0,09 ◄ |
| 1011990 | Others (2) | **0,2** | ►**M196** 0,09 ◄ |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | **0,4** | ►**M196** 0,3 ◄ |
| 1012020 | Fat | **0,5** | ►**M196** 0,2 ◄ |
| 1012030 | Liver | **0,4** | ►**M196** 1 ◄ |
| 1012040 | Kidney | **0,5** | ►**M196** 1 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | **0,5** | ►**M196** 1 ◄ |
| 1012990 | Others (2) | **0,5** | ►**M196** 1 ◄ |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | **0,2** | ►**M196** 0,3 ◄ |
| 1013020 | Fat | **0,15** | ►**M196** 0,2 ◄ |
| 1013030 | Liver | **0,15** | ►**M196** 1 ◄ |
| 1013040 | Kidney | **0,3** | ►**M196** 1 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | **0,3** | ►**M196** 1 ◄ |
| 1013990 | Others (2) | **0,3** | ►**M196** 1 ◄ |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | **0,2** | ►**M196** 0,3 ◄ |
| 1014020 | Fat | **0,15** | ►**M196** 0,2 ◄ |
| 1014030 | Liver | **0,15** | ►**M196** 1 ◄ |
| 1014040 | Kidney | **0,3** | ►**M196** 1 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | **0,3** | ►**M196** 1 ◄ |
| 1014990 | Others (2) | **0,3** | ►**M196** 1 ◄ |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | **0,4** | ►**M196** 0,3 ◄ |
| 1015020 | Fat | **0,5** | ►**M196** 0,2 ◄ |
| 1015030 | Liver | **0,4** | ►**M196** 1 ◄ |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | **0,5** | ►**M196** 1 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | **0,5** | ►**M196** 1 ◄ |
| 1015990 | Others (2) | **0,5** | ►**M196** 1 ◄ |
| 1016000 | (f) *poultry* | | ►**M196** 0,01 (*) ◄ |
| 1016010 | Muscle | **0,15** | |
| 1016020 | Fat | 0,03 | |
| 1016030 | Liver | **0,3** | |
| 1016040 | Kidney | 0,02 (*) | |
| 1016050 | Edible offals (other than liver and kidney) | 0,02 (*) | |
| 1016990 | Others (2) | 0,02 (*) | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | **0,4** | ►**M196** 0,3 ◄ |
| 1017020 | Fat | **0,5** | ►**M196** 0,2 ◄ |
| 1017030 | Liver | **0,4** | ►**M196** 1 ◄ |
| 1017040 | Kidney | **0,5** | ►**M196** 1 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | **0,5** | ►**M196** 1 ◄ |
| 1017990 | Others (2) | **0,5** | ►**M196** 1 ◄ |
| 1020000 | **Milk** | | |
| 1020010 | Cattle | **0,07** | ►**M196** 0,15 ◄ |
| 1020020 | Sheep | 0,03 | ►**M196** 0,15 ◄ |
| 1020030 | Goat | 0,03 | ►**M196** 0,15 ◄ |
| 1020040 | Horse | 0,03 | ►**M196** 0,01 (*) ◄ |
| 1020990 | Others (2) | 0,03 | ►**M196** 0,01 (*) ◄ |
| 1030000 | **Birds eggs** | **0,1** | ►**M196** 0,01 (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |

▼**M183**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) | ►**M196** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,02 (*) | ►**M196** 0,01 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼M174

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ▼ ▲M194 Ametoctradin (R) (F) | ▼ ▲M218 Bixafen (R) (F) | ▼ ▲M196 Fenazaquin (F) | ▼ ▲M218 Spinetoram (sum of spinetoram-J and spinetoram-L) (F) (A) | Tefluthrin (tefluthrin including other mixtures of constituent isomers (sum of isomers)) (F) | Thiencarbazone-methyl |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | ►M218 0,01 (*) ◄ | | | **0,01** (*) | **0,01** (*) |
| 0110000 | **Citrus fruits** | ►M194 0,01 (*) ◄ | | ►M196 0,3 ◄ | | | |
| 0110010 | Grapefruits | | | ►M196 (+) ◄ | ►M218 0,02 (*) ◄ | | |
| 0110020 | Oranges | | | ►M196 (+) ◄ | ►M218 0,07 ◄ | | |
| 0110030 | Lemons | | | ►M196 (+) ◄ | ►M218 0,02 (*) ◄ | | |
| 0110040 | Limes | | | ►M196 (+) ◄ | ►M218 0,02 (*) ◄ | | |
| 0110050 | Mandarins | | | ►M196 (+) ◄ | ►M218 0,15 ◄ | | |
| 0110990 | Others (2) | | | | ►M218 0,02 (*) ◄ | | |
| 0120000 | **Tree nuts** | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | | |
| 0120010 | Almonds | | | ►M196 0,02 ◄ | ►M218 (+) ◄ | | |
| 0120020 | Brazil nuts | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120030 | Cashew nuts | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120040 | Chestnuts | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120050 | Coconuts | | | ►M196 0,01 (*) ◄ | ►M218 (+) ◄ | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120060 | Hazelnuts/cobnuts | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120070 | Macadamias | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120080 | Pecans | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120090 | Pine nut kernels | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120100 | Pistachios | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120110 | Walnuts | | | ►M196 **0,02** ◄ | ►M218 (+) ◄ | | |
| 0120990 | Others (2) | | | ►M196 **0,02** ◄ | | | |
| 0130000 | **Pome fruits** | ►M194 0,01 (*) ◄ | | ►M196 0,15 ◄ | ►M218 0,15 ◄ | | |
| 0130010 | Apples | | | ►M196 (+) ◄ | ►M218 (+) ◄ | | |
| 0130020 | Pears | | | ►M196 (+) ◄ | ►M218 (+) ◄ | | |
| 0130030 | Quinces | | | ►M196 (+) ◄ | ►M218 (+) ◄ | | |
| 0130040 | Medlars | | | ►M196 (+) ◄ | ►M218 (+) ◄ | | |
| 0130050 | Loquats/Japanese medlars | | | ►M196 (+) ◄ | ►M218 (+) ◄ | | |
| 0130990 | Others (2) | | | | | | |
| 0140000 | **Stone fruits** | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | | | |
| 0140010 | Apricots | | | | ►M218 0,2 (+) ◄ | | |
| 0140020 | Cherries (sweet) | | | | ►M218 2 ◄ | | |
| 0140030 | Peaches | | | | ►M218 0,3 ◄ | | |
| 0140040 | Plums | | | | ►M218 0,02 (*) ◄ | | |
| 0140990 | Others (2) | | | | ►M218 0,02 (*) ◄ | | |
| 0150000 | **Berries and small fruits** | | | | | | |
| 0151000 | (a) *grapes* | ►M194 6 ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,4 ◄ | | |
| 0151010 | Table grapes | | | | ►M218 (+) ◄ | | |
| 0151020 | Wine grapes | | | | ►M218 (+) ◄ | | |
| 0152000 | (b) *strawberries* | ►M194 0,01 (*) ◄ | | ►M196 0,4 (+) ◄ | ►M218 0,2 ◄ | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0153000 | (c) *cane fruits* | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | ►M218 1 ◄ | | |
| 0153010 | Blackberries | | | | ►M218 (+) ◄ | | |
| 0153020 | Dewberries | | | | ►M218 (+) ◄ | | |
| 0153030 | Raspberries (red and yellow) | | | | | | |
| 0153990 | Others (2) | | | | | | |
| 0154000 | (d) *other small fruits and berries* | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | | | |
| 0154010 | Blueberries | | | | ►M218 0,4 ◄ | | |
| 0154020 | Cranberries | | | | ►M218 0,4 (+) ◄ | | |
| 0154030 | Currants (black, red and white) | | | | ►M218 0,5 ◄ | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | ►M218 0,4 (+) ◄ | | |
| 0154050 | Rose hips | | | | ►M218 0,4 (+) ◄ | | |
| 0154060 | Mulberries (black and white) | | | | ►M218 0,4 (+) ◄ | | |
| 0154070 | Azaroles/Mediterranean medlars | | | | ►M218 0,4 (+) ◄ | | |
| 0154080 | Elderberries | | | | ►M218 0,4 (+) ◄ | | |
| 0154990 | Others (2) | | | | ►M218 0,4 ◄ | | |
| 0160000 | **Miscellaneous fruitswith** | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | | | |
| 0161000 | (a) *edible peel* | | | | | | |
| 0161010 | Dates | | | | ►M218 0,02 (*) ◄ | | |
| 0161020 | Figs | | | | ►M218 0,02 (*) ◄ | | |
| 0161030 | Table olives | | | | ►M218 0,07 (+) ◄ | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0161040 | Kumquats | | | | ►M218 0,02 (*) ◄ | | |
| 0161050 | Carambolas | | | | ►M218 0,02 (*) ◄ | | |
| 0161060 | Kaki/Japanese persimmons | | | | ►M218 0,02 (*) ◄ | | |
| 0161070 | Jambuls/jambolans | | | | ►M218 0,02 (*) ◄ | | |
| 0161990 | Others (2) | | | | ►M218 0,02 (*) ◄ | | |
| 0162000 | (b) *inedible peel, small* | | | | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | ►M218 0,02 (*) ◄ | | |
| 0162020 | Litchis/lychees | | | | ►M218 0,015 ◄ | | |
| 0162030 | Passionfruits/maracujas | | | | ►M218 0,4 ◄ | | |
| 0162040 | Prickly pears/cactus fruits | | | | ►M218 **0,5** ◄ | | |
| 0162050 | Star apples/cainitos | | | | ►M218 0,02 (*) ◄ | | |
| 0162060 | American persimmons/Virginia kaki | | | | ►M218 0,02 (*) ◄ | | |
| 0162990 | Others (2) | | | | ►M218 0,02 (*) ◄ | | |
| 0163000 | (c) *inedible peel, large* | | | | ►M218 0,02 (*) ◄ | | |
| 0163010 | Avocados | | | | | | |
| 0163020 | Bananas | | | | | | |
| 0163030 | Mangoes | | | | | | |
| 0163040 | Papayas | | | | | | |
| 0163050 | Granate apples/pomegranates | | | | | | |
| 0163060 | Cherimoyas | | | | | | |
| 0163070 | Guavas | | | | | | |
| 0163080 | Pineapples | | | | | | |
| 0163090 | Breadfruits | | | | | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163100 | Durians | | | | | | |
| 0163110 | Soursops/guanabanas | | | | | | |
| 0163990 | Others (2) | | | | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | | | |
| 0210000 | **Root and tuber vegetables** | | | ►**M196** 0,01 (*) ◄ | ►**M218** 0,02 (*) ◄ | | **0,01** (*) |
| 0211000 | (a) *potatoes* | ►**M194** 0,05 ◄ | ►**M218** **0,06** ◄ | | | **0,01** (*) | |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M194** 0,05 ◄ | ►**M218** **0,06** ◄ | | | **0,01** (*) | |
| 0212010 | Cassava roots/manioc | | | | | | |
| 0212020 | Sweet potatoes | | | | | | |
| 0212030 | Yams | | | | | | |
| 0212040 | Arrowroots | | | | | | |
| 0212990 | Others (2) | | | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M194** 0,01 (*) ◄ | ►**M218** 0,09 ◄ | | | | |
| 0213010 | Beetroots | | ►**M218** (+) ◄ | | | **0,08** | |
| 0213020 | Carrots | | ►**M218** (+) ◄ | | | **0,08** | |
| 0213030 | Celeriacs/turnip rooted celeries | | ►**M218** (+) ◄ | | | **0,08 (+)** | |
| 0213040 | Horseradishes | | ►**M218** (+) ◄ | | | **0,01** (*) | |
| 0213050 | Jerusalem artichokes | | ►**M218** (+) ◄ | | | **0,01** (*) | |
| 0213060 | Parsnips | | ►**M218** (+) ◄ | | | **0,01** (*) | |

02005R0396 — EN — 21.10.2023 — 057.001 — 1609

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213070 | Parsley roots/Hamburg roots parsley | | ►M218 (+) ◄ | | | **0,01** (*) | |
| 0213080 | Radishes | | ►M218 (+) ◄ | | | **0,1 (+)** | |
| 0213090 | Salsifies | | ►M218 (+) ◄ | | | **0,01** (*) | |
| 0213100 | Swedes/rutabagas | | ►M218 (+) ◄ | | | **0,08 (+)** | |
| 0213110 | Turnips | | ►M218 (+) ◄ | | | **0,08 (+)** | |
| 0213990 | Others (2) | | | | | **0,01** (*) | |
| 0220000 | **Bulb vegetables** | | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | | | **0,01** (*) |
| 0220010 | Garlic | ►M194 1,5 ◄ | | | ►M218 0,02 (*) ◄ | **0,07** | |
| 0220020 | Onions | ►M194 1,5 ◄ | | | ►M218 0,02 (*) ◄ | **0,07** | |
| 0220030 | Shallots | ►M194 1,5 ◄ | | | ►M218 0,02 (*) ◄ | **0,5** | |
| 0220040 | Spring onions/green onions and Welsh onions | ►M194 20 (+) ◄ | | | ►M218 0,8 ◄ | **0,01** (*) | |
| 0220990 | Others (2) | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | **0,01** (*) | |
| 0230000 | **Fruiting vegetables** | | ►M218 0,01 (*) ◄ | | | **0,01** (*) | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | | | |
| 0231010 | Tomatoes | ►M194 2 ◄ | | ►M196 0,05 (+) ◄ | ►M218 0,06 ◄ | **(+)** | |
| 0231020 | Sweet peppers/bell peppers | ►M194 1,5 ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,4 ◄ | | |
| 0231030 | Aubergines/eggplants | ►M194 2 ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,05 ◄ | **(+)** | |
| 0231040 | Okra/lady's fingers | ►M194 1,5 ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | | |
| 0231990 | Others (2) | ►M194 1,5 ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0232000 | (b) *cucurbits with edible peel* | | | | ►M218 0,06 ◄ | | |
| 0232010 | Cucumbers | ►M194 2 ◄ | | ►M196 0,15 ◄ | | | |
| 0232020 | Gherkins | ►M194 3 ◄ | | ►M196 0,01 (*) ◄ | | | |
| 0232030 | Courgettes | ►M194 3 ◄ | | ►M196 0,01 (*) ◄ | | | |
| 0232990 | Others (2) | ►M194 3 ◄ | | ►M196 0,01 (*) ◄ | | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►M194 3 ◄ | | | ►M218 0,03 ◄ | | |
| 0233010 | Melons | | | ►M196 0,07 ◄ | | (+) | |
| 0233020 | Pumpkins | | | ►M196 0,01 (*) ◄ | | | |
| 0233030 | Watermelons | | | ►M196 0,07 ◄ | | (+) | |
| 0233990 | Others (2) | | | ►M196 0,01 (*) ◄ | | | |
| 0234000 | (d) *sweet corn* | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | (+) | |
| 0239000 | (e) *other fruiting vegetables* | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | ►M194 9 ◄ | | | | | |
| 0241010 | Broccoli | | | | | | |
| 0241020 | Cauliflowers | | | | | | |
| 0241990 | Others (2) | | | | | | |
| 0242000 | (b) *head brassica* | | | | | | |
| 0242010 | Brussels sprouts | ►M194 9 ◄ | | | | | |
| 0242020 | Head cabbages | ►M194 15 ◄ | | | | | |
| 0242990 | Others (2) | ►M194 0,01 (*) ◄ | | | | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0243000 | (c) *leafy brassica* | | | | | | |
| 0243010 | Chinese cabbages/pe-tsai | ►M194 60 ◄ | | | | | |
| 0243020 | Kales | ►M194 50 ◄ | | | | | |
| 0243990 | Others (2) | ►M194 0,01 (*) ◄ | | | | | |
| 0244000 | (d) *kohlrabies* | ►M194 9 ◄ | | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | | |
| 0251000 | (a) *lettuces and salad plants* | | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | | | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | ►M194 70 ◄ | | | ►M218 4 ◄ | **0,09** (+) | |
| 0251020 | Lettuces | ►M194 50 ◄ | | | ►M218 1,5 ◄ | **0,01** (*) | |
| 0251030 | Escaroles/broad-leaved endives | ►M194 50 ◄ | | | ►M218 0,02 (*) ◄ | **0,01** (*) | |
| 0251040 | Cresses and other sprouts and shoots | ►M194 50 ◄ | | | ►M218 4 ◄ | **0,09** (+) | |
| 0251050 | Land cresses | ►M194 50 ◄ | | | ►M218 4 ◄ | **0,09** (+) | |
| 0251060 | Roman rocket/rucola | ►M194 50 ◄ | | | ►M218 4 ◄ | **0,09** (+) | |
| 0251070 | Red mustards | ►M194 50 ◄ | | | ►M218 4 ◄ | **0,09** (+) | |
| 0251080 | Baby leaf crops (including brassica species) | ►M194 50 ◄ | | | ►M218 4 ◄ | **0,09** (+) | |
| 0251990 | Others (2) | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | **0,01** (*) | |
| 0252000 | (b) *spinaches and similar leaves* | ►M194 60 ◄ | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | | **0,01** (*) | **0,01** (*) |
| 0252010 | Spinaches | | | | ►M218 0,9 ◄ | | |
| 0252020 | Purslanes | | | | ►M218 4 ◄ | | |
| 0252030 | Chards/beet leaves | | | | ►M218 1,5 ◄ | | |
| 0252990 | Others (2) | | | | ►M218 0,02 (*) ◄ | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0253000 | (c) *grape leaves and similar species* | ►M194 50 ◄ | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 0254000 | (d) *watercresses* | ►M194 50 ◄ | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | ►M194 0,01 (*) ◄ | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | | ►M218 0,02 (*) ◄ | ►M196 0,02 (*) ◄ | ►M218 4 ◄ | **0,02** (*) | **0,02** (*) |
| 0256010 | Chervil | ►M194 50 ◄ | | | | | |
| 0256020 | Chives | ►M194 40 ◄ | | | | | |
| 0256030 | Celery leaves | ►M194 40 ◄ | | | | | |
| 0256040 | Parsley | ►M194 40 ◄ | | | | | |
| 0256050 | Sage | ►M194 40 ◄ | | | | | |
| 0256060 | Rosemary | ►M194 40 ◄ | | | | | |
| 0256070 | Thyme | ►M194 40 ◄ | | | | | |
| 0256080 | Basil and edible flowers | ►M194 40 ◄ | | | | | |
| 0256090 | Laurel/bay leaves | ►M194 40 ◄ | | | | | |
| 0256100 | Tarragon | ►M194 40 ◄ | | | | | |
| 0256990 | Others (2) | ►M194 40 ◄ | | | | | |
| 0260000 | **Legume vegetables** | ►M194 0,01 (*) ◄ | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | | **0,01** (*) | **0,01** (*) |
| 0260010 | Beans (with pods) | | | | ►M218 0,05 ◄ | | |
| 0260020 | Beans (without pods) | | | | ►M218 0,02 (*) ◄ | | |
| 0260030 | Peas (with pods) | | | | ►M218 0,02 (*) ◄ | | |
| 0260040 | Peas (without pods) | | | | ►M218 0,02 (*) ◄ | | |
| 0260050 | Lentils | | | | ►M218 0,02 (*) ◄ | | |
| 0260990 | Others (2) | | | | ►M218 0,02 (*) ◄ | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0270000 | **Stem vegetables** | | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | | **0,01** (*) | **0,01** (*) |
| 0270010 | Asparagus | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | | |
| 0270020 | Cardoons | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | | |
| 0270030 | Celeries | ►M194 20 ◄ | | | ►M218 0,02 (*) ◄ | **(+)** | |
| 0270040 | Florence fennels | ►M194 20 ◄ | | | ►M218 0,02 (*) ◄ | **(+)** | |
| 0270050 | Globe artichokes | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | | |
| 0270060 | Leeks | ►M194 5 ◄ | | | ►M218 0,05 ◄ | | |
| 0270070 | Rhubarbs | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | **(+)** | |
| 0270080 | Bamboo shoots | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | | |
| 0270090 | Palm hearts | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | | |
| 0270990 | Others (2) | ►M194 0,01 (*) ◄ | | | ►M218 0,02 (*) ◄ | | |
| 0280000 | **Fungi, mosses and lichens** | ►M194 0,01 (*) ◄ | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 0280010 | Cultivated fungi | | | | | | |
| 0280020 | Wild fungi | | | | | | |
| 0280990 | Mosses and lichens | | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►M194 0,01 (*) ◄ | ►M218 0,01 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 0300000 | **PULSES** | ►M194 0,01 (*) ◄ | ►M218 **0,04** ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** (*) | **0,01** (*) |
| 0300010 | Beans | | | | | | |
| 0300020 | Lentils | | | | | | |
| 0300030 | Peas | | | | | | |
| 0300040 | Lupins/lupini beans | | | | | | |
| 0300990 | Others (2) | | | | | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | | **0,01** (*) | **0,01** (*) |
| 0401000 | **Oilseeds** | | | | ►M218 0,02 (*) ◄ | | |
| 0401010 | Linseeds | | ►M218 0,05 ◄ | | | | |
| 0401020 | Peanuts/groundnuts | | ►M218 0,01 (*) ◄ | | | | |
| 0401030 | Poppy seeds | | ►M218 0,01 (*) ◄ | | | | |
| 0401040 | Sesame seeds | | ►M218 0,01 (*) ◄ | | | | |
| 0401050 | Sunflower seeds | | ►M218 **3** ◄ | | | **(+)** | |
| 0401060 | Rapeseeds/canola seeds | | ►M218 0,08 ◄ | | | **(+)** | |
| 0401070 | Soyabeans | | ►M218 **0,08** ◄ | | ►M218 (+) ◄ | **(+)** | |
| 0401080 | Mustard seeds | | ►M218 0,05 ◄ | | | | |
| 0401090 | Cotton seeds | | ►M218 **0,3** ◄ | | ►M218 (+) ◄ | **(+)** | |
| 0401100 | Pumpkin seeds | | ►M218 0,01 (*) ◄ | | | | |
| 0401110 | Safflower seeds | | ►M218 0,01 (*) ◄ | | | | |
| 0401120 | Borage seeds | | ►M218 0,01 (*) ◄ | | | | |
| 0401130 | Gold of pleasure seeds | | ►M218 0,01 (*) ◄ | | | | |
| 0401140 | Hemp seeds | | ►M218 0,01 (*) ◄ | | | | |
| 0401150 | Castor beans | | ►M218 0,01 (*) ◄ | | | | |
| 0401990 | Others (2) | | ►M218 0,01 (*) ◄ | | | | |
| 0402000 | **Oil fruits** | | ►M218 0,01 (*) ◄ | | | | |
| 0402010 | Olives for oil production | | | | ►M218 0,06 (+) ◄ | | |
| 0402020 | Oil palms kernels | | | | ►M218 0,02 (*) ◄ | | |
| 0402030 | Oil palms fruits | | | | ►M218 0,02 (*) ◄ | | |
| 0402040 | Kapok | | | | ►M218 0,02 (*) ◄ | | |
| 0402990 | Others (2) | | | | ►M218 0,02 (*) ◄ | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500000 | **CEREALS** | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | | **0,01** (*) |
| 0500010 | Barley | ►M194 (+) ◄ | ►M218 **1,5** ◄ | | | **0,02 (+)** | |
| 0500020 | Buckwheat and other pseudocereals | | ►M218 0,01 (*) ◄ | | | **0,01** (*) | |
| 0500030 | Maize/corn | | ►M218 0,01 (*) ◄ | | ►M218 (+) ◄ | **0,02 (+)** | |
| 0500040 | Common millet/proso millet | | ►M218 0,01 (*) ◄ | | | **0,02 (+)** | |
| 0500050 | Oat | ►M194 (+) ◄ | ►M218 0,4 ◄ | | | **0,02 (+)** | |
| 0500060 | Rice | | ►M218 0,01 (*) ◄ | | ►M218 (+) ◄ | **0,01** (*) | |
| 0500070 | Rye | ►M194 (+) ◄ | ►M218 0,05 ◄ | | | **0,02 (+)** | |
| 0500080 | Sorghum | | ►M218 **2** ◄ | | | **0,02 (+)** | |
| 0500090 | Wheat | ►M194 (+) ◄ | ►M218 **0,3** ◄ | | | **0,02 (+)** | |
| 0500990 | Others (2) | | ►M218 0,01 (*) ◄ | | | **0,01** (*) | |
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M194 0,05 (*) ◄ | | | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0610000 | **Teas** | | ►M218 0,05 (*) ◄ | ►M196 9 (+) ◄ | | | |
| 0620000 | **Coffee beans** | | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | | | |
| 0630000 | **Herbal infusions from** | | | ►M196 0,05 (*) ◄ | | | |
| 0631000 | (a) *flowers* | | ►M218 0,05 (*) ◄ | | | | |
| 0631010 | Chamomile | | | | | | |
| 0631020 | Hibiscus/roselle | | | | | | |
| 0631030 | Rose | | | | | | |
| 0631040 | Jasmine | | | | | | |
| 0631050 | Lime/linden | | | | | | |
| 0631990 | Others (2) | | | | | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632000 | (b) *leaves and herbs* | | ►M218 0,05 (*) ◄ | | | | |
| 0632010 | Strawberry | | | | | | |
| 0632020 | Rooibos | | | | | | |
| 0632030 | Mate/maté | | | | | | |
| 0632990 | Others (2) | | | | | | |
| 0633000 | (c) *roots* | | ►M218 0,9 ◄ | | | | |
| 0633010 | Valerian | | ►M218 (+) ◄ | | | | |
| 0633020 | Ginseng | | ►M218 (+) ◄ | | | | |
| 0633990 | Others (2) | | | | | | |
| 0639000 | (d) *any other parts of the plant* | | ►M218 0,05 (*) ◄ | | | | |
| 0640000 | **Cocoa beans** | | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | | | |
| 0650000 | **Carobs/Saint John's breads** | | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | | | |
| 0700000 | **HOPS** | ►M194 90 (+) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0800000 | **SPICES** | | | | | | |
| 0810000 | **Seed spices** | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0810010 | Anise/aniseed | | | | | | |
| 0810020 | Black caraway/black cumin | | | | | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810030 | Celery | | | | | | |
| 0810040 | Coriander | | | | | | |
| 0810050 | Cumin | | | | | | |
| 0810060 | Dill | | | | | | |
| 0810070 | Fennel | | | | | | |
| 0810080 | Fenugreek | | | | | | |
| 0810090 | Nutmeg | | | | | | |
| 0810990 | Others (2) | | | | | | |
| 0820000 | **Fruit spices** | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0820010 | Allspice/pimento | | | | | | |
| 0820020 | Sichuan pepper | | | | | | |
| 0820030 | Caraway | | | | | | |
| 0820040 | Cardamom | | | | | | |
| 0820050 | Juniper berry | | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | | |
| 0820070 | Vanilla | | | | | | |
| 0820080 | Tamarind | | | | | | |
| 0820990 | Others (2) | | | | | | |
| 0830000 | **Bark spices** | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0830010 | Cinnamon | | | | | | |
| 0830990 | Others (2) | | | | | | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840000 | **Root and rhizome spices** | | | | | | |
| 0840010 | Liquorice | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0840020 | Ginger (10) | | | | | | |
| 0840030 | Turmeric/curcuma | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0840040 | Horseradish (11) | | | | | | |
| 0840990 | Others (2) | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0850000 | **Bud spices** | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0850010 | Cloves | | | | | | |
| 0850020 | Capers | | | | | | |
| 0850990 | Others (2) | | | | | | |
| 0860000 | **Flower pistil spices** | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0860010 | Saffron | | | | | | |
| 0860990 | Others (2) | | | | | | |
| 0870000 | **Aril spices** | ►M194 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,1 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 0870010 | Mace | | | | | | |
| 0870990 | Others (2) | | | | | | |
| 0900000 | **SUGAR PLANTS** | ►M194 0,01 (*) ◄ | | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | | **0,01** (*) |
| 0900010 | Sugar beet roots | | ►M218 0,09 (+) ◄ | | | **0,08** | |
| 0900020 | Sugar canes | | ►M218 0,01 (*) ◄ | | | **0,01** (*) | |
| 0900030 | Chicory roots | | ►M218 0,09 (+) ◄ | | | **0,02** | |
| 0900990 | Others (2) | | ►M218 0,01 (*) ◄ | | | **0,01** (*) | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | | | |
| 1010000 | **Commodities from** | | | ►**M196** — ◄ | ►**M218** 0,02 (*) ◄ | | **0,01** (*) |
| 1011000 | (a) *swine* | ►**M194** 0,03 (*) ◄ | | ►**M196** **0,02** (*) ◄ | | | |
| 1011010 | Muscle | ►**M194** (+) ◄ | ►**M218** 0,8 ◄ | | | **0,01** | |
| 1011020 | Fat | ►**M194** (+) ◄ | ►**M218** 2 ◄ | | | **0,01** | |
| 1011030 | Liver | ►**M194** (+) ◄ | ►**M218** 4 ◄ | | | **0,01** | |
| 1011040 | Kidney | ►**M194** (+) ◄ | ►**M218** 4 ◄ | | | **0,01** | |
| 1011050 | Edible offals (other than liver and kidney) | | ►**M218** 4 ◄ | | | **0,01** | |
| 1011990 | Others (2) | | ►**M218** 0,02 (*) ◄ | | | **0,01** | |
| 1012000 | (b) *bovine* | | | ►**M196** **0,02** (*) ◄ | | | |
| 1012010 | Muscle | ►**M194** 0,03 (*) (+) ◄ | ►**M218** 0,8 ◄ | | | **0,01** | |
| 1012020 | Fat | ►**M194** 0,03 (*) (+) ◄ | ►**M218** 2 ◄ | | ►**M218** (+) ◄ | **0,01** | |
| 1012030 | Liver | ►**M194** 0,04 (+) ◄ | ►**M218** 4 ◄ | | ►**M218** (+) ◄ | **0,01** | |
| 1012040 | Kidney | ►**M194** 0,03 (*) (+) ◄ | ►**M218** 4 ◄ | | ►**M218** (+) ◄ | **0,01** | |
| 1012050 | Edible offals (other than liver and kidney) | ►**M194** 0,03 (*) ◄ | ►**M218** 4 ◄ | | | **0,01** | |
| 1012990 | Others (2) | ►**M194** 0,03 (*) ◄ | ►**M218** 0,02 (*) ◄ | | | **0,01** | |
| 1013000 | (c) *sheep* | ►**M194** 0,03 (*) ◄ | | ►**M196** **0,02** (*) ◄ | | | |
| 1013010 | Muscle | ►**M194** (+) ◄ | ►**M218** 0,8 ◄ | | | **0,015** | |
| 1013020 | Fat | ►**M194** (+) ◄ | ►**M218** 2 ◄ | | | **0,02** | |

▼**M174**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1013030 | Liver | ►**M194** (+) ◄ | ►**M218** 4 ◄ | | | **0,02** | |
| 1013040 | Kidney | ►**M194** (+) ◄ | ►**M218** 4 ◄ | | | **0,01** | |
| 1013050 | Edible offals (other than liver and kidney) | | ►**M218** 4 ◄ | | | **0,01** | |
| 1013990 | Others (2) | | ►**M218** 0,02 (*) ◄ | | | **0,01** | |
| 1014000 | d) *goat* | ►**M194** 0,03 (*) ◄ | | ►**M196** **0,02** (*) ◄ | | | |
| 1014010 | Muscle | ►**M194** (+) ◄ | ►**M218** 0,8 ◄ | | | **0,015** | |
| 1014020 | Fat | ►**M194** (+) ◄ | ►**M218** 2 ◄ | | | **0,02** | |
| 1014030 | Liver | ►**M194** (+) ◄ | ►**M218** 4 ◄ | | | **0,02** | |
| 1014040 | Kidney | ►**M194** (+) ◄ | ►**M218** 4 ◄ | | | **0,01** | |
| 1014050 | Edible offals (other than liver and kidney) | | ►**M218** 4 ◄ | | | **0,01** | |
| 1014990 | Others (2) | | ►**M218** 0,02 (*) ◄ | | | **0,01** | |
| 1015000 | (e) *equine* | | | ►**M196** **0,02** (*) ◄ | | | |
| 1015010 | Muscle | ►**M194** 0,03 (*) (+) ◄ | ►**M218** 0,8 ◄ | | | **0,01** | |
| 1015020 | Fat | ►**M194** 0,03 (*) (+) ◄ | ►**M218** 2 ◄ | | ►**M218** (+) ◄ | **0,01** | |
| 1015030 | Liver | ►**M194** 0,04 (+) ◄ | ►**M218** 4 ◄ | | ►**M218** (+) ◄ | **0,01** | |
| 1015040 | Kidney | ►**M194** 0,03 (*) (+) ◄ | ►**M218** 4 ◄ | | ►**M218** (+) ◄ | **0,01** | |
| 1015050 | Edible offals (other than liver and kidney) | ►**M194** 0,03 (*) ◄ | ►**M218** 4 ◄ | | | **0,01** | |
| 1015990 | Others (2) | ►**M194** 0,03 (*) ◄ | ►**M218** 0,02 (*) ◄ | | | **0,01** | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1016000 | (f) *poultry* | ►M194 0,03 (*) ◄ | | ►M196 0,01 (*) ◄ | | | |
| 1016010 | Muscle | ►M194 (+) ◄ | ►M218 0,02 (*) ◄ | | | **0,05 (+)** | |
| 1016020 | Fat | ►M194 (+) ◄ | ►M218 0,05 ◄ | | ►M218 (+) ◄ | **0,05 (+)** | |
| 1016030 | Liver | ►M194 (+) ◄ | ►M218 0,05 ◄ | | ►M218 (+) ◄ | **0,05 (+)** | |
| 1016040 | Kidney | ►M194 (+) ◄ | ►M218 0,02 (*) ◄ | | | **0,05 (+)** | |
| 1016050 | Edible offals (other than liver and kidney) | | ►M218 0,05 ◄ | | | **0,05 (+)** | |
| 1016990 | Others (2) | | ►M218 0,02 (*) ◄ | | | **0,01** | |
| 1017000 | (g) *other farmed terrestrial animals* | ►M194 0,03 (*) ◄ | | ►M196 **0,02** (*) ◄ | | | |
| 1017010 | Muscle | | ►M218 0,8 ◄ | | | **0,01** | |
| 1017020 | Fat | | ►M218 2 ◄ | | | **0,01** | |
| 1017030 | Liver | | ►M218 4 ◄ | | | **0,01** | |
| 1017040 | Kidney | | ►M218 4 ◄ | | | **0,01** | |
| 1017050 | Edible offals (other than liver and kidney) | | ►M218 4 ◄ | | | **0,01** | |
| 1017990 | Others (2) | | ►M218 0,02 (*) ◄ | | | **0,01** | |
| 1020000 | **Milk** | ►M194 0,03 (*) ◄ | ►M218 0,2 ◄ | ►M196 **0,02** (*) ◄ | ►M218 0,02 (*) ◄ | | **0,01** (*) |
| 1020010 | Cattle | ►M194 (+) ◄ | | | | **0,01** | |
| 1020020 | Sheep | ►M194 (+) ◄ | | | | **0,01** | |
| 1020030 | Goat | ►M194 (+) ◄ | | | | **0,01** | |
| 1020040 | Horse | ►M194 (+) ◄ | | | | **0,01** | |
| 1020990 | Others (2) | | | | | **0,01** | |

▼M174

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030000 | **Birds eggs** | ►M194 0,03 (*) ◄ | ►M218 0,05 ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,05** | **0,01** (*) |
| 1030010 | Chicken | ►M194 (+) ◄ | | | ►M218 (+) ◄ | **(+)** | |
| 1030020 | Duck | ►M194 (+) ◄ | | | ►M218 (+) ◄ | **(+)** | |
| 1030030 | Geese | ►M194 (+) ◄ | | | ►M218 (+) ◄ | **(+)** | |
| 1030040 | Quail | ►M194 (+) ◄ | | | ►M218 (+) ◄ | **(+)** | |
| 1030990 | Others (2) | | | | | | |
| 1040000 | **Honey and other apiculture products (7)** | ►M194 **5** ◄ | ►M218 0,05 (*) ◄ | ►M196 0,05 (*) ◄ | ►M218 0,05 (*) ◄ | **0,05** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | ►M194 0,03 (*) ◄ | ►M218 0,02 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | ►M194 0,03 (*) ◄ | ►M218 0,02 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | ►M194 0,03 (*) ◄ | ►M218 0,02 (*) ◄ | ►M196 0,01 (*) ◄ | ►M218 0,02 (*) ◄ | **0,01** | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | | |

▼**M182**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 6-Benzyladenine | Aminopyralid (sum of aminopyralid, its salts and its conjugates, expressed as aminopyralid) (R) |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | |
| 0110000 | **Citrus fruits** | | **0,01** (*) |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | | **0,05** (*) |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | | **0,01** (*) |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | | **0,01** (*) |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | **0,01** (*) |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruitswith** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | **0,01** (*) |
| 0161020 | Figs | | **0,01** (*) |
| 0161030 | Table olives | | **0,05** (*) |
| 0161040 | Kumquats | | **0,01** (*) |
| 0161050 | Carambolas | | **0,01** (*) |
| 0161060 | Kaki/Japanese persimmons | | **0,01** (*) |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | **0,01** (*) |
| 0161990 | Others (2) | | **0,01** (*) |
| 0162000 | (b) *inedible peel, small* | | **0,01** (*) |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | **0,05** (*) |
| 0163020 | Bananas | | **0,01** (*) |
| 0163030 | Mangoes | | **0,01** (*) |
| 0163040 | Papayas | | **0,01** (*) |
| 0163050 | Granate apples/pomegranates | | **0,01** (*) |
| 0163060 | Cherimoyas | | **0,01** (*) |
| 0163070 | Guavas | | **0,01** (*) |
| 0163080 | Pineapples | | **0,01** (*) |
| 0163090 | Breadfruits | | **0,01** (*) |
| 0163100 | Durians | | **0,01** (*) |
| 0163110 | Soursops/guanabanas | | **0,01** (*) |
| 0163990 | Others (2) | | **0,01** (*) |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | **0,01** (*) |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,01** (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) | **0,01** (*) |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | **0,02** (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) | **0,01** (*) |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | **0,01** (*) | **0,01** (*) |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | **0,01** (*) |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) | **0,05** (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | **0,05** (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | **0,01** (*) | |
| 0500010 | Barley | | **0,15** |
| 0500020 | Buckwheat and other pseudocereals | | **0,05** (*) |
| 0500030 | Maize/corn | | **0,05** |
| 0500040 | Common millet/proso millet | | **0,05** |
| 0500050 | Oat | | **0,15** |
| 0500060 | Rice | | **0,05** (*) |
| 0500070 | Rye | | **0,15** |
| 0500080 | Sorghum | | **0,05** |
| 0500090 | Wheat | | **0,1** |
| 0500990 | Others (2) | | **0,05** (*) |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) | **0,05** (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | **0,05** (*) | **0,05** (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | **0,05** (*) | **0,05** (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | **0,05** (*) | **0,05** (*) |
| 0820010 | Allspice/pimento | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | **0,05** (*) | **0,05** (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | **0,05** (*) | **0,05** (*) |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | **0,05** (*) | **0,05** (*) |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | **0,05** (*) | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) | **0,05** (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | **0,05** (*) | **0,05** (*) |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | **0,05** (*) | **0,05** (*) |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | **0,01** (*) | |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | **0,1** |
| 1011020 | Fat | | **0,1** |
| 1011030 | Liver | | **0,05** |
| 1011040 | Kidney | | **1** |
| 1011050 | Edible offals (other than liver and kidney) | | **1** |
| 1011990 | Others (2) | | **0,05** (*) |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | **0,1** |
| 1012020 | Fat | | **0,1** |
| 1012030 | Liver | | **0,05** |
| 1012040 | Kidney | | **1** |
| 1012050 | Edible offals (other than liver and kidney) | | **1** |
| 1012990 | Others (2) | | **0,05** (*) |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | **0,1** |
| 1013020 | Fat | | **0,1** |
| 1013030 | Liver | | **0,05** |
| 1013040 | Kidney | | **1** |
| 1013050 | Edible offals (other than liver and kidney) | | **1** |
| 1013990 | Others (2) | | **0,05** (*) |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | | **0,1** |
| 1014020 | Fat | | **0,1** |
| 1014030 | Liver | | **0,05** |
| 1014040 | Kidney | | **1** |
| 1014050 | Edible offals (other than liver and kidney) | | **1** |
| 1014990 | Others (2) | | **0,05** (*) |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | **0,1** |
| 1015020 | Fat | | **0,1** |
| 1015030 | Liver | | **0,05** |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | **1** |
| 1015050 | Edible offals (other than liver and kidney) | | **1** |
| 1015990 | Others (2) | | **0,05** (*) |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | **0,01** (*) |
| 1016020 | Fat | | **0,01** (*) |
| 1016030 | Liver | | **0,05** (*) |
| 1016040 | Kidney | | **0,01** (*) |
| 1016050 | Edible offals (other than liver and kidney) | | **0,05** (*) |
| 1016990 | Others (2) | | **0,05** (*) |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | **0,1** |
| 1017020 | Fat | | **0,1** |
| 1017030 | Liver | | **0,05** |
| 1017040 | Kidney | | **1** |
| 1017050 | Edible offals (other than liver and kidney) | | **1** |
| 1017990 | Others (2) | | **0,05** (*) |
| 1020000 | **Milk** | **0,01** (*) | **0,02** |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | **0,01** (*) | **0,01** (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |

▼**M182**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼**M184**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Amisulbrom | Flubendiamide (F) | Meptyldinocap (sum of meptyldinocap and meptyldinocap phenol (2,4-DNMHP), expressed as meptyldinocap) (F) | ►**M196** Meta-flumizone (sum of E- and Z- isomers) ◄ |
|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | | ►**M196** — ◄ |
| 0110000 | **Citrus fruits** | 0,01 (*) | 0,01 (*) | **0,01** (*) | |
| 0110010 | Grapefruits | | | | ►**M196** 0,02 (*) ◄ |
| 0110020 | Oranges | | | | ►**M196** **3** ◄ |
| 0110030 | Lemons | | | | ►**M196** **2** ◄ |
| 0110040 | Limes | | | | ►**M196** **2** ◄ |
| 0110050 | Mandarins | | | | ►**M196** 0,02 (*) ◄ |
| 0110990 | Others (2) | | | | ►**M196** 0,02 (*) ◄ |
| 0120000 | **Tree nuts** | 0,01 (*) | 0,1 | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0120010 | Almonds | | | | |
| 0120020 | Brazil nuts | | | | |
| 0120030 | Cashew nuts | | | | |
| 0120040 | Chestnuts | | | | |
| 0120050 | Coconuts | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | |
| 0120070 | Macadamias | | | | |
| 0120080 | Pecans | | | | |
| 0120090 | Pine nut kernels | | | | |
| 0120100 | Pistachios | | | | |
| 0120110 | Walnuts | | | | |
| 0120990 | Others (2) | | | | |
| 0130000 | **Pome fruits** | 0,01 (*) | **0,9** | **0,01** (*) | |
| 0130010 | Apples | | | | ►**M196** **0,9** ◄ |
| 0130020 | Pears | | | | ►**M196** 0,02 (*) ◄ |
| 0130030 | Quinces | | | | ►**M196** 0,02 (*) ◄ |
| 0130040 | Medlars | | | | ►**M196** 0,02 (*) ◄ |
| 0130050 | Loquats/Japanese medlars | | | | ►**M196** 0,02 (*) ◄ |
| 0130990 | Others (2) | | | | ►**M196** 0,02 (*) ◄ |
| 0140000 | **Stone fruits** | 0,01 (*) | **2** | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0140010 | Apricots | | | | |
| 0140020 | Cherries (sweet) | | | | |
| 0140030 | Peaches | | | | |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0140040 | Plums | | | | |
| 0140990 | Others (2) | | | | |
| 0150000 | **Berries and small fruits** | | | | ►**M196** 0,02 (*) ◄ |
| 0151000 | (a) *grapes* | **0,5** | 2 | **0,2** | |
| 0151010 | Table grapes | | | **(+)** | |
| 0151020 | Wine grapes | | | **(+)** | |
| 0152000 | (b) *strawberries* | 0,01 (*) | **0,01** (*) | **0,3 (+)** | |
| 0153000 | (c) *cane fruits* | 0,01 (*) | 0,01 (*) | **0,01** (*) | |
| 0153010 | Blackberries | | | | |
| 0153020 | Dewberries | | | | |
| 0153030 | Raspberries (red and yellow) | | | | |
| 0153990 | Others (2) | | | | |
| 0154000 | (d) *other small fruits and berries* | 0,01 (*) | 0,01 (*) | **0,01** (*) | |
| 0154010 | Blueberries | | | | |
| 0154020 | Cranberries | | | | |
| 0154030 | Currants (black, red and white) | | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | |
| 0154050 | Rose hips | | | | |
| 0154060 | Mulberries (black and white) | | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | | |
| 0154080 | Elderberries | | | | |
| 0154990 | Others (2) | | | | |
| 0160000 | **Miscellaneous fruitswith** | 0,01 (*) | 0,01 (*) | **0,01** (*) | |
| 0161000 | (a) *edible peel* | | | | |
| 0161010 | Dates | | | | ►**M196** 0,02 (*) ◄ |
| 0161020 | Figs | | | | ►**M196** 0,02 (*) ◄ |
| 0161030 | Table olives | | | | ►**M196** 0,02 (*) ◄ |
| 0161040 | Kumquats | | | | ►**M196** **2** ◄ |
| 0161050 | Carambolas | | | | ►**M196** 0,02 (*) ◄ |
| 0161060 | Kaki/Japanese persimmons | | | | ►**M196** 0,02 (*) ◄ |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | | ►**M196** 0,02 (*) ◄ |
| 0161990 | Others (2) | | | | ►**M196** 0,02 (*) ◄ |
| 0162000 | (b) *inedible peel, small* | | | | ►**M196** 0,02 (*) ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | |
| 0162020 | Litchis/lychees | | | | |
| 0162030 | Passionfruits/ maracujas | | | | |
| 0162040 | Prickly pears/cactus fruits | | | | |
| 0162050 | Star apples/cainitos | | | | |
| 0162060 | American persimmons/Virginia kaki | | | | |
| 0162990 | Others (2) | | | | |
| 0163000 | (c) *inedible peel, large* | | | | ►**M196** 0,02 (*) ◄ |
| 0163010 | Avocados | | | | |
| 0163020 | Bananas | | | | |
| 0163030 | Mangoes | | | | |
| 0163040 | Papayas | | | | |
| 0163050 | Granate apples/ pomegranates | | | | |
| 0163060 | Cherimoyas | | | | |
| 0163070 | Guavas | | | | |
| 0163080 | Pineapples | | | | |
| 0163090 | Breadfruits | | | | |
| 0163100 | Durians | | | | |
| 0163110 | Soursops/guanabanas | | | | |
| 0163990 | Others (2) | | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0211000 | (a) *potatoes* | | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | |
| 0212010 | Cassava roots/manioc | | | | |
| 0212020 | Sweet potatoes | | | | |
| 0212030 | Yams | | | | |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | |
| 0212990 | Others (2) | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | |
| 0213010 | Beetroots | | | | |
| 0213020 | Carrots | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | |
| 0213040 | Horseradishes | | | | |
| 0213050 | Jerusalem artichokes | | | | |
| 0213060 | Parsnips | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | | | |
| 0213080 | Radishes | | | | |
| 0213090 | Salsifies | | | | |
| 0213100 | Swedes/rutabagas | | | | |
| 0213110 | Turnips | | | | |
| 0213990 | Others (2) | | | | |
| 0220000 | **Bulb vegetables** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0220010 | Garlic | | | | |
| 0220020 | Onions | | | | |
| 0220030 | Shallots | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | |
| 0220990 | Others (2) | | | | |
| 0230000 | **Fruiting vegetables** | | | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | **0,01** (*) | |
| 0231010 | Tomatoes | 0,4 | **2** | | ►**M196** 0,7 (+) ◄ |
| 0231020 | Sweet peppers/bell peppers | 0,01 (*) | **0,7** | | ►**M196** 1,5 (+) ◄ |
| 0231030 | Aubergines/eggplants | 0,4 | **0,01** (*) | | ►**M196** 0,7 ◄ |
| 0231040 | Okra/lady's fingers | 0,01 (*) | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0231990 | Others (2) | 0,01 (*) | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0232000 | (b) *cucurbits with edible peel* | 0,01 (*) | **0,2** | | ►**M196** 0,4 ◄ |
| 0232010 | Cucumbers | | | **0,07** | |
| 0232020 | Gherkins | | | **0,01** (*) | ►**M196** (+) ◄ |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0232030 | Courgettes | | | **0,07** | |
| 0232990 | Others (2) | | | **0,01** (*) | |
| 0233000 | (c) *cucurbits with inedible peel* | 0,01 (*) | **0,2** | | ►**M196** — ◄ |
| 0233010 | Melons | | | **0,5 (+)** | ►**M196** **1** ◄ |
| 0233020 | Pumpkins | | | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0233030 | Watermelons | | | **0,5 (+)** | ►**M196** 0,02 (*) ◄ |
| 0233990 | Others (2) | | | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0234000 | (d) *sweet corn* | 0,01 (*) | 0,02 | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) | | **0,01** (*) | |
| 0241000 | (a) *flowering brassica* | | 0,01 (*) | | |
| 0241010 | Broccoli | | | | ►**M196** 0,02 (*) (+) ◄ |
| 0241020 | Cauliflowers | | | | ►**M196** 0,5 (+) ◄ |
| 0241990 | Others (2) | | | | ►**M196** 0,02 (*) ◄ |
| 0242000 | (b) *head brassica* | | | | |
| 0242010 | Brussels sprouts | | **4** | | ►**M196** 1 ◄ |
| 0242020 | Head cabbages | | **0,01** (*) | | ►**M196** 0,15 ◄ |
| 0242990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0243000 | (c) *leafy brassica* | | 0,01 (*) | | |
| 0243010 | Chinese cabbages/pe-tsai | | | | ►**M196** 8 (+) ◄ |
| 0243020 | Kales | | | | ►**M196** 0,02 (*) ◄ |
| 0243990 | Others (2) | | | | ►**M196** 0,02 (*) ◄ |
| 0244000 | (d) *kohlrabies* | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | |
| 0251000 | (a) *lettuces and salad plants* | | **0,01** (*) | **0,01** (*) | |
| 0251010 | Lamb's lettuces/corn salads | 0,01 (*) | | | ►**M196** 20 (+) ◄ |
| 0251020 | Lettuces | 4 | | | ►**M196** 6 (+) ◄ |
| 0251030 | Escaroles/broad-leaved endives | 0,01 (*) | | | ►**M196** 0,02 (*) (+) ◄ |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | 0,01 (*) | | | ►**M196** 20 (+) ◄ |
| 0251050 | Land cresses | 0,01 (*) | | | ►**M196** 20 (+) ◄ |
| 0251060 | Roman rocket/rucola | 0,01 (*) | | | ►**M196** 20 (+) ◄ |
| 0251070 | Red mustards | 0,01 (*) | | | ►**M196** 20 (+) ◄ |
| 0251080 | Baby leaf crops (including brassica species) | 0,01 (*) | | | ►**M196** 20 (+) ◄ |
| 0251990 | Others (2) | 0,01 (*) | | | ►**M196** 0,02 (*) ◄ |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) | **0,01** (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0252010 | Spinaches | | | | |
| 0252020 | Purslanes | | | | |
| 0252030 | Chards/beet leaves | | | | |
| 0252990 | Others (2) | | | | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0254000 | (d) *watercresses* | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | **0,02** (*) | **0,02** (*) | ►**M196** 0,04 (*) ◄ |
| 0256010 | Chervil | | | | |
| 0256020 | Chives | | | | |
| 0256030 | Celery leaves | | | | |
| 0256040 | Parsley | | | | |
| 0256050 | Sage | | | | |
| 0256060 | Rosemary | | | | |
| 0256070 | Thyme | | | | |
| 0256080 | Basil and edible flowers | | | | |
| 0256090 | Laurel/bay leaves | | | | |
| 0256100 | Tarragon | | | | |
| 0256990 | Others (2) | | | | |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | **2** | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0260010 | Beans (with pods) | | | | |
| 0260020 | Beans (without pods) | | | | |
| 0260030 | Peas (with pods) | | | | |
| 0260040 | Peas (without pods) | | | | |
| 0260050 | Lentils | | | | |
| 0260990 | Others (2) | | | | |
| 0270000 | **Stem vegetables** | 0,01 (*) | | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0270010 | Asparagus | | 0,01 (*) | | |
| 0270020 | Cardoons | | 0,01 (*) | | |
| 0270030 | Celeries | | **6** | | |
| 0270040 | Florence fennels | | 0,01 (*) | | |
| 0270050 | Globe artichokes | | 0,01 (*) | | |
| 0270060 | Leeks | | 0,01 (*) | | |
| 0270070 | Rhubarbs | | 0,01 (*) | | |
| 0270080 | Bamboo shoots | | 0,01 (*) | | |
| 0270090 | Palm hearts | | 0,01 (*) | | |
| 0270990 | Others (2) | | 0,01 (*) | | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0280010 | Cultivated fungi | | | | |
| 0280020 | Wild fungi | | | | |
| 0280990 | Mosses and lichens | | | | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0300000 | **PULSES** | 0,01 (*) | 1 | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0300010 | Beans | | | | |
| 0300020 | Lentils | | | | |
| 0300030 | Peas | | | | |
| 0300040 | Lupins/lupini beans | | | | |
| 0300990 | Others (2) | | | | |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,01 (*) | | **0,01** (*) | |
| 0401000 | **Oilseeds** | | | | |
| 0401010 | Linseeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401020 | Peanuts/groundnuts | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401030 | Poppy seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401040 | Sesame seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401050 | Sunflower seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401070 | Soyabeans | | 0,3 | | ►**M196** **0,2** ◄ |
| 0401080 | Mustard seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401090 | Cotton seeds | | 1,5 | | ►**M196** 0,05 ◄ |
| 0401100 | Pumpkin seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401110 | Safflower seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401120 | Borage seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401130 | Gold of pleasure seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401140 | Hemp seeds | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401150 | Castor beans | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0401990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0402000 | **Oil fruits** | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0402010 | Olives for oil production | | | | |
| 0402020 | Oil palms kernels | | | | |
| 0402030 | Oil palms fruits | | | | |
| 0402040 | Kapok | | | | |
| 0402990 | Others (2) | | | | |
| 0500000 | **CEREALS** | 0,01 (*) | | **0,01** (*) | ►**M196** — ◄ |
| 0500010 | Barley | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0500030 | Maize/corn | | 0,02 | | ►**M196** **0,04** ◄ |
| 0500040 | Common millet/proso millet | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0500050 | Oat | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0500060 | Rice | | **0,3** | | ►**M196** 0,02 (*) ◄ |
| 0500070 | Rye | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0500080 | Sorghum | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0500090 | Wheat | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 0500990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) | | **0,05** (*) | ►**M196** — ◄ |
| 0610000 | **Teas** | | **50** | | ►**M196** 0,1 (*) ◄ |
| 0620000 | **Coffee beans** | | **0,05** (*) | | ►**M196** **0,15** ◄ |
| 0630000 | **Herbal infusions from** | | **0,05** (*) | | ►**M196** 0,1 (*) ◄ |
| 0631000 | (a) *flowers* | | | | |
| 0631010 | Chamomile | | | | |
| 0631020 | Hibiscus/roselle | | | | |
| 0631030 | Rose | | | | |
| 0631040 | Jasmine | | | | |
| 0631050 | Lime/linden | | | | |
| 0631990 | Others (2) | | | | |
| 0632000 | (b) *leaves and herbs* | | | | |
| 0632010 | Strawberry | | | | |
| 0632020 | Rooibos | | | | |
| 0632030 | Mate/maté | | | | |
| 0632990 | Others (2) | | | | |
| 0633000 | (c) *roots* | | | | |
| 0633010 | Valerian | | | | |
| 0633020 | Ginseng | | | | |
| 0633990 | Others (2) | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | |
| 0640000 | **Cocoa beans** | | **0,05** (*) | | ►**M196** 0,1 (*) ◄ |
| 0650000 | **Carobs/Saint John's breads** | | **0,05** (*) | | ►**M196** 0,1 (*) ◄ |
| 0700000 | **HOPS** | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0800000 | **SPICES** | | | | |
| 0810000 | **Seed spices** | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0810010 | Anise/aniseed | | | | |
| 0810020 | Black caraway/black cumin | | | | |
| 0810030 | Celery | | | | |
| 0810040 | Coriander | | | | |
| 0810050 | Cumin | | | | |
| 0810060 | Dill | | | | |
| 0810070 | Fennel | | | | |
| 0810080 | Fenugreek | | | | |
| 0810090 | Nutmeg | | | | |
| 0810990 | Others (2) | | | | |
| 0820000 | **Fruit spices** | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0820010 | Allspice/pimento | | | | |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | |
| 0820030 | Caraway | | | | |
| 0820040 | Cardamom | | | | |
| 0820050 | Juniper berry | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | |
| 0820070 | Vanilla | | | | |
| 0820080 | Tamarind | | | | |
| 0820990 | Others (2) | | | | |
| 0830000 | **Bark spices** | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0830010 | Cinnamon | | | | |
| 0830990 | Others (2) | | | | |
| 0840000 | **Root and rhizome spices** | | | | |
| 0840010 | Liquorice | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0840020 | Ginger (10) | | | | |
| 0840030 | Turmeric/curcuma | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0840040 | Horseradish (11) | | | | |
| 0840990 | Others (2) | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0850000 | **Bud spices** | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0850010 | Cloves | | | | |
| 0850020 | Capers | | | | |
| 0850990 | Others (2) | | | | |
| 0860000 | **Flower pistil spices** | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0860010 | Saffron | | | | |
| 0860990 | Others (2) | | | | |
| 0870000 | **Aril spices** | **0,05** (*) | **0,05** (*) | **0,05** (*) | ►**M196** 0,1 (*) ◄ |
| 0870010 | Mace | | | | |
| 0870990 | Others (2) | | | | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 0900010 | Sugar beet roots | | | | |
| 0900020 | Sugar canes | | | | |
| 0900030 | Chicory roots | | | | |
| 0900990 | Others (2) | | | | |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | | | | |
| 1010000 | **Commodities from** | 0,01 (*) | | **0,01** (*) | ►**M196** — ◄ |
| 1011000 | (a) *swine* | | | | |
| 1011010 | Muscle | | 2 | | ►**M196** 0,02 (*) ◄ |
| 1011020 | Fat | | 2 | | ►**M196** **0,15** ◄ |
| 1011030 | Liver | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1011040 | Kidney | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1011050 | Edible offals (other than liver and kidney) | | **2** | | ►**M196** 0,02 (*) ◄ |
| 1011990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 1012000 | (b) *bovine* | | | | |
| 1012010 | Muscle | | 2 | | ►**M196** 0,02 (*) ◄ |
| 1012020 | Fat | | 2 | | ►**M196** **0,15** ◄ |
| 1012030 | Liver | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1012040 | Kidney | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1012050 | Edible offals (other than liver and kidney) | | **2** | | ►**M196** 0,02 (*) ◄ |
| 1012990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 1013000 | (c) *sheep* | | | | |
| 1013010 | Muscle | | 2 | | ►**M196** 0,02 (*) ◄ |
| 1013020 | Fat | | 2 | | ►**M196** **0,15** ◄ |
| 1013030 | Liver | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1013040 | Kidney | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1013050 | Edible offals (other than liver and kidney) | | **2** | | ►**M196** 0,02 (*) ◄ |
| 1013990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 1014000 | d) *goat* | | | | |
| 1014010 | Muscle | | 2 | | ►**M196** 0,02 (*) ◄ |
| 1014020 | Fat | | 2 | | ►**M196** **0,15** ◄ |
| 1014030 | Liver | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1014040 | Kidney | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1014050 | Edible offals (other than liver and kidney) | | **2** | | ►**M196** 0,02 (*) ◄ |
| 1014990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 1015000 | (e) *equine* | | | | |
| 1015010 | Muscle | | 2 | | ►**M196** 0,02 (*) ◄ |
| 1015020 | Fat | | 2 | | ►**M196** **0,15** ◄ |
| 1015030 | Liver | | 1 | | ►**M196** 0,02 (*) ◄ |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1015040 | Kidney | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1015050 | Edible offals (other than liver and kidney) | | **2** | | ►**M196** 0,02 (*) ◄ |
| 1015990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 1016000 | (f) *poultry* | | 0,01 (*) | | |
| 1016010 | Muscle | | | | ►**M196** 0,02 (*) ◄ |
| 1016020 | Fat | | | | ►**M196** **0,08** ◄ |
| 1016030 | Liver | | | | ►**M196** 0,02 (*) ◄ |
| 1016040 | Kidney | | | | ►**M196** 0,02 (*) ◄ |
| 1016050 | Edible offals (other than liver and kidney) | | | | ►**M196** 0,02 (*) ◄ |
| 1016990 | Others (2) | | | | ►**M196** 0,02 (*) ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | | | | |
| 1017010 | Muscle | | 2 | | ►**M196** 0,02 (*) ◄ |
| 1017020 | Fat | | 2 | | ►**M196** **0,15** ◄ |
| 1017030 | Liver | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1017040 | Kidney | | 1 | | ►**M196** 0,02 (*) ◄ |
| 1017050 | Edible offals (other than liver and kidney) | | **2** | | ►**M196** 0,02 (*) ◄ |
| 1017990 | Others (2) | | 0,01 (*) | | ►**M196** 0,02 (*) ◄ |
| 1020000 | **Milk** | 0,01 (*) | 0,1 | **0,01** (*) | ►**M196** **0,02** ◄ |
| 1020010 | Cattle | | | | |
| 1020020 | Sheep | | | | |
| 1020030 | Goat | | | | |
| 1020040 | Horse | | | | |
| 1020990 | Others (2) | | | | |
| 1030000 | **Birds eggs** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** **0,02** ◄ |
| 1030010 | Chicken | | | | |
| 1030020 | Duck | | | | |
| 1030030 | Geese | | | | |
| 1030040 | Quail | | | | |
| 1030990 | Others (2) | | | | |

▼**M184**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | 0,05 (*) | 0,05 (*) | ►**M196** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) | 0,01 (*) | **0,01** (*) | ►**M196** 0,02 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | |

▼**M185**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Imidacloprid |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | **0,9 (+)** |
| 0110010 | Grapefruits | **(+)** |
| 0110020 | Oranges | **(+)** |
| 0110030 | Lemons | **(+)** |
| 0110040 | Limes | **(+)** |
| 0110050 | Mandarins | **(+)** |
| 0110990 | Others (2) | **(+)** |
| 0120000 | **Tree nuts** | **0,01** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | **0,01** (*) |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | **0,01** (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | **0,7 (+)** |
| 0151010 | Table grapes | **(+)** |
| 0151020 | Wine grapes | **(+)** |
| 0152000 | (b) *strawberries* | **0,01** (*) |
| 0153000 | (c) *cane fruits* | **0,01** (*) |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | 5 (+) |
| 0154020 | Cranberries | **5 (+)** |
| 0154030 | Currants (black, red and white) | **0,01** (*) |
| 0154040 | Gooseberries (green, red and yellow) | **0,01** (*) |
| 0154050 | Rose hips | **0,01** (*) |
| 0154060 | Mulberries (black and white) | **0,01** (*) |
| 0154070 | Azaroles/Mediterranean medlars | **0,01** (*) |
| 0154080 | Elderberries | **0,01** (*) |
| 0154990 | Others (2) | **0,01** (*) |
| 0160000 | **Miscellaneous fruits with** | **0,01** (*) |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | **0,3** |
| 0231020 | Sweet peppers/bell peppers | **0,9** |
| 0231030 | Aubergines/eggplants | **0,3** |
| 0231040 | Okra/lady's fingers | 0,5 (+) |
| 0231990 | Others (2) | **0,01** (*) |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | **0,5** |
| 0232020 | Gherkins | **0,4** |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | **0,4** |
| 0232990 | Others (2) | **0,01** (*) |
| 0233000 | (c) *cucurbits with inedible peel* | **0,15 (+)** |
| 0233010 | Melons | **(+)** |
| 0233020 | Pumpkins | **(+)** |
| 0233030 | Watermelons | **(+)** |
| 0233990 | Others (2) | **(+)** |
| 0234000 | (d) *sweet corn* | **0,01** (*) |
| 0239000 | (e) *other fruiting vegetables* | **0,01** (*) |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,05** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | **5 (+)** |
| 0260020 | Beans (without pods) | 2 (+) |
| 0260030 | Peas (with pods) | 5 (+) |
| 0260040 | Peas (without pods) | 2 (+) |
| 0260050 | Lentils | **0,01** (*) |
| 0260990 | Others (2) | **0,01** (*) |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | |
| 0300010 | Beans | 2 (+) |
| 0300020 | Lentils | **0,01** (*) |
| 0300030 | Peas | **0,01** (*) |
| 0300040 | Lupins/lupini beans | **0,01** (*) |
| 0300990 | Others (2) | **0,01** (*) |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | **0,01** (*) |
| 0401020 | Peanuts/groundnuts | **0,5 (+)** |
| 0401030 | Poppy seeds | **0,01** (*) |
| 0401040 | Sesame seeds | **0,01** (*) |
| 0401050 | Sunflower seeds | **0,01** (*) |
| 0401060 | Rapeseeds/canola seeds | **0,01** (*) |
| 0401070 | Soyabeans | **0,01** (*) |
| 0401080 | Mustard seeds | **0,01** (*) |
| 0401090 | Cotton seeds | **0,01** (*) |
| 0401100 | Pumpkin seeds | **0,01** (*) |
| 0401110 | Safflower seeds | **0,01** (*) |
| 0401120 | Borage seeds | **0,01** (*) |
| 0401130 | Gold of pleasure seeds | **0,01** (*) |
| 0401140 | Hemp seeds | **0,01** (*) |
| 0401150 | Castor beans | **0,01** (*) |
| 0401990 | Others (2) | **0,01** (*) |
| 0402000 | **Oil fruits** | **0,01** (*) |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | |
| 0610000 | **Teas** | 0,05 (*) |
| 0620000 | **Coffee beans** | 1 (+) |
| 0630000 | **Herbal infusions from** | 0,05 (*) |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | 0,05 (*) |
| 0650000 | **Carobs/Saint John's breads** | 0,05 (*) |
| 0700000 | **HOPS** | **15 (+)** |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | 0,05 (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | 0,05 (*) |
| 0820010 | Allspice/pimento | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | 0,05 (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | 0,05 (*) |
| 0840040 | Horseradish (11) | (+) |
| 0840990 | Others (2) | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |

▼**M185**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M188**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Methylisothiocyanate(resulting from the use of dazomet or metam) | Hexythiazox (any ratio of constituent isomers) (F) | Dazomet (see methylisothiocyanate) | Metam (see methylisothiocyanate) |
|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | | |
| 0110000 | **Citrus fruits** | **0,01** (*) | **0,5** | | |
| 0110010 | Grapefruits | | | | |
| 0110020 | Oranges | | | | |
| 0110030 | Lemons | | | | |
| 0110040 | Limes | | | | |
| 0110050 | Mandarins | | | | |
| 0110990 | Others (2) | | | | |
| 0120000 | **Tree nuts** | **0,01** (*) | **0,05** | | |
| 0120010 | Almonds | | | | |
| 0120020 | Brazil nuts | | | | |
| 0120030 | Cashew nuts | | | | |
| 0120040 | Chestnuts | | | | |
| 0120050 | Coconuts | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | |
| 0120070 | Macadamias | | | | |
| 0120080 | Pecans | | | | |
| 0120090 | Pine nut kernels | | | | |
| 0120100 | Pistachios | | | | |
| 0120110 | Walnuts | | | | |
| 0120990 | Others (2) | | | | |
| 0130000 | **Pome fruits** | **0,01** (*) | **0,4** | | |
| 0130010 | Apples | | | | |
| 0130020 | Pears | | | | |
| 0130030 | Quinces | | | | |
| 0130040 | Medlars | | | | |
| 0130050 | Loquats/Japanese medlars | | | | |
| 0130990 | Others (2) | | | | |
| 0140000 | **Stone fruits** | **0,01** (*) | | | |
| 0140010 | Apricots | | **0,7 (+)** | | |
| 0140020 | Cherries (sweet) | | **1,5 (+)** | | |
| 0140030 | Peaches | | **0,7** | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0140040 | Plums | | **0,7 (+)** | | |
| 0140990 | Others (2) | | **0,01** (*) | | |
| 0150000 | **Berries and small fruits** | | | | |
| 0151000 | (a) *grapes* | **0,01** (*) | 1 | | |
| 0151010 | Table grapes | | | | |
| 0151020 | Wine grapes | | | | |
| 0152000 | (b) *strawberries* | **0,03 (+)** | **6** | | |
| 0153000 | (c) *cane fruits* | **0,01** (*) | **0,01** (*) | | |
| 0153010 | Blackberries | | | | |
| 0153020 | Dewberries | | | | |
| 0153030 | Raspberries (red and yellow) | | | | |
| 0153990 | Others (2) | | | | |
| 0154000 | (d) *other small fruits and berries* | **0,01** (*) | **0,01** (*) | | |
| 0154010 | Blueberries | | | | |
| 0154020 | Cranberries | | | | |
| 0154030 | Currants (black, red and white) | | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | |
| 0154050 | Rose hips | | | | |
| 0154060 | Mulberries (black and white) | | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | | |
| 0154080 | Elderberries | | | | |
| 0154990 | Others (2) | | | | |
| 0160000 | **Miscellaneous fruitswith** | **0,01** (*) | | | |
| 0161000 | (a) *edible peel* | | | | |
| 0161010 | Dates | | 2 | | |
| 0161020 | Figs | | **0,01** (*) | | |
| 0161030 | Table olives | | **0,01** (*) | | |
| 0161040 | Kumquats | | **0,01** (*) | | |
| 0161050 | Carambolas | | **0,01** (*) | | |
| 0161060 | Kaki/Japanese persimmons | | **0,01** (*) | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | **0,01** (*) | | |
| 0161990 | Others (2) | | **0,01** (*) | | |
| 0162000 | (b) *inedible peel, small* | | **0,01** (*) | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | |
| 0162020 | Litchis/lychees | | | | |
| 0162030 | Passionfruits/ maracujas | | | | |
| 0162040 | Prickly pears/cactus fruits | | | | |
| 0162050 | Star apples/cainitos | | | | |
| 0162060 | American persimmons/Virginia kaki | | | | |
| 0162990 | Others (2) | | | | |
| 0163000 | (c) *inedible peel, large* | | **0,01** (*) | | |
| 0163010 | Avocados | | | | |
| 0163020 | Bananas | | | | |
| 0163030 | Mangoes | | | | |
| 0163040 | Papayas | | | | |
| 0163050 | Granate apples/ pomegranates | | | | |
| 0163060 | Cherimoyas | | | | |
| 0163070 | Guavas | | | | |
| 0163080 | Pineapples | | | | |
| 0163090 | Breadfruits | | | | |
| 0163100 | Durians | | | | |
| 0163110 | Soursops/guanabanas | | | | |
| 0163990 | Others (2) | | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | | **0,01** (*) | | |
| 0211000 | (a) *potatoes* | **0,01** (*) | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | **0,01** (*) | | | |
| 0212010 | Cassava roots/manioc | | | | |
| 0212020 | Sweet potatoes | | | | |
| 0212030 | Yams | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | |
| 0212990 | Others (2) | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | (+) | | | |
| 0213010 | Beetroots | **0,02** | | | |
| 0213020 | Carrots | **0,02** | | | |
| 0213030 | Celeriacs/turnip rooted celeries | **0,02** | | | |
| 0213040 | Horseradishes | **0,02** | | | |
| 0213050 | Jerusalem artichokes | **0,02** | | | |
| 0213060 | Parsnips | **0,02** | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | **0,02** | | | |
| 0213080 | Radishes | **0,05** | | | |
| 0213090 | Salsifies | **0,02** | | | |
| 0213100 | Swedes/rutabagas | **0,02** | | | |
| 0213110 | Turnips | **0,02** | | | |
| 0213990 | Others (2) | **0,01** (*) | | | |
| 0220000 | **Bulb vegetables** | | **0,01** (*) | | |
| 0220010 | Garlic | **0,01** (*) | | | |
| 0220020 | Onions | **0,15** | | | |
| 0220030 | Shallots | **0,01** (*) | | | |
| 0220040 | Spring onions/green onions and Welsh onions | **0,01** (*) | | | |
| 0220990 | Others (2) | **0,01** (*) | | | |
| 0230000 | **Fruiting vegetables** | | | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | |
| 0231010 | Tomatoes | **0,4 (+)** | **0,1** | | |
| 0231020 | Sweet peppers/bell peppers | **0,1 (+)** | **0,09** | | |
| 0231030 | Aubergines/eggplants | **0,4 (+)** | **0,1** | | |
| 0231040 | Okra/lady's fingers | **0,1 (+)** | **0,01** (*) | | |
| 0231990 | Others (2) | **0,01** (*) | **0,01** (*) | | |
| 0232000 | (b) *cucurbits with edible peel* | **0,6 (+)** | **0,05** | | |
| 0232010 | Cucumbers | | | | |
| 0232020 | Gherkins | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | |
| 0232990 | Others (2) | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | **0,1 (+)** | **0,07** | | |
| 0233010 | Melons | | | | |
| 0233020 | Pumpkins | | | | |
| 0233030 | Watermelons | | | | |
| 0233990 | Others (2) | | | | |
| 0234000 | (d) *sweet corn* | **0,01** (*) | **0,01** (*) | | |
| 0239000 | (e) *other fruiting vegetables* | **0,01** (*) | **0,01** (*) | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | | **0,01** (*) | | |
| 0241000 | (a) *flowering brassica* | **0,01** (*) | | | |
| 0241010 | Broccoli | | | | |
| 0241020 | Cauliflowers | | | | |
| 0241990 | Others (2) | | | | |
| 0242000 | (b) *head brassica* | **0,01** (*) | | | |
| 0242010 | Brussels sprouts | | | | |
| 0242020 | Head cabbages | | | | |
| 0242990 | Others (2) | | | | |
| 0243000 | (c) *leafy brassica* | **0,03 (+)** | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | | |
| 0243020 | Kales | | | | |
| 0243990 | Others (2) | | | | |
| 0244000 | (d) *kohlrabies* | **0,01** (*) | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | |
| 0251000 | (a) *lettuces and salad plants* | **0,03 (+)** | **0,01** (*) | | |
| 0251010 | Lamb's lettuces/corn salads | | | | |
| 0251020 | Lettuces | | | | |
| 0251030 | Escaroles/broad-leaved endives | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | | |
| 0251050 | Land cresses | | | | |
| 0251060 | Roman rocket/rucola | | | | |
| 0251070 | Red mustards | | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | | |
| 0251990 | Others (2) | | | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,15 (+)** | **0,01** (*) | | |
| 0252010 | Spinaches | | | | |
| 0252020 | Purslanes | | | | |
| 0252030 | Chards/beet leaves | | | | |
| 0252990 | Others (2) | | | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | **0,01** (*) | | |
| 0254000 | (d) *watercresses* | **0,01** (*) | **0,01** (*) | | |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) | **0,01** (*) | | |
| 0256000 | (f) *herbs and edible flowers* | 0,02 (*) | **0,02** (*) | | |
| 0256010 | Chervil | | | | |
| 0256020 | Chives | | | | |
| 0256030 | Celery leaves | | | | |
| 0256040 | Parsley | | | | |
| 0256050 | Sage | | | | |
| 0256060 | Rosemary | | | | |
| 0256070 | Thyme | | | | |
| 0256080 | Basil and edible flowers | | | | |
| 0256090 | Laurel/bay leaves | | | | |
| 0256100 | Tarragon | | | | |
| 0256990 | Others (2) | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) | **0,01** (*) | | |
| 0260010 | Beans (with pods) | | | | |
| 0260020 | Beans (without pods) | | | | |
| 0260030 | Peas (with pods) | | | | |
| 0260040 | Peas (without pods) | | | | |
| 0260050 | Lentils | | | | |
| 0260990 | Others (2) | | | | |
| 0270000 | **Stem vegetables** | **0,01** (*) | **0,01** (*) | | |
| 0270010 | Asparagus | | | | |
| 0270020 | Cardoons | | | | |
| 0270030 | Celeries | | | | |
| 0270040 | Florence fennels | | | | |
| 0270050 | Globe artichokes | | | | |
| 0270060 | Leeks | | | | |
| 0270070 | Rhubarbs | | | | |
| 0270080 | Bamboo shoots | | | | |
| 0270090 | Palm hearts | | | | |
| 0270990 | Others (2) | | | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | **0,01** (*) | | |
| 0280010 | Cultivated fungi | | | | |
| 0280020 | Wild fungi | | | | |
| 0280990 | Mosses and lichens | | | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | **0,01** (*) | | |
| 0300000 | **PULSES** | **0,01** (*) | **0,01** (*) | | |
| 0300010 | Beans | | | | |
| 0300020 | Lentils | | | | |
| 0300030 | Peas | | | | |
| 0300040 | Lupins/lupini beans | | | | |
| 0300990 | Others (2) | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | | | |
| 0401000 | **Oilseeds** | | | | |
| 0401010 | Linseeds | | **0,01** (*) | | |
| 0401020 | Peanuts/groundnuts | | **0,01** (*) | | |
| 0401030 | Poppy seeds | | **0,01** (*) | | |
| 0401040 | Sesame seeds | | **0,01** (*) | | |
| 0401050 | Sunflower seeds | | **0,01** (*) | | |
| 0401060 | Rapeseeds/canola seeds | | **0,01** (*) | | |
| 0401070 | Soyabeans | | **0,5 (+)** | | |
| 0401080 | Mustard seeds | | **0,01** (*) | | |
| 0401090 | Cotton seeds | | **0,01** (*) | | |
| 0401100 | Pumpkin seeds | | **0,01** (*) | | |
| 0401110 | Safflower seeds | | **0,01** (*) | | |
| 0401120 | Borage seeds | | **0,01** (*) | | |
| 0401130 | Gold of pleasure seeds | | **0,01** (*) | | |
| 0401140 | Hemp seeds | | **0,01** (*) | | |
| 0401150 | Castor beans | | **0,01** (*) | | |
| 0401990 | Others (2) | | **0,01** (*) | | |
| 0402000 | **Oil fruits** | | **0,01** (*) | | |
| 0402010 | Olives for oil production | | | | |
| 0402020 | Oil palms kernels | | | | |
| 0402030 | Oil palms fruits | | | | |
| 0402040 | Kapok | | | | |
| 0402990 | Others (2) | | | | |
| 0500000 | **CEREALS** | **0,01** (*) | | | |
| 0500010 | Barley | | **0,01** (*) | | |
| 0500020 | Buckwheat and other pseudo-cereals | | **0,01** (*) | | |
| 0500030 | Maize/corn | | **0,02** | | |
| 0500040 | Common millet/proso millet | | **0,01** (*) | | |
| 0500050 | Oat | | **0,01** (*) | | |
| 0500060 | Rice | | **0,01** (*) | | |
| 0500070 | Rye | | **0,01** (*) | | |
| 0500080 | Sorghum | | **0,01** (*) | | |
| 0500090 | Wheat | | **0,01** (*) | | |
| 0500990 | Others (2) | | **0,01** (*) | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) | | | |
| 0610000 | **Teas** | | **15** | | |
| 0620000 | **Coffee beans** | | 0,05 (*) | | |
| 0630000 | **Herbal infusions from** | | 0,05 (*) | | |
| 0631000 | (a) *flowers* | | | | |
| 0631010 | Chamomile | | | | |
| 0631020 | Hibiscus/roselle | | | | |
| 0631030 | Rose | | | | |
| 0631040 | Jasmine | | | | |
| 0631050 | Lime/linden | | | | |
| 0631990 | Others (2) | | | | |
| 0632000 | (b) *leaves and herbs* | | | | |
| 0632010 | Strawberry | | | | |
| 0632020 | Rooibos | | | | |
| 0632030 | Mate/maté | | | | |
| 0632990 | Others (2) | | | | |
| 0633000 | (c) *roots* | **(+)** | | | |
| 0633010 | Valerian | | | | |
| 0633020 | Ginseng | | | | |
| 0633990 | Others (2) | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | |
| 0640000 | **Cocoa beans** | | 0,05 (*) | | |
| 0650000 | **Carobs/Saint John's breads** | | 0,05 (*) | | |
| 0700000 | **HOPS** | **0,05** (*)**(+)** | **3** | | |
| 0800000 | **SPICES** | | | | |
| 0810000 | **Seed spices** | **0,05** (*) | 0,05 (*) | | |
| 0810010 | Anise/aniseed | | | | |
| 0810020 | Black caraway/black cumin | | | | |
| 0810030 | Celery | | | | |
| 0810040 | Coriander | | | | |
| 0810050 | Cumin | | | | |
| 0810060 | Dill | | | | |
| 0810070 | Fennel | | | | |
| 0810080 | Fenugreek | | | | |
| 0810090 | Nutmeg | | | | |
| 0810990 | Others (2) | | | | |
| 0820000 | **Fruit spices** | **0,05** (*) | 0,05 (*) | | |
| 0820010 | Allspice/pimento | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | |
| 0820030 | Caraway | | | | |
| 0820040 | Cardamom | | | | |
| 0820050 | Juniper berry | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | |
| 0820070 | Vanilla | | | | |
| 0820080 | Tamarind | | | | |
| 0820990 | Others (2) | | | | |
| 0830000 | **Bark spices** | **0,05** (*) | 0,05 (*) | | |
| 0830010 | Cinnamon | | | | |
| 0830990 | Others (2) | | | | |
| 0840000 | **Root and rhizome spices** | | | | |
| 0840010 | Liquorice | **0,05** (*) | 0,05 (*) | | |
| 0840020 | Ginger (10) | | | | |
| 0840030 | Turmeric/curcuma | **0,05** (*) | 0,05 (*) | | |
| 0840040 | Horseradish (11) | | | | |
| 0840990 | Others (2) | **0,05** (*) | 0,05 (*) | | |
| 0850000 | **Bud spices** | **0,05** (*) | 0,05 (*) | | |
| 0850010 | Cloves | | | | |
| 0850020 | Capers | | | | |
| 0850990 | Others (2) | | | | |
| 0860000 | **Flower pistil spices** | **0,05** (*) | 0,05 (*) | | |
| 0860010 | Saffron | | | | |
| 0860990 | Others (2) | | | | |
| 0870000 | **Aril spices** | **0,05** (*) | 0,05 (*) | | |
| 0870010 | Mace | | | | |
| 0870990 | Others (2) | | | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | 0,05 (*) | | |
| 0900010 | Sugar beet roots | | | | |
| 0900020 | Sugar canes | | | | |
| 0900030 | Chicory roots | | | | |
| 0900990 | Others (2) | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | |
| 1010000 | **Commodities from** | **0,01** (*) | **0,05 (+)** | | |
| 1011000 | (a) *swine* | | | | |
| 1011010 | Muscle | | | | |
| 1011020 | Fat | | | | |
| 1011030 | Liver | | | | |
| 1011040 | Kidney | | | | |
| 1011050 | Edible offals (other than liver and kidney) | | | | |
| 1011990 | Others (2) | | | | |
| 1012000 | (b) *bovine* | | | | |
| 1012010 | Muscle | | | | |
| 1012020 | Fat | | | | |
| 1012030 | Liver | | | | |
| 1012040 | Kidney | | | | |
| 1012050 | Edible offals (other than liver and kidney) | | | | |
| 1012990 | Others (2) | | | | |
| 1013000 | (c) *sheep* | | | | |
| 1013010 | Muscle | | | | |
| 1013020 | Fat | | | | |
| 1013030 | Liver | | | | |
| 1013040 | Kidney | | | | |
| 1013050 | Edible offals (other than liver and kidney) | | | | |
| 1013990 | Others (2) | | | | |
| 1014000 | (d) *goat* | | | | |
| 1014010 | Muscle | | | | |
| 1014020 | Fat | | | | |
| 1014030 | Liver | | | | |
| 1014040 | Kidney | | | | |
| 1014050 | Edible offals (other than liver and kidney) | | | | |
| 1014990 | Others (2) | | | | |
| 1015000 | (e) *equine* | | | | |
| 1015010 | Muscle | | | | |
| 1015020 | Fat | | | | |
| 1015030 | Liver | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1015040 | Kidney | | | | |
| 1015050 | Edible offals (other than liver and kidney) | | | | |
| 1015990 | Others (2) | | | | |
| 1016000 | (f) *poultry* | | | | |
| 1016010 | Muscle | | | | |
| 1016020 | Fat | | | | |
| 1016030 | Liver | | | | |
| 1016040 | Kidney | | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | | |
| 1016990 | Others (2) | | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | |
| 1017010 | Muscle | | | | |
| 1017020 | Fat | | | | |
| 1017030 | Liver | | | | |
| 1017040 | Kidney | | | | |
| 1017050 | Edible offals (other than liver and kidney) | | | | |
| 1017990 | Others (2) | | | | |
| 1020000 | **Milk** | **0,01** (*) | **0,05 (+)** | | |
| 1020010 | Cattle | | | | |
| 1020020 | Sheep | | | | |
| 1020030 | Goat | | | | |
| 1020040 | Horse | | | | |
| 1020990 | Others (2) | | | | |
| 1030000 | **Birds eggs** | **0,01** (*) | **0,01** (*) | | |
| 1030010 | Chicken | | | | |
| 1030020 | Duck | | | | |
| 1030030 | Geese | | | | |
| 1030040 | Quail | | | | |
| 1030990 | Others (2) | | | | |

▼**M188**

| (1) | (2) | (3) | (4) | (5) | (6) |
|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) | **0,05** (*) | | |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | **0,01** (*) | | |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | 0,02 (*) | | |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | **0,01** (*) | | |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | |

▼**M195**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | **0,01** (*) | 0,01 (*) | | |
| 0110000 | **Citrus fruits** | **0,2 (+)** | | | **0,1** (*) | 0,01 (*) |
| 0110010 | Grapefruits | **(+)** | | | | |
| 0110020 | Oranges | **(+)** | | | | |
| 0110030 | Lemons | **(+)** | | | | |
| 0110040 | Limes | **(+)** | | | | |
| 0110050 | Mandarins | **(+)** | | | | |
| 0110990 | Others (2) | **(+)** | | | | |
| 0120000 | **Tree nuts** | | | | **0,15** (*) | |
| 0120010 | Almonds | **30 (+)** | | | | 10 (+) |
| 0120020 | Brazil nuts | **30 (+)** | | | | 10 (+) |
| 0120030 | Cashew nuts | **30 (+)** | | | | 10 (+) |
| 0120040 | Chestnuts | **30 (+)** | | | | 10 (+) |
| 0120050 | Coconuts | **15 (+)** | | | | **3 (+)** |
| 0120060 | Hazelnuts/cobnuts | **30 (+)** | | | | 10 (+) |
| 0120070 | Macadamias | **30 (+)** | | | | 10 (+) |
| 0120080 | Pecans | **30 (+)** | | | | 10 (+) |
| 0120090 | Pine nut kernels | **30 (+)** | | | | 10 (+) |
| 0120100 | Pistachios | **30 (+)** | | | | 10 (+) |
| 0120110 | Walnuts | **30 (+)** | | | | 10 (+) |
| 0120990 | Others (2) | **30 (+)** | | | | **0,01** (*) **(+)** |
| 0130000 | **Pome fruits** | **0,2 (+)** | | | **0,1** (*) | 0,01 (*) |
| 0130010 | Apples | **(+)** | | | | |
| 0130020 | Pears | **(+)** | | | | |
| 0130030 | Quinces | **(+)** | | | | |
| 0130040 | Medlars | **(+)** | | | | |
| 0130050 | Loquats/Japanese medlars | **(+)** | | | | |
| 0130990 | Others (2) | **(+)** | | | | |
| 0140000 | **Stone fruits** | **0,2 (+)** | | | **0,1** (*) | 0,01 (*) |
| 0140010 | Apricots | **(+)** | | | | |
| 0140020 | Cherries (sweet) | **(+)** | | | | |
| 0140030 | Peaches | **(+)** | | | | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0140040 | Plums | **(+)** | | | | |
| 0140990 | Others (2) | **(+)** | | | | |
| 0150000 | **Berries and small fruits** | **(+)** | | | **0,1** (*) | 0,01 (*) |
| 0151000 | (a) *grapes* | **0,2 (+)** | | | | (+) |
| 0151010 | Table grapes | **(+)** | | | | (+) |
| 0151020 | Wine grapes | **(+)** | | | | (+) |
| 0152000 | (b) *strawberries* | **0,2 (+)** | | | | |
| 0153000 | (c) *cane fruits* | **0,2 (+)** | | | | |
| 0153010 | Blackberries | **(+)** | | | | |
| 0153020 | Dewberries | **(+)** | | | | |
| 0153030 | Raspberries (red and yellow) | **(+)** | | | | |
| 0153990 | Others (2) | **(+)** | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | | |
| 0154010 | Blueberries | **0,2 (+)** | | | | |
| 0154020 | Cranberries | **0,2 (+)** | | | | |
| 0154030 | Currants (black, red and white) | **0,2 (+)** | | | | |
| 0154040 | Gooseberries (green, red and yellow) | **0,2 (+)** | | | | |
| 0154050 | Rose hips | 2 (+) | | | | |
| 0154060 | Mulberries (black and white) | **0,2 (+)** | | | | |
| 0154070 | Azaroles/Mediterranean medlars | **0,2 (+)** | | | | |
| 0154080 | Elderberries | 2 (+) | | | | |
| 0154990 | Others (2) | **0,2 (+)** | | | | |
| 0160000 | **Miscellaneous fruitswith** | **0,2 (+)** | | | | 0,01 (*) |
| 0161000 | (a) *edible peel* | **(+)** | | | | |
| 0161010 | Dates | **(+)** | | | **0,1** (*) | |
| 0161020 | Figs | **(+)** | | | **0,1** (*) | |
| 0161030 | Table olives | **(+)** | | | **0,15** (*) | |
| 0161040 | Kumquats | **(+)** | | | **0,1** (*) | |
| 0161050 | Carambolas | **(+)** | | | **0,1** (*) | |
| 0161060 | Kaki/Japanese persimmons | **(+)** | | | **0,1** (*) | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | **(+)** | | | **0,1** (*) | |
| 0161990 | Others (2) | **(+)** | | | **0,1** (*) | |
| 0162000 | (b) *inedible peel, small* | **(+)** | | | **0,1** (*) | |
| 0162010 | Kiwi fruits (green, red, yellow) | **(+)** | | | | |
| 0162020 | Litchis/lychees | **(+)** | | | | |
| 0162030 | Passionfruits/maracujas | **(+)** | | | | |
| 0162040 | Prickly pears/cactus fruits | **(+)** | | | | |
| 0162050 | Star apples/cainitos | **(+)** | | | | |
| 0162060 | American persimmons/ Virginia kaki | **(+)** | | | | |
| 0162990 | Others (2) | **(+)** | | | | |
| 0163000 | (c) *inedible peel, large* | **(+)** | | | | |
| 0163010 | Avocados | **(+)** | | | **0,15** (*) | |
| 0163020 | Bananas | **(+)** | | | **0,1** (*) | |
| 0163030 | Mangoes | **(+)** | | | **0,1** (*) | |
| 0163040 | Papayas | **(+)** | | | **0,1** (*) | |
| 0163050 | Granate apples/ pomegranates | **(+)** | | | **0,1** (*) | |
| 0163060 | Cherimoyas | **(+)** | | | **0,1** (*) | |
| 0163070 | Guavas | **(+)** | | | **0,1** (*) | |
| 0163080 | Pineapples | **(+)** | | | **0,1** (*) | |
| 0163090 | Breadfruits | **(+)** | | | **0,1** (*) | |
| 0163100 | Durians | **(+)** | | | **0,1** (*) | |
| 0163110 | Soursops/guanabanas | **(+)** | | | **0,1** (*) | |
| 0163990 | Others (2) | **(+)** | | | **0,1** (*) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **(+)** | | | | |
| 0210000 | **Root and tuber vegetables** | **0,2 (+)** | **0,01** (*) | 0,01 (*) | | 0,01 (*) |
| 0211000 | (a) *potatoes* | **(+)** | | | **0,1** (*) | |
| 0212000 | (b) *tropical root and tuber vegetables* | **(+)** | | | **0,1** (*) | |
| 0212010 | Cassava roots/manioc | **(+)** | | | | |
| 0212020 | Sweet potatoes | **(+)** | | | | |
| 0212030 | Yams | **(+)** | | | | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0212040 | Arrowroots | **(+)** | | | | |
| 0212990 | Others (2) | **(+)** | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | **(+)** | | | | |
| 0213010 | Beetroots | **(+)** | | | **0,15** (*) | |
| 0213020 | Carrots | **(+)** | | | **0,1** (*) | |
| 0213030 | Celeriacs/turnip rooted celeries | **(+)** | | | **0,1** (*) | |
| 0213040 | Horseradishes | **(+)** | | | **0,1** (*) | |
| 0213050 | Jerusalem artichokes | **(+)** | | | **0,1** (*) | |
| 0213060 | Parsnips | **(+)** | | | **0,1** (*) | |
| 0213070 | Parsley roots/Hamburg roots parsley | **(+)** | | | **0,1** (*) | |
| 0213080 | Radishes | **(+)** | | | **0,1** (*) | |
| 0213090 | Salsifies | **(+)** | | | **0,1** (*) | |
| 0213100 | Swedes/rutabagas | **(+)** | | | **0,1** (*) | |
| 0213110 | Turnips | **(+)** | | | **0,1** (*) | |
| 0213990 | Others (2) | **(+)** | | | **0,1** (*) | |
| 0220000 | **Bulb vegetables** | **0,2 (+)** | **0,01** (*) | 0,01 (*) | **0,1** (*) | 0,01 (*) |
| 0220010 | Garlic | **(+)** | | | | |
| 0220020 | Onions | **(+)** | | | | |
| 0220030 | Shallots | **(+)** | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | **(+)** | | | | |
| 0220990 | Others (2) | **(+)** | | | | |
| 0230000 | **Fruiting vegetables** | **0,2 (+)** | **0,01** (*) | 0,01 (*) | **0,1** (*) | 0,01 (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | **(+)** | | | | |
| 0231010 | Tomatoes | **(+)** | | | | |
| 0231020 | Sweet peppers/bell peppers | **(+)** | | | | |
| 0231030 | Aubergines/eggplants | **(+)** | | | | |
| 0231040 | Okra/lady's fingers | **(+)** | | | | |
| 0231990 | Others (2) | **(+)** | | | | |
| 0232000 | (b) *cucurbits with edible peel* | **(+)** | | | | |
| 0232010 | Cucumbers | **(+)** | | | | |
| 0232020 | Gherkins | **(+)** | | | | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0232030 | Courgettes | **(+)** | | | | |
| 0232990 | Others (2) | **(+)** | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | **(+)** | | | | |
| 0233010 | Melons | **(+)** | | | | |
| 0233020 | Pumpkins | **(+)** | | | | |
| 0233030 | Watermelons | **(+)** | | | | |
| 0233990 | Others (2) | **(+)** | | | | |
| 0234000 | (d) *sweet corn* | **(+)** | | | | |
| 0239000 | (e) *other fruiting vegetables* | **(+)** | | | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,2 (+)** | **0,01** (*) | 0,01 (*) | **0,1** (*) | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | **(+)** | | | | |
| 0241010 | Broccoli | **(+)** | | | | |
| 0241020 | Cauliflowers | **(+)** | | | | |
| 0241990 | Others (2) | **(+)** | | | | |
| 0242000 | (b) *head brassica* | **(+)** | | | | |
| 0242010 | Brussels sprouts | **(+)** | | | | |
| 0242020 | Head cabbages | **(+)** | | | | |
| 0242990 | Others (2) | **(+)** | | | | |
| 0243000 | (c) *leafy brassica* | **(+)** | | | | |
| 0243010 | Chinese cabbages/pe-tsai | **(+)** | | | | |
| 0243020 | Kales | **(+)** | | | | |
| 0243990 | Others (2) | **(+)** | | | | |
| 0244000 | (d) *kohlrabies* | **(+)** | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | **(+)** | | | **0,1** (*) | |
| 0251000 | (a) *lettuces and salad plants* | **0,2 (+)** | **0,01** (*) | 0,01 (*) | | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | **(+)** | | | | |
| 0251020 | Lettuces | **(+)** | | | | |
| 0251030 | Escaroles/broad-leaved endives | **(+)** | | | | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | **(+)** | | | | |
| 0251050 | Land cresses | **(+)** | | | | |
| 0251060 | Roman rocket/rucola | **(+)** | | | | |
| 0251070 | Red mustards | **(+)** | | | | |
| 0251080 | Baby leaf crops (including brassica species) | **(+)** | | | | |
| 0251990 | Others (2) | **(+)** | | | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,2 (+)** | **0,01** (*) | 0,01 (*) | | 0,01 (*) |
| 0252010 | Spinaches | **(+)** | | | | |
| 0252020 | Purslanes | **(+)** | | | | |
| 0252030 | Chards/beet leaves | **(+)** | | | | |
| 0252990 | Others (2) | **(+)** | | | | |
| 0253000 | (c) *grape leaves and similar species* | **0,2 (+)** | **0,01** (*) | 0,01 (*) | | 0,01 (*) |
| 0254000 | (d) *watercresses* | **0,2 (+)** | **0,01** (*) | 0,01 (*) | | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,2 (+)** | **0,01** (*) | 0,01 (*) | | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | | **0,02** (*) | **0,02** (*) | | **0,02** (*) |
| 0256010 | Chervil | **0,2 (+)** | | | | |
| 0256020 | Chives | **0,2 (+)** | | | | |
| 0256030 | Celery leaves | **0,2 (+)** | | | | |
| 0256040 | Parsley | **0,2 (+)** | | | | |
| 0256050 | Sage | **0,2 (+)** | | | | |
| 0256060 | Rosemary | **0,2 (+)** | | | | |
| 0256070 | Thyme | **0,2 (+)** | | | | |
| 0256080 | Basil and edible flowers | 2 (+) | | | | |
| 0256090 | Laurel/bay leaves | **0,2 (+)** | | | | |
| 0256100 | Tarragon | **0,2 (+)** | | | | |
| 0256990 | Others (2) | **0,2 (+)** | | | | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,2 (+)** | **0,01** (*) | 0,01 (*) | **0,1** (*) | 0,01 (*) |
| 0260010 | Beans (with pods) | **(+)** | | | | |
| 0260020 | Beans (without pods) | **(+)** | | | | |
| 0260030 | Peas (with pods) | **(+)** | | | | |
| 0260040 | Peas (without pods) | **(+)** | | | | |
| 0260050 | Lentils | **(+)** | | | | |
| 0260990 | Others (2) | **(+)** | | | | |
| 0270000 | **Stem vegetables** | **0,2 (+)** | **0,01** (*) | 0,01 (*) | **0,1** (*) | 0,01 (*) |
| 0270010 | Asparagus | **(+)** | | | | |
| 0270020 | Cardoons | **(+)** | | | | |
| 0270030 | Celeries | **(+)** | | | | |
| 0270040 | Florence fennels | **(+)** | | | | |
| 0270050 | Globe artichokes | **(+)** | | | | |
| 0270060 | Leeks | **(+)** | | | | |
| 0270070 | Rhubarbs | **(+)** | | | | |
| 0270080 | Bamboo shoots | **(+)** | | | | |
| 0270090 | Palm hearts | **(+)** | | | | |
| 0270990 | Others (2) | **(+)** | | | | |
| 0280000 | **Fungi, mosses and lichens** | **0,2 (+)** | **0,01** (*) | 0,01 (*) | **0,1** (*) | 0,01 (*) |
| 0280010 | Cultivated fungi | **(+)** | | | | |
| 0280020 | Wild fungi | **(+)** | | | | |
| 0280990 | Mosses and lichens | **(+)** | | | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,2 (+)** | **0,01** (*) | 0,01 (*) | **0,1** (*) | 0,01 (*) |
| 0300000 | **PULSES** | 2 (+) | **0,01** (*) | 0,01 (*) | **0,1** (*) | 0,01 (*) |
| 0300010 | Beans | (+) | | | | |
| 0300020 | Lentils | (+) | | | | |
| 0300030 | Peas | (+) | | | | |
| 0300040 | Lupins/lupini beans | (+) | | | | |
| 0300990 | Others (2) | (+) | | | | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 2 (+) | | 0,01 (*) | **0,15** (*) | 0,01 (*) |
| 0401000 | **Oilseeds** | (+) | **0,01** (*) | | | |
| 0401010 | Linseeds | (+) | | | | |
| 0401020 | Peanuts/groundnuts | (+) | | | | |
| 0401030 | Poppy seeds | (+) | | | | |
| 0401040 | Sesame seeds | (+) | | | | |
| 0401050 | Sunflower seeds | (+) | | | | |
| 0401060 | Rapeseeds/canola seeds | (+) | | | | |
| 0401070 | Soyabeans | (+) | | | | |
| 0401080 | Mustard seeds | (+) | | | | |
| 0401090 | Cotton seeds | (+) | | | | |
| 0401100 | Pumpkin seeds | (+) | | | | |
| 0401110 | Safflower seeds | (+) | | | | |
| 0401120 | Borage seeds | (+) | | | | |
| 0401130 | Gold of pleasure seeds | (+) | | | | |
| 0401140 | Hemp seeds | (+) | | | | |
| 0401150 | Castor beans | (+) | | | | |
| 0401990 | Others (2) | (+) | | | | |
| 0402000 | **Oil fruits** | (+) | | | | |
| 0402010 | Olives for oil production | (+) | **1** | | | |
| 0402020 | Oil palms kernels | (+) | **0,01** (*) | | | |
| 0402030 | Oil palms fruits | (+) | **0,01** (*) | | | |
| 0402040 | Kapok | (+) | **0,01** (*) | | | |
| 0402990 | Others (2) | (+) | **0,01** (*) | | | |
| 0500000 | **CEREALS** | 2 (+) | **0,01** (*) | 0,01 (*) | **0,1** (*) | **0,01** (*) |
| 0500010 | Barley | (+) | | | | |
| 0500020 | Buckwheat and other pseudocereals | (+) | | | | |
| 0500030 | Maize/corn | (+) | | | | |
| 0500040 | Common millet/proso millet | (+) | | | | |
| 0500050 | Oat | (+) | | | | |
| 0500060 | Rice | (+) | | | | |
| 0500070 | Rye | (+) | | | | |
| 0500080 | Sorghum | (+) | | | | |
| 0500090 | Wheat | (+) | | | | |
| 0500990 | Others (2) | (+) | | | | |

▼M195

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | **0,05** (*) | **0,05** (*) | **0,1** (*) | |
| 0610000 | **Teas** | **400 (+)** | | | | **0,05** (*) |
| 0620000 | **Coffee beans** | 5 (+) | | | | **0,05** (*) |
| 0630000 | **Herbal infusions from** | 10 (+) | | | | **0,05** (*) |
| 0631000 | (a) *flowers* | (+) | | | | |
| 0631010 | Chamomile | (+) | | | | |
| 0631020 | Hibiscus/roselle | (+) | | | | |
| 0631030 | Rose | (+) | | | | |
| 0631040 | Jasmine | (+) | | | | |
| 0631050 | Lime/linden | (+) | | | | |
| 0631990 | Others (2) | (+) | | | | |
| 0632000 | (b) *leaves and herbs* | (+) | | | | |
| 0632010 | Strawberry | (+) | | | | |
| 0632020 | Rooibos | (+) | | | | |
| 0632030 | Mate/maté | (+) | | | | |
| 0632990 | Others (2) | (+) | | | | |
| 0633000 | (c) *roots* | (+) | | | | |
| 0633010 | Valerian | (+) | | | | |
| 0633020 | Ginseng | (+) | | | | |
| 0633990 | Others (2) | (+) | | | | |
| 0639000 | (d) *any other parts of the plant* | (+) | | | | |
| 0640000 | **Cocoa beans** | **5 (+)** | | | | **0,03 (+)** |
| 0650000 | **Carobs/Saint John's breads** | 10 (+) | | | | **0,05** (*) |
| 0700000 | **HOPS** | 10 (+) | **0,05** (*) | **0,05** (*) | **0,1** (*) | **0,05** (*) |
| 0800000 | **SPICES** | 5 (+) | **0,05** (*) | **0,05** (*) | **0,1** (*) | **0,05** (*) |
| 0810000 | **Seed spices** | (+) | | | | |
| 0810010 | Anise/aniseed | (+) | | | | |
| 0810020 | Black caraway/black cumin | (+) | | | | |
| 0810030 | Celery | (+) | | | | |
| 0810040 | Coriander | (+) | | | | |
| 0810050 | Cumin | (+) | | | | |
| 0810060 | Dill | (+) | | | | |
| 0810070 | Fennel | (+) | | | | |
| 0810080 | Fenugreek | (+) | | | | |
| 0810090 | Nutmeg | (+) | | | | |
| 0810990 | Others (2) | (+) | | | | |
| 0820000 | **Fruit spices** | (+) | | | | |
| 0820010 | Allspice/pimento | (+) | | | | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | (+) | | | | |
| 0820030 | Caraway | (+) | | | | |
| 0820040 | Cardamom | (+) | | | | |
| 0820050 | Juniper berry | (+) | | | | |
| 0820060 | Peppercorn (black, green and white) | (+) | | | | |
| 0820070 | Vanilla | (+) | | | | |
| 0820080 | Tamarind | (+) | | | | |
| 0820990 | Others (2) | (+) | | | | |
| 0830000 | **Bark spices** | (+) | | | | |
| 0830010 | Cinnamon | (+) | | | | |
| 0830990 | Others (2) | (+) | | | | |
| 0840000 | **Root and rhizome spices** | (+) | | | | |
| 0840010 | Liquorice | (+) | | | | |
| 0840020 | Ginger (10) | (+) | | | | |
| 0840030 | Turmeric/curcuma | (+) | | | | |
| 0840040 | Horseradish (11) | (+) | | | | |
| 0840990 | Others (2) | (+) | | | | |
| 0850000 | **Bud spices** | (+) | | | | |
| 0850010 | Cloves | (+) | | | | |
| 0850020 | Capers | (+) | | | | |
| 0850990 | Others (2) | (+) | | | | |
| 0860000 | **Flower pistil spices** | (+) | | | | |
| 0860010 | Saffron | (+) | | | | |
| 0860990 | Others (2) | (+) | | | | |
| 0870000 | **Aril spices** | (+) | | | | |
| 0870010 | Mace | (+) | | | | |
| 0870990 | Others (2) | (+) | | | | |
| 0900000 | **SUGAR PLANTS** | 2 (+) | **0,01** (*) | 0,01 (*) | | 0,01 (*) |
| 0900010 | Sugar beet roots | (+) | | | **0,15** (*) | |
| 0900020 | Sugar canes | (+) | | | **0,1** (*) | |
| 0900030 | Chicory roots | (+) | | | **0,1** (*) | |
| 0900990 | Others (2) | (+) | | | **0,1** (*) | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | | |
| 1010000 | **Commodities from** | **0,3 (+)** | **0,01** (*) | 0,01 (*) | | **0,01** (*) |
| 1011000 | (a) *swine* | **(+)** | | | **0,02** (*) | |
| 1011010 | Muscle | **(+)** | | | | |
| 1011020 | Fat | **(+)** | | | | |
| 1011030 | Liver | **(+)** | | | | |
| 1011040 | Kidney | **(+)** | | | | |
| 1011050 | Edible offals (other than liver and kidney) | **(+)** | | | | |
| 1011990 | Others (2) | **(+)** | | | | |
| 1012000 | (b) *bovine* | **(+)** | | | | |
| 1012010 | Muscle | **(+)** | | | **0,02** (*) | |
| 1012020 | Fat | **(+)** | | | **0,02** (*) | |
| 1012030 | Liver | **(+)** | | | **0,07 (+)** | |
| 1012040 | Kidney | **(+)** | | | **0,05 (+)** | |
| 1012050 | Edible offals (other than liver and kidney) | **(+)** | | | **0,07 (+)** | |
| 1012990 | Others (2) | **(+)** | | | **0,02** (*) | |
| 1013000 | (c) *sheep* | **(+)** | | | | |
| 1013010 | Muscle | **(+)** | | | **0,02** (*) | |
| 1013020 | Fat | **(+)** | | | **0,02** (*) | |
| 1013030 | Liver | **(+)** | | | **0,05 (+)** | |
| 1013040 | Kidney | **(+)** | | | **0,05 (+)** | |
| 1013050 | Edible offals (other than liver and kidney) | **(+)** | | | **0,05 (+)** | |
| 1013990 | Others (2) | **(+)** | | | **0,02** (*) | |
| 1014000 | d) *goat* | **(+)** | | | | |
| 1014010 | Muscle | **(+)** | | | **0,02** (*) | |
| 1014020 | Fat | **(+)** | | | **0,02** (*) | |
| 1014030 | Liver | **(+)** | | | **0,05 (+)** | |
| 1014040 | Kidney | **(+)** | | | **0,05 (+)** | |
| 1014050 | Edible offals (other than liver and kidney) | **(+)** | | | **0,05 (+)** | |
| 1014990 | Others (2) | **(+)** | | | **0,02** (*) | |
| 1015000 | (e) *equine* | **(+)** | | | | |
| 1015010 | Muscle | **(+)** | | | **0,02** (*) | |
| 1015020 | Fat | **(+)** | | | **0,02** (*) | |
| 1015030 | Liver | **(+)** | | | **0,07 (+)** | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 1015040 | Kidney | **(+)** | | | **0,05 (+)** | |
| 1015050 | Edible offals (other than liver and kidney) | **(+)** | | | **0,07 (+)** | |
| 1015990 | Others (2) | **(+)** | | | **0,02** (*) | |
| 1016000 | f) *poultry* | **(+)** | | | **0,02** (*) | |
| 1016010 | Muscle | **(+)** | | | | |
| 1016020 | Fat | **(+)** | | | | |
| 1016030 | Liver | **(+)** | | | | |
| 1016040 | Kidney | **(+)** | | | | |
| 1016050 | Edible offals (other than liver and kidney) | **(+)** | | | | |
| 1016990 | Others (2) | **(+)** | | | | |
| 1017000 | (g) *other farmed terrestrial animals* | **(+)** | | | **0,02** (*) | |
| 1017010 | Muscle | **(+)** | | | | |
| 1017020 | Fat | **(+)** | | | | |
| 1017030 | Liver | **(+)** | | | | |
| 1017040 | Kidney | **(+)** | | | | |
| 1017050 | Edible offals (other than liver and kidney) | **(+)** | | | | |
| 1017990 | Others (2) | **(+)** | | | | |
| 1020000 | **Milk** | 0,2 (+) | **0,01** (*) | 0,01 (*) | **0,02** (*) | **0,01** (*) |
| 1020010 | Cattle | (+) | | | | |
| 1020020 | Sheep | (+) | | | | |
| 1020030 | Goat | (+) | | | | |
| 1020040 | Horse | (+) | | | | |
| 1020990 | Others (2) | (+) | | | | |
| 1030000 | **Birds eggs** | 0,2 (+) | **0,01** (*) | 0,01 (*) | **0,02** (*) | **0,01** (*) |
| 1030010 | Chicken | (+) | | | | |
| 1030020 | Duck | (+) | | | | |
| 1030030 | Geese | (+) | | | | |
| 1030040 | Quail | (+) | | | | |
| 1030990 | Others (2) | (+) | | | | |

▼**M195**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fluoride ion | Oxyfluorfen (F) | Pyroxsulam | Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R) | Sulfuryl fluoride |
|---|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,5** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,3 (+)** | **0,01** (*) | 0,01 (*) | **0,02** (*) | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,3 (+)** | **0,01** (*) | 0,01 (*) | **0,02** (*) | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,3 (+)** | **0,01** (*) | 0,01 (*) | **0,02** (*) | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | |

▼**M197**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | |
| 0110000 | **Citrus fruits** | ►**M202** 0,6 (+) ◄ | 0,7 | |
| 0110010 | Grapefruits | ►**M202** (+) ◄ | | **0,002** (*) |
| 0110020 | Oranges | ►**M202** (+) ◄ | | **0,003 (+)** |
| 0110030 | Lemons | ►**M202** (+) ◄ | | **0,003 (+)** |
| 0110040 | Limes | ►**M202** (+) ◄ | | **0,002** (*) |
| 0110050 | Mandarins | ►**M202** (+) ◄ | | **0,003 (+)** |
| 0110990 | Others (2) | | | **0,002** (*) |
| 0120000 | **Tree nuts** | ►**M202** 0,01 (*) ◄ | **0,03** | **0,005** (*) |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts/cobnuts | ►**M202** (+) ◄ | | |
| 0120070 | Macadamias | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nut kernels | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | **(+)** |
| 0120990 | Others (2) | | | |
| 0130000 | **Pome fruits** | ►**M202** 0,4 (+) ◄ | **0,4** | 0,02 |
| 0130010 | Apples | ►**M202** (+) ◄ | | |
| 0130020 | Pears | ►**M202** (+) ◄ | | |
| 0130030 | Quinces | ►**M202** (+) ◄ | | |
| 0130040 | Medlars | ►**M202** (+) ◄ | | |
| 0130050 | Loquats/Japanese medlars | ►**M202** (+) ◄ | | |
| 0130990 | Others (2) | | | |
| 0140000 | **Stone fruits** | | 1 | |
| 0140010 | Apricots | ►**M202** 0,01 (*) ◄ | | 0,05 |
| 0140020 | Cherries (sweet) | ►**M202** 0,1 ◄ | | 0,04 |
| 0140030 | Peaches | ►**M202** 0,1 ◄ | | 0,15 |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0140040 | Plums | ►**M202** 0,03 ◄ | | **0,015** |
| 0140990 | Others (2) | ►**M202** 0,01 (*) ◄ | | **0,002** (*) |
| 0150000 | **Berries and small fruits** | | | |
| 0151000 | (a) *grapes* | ►**M202** 0,8 ◄ | 1 | **0,04** |
| 0151010 | Table grapes | ►**M202** (+) ◄ | | **(+)** |
| 0151020 | Wine grapes | ►**M202** (+) ◄ | | **(+)** |
| 0152000 | (b) *strawberries* | ►**M202** 0,01 (*) ◄ | 1 | 0,05 |
| 0153000 | (c) *cane fruits* | ►**M202** 0,01 (*) ◄ | **1,5** | **0,002** (*) |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries | | | |
| 0153030 | Raspberries (red and yellow) | | | |
| 0153990 | Others (2) | | | |
| 0154000 | (d) *other small fruits and berries* | ►**M202** 0,01 (*) ◄ | | **0,002** (*) |
| 0154010 | Blueberries | | 1,5 | |
| 0154020 | Cranberries | | 1 | |
| 0154030 | Currants (black, red and white) | | 1 | |
| 0154040 | Gooseberries (green, red and yellow) | | 1 | |
| 0154050 | Rose hips | | 1 | |
| 0154060 | Mulberries (black and white) | | 1 | |
| 0154070 | Azaroles/Mediterranean medlars | | **1** | |
| 0154080 | Elderberries | | 1 | |
| 0154990 | Others (2) | | 1 | |
| 0160000 | **Miscellaneous fruits with** | ►**M202** — ◄ | | |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,002** (*) |
| 0161020 | Figs | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,002** (*) |
| 0161030 | Table olives | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,005** (*) |
| 0161040 | Kumquats | ►**M202** 0,01 (*) ◄ | **0,7** | **0,002** (*) |
| 0161050 | Carambolas | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,002** (*) |
| 0161060 | Kaki/Japanese persimmons | ►**M202** **0,05** ◄ | 0,01 (*) | **0,002** (*) |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,002** (*) |
| 0161990 | Others (2) | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,002** (*) |
| 0162000 | (b) *inedible peel, small* | ►**M202** 0,01 (*) ◄ | 0,01 (*) | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | 0,15 |
| 0162020 | Litchis/lychees | | | **0,002** (*) |
| 0162030 | Passionfruits/maracujas | | | **0,002** (*) |
| 0162040 | Prickly pears/cactus fruits | | | **0,002** (*) |
| 0162050 | Star apples/cainitos | | | **0,002** (*) |
| 0162060 | American persimmons/Virginia kaki | | | **0,002** (*) |
| 0162990 | Others (2) | | | **0,002** (*) |
| 0163000 | (c) *inedible peel, large* | ►**M202** 0,01 (*) ◄ | | |
| 0163010 | Avocados | | 0,01 (*) | **0,005** (*) |
| 0163020 | Bananas | | 0,01 (*) | **0,002** (*) |
| 0163030 | Mangoes | | 0,01 (*) | **0,002** (*) |
| 0163040 | Papayas | | 0,01 (*) | **0,002** (*) |
| 0163050 | Granate apples/pomegranates | | 0,4 | **0,002** (*) |
| 0163060 | Cherimoyas | | 0,01 (*) | **0,002** (*) |
| 0163070 | Guavas | | 0,01 (*) | **0,002** (*) |
| 0163080 | Pineapples | | 0,01 (*) | **0,002** (*) |
| 0163090 | Breadfruits | | 0,01 (*) | **0,002** (*) |
| 0163100 | Durians | | 0,01 (*) | **0,002** (*) |
| 0163110 | Soursops/guanabanas | | 0,01 (*) | **0,002** (*) |
| 0163990 | Others (2) | | 0,01 (*) | **0,002** (*) |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | |
| 0210000 | **Root and tuber vegetables** | ►**M202** 0,01 (*) ◄ | | **0,002** (*) |
| 0211000 | (a) *potatoes* | | **0,03** | |
| 0212000 | (b) *tropical root and tuber vegetables* | | 0,02 | |
| 0212010 | Cassava roots/manioc | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams | | | |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others (2) | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | |
| 0213010 | Beetroots | | 0,06 | |
| 0213020 | Carrots | | 0,08 | |
| 0213030 | Celeriacs/turnip rooted celeries | | 0,06 | |
| 0213040 | Horseradishes | | 0,06 | |
| 0213050 | Jerusalem artichokes | | 0,06 | |
| 0213060 | Parsnips | | 0,06 | |
| 0213070 | Parsley roots/Hamburg roots parsley | | 0,06 | |
| 0213080 | Radishes | | 0,5 | |
| 0213090 | Salsifies | | 0,06 | |
| 0213100 | Swedes/rutabagas | | 0,06 | |
| 0213110 | Turnips | | 0,06 | |
| 0213990 | Others (2) | | 0,06 | |
| 0220000 | **Bulb vegetables** | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,002** (*) |
| 0220010 | Garlic | | | |
| 0220020 | Onions | | | |
| 0220030 | Shallots | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | |
| 0220990 | Others (2) | | | |
| 0230000 | **Fruiting vegetables** | | | |
| 0231000 | **(a)** *Solanaceae and Malvaceae* | | | 0,02 |
| 0231010 | Tomatoes | ►**M202** 0,3 (+) ◄ | 0,6 | |
| 0231020 | Sweet peppers/bell peppers | ►**M202** **0,3** ◄ | 1 **(+)** | |
| 0231030 | Aubergines/eggplants | ►**M202** 0,3 (+) ◄ | 0,6 | |
| 0231040 | Okra/lady's fingers | ►**M202** 0,01 (*) ◄ | 0,6 | |
| 0231990 | Others (2) | ►**M202** 0,01 (*) ◄ | 0,6 | |
| 0232000 | (b) *cucurbits with edible peel* | | 0,3 | **0,007** |
| 0232010 | Cucumbers | ►**M202** 0,08 ◄ | | |
| 0232020 | Gherkins | ►**M202** 0,04 ◄ | | |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0232030 | Courgettes | ►**M202** 0,08 ◄ | | |
| 0232990 | Others (2) | ►**M202** 0,01 (*) ◄ | | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M202** 0,01 (*) ◄ | 0,3 | **0,008** |
| 0233010 | Melons | | **(+)** | |
| 0233020 | Pumpkins | | | **(+)** |
| 0233030 | Watermelons | | **(+)** | |
| 0233990 | Others (2) | | | |
| 0234000 | (d) *sweet corn* | ►**M202** 0,01 (*) ◄ | **0,01** (*) | **0,002** (*) |
| 0239000 | (e) *other fruiting vegetables* | ►**M202** 0,01 (*) ◄ | **0,01** (*) | **0,002** (*) |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | ►**M202** 0,01 (*) ◄ | | |
| 0241000 | (a) *flowering brassica* | | | **0,003** |
| 0241010 | Broccoli | | **1,5** | |
| 0241020 | Cauliflowers | | **0,5** | |
| 0241990 | Others (2) | | **0,5** | |
| 0242000 | (b) *head brassica* | | | **0,004** |
| 0242010 | Brussels sprouts | | 0,01 (*) | |
| 0242020 | Head cabbages | | 2 | |
| 0242990 | Others (2) | | 0,01 (*) | |
| 0243000 | (c) *leafy brassica* | | | |
| 0243010 | Chinese cabbages/pe-tsai | | 20 | **0,2** |
| 0243020 | Kales | | **40** | 0,03 |
| 0243990 | Others (2) | | 20 | 0,03 |
| 0244000 | (d) *kohlrabies* | | 0,01 (*) | **0,002** (*) |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | ►**M202** 0,01 (*) ◄ | | |
| 0251010 | Lamb's lettuces/corn salads | | 20 | **0,6** |
| 0251020 | Lettuces | | 20 | **0,2** |
| 0251030 | Escaroles/broad-leaved endives | | 20 | **0,15 (+)** |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | 20 | **0,6** |
| 0251050 | Land cresses | | 20 | **0,6** |
| 0251060 | Roman rocket/rucola | | 20 | **0,6** |
| 0251070 | Red mustards | | 20 | **0,6** |
| 0251080 | Baby leaf crops (including brassica species) | | **40** | **0,6** |
| 0251990 | Others (2) | | 20 | **0,6** |
| 0252000 | (b) *spinaches and similar leaves* | ►**M202** 0,01 (*) ◄ | 20 | 0,2 |
| 0252010 | Spinaches | | | |
| 0252020 | Purslanes | | | |
| 0252030 | Chards/beet leaves | | | |
| 0252990 | Others (2) | | | |
| 0253000 | (c) *grape leaves and similar species* | ►**M202** 0,01 (*) ◄ | 20 **(+)** | **0,002** (*) |
| 0254000 | (d) *watercresses* | ►**M202** 0,01 (*) ◄ | 20 | **0,6** |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M202** 0,01 (*) ◄ | 20 | **0,002** (*) |
| 0256000 | (f) *herbs and edible flowers* | ►**M202** 0,02 (*) ◄ | 20 | |
| 0256010 | Chervil | | | **0,2** |
| 0256020 | Chives | | | **0,2** |
| 0256030 | Celery leaves | | | **0,2** |
| 0256040 | Parsley | | | **0,2** |
| 0256050 | Sage | | | **0,6** |
| 0256060 | Rosemary | | | **0,2** |
| 0256070 | Thyme | | | **0,2** |
| 0256080 | Basil and edible flowers | | | **0,2** |
| 0256090 | Laurel/bay leaves | | | **0,2** |
| 0256100 | Tarragon | | | **0,2** |
| 0256990 | Others (2) | | | **0,2** |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | ►**M202** 0,01 (*) ◄ | | |
| 0260010 | Beans (with pods) | | 0,8 | 0,03 |
| 0260020 | Beans (without pods) | | 0,01 (*) | **0,015** |
| 0260030 | Peas (with pods) | | 2 | 0,03 |
| 0260040 | Peas (without pods) | | 0,01 (*) | **0,002** (*) |
| 0260050 | Lentils | | 0,01 (*) | **0,002** (*) |
| 0260990 | Others (2) | | 0,01 (*) | **0,002** (*) |
| 0270000 | **Stem vegetables** | ►**M202** 0,01 (*) ◄ | | |
| 0270010 | Asparagus | | 0,01 (*) | **0,002** (*) |
| 0270020 | Cardoons | | **8** | **0,002** (*) |
| 0270030 | Celeries | | **8** | **0,002** (*) |
| 0270040 | Florence fennels | | **8** | **0,002** (*) |
| 0270050 | Globe artichokes | | 2 | **0,09** |
| 0270060 | Leeks | | 0,01 (*) | **0,002** (*) |
| 0270070 | Rhubarbs | | **8** | **0,002** (*) |
| 0270080 | Bamboo shoots | | 0,01 (*) | **0,002** (*) |
| 0270090 | Palm hearts | | 0,01 (*) | **0,002** (*) |
| 0270990 | Others (2) | | 0,01 (*) | **0,002** (*) |
| 0280000 | **Fungi, mosses and lichens** | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,002** (*) |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M202** 0,01 (*) ◄ | 0,01 (*) | **0,002** (*) |
| 0300000 | **PULSES** | ►**M202** 0,01 (*) ◄ | 0,3 | **0,005** (*) |
| 0300010 | Beans | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas | | | |
| 0300040 | Lupins/lupini beans | | | |
| 0300990 | Others (2) | | | |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M202** 0,01 (*) ◄ | | **0,005** (*) |
| 0401000 | **Oilseeds** | | | |
| 0401010 | Linseeds | | **2** | |
| 0401020 | Peanuts/groundnuts | | 0,06**(+)** | |
| 0401030 | Poppy seeds | | **2** | |
| 0401040 | Sesame seeds | | **2** | |
| 0401050 | Sunflower seeds | | 2**(+)** | |
| 0401060 | Rapeseeds/canola seeds | | 2**(+)** | |
| 0401070 | Soyabeans | | 0,05 | |
| 0401080 | Mustard seeds | | **2** | |
| 0401090 | Cotton seeds | | 0,3 | **(+)** |
| 0401100 | Pumpkin seeds | | **2** | |
| 0401110 | Safflower seeds | | **2** | |
| 0401120 | Borage seeds | | **2** | |
| 0401130 | Gold of pleasure seeds | | **2** | |
| 0401140 | Hemp seeds | | **2** | |
| 0401150 | Castor beans | | **2** | |
| 0401990 | Others (2) | | 0,01 (*) | |
| 0402000 | **Oil fruits** | | | |
| 0402010 | Olives for oil production | | 0,01 (*) | |
| 0402020 | Oil palms kernels | | 0,01 (*) | |
| 0402030 | Oil palms fruits | | 0,8 | |
| 0402040 | Kapok | | 0,01 (*) | |
| 0402990 | Others (2) | | 0,01 (*) | |
| 0500000 | **CEREALS** | ►**M202** 0,01 (*) ◄ | | **0,005** (*) |
| 0500010 | Barley | | 0,02 | |
| 0500020 | Buckwheat and other pseudocereals | | 0,02 | |
| 0500030 | Maize/corn | | 0,02 | |
| 0500040 | Common millet/proso millet | | 0,02 | |
| 0500050 | Oat | | 0,02 | |
| 0500060 | Rice | | 0,4 | |
| 0500070 | Rye | | 0,02 | |
| 0500080 | Sorghum | | 0,02 | |
| 0500090 | Wheat | | 0,02 | |
| 0500990 | Others (2) | | 0,02 | |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M202** 0,05 (*) ◄ | | |
| 0610000 | **Teas** | | **0,05** (*) | **0,01** (*) |
| 0620000 | **Coffee beans** | | **0,01** (*) | **0,01** (*) |
| 0630000 | **Herbal infusions from** | | **0,05** (*) | |
| 0631000 | (a) *flowers* | | | **0,01** (*) |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others (2) | | | |
| 0632000 | (b) *leaves and herbs* | | | 2 |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others (2) | | | |
| 0633000 | (c) *roots* | | | **0,01** (*) |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others (2) | | | |
| 0639000 | (d) *any other parts of the plant* | | | **0,01** (*) |
| 0640000 | **Cocoa beans** | | **0,05** (*) | **0,01** (*) |
| 0650000 | **Carobs/Saint John's breads** | | **0,05** (*) | **0,01** (*) |
| 0700000 | **HOPS** | ►**M202** 20 (+) ◄ | 40 | **0,01** (*) |
| 0800000 | **SPICES** | | | |
| 0810000 | **Seed spices** | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0810010 | Anise/aniseed | | | |
| 0810020 | Black caraway/black cumin | | | |
| 0810030 | Celery | | | |
| 0810040 | Coriander | | | |
| 0810050 | Cumin | | | |
| 0810060 | Dill | | | |
| 0810070 | Fennel | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others (2) | | | |
| 0820000 | **Fruit spices** | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0820010 | Allspice/pimento | | | |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berry | | | |
| 0820060 | Peppercorn (black, green and white) | | | |
| 0820070 | Vanilla | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others (2) | | | |
| 0830000 | **Bark spices** | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0830010 | Cinnamon | | | |
| 0830990 | Others (2) | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0840020 | Ginger (10) | | | |
| 0840030 | Turmeric/curcuma | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0840040 | Horseradish (11) | | | |
| 0840990 | Others (2) | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0850000 | **Bud spices** | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others (2) | | | |
| 0860000 | **Flower pistil spices** | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0860010 | Saffron | | | |
| 0860990 | Others (2) | | | |
| 0870000 | **Aril spices** | ►**M202** 0,05 (*) ◄ | **0,05** (*) | **0,01** (*) |
| 0870010 | Mace | | | |
| 0870990 | Others (2) | | | |
| 0900000 | **SUGAR PLANTS** | ►**M202** 0,01 (*) ◄ | | **0,002** (*) |
| 0900010 | Sugar beet roots | | **0,01** (*) | |
| 0900020 | Sugar canes | | 0,5 | |
| 0900030 | Chicory roots | | **0,01** (*) | |
| 0900990 | Others (2) | | 0,01 (*) | |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | |
| 1010000 | **Commodities from** | ►**M202** 0,01 (*) ◄ | | |
| 1011000 | (a) *swine* | | | |
| 1011010 | Muscle | ►**M202** (+) ◄ | **0,03** | **0,004 (+)** |
| 1011020 | Fat | ►**M202** (+) ◄ | 0,2 | 0,02 **(+)** |
| 1011030 | Liver | ►**M202** (+) ◄ | 0,2 | 0,08 **(+)** |
| 1011040 | Kidney | ►**M202** (+) ◄ | 0,2 | 0,08 **(+)** |
| 1011050 | Edible offals (other than liver and kidney) | | 0,2 | 0,08 |
| 1011990 | Others (2) | | 0,01 (*) | 0,01 (*) |
| 1012000 | (b) *bovine* | | | |
| 1012010 | Muscle | ►**M202** (+) ◄ | **0,03** | **0,004 (+)** |
| 1012020 | Fat | ►**M202** (+) ◄ | 0,2 | 0,02 **(+)** |
| 1012030 | Liver | ►**M202** (+) ◄ | 0,2 | 0,08 **(+)** |
| 1012040 | Kidney | ►**M202** (+) ◄ | 0,2 | 0,08 **(+)** |
| 1012050 | Edible offals (other than liver and kidney) | | 0,2 | 0,08 |
| 1012990 | Others (2) | | 0,01 (*) | 0,01 (*) |
| 1013000 | (c) *sheep* | | | |
| 1013010 | Muscle | | **0,03** | **0,004 (+)** |
| 1013020 | Fat | | 0,2 | 0,02 **(+)** |
| 1013030 | Liver | | 0,2 | 0,08 **(+)** |
| 1013040 | Kidney | | 0,2 | 0,08 **(+)** |
| 1013050 | Edible offals (other than liver and kidney) | | 0,2 | 0,08 |
| 1013990 | Others (2) | | 0,01 (*) | 0,01 (*) |
| 1014000 | (d) *goat* | | | |
| 1014010 | Muscle | | **0,03** | **0,004 (+)** |
| 1014020 | Fat | | 0,2 | 0,02 **(+)** |
| 1014030 | Liver | | 0,2 | 0,08 **(+)** |
| 1014040 | Kidney | | 0,2 | 0,08 **(+)** |
| 1014050 | Edible offals (other than liver and kidney) | | 0,2 | 0,08 |
| 1014990 | Others (2) | | 0,01 (*) | 0,01 (*) |
| 1015000 | (e) *equine* | | | |
| 1015010 | Muscle | ►**M202** (+) ◄ | **0,03** | **0,004 (+)** |
| 1015020 | Fat | ►**M202** (+) ◄ | 0,2 | 0,02 **(+)** |
| 1015030 | Liver | ►**M202** (+) ◄ | 0,2 | 0,08 **(+)** |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 1015040 | Kidney | ►**M202** (+) ◄ | 0,2 | 0,08 **(+)** |
| 1015050 | Edible offals (other than liver and kidney) | | 0,2 | 0,08 |
| 1015990 | Others (2) | | 0,01 (*) | 0,01 (*) |
| 1016000 | (f) *poultry* | | | 0,01 (*) |
| 1016010 | Muscle | | **0,02** | |
| 1016020 | Fat | | 0,08 | |
| 1016030 | Liver | | 0,07 | |
| 1016040 | Kidney | | **0,01** (*) | |
| 1016050 | Edible offals (other than liver and kidney) | | **0,08** | |
| 1016990 | Others (2) | | 0,01 (*) | |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | | **0,03** | **0,004 (+)** |
| 1017020 | Fat | | 0,2 | 0,02 **(+)** |
| 1017030 | Liver | | 0,2 | 0,08 **(+)** |
| 1017040 | Kidney | | 0,2 | 0,08 **(+)** |
| 1017050 | Edible offals (other than liver and kidney) | | 0,2 | 0,08 |
| 1017990 | Others (2) | | 0,01 (*) | 0,01 (*) |
| 1020000 | **Milk** | ►**M202** 0,01 (*) ◄ | 0,05 | **0,002** (*) |
| 1020010 | Cattle | ►**M202** (+) ◄ | | **(+)** |
| 1020020 | Sheep | | | **(+)** |
| 1020030 | Goat | | | **(+)** |
| 1020040 | Horse | ►**M202** (+) ◄ | | **(+)** |
| 1020990 | Others (2) | | | |
| 1030000 | **Birds eggs** | ►**M202** 0,01 (*) ◄ | 0,2 | 0,01 (*) |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Geese | | | |
| 1030040 | Quail | | | |
| 1030990 | Others (2) | | | |

▼**M197**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M202** Acequinocyl (F) ◄ | Chlorantraniliprole (F) | Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F) |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M202** 0,05 (*) ◄ | 0,05 (*) | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | ►**M202** 0,01 (*) ◄ | 0,01 (*) | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | ►**M202** 0,01 (*) ◄ | 0,01 (*) | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M202** 0,01 (*) ◄ | 0,01 (*) | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | |

▼**M198**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,05** (+) | | **0,03** (*) | |
| 0110000 | **Citrus fruits** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0110010 | Grapefruits | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0110020 | Oranges | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0110030 | Lemons | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0110040 | Limes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0110050 | Mandarins | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0110990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120000 | **Tree nuts** | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0120010 | Almonds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120020 | Brazil nuts | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120030 | Cashew nuts | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120040 | Chestnuts | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120050 | Coconuts | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120060 | Hazelnuts/cobnuts | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120070 | Macadamias | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120080 | Pecans | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120090 | Pine nut kernels | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120100 | Pistachios | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120110 | Walnuts | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0120990 | Others (2) | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0130000 | **Pome fruits** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0130010 | Apples | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0130020 | Pears | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0130030 | Quinces | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0130040 | Medlars | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0130050 | Loquats/Japanese medlars | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0130990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0140000 | **Stone fruits** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0140010 | Apricots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0140020 | Cherries (sweet) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0140030 | Peaches | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0140040 | Plums | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0140990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0150000 | **Berries and small fruits** | **0,05** (+) | 0,01 (*) | **0,03** (*) | |
| 0151000 | (a) *grapes* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 1 ◄ |
| 0151010 | Table grapes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0151020 | Wine grapes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0152000 | (b) *strawberries* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0153000 | (c) *cane fruits* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0153010 | Blackberries | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0153020 | Dewberries | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0153030 | Raspberries (red and yellow) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0153990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154000 | (d) *other small fruits and berries* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0154010 | Blueberries | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154020 | Cranberries | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154030 | Currants (black, red and white) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154040 | Gooseberries (green, red and yellow) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154050 | Rose hips | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154060 | Mulberries (black and white) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154070 | Azaroles/Mediter-ranean medlars | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154080 | Elderberries | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0154990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0160000 | **Miscellaneous fruitswith** | **0,05** (+) | | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0161000 | (a) *edible peel* | **0,05** (+) | | **0,03** (*) | ►**M204** — ◄ |
| 0161010 | Dates | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0161020 | Figs | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0161030 | Table olives | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0161040 | Kumquats | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0161050 | Carambolas | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0161060 | Kaki/Japanese persimmons | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0161990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0162000 | (b) *inedible peel, small* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0162020 | Litchis/lychees | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0162030 | Passionfruits/ maracujas | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0162040 | Prickly pears/cactus fruits | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0162050 | Star apples/cainitos | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0162060 | American persimmons/Virginia kaki | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0162990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163000 | (c) *inedible peel, large* | **0,05** (+) | | **0,03** (*) | ►**M204** — ◄ |
| 0163010 | Avocados | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163020 | Bananas | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163030 | Mangoes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163040 | Papayas | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163050 | Granate apples/ pomegranates | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163060 | Cherimoyas | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163070 | Guavas | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163080 | Pineapples | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163090 | Breadfruits | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163100 | Durians | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163110 | Soursops/guanabanas | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0163990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | 15 (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0212010 | Cassava roots/manioc | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0212020 | Sweet potatoes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0212030 | Yams | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0212990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213010 | Beetroots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213020 | Carrots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213040 | Horseradishes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213050 | Jerusalem artichokes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213060 | Parsnips | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213070 | Parsley roots/ Hamburg roots parsley | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213080 | Radishes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213090 | Salsifies | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213100 | Swedes/rutabagas | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213110 | Turnips | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0213990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0220000 | **Bulb vegetables** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0220010 | Garlic | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0220020 | Onions | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** **0,5** ◄ |
| 0220030 | Shallots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** **0,5** ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0220990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0230000 | **Fruiting vegetables** | **0,05** (+) | 0,01 (*) | **0,03** (*) | |
| 0231000 | (a) *Solanaceae and Malvaceae* | **0,05** (+) | 0,01 (*) | **0,03** (*) | |
| 0231010 | Tomatoes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** **0,4** ◄ |
| 0231020 | Sweet peppers/bell peppers | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0231030 | Aubergines/eggplants | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** **0,4** ◄ |
| 0231040 | Okra/lady's fingers | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0231990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0232000 | (b) *cucurbits with edible peel* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0232010 | Cucumbers | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0232020 | Gherkins | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0232030 | Courgettes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0232990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0233010 | Melons | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0233020 | Pumpkins | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0233030 | Watermelons | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0233990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0234000 | (d) *sweet corn* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0239000 | (e) *other fruiting vegetables* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0241010 | Broccoli | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0241020 | Cauliflowers | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0241990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0242000 | (b) *head brassica* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0242010 | Brussels sprouts | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0242020 | Head cabbages | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0242990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0243000 | (c) *leafy brassica* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0243010 | Chinese cabbages/pe-tsai | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0243020 | Kales | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0243990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0244000 | (d) *kohlrabies* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | **0,05** (+) | | | |
| 0251000 | (a) *lettuces and salad plants* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0251020 | Lettuces | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0251030 | Escaroles/broad-leaved endives | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0251050 | Land cresses | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0251060 | Roman rocket/rucola | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0251070 | Red mustards | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0251080 | Baby leaf crops (including brassica species) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0251990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0252000 | **(b)** *spinaches and similar leaves* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0252010 | Spinaches | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0252020 | Purslanes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0252030 | Chards/beet leaves | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0252990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0253000 | **(c)** *grape leaves and similar species* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0254000 | **(d)** *watercresses* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0255000 | **(e)** *witloofs/Belgian endives* | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0256000 | **(f)** *herbs and edible flowers* | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** 0,02 (*) ◄ |
| 0256010 | Chervil | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256020 | Chives | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256030 | Celery leaves | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256040 | Parsley | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256050 | Sage | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256060 | Rosemary | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256070 | Thyme | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256080 | Basil and edible flowers | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256090 | Laurel/bay leaves | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256100 | Tarragon | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |
| 0256990 | Others (2) | **0,05** (+) | **0,02** (*) | **0,06** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0260020 | Beans (without pods) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0260030 | Peas (with pods) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0260040 | Peas (without pods) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0260050 | Lentils | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0260990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270000 | **Stem vegetables** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0270010 | Asparagus | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270020 | Cardoons | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270030 | Celeries | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270040 | Florence fennels | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270050 | Globe artichokes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270060 | Leeks | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270070 | Rhubarbs | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270080 | Bamboo shoots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270090 | Palm hearts | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0270990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0280000 | **Fungi, mosses and lichens** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0280020 | Wild fungi | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0280990 | Mosses and lichens | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0290000 | **Algae and prokaryotes organisms** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0300000 | **PULSES** | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0300010 | Beans | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0300020 | Lentils | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0300030 | Peas | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0300040 | Lupins/lupini beans | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0300990 | Others (2) | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401010 | Linseeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401020 | Peanuts/groundnuts | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401030 | Poppy seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401040 | Sesame seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401050 | Sunflower seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401060 | Rapeseeds/canola seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401070 | Soyabeans | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401080 | Mustard seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401090 | Cotton seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401100 | Pumpkin seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401110 | Safflower seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401120 | Borage seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401130 | Gold of pleasure seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401140 | Hemp seeds | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401150 | Castor beans | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0401990 | Others (2) | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0402000 | **Oil fruits** | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0402010 | Olives for oil production | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0402020 | Oil palms kernels | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0402030 | Oil palms fruits | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0402040 | Kapok | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0402990 | Others (2) | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0500000 | **CEREALS** | **0,05** (+) | **0,02** (*) | | ►**M204** 0,01 (*) ◄ |
| 0500010 | Barley | **0,05** (+) | **0,02** (*) | **0,7** | ►**M204** — ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0500030 | Maize/corn | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0500040 | Common millet/proso millet | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0500050 | Oat | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0500060 | Rice | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0500070 | Rye | **0,05** (+) | **0,02** (*) | **0,7** | ►**M204** — ◄ |
| 0500080 | Sorghum | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |
| 0500090 | Wheat | **0,05** (+) | **0,02** (*) | **0,7** | ►**M204** — ◄ |
| 0500990 | Others (2) | **0,05** (+) | **0,02** (*) | **0,03** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0610000 | **Teas** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0620000 | **Coffee beans** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0630000 | **Herbal infusions from** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0631000 | (a) *flowers* | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0631010 | Chamomile | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0631020 | Hibiscus/roselle | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0631030 | Rose | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0631040 | Jasmine | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0631050 | Lime/linden | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0631990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0632000 | (b) *leaves and herbs* | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0632010 | Strawberry | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0632020 | Rooibos | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0632030 | Mate/maté | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0632990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0633000 | (c) *roots* | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0633010 | Valerian | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0633020 | Ginseng | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0633990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0639000 | (d) *any other parts of the plant* | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0640000 | **Cocoa beans** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0650000 | **Carobs/Saint John's breads** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0700000 | **HOPS** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0800000 | **SPICES** | | | | |
| 0810000 | **Seed spices** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810020 | Black caraway/black cumin | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810030 | Celery | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810040 | Coriander | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810050 | Cumin | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810060 | Dill | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810070 | Fennel | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810080 | Fenugreek | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810090 | Nutmeg | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0810990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0820000 | **Fruit spices** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0820030 | Caraway | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0820040 | Cardamom | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0820050 | Juniper berry | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0820060 | Peppercorn (black, green and white) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0820070 | Vanilla | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0820080 | Tamarind | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0820990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0830000 | **Bark spices** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0830010 | Cinnamon | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0830990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0840000 | **Root and rhizome spices** | | | | |
| 0840010 | Liquorice | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | | | | |
| 0840030 | Turmeric/curcuma | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | | | | |
| 0840990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0850010 | Cloves | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0850020 | Capers | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0850990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0860000 | **Flower pistil spices** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0860010 | Saffron | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0860990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0870000 | **Aril spices** | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** 0,05 (*) ◄ |
| 0870010 | Mace | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0870990 | Others (2) | **0,05** (+) | **0,05** (*) | **0,1** (*) | ►**M204** — ◄ |
| 0900000 | **SUGAR PLANTS** | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0900020 | Sugar canes | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0900030 | Chicory roots | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |
| 0900990 | Others (2) | **0,05** (+) | 0,01 (*) | **0,03** (*) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **(+)** | | **(+)** | |
| 1010000 | **Commodities from** | **(+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** 0,03 (*) ◄ |
| 1011000 | (a) *swine* | **(+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1011010 | Muscle | **0,03 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1011020 | Fat | **0,4 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1011030 | Liver | **1,5 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1011040 | Kidney | **1,5 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1011050 | Edible offals (other than liver and kidney) | **1,5 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1011990 | Others (2) | **1,5 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1012000 | (b) *bovine* | **(+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1012010 | Muscle | **0,04 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1012020 | Fat | **1 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1012030 | Liver | **3 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1012040 | Kidney | **3 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1012050 | Edible offals (other than liver and kidney) | **3 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1012990 | Others (2) | **3 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1013000 | (c) *sheep* | **(+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1013010 | Muscle | **0,04 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1013020 | Fat | **1,5 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1013030 | Liver | **4 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1013040 | Kidney | **3 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1013050 | Edible offals (other than liver and kidney) | **4 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1013990 | Others (2) | **4 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1014000 | d) *goat* | **(+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1014010 | Muscle | **0,04 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1014020 | Fat | **1,5 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1014030 | Liver | **4 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1014040 | Kidney | **3 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1014050 | Edible offals (other than liver and kidney) | **4 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1014990 | Others (2) | **4 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1015000 | (e) *equine* | **(+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1015010 | Muscle | **0,04 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1015020 | Fat | **1 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |
| 1015030 | Liver | **3 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyquinoline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyquinoline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 1015040 | Kidney | **3** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1015050 | Edible offals (other than liver and kidney) | **3** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1015990 | Others (2) | **3** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1016000 | (f) *poultry* | (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1016010 | Muscle | **0,2** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1016020 | Fat | **0,7** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1016030 | Liver | **0,6** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1016040 | Kidney | **0,7** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1016050 | Edible offals (other than liver and kidney) | **0,7** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1016990 | Others (2) | **0,7** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1017010 | Muscle | **0,04** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1017020 | Fat | **1** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1017030 | Liver | **3** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1017040 | Kidney | **3** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1017050 | Edible offals (other than liver and kidney) | **3** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1017990 | Others (2) | **3** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1020000 | **Milk** | (+) | 0,01 (*) | **0,01** (*) (+) | ►**M204** 0,03 (*) ◄ |
| 1020010 | Cattle | **0,4** (+) | 0,01 (*) | **0,01** (*) (+) | ►**M204** — ◄ |
| 1020020 | Sheep | **0,5** (+) | 0,01 (*) | **0,01** (*) (+) | ►**M204** — ◄ |
| 1020030 | Goat | **0,5** (+) | 0,01 (*) | **0,01** (*) (+) | ►**M204** — ◄ |
| 1020040 | Horse | **0,4** (+) | 0,01 (*) | **0,01** (*) (+) | ►**M204** — ◄ |
| 1020990 | Others (2) | **0,4** (+) | 0,01 (*) | **0,01** (*) (+) | ►**M204** — ◄ |
| 1030000 | **Birds eggs** | **0,15** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** 0,03 (*) ◄ |
| 1030010 | Chicken | **0,15** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1030020 | Duck | **0,15** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1030030 | Geese | **0,15** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1030040 | Quail | **0,15** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |
| 1030990 | Others (2) | **0,15** (+) | 0,01 (*) | **0,02** (*) (+) | ►**M204** — ◄ |

▼**M198**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,4-dimethyl-naphthalene (R) (F) | 8-hydroxyqui-noline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyqui-noline) | Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A) | ►**M204** Valifenalate (R) (A) ◄ |
|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) **(+)** | **0,05** (*) | **0,05** (*) **(+)** | ►**M204** 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | **0,2 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** 0,03 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | **0,2 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** 0,03 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,2 (+)** | 0,01 (*) | **0,02** (*) **(+)** | ►**M204** 0,03 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | |

▼**M207**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1-methyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide (PAM) | Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO2) or derivatives thereof, calculated in total as cycloxydim | Cyflumetofen (sum of isomers) | Penthiopyrad (F) | Sum of metobromuron and 4-bromophenylurea, expressed as metobromuron |
|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | | | | **0,02** (*) |
| 0110000 | **Citrus fruits** | | **0,09** (*) | 0,5 | 0,01 (*) | |
| 0110010 | Grapefruits | | | | | |
| 0110020 | Oranges | | | | | |
| 0110030 | Lemons | | | | | |
| 0110040 | Limes | | | | | |
| 0110050 | Mandarins | | | | | |
| 0110990 | Others (2) | | | | | |
| 0120000 | **Tree nuts** | | **0,09** (*) | 0,01 (*) | 0,05 | |
| 0120010 | Almonds | | | | | |
| 0120020 | Brazil nuts | | | | | |
| 0120030 | Cashew nuts | | | | | |
| 0120040 | Chestnuts | | | | | |
| 0120050 | Coconuts | | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | | |
| 0120070 | Macadamias | | | | | |
| 0120080 | Pecans | | | | | |
| 0120090 | Pine nut kernels | | | | | |
| 0120100 | Pistachios | | | | | |
| 0120110 | Walnuts | | | | | |
| 0120990 | Others (2) | | | | | |
| 0130000 | **Pome fruits** | | **0,09** (*) | 0,4 | 0,5 | |
| 0130010 | Apples | | | | | |
| 0130020 | Pears | | | | | |
| 0130030 | Quinces | | | | | |
| 0130040 | Medlars | | | | | |
| 0130050 | Loquats/Japanese medlars | | | | | |
| 0130990 | Others (2) | | | | | |
| 0140000 | **Stone fruits** | | **0,09** (*) | | | |
| 0140010 | Apricots | | | 0,3 | **3** | |
| 0140020 | Cherries (sweet) | | | **0,01** (*) | 4 | |
| 0140030 | Peaches | | | 0,3 | **3** | |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0140040 | Plums | | | **0,01** (*) | 1,5 | |
| 0140990 | Others (2) | | | **0,01** (*) | 0,01 (*) | |
| 0150000 | **Berries and small fruits** | | | | | |
| 0151000 | (a) *grapes* | | **0,3** | 0,6 | 0,01 (*) | |
| 0151010 | Table grapes | | | | | |
| 0151020 | Wine grapes | | | | | |
| 0152000 | (b) *strawberries* | | 4 | 0,6 | 3 | **(+)** |
| 0153000 | (c) *cane fruits* | | **0,09** (*) | **0,01** (*) | 0,01 (*) | |
| 0153010 | Blackberries | | | | | |
| 0153020 | Dewberries | | | | | |
| 0153030 | Raspberries (red and yellow) | | | | | |
| 0153990 | Others (2) | | | | | |
| 0154000 | (d) *other small fruits and berries* | | **0,09** (*) | | | |
| 0154010 | Blueberries | | | **0,01** (*) | 0,01 (*) | |
| 0154020 | Cranberries | | | **0,01** (*) | 0,01 (*) | |
| 0154030 | Currants (black, red and white) | | | **0,01** (*) | 0,01 (*) | |
| 0154040 | Gooseberries (green, red and yellow) | | | **0,01** (*) | 0,01 (*) | |
| 0154050 | Rose hips | | | **0,01** (*) | 0,01 (*) | |
| 0154060 | Mulberries (black and white) | | | **0,01** (*) | 0,01 (*) | |
| 0154070 | Azaroles/Mediterranean medlars | | | 0,4 | 0,4 | |
| 0154080 | Elderberries | | | **0,01** (*) | 0,01 (*) | |
| 0154990 | Others (2) | | | **0,01** (*) | 0,01 (*) | |
| 0160000 | **Miscellaneous fruitswith** | | **0,09** (*) | | | |
| 0161000 | (a) *edible peel* | | | | | |
| 0161010 | Dates | | | **0,01** (*) | 0,01 (*) | |
| 0161020 | Figs | | | **0,01** (*) | 0,01 (*) | |
| 0161030 | Table olives | | | **0,01** (*) | 0,01 (*) | |
| 0161040 | Kumquats | | | **0,01** (*) | 0,01 (*) | |
| 0161050 | Carambolas | | | **0,01** (*) | 0,01 (*) | |
| 0161060 | Kaki/Japanese persimmons | | | 0,4 | 0,4 | |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | **0,01** (*) | 0,01 (*) | |
| 0161990 | Others (2) | | | **0,01** (*) | 0,01 (*) | |
| 0162000 | (b) *inedible peel, small* | | | **0,01** (*) | 0,01 (*) | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | | |
| 0162020 | Litchis/lychees | | | | | |
| 0162030 | Passionfruits/ maracujas | | | | | |
| 0162040 | Prickly pears/cactus fruits | | | | | |
| 0162050 | Star apples/cainitos | | | | | |
| 0162060 | American persimmons/Virginia kaki | | | | | |
| 0162990 | Others (2) | | | | | |
| 0163000 | (c) *inedible peel, large* | | | **0,01** (*) | 0,01 (*) | |
| 0163010 | Avocados | | | | | |
| 0163020 | Bananas | | | | | |
| 0163030 | Mangoes | | | | | |
| 0163040 | Papayas | | | | | |
| 0163050 | Granate apples/ pomegranates | | | | | |
| 0163060 | Cherimoyas | | | | | |
| 0163070 | Guavas | | | | | |
| 0163080 | Pineapples | | | | | |
| 0163090 | Breadfruits | | | | | |
| 0163100 | Durians | | | | | |
| 0163110 | Soursops/guanabanas | | | | | |
| 0163990 | Others (2) | | | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | | |
| 0210000 | **Root and tuber vegetables** | | | **0,01** (*) | | |
| 0211000 | (a) *potatoes* | | **4** | | 0,05 | **0,03** (+) |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | | **0,02** (*) |
| 0212010 | Cassava roots/manioc | | **0,09** (*) | | **0,01** (*) | |
| 0212020 | Sweet potatoes | | **0,6** | | 0,04 | |
| 0212030 | Yams | | **0,09** (*) | | **0,01** (*) | |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0212040 | Arrowroots | | **0,09** (*) | | **0,01** (*) | |
| 0212990 | Others (2) | | **0,09** (*) | | **0,01** (*) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | | **0,02** (*) |
| 0213010 | Beetroots | | **3** | | 0,6 | |
| 0213020 | Carrots | | 5 | | 0,6 | **(+)** |
| 0213030 | Celeriacs/turnip rooted celeries | | **3** | | **0,01** (*) | |
| 0213040 | Horseradishes | | **3** | | 0,6 | |
| 0213050 | Jerusalem artichokes | | 0,9 | | 0,6 | |
| 0213060 | Parsnips | | **3** | | 0,6 | **(+)** |
| 0213070 | Parsley roots/ Hamburg roots parsley | | **1** | | 0,6 | |
| 0213080 | Radishes | | **3** | | 3 | |
| 0213090 | Salsifies | | **3** | | **0,01** (*) | |
| 0213100 | Swedes/rutabagas | | **1** | | 0,6 | |
| 0213110 | Turnips | | **3** | | 0,6 | |
| 0213990 | Others (2) | | **0,9** | | **0,01** (*) | |
| 0220000 | **Bulb vegetables** | | | **0,01** (*) | | **0,02** (*) |
| 0220010 | Garlic | | **1,5** | | 0,8 | |
| 0220020 | Onions | | 3 | | 0,8 | |
| 0220030 | Shallots | | **1,5** | | 0,8 | |
| 0220040 | Spring onions/green onions and Welsh onions | | **0,3 (+)** | | 4 **(+)** | |
| 0220990 | Others (2) | | **0,3** | | 0,8 | |
| 0230000 | **Fruiting vegetables** | | | | | **0,02** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | 2 | |
| 0231010 | Tomatoes | | 1,5 | 0,4 | | |
| 0231020 | Sweet peppers/bell peppers | | 9 | **0,01** (*) | | |
| 0231030 | Aubergines/eggplants | | 1,5 | 0,4 | | |
| 0231040 | Okra/lady's fingers | | **0,09** (*) | **0,01** (*) | | |
| 0231990 | Others (2) | | **0,09** (*) | **0,01** (*) | | |
| 0232000 | (b) *cucurbits with edible peel* | | **0,09** (*) | | 0,7 | |
| 0232010 | Cucumbers | | | 0,4 | | |
| 0232020 | Gherkins | | | **0,01** (*) | | |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0232030 | Courgettes | | | **0,01** (*) | | |
| 0232990 | Others (2) | | | **0,01** (*) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | **0,09** (*) | **0,01** (*) | 0,6 | |
| 0233010 | Melons | | | | | |
| 0233020 | Pumpkins | | | | | |
| 0233030 | Watermelons | | | | | |
| 0233990 | Others (2) | | | | | |
| 0234000 | (d) *sweet corn* | | **0,09** (*) | **0,01** (*) | 0,02 | |
| 0239000 | (e) *other fruiting vegetables* | | **0,09** (*) | **0,01** (*) | 0,01 (*) | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | | | **0,01** (*) | | **0,02** (*) |
| 0241000 | (a) *flowering brassica* | | **9** | | 4 | |
| 0241010 | Broccoli | | | | | |
| 0241020 | Cauliflowers | | | | | |
| 0241990 | Others (2) | | | | | |
| 0242000 | (b) *head brassica* | | **9** | | | |
| 0242010 | Brussels sprouts | | | | 0,01 (*) | |
| 0242020 | Head cabbages | | | | 4 | |
| 0242990 | Others (2) | | | | 0,01 (*) | |
| 0243000 | (c) *leafy brassica* | | **3** | | 0,01 (*) | |
| 0243010 | Chinese cabbages/pe-tsai | | | | | |
| 0243020 | Kales | | | | | |
| 0243990 | Others (2) | | | | | |
| 0244000 | (d) *kohlrabies* | | **9** | | 0,01 (*) | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | |
| 0251000 | (a) *lettuces and salad plants* | | | **0,01** (*) | | |
| 0251010 | Lamb's lettuces/corn salads | | **2 (+)** | | **20 (+)** | **0,4 (+)** |
| 0251020 | Lettuces | | 1,5 | | **20 (+)** | **0,02** (*) |
| 0251030 | Escaroles/broad-leaved endives | | 1 **(+)** | | 0,01 (*) | **0,02** (*) |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | **1 (+)** | | **20 (+)** | **0,02** (*) |
| 0251050 | Land cresses | | **1 (+)** | | **20 (+)** | **0,02** (*) |
| 0251060 | Roman rocket/rucola | | **3** | | **20 (+)** | **0,02** (*) |
| 0251070 | Red mustards | | **3** | | **20 (+)** | **0,02** (*) |
| 0251080 | Baby leaf crops (including brassica species) | | **3** | | 50 **(+)** | **0,02** (*) |
| 0251990 | Others (2) | | **1** | | **0,01** (*) | **0,02** (*) |
| 0252000 | (b) *spinaches and similar leaves* | | **2** | **0,01** (*) | 30 | **0,02** (*) |
| 0252010 | Spinaches | | | | **(+)** | **(+)** |
| 0252020 | Purslanes | | | | **(+)** | |
| 0252030 | Chards/beet leaves | | | | **(+)** | |
| 0252990 | Others (2) | | | | | |
| 0253000 | (c) *grape leaves and similar species* | | **0,09** (*) | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 0254000 | (d) *watercresses* | | **0,09** (*) | **0,01** (*) | 0,01 (*) | **0,02** (*) **(+)** |
| 0255000 | (e) *witloofs/Belgian endives* | | **0,09** (*) | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 0256000 | (f) *herbs and edible flowers* | | | **0,02** (*) | | **0,04** (*) |
| 0256010 | Chervil | | **2** | | 20 **(+)** | |
| 0256020 | Chives | | **0,8** | | **20 (+)** | |
| 0256030 | Celery leaves | | **2** | | **0,02** (*) | **(+)** |
| 0256040 | Parsley | | **2** | | **0,02** (*) | **(+)** |
| 0256050 | Sage | | **2** | | **0,02** (*) | **(+)** |
| 0256060 | Rosemary | | **2** | | **0,02** (*) | |
| 0256070 | Thyme | | **2** | | **0,02** (*) | **(+)** |
| 0256080 | Basil and edible flowers | | **2** | | **0,02** (*) | **(+)** |
| 0256090 | Laurel/bay leaves | | **2** | | **0,02** (*) | |
| 0256100 | Tarragon | | **2** | | **0,02** (*) | |
| 0256990 | Others (2) | | **0,8** | | **0,02** (*) | |

▼M207

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | | | **0,01** (*) | | **0,02** (*) |
| 0260010 | Beans (with pods) | | 15 | | 3 | **(+)** |
| 0260020 | Beans (without pods) | | **15** | | 0,4 | **(+)** |
| 0260030 | Peas (with pods) | | **2** | | 4 | |
| 0260040 | Peas (without pods) | | 15 | | 0,3 | |
| 0260050 | Lentils | | **15** | | 0,01 (*) | |
| 0260990 | Others (2) | | **2** | | 0,01 (*) | |
| 0270000 | **Stem vegetables** | | | **0,01** (*) | | **0,02** (*) |
| 0270010 | Asparagus | | **0,09** (*) | | 0,01 (*) | **(+)** |
| 0270020 | Cardoons | | **0,09** (*) | | **20 (+)** | |
| 0270030 | Celeries | | **0,09** (*) | | 20 **(+)** | |
| 0270040 | Florence fennels | | **0,09** (*) | | 20 **(+)** | **(+)** |
| 0270050 | Globe artichokes | | **0,09** (*) | | 0,01 (*) | |
| 0270060 | Leeks | | 4 | | 3 **(+)** | |
| 0270070 | Rhubarbs | | **0,09** (*) | | 15 **(+)** | |
| 0270080 | Bamboo shoots | | **0,09** (*) | | 0,01 (*) | |
| 0270090 | Palm hearts | | **0,09** (*) | | 0,01 (*) | |
| 0270990 | Others (2) | | **0,09** (*) | | 0,01 (*) | |
| 0280000 | **Fungi, mosses and lichens** | | **0,09** (*) | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 0280010 | Cultivated fungi | | | | | |
| 0280020 | Wild fungi | | | | | |
| 0280990 | Mosses and lichens | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | | **0,09** (*) | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 0300000 | **PULSES** | | | **0,01** (*) | 0,3 | **0,02** (*) |
| 0300010 | Beans | | 30 | | | **(+)** |
| 0300020 | Lentils | | **20** | | | |
| 0300030 | Peas | | 30 | | | **(+)** |
| 0300040 | Lupins/lupini beans | | **20** | | | |
| 0300990 | Others (2) | | **20** | | | |

▼M207

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | | **0,01** (*) | | |
| 0401000 | **Oilseeds** | | | | | |
| 0401010 | Linseeds | | 7 | | 0,01 (*) | **0,02** (*) |
| 0401020 | Peanuts/groundnuts | | **0,09** (*) | | 0,05 | **0,02** (*) |
| 0401030 | Poppy seeds | | **7** | | 0,01 (*) | **0,02** (*) |
| 0401040 | Sesame seeds | | **0,09** (*) | | 0,01 (*) | **0,02** (*) |
| 0401050 | Sunflower seeds | | **7** | | 1,5 | **0,02 (+)** |
| 0401060 | Rapeseeds/canola seeds | | **7** | | 0,5 | **0,02** (*) |
| 0401070 | Soyabeans | | 80 | | 0,3 | **0,02 (+)** |
| 0401080 | Mustard seeds | | **6** | | 0,01 (*) | **0,02** (*) |
| 0401090 | Cotton seeds | | **7** | | 0,5 **(+)** | **0,02** (*) |
| 0401100 | Pumpkin seeds | | **0,09** (*) | | 0,01 (*) | **0,02** (*) |
| 0401110 | Safflower seeds | | **0,09** (*) | | 0,01 (*) | **0,02** (*) |
| 0401120 | Borage seeds | | **7** | | 0,01 (*) | **0,02** (*) |
| 0401130 | Gold of pleasure seeds | | **0,09** (*) | | 0,01 (*) | **0,02** (*) |
| 0401140 | Hemp seeds | | **0,09** (*) | | 0,01 (*) | **0,02** (*) |
| 0401150 | Castor beans | | **0,09** (*) | | 0,01 (*) | **0,02** (*) |
| 0401990 | Others (2) | | **0,09** (*) | | 0,01 (*) | **0,02** (*) |
| 0402000 | **Oil fruits** | | **0,09** (*) | | 0,01 (*) | **0,02** (*) |
| 0402010 | Olives for oil production | | | | | |
| 0402020 | Oil palms kernels | | | | | |
| 0402030 | Oil palms fruits | | | | | |
| 0402040 | Kapok | | | | | |
| 0402990 | Others (2) | | | | | |
| 0500000 | **CEREALS** | | | **0,01** (*) | | **0,02** (*) |
| 0500010 | Barley | | **0,09** (*) | | **0,4 (+)** | |
| 0500020 | Buckwheat and other pseudo-cereals | | **0,09** (*) | | 0,01 (*) | |
| 0500030 | Maize/corn | | 0,2 **(+)** | | 0,01 (*) | |
| 0500040 | Common millet/proso millet | | **0,09** (*) | | 0,8 | |
| 0500050 | Oat | | **0,09** (*) | | **0,2** | |
| 0500060 | Rice | | 0,09 (*) | | 0,01 (*) | |
| 0500070 | Rye | | **0,09** (*) | | **0,15** | |
| 0500080 | Sorghum | | **0,09** (*) | | 0,8 **(+)** | |
| 0500090 | Wheat | | **0,09** (*) | | **0,15** | |
| 0500990 | Others (2) | | **0,09** (*) | | 0,01 (*) | |

▼M207

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0610000 | **Teas** | | **0,1** (*) | | | |
| 0620000 | **Coffee beans** | | **0,1** (*) | | | |
| 0630000 | **Herbal infusions from** | | | | | |
| 0631000 | (a) *flowers* | | **0,1** (*) | | | |
| 0631010 | Chamomile | | | | | |
| 0631020 | Hibiscus/roselle | | | | | |
| 0631030 | Rose | | | | | |
| 0631040 | Jasmine | | | | | |
| 0631050 | Lime/linden | | | | | |
| 0631990 | Others (2) | | | | | |
| 0632000 | (b) *leaves and herbs* | | **0,1** (*) | | | |
| 0632010 | Strawberry | | | | | |
| 0632020 | Rooibos | | | | | |
| 0632030 | Mate/maté | | | | | |
| 0632990 | Others (2) | | | | | |
| 0633000 | (c) *roots* | | **9 (+)** | | | |
| 0633010 | Valerian | | **(+)** | | | |
| 0633020 | Ginseng | | **(+)** | | | |
| 0633990 | Others (2) | | | | | |
| 0639000 | (d) *any other parts of the plant* | | **0,1** (*) | | | |
| 0640000 | **Cocoa beans** | | **0,1** (*) | | | |
| 0650000 | **Carobs/Saint John's breads** | | **0,1** (*) | | | |
| 0700000 | **HOPS** | | **0,1** (*) | 30 | **0,05** (*) | **0,1** (*) |
| 0800000 | **SPICES** | | | | | |
| 0810000 | **Seed spices** | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0810010 | Anise/aniseed | | | | | |
| 0810020 | Black caraway/black cumin | | | | | |
| 0810030 | Celery | | | | | |
| 0810040 | Coriander | | | | | |
| 0810050 | Cumin | | | | | |
| 0810060 | Dill | | | | | |
| 0810070 | Fennel | | | | | |
| 0810080 | Fenugreek | | | | | |
| 0810090 | Nutmeg | | | | | |
| 0810990 | Others (2) | | | | | |
| 0820000 | **Fruit spices** | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0820010 | Allspice/pimento | | | | | |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | | |
| 0820030 | Caraway | | | | | |
| 0820040 | Cardamom | | | | | |
| 0820050 | Juniper berry | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | |
| 0820070 | Vanilla | | | | | |
| 0820080 | Tamarind | | | | | |
| 0820990 | Others (2) | | | | | |
| 0830000 | **Bark spices** | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0830010 | Cinnamon | | | | | |
| 0830990 | Others (2) | | | | | |
| 0840000 | **Root and rhizome spices** | | | | | |
| 0840010 | Liquorice | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0840020 | Ginger (10) | | | | | |
| 0840030 | Turmeric/curcuma | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0840040 | Horseradish (11) | | | | | |
| 0840990 | Others (2) | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0850000 | **Bud spices** | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0850010 | Cloves | | | | | |
| 0850020 | Capers | | | | | |
| 0850990 | Others (2) | | | | | |
| 0860000 | **Flower pistil spices** | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0860010 | Saffron | | | | | |
| 0860990 | Others (2) | | | | | |
| 0870000 | **Aril spices** | | **0,1** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0870010 | Mace | | | | | |
| 0870990 | Others (2) | | | | | |
| 0900000 | **SUGAR PLANTS** | | | **0,01** (*) | | **0,02** (*) |
| 0900010 | Sugar beet roots | | **0,2** | | 0,5 | |
| 0900020 | Sugar canes | | **0,09** (*) | | 0,01 (*) | |
| 0900030 | Chicory roots | | **0,09** (*) | | 0,01 (*) | |
| 0900990 | Others (2) | | **0,09** (*) | | 0,01 (*) | |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | | |
| 1010000 | **Commodities from** | **0,01** (*) | | | 0,01 (*) | **0,02** (*) |
| 1011000 | (a) *swine* | | | | | |
| 1011010 | Muscle | | 0,06 | 0,01 (*) **(+)** | | **(+)** |
| 1011020 | Fat | | 0,1 | 0,01 (*) **(+)** | | **(+)** |
| 1011030 | Liver | | 0,5 | 0,02 **(+)** | | **(+)** |
| 1011040 | Kidney | | 0,5 | 0,02 **(+)** | | **(+)** |
| 1011050 | Edible offals (other than liver and kidney) | | 0,5 | 0,02 | | |
| 1011990 | Others (2) | | **0,02** (*) | 0,01 (*) | | |
| 1012000 | (b) *bovine* | | | **0,01** (*) | | |
| 1012010 | Muscle | | **0,1** | **(+)** | | **(+)** |
| 1012020 | Fat | | **0,15** | **(+)** | | **(+)** |
| 1012030 | Liver | | 0,5 | **(+)** | | **(+)** |
| 1012040 | Kidney | | **0,8** | **(+)** | | **(+)** |
| 1012050 | Edible offals (other than liver and kidney) | | **0,8** | | | |
| 1012990 | Others (2) | | **0,02** (*) | | | |
| 1013000 | (c) *sheep* | | | | | |
| 1013010 | Muscle | | **0,1** | 0,01 (*) **(+)** | | **(+)** |
| 1013020 | Fat | | **0,2** | 0,01 (*) **(+)** | | **(+)** |
| 1013030 | Liver | | 0,5 | 0,02 **(+)** | | **(+)** |
| 1013040 | Kidney | | **0,9** | 0,02 **(+)** | | **(+)** |
| 1013050 | Edible offals (other than liver and kidney) | | **0,9** | 0,02 | | |
| 1013990 | Others (2) | | **0,02** (*) | 0,01 (*) | | |
| 1014000 | d) *goat* | | | | | |
| 1014010 | Muscle | | **0,1** | 0,01 (*) **(+)** | | **(+)** |
| 1014020 | Fat | | **0,2** | 0,01 (*) **(+)** | | **(+)** |
| 1014030 | Liver | | 0,5 | 0,02 **(+)** | | **(+)** |
| 1014040 | Kidney | | **0,9** | 0,02 **(+)** | | **(+)** |
| 1014050 | Edible offals (other than liver and kidney) | | **0,9** | 0,02 | | |
| 1014990 | Others (2) | | **0,02** (*) | 0,01 (*) | | |
| 1015000 | (e) *equine* | | | **0,01** (*) | | |
| 1015010 | Muscle | | **0,1** | **(+)** | | **(+)** |
| 1015020 | Fat | | **0,15** | **(+)** | | **(+)** |
| 1015030 | Liver | | 0,5 | **(+)** | | **(+)** |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1015040 | Kidney | | **0,8** | **(+)** | | **(+)** |
| 1015050 | Edible offals (other than liver and kidney) | | **0,8** | | | |
| 1015990 | Others (2) | | **0,02** (*) | | | |
| 1016000 | (f) *poultry* | | | **0,01** (*) | | |
| 1016010 | Muscle | | **0,03** (*) | | | |
| 1016020 | Fat | | **0,03** (*) | | | |
| 1016030 | Liver | | **0,03** | | | |
| 1016040 | Kidney | | **0,03** | | | |
| 1016050 | Edible offals (other than liver and kidney) | | **0,03** | | | |
| 1016990 | Others (2) | | **0,02** (*) | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | | |
| 1017010 | Muscle | | **0,1** | 0,01 (*) | | |
| 1017020 | Fat | | **0,15** | 0,01 (*) | | |
| 1017030 | Liver | | 0,5 | 0,02 | | |
| 1017040 | Kidney | | **0,8** | 0,02 | | |
| 1017050 | Edible offals (other than liver and kidney) | | **0,8** | 0,02 | | |
| 1017990 | Others (2) | | **0,02** (*) | 0,01 (*) | | |
| 1020000 | **Milk** | **0,01** (*) | **0,06** | 0,01 (*) | 0,01 (*) | **0,02** (*) |
| 1020010 | Cattle | | | **(+)** | | **(+)** |
| 1020020 | Sheep | | | **(+)** | | **(+)** |
| 1020030 | Goat | | | **(+)** | | **(+)** |
| 1020040 | Horse | | | **(+)** | | **(+)** |
| 1020990 | Others (2) | | | | | |
| 1030000 | **Birds eggs** | **0,01** (*) | **0,15** | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 1030010 | Chicken | | | | | |
| 1030020 | Duck | | | | | |
| 1030030 | Geese | | | | | |
| 1030040 | Quail | | | | | |
| 1030990 | Others (2) | | | | | |

▼**M207**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | **0,02** (*) | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | **0,02** (*) | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | **0,02** (*) | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | |

▼**M210**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M220** Isoxaben ◄ | Tetraconazole (sum of constituent isomers) (F) |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | |
| 0110000 | **Citrus fruits** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | ►**M220** 0,01 (*) ◄ | |
| 0130010 | Apples | | **0,3** (+) |
| 0130020 | Pears | | **0,3** (+) |
| 0130030 | Quinces | | **0,3** (+) |
| 0130040 | Medlars | | **0,3** (+) |
| 0130050 | Loquats/Japanese medlars | | **0,2** (+) |
| 0130990 | Others (2) | | **0,01** (*) |
| 0140000 | **Stone fruits** | ►**M220** 0,01 (*) ◄ | |
| 0140010 | Apricots | | **0,03** (+) |
| 0140020 | Cherries (sweet) | | **0,01** (*) |
| 0140030 | Peaches | | **0,03** (+) |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | **0,01** (*) |
| 0140990 | Others (2) | | **0,01** (*) |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | ►**M220** 0,01 (*) ◄ | **0,07** |
| 0151010 | Table grapes | | (+) |
| 0151020 | Wine grapes | | (+) |
| 0152000 | (b) *strawberries* | ►**M220** 0,01 ◄ | **0,15 (+)** |
| 0153000 | (c) *cane fruits* | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruitswith** | ►**M220** 0,01 (*) ◄ | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | **0,01** (*) |
| 0161020 | Figs | | **0,01** (*) |
| 0161030 | Table olives | | **0,01** (*) |
| 0161040 | Kumquats | | **0,01** (*) |
| 0161050 | Carambolas | | **0,01** (*) |
| 0161060 | Kaki/Japanese persimmons | | **0,09** |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | **0,01** (*) |
| 0161990 | Others (2) | | **0,01** (*) |
| 0162000 | (b) *inedible peel, small* | | **0,01** (*) |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | **0,01** (*) |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | ►**M220** 0,01 (*) ◄ | |
| 0231010 | Tomatoes | | **0,15 (+)** |
| 0231020 | Sweet peppers/bell peppers | | **0,01** (*) |
| 0231030 | Aubergines/eggplants | | **0,15 (+)** |
| 0231040 | Okra/lady's fingers | | **0,01** (*) |
| 0231990 | Others (2) | | **0,01** (*) |
| 0232000 | (b) *cucurbits with edible peel* | | **0,15** |
| 0232010 | Cucumbers | ►**M220** 0,01 (*) ◄ | (+) |
| 0232020 | Gherkins | ►**M220** **0,05** ◄ | (+) |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | ►**M220** 0,05 ◄ | (+) |
| 0232990 | Others (2) | ►**M220** 0,01 (*) ◄ | |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M220** 0,01 (*) ◄ | **0,08** |
| 0233010 | Melons | | (+) |
| 0233020 | Pumpkins | | (+) |
| 0233030 | Watermelons | | (+) |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0239000 | (e) *other fruiting vegetables* | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | ►**M220** 0,01 (*) ◄ | |
| 0251000 | (a) *lettuces and salad plants* | | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | | **0,01** (*) |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | | **0,01** (*) |
| 0254000 | (d) *watercresses* | | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | | **0,02 (+)** |
| 0256000 | (f) *herbs and edible flowers* | | **0,02** (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | **0,01** (*) |
| 0260010 | Beans (with pods) | ►**M220** 0,01 (*) ◄ | |
| 0260020 | Beans (without pods) | ►**M220** 0,02 ◄ | |
| 0260030 | Peas (with pods) | ►**M220** 0,01 (*) ◄ | |
| 0260040 | Peas (without pods) | ►**M220** 0,02 ◄ | |
| 0260050 | Lentils | ►**M220** 0,01 (*) ◄ | |
| 0260990 | Others (2) | ►**M220** 0,01 (*) ◄ | |
| 0270000 | **Stem vegetables** | ►**M220** 0,01 (*) ◄ | |
| 0270010 | Asparagus | | **0,01** (*) |
| 0270020 | Cardoons | | **0,01** (*) |
| 0270030 | Celeries | | **0,01** (*) |
| 0270040 | Florence fennels | | **0,01** (*) |
| 0270050 | Globe artichokes | | **0,2** (+) |
| 0270060 | Leeks | | **0,01** (*) |
| 0270070 | Rhubarbs | | **0,01** (*) |
| 0270080 | Bamboo shoots | | **0,01** (*) |
| 0270090 | Palm hearts | | **0,01** (*) |
| 0270990 | Others (2) | | **0,01** (*) |
| 0280000 | **Fungi, mosses and lichens** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0300000 | **PULSES** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►**M220** 0,01 (*) ◄ | |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | **0,15** |
| 0401020 | Peanuts/groundnuts | | **0,01** (*) |
| 0401030 | Poppy seeds | | **0,01** (*) |
| 0401040 | Sesame seeds | | **0,01** (*) |
| 0401050 | Sunflower seeds | | **0,01** (*) |
| 0401060 | Rapeseeds/canola seeds | | **0,15 (+)** |
| 0401070 | Soyabeans | | **0,01** (*) |
| 0401080 | Mustard seeds | | **0,01** (*) |
| 0401090 | Cotton seeds | ►**M220** (+) ◄ | **0,01** (*) |
| 0401100 | Pumpkin seeds | | **0,01** (*) |
| 0401110 | Safflower seeds | | **0,01** (*) |
| 0401120 | Borage seeds | | **0,01** (*) |
| 0401130 | Gold of pleasure seeds | | **0,01** (*) |
| 0401140 | Hemp seeds | | **0,01** (*) |
| 0401150 | Castor beans | | **0,01** (*) |
| 0401990 | Others (2) | | **0,01** (*) |
| 0402000 | **Oil fruits** | | **0,01** (*) |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | ►**M220** 0,01 (*) ◄ | |
| 0500010 | Barley | | **0,01** (*) |
| 0500020 | Buckwheat and other pseudocereals | | **0,01** (*) |
| 0500030 | Maize/corn | | **0,01** (*) |
| 0500040 | Common millet/proso millet | | **0,01** (*) |
| 0500050 | Oat | | **0,01** (*) |
| 0500060 | Rice | | **0,01** (*) |
| 0500070 | Rye | | **0,02 (+)** |
| 0500080 | Sorghum | | **0,01** (*) |
| 0500090 | Wheat | | **0,02 (+)** |
| 0500990 | Others (2) | | **0,01** (*) |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | ►**M220** (+) ◄ | |
| 0631010 | Chamomile | ►**M220** (+) ◄ | |
| 0631020 | Hibiscus/roselle | ►**M220** (+) ◄ | |
| 0631030 | Rose | ►**M220** (+) ◄ | |
| 0631040 | Jasmine | ►**M220** (+) ◄ | |
| 0631050 | Lime/linden | ►**M220** (+) ◄ | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | ►**M220** (+) ◄ | |
| 0633010 | Valerian | ►**M220** (+) ◄ | |
| 0633020 | Ginseng | ►**M220** (+) ◄ | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | ►**M220** 0,05 (*) (+) ◄ | **0,05** (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0820010 | Allspice/pimento | | |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0850000 | **Bud spices** | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | ►**M220** 0,01 (*) ◄ | |
| 0900010 | Sugar beet roots | | **0,01** (*) **(+)** |
| 0900020 | Sugar canes | | **0,01** (*) |
| 0900030 | Chicory roots | | **0,06 (+)** |
| 0900990 | Others (2) | | **0,01** (*) |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | ►**M220** 0,01 (*) ◄ | |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | **0,01** (*) **(+)** |
| 1011020 | Fat | | **0,07 (+)** |
| 1011030 | Liver | | **0,7 (+)** |
| 1011040 | Kidney | | **0,04 (+)** |
| 1011050 | Edible offals (other than liver and kidney) | | **0,7** |
| 1011990 | Others (2) | | **0,01** (*) |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | **0,015 (+)** |
| 1012020 | Fat | | **0,2 (+)** |
| 1012030 | Liver | | **1,5 (+)** |
| 1012040 | Kidney | | **0,06 (+)** |
| 1012050 | Edible offals (other than liver and kidney) | | **1,5** |
| 1012990 | Others (2) | | **0,01** (*) |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | **0,01** (*) **(+)** |
| 1013020 | Fat | | **0,09 (+)** |
| 1013030 | Liver | | **0,9 (+)** |
| 1013040 | Kidney | | **0,05 (+)** |
| 1013050 | Edible offals (other than liver and kidney) | | **0,9** |
| 1013990 | Others (2) | | **0,01** (*) |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | | **0,01** (*) **(+)** |
| 1014020 | Fat | | **0,09 (+)** |
| 1014030 | Liver | | **0,9 (+)** |
| 1014040 | Kidney | | **0,05 (+)** |
| 1014050 | Edible offals (other than liver and kidney) | | **0,9** |
| 1014990 | Others (2) | | **0,01** (*) |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | **0,015 (+)** |
| 1015020 | Fat | | **0,2 (+)** |
| 1015030 | Liver | | **1,5 (+)** |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | **0,06 (+)** |
| 1015050 | Edible offals (other than liver and kidney) | | **1,5** |
| 1015990 | Others (2) | | **0,01** (*) |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | **0,015 (+)** |
| 1016020 | Fat | | **0,3 (+)** |
| 1016030 | Liver | | **0,05 (+)** |
| 1016040 | Kidney | | **0,01** (*) **(+)** |
| 1016050 | Edible offals (other than liver and kidney) | | **0,3** |
| 1016990 | Others (2) | | **0,01** (*) |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | **0,01** (*) |
| 1017020 | Fat | | **0,09** |
| 1017030 | Liver | | **0,9** |
| 1017040 | Kidney | | **0,05** |
| 1017050 | Edible offals (other than liver and kidney) | | **0,9** |
| 1017990 | Others (2) | | **0,01** (*) |
| 1020000 | **Milk** | ►**M220** 0,01 (*) ◄ | |
| 1020010 | Cattle | | **0,02 (+)** |
| 1020020 | Sheep | | **0,01** (*) **(+)** |
| 1020030 | Goat | | **0,01** (*) **(+)** |
| 1020040 | Horse | | **0,02 (+)** |
| 1020990 | Others (2) | | **0,01** (*) |
| 1030000 | **Birds eggs** | ►**M220** 0,01 (*) ◄ | **0,05** |
| 1030010 | Chicken | | (+) |
| 1030020 | Duck | | (+) |
| 1030030 | Geese | | (+) |
| 1030040 | Quail | | (+) |
| 1030990 | Others (2) | | |

▼**M210**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products (7)** | ►**M220** 0,05 (*) ◄ | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M220** 0,01 (*) ◄ | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼**M2**

(*) Limit of analytical determination

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

►**M7** ([1]) Temporary MRLs valid until 1 June 2010, pending the European Food Safety Authority's residue data opinion. After this date the MRL will be 0,1 mg/kg, unless modified by a Regulation. ◄

([2]) Temporary MRL valid until 18 September 2008. After this date the MRL will be 0,05 (*) mg/kg unless modified by a Directive or a Regulation.

([3]) Temporary MRL valid until 31 December 2008 to accomodate and essential use in accordance with regulation 2076/2002/EC.

([13]) As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

►**M5** ([14]) Monitoring data show that levels up to 0,02 mg/kg of dieldrin can be found in pumpkin seeds used for oil extraction. ◄

([a]) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

([F]) = Fat soluble

([R]) = The residue definition differs for the following combinations pesticide-code number:

►**M40** 2,4-DB-code 1000000 except 1040000: sum of 2,4-DB and its conjugates, expressed as 2,4-DB ◄

►**M21** Carbendazim — code 1000000: Carbendazim and thiophanate-methyl, expressed as carbendazim ◄

Chlordane — code 1000000: Sum of cis- and trans-isomers and oxychlordane expressed as chlordane

►**M5** Clofentezine — codes 0500000 and 1000000: Sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine ◄

►**M37** Metabolite 490M1 = 2-methoxyimino-2-[2-(o-tolyloxymethyl)phenyl]acetic acid. Metabolite 490M9 = 2-[2-(4-hydroxy-2-methylphenoxymethyl)phenyl]-2-methoxy-iminoacetic acid ◄

▼M2

Milbemectin — code 0500000: Milbemectin

►M21 Thiofanate-methyl — code 1000000: Carbendazim and thiophanate-methyl, expressed as carbendazim ◄

►M103 (°) Relevant metabolites are 2-keto–ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate ◄

▼M149

**Captan (Sum of captan and THPI, expressed as captan) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

code 1000000 except 1040000: Sum of THPI, 3-OH THPI and 5-OH THPI, expressed as captan; code 0151020: captan

▼M85

**Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)**

**In brackets the origin of the residue (ma: maneb; mz: mancozeb; me: metiram; pr: propineb; t: thiram; z: ziram).**

The MRLs expressed as CS2 can arise from different dithiocarbamates and therefore they do not reflect a single Good Agricultural Practice (GAP). It is therefore not appropriate to use these MRLs to check compliance with a GAP.

(+) (mz)

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others** |
| **0120110** | **Walnuts** |

(+) (ma, mz, me, pr, t, z)

| | |
|---|---|
| **0130000** | **Pome fruits** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130990** | **Others** |

(+) (mz, t)

| | |
|---|---|
| **0140010** | **Apricots** |

(+) (mz, me, pr, t, z)

| | |
|---|---|
| **0140020** | **Cherries (sweet)** |

(+) (mz, t)

| | |
|---|---|
| **0140030** | **Peaches** |

(+) (mz, me, t, z)

| | |
|---|---|
| **0140040** | **Plums** |

(+) (ma, mz, me, pr, t, z)

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

▼**M85**

| | | |
|---|---|---|
| (+) | (t) | |
| | **0152000** | **(b) strawberries** |
| (+) | (mz) | |
| | **0154010** | **Blueberries** |
| | **0154020** | **Cranberries** |
| | **0154030** | **Currants (black, red and white)** |
| | **0154040** | **Gooseberries (green, red and yellow)** |
| (+) | (mz, pr) | |
| | **0161030** | **Table olives** |
| (+) | (t) | |
| | **0163010** | **Avocados** |
| (+) | (mz, me, t) | |
| | **0163020** | **Bananas** |
| (+) | (mz) | |
| | **0163030** | **Mangoes** |
| | **0163040** | **Papayas** |
| (+) | (ma, mz, me, pr, z) | |
| | **0211000** | **(a) potatoes** |
| (+) | (mz) | |
| | **0213010** | **Beetroots** |
| | **0213020** | **Carrots** |
| (+) | (ma, mz, me, pr, t, z) | |
| | **0213030** | **Celeriacs/turnip rooted celeries** |
| (+) | (mz) | |
| | **0213040** | **Horseradishes** |
| | **0213060** | **Parsnips** |
| | **0213070** | **Parsley roots/Hamburg roots parsley** |
| | **0213080** | **Radishes** |
| | **0213090** | **Salsifies** |
| (+) | (me) | |
| | **0220010** | **Garlic** |
| (+) | (ma, me, mz) | |
| | **0220020** | **Onions** |
| | **0220030** | **Shallots** |
| (+) | (ma, mz) | |
| | **0220040** | **Spring onions/green onions and Welsh onions** |
| (+) | (mz, pr) | |
| | **0231010** | **Tomatoes** |
| | **0231020** | **Sweet peppers/bell peppers** |
| (+) | (me, mz) | |
| | **0231030** | **Aubergines/eggplants** |

▼**M85**

(+) (mz)

| | |
|---|---|
| **0231040** | **Okra/lady's fingers** |

(+) (mz, me, pr)

| | |
|---|---|
| **0232000** | **(b) cucurbits with edible peel** |
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes** |
| **0232990** | **Others** |

(+) (me)

| | |
|---|---|
| **0233000** | **(c) cucurbits with inedible peel** |
| **0233010** | **Melons** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |
| **0233990** | **Others** |

(+) (mz)

| | |
|---|---|
| **0241000** | **(a) flowering brassica** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0241990** | **Others** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbages** |
| **0243000** | **(c) leafy brassica** |
| **0243010** | **Chinese cabbages/pe-tsai** |
| **0243020** | **Kales** |
| **0243990** | **Others** |
| **0244000** | **(d) kohlrabies** |

(+) (mz, me, t)

| | |
|---|---|
| **0251000** | **(a) lettuces and salad plants** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251060** | **Roman rocket/rucola** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0251990** | **Others** |

(+) (mz)

| | |
|---|---|
| **0254000** | **(d) watercresses** |
| **0255000** | **(e) witloofs/Belgian endives** |

(+) (mz, me)

| | |
|---|---|
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256990** | **Others** |

(+) (mz)

| | |
|---|---|
| **0260010** | **Beans (with pods)** |
| **0260020** | **Beans (without pods)** |

▼M85

(+) (ma, mz)

**0260030** **Peas (with pods)**

(+) (mz)

**0260040** **Peas (without pods)**

(+) (me, mz)

**0270010** **Asparagus**

(+) (ma, mz)

**0270060** **Leeks**

(+) (mz)

**0270070** **Rhubarbs**

**0300010** **Beans**

**0300030** **Peas**

(+) (ma, mz)

**0401060** **Rapeseeds/canola seeds**

(+) (mz, pr)

**0402010** **Olives for oil production**

(+) (ma, mz)

**0500010** **Barley**

**0500050** **Oat**

**0500070** **Rye**

**0500090** **Wheat**

(+) (pr)

**0700000** **HOPS**

▼M125

**Ethephon**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼M215

**Folpet (sum of folpet and phtalimide, expressed as folpet) (R)**

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

**0152000** **(b) strawberries**

The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

**0161030** **Table olives**

**0402010** **Olives for oil production**

▼M215

The European Food Safety Authority identified some information on residue trials and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0211000** | **(a) potatoes** |
| **0231010** | **Tomatoes** |
| **0233010** | **Melons** |
| **0500090** | **Wheat** |

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0700000** | **HOPS** |

The European Food Safety Authority identified some information on the nature and magnitude of residues as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

▼M180

**Acibenzolar-S-methyl (sum of acibenzolar-S-methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar-S-methyl)**

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 June 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0163030** | **Mangoes** |

▼M128

**2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenyphenol)**

(R) = The residue definition differs for the following combinations pesticide-code number:

2-phenylphenol - code 100000, except 1040000: 2-phenylphenol

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M209

**Profenofos (F)**

(F) Fat soluble

Recent monitoring data show that residues of profenofos occur in rose petals. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in rose petals. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 25 July 2029, or, if that information is not submitted by that date, the lack of it.

▼M209

| | |
|---|---|
| **0631030** | **Rose** |

Recent monitoring data show that residues of profenofos still occur in herbs and edible flowers. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs and edible flowers. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 22 February 2030, or, if that information is not submitted by that date, the lack of it

| | |
|---|---|
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leaves** |
| **0256100** | **Tarragon** |
| **0256990** | **Others (2)** |

The following MRL applies to chilli peppers: 3 mg/kg.

| | |
|---|---|
| **0231020** | **Sweet peppers/bell peppers** |

▼M40

**2,4-DB (sum of 2,4-DB, its salts, its esters and its conjugates, expressed as 2,4-DB) (R)**

(+) The European Food Safety Authority identified some information on analytical methods and metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 0500010 | Barley |
| 0500050 | Oats |
| 0500070 | Rye |
| 0500090 | Wheat (Spelt, triticale) |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 1011010 | Meat |
| 1011020 | Fat free of lean meat |
| 1011030 | Liver |
| 1011040 | Kidney |

(+) The European Food Safety Authority identified some information on analytical methods and feeding for ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 1012010 | Meat |
| 1012020 | Fat |
| 1012030 | Liver |
| 1012040 | Kidney |
| 1012050 | Edible offal |
| 1012990 | Others |
| 1013010 | Meat |
| 1013020 | Fat |
| 1013030 | Liver |
| 1013040 | Kidney |
| 1013050 | Edible offal |
| 1013990 | Others |
| 1014010 | Meat |
| 1014020 | Fat |
| 1014030 | Liver |

▼M40

| | |
|---|---|
| 1014040 | Kidney |
| 1014050 | Edible offal |
| 1014990 | Others |
| 1015010 | Meat |
| 1015020 | Fat |
| 1015030 | Liver |
| 1015040 | Kidney |
| 1015050 | Edible offal |
| 1015990 | Others |
| 1017010 | Meat |
| 1017020 | Fat |
| 1017030 | Liver |
| 1017040 | Kidney |
| 1017050 | Edible offal |
| 1017990 | Others |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** |
| 1020010 | Cattle |
| 1020020 | Sheep |
| 1020030 | Goat |
| 1020040 | Horse |
| 1020990 | Others |

▼M75

**Indoxacarb (sum of indoxacarb and its R enantiomer) (F)**

(+) The European Food Safety Authority identified some information on hydrolysis as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 0130010 | Apples (Crab apple) |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) |
| 0241020 | Cauliflower |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| 0840040 | Horseradish |

(+) The European Food Safety Authority identified some information on metabolism as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* |
| 1016010 | Muscle |

▼M75

| | |
|---|---|
| 1016020 | Fat |
| 1016030 | Liver |
| 1016040 | Kidney |
| 1016050 | Edible offal |
| 1016990 | Others |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 1030000 | (iii) **Bird eggs** |
| 1030010 | Chicken |
| 1030020 | Duck |
| 1030030 | Goose |
| 1030040 | Quail |
| 1030990 | Others |

▼M196

**Pyraclostrobin (F)**

(F) Fat soluble

▼M140

**Clomazone**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0232010** | **Cucumbers** |
| **0233010** | **Melons** |
| **0244000** | **(d) kohlrabies** |

▼M42

**Diuron**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130000** | **(iii) Pome fruit** |
| **0130010** | **Apples (Crab apple)** |
| **0130020** | **Pears (Oriental pear)** |
| **0130030** | **Quinces** |
| **0130040** | **Medlar** |
| **0130050** | **Loquat** |
| **0130990** | **Others** |
| **0151020** | **Wine grapes** |

▼M109

**Metconazole (sum of isomers) (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0233010** | **Melons** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M204

**Prosulfocarb**

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others (2)** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others (2)** |

The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213090** | **Salsifies** |
| **0270030** | **Celeries** |

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) strawberries** |

▼M46

**Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 December 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 0152000 | (b) Strawberries |

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 December 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 0163080 | Pineapples |

▼M154

**Trifloxystrobin (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Trifloxystrobin- code 1000000 except 1040000: the sum of trifloxystrobin and its metabolite (E, E)-methoxy-imino- {2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino-oxymethyl]-phenyl}-acetic acid (CGA 321113)

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 July 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0162030** | **Passionfruits/maracujas** |
| **0231020** | **Sweet peppers/bell peppers** |
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0243000** | **(c) leafy brassica** |
| **0243010** | **Chinese cabbages/pe-tsai** |
| **0243020** | **Kales** |
| **0243990** | **Others (2)** |
| **0256000** | **(f) herbs and edible flowers** |
| **0260010** | **Beans (with pods)** |
| **0500050** | **Oat** |

▼M205

**Cyromazine**

veterinary medicinal MRL

| | |
|---|---|
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |

▼M146

**Oxamyl**

(+) The European Food Safety Authority identified some information on storage stability, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110020** | **Oranges** |
| **0110050** | **Mandarins** |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0163020** | **Bananas** |
| **0231030** | **Aubergines/eggplants** |
| **0232000** | **(b) cucurbits with edible peel** |

▼M49

**Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin) (R) (S)**

(R) = The residue definition differs for the following combinations pesticide-code number:

fenpropidin-code 1000000 except 1040000: sum of fenpropidin, 2-methyl-2-[4-(2-methyl-3- piperidin-1-yl-propyl)-phenyl]propionic acid, and their salts, expressed as fenpropidin

(S) = The EU Reference Laboratories for Residues of Pesticides identified the reference standard for 2-methyl-2-[4-(2-methyl-3- piperidin-1-yl-propyl)-phenyl]propionic acid as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 25 January 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M72

**Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M136

**Tebuconazole (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

tebuconazole-code 1000000 except 1040000: sum of tebuconazole, hydroxy-tebuconazole, and their conjugates, expressed as tebuconazole

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140020** | **Cherries (sweet)** |
| **0151020** | **Wine grapes** |
| **0153020** | **Dewberries** |
| **0153990** | **Others (2)** |
| **0213090** | **Salsifies** |
| **0231030** | **Aubergines/eggplants** |
| **0233010** | **Melons** |
| **0260010** | **Beans (with pods)** |
| **0260020** | **Beans (without pods)** |
| **0260030** | **Peas (with pods)** |
| **0270030** | **Celeries** |

▼M163

**Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate) (F)**

(+) The European Food Safety Authority identified some information on hydrolysis as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130000** | **Pome fruits** |

▼M70

**Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (f) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Esfenvalerate — codes 1011030, 1011040, 1012030, 1012040, 1013030, 1013040, 1014030, 1014040, 1015030, 1015040, 1016030, 1016040, 1017030 and 1017040: sum of fenvalerate (any ratio of constituent isomers including esfenvalerate) and CPIA (chlorophenyl isovaleric acid), expressed as fenvalerate

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120010** | **Almonds** |
| **0130010** | **Apples (Crab apple)** |
| **0130020** | **Pears (Oriental pear)** |
| **0140020** | **Cherries (Sweet cherries, sour cherries)** |
| **0140040** | **Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/ Chinese jujube (Ziziphus zizyphus))** |
| **0152000** | (b) **Strawberries** |
| **0153030** | **Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))** |
| **0213020** | **Carrots** |
| **0213040** | **Horseradish (Angelica roots, lovage roots, gentiana roots)** |
| **0213070** | **Parsley root** |
| **0213080** | **Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))** |
| **0220010** | **Garlic** |
| **0220020** | **Onions (Other bulb onions, silverskin onions)** |
| **0232000** | (b) **Cucurbits — edible peel** |
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)** |
| **0232990** | **Others** |
| **0233010** | **Melons (Kiwano)** |
| **0234000** | (d) **Sweet corn (Baby corn)** |

▼**M70**

| | |
|---|---|
| **0241020** | **Cauliflower** |
| **0241990** | **Others** |
| **0242010** | **Brussels sprouts** |
| **0251020** | **Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)** |
| **0252010** | **Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)** |
| **0256040** | **Parsley (leaves of root parsley)** |
| **0270060** | **Leek** |
| **0300020** | **Lentils** |
| **0500010** | **Barley** |
| **0500030** | **Maize** |
| **0500050** | **Oats** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat (Spelt, triticale)** |
| **0810000** | (i) **Seeds** |
| **0810010** | **Anise** |
| **0810020** | **Black caraway** |
| **0810030** | **Celery seed (Lovage seed)** |
| **0810040** | **Coriander seed** |
| **0810050** | **Cumin seed** |
| **0810060** | **Dill seed** |
| **0810070** | **Fennel seed** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | (a) **Swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |

▼**M70**

| | |
|---|---|
| **1011040** | **Kidney** |
| **1011050** | **Edible offal** |
| **1011990** | **Others** |

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012000** | (b) **Bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offal** |
| **1012990** | **Others** |

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1013000** | (c) **Sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offal** |
| **1013990** | **Others** |

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1014000** | (d) **Goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offal** |
| **1014990** | **Others** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

▼**M70**

| | |
|---|---|
| **1015000** | (e) **Horses, asses, mules or hinnies** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offal** |
| **1015990** | **Others** |
| **1016000** | (f) **Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offal** |
| **1016990** | **Others** |
| **1017000** | (g) **Other farm animals (Rabbit, kangaroo, deer)** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offal** |
| **1017990** | **Others** |

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1020000** | (ii) **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1030000** | (iii) **Bird eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Goose** |
| **1030040** | **Quail** |
| **1030990** | **Others** |
| **1050000** | (v) **Amphibians and reptiles (Frog legs, crocodiles)** |
| **1060000** | (vi) **Snails** |
| **1070000** | (vii) **Other terrestrial animal products (Wild game)** |

▼M193

**Fludioxonil (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Fludioxonil - code 1000000 except 1040000 : sum of fludioxonil and its metabolites oxidized to metabolite 2,2-difluoro-benzo[1,3]dioxole-4 carboxylic acid, expressed as fludioxonil

(F) Fat soluble

▼M56

**MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

MCPA and MCPB - code 1000000: MCPA, MCPB and MCPA thioethyl expressed as MCPA

▼M142

**Acetamiprid (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Acetamiprid - code 1000000 except 1040000: Sum of acetamiprid and N-desmethyl-acetamiprid (IM-2-1), expressed as acetamiprid

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251030** | **Escaroles/broad-leaved endives** |

▼M133

**Pyrimethanil (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Pyrimethanil - code 1020000: Sum of pyrimethanil and 2-anilino-4,6-dimethylpyrimidine-5-ol, expressed as pyrimethanil

Pyrimethanil - codes 1011000/1012000/1013000/1014000/1015000/1017000: Sum of pyrimethanil and 2-(4-hydroxyanilino)-4,6-dimethylpyrimidine, expressed as pyrimethanil

(+) The European Food Safety Authority identified some information on crop metabolism with seed treatment as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500050** | **Oat** |
| **0500070** | **Rye** |
| **0500090** | **Wheat** |

▼**M133**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish (11)**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

**1000000** **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS**

▼**M51**

**Chlorotoluron**

(+) The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**0130010** **Apples (Crab apple)**

**0130020** **Pears (Oriental pear)**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**0500010** **Barley**

**0500050** **Oats**

**0500070** **Rye**

**0500090** **Wheat (Spelt, triticale)**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

(+) The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016 or, if that information is not submitted by that date, the lack of it.

**1012010** **Muscle**

**1013010** **Muscle**

**1014010** **Muscle**

**1015010** **Muscle**

**1017010** **Muscle**

▼M122

**Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0300010** | **Beans** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M52

**Azimsulfuron**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Foramsulfuron**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500030** | **Maize** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl)**

(+) The European Food Safety Authority identified some information on analytical methods, storage stability, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401010** | **Linseed** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500030** | **Maize** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M52

**Mesosulfuron-methyl**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Oxasulfuron**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M161

**Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number: code 1000000 except 1016000, 1030000 and 1040000: N-oxide propamocarb; codes 1016000 and 1030000: N-desmethyl propamocarb

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0241020** | **Cauliflowers** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0256000** | **(f) herbs and edible flowers** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |

▼M161

| | |
|---|---|
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |

(+) The European Food Safety Authority identified some information on analytical methods and the hen feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1020000** | **Milk** |

(+) The European Food Safety Authority identified some information on analytical methods and the hen feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1030000** | **Birds eggs** |

▼M55

**Benthiavalicarb (Benthiavalicarb-isopropyl (KIF-230 R-L) and itsenantiomer (KIF-230 S-D) and its diastereomers (KIF-230 S-L andKIF-230 R-D), expressed as benthiavalicarb-isopropyl) (A)**

(A) The EU reference labs identified the reference standards forenantiomer (KIF-230 S-D) and diastereomers (KIF-230 S-L and KIF-230R-D) as commercially not available. When re-viewing the MRL, theCommission will take into account the commercial availability of thereference standards referred to in the first sentence by 23 April 2015, or, if those referencestandards are not commercially available by that date, theunavailability of them.

(+) The European Food Safety Authority identified some information onresidue trials as unavailable. When re-viewing the MRL, theCommission will take into account the information referred to in thefirst sentence, if it is submitted by 23 April2016, or, if that information is not submitted by thatdate, the lack of it.

| | |
|---|---|
| **0232010** | **Cucumbers** |

(+) The applicable maximum residue level for horseradish (Armoraciarusticana) in the spice group (code 0840040) isthe one set for horseradish (Armoracia rusticana) in the Vegetablescategory, root and tuber vegetables group (code 0213040) taking into account changes in the levels byprocessing (drying) according to Art. 20 (1) of Regulation (EC) No396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Forchlorfenuron**

(+) The applicable maximum residue level for horseradish (Armoraciarusticana) in the spice group (code 0840040) isthe one set for horseradish (Armoracia rusticana) in the Vegetablescategory, root and tuber vegetables group (code 0213040) taking into account changes in the levels byprocessing (drying) according to Art. 20 (1) of Regulation (EC) No396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M58

**Metsulfuron-methyl**

(+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401010** | **Linseed** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Prosulfuron**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500090** | **Wheat (Spelt, triticale)** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Rimsulfuron**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Sulfosulfuron**

(+) The European Food Safety Authority identified some information on analytical methods and residues in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500070** | **Rye** |
| **0500090** | **Wheat (Spelt, triticale)** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Thifensulfuron-methyl**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M58

**Nicosulfuron**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 June 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0234000** | (d) **Sweet corn (Baby corn)** |
| **0500030** | **Maize** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M218

**Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole)**

(O) RPA 202248 is 2-cyano-3-cyclopropyl-1-(2-methylsulfonyl-4-trifluoromethylphenyl) propane-1,3-dione. RPA 203328 is 2-methanesulfonyl-4-trifluoromethylbenzoic acid.

▼M59

**Propoxycarbazone (A) (propoxycarbazone, its salts and 2-hydroxy-propoxycarbazone expressed as propoxycarbazone)**

(A) = The EU reference labs identified the reference standard for 2-hydroxy-propoxycarbazone as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 26 June 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M154

**Pyraflufen-ethyl (Sum of pyraflufen-ethyl and pyraflufen, expressed as pyraflufen-ethyl)**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 June 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |

▼M67

**Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| 0152000 | (b) **Strawberries** |
| 0154010 | Blueberries (Bilberries) |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) |
| 0154030 | Currants (red, black and white) |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) |

▼M67

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M216

**Pendimethalin (F)**

(F) Fat soluble

▼M67

**Propyzamide (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Propyzamide — code 1000000: Sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid moiety, expressed as propyzamide

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251010** | **Lamb's lettuce (Italian corn salad)** |
| **0251020** | **Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)** |
| **0251030** | **Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens)** |
| **0251040** | **Cress (Mung bean sprouts, alfalfa sprouts)** |
| **0251060** | **Rocket, Rucola (Wild rocket (*Diplotaxis* spp.))** |
| **0251080** | **Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)** |
| **0256000** | **(f) Herbs** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/ stinking/long coriander/stink weed (*Eryngium foetidum*))** |
| **0256040** | **Parsley (leaves of root parsley)** |
| **0256050** | **Sage (Winter savory, summer savory, *Borago officinalis* leaves)** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme (Marjoram, oregano)** |
| **0256080** | **Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)** |
| **0256090** | **Bay leaves (laurel) (Lemon grass)** |
| **0256100** | **Tarragon (Hyssop)** |
| **0256990** | **Others** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0300010** | **Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)** |
| **0300020** | **Lentils** |
| **0300030** | **Peas (Chickpeas, field peas, chickling vetch)** |

▼M67

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) Swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offal** |
| **1011990** | **Others** |
| **1012000** | **(b) Bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offal** |
| **1012990** | **Others** |
| **1013000** | **(c) Sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offal** |
| **1013990** | **Others** |
| **1014000** | **(d) Goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offal** |
| **1014990** | **Others** |
| **1015000** | **(e) Horses, asses, mules or hinnies** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offal** |
| **1015990** | **Others** |
| **1017000** | **(g) Other farm animals (Rabbit, kangaroo, deer)** |

▼M67

| | |
|---|---|
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offal** |
| **1017990** | **Others** |
| **1020000** | **(ii) Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |

▼M211

**Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)**

The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |

▼M211

| | |
|---|---|
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

▼M179

**Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone) (R)**

(R) The residue definition differs for the following combinations pesticide-code number: Bentazone — codes from 1010000 to 1070000, except 1040000: Sum of bentazone, its salts and 6-hydroxy (free and conjugated), expressed as bentazone

▼M68

**Famoxadone (F)**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401060** | **Rape seed (Bird rapeseed, turnip rape)** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

▼M68

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1000000** | **10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** |
| **1010000** | **(i) Tissue** |
| **1011000** | **(a) Swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offal** |
| **1011990** | **Others** |
| **1012000** | **(b) Bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offal** |
| **1012990** | **Others** |
| **1013000** | **(c) Sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offal** |
| **1013990** | **Others** |
| **1014000** | **(d) Goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offal** |
| **1014990** | **Others** |
| **1015000** | **(e) Horses, asses, mules or hinnies** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offal** |
| **1015990** | **Others** |
| **1016000** | **(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon** |

▼M68

| | |
|---|---|
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offal** |
| **1016990** | **Others** |
| **1017000** | **(g) Other farm animals (Rabbit, kangaroo, deer)** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offal** |
| **1017990** | **Others** |
| **1020000** | **(ii) Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |
| **1030000** | **(iii) Bird eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Goose** |
| **1030040** | **Quail** |
| **1030990** | **Others** |
| **1040000** | **(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))** |
| **1050000** | **(v) Amphibians and reptiles (Frog legs, crocodiles)** |
| **1060000** | **(vi) Snails** |
| **1070000** | **(vii) Other terrestrial animal products (Wild game)** |

▼M66

**Flumioxazin**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220020** | **Onions (Other bulb onions, silverskin onions)** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M66

**Picolinafen**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500050** | **Oats** |
| **0500070** | **Rye** |
| **0500090** | **Wheat (Spelt, triticale)** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods and feeding study for ruminants as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

**Dicloran**

(+) The European Food Safety Authority highlights that the metabolite DCHA has not been taken into account and therefore identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take this information into account, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220020** | **Onions (Other bulb onions, silverskin onions)** |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M67

**Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M68

**Benfluralin (F)**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M76

**Clofentezine (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Clofentezine - codes 0500000 and 1000000: Sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine

▼M218

**Cyprodinil (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Cyprodinil - code 1000000 except 1020000, 1040000: Cyprodinil (sum of cyprodinil and CGA 304075 (free), expressed as cyprodinil) Cyprodinil-1020000: Cyprodinil (Sum of cyprodinil and CGA 304075 (free and conjugated), expressed as cyprodinil)

(F) Fat soluble

The European Food Safety Authority identified some information on analytical and/or confirmatory methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120010** | **Almonds** |
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0840010** | **Liquorice** |
| **0840030** | **Turmeric/curcuma** |
| **0840990** | **Others (2)** |
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Commodities from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |

▼**M218**

| | |
|---|---|
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

▼**M220**

**Metaldehyde**

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213000** | **(c) other root and tuber vegetables except sugar beets** |
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213050** | **Jerusalem artichokes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0213110** | **Turnips** |
| **0231010** | **Tomatoes** |
| **0231030** | **Aubergines/eggplants** |

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Commodities from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |

▼**M220**

| | |
|---|---|
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |

▼M220

| | |
|---|---|
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M209

**Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor) (R)**

(R) The residue definition differs for the following combinations pesticide-code number: Metazachlor — code 1000000, except 1040000: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor

▼M73

**Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers)**

(+) The European Food Safety Authority identified some information on plant metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220040** | **Spring onions and welsh onions (Other green onions and similar varieties)** |
| **0251020** | **Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)** |
| **0256000** | **(f) Herbs** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))** |
| **0256040** | **Parsley (leaves of root parsley)** |
| **0256050** | **Sage (Winter savory, summer savory, Borago officinalis leaves)** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme (Marjoram, oregano)** |
| **0256080** | **Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)** |
| **0256090** | **Bay leaves (laurel) (Lemon grass)** |
| **0256100** | **Tarragon (Hyssop)** |
| **0256990** | **Others** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M73

**Bifenox (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401050** | **unflower seed** |
| **0401060** | **Rape seed (Bird rapeseed, turnip rape)** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M70

**Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Carbofuran — code 1000000 except 1040000: 3-OH-carbofuran (free and conjugated) expressed as carbofuran

▼M113

**Diflufenican (F)**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others** |
| **0120010** | **Almonds** |
| **0120110** | **Walnuts** |
| **0130000** | **Pome fruits** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0130990** | **Others** |
| **0140000** | **Stone fruits** |

▼**M113**

| | |
|---|---|
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0140040** | **Plums** |
| **0140990** | **Others** |

(+) The European Food Safety Authority identified some information on storage stability, residue trials and the northern outdoor Good Agricultural Practice as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0162010** | **Kiwi fruits (green, red, yellow)** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

▼M191

**Flutolanil (R)**

(R) The residue definition differs for the following combinations pesticide-code number: code 1000000 except 1040000: Flutolanil (Flutolanil and metabolites containing the 2-trifluoromethylbenzoic acid moiety, expressed as flutolanil)

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231020** | **Sweet peppers/bell peppers** |

▼M200

**Spinosad (spinosad, sum of spinosyn A and spinosyn D) (F)**

(F) Fat soluble

(+) The European Food Safety Authority identified some information on feeding studies as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0241000** | **(a) flowering brassica** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0241990** | **Others (2)** |
| **0270050** | **Globe artichokes** |

(+) The European Food Safety Authority identified some information on the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 April 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0252010** | **Spinaches** |
| **0500000** | **CEREALS** |
| **0500010** | **Barley** |
| **0500020** | **Buckwheat and other pseudocereals** |

▼M200

| | |
|---|---|
| **0500030** | **Maize/corn** |
| **0500040** | **Common millet/proso millet** |
| **0500050** | **Oat** |
| **0500060** | **Rice** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |
| **0500990** | **Others (2)** |

▼M79

**Dimoxystrobin (R) (A)**

**(A) Footnote for residue definition: The EU reference labs identified the reference standard for 505M09 as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 1 July 2016, or, if that reference standard is not commercially available by that date, the unavailability of it.**

**(R) = The residue definition differs for the following combinations pesticide-code number:**

**Dimoxystrobin — code 1000000 except 1040000: 505M09, expressed as dimoxystrobin**

**Metabolite 505M09 = 3-({2-[(1E)-N-methoxy-2-(methylamino)-2-oxoethanimidoyl]benzyl}oxy)-4-methyl-benzoic acid**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on residue trials in grass and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |

▼M79

| | |
|---|---|
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others** |
| **1014000** | **(d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |

▼M132

**Metrafenone (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M204

**Azoxystrobin**

The European Food Safety Authority identified some information on toxicity of metabolites as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |

▼M204

| | |
|---|---|
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

▼M199

▼C21

**Fluroxypyr (sum of fluroxypyr, its salts, its esters, and its conjugates, expressed as fluroxypyr) (R) (A)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Fluroxypyr — code 1000000 except 1040000: Fluroxypyr (sum of fluroxypyr and its salts, expressed as fluroxypyr)

(A) = The EU reference labs identified the reference standard for fluroxypyr conjugates as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 1 July 2016, or, if that reference standard is not commercially available by that date, the unavailability of it.

▼M218

**Methoxyfenozide (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231030** | **Aubergines/eggplants** |

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |

▼M218

| | |
|---|---|
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

▼M79

**Tribenuron-methyl**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M218

**Fenhexamid (F)**

(F) Fat soluble

▼M161

**Kresoxim-methyl (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Kresoxim-methyl — code 1000000 except 1040000: kresoxim methyl (BF-490-9, expressed as parent)

Metabolite BF 490-9 = 2-[2-(4-hydroxy-2-methylphenoxymethyl)phenyl]-2-methoxy-iminoacetic acid

▼M140

**Thiacloprid**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 July 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0232030** | **Courgettes** |
| **0241000** | **(a) flowering brassica** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0252010** | **Spinaches** |
| **0252030** | **Chards/beet leaves** |
| **0260010** | **Beans (with pods)** |
| **0300010** | **Beans** |
| **0300030** | **Peas** |
| **0401060** | **Rapeseeds/canola seeds** |
| **0401080** | **Mustard seeds** |

▼M140

(+) The European Food Safety Authority identified some information on crop metabolism with seed treatment as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 July 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500030** | **Maize/corn** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 July 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0610000** | **Teas** |
| **0632000** | **(b) leaves and herbs** |
| **0633000** | **(c) roots** |
| **0810000** | **Seed spices** |

▼M81

**Amidosulfuron (A) (R)**

(A) The EU reference labs identified the reference standard for desmethyl amidosulfuron as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 23 July 2016, or, if that reference standard is not commercially available by that date, the unavailability of it.

(R) = The residue definition differs for the following combinations pesticide-code number:

Amidosulfuron — code 1000000 except 1040000: amidosulfuron (sum of amidosulfuron and desmethyl amidosulfuron, expressed as amidosulfuron)

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 July 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500050** | **Oat** |
| **0500070** | **Rye** |
| **0500090** | **Wheat** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M97

**Mepanipyrim**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M89

**Halauxifen-methyl (sum of halauxifen-methyl and X11393729 (halauxifen), expressed as halauxifen-methyl)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼**M124**

**Metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Metalaxyl — code 100000, except 1040000: Sum of metalaxyl (sum of isomers) and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metalaxyl

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl and metalaxyl-M as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110030** | **Lemons** |

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl and metalaxyl-M as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0220020** | **Onions** |
| **0231020** | **Sweet peppers/bell peppers** |
| **0233010** | **Melons** |
| **0233030** | **Watermelons** |

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl and metalaxyl-M as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0241000** | **(a) flowering brassica** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0241990** | **Others** |

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl-M as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

▼**M124**

| | |
|---|---|
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leave** |
| **0256100** | **Tarragon** |
| **0256990** | **Others** |

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270050** | **Globe artichokes** |

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl and metalaxyl-M as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401070** | **Soyabeans** |

(+) The European Food Safety Authority identified some information on residue trials on metalaxyl-M and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0640000** | **Cocoa beans** |
| **0700000** | **HOPS** |

(+) Temporary MRL valid until 1 July 2021. After this date the MRL will be 0,05 (*) mg/kg, unless modified by a Regulation in light of new available information.

| | |
|---|---|
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black, green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼**M124**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Tissues from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others** |
| **1014000** | **(d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat tissue** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat tissue** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat tissue** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |

▼M124

| | |
|---|---|
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others** |
| **1040000** | **Honey and other apiculture products** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M97

**Flumetralin (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M159

**Myclobutanil (sum of constituent isomers) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Myclobutanyl - code 1000000 except 1040000: free and conjugated forms of alpha-(3-hydroxybutyl) - alpha - (4-chloro-phenyl) - 1H - 1,2,4 - triazole -1-propanenitrile (RH9090), expressed as myclobutanil

(+) The European Food Safety Authority identified some information relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130000** | **Pome fruits** |
| **0130010** | **Apples** |
| **0130020** | **Pear** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0130990** | **Others (2)** |
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

(+) The European Food Safety Authority identified some information on rotational crop field studies and relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) strawberries** |
| **0153010** | **Blackberries** |
| **0154040** | **Gooseberries (green, red and yellow)** |

(+) The European Food Safety Authority identified some information relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0154070** | **Azaroles/Mediterranean medlars** |
| **0161060** | **Kaki/Japanese persimmons** |

▼M159

(+) The European Food Safety Authority identified some information on crop metabolism with post-harvest treatment as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0163020** | **Bananas** |

(+) The European Food Safety Authority identified some information on rotational crop field studies and relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231010** | **Tomatoes** |
| **0231030** | **Aubergines/eggplants** |
| **0233010** | **Melon** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |
| **0233990** | **Others (2)** |

(+) The European Food Safety Authority identified some information on crop metabolism with leafy vegetables and relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251010** | **Lamb's lettuces/corn salads** |

(+) The European Food Safety Authority identified some information on crop metabolism with pulses and oilseeds as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0260010** | **Beans (with pods)** |

(+) The European Food Safety Authority identified some information on crop metabolism with leafy vegetables as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270050** | **Globe artichokes** |

(+) The European Food Safety Authority identified some information on residue trials, analytical methods and crop metabolism with leafy vegetables as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |

(+) The European Food Safety Authority identified some information on rotational crop field studies and relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900010** | **Sugar beet roots** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011020** | **Fat** |

▼**M159**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011030** | **Liver** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011040** | **Kidney** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012020** | **Fat** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012030** | **Liver** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012040** | **Kidney** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1013020** | **Fat** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1013030** | **Liver** |

▼**M159**

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1013040** | **Kidney** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1014020** | **Fat** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1014030** | **Liver** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1014040** | **Kidney** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1015020** | **Fat** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1015030** | **Liver** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1015040** | **Kidney** |

▼**M159**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016020** | **Fat** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016030** | **Liver** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016040** | **Kidney** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1017020** | **Fat** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1017030** | **Liver** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1017040** | **Kidney** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |

▼M159

(+) The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M208

**Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a, expressed as avermectin B1a) (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Abamectin — code 1000000 except 1040000: avermectin B1a

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 31 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231020** | **Sweet peppers/bell peppers** |

▼M84

**Desmedipham**

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213010** | **Beetroots** |
| **0252030** | **Chards/beet leaves** |

▼M84

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900010** | **Sugar beet roots** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |

**Phenmedipham**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) strawberries** |

(+) The European Food Safety Authority identified some information on crop metabolism and metabolism in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213010** | **Beetroots** |

(+) The European Food Safety Authority identified some information on residue trials, on crop metabolism and metabolism in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0252010** | **Spinaches** |

▼M84

(+) The European Food Safety Authority identified some information on crop metabolism and metabolism in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0252030** | **Chards/beet leaves** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leave** |
| **0256100** | **Tarragon** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on residue trials, crop metabolism and metabolism in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900010** | **Sugar beet roots** |

▼M125

**Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Dichlorprop — code 1000000 except 1040000: Sum of dichlorprop (including dichlorprop-P) and its salts, expressed as dichlorprop

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |

▼M125

| | |
|---|---|
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

▼M122

**Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S-isomers at any ratio)) (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Haloxyfop — code 1000000 except 1040000: Sum of haloxyfop, its salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio)

(+) The European Food Safety Authority identified some information on analytical methods, storage conditions used in the residue trials, analytical methods used in the residue trials, analytical methods used in the storage stability studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213020** | **Carrots** |
| **0220020** | **Onions** |
| **0300010** | **Beans** |
| **0300030** | **Peas** |

(+) The European Food Safety Authority identified some information on analytical methods, nature of residues in processed commodities, storage conditions used in the residue trials, analytical methods used in the residue trials, analytical methods used in the storage stability studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401050** | **Sunflower seeds** |

(+) The European Food Safety Authority identified some information on analytical methods, nature of residues in processed commodities, residue trials, storage conditions used in the residue trials, analytical methods used in the residue trials, analytical methods used in the storage stability studies and the northern Good Agricultural Practice as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401060** | **Rapeseeds/canola seeds** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods, nature of residues in processed commodities, residue trials, storage conditions used in the residue trials, analytical methods used in the residue trials, analytical methods used in the storage stability studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900010** | **Sugar beet roots** |

(+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

▼M122

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1016010** | **Muscle** |
| **1016020** | **Fat tissue** |
| **1016030** | **Liver** |

(+) The European Food Safety Authority identified some information on storage stability, the nature of residues in processed commodities and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

(+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others** |

▼M84

**Oryzalin (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0162010** | **Kiwi fruits (green, red, yellow)** |

(+) The European Food Safety Authority identified some information on storage stability and crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 November 2017, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270010** | **Asparagus** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M116

**Mesotrione**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on residue trials investgating residue levels of mesotrione and its metabolite AMBA (free and conjugated) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900020** | **Sugar canes** |

▼M87

**Pirimiphos-methyl (F)**

(+) The European Food Safety Authority identified some information on analytical methods, toxicological data on the hydroxypyrimidine metabolites and hydrolysis studies simulating pasteurisation and sterilisation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500040** | **Common millet/proso millet** |
| **0500050** | **Oat** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on toxicological data on the hydroxypyrimidine metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |

▼M87

| | |
|---|---|
| **1016010** | **Muscle** |
| **1016020** | **Fat tissue** |
| **1016030** | **Liver** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others** |

▼M111

**Diethofencarb**

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable, When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it,

| | |
|---|---|
| **0130020** | **Pears** |
| **0151020** | **Wine grapes** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable, When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it,

| | |
|---|---|
| **0231010** | **Tomatoes** |
| **0231030** | **Aubergines/eggplants** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art, 20 (1) of Regulation (EC) No 396/2005,

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M87

**Metosulam**

(+) The European Food Safety Authority identified some information on storage stability, residue trials, crop metabolism and GAP parameters as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130000** | **Pome fruits** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0130990** | **Others** |
| **0140000** | **Stone fruits** |
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0140040** | **Plums** |
| **0140990** | **Others** |

▼M87

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0152000** | **(b) strawberries** |
| **0153000** | **(c) cane fruits** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0153990** | **Others** |
| **0154000** | **(d) other small fruits and berries** |
| **0154010** | **Blueberries** |
| **0154020** | **Cranberries** |
| **0154030** | **Currants (black, red and white)** |
| **0154040** | **Gooseberries (green, red and yellow)** |
| **0154050** | **Rose hips** |
| **0154060** | **Mulberries (black and white)** |
| **0154070** | **Azaroles/Mediterranean medlars** |
| **0154080** | **Elderberries** |
| **0154990** | **Others** |

(+) The European Food Safety Authority identified some information on storage stability and storage conditions used in the residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0211000** | **(a) potatoes** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0234000** | **(d) sweet corn** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M91

**Pethoxamid**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M189

**Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid) (R)**

(R)= The residue definition differs for the following combinations pesticide-code number:

Flonicamid — code 1000000, except code 1040000: Sum of flonicamid and TFNA-AM, expressed as flonicamid

▼M91

**Pirimicarb (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Pirimicarb — code 1000000, except codes 1016000, 1030000 and 1040000: Sum of pirimicarb and desmethyl pirimicarb, expressed as pirimicarb

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0153000** | **(c) cane fruits** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0153990** | **Others** |
| **0233010** | **Melons** |
| **0233030** | **Watermelons** |
| **0242010** | **Brussels sprouts** |
| **0243020** | **Kales** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0252020** | **Purslanes** |
| **0252030** | **Chards/beet leaves** |
| **0255000** | **(e) witloofs/Belgian endives** |
| **0260010** | **Beans (with pods)** |
| **0260030** | **Peas (with pods)** |
| **0270020** | **Cardoons** |
| **0270030** | **Celeries** |
| **0401010** | **Linseeds** |
| **0401060** | **Rapeseeds/canola seeds** |
| **0401080** | **Mustard seeds** |
| **0401120** | **Borage seeds** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |

▼M91

| | |
|---|---|
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others** |
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on livestock metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others** |
| **1014000** | **(d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |

▼M91

| | |
|---|---|
| **1014990** | **Others** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat tissue** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat tissue** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |

▼M146

**Prothioconazole: prothioconazole-desthio (sum of isomers) (F)**

(+) The European Food Safety Authority identified some information on residue trials and storage stability data complying with the proposed residue definition as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213040** | **Horseradishes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213090** | **Salsifies** |
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |
| **0220020** | **Onions** |

(+) The European Food Safety Authority identified some information on analytical methods and storage stability data complying with the proposed residue definition as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220030** | **Shallots** |

▼**M146**

(+) The European Food Safety Authority identified some information on residue trials and storage stability data complying with the proposed residue definition as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0241000** | **(a) flowering brassica** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbages** |
| **0270060** | **Leeks** |
| **0300010** | **Beans** |
| **0300020** | **Lentils** |
| **0300030** | **Peas** |
| **0300040** | **Lupins/lupini beans** |
| **0401010** | **Linseeds** |
| **0401020** | **Peanuts/groundnuts** |
| **0401030** | **Poppy seeds** |
| **0401060** | **Rapeseeds/canola seeds** |
| **0401080** | **Mustard seeds** |
| **0401130** | **Gold of pleasure seeds** |
| **0500010** | **Barley** |
| **0500050** | **Oat** |
| **0500070** | **Rye** |
| **0500090** | **Wheat** |

(+) The European Food Safety Authority identified some information on residue trials on grass (major component of the livestock dietary burden), as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |

▼M146

| | |
|---|---|
| **1013990** | **Others (2)** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |

▼M196

**Boscalid (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: code 1000000 except 1040000, 1011010, 1011020, 1011050, 1012010, 1012020, 1012050, 1013010, 1013020, 1013050, 1014010, 1014020, 1014050, 1015010, 1015020, 1015050, 1016010, 1016020, 1017010, 1017020, 1017050, 1020000, 1030000: Sum of boscalid and its hydroxy metabolite 2-chloro-N-(4′-chloro-5-hydroxybiphenyl-2-yl)nicotinamide (free and conjugated) expressed as boscalid

(F) Fat soluble

The European Food Safety Authority identified some information on analytical methods, residues after repeated applications in permanent crops and data to confirm the plateau level in soil as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |

The European Food Safety Authority identified some information on residues trials (after repeated applications in permanent crops and to support the authorisation) and data to confirm the plateau level in soil as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140010** | **Apricots** |

The European Food Safety Authority identified some information on residues after repeated applications in permanent crops and data to confirm the plateau level in soil as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others (2)** |
| **0120000** | **Tree nuts** |
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |

▼**M196**

| | |
|---|---|
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |
| **0120070** | **Macadamias** |
| **0120080** | **Pecans** |
| **0120090** | **Pine nut kernels** |
| **0120100** | **Pistachios** |
| **0120110** | **Walnuts** |
| **0120990** | **Others (2)** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0140040** | **Plums** |
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0153000** | **(c) cane fruits** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0153990** | **Others (2)** |
| **0154000** | **(d) other small fruits and berries** |
| **0154010** | **Blueberries** |
| **0154020** | **Cranberries** |
| **0154030** | **Currants (black red and white)** |
| **0154040** | **Gooseberries (green red and yellow)** |
| **0154050** | **Rose hips** |
| **0154060** | **Mulberries (black and white)** |
| **0154070** | **Azaroles/Mediterranean medlars** |
| **0154080** | **Elderberries** |
| **0154990** | **Others (2)** |
| **0162010** | **Kiwi fruits (green red yellow)** |
| **0163020** | **Bananas** |
| **0620000** | **Coffee beans** |
| **0630000** | **Herbal infusions from** |
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others (2)** |
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) roots** |

▼M196

| | |
|---|---|
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0639000** | **(d) any other parts of the plant** |
| **0900020** | **Sugar canes** |

The European Food Safety Authority identified some information on residues for rotational crops and data to confirm the plateau level in soil as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) strawberries** |
| **0211000** | **(a) potatoes** |
| **0212010** | **Cassava roots/manioc** |
| **0212020** | **Sweet potatoes** |
| **0212030** | **Yams** |
| **0212040** | **Arrowroots** |
| **0213000** | **(c) other root and tuber vegetables except sugar beets** |
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213050** | **Jerusalem artichokes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |
| **0213990** | **Others (2)** |
| **0220000** | **Bulb vegetables** |
| **0220010** | **Garlic** |
| **0220020** | **Onions** |
| **0220030** | **Shallots** |
| **0220040** | **Spring onions/green onions and Welsh onions** |
| **0220990** | **Others (2)** |
| **0230000** | **Fruiting vegetables** |
| **0231000** | **(a) Solanaceae and Malvaceae** |
| **0231010** | **Tomatoes** |
| **0231020** | **Sweet peppers/bell peppers** |
| **0231030** | **Aubergines/eggplants** |
| **0231040** | **Okra/lady's fingers** |
| **0231990** | **Others (2)** |
| **0232000** | **(b) cucurbits with edible peel** |
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes** |
| **0232990** | **Others (2)** |
| **0233000** | **(c) cucurbits with inedible peel** |
| **0233010** | **Melons** |
| **0233020** | **Pumpkins** |

▼M196

| | |
|---|---|
| 0233030 | Watermelons |
| 0233990 | Others (2) |
| 0234000 | (d) sweet corn |
| 0239000 | (e) other fruiting vegetables |
| 0240000 | Brassica vegetables(excluding brassica roots and brassica baby leaf crops) |
| 0241000 | (a) flowering brassica |
| 0241010 | Broccoli |
| 0241990 | Others (2) |
| 0242000 | (b) head brassica |
| 0242010 | Brussels sprouts |
| 0242020 | Head cabbages |
| 0242990 | Others (2) |
| 0243000 | (c) leafy brassica |
| 0243010 | Chinese cabbages/pe-tsai |
| 0243020 | Kales |
| 0243990 | Others (2) |
| 0244000 | (d) kohlrabies |
| 0250000 | Leaf vegetables herbs and edible flowers |
| 0251000 | (a) lettuces and salad plants |
| 0251010 | Lamb's lettuces/corn salads |
| 0251020 | Lettuces |
| 0251030 | Escaroles/broad-leaved endives |
| 0251040 | Cresses and other sprouts and shoots |
| 0251050 | Land cresses |
| 0251060 | Roman rocket/rucola |
| 0251070 | Red mustards |
| 0251080 | Baby leaf crops (including brassica species) |
| 0251990 | Others (2) |
| 0252000 | (b) spinaches and similar leaves |
| 0252010 | Spinaches |
| 0252020 | Purslanes |
| 0252990 | Others (2) |
| 0253000 | (c) grape leaves and similar species |
| 0254000 | (d) watercresses |
| 0255000 | (e) witloofs/Belgian endives |
| 0256000 | (f) herbs and edible flowers |
| 0256010 | Chervil |
| 0256020 | Chives |
| 0256030 | Celery leaves |
| 0256040 | Parsley |
| 0256050 | Sage |
| 0256060 | Rosemary |
| 0256070 | Thyme |
| 0256080 | Basil and edible flowers |
| 0256090 | Laurel/bay leaves |
| 0256100 | Tarragon |
| 0256990 | Others (2) |
| 0260000 | Legume vegetables |
| 0260010 | Beans (with pods) |

▼**M196**

| | |
|---|---|
| **0260030** | **Peas (with pods)** |
| **0260990** | **Others (2)** |
| **0270000** | **Stem vegetables** |
| **0270010** | **Asparagus** |
| **0270020** | **Cardoons** |
| **0270050** | **Globe artichokes** |
| **0270060** | **Leeks** |
| **0270070** | **Rhubarbs** |
| **0270080** | **Bamboo shoots** |
| **0270090** | **Palm hearts** |
| **0270990** | **Others (2)** |
| **0300000** | **PULSES** |
| **0300010** | **Beans** |
| **0300020** | **Lentils** |
| **0300030** | **Peas** |
| **0300040** | **Lupins/lupini beans** |
| **0300990** | **Others (2)** |
| **0401000** | **Oilseeds** |
| **0401010** | **Linseeds** |
| **0401020** | **Peanuts/groundnuts** |
| **0401030** | **Poppy seeds** |
| **0401040** | **Sesame seeds** |
| **0401050** | **Sunflower seeds** |
| **0401060** | **Rapeseeds/canola seeds** |
| **0401070** | **Soyabeans** |
| **0401080** | **Mustard seeds** |
| **0401090** | **Cotton seeds** |
| **0401100** | **Pumpkin seeds** |
| **0401110** | **Safflower seeds** |
| **0401120** | **Borage seeds** |
| **0401130** | **Gold of pleasure seeds** |
| **0401140** | **Hemp seeds** |
| **0401150** | **Castor beans** |
| **0401990** | **Others (2)** |
| **0500000** | **CEREALS** |
| **0500010** | **Barley** |
| **0500020** | **Buckwheat and other pseudocereals** |
| **0500030** | **Maize/corn** |
| **0500040** | **Common millet/proso millet** |
| **0500050** | **Oat** |
| **0500060** | **Rice** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |
| **0500990** | **Others (2)** |
| **0900010** | **Sugar beet roots** |
| **0900030** | **Chicory roots** |

The European Food Safety Authority identified some information on residues trials (for rotational crops and to support the authorisation) and data to confirm the plateau level in soil as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0241020** | **Cauliflowers** |
| **0252030** | **Chards/beet leaves** |

▼M196

| | |
|---|---|
| **0260020** | **Beans (without pods)** |
| **0260040** | **Peas (without pods)** |
| **0260050** | **Lentils** |
| **0270030** | **Celeries** |
| **0270040** | **Florence fennels** |

The European Food Safety Authority identified some information on the analytical methods, residues after repeated applications in permanent crops and data to confirm the plateau level in soil as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0800000** | **SPICES** |
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others (2)** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others (2)** |
| **0830000** | **Bark spices** |
| **0830010** | **Cinnamon** |
| **0830990** | **Others (2)** |
| **0840000** | **Root and rhizome spices** |
| **0840010** | **Liquorice** |
| **0840020** | **Ginger (10)** |
| **0840030** | **Turmeric/curcuma** |
| **0840040** | **Horseradish (11)** |
| **0840990** | **Others (2)** |
| **0850000** | **Bud spices** |
| **0850010** | **Cloves** |
| **0850020** | **Capers** |
| **0850990** | **Others (2)** |
| **0860000** | **Flower pistil spices** |
| **0860010** | **Saffron** |
| **0860990** | **Others (2)** |
| **0870000** | **Aril spices** |
| **0870010** | **Mace** |
| **0870990** | **Others (2)** |

▼M196

The European Food Safety Authority identified some information on the fate of the pyridine moiety and the nature and magnitude of bound residues as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016030** | **Liver** |

The European Food Safety Authority identified some information on the fate of the pyridine moiety as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012030** | **Liver** |
| **1013030** | **Liver** |
| **1014030** | **Liver** |

▼M118

**Clothianidin**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others** |

(+) The European Food Safety Authority identified some information on residue trials with thiamethoxam as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140020** | **Cherries (sweet)** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0152000** | **(b) strawberries** |
| **0163080** | **Pineapples** |

(+) The European Food Safety Authority identified some information on residue trials with thiamethoxam as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0233010** | **Melons** |
| **0233030** | **Watermelons** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0244000** | **(d) kohlrabies** |

▼M118

(+) The European Food Safety Authority identified some information on residue trials with thiamethoxam as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251030** | **Escaroles/broad-leaved endives** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Thiamethoxam**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0152000** | **(b) strawberries** |
| **0163080** | **Pineapples** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

▼M118

| | |
|---|---|
| **0233010** | **Melons** |
| **0233030** | **Watermelons** |
| **0251030** | **Escaroles/broad-leaved endives** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M196

**Tolclofos-methyl (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213080** | **Radishes** |

The European Food Safety Authority identified some information on residues trials, toxicological data on the sugar conjugates of metabolites ph-CH3 and TM-CH2OH and on residue trials including analysis of the sugar conjugates of metabolites ph-CH3 and TM-CH2OH as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 February 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbages** |
| **0251000** | **(a) lettuces and salad plants** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0251990** | **Others (2)** |

▼M96

**Spiroxamine (sum of isomers) (A) (R)**

(A) = The EU reference labs identified the reference standard for spiroxamine carboxylic acid metabolite M06 as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 30 March 2017, or, if that reference standard is not commercially available by that date, the unavailability of it.

(R) = The residue definition differs for the following combinations pesticide-code number:

Spiroxamine — code 1000000 except 1040000: Spiroxamine carboxylic acid metabolite M06, expressed as spiroxamine (sum of isomers)

(+) The European Food Safety Authority identified some information on storage stability and toxicological data of plant metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 March 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

(+) The European Food Safety Authority identified some information on toxicological data of plant metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 March 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0163020** | **Bananas** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 March 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500050** | **Oat** |
| **0500070** | **Rye** |
| **0500090** | **Wheat** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on feeding studies in accordance with the proposed residue definition as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 March 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016010** | **Muscle** |
| **1016020** | **Fat tissue** |
| **1016030** | **Liver** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others** |

▼**M100**

**Diquat (sum of diquat and its salts, expressed as diquat)**

(+) The European Food Safety Authority identified some information on analytical methods, metabolism and processing studies, addressing the nature of diquat and TOPPS residues in processed commodities, as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0270010** | **Asparagus** |
| **0300040** | **Lupins/lupini beans** |
| **0401010** | **Linseeds** |
| **0401030** | **Poppy seeds** |
| **0401040** | **Sesame seeds** |
| **0401080** | **Mustard seeds** |
| **0401120** | **Borage seeds** |
| **0401140** | **Hemp seeds** |
| **0700000** | **HOPS** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Tissues from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |

▼**M100**

| | |
|---|---|
| **1013990** | **Others** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat tissue** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat tissue** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat tissue** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others** |
| **1040000** | **Honey and other apiculture products** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M194

**Dodine**

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

▼M100

**Glufosinate (sum of glufosinate isomers, its salts and its metabolites 3-[hydroxy(methyl)phosphinoyl]propionic acid (MPP) and N-acetyl-glufosinate (NAG), expressed as glufosinate)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0154010** | **Blueberries** |
| **0154040** | **Gooseberries (green, red and yellow)** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0251990** | **Others** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M102

**1-Naphthylacetamide and 1-naphthylacetic acid (sum of 1-naphthylacetamide and 1-naphthylacetic acid and its salts, expressed as 1-naphythlacetic acid)**

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

▼M102

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |

(+) The Europe an Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231010** | **Tomatoes** |
| **0231030** | **Aubergines/eggplants** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M196

**Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)**

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others (2)** |
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0700000** | **HOPS** |
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |

▼M196

| | |
|---|---|
| 0810090 | Nutmeg |
| 0810990 | Others (2) |
| 0820000 | Fruit spices |
| 0820010 | Allspice/pimento |
| 0820020 | Sichuan pepper |
| 0820030 | Caraway |
| 0820040 | Cardamom |
| 0820050 | Juniper berry |
| 0820060 | Peppercorn (black green and white) |
| 0820070 | Vanilla |
| 0820080 | Tamarind |
| 0820990 | Others (2) |
| 0840000 | Root and rhizome spices |
| 0840010 | Liquorice |
| 0840030 | Turmeric/curcuma |
| 0840990 | Others (2) |
| 1011010 | Muscle |
| 1011020 | Fat |
| 1011030 | Liver |
| 1011040 | Kidney |
| 1012010 | Muscle |
| 1012020 | Fat |
| 1012030 | Liver |
| 1012040 | Kidney |
| 1013010 | Muscle |
| 1013020 | Fat |
| 1013030 | Liver |
| 1013040 | Kidney |
| 1014010 | Muscle |
| 1014020 | Fat |
| 1014030 | Liver |
| 1014040 | Kidney |
| 1016010 | Muscle |
| 1016020 | Fat |
| 1016030 | Liver |
| 1020010 | Cattle |
| 1020020 | Sheep |
| 1020030 | Goat |
| 1030000 | Birds eggs |
| 1030010 | Chicken |
| 1030020 | Duck |

▼M196

| | |
|---|---|
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

▼M102

**Fuberidazole**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M122

**Ethofumesate (Sum of ethofumesate, 2-keto–ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate)**

(+) The European Food Safety Authority identified some information on analytical methods, metabolism, residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0252010** | **Spinaches** |
| **0255000** | **(e) witloofs/Belgian endives** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0260010** | **Beans (with pods)** |
| **0260030** | **Peas (with pods)** |
| **0300030** | **Peas** |
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others** |
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others** |
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M122

(+) The European Food Safety Authority identified some information on analytical methods, metabolism, residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900030** | **Chicory roots** |

(+) The European Food Safety Authority identified some information on analytical methods, metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

▼M103

**Etoxazole (F)**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401090** | **Cotton seeds** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Flurtamone (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M140

**Fluoxastrobin (sum of fluoxastrobin and its Z-isomer) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Fluoxastrobin — code 1000000 except 1040000: 'Fluoxastrobin (sum of fluoxastrobin, its Z-isomer and its metabolite 6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinol, expressed as fluoxastrobin) (F)'

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 June 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500050** | **Oat** |

▼M133

**Sulfoxaflor (sum of isomers)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish (11)** |

▼M106

**Phosphane and phosphide salts (sum of phosphane and phosphane generators (relevant phosphide salts), determined and expressed as phosphane)**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |
| **0120070** | **Macadamias** |
| **0120080** | **Pecans** |
| **0120090** | **Pine nut kernels** |

(+) The European Food Safety Authority identified some information on analytical methods and clarifications regarding residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120100** | **Pistachios** |

▼**M106**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120110** | **Walnuts** |

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401010** | **Linseeds** |
| **0401020** | **Peanuts/groundnuts** |
| **0401030** | **Poppy seeds** |
| **0401040** | **Sesame seeds** |
| **0401050** | **Sunflower seeds** |
| **0401060** | **Rapeseeds/canola seeds** |
| **0401070** | **Soyabeans** |
| **0401080** | **Mustard seeds** |
| **0401090** | **Cotton seeds** |
| **0401100** | **Pumpkin seeds** |
| **0401110** | **Safflower seeds** |
| **0401120** | **Borage seeds** |
| **0401130** | **Gold of pleasure seeds** |
| **0401140** | **Hemp seeds** |
| **0401150** | **Castor beans** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500020** | **Buckwheat and other pseudo-cereals** |
| **0500030** | **Maize/corn** |
| **0500040** | **Common millet/proso millet** |
| **0500050** | **Oat** |
| **0500060** | **Rice** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on the occurence of phosphane and its oxidation products in commodities of animal origin as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 8 October 2018, or, if that information is not submitted by that date, the lack of it.

▼**M106**

| | |
|---|---|
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Tissues from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others** |
| **1014000** | **(d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat tissue** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat tissue** |

▼M106

| | |
|---|---|
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat tissue** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M126

**Fluazinam (F)**

(+) The European Food Safety Authority identified some information on the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |

▼**M126**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0151010** **Table grapes**

(+) The European Food Safety Authority identified some information on the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0151020** **Wine grapes**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0153000** **(c) cane fruits**

**0153010** **Blackberries**

**0153020** **Dewberries**

**0153030** **Raspberries (red and yellow)**

**0300010** **Beans**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0633000** **(c) roots**

**0633010** **Valerian**

**0633020** **Ginseng**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼**M107**

**Sulcotrione (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

code 1000000 except 1040000: CMBA (2-chloro-4-(methylsulfonyl)benzoic acid)

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

**0213090** **Salsifies**

▼**M107**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

▼**M133**

**Deltamethrin (cis-deltamethrin) (F)**

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0120000** | **Tree nuts** |
| **0130000** | **Pome fruits** |
| **0140000** | **Stone fruits** |
| **0150000** | **Berries and small fruits** |
| **0161030** | **Table olives** |
| **0162010** | **Kiwi fruits (green, red, yellow)** |

▼**M133**

(+) The European Food Safety Authority identified some information on analytical methods, processing trials and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0211000** | **(a) potatoes** |

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213000** | **(c) other root and tuber vegetables except sugar beets** |
| **0220000** | **Bulb vegetables** |
| **0231010** | **Tomatoes** |
| **0231020** | **Sweet peppers/bell peppers** |
| **0231030** | **Aubergines/eggplants** |
| **0232000** | **(b) cucurbits with edible peel** |
| **0233000** | **(c) cucurbits with inedible peel** |
| **0234000** | **(d) sweet corn** |
| **0240000** | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** |
| **0251000** | **(a) lettuces and salad plants** |
| **0252000** | **(b) spinaches and similar leaves** |
| **0253000** | **(c) grape leaves and similar species** |
| **0254000** | **(d) watercresses** |
| **0255000** | **(e) witloofs/Belgian endives** |
| **0256000** | **(f) herbs and edible flowers** |
| **0260000** | **Legume vegetables** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270010** | **Asparagus** |

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270050** | **Globe artichokes** |
| **0270060** | **Leeks** |
| **0280010** | **Cultivated fungi** |

(+) The European Food Safety Authority identified some information on analytical methods, storage conditions of samples and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0300000** | **PULSES** |

▼**M133**

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401010** | **Linseeds** |
| **0401030** | **Poppy seeds** |
| **0401040** | **Sesame seeds** |
| **0401050** | **Sunflower seeds** |
| **0401080** | **Mustard seeds** |
| **0401090** | **Cotton seeds** |
| **0401100** | **Pumpkin seeds** |
| **0401110** | **Safflower seeds** |
| **0401120** | **Borage seeds** |
| **0401130** | **Gold of pleasure seeds** |
| **0401140** | **Hemp seeds** |
| **0401150** | **Castor beans** |
| **0402010** | **Olives for oil production** |

(+) The European Food Safety Authority identified some information on analytical methods, storage conditions of samples and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500000** | **CEREALS** |

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0610000** | **Teas** |
| **0631000** | **(a) flowers** |
| **0632000** | **(b) leaves and herbs** |
| **0633000** | **(c) roots** |
| **0820000** | **Fruit spices** |
| **0840010** | **Liquorice** |
| **0840020** | **Ginger (10)** |
| **0840030** | **Turmeric/curcuma** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish (11)** |

(+) The European Food Safety Authority identified some information on analytical methods and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0840990** | **Others (2)** |
| **0850000** | **Bud spices** |
| **0860010** | **Saffron** |
| **0900010** | **Sugar beet roots** |
| **0900030** | **Chicory roots** |

▼M133

(+) The European Food Safety Authority identified some information on analytical methods and livestock metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) swine** |

(+) The European Food Safety Authority identified some information on analytical methods, livestock metabolism and livestock feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012000** | **(b) bovine** |
| **1013000** | **(c) sheep** |
| **1014000** | **(d) goat** |
| **1016000** | **(f) poultry** |
| **1020000** | **Milk** |
| **1030000** | **Birds eggs** |

▼M107

**Methomyl**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231020** | **Sweet peppers/bell peppers** |
| **0233010** | **Melons** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251020** | **Lettuces** |
| **0252010** | **Spinaches** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0260010** | **Beans (with pods)** |
| **0260030** | **Peas (with pods)** |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 18 October 2018, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0300010** | **Beans** |
| **0401070** | **Soyabeans** |
| **0401090** | **Cotton seeds** |
| **0500030** | **Maize/corn** |
| **0500050** | **Oat** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M108

**Hexachlorobenzene (F)**

(+) Monitoring data show that an unavoidable cross-contamination affecting pumpkin seeds occurs. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **0401100** | **Pumpkin seeds** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M132

**Bifenthrin (sum of isomers) (F)**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0152000** | (b) *strawberries* |
| **0153000** | (c) *cane fruits* |

(+) Occurrence data show that a lower MRL than 0,1 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 3 February 2020 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0630000** | **Herbal infusions from** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1030000** | **Birds eggs** |

▼M212

**Fenpropimorph (sum of isomers) (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Fenpropimorph - code 1000000 except 1040000: Fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph

(F) Fat soluble

▼M110

**Carbetamide (sum of carbetamide and its S isomer)**

(+) The European Food Safety Authority identified some information on crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

▼**M110**

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0140000** | **Stone fruits** |
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0140040** | **Plums** |
| **0140990** | **Others** |

(+) The European Food Safety Authority identified some information on crop metabolism, residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

(+) The European Food Safety Authority identified some information on crop metabolism and residues trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0255000** | **(e) witloofs/Belgian endives** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0300020** | **Lentils** |
| **0300030** | **Peas** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼**M110**

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 3 February 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900030** | **Chicory roots** |

**Triflusulfuron (6-(2,2,2-trifluoroethoxy)-1,3,5-triazine-2,4-diamine (IN-M7222) (A)**

(A) = The EU reference labs identified the reference standard for the metabolite 6-(2,2,2-trifluoroethoxy)-1,3,5-triazine-2,4-diamine (IN-M7222) as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 3 February 2018, or, if that reference standard is not commercially available by that date, the unavailability of it.

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼**M218**

**Fenpyroximate (R) (F) (A)**

(R) The residue definition differs for the following combinations pesticide-code number: Fenpyroximate — codes 1012030, 1012040, 1013030, 1013040, 1014030, 1014040, 1015030, 1015040, 1017030, 1017040: Fenpyroximate (metabolite M-3, expressed as fenpyroximate (F))

(F) Fat soluble

(A) (A) The EU reference labs identified the reference standard for the M-3 metabolite as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 7 April 2018, or, if that reference standard is not commercially available by that date, the unavailability of it.

The European Food Safety Authority identified some information on residue trials and the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 April 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others (2)** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140040** | **Plums** |

The European Food Safety Authority identified some information on the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 April 2019, or, if that information is not submitted by that date, the lack of it.

▼**M218**

| | |
|---|---|
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0140030** | **Peaches** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

The European Food Safety Authority identified some information on metabolism in rotational crops and the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 April 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0153010** | **Blackberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0154010** | **Blueberries** |
| **0154030** | **Currants (black, red and white)** |
| **0154040** | **Gooseberries (green, red and yellow)** |
| **0154050** | **Rose hips** |
| **0154060** | **Mulberries (black and white)** |
| **0154070** | **Azaroles/Mediterranean medlars** |
| **0154080** | **Elderberries** |
| **0260010** | **Beans (with pods)** |

The European Food Safety Authority identified some information on residue trials, metabolism in rotational crops and the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 April 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0153020** | **Dewberries** |
| **0154020** | **Cranberries** |
| **0231020** | **Sweet peppers/bell peppers** |
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes** |

The European Food Safety Authority identified some information on metabolism, analytical methods, metabolism in rotational crops and the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 April 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |

▼**M119**

**Tebufenpyrad (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 April 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140010** | **Apricots** |
| **0140030** | **Peaches** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0260010** | **Beans (with pods)** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 April 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 April 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Tissues from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat tissue** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat tissue** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat tissue** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others** |

▼M119

| | |
|---|---|
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat tissue** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat tissue** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat tissue** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat tissue** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |

▼M119

| | |
|---|---|
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others** |
| **1040000** | **Honey and other apiculture products** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M209

**Thiabendazole (R)**

(R) The residue definition differs for the following combinations pesticide-code number: Thiabendazole — code 100000, except 1020000 and 1040000: sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole Thiabendazole — code 1020000: sum of thiabendazole, 5-hydroxythiabendazole and its sulfate conjugate, expressed as thiabendazole

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0163010** | **Avocados** |

The European Food Safety Authority identified some information on storage stability and on the magnitude of residues of the metabolite benzimidazole as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0211000** | (a) **potatoes** |

The European Food Safety Authority identified some information on the magnitude of residues of the metabolite benzimidazole as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |

▼M190

**Acrinathrin (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials and metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 1 July 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |

▼M133

**Propargite (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish (11)** |

▼M128

**Bensulfuron-methyl**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Dimethachlor**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M161

**Lufenuron (any ratio of constituent isomers) (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 March 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140010** | **Apricots** |
| **0140030** | **Peaches** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 March 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016030** | **Liver** |
| **1016040** | **Kidney** |

▼M211

**Triclopyr**

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 May 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110050** | **Mandarins** |

▼M211

The European Food Safety Authority identified some information on analytical methods used in the storage stability studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 May 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0140030** | **Peaches** |

The European Food Safety Authority identified some information on analytical methods used in the storage stability studies and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 May 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140010** | **Apricots** |

The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 May 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500060** | **Rice** |

▼M167

**Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers) (F)**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120000** | **Tree nuts** |
| **0130000** | **Pome fruits** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140010** | **Apricots** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140020** | **Cherries (sweet)** |

▼**M167**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

**0140030** **Peaches**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

**0140040** **Plums**

**0140990** **Others (2)**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia and XI) formed under sterilization conditions and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

**0150000** **Berries and small fruits**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

**0151000** **(a) grapes**

**0152000** **(b) strawberries**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions, residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

**0153000** **(c) cane fruits**

**0154000** **(d) other small fruits and berries**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

**0161000** **(a) edible peel**

**0162000** **(b) inedible peel, small**

**0163000** **(c) inedible peel, large**

**0163010** **Avocados**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

**0163020** **Bananas**

▼**M167**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0163030** | **Mangoes** |
| **0163040** | **Papayas** |
| **0163050** | **Granate apples/pomegranates** |
| **0163060** | **Cherimoyas** |
| **0163070** | **Guavas** |
| **0163080** | **Pineapples** |
| **0163090** | **Breadfruits** |
| **0163100** | **Durians** |
| **0163110** | **Soursops/guanabanas** |
| **0163990** | **Others (2)** |
| **0200000** | **VEGETABLES, FRESH or FROZEN** |
| **0210000** | **Root and tuber vegetables** |
| **0220000** | **Bulb vegetables** |
| **0220010** | **Garlic** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220020** | **Onions** |
| **0220030** | **Shallots** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220040** | **Spring onions/green onions and Welsh onions** |
| **0220990** | **Others (2)** |
| **0230000** | **Fruiting vegetables** |
| **0231000** | **(a) Solanaceae and Malvaceae** |
| **0232000** | **(b) cucurbits with edible peel** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0232010** | **Cucumbers** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes** |
| **0232990** | **Others (2)** |
| **0233000** | **(c) cucurbits with inedible peel** |
| **0234000** | **(d) sweet corn** |
| **0239000** | **(e) other fruiting vegetables** |

▼M167

| | |
|---|---|
| **0240000** | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** |
| **0241000** | **(a) flowering brassica** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0241990** | **Others (2)** |
| **0242000** | **(b) head brassica** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbages** |
| **0242990** | **Others (2)** |
| **0243000** | **(c) leafy brassica** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0243010** | **Chinese cabbages/pe-tsai** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0243020** | **Kales** |
| **0243990** | **Others (2)** |
| **0244000** | **(d) kohlrabies** |
| **0250000** | **Leaf vegetables, herbs and edible flowers** |
| **0251000** | **(a) lettuces and salad plants** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251070** | **Red mustards** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251080** | **Baby leaf crops (including brassica species)** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

▼M167

| | |
|---|---|
| **0251990** | **Others (2)** |
| **0252000** | **(b) spinaches and similar leaves** |
| **0253000** | **(c) grape leaves and similar species** |
| **0254000** | **(d) watercresses** |
| **0255000** | **(e) witloofs/Belgian endives** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0256000** | **(f) herbs and edible flowers** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0260000** | **Legume vegetables** |
| **0270000** | **Stem vegetables** |
| **0270010** | **Asparagus** |
| **0270020** | **Cardoons** |
| **0270030** | **Celeries** |
| **0270040** | **Florence fennels** |
| **0270050** | **Globe artichokes** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270060** | **Leeks** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270070** | **Rhubarbs** |
| **0270080** | **Bamboo shoots** |
| **0270090** | **Palm hearts** |
| **0270990** | **Others (2)** |
| **0280000** | **Fungi, mosses and lichens** |
| **0290000** | **Algae and prokaryotes organisms** |
| **0300000** | **PULSES** |
| **0400000** | **OILSEEDS AND OIL FRUITS** |
| **0500000** | **CEREALS** |
| **0500010** | **Barley** |
| **0500020** | **Buckwheat and other pseudocereals** |
| **0500030** | **Maize/corn** |
| **0500040** | **Common millet/proso millet** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500050** | **Oat** |

▼**M167**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500060** | **Rice** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |
| **0500990** | **Others (2)** |
| **0600000** | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions, residue trials and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0800000** | **SPICES** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900000** | **SUGAR PLANTS** |
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Commodities from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and on the toxicological properties of some others (compounds Ia and XI) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011030** | **Liver** |
| **1011040** | **Kidney** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |

▼**M167**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and on the toxicological properties of some others (compounds Ia and XI) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012030** | **Liver** |
| **1012040** | **Kidney** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and on the toxicological properties of some others (compounds Ia and XI) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1013030** | **Liver** |
| **1013040** | **Kidney** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and on the toxicological properties of some others (compounds Ia and XI) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1014030** | **Liver** |
| **1014040** | **Kidney** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |

▼**M167**

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and on the toxicological properties of some others (compounds Ia and XI) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1015030** | **Liver** |
| **1015040** | **Kidney** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and on the toxicological properties of some others (compounds Ia and XI) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016030** | **Liver** |
| **1016040** | **Kidney** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions and on the toxicological properties of some others (compounds Ia and XI) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1017030** | **Liver** |
| **1017040** | **Kidney** |

(+) The European Food Safety Authority identified some information on certain metabolites (compounds Ia, IV and gamma-lactone) formed under sterilization conditions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 July 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |
| **1030000** | **Birds eggs** |
| **1040000** | **Honey and other apiculture products (7)** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M218

**Fenpicoxamid (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Fenpicoxamid - code 1000000 except 1040000: X12326349 expressed as fenpicoxamid

(F) Fat soluble

▼M138

**Triflumuron (F)**

(+) The European Food Safety Authority identified some information on the magnitude of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 October 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |

(+) The European Food Safety Authority identified some information on residue trials and the magnitude of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 October 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140010** | **Apricots** |

(+) The European Food Safety Authority identified some information on the magnitude of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 October 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140030** | **Peaches** |

(+) The European Food Safety Authority identified some information on residue trials and the magnitude of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 October 2020, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140040** | **Plums** |

▼M167

**Etofenprox (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0151000** | **(a) grapes** |
| **0161060** | **Kaki/Japanese persimmons** |
| **0162010** | **Kiwi fruits (green, red, yellow)** |

▼**M167**

| | |
|---|---|
| **0231010** | **Tomatoes** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0242020** | **Head cabbages** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251060** | **Roman rocket/rucola** |
| **0252010** | **Spinaches** |
| **0252030** | **Chards/beet leaves** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leaves** |
| **0256100** | **Tarragon** |
| **0260010** | **Beans (with pods)** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0300010** | **Beans** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401060** | **Rapeseeds/canola seeds** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011030** | **Liver** |

▼**M167**

(+) The European Food Safety Authority identified some information on storage stability and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1011040** **Kidney**

(+) The European Food Safety Authority identified some information on storage stability and on metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1012010** **Muscle**

**1012020** **Fat**

(+) The European Food Safety Authority identified some information on metabolism and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1012030** **Liver**

(+) The European Food Safety Authority identified some information on storage stabilit, on metabolism and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1012040** **Kidney**

(+) The European Food Safety Authority identified some information on storage stability and on metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1013010** **Muscle**

**1013020** **Fat**

(+) The European Food Safety Authority identified some information on metabolism and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1013030** **Liver**

(+) The European Food Safety Authority identified some information on storage stability, on metabolism and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1013040** **Kidney**

(+) The European Food Safety Authority identified some information on storage stability and on metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1014010** **Muscle**

**1014020** **Fat**

(+) The European Food Safety Authority identified some information on metabolism and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1014030** **Liver**

▼**M167**

(+) The European Food Safety Authority identified some information on storage stability, on metabolism and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1014040** **Kidney**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1015010** **Muscle**

**1015020** **Fat**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1015030** **Liver**

(+) The European Food Safety Authority identified some information on storage stability and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1015040** **Kidney**

(+) The European Food Safety Authority identified some information on storage stability and on metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1016020** **Fat**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1017010** **Muscle**

**1017020** **Fat**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1017030** **Liver**

(+) The European Food Safety Authority identified some information on storage stability and on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1017040** **Kidney**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

**1020000** **Milk**

**1030000** **Birds eggs**

▼M148

**Penconazole (sum of constituent isomers) (F)**

(+) The European Food Safety Authority identified some information on crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0140040** | **Plums** |
| **0151000** | **(a) grapes** |
| **0153010** | **Blackberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0154040** | **Gooseberries (green, red and yellow)** |
| **0231010** | **Tomatoes** |
| **0231030** | **Aubergines/eggplants** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |

▼M144

**Bromuconazole (sum of diastereoisomers) (F)**

(+) The European Food Safety Authority identified some information on residue trials, on metabolism in rotational crops, on rotational crop field studies and on livestock metabolism, including data relating to triazole derivative metabolites (TDMs) thereof, as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500070** | **Rye** |
| **0500090** | **Wheat** |

(+) European Food Safety Authority identified some information on livestock metabolism, including data relating to triazole derivative metabolites (TDMs) thereof, and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

▼**M144**

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

▼M144

**Fenpyrazamine (F)**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120010** | **Almonds** |

▼M211

**Pyridaben (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0140010** | **Apricots** |
| **0140030** | **Peaches** |
| **0260010** | **Beans (with pods)** |

The European Food Safety Authority identified some information on storage stability, feeding studies and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24 January 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |

▼M147

**Fenoxycarb (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0161030** | **Table olives** |

▼M147

**Flurochloridone (sum of cis -and trans- isomers) (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213070** | **Parsley roots/Hamburg roots parsley** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

▼M209

**Quizalofop (sum of quizalofop, its salts, its esters (including propaquizafop) and its conjugates, expressed as quizalofop (any ratio of constituent isomers))**

The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable for quizalofop-P-ethyl. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |

▼M209

| | |
|---|---|
| **0632030** | **Mate/maté** |

The European Food Safety Authority identified some information on analytical methods as unavailable for quizalofop-P-ethyl. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0252010** | **Spinaches** |
| **0252030** | **Chards/beet leaves** |

The European Food Safety Authority identified some information on analytical methods as unavailable for quizalofop-P-tefuryl. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |

▼M209

| | |
|---|---|
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |

The European Food Safety Authority identified some information on residue trials as unavailable for propaquizafop. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |

The European Food Safety Authority identified some information on residue trials, analytical methods and storage stability as unavailable for quizalofop-P-ethyl. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |

▼**M180**

**Tebufenozide (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on confirmatory analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 June 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140020** | **Cherries (sweet)** |
| **0500060** | **Rice** |

▼M218

**Mandipropamid (any ratio of constituent isomers)**

The European Food Safety Authority identified some information on toxicity of metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 July 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220020** | **Onions** |
| **0220040** | **Spring onions/green onions and Welsh onions** |

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 11 July 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231010** | **Tomatoes** |
| **0232030** | **Courgettes** |

▼M191

**Cyflufenamid (sum of cyflufenamid (Z-isomer) and its E-isomer, expressed as cyflufenamid) (R) (A)**

(R) The residue definition differs for the following combinations pesticide-code number: Cyflufenamid - code 1000000 except 1040000: sum of cyflufenamid (Z-isomer), its E-isomer and metabolite 149-F1, expressed as cyflufenamid

(A) The EU reference laboratories identified the reference standard for the E-isomer and for metabolite 149-F1 as commercially not available. When reviewing the MRLs, the Commission will take into account the commercial availability of the reference standard referred to it in the first sentence by 17 September 2020, or, if that reference standard is not commercially available by that date, the unavailability of it.

The European Food Safety Authority identified some information on feeding studies for poultry as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500090** | **Wheat** |

▼M151

**Fenbuconazole (sum of constituent enantiomers)**

(+) The European Food Safety Authority identified some information relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |

▼M151

| | |
|---|---|
| **0120070** | **Macadamias** |
| **0120080** | **Pecans** |
| **0120090** | **Pine nut kernels** |
| **0120100** | **Pistachios** |
| **0120110** | **Walnuts** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |

(+) The European Food Safety Authority identified some information on residue trials, including data relating to triazole derivative metabolites (TDMs), as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140010** | **Apricots** |

(+) The European Food Safety Authority identified some information relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140020** | **Cherries (sweet)** |

(+) The European Food Safety Authority identified some information on residue trials, including data relating to triazole derivative metabolites (TDMs), as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0140030** | **Peaches** |
| **0140040** | **Plums** |

(+) The European Food Safety Authority identified some information relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0154010** | **Blueberries** |
| **0154020** | **Cranberries** |
| **0163020** | **Bananas** |
| **0231020** | **Sweet peppers/bell peppers** |

▼**M151**

(+) The European Food Safety Authority identified some information on residue trials, including data relating to triazole derivative metabolites (TDMs), as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes** |
| **0233010** | **Melons** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |

(+) The European Food Safety Authority identified some information relating to triazole derivative metabolites (TDMs) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401020** | **Peanuts/groundnuts** |
| **0401050** | **Sunflower seeds** |
| **0401060** | **Rapeseeds/canola seeds** |
| **0500010** | **Barley** |
| **0500070** | **Rye** |
| **0500090** | **Wheat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |

▼M151

**Tembotrione (Sum of parent tembotrione (AE 0172747) and its metabolite M5 (4,6-dihydroxy tembotrione), expressed as tembotrione) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Tembotrione - code 1000000 except 1040000: Metabolite M5 (Dihydroxy-tembotrione)

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0234000** | **(d) sweet corn** |

▼M161

**Imazalil (any ratio of constituent isomers) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Imazalil - code 1000000 except 1040000 : sum of imazalil and metabolite FK-772 (any ratio of constituent isomers), expressed as imazalil

(+) The European Food Safety Authority identified some information on the toxicity of metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0232030** | **Courgettes** |

(+) The European Food Safety Authority identified some information on the toxicity of metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0233010** | **Melons** |

(+) The European Food Safety Authority identified some information on the toxicity of metabolites and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 26 September 2021, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |

▼M156

**Prochloraz (sum of prochloraz, BTS 44595 (M201-04) and BTS 44596 (M201-03), expressed as prochloraz) (F)**

(+) The European Food Safety Authority identified some information on residue trials in relation with the new residue definition as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C20 13 February 2022 ◄, or, if that information is not submitted by that date, the lack of it.

▼M156

| | |
|---|---|
| **0161040** | **Kumquats** |
| **0162020** | **Litchis/lychees** |
| **0162030** | **Passionfruits/maracujas** |
| **0162040** | **Prickly pears/cactus fruits** |
| **0162050** | **Star apples/cainitos** |
| **0162060** | **American persimmons/Virginia kaki** |
| **0163010** | **Avocados** |
| **0163040** | **Papayas** |
| **0163050** | **Granate apples/pomegranates** |
| **0163060** | **Cherimoyas** |
| **0163070** | **Guavas** |
| **0163090** | **Breadfruits** |
| **0163100** | **Durians** |
| **0163110** | **Soursops/guanabanas** |

(+) The European Food Safety Authority identified some information on feeding studies analysing both enforcement and risk assessment residue definitions as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C20 13 February 2022 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |

▼M159

**Napropamide (sum of isomers)**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

▼M159

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others (2)** |
| **0152000** | **(b) strawberries** |
| **0153000** | **(c) cane fruits** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0153990** | **Others (2)** |

(+) The European Food Safety Authority identified some information on storage stability and crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0154010** | **Blueberries** |
| **0154020** | **Cranberries** |
| **0154030** | **Currants (black, red and white)** |
| **0154040** | **Gooseberries (green, red and yellow)** |
| **0154050** | **Rose hips** |
| **0154080** | **Elderberries** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leaves** |
| **0256100** | **Tarragon** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0630000** | **Herbal infusions from** |
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others (2)** |

▼M159

| | |
|---|---|
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) root** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0639000** | **(d) any other parts of the plant** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black, green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others (2)** |

**Sintofen**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 12 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500090** | **Wheat** |

▼M160

**Pencycuron (sum of pencycuron and pencycuron-PB-amine, expressed as pencycuron) (F) (R) (A)**

(A) The EU reference labs identified the reference standard for the pencycuron-PB-amine as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 16 June 2021, or, if that reference standard is not commercially available by that date, the unavailability of it.

(R) = The residue definition differs for the following combinations pesticide-code number:
Pencycuron - code 1000000: pencycuron (F)

▼M190

**Fluvalinate (sum of isomers) resulting from the use of tau-fluvalinate (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016020** | **Fat** |
| **1016050** | **Edible offals (other than liver and kidney)** |

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 June 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0232010** | **Cucumbers** |

▼**M164**

**Bupirimate (A) (F) (R)**

(A) The EU reference labs identified the reference standard for the desethyl ethirimol as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 28 October 2021, or, if that reference standard is not commercially available by that date, the unavailability of it.

(R) = The residue definition differs for the following combinations pesticide-code number:

Bupirimate - code 1000000: Desethyl ethirimol

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 28 October 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0231030** | **Aubergines/eggplants** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 28 October 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidne** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |

▼M164

| | |
|---|---|
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

▼M176

**Ethirimol (A) (F) (R)**

(A) The EU reference labs identified the reference standard for desethyl ethirimol as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 28 October 2021, or, if that reference standard is not commercially available by that date, the unavailability of it.

(R) = The residue definition differs for the following combinations pesticide-code number:

Ethirimol - code 1000000: Desethyl ethirimol

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 28 October 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0231030** | **Aubergines/eggplants** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 28 October 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) swine** |
| **1012000** | **(b) bovine** |
| **1013000** | **(c) sheep** |
| **1014000** | **d) goat** |

▼M176

| | |
|---|---|
| **1015000** | **(e) equine** |
| **1016000** | **(f) poultry** |
| **1020000** | **Milk** |
| **1030000** | **Birds eggs** |

▼M164

**Pyriofenone**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 28 October 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |

**Sum of carfentrazone-ethyl and carfentrazone, expressed as carfentrazone-ethyl (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Sum of carfentrazone-ethyl and carfentrazone, expressed as carfentrazone-ethyl - code 1000000: Carfentrazone-ethyl

▼M203

**Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)**

The European Food Safety Authority identified some information on crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 January 2025, or, if that information is not submitted by that date, the lack of it.

▼M203

| | |
|---|---|
| **0251020** | **Lettuces** |

The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0211000** | **(a) potatoes** |
| **0220010** | **Garlic** |
| **0220020** | **Onions** |
| **0220030** | **Shallots** |
| **0270060** | **Leeks** |

The European Food Safety Authority identified some information on residue trials and crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 19 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151010** | **Table grapes** |

▼M168

**Fluopicolide**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C19 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251030** | **Escaroles/broad-leaved endives** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C19 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |

▼M168

| | |
|---|---|
| **1015040** | **Kidney** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |

▼M191

**Proquinazid (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Proquinazid - code 1000000 except 1040000 : Sum of proquinazid and metabolite 3-[(6-iodo-4-oxo-3-propyl-3,4-dihydroquinazolin-2-yl)oxy]propanoic acid (IN-MU210) expressed as proquinazid

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500050** | **Oat** |

The European Food Safety Authority identified some information on residue trials on grass (major component of the livestock dietary burden), as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1020010** | **Cattle** |

▼M191

| | |
|---|---|
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |

▼M169

**Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers)**

(+) The European Food Safety Authority identified some information on residue trials and toxicological data on conjugates of diclofop acid, conjugates Mx and metabolite 6a as unavailable. Pending submission and evaluation of confirmatory data, livestock should not be fed with straw from treated barley. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C18 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |

(+) The European Food Safety Authority identified some information on residue trials and toxicological data on conjugates of diclofop acid, conjugates Mx and metabolite 6aas unavailable. Pending submission and evaluation of confirmatory data, livestock should not be fed with straw from treated wheat. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C18 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500090** | **Wheat** |

▼M180

**Fluopyram (R)**

(R) The residue definition differs for the following combinations pesticide-code number: Fluopyram - code 1000000 except 1040000: sum of fluopyram and fluopyram-benzamide (M25) expressed as fluopyram

MRL derived from rotational crops

| | |
|---|---|
| **0212020** | **Sweet potatoes** |
| **0212030** | **Yams** |
| **0212040** | **Arrowroots** |
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213050** | **Jerusalem artichokes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |
| **0234000** | **(d) sweet corn** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbages** |
| **0243020** | **Kales** |
| **0244000** | **(d) kohlrabies** |
| **0254000** | **(d) watercresses** |
| **0500020** | **Buckwheat and other pseudocereals** |
| **0500030** | **Maize/corn** |
| **0500040** | **Common millet/proso millet** |
| **0633010** | **Valerian** |

▼M180

| | |
|---|---|
| **0633020** | **Ginseng** |
| **0840010** | **Liquorice** |
| **0840030** | **Turmeric/curcuma** |
| **0900010** | **Sugar beet roots** |
| **0900030** | **Chicory roots** |
| **0212010** | **Cassava roots/manioc** |

MRL derived from rotational crops.

| | |
|---|---|
| **0212010** | **Cassava roots/manioc** |

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 April 2023, or, if that information is not submitted by that date, the lack of it

| | |
|---|---|
| **0252030** | **Chards/beet leaves** |
| **0270050** | **Globe artichokes** |
| **0270060** | **Leeks** |

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 16 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110030** | **Lemons** |
| **0110050** | **Mandarins** |
| **0163020** | **Bananas** |
| **0220040** | **Spring onions/green onions and Welsh onions** |
| **0231010** | **Tomatoes** |
| **0233010** | **Melons** |
| **0233030** | **Watermelons** |
| **0243010** | **Chinese cabbages/pe-tsai** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251050** | **Land cresses** |
| **0251070** | **Red mustards** |
| **0252010** | **Spinaches** |

▼M169

**Ipconazole (F)**

(F) = Fat soluble

**Terbuthylazine (F), (R)**

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number: Terbuthylazine - code 1020000 Sum of terbuthylazine and desethyl-terbuthylazine, expressed as terbuthylazine (F)

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C18 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0234000** | **(d) sweet corn** |

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C18 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0300040** | **Lupins/lupini beans** |

▼M169

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C18 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401050** | **Sunflower seeds** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C18 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401090** | **Cotton seeds** |

(+) The European Food Safety Authority identified some information on livestock metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C18 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by ►C18 16 April 2023 ◄, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1020010** | **Cattle** |
| **1020040** | **Horse** |

▼M196

**Fluxapyroxad (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on analytical methods and on residues for rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |

▼M196

The European Food Safety Authority identified some information on residue trials and on residues for rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220010** | **Garlic** |
| **0220020** | **Onions** |
| **0220030** | **Shallots** |

The European Food Safety Authority identified some information on residues for rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0211000** | **(a) potatoes** |
| **0212000** | **(b) tropical root and tuber vegetables** |
| **0212010** | **Cassava roots/manioc** |
| **0212020** | **Sweet potatoes** |
| **0212030** | **Yams** |
| **0212040** | **Arrowroots** |
| **0212990** | **Others (2)** |
| **0213000** | **(c) other root and tuber vegetables except sugar beets** |
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213050** | **Jerusalem artichokes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |
| **0213990** | **Others (2)** |
| **0220000** | **Bulb vegetables** |
| **0220040** | **Spring onions/green onions and Welsh onions** |
| **0220990** | **Others (2)** |
| **0240000** | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** |
| **0241000** | **(a) flowering brassica** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0241990** | **Others (2)** |
| **0242000** | **(b) head brassica** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbages** |
| **0242990** | **Others (2)** |
| **0243000** | **(c) leafy brassica** |
| **0243010** | **Chinese cabbages/pe-tsai** |
| **0243020** | **Kales** |

▼M196

| | |
|---|---|
| 0243990 | Others (2) |
| 0244000 | (d) kohlrabies |
| 0251000 | (a) lettuces and salad plants |
| 0251010 | Lamb's lettuces/corn salads |
| 0251020 | Lettuces |
| 0251030 | Escaroles/broad-leaved endives |
| 0251040 | Cresses and other sprouts and shoots |
| 0251050 | Land cresses |
| 0251060 | Roman rocket/rucola |
| 0251070 | Red mustards |
| 0251080 | Baby leaf crops (including brassica species) |
| 0251990 | Others (2) |
| 0252000 | (b) spinaches and similar leaves |
| 0252010 | Spinaches |
| 0252020 | Purslanes |
| 0252030 | Chards/beet leaves |
| 0252990 | Others (2) |
| 0255000 | (e) witloofs/Belgian endives |
| 0256000 | (f) herbs and edible flowers |
| 0256010 | Chervil |
| 0256020 | Chives |
| 0256030 | Celery leaves |
| 0256040 | Parsley |
| 0256050 | Sage |
| 0256060 | Rosemary |
| 0256070 | Thyme |
| 0256080 | Basil and edible flowers |
| 0256090 | Laurel/bay leaves |
| 0256100 | Tarragon |
| 0256990 | Others (2) |
| 0270020 | Cardoons |
| 0270030 | Celeries |
| 0270040 | Florence fennels |
| 0270050 | Globe artichokes |
| 0270060 | Leeks |
| 0270070 | Rhubarbs |
| 0300000 | PULSES |
| 0300010 | Beans |
| 0300020 | Lentils |
| 0300030 | Peas |
| 0300040 | Lupins/lupini beans |
| 0300990 | Others (2) |
| 0500000 | CEREALS |
| 0500010 | Barley |
| 0500020 | Buckwheat and other pseudocereals |
| 0500030 | Maize/corn |
| 0500040 | Common millet/proso millet |

▼M196

| | |
|---|---|
| **0500050** | **Oat** |
| **0500060** | **Rice** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |
| **0500990** | **Others (2)** |
| **0900000** | **SUGAR PLANTS** |
| **0900010** | **Sugar beet roots** |
| **0900020** | **Sugar canes** |
| **0900030** | **Chicory roots** |
| **0900990** | **Others (2)** |

▼M170

**Metamitron**

(+) The European Food Safety Authority identified some information on analytical methods, residue trials and storage stability as unavailable.When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) strawberries** |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251060** | **Roman rocket/rucola** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0252000** | **(b) spinaches and similar leaves** |
| **0252010** | **Spinaches** |
| **0252020** | **Purslanes** |
| **0252030** | **Chards/beet leaves** |
| **0252990** | **Others (2)** |

(+) The European Food Safety Authority identified some information on analytical methods, crop metabolism and storage stability as unavailable.When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |

(+) The European Food Safety Authority identified some information on residue trials, analytical methods and storage stability as unavailable.When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |

▼M170

| | |
|---|---|
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others (2)** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black, green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others (2)** |

**Penflufen (sum of isomers) (F)**

(F) Fat soluble

▼M216

**Spirotetramat and spirotetramat-enol (sum of), expressed as spirotetramat (R)**

(R) The residue definition differs for the following combinations pesticide-code number: Spirotetramat - Code 1000000 except 1040000: spirotetramat-enol expressed as spirotetramat

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 April 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0242010** | **Brussels sprouts** |
| **0244000** | **(d) kohlrabies** |

▼M194

**Ametoctradin (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Ametoctradin - code 1000000 except 1040000: Ametoctradin, metabolite 4-(7-amino-5-ethyl [1,2,4]triazolo, [1,5-a]pyrimidin-6-yl) butanoic acid (M650F01) and metabolite 6-(7-amino-5-ethyl [1,2,4]triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid (M650F06), expressed as ametoctradin

(F) Fat soluble

The European Food Safety Authority identified some information on residues in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500070** | **Rye** |

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |

▼M194

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220040** | **Spring onions/green onions and Welsh onions** |

The European Food Safety Authority identified some information on residues in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500050** | **Oat** |
| **0500090** | **Wheat** |

The European Food Safety Authority identified some information on storage stability and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |

The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |

▼M194

| | |
|---|---|
| **1020040** | **Horse** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |

▼M218

**Bixafen (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Bixafen- code 1000000 except 1040000: sum of bixafen and desmethyl bixafen expressed as bixafen

(F) Fat soluble

MRL derived from rotational crops.

| | |
|---|---|
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213050** | **Jerusalem artichokes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0900010** | **Sugar beet roots** |
| **0900030** | **Chicory roots** |

▼M196

**Fenazaquin (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials analysing 2-(4-tert-butylphenyl) ethanol and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0610000** | **Teas** |

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |

▼M196

| | |
|---|---|
| **0130050** | **Loquats/Japanese medlars** |
| **0152000** | **(b) strawberries** |
| **0231010** | **Tomatoes** |

▼M218

**Spinetoram (sum of spinetoram-J and spinetoram-L) (F) (A)**

(F) Fat soluble

(A) The EU reference laboratories identified the reference standard for spinetoram-J and spinetoram- L as commercially not available. When reviewing the MRLs, the Commission will take into account the commercial availability of the reference standard referred to it in the first sentence by 07/07/2022, or, if that reference standard is not commercially available by that date, the unavailability of it.

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 June 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |
| **0120070** | **Macadamias** |
| **0120080** | **Pecans** |
| **0120090** | **Pine nut kernels** |
| **0120100** | **Pistachios** |
| **0120110** | **Walnuts** |
| **0161030** | **Table olives** |
| **0401070** | **Soyabeans** |
| **0401090** | **Cotton seeds** |
| **0402010** | **Olives for oil production** |
| **0500030** | **Maize/corn** |
| **0500060** | **Rice** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 June 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |

▼M218

| | |
|---|---|
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0140010** | **Apricots** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0154020** | **Cranberries** |
| **0154040** | **Gooseberries (green, red and yellow)** |
| **0154050** | **Rose hips** |
| **0154060** | **Mulberries (black and white)** |
| **0154070** | **Azaroles/Mediterranean medlars** |
| **0154080** | **Elderberries** |

▼M174

**Tefluthrin (tefluthrin including other mixtures of constituent isomers (sum of isomers)) (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016020** | **Fat** |

The European Food Safety Authority identified some information on metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1030020** | **Duck** |

The European Food Safety Authority identified some information on metabolism and feeding studies as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1016010** | **Muscle** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |

The European Food Safety Authority identified some information on metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213080** | **Radishes** |
| **1030010** | **Chicken** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213030** | **Celeriacs/turnip rooted celeries** |

▼M174

| | |
|---|---|
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |

The European Food Safety Authority identified some information on residue trials including analyses of metabolites Ia, IV and VI, analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270070** | **Rhubarbs** |

The European Food Safety Authority identified some information on residue trials including analyses of metabolites Ia, IV, VI as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231010** | **Tomatoes** |

The European Food Safety Authority identified some information on residue trials including analyses of metabolites Ia, IV, VI and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401050** | **Sunflower seeds** |
| **0401070** | **Soyabeans** |

The European Food Safety Authority identified some information on residue trials including analyses of metabolites Ia, IV, VI and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401060** | **Rapeseeds/canola seeds** |
| **0401090** | **Cotton seeds** |

The European Food Safety Authority identified some information on residue trials including analyses of metabolites Ia, IV, VI as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 7 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231030** | **Aubergines/eggplants** |
| **0233010** | **Melons** |
| **0233030** | **Watermelons** |
| **0234000** | **(d) sweet corn** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0270030** | **Celeries** |
| **0270040** | **Florence fennels** |
| **0500010** | **Barley** |
| **0500030** | **Maize/corn** |
| **0500040** | **Common millet/proso millet** |
| **0500050** | **Oat** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |

▼M182

**Aminopyralid (sum of aminopyralid, its salts and its conjugates, expressed as aminopyralid) (R)**

(R) The residue definition differs for the following combinations pesticide-code number: Aminopyralid - code 1000000 except 1040000: aminopyralid

▼M184

**Meptyldinocap (sum of meptyldinocap and meptyldinocap phenol (2,4-DNMHP), expressed as meptyldinocap) (F)**

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 October 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

(+) The European Food Safety Authority identified some information on the nature of residues for rotational crops, residue trials and storage stability as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 October 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) strawberries** |
| **0233010** | **Melons** |
| **0233030** | **Watermelons** |

▼M196

**Metaflumizone (sum of E- and Z- isomers)**

For this product the MRL shall apply from 14/11/2021

| | |
|---|---|
| **0241010** | **Broccoli** |
| **0251030** | **Escaroles/broad-leaved endives** |

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 October 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0241020** | **Cauliflowers** |

The European Food Safety Authority identified some information on the toxicological profile of metabolite M320I04 as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 October 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231010** | **Tomatoes** |
| **0231020** | **Sweet peppers/bell peppers** |
| **0232020** | **Gherkins** |
| **0243010** | **Chinese cabbages/pe-tsai** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |

▼M185

**Imidacloprid**

The European Food Safety Authority identified some information on residue trials and on analytical and/or confirmatory methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 October 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0620000** | **Coffee beans** |

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 October 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others (2)** |
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0154010** | **Blueberries** |
| **0154020** | **Cranberries** |
| **0231040** | **Okra/lady's fingers** |
| **0233000** | **(c) cucurbits with inedible peel** |
| **0233010** | **Melons** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |
| **0233990** | **Others (2)** |
| **0260010** | **Beans (with pods)** |
| **0260020** | **Beans (without pods)** |
| **0260030** | **Peas (with pods)** |
| **0260040** | **Peas (without pods)** |
| **0300010** | **Beans** |
| **0401020** | **Peanuts/groundnuts** |
| **0700000** | **HOPS** |

The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish (11)** |

▼M188

**Methylisothiocyanate (resulting from the use of dazomet or metam)**

(+) The European Food Safety Authority identified some information on residue trials on metam as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) strawberries** |

▼**M188**

(+) The European Food Safety Authority identified some information on residue trials on dazomet including analysis of parent and metabolites convertible to N, N'-dimethylthiourea (DMTU) and toxicological data on DMTU as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213000** | **(c) other root and tuber vegetables except sugar beets** |
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213050** | **Jerusalem artichokes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |
| **0213990** | **Others (2)** |

The European Food Safety Authority identified some information on residue trials on metam and on the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231010** | **Tomatoes** |

(+) The European Food Safety Authority identified some information on residue trials on dazomet including analysis of parent and metabolites convertible to N, N'-dimethylthiourea (DMTU) and toxicological data on DMTU as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231020** | **Sweet peppers/bell peppers** |

(+) The European Food Safety Authority identified some information on residue trials on metam and on the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231030** | **Aubergines/eggplants** |

(+) The European Food Safety Authority identified some information on residue trials on dazomet including analysis of parent and metabolites convertible to N, N'-dimethylthiourea (DMTU) and toxicological data on DMTU as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231040** | **Okra/lady's fingers** |

(+) The European Food Safety Authority identified some information on residue trials on metam and on the nature of residues in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0232000** | **(b) cucurbits with edible peel** |
| **0232010** | **Cucumbers** |

▼M188

| | |
|---|---|
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes** |
| **0232990** | **Others (2)** |

(+) The European Food Safety Authority identified some information on residue trials on dazomet including analysis of parent and metabolites convertible to N, N'-dimethylthiourea (DMTU) and toxicological data on DMTU as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0233000** | **(c) cucurbits with inedible peel** |
| **0233010** | **Melons** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |
| **0233990** | **Others (2)** |
| **0243000** | **(c) leafy brassica** |
| **0243010** | **Chinese cabbages/pe-tsai** |
| **0243020** | **Kales** |
| **0243990** | **Others (2)** |
| **0251000** | **(a) lettuces and salad plants** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0251990** | **Others (2)** |
| **0252000** | **(b) spinaches and similar leaves** |
| **0252010** | **Spinaches** |
| **0252020** | **Purslanes** |
| **0252030** | **Chards/beet leaves** |
| **0252990** | **Others (2)** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0700000** | **HOPS** |

**Hexythiazox (any ratio of constituent isomers) (F)**

(F) Fat soluble

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

▼**M188**

| | |
|---|---|
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140040** | **Plums** |
| **0401070** | **Soyabeans** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 20 January 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1010000** | **Commodities from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |

▼M188

| | |
|---|---|
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |

▼M195

**Fluoride ion**

A) The European Food Safety Authority identified some information on analytical methods as unavailable. Occurrence data show that a lower MRL than 0.2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it. B) A maximum residue level of 3 mg/kg was set to reflect the authorised use of fluoride ion for fumigation of dry raisins. The European Food Safety Authority identified some information on studies on the nature of residues in food matrices upon fumigation and general toxicity as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

A) The European Food Safety Authority identified some information on field trials, the nature of residues in food matrices upon fumigation and general toxicity profile as unavailable. Occurrence data show that a lower MRL than 2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it. B) A maximum residue level of 0.5 mg/kg, 2 mg/kg and 4 mg/kg was set to reflect the authorised use of fluoride ion for fumigation of polished rice, cereal flour and cereal bran respectively. The European Food Safety Authority identified some information on studies on the nature of residues in food matrices upon fumigation and general toxicity as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500060** | **Rice** |

▼**M195**

A) The European Food Safety Authority identified some information on field trials, the nature of residues in food matrices upon fumigation and general toxicity profile as unavailable. Occurrence data show that a lower MRL than 2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it. B) A maximum residue level of 1 mg/kg, 2 mg/kg and 4 mg/kg was set to reflect the authorised use of fluoride ion for fumigation of maize starch, cereal flour and cereal bran respectively. A maximum residue level of 0.5 mg/kg was set to reflect the authorised use of fluoride ion for fumigation of maize grits, maize oil and maize meal. The European Food Safety Authority identified some information on studies on the nature of residues in food matrices upon fumigation and general toxicity as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500030** | **Maize/corn** |

A) The European Food Safety Authority identified some information on field trials, the nature of residues in food matrices upon fumigation and general toxicity profile as unavailable. Occurrence data show that a lower MRL than 2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it. B) A maximum residue level of 1 mg/kg, 2 mg/kg and 4 mg/kg was set to reflect the authorised use of fluoride ion for fumigation of wheat germ, cereal flour and cereal bran respectively. A maximum residue level of 0.5 mg/kg was set to reflect the authorised use of fluoride ion for fumigation of semolina and wheat middlings. The European Food Safety Authority identified some information on studies on the nature of residues in food matrices upon fumigation and general toxicity as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500090** | **Wheat** |

A) The European Food Safety Authority identified some information on field trials, the nature of residues in food matrices upon fumigation and general toxicity profile as unavailable. Occurrence data show that a lower MRL than 2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it. B) A maximum residue level of 2 mg/kg and 4 mg/kg was set to reflect the authorised use of fluoride ion for fumigation of cereal flour and cereal bran respectively. The European Food Safety Authority identified some information on studies on the nature of residues in food matrices upon fumigation and general toxicity as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500000** | **CEREALS** |
| **0500010** | **Barley** |
| **0500020** | **Buckwheat and other pseudocereals** |
| **0500040** | **Common millet/proso millet** |
| **0500050** | **Oat** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500990** | **Others (2)** |

▼M195

Occurrence data show that a lower MRL than 0.2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0161030** | **Table olives** |
| **0163010** | **Avocados** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |

Occurrence data show that a lower MRL than 0.3 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1010000** | **Commodities from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |

▼M195

| | |
|---|---|
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

Occurrence data show that a lower MRL than 10 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0650000** | **Carobs/Saint John's breads** |
| **0700000** | **HOPS** |

Occurrence data show that a lower MRL than 2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it

| | |
|---|---|
| **0300000** | **PULSES** |
| **0300010** | **Beans** |
| **0300020** | **Lentils** |
| **0300030** | **Peas** |
| **0300040** | **Lupins/lupini beans** |
| **0300990** | **Others (2)** |
| **0400000** | **OILSEEDS AND OIL FRUITS** |
| **0401000** | **Oilseeds** |
| **0401010** | **Linseeds** |

▼**M195**

| | |
|---|---|
| **0401020** | **Peanuts/groundnuts** |
| **0401030** | **Poppy seeds** |
| **0401040** | **Sesame seeds** |
| **0401050** | **Sunflower seeds** |
| **0401060** | **Rapeseeds/canola seeds** |
| **0401070** | **Soyabeans** |
| **0401080** | **Mustard seeds** |
| **0401090** | **Cotton seeds** |
| **0401100** | **Pumpkin seeds** |
| **0401110** | **Safflower seeds** |
| **0401120** | **Borage seeds** |
| **0401130** | **Gold of pleasure seeds** |
| **0401140** | **Hemp seeds** |
| **0401150** | **Castor beans** |
| **0401990** | **Others (2)** |
| **0402000** | **Oil fruits** |
| **0402010** | **Olives for oil production** |
| **0402020** | **Oil palms kernels** |
| **0402030** | **Oil palms fruits** |
| **0402040** | **Kapok** |
| **0402990** | **Others (2)** |

Occurrence data show that a lower MRL than 2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0900000** | **SUGAR PLANTS** |
| **0900010** | **Sugar beet roots** |
| **0900020** | **Sugar canes** |
| **0900030** | **Chicory roots** |
| **0900990** | **Others (2)** |

Occurrence data show that a lower MRL than 400 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0610000** | **Teas** |

Occurrence data show that a lower MRL than 5 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0620000** | **Coffee beans** |
| **0800000** | **SPICES** |
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |

▼**M195**

| | |
|---|---|
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others (2)** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others (2)** |
| **0830000** | **Bark spices** |
| **0830010** | **Cinnamon** |
| **0830990** | **Others (2)** |
| **0840000** | **Root and rhizome spices** |
| **0840010** | **Liquorice** |
| **0840020** | **Ginger (10)** |
| **0840030** | **Turmeric/curcuma** |
| **0840040** | **Horseradish (11)** |
| **0840990** | **Others (2)** |
| **0850000** | **Bud spices** |
| **0850010** | **Cloves** |
| **0850020** | **Capers** |
| **0850990** | **Others (2)** |
| **0860000** | **Flower pistil spices** |
| **0860010** | **Saffron** |
| **0860990** | **Others (2)** |
| **0870000** | **Aril spices** |
| **0870010** | **Mace** |
| **0870990** | **Others (2)** |

The European Food Safety Authority identified some information on analytical methods and general toxicity profile as unavailable. Scientific evidence is not conclusive to demonstrate that fluoride ion occurs naturally in the concerned crop and to conclude its mechanism of formation. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0150000** | **Berries and small fruits** |

The European Food Safety Authority identified some information on analytical methods as unavailable. Occurrence data show that a lower MRL than 0.2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

▼M195

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others (2)** |
| **0130000** | **Pome fruits** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0130990** | **Others (2)** |
| **0140000** | **Stone fruits** |
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0140040** | **Plums** |
| **0140990** | **Others (2)** |
| **0152000** | **(b) strawberries** |
| **0153000** | **(c) cane fruits** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0153990** | **Others (2)** |
| **0154000** | **(d) other small fruits and berries** |
| **0154010** | **Blueberries** |
| **0154020** | **Cranberries** |
| **0154030** | **Currants (black red and white)** |
| **0154040** | **Gooseberries (green red and yellow)** |
| **0154060** | **Mulberries (black and white)** |
| **0154070** | **Azaroles/Mediterranean medlars** |
| **0154990** | **Others (2)** |
| **0160000** | **Miscellaneous fruitswith** |
| **0161000** | **(a) edible peel** |
| **0161010** | **Dates** |
| **0161020** | **Figs** |
| **0161040** | **Kumquats** |
| **0161050** | **Carambolas** |
| **0161060** | **Kaki/Japanese persimmons** |
| **0161070** | **Jambuls/jambolans** |
| **0161990** | **Others (2)** |
| **0162000** | **(b) inedible peel small** |
| **0162010** | **Kiwi fruits (green red yellow)** |
| **0162020** | **Litchis/lychees** |
| **0162030** | **Passionfruits/maracujas** |

▼M195

| | |
|---|---|
| 0162040 | Prickly pears/cactus fruits |
| 0162050 | Star apples/cainitos |
| 0162060 | American persimmons/Virginia kaki |
| 0162990 | Others (2) |
| 0163000 | (c) inedible peel large |
| 0163020 | Bananas |
| 0163030 | Mangoes |
| 0163040 | Papayas |
| 0163050 | Granate apples/pomegranates |
| 0163060 | Cherimoyas |
| 0163070 | Guavas |
| 0163080 | Pineapples |
| 0163090 | Breadfruits |
| 0163100 | Durians |
| 0163110 | Soursops/guanabanas |
| 0163990 | Others (2) |
| 0200000 | VEGETABLES FRESH or FROZEN |
| 0210000 | Root and tuber vegetables |
| 0211000 | (a) potatoes |
| 0212000 | (b) tropical root and tuber vegetables |
| 0212010 | Cassava roots/manioc |
| 0212020 | Sweet potatoes |
| 0212030 | Yams |
| 0212040 | Arrowroots |
| 0212990 | Others (2) |
| 0213000 | (c) other root and tuber vegetables except sugar beets |
| 0213010 | Beetroots |
| 0213020 | Carrots |
| 0213030 | Celeriacs/turnip rooted celeries |
| 0213040 | Horseradishes |
| 0213050 | Jerusalem artichokes |
| 0213060 | Parsnips |
| 0213070 | Parsley roots/Hamburg roots parsley |
| 0213080 | Radishes |
| 0213090 | Salsifies |
| 0213100 | Swedes/rutabagas |
| 0213110 | Turnips |
| 0213990 | Others (2) |
| 0220000 | Bulb vegetables |
| 0220010 | Garlic |
| 0220020 | Onions |
| 0220030 | Shallots |
| 0220040 | Spring onions/green onions and Welsh onions |
| 0220990 | Others (2) |
| 0230000 | Fruiting vegetables |
| 0231000 | (a) Solanaceae and Malvaceae |
| 0231010 | Tomatoes |

▼M195

| | |
|---|---|
| 0231020 | Sweet peppers/bell peppers |
| 0231030 | Aubergines/eggplants |
| 0231040 | Okra/lady's fingers |
| 0231990 | Others (2) |
| 0232000 | (b) cucurbits with edible peel |
| 0232010 | Cucumbers |
| 0232020 | Gherkins |
| 0232030 | Courgettes |
| 0232990 | Others (2) |
| 0233000 | (c) cucurbits with inedible peel |
| 0233010 | Melons |
| 0233020 | Pumpkins |
| 0233030 | Watermelons |
| 0233990 | Others (2) |
| 0234000 | (d) sweet corn |
| 0239000 | (e) other fruiting vegetables |
| 0240000 | Brassica vegetables(excluding brassica roots and brassica baby leaf crops) |
| 0241000 | (a) flowering brassica |
| 0241010 | Broccoli |
| 0241020 | Cauliflowers |
| 0241990 | Others (2) |
| 0242000 | (b) head brassica |
| 0242010 | Brussels sprouts |
| 0242020 | Head cabbages |
| 0242990 | Others (2) |
| 0243000 | (c) leafy brassica |
| 0243010 | Chinese cabbages/pe-tsai |
| 0243020 | Kales |
| 0243990 | Others (2) |
| 0244000 | (d) kohlrabies |
| 0250000 | Leaf vegetables herbs and edible flowers |
| 0251000 | (a) lettuces and salad plants |
| 0251010 | Lamb's lettuces/corn salads |
| 0251020 | Lettuces |
| 0251030 | Escaroles/broad-leaved endives |
| 0251040 | Cresses and other sprouts and shoots |
| 0251050 | Land cresses |
| 0251060 | Roman rocket/rucola |
| 0251070 | Red mustards |
| 0251080 | Baby leaf crops (including brassica species) |
| 0251990 | Others (2) |
| 0252000 | (b) spinaches and similar leaves |
| 0252010 | Spinaches |
| 0252020 | Purslanes |
| 0252030 | Chards/beet leaves |
| 0252990 | Others (2) |

▼**M195**

| | |
|---|---|
| **0253000** | **(c) grape leaves and similar species** |
| **0254000** | **(d) watercresses** |
| **0255000** | **(e) witloofs/Belgian endives** |
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256090** | **Laurel/bay leaves** |
| **0256100** | **Tarragon** |
| **0256990** | **Others (2)** |
| **0260000** | **Legume vegetables** |
| **0260010** | **Beans (with pods)** |
| **0260020** | **Beans (without pods)** |
| **0260030** | **Peas (with pods)** |
| **0260040** | **Peas (without pods)** |
| **0260050** | **Lentils** |
| **0260990** | **Others (2)** |
| **0270000** | **Stem vegetables** |
| **0270010** | **Asparagus** |
| **0270020** | **Cardoons** |
| **0270030** | **Celeries** |
| **0270040** | **Florence fennels** |
| **0270050** | **Globe artichokes** |
| **0270060** | **Leeks** |
| **0270070** | **Rhubarbs** |
| **0270080** | **Bamboo shoots** |
| **0270090** | **Palm hearts** |
| **0270990** | **Others (2)** |
| **0280000** | **Fungi mosses and lichens** |
| **0280010** | **Cultivated fungi** |
| **0280020** | **Wild fungi** |
| **0280990** | **Mosses and lichens** |
| **0290000** | **Algae and prokaryotes organisms** |

The European Food Safety Authority identified some information on analytical methods as unavailable. Occurrence data show that a lower MRL than 10 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 29 July 2024 or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0630000** | **Herbal infusions from** |
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |

▼**M195**

| | |
|---|---|
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others (2)** |
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0639000** | **(d) any other parts of the plant** |

The European Food Safety Authority identified some information on analytical methods as unavailable. Occurrence data show that a lower MRL than 2 mg/kg is currently not achievable. Further data are necessary to monitor this level over time in view of its possible reduction. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0154050** | **Rose hips** |
| **0154080** | **Elderberries** |
| **0256080** | **Basil and edible flowers** |

The European Food Safety Authority identified some information on residue trials, nature of residues in food matrices upon fumigation, analytical methods and general toxicity profile as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0640000** | **Cocoa beans** |

The European Food Safety Authority identified some information on the nature of residues in food matrices upon fumigation and general toxicity profile as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120000** | **Tree nuts** |
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |
| **0120070** | **Macadamias** |
| **0120080** | **Pecans** |
| **0120090** | **Pine nut kernels** |
| **0120100** | **Pistachios** |
| **0120110** | **Walnuts** |
| **0120990** | **Others (2)** |

▼M195

**Oxyfluorfen (F)**

(F) Fat soluble

**Quinmerac (sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac) (R)**

(R) The residue definition differs for the following combinations pesticide-code number: code 1000000 except 1040000: quinmerac

The European Food Safety Authority identified some information on residue trials on sugar beet and fodder beet tops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |

**Sulfuryl fluoride**

A maximum residue level of 0.06 mg/kg was set to reflect the authorised use of sulfuryl fluoride for fumigation of dry raisins. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |

The European Food Safety Authority identified some information on nature of residues in food matrices upon fumigation and toxicity of fluoride ion as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 July 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120000** | **Tree nuts** |
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |
| **0120070** | **Macadamias** |
| **0120080** | **Pecans** |
| **0120090** | **Pine nut kernels** |
| **0120100** | **Pistachios** |
| **0120110** | **Walnuts** |

▼M195

| | |
|---|---|
| **0120990** | **Others (2)** |
| **0640000** | **Cocoa beans** |

▼M202

**Acequinocyl (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on analytical methods and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120060** | **Hazelnuts/cobnuts** |

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020040** | **Horse** |

The European Food Safety Authority identified some information on hydrolysis studies simulating pasteurisation, boiling and sterilisation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0130000** | **Pome fruits** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0151010** | **Table grapes** |

▼M202

| | |
|---|---|
| **0151020** | **Wine grapes** |
| **0231010** | **Tomatoes** |
| **0231030** | **Aubergines/eggplants** |

The European Food Safety Authority identified some information on storage stability and hydrolysis studies simulating pasteurisation, boiling and sterilisation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0700000** | **HOPS** |

▼M197

**Chlorantraniliprole (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0231020** | **Sweet peppers/bell peppers** |
| **0233010** | **Melons** |
| **0233030** | **Watermelons** |
| **0401020** | **Peanuts/groundnuts** |
| **0401050** | **Sunflower seeds** |
| **0401060** | **Rapeseeds/canola seeds** |

The European Food Safety Authority identified some information on storage conditions used in the residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0253000** | **(c) grape leaves and similar species** |

**Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Emamectin B1a and its salts, expressed as emamectin B1a (free base) - code 1000000: Emamectin B1a

(F) Fat soluble

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110050** | **Mandarins** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |

▼M197

| | |
|---|---|
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0233020** | **Pumpkins** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0401090** | **Cotton seeds** |

The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0120110** | **Walnuts** |

▼M198

**1,4-dimethylnaphthalene (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: 1,4-dimethylnaphthalene - code 1000000 except 1040000: Sum of 1,4-dimethylnaphthalene and its metabolite M23 free and conjugated, expressed as 1,4-dimethylnaphthalene

(F) Fat soluble

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Commodities from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |

▼**M198**

| | |
|---|---|
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |

▼**M198**

| | |
|---|---|
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |
| **1040000** | **Honey and other apiculture products (7)** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

The European Food Safety Authority identified some information on residue trials and nature of the residue in processed commodities as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0211000** | **(a) potatoes** |

There is evidence that 1,4-dimethylnaphthalene could naturally occur in some plant compounds. Based on currently available monitoring data a temporary MRL is set at a value of 0.05 mg/kg pending the submission of further monitoring data to confirm it. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0100000** | **FRUITS FRESH or FROZEN; TREE NUTS** |
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others (2)** |
| **0120000** | **Tree nuts** |
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |
| **0120070** | **Macadamias** |
| **0120080** | **Pecans** |
| **0120090** | **Pine nut kernels** |
| **0120100** | **Pistachios** |
| **0120110** | **Walnuts** |

▼**M198**

| | |
|---|---|
| **0120990** | **Others (2)** |
| **0130000** | **Pome fruits** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0130990** | **Others (2)** |
| **0140000** | **Stone fruits** |
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0140040** | **Plums** |
| **0140990** | **Others (2)** |
| **0150000** | **Berries and small fruits** |
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0152000** | **(b) strawberries** |
| **0153000** | **(c) cane fruits** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0153990** | **Others (2)** |
| **0154000** | **(d) other small fruits and berries** |
| **0154010** | **Blueberries** |
| **0154020** | **Cranberries** |
| **0154030** | **Currants (black red and white)** |
| **0154040** | **Gooseberries (green red and yellow)** |
| **0154050** | **Rose hips** |
| **0154060** | **Mulberries (black and white)** |
| **0154070** | **Azaroles/Mediterranean medlars** |
| **0154080** | **Elderberries** |
| **0154990** | **Others (2)** |
| **0160000** | **Miscellaneous fruitswith** |
| **0161000** | **(a) edible peel** |
| **0161010** | **Dates** |
| **0161020** | **Figs** |
| **0161030** | **Table olives** |
| **0161040** | **Kumquats** |
| **0161050** | **Carambolas** |
| **0161060** | **Kaki/Japanese persimmons** |
| **0161070** | **Jambuls/jambolans** |
| **0161990** | **Others (2)** |
| **0162000** | **(b) inedible peel small** |
| **0162010** | **Kiwi fruits (green red yellow)** |

▼**M198**

| | |
|---|---|
| **0162020** | **Litchis/lychees** |
| **0162030** | **Passionfruits/maracujas** |
| **0162040** | **Prickly pears/cactus fruits** |
| **0162050** | **Star apples/cainitos** |
| **0162060** | **American persimmons/Virginia kaki** |
| **0162990** | **Others (2)** |
| **0163000** | **(c) inedible peel large** |
| **0163010** | **Avocados** |
| **0163020** | **Bananas** |
| **0163030** | **Mangoes** |
| **0163040** | **Papayas** |
| **0163050** | **Granate apples/pomegranates** |
| **0163060** | **Cherimoyas** |
| **0163070** | **Guavas** |
| **0163080** | **Pineapples** |
| **0163090** | **Breadfruits** |
| **0163100** | **Durians** |
| **0163110** | **Soursops/guanabanas** |
| **0163990** | **Others (2)** |
| **0212000** | **(b) tropical root and tuber vegetables** |
| **0212010** | **Cassava roots/manioc** |
| **0212020** | **Sweet potatoes** |
| **0212030** | **Yams** |
| **0212040** | **Arrowroots** |
| **0212990** | **Others (2)** |
| **0213000** | **(c) other root and tuber vegetables except sugar beets** |
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213050** | **Jerusalem artichokes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |
| **0213990** | **Others (2)** |
| **0220000** | **Bulb vegetables** |
| **0220010** | **Garlic** |
| **0220020** | **Onions** |
| **0220030** | **Shallots** |
| **0220040** | **Spring onions/green onions and Welsh onions** |
| **0220990** | **Others (2)** |
| **0230000** | **Fruiting vegetables** |
| **0231000** | **(a) Solanaceae and Malvaceae** |

▼**M198**

| | |
|---|---|
| **0231010** | **Tomatoes** |
| **0231020** | **Sweet peppers/bell peppers** |
| **0231030** | **Aubergines/eggplants** |
| **0231040** | **Okra/lady's fingers** |
| **0231990** | **Others (2)** |
| **0232000** | **(b) cucurbits with edible peel** |
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes** |
| **0232990** | **Others (2)** |
| **0233000** | **(c) cucurbits with inedible peel** |
| **0233010** | **Melons** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |
| **0233990** | **Others (2)** |
| **0234000** | **(d) sweet corn** |
| **0239000** | **(e) other fruiting vegetables** |
| **0240000** | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** |
| **0241000** | **(a) flowering brassica** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0241990** | **Others (2)** |
| **0242000** | **(b) head brassica** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbages** |
| **0242990** | **Others (2)** |
| **0243000** | **(c) leafy brassica** |
| **0243010** | **Chinese cabbages/pe-tsai** |
| **0243020** | **Kales** |
| **0243990** | **Others (2)** |
| **0244000** | **(d) kohlrabies** |
| **0250000** | **Leaf vegetables herbs and edible flowers** |
| **0251000** | **(a) lettuces and salad plants** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0251990** | **Others (2)** |
| **0252000** | **(b) spinaches and similar leaves** |
| **0252010** | **Spinaches** |
| **0252020** | **Purslanes** |
| **0252030** | **Chards/beet leaves** |

▼M198

| | |
|---|---|
| 0252990 | Others (2) |
| 0253000 | (c) grape leaves and similar species |
| 0254000 | (d) watercresses |
| 0255000 | (e) witloofs/Belgian endives |
| 0256000 | (f) herbs and edible flowers |
| 0256010 | Chervil |
| 0256020 | Chives |
| 0256030 | Celery leaves |
| 0256040 | Parsley |
| 0256050 | Sage |
| 0256060 | Rosemary |
| 0256070 | Thyme |
| 0256080 | Basil and edible flowers |
| 0256090 | Laurel/bay leaves |
| 0256100 | Tarragon |
| 0256990 | Others (2) |
| 0260000 | Legume vegetables |
| 0260010 | Beans (with pods) |
| 0260020 | Beans (without pods) |
| 0260030 | Peas (with pods) |
| 0260040 | Peas (without pods) |
| 0260050 | Lentils |
| 0260990 | Others (2) |
| 0270000 | Stem vegetables |
| 0270010 | Asparagus |
| 0270020 | Cardoons |
| 0270030 | Celeries |
| 0270040 | Florence fennels |
| 0270050 | Globe artichokes |
| 0270060 | Leeks |
| 0270070 | Rhubarbs |
| 0270080 | Bamboo shoots |
| 0270090 | Palm hearts |
| 0270990 | Others (2) |
| 0280000 | Fungi mosses and lichens |
| 0280010 | Cultivated fungi |
| 0280020 | Wild fungi |
| 0280990 | Mosses and lichens |
| 0290000 | Algae and prokaryotes organisms |
| 0300000 | PULSES |
| 0300010 | Beans |
| 0300020 | Lentils |
| 0300030 | Peas |
| 0300040 | Lupins/lupini beans |
| 0300990 | Others (2) |
| 0400000 | OILSEEDS AND OIL FRUITS |

▼**M198**

| | |
|---|---|
| **0401000** | **Oilseeds** |
| **0401010** | **Linseeds** |
| **0401020** | **Peanuts/groundnuts** |
| **0401030** | **Poppy seeds** |
| **0401040** | **Sesame seeds** |
| **0401050** | **Sunflower seeds** |
| **0401060** | **Rapeseeds/canola seeds** |
| **0401070** | **Soyabeans** |
| **0401080** | **Mustard seeds** |
| **0401090** | **Cotton seeds** |
| **0401100** | **Pumpkin seeds** |
| **0401110** | **Safflower seeds** |
| **0401120** | **Borage seeds** |
| **0401130** | **Gold of pleasure seeds** |
| **0401140** | **Hemp seeds** |
| **0401150** | **Castor beans** |
| **0401990** | **Others (2)** |
| **0402000** | **Oil fruits** |
| **0402010** | **Olives for oil production** |
| **0402020** | **Oil palms kernels** |
| **0402030** | **Oil palms fruits** |
| **0402040** | **Kapok** |
| **0402990** | **Others (2)** |
| **0500000** | **CEREALS** |
| **0500010** | **Barley** |
| **0500020** | **Buckwheat and other pseudocereals** |
| **0500030** | **Maize/corn** |
| **0500040** | **Common millet/proso millet** |
| **0500050** | **Oat** |
| **0500060** | **Rice** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |
| **0500990** | **Others (2)** |
| **0600000** | **TEAS COFFEE HERBAL INFUSIONS COCOA AND CAROBS** |
| **0610000** | **Teas** |
| **0620000** | **Coffee beans** |
| **0630000** | **Herbal infusions from** |
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others (2)** |
| **0632000** | **(b) leaves and herbs** |

▼**M198**

| | |
|---|---|
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0639000** | **(d) any other parts of the plant** |
| **0640000** | **Cocoa beans** |
| **0650000** | **Carobs/Saint John's breads** |
| **0700000** | **HOPS** |
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others (2)** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others (2)** |
| **0830000** | **Bark spices** |
| **0830010** | **Cinnamon** |
| **0830990** | **Others (2)** |
| **0840010** | **Liquorice** |
| **0840030** | **Turmeric/curcuma** |
| **0840990** | **Others (2)** |
| **0850000** | **Bud spices** |
| **0850010** | **Cloves** |
| **0850020** | **Capers** |
| **0850990** | **Others (2)** |
| **0860000** | **Flower pistil spices** |
| **0860010** | **Saffron** |
| **0860990** | **Others (2)** |

▼M198

| | |
|---|---|
| **0870000** | **Aril spices** |
| **0870010** | **Mace** |
| **0870990** | **Others (2)** |
| **0900000** | **SUGAR PLANTS** |
| **0900010** | **Sugar beet roots** |
| **0900020** | **Sugar canes** |
| **0900030** | **Chicory roots** |
| **0900990** | **Others (2)** |

**Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden (R) (A)**

(R) The residue definition differs for the following combinations pesticide-code number: Sum of M4 and M6 (both free and conjugated), expressed as pinoxaden - code 1000000 except 1040000: M4 (free and conjugated), expressed as pinoxaden

(A) The EU reference laboratories identified the reference standard for the M5-Metabolite (M4-conjugate) as commercially not available. When reviewing the MRLs, the Commission will take into account the commercial availability of the reference standard referred to it in the first sentence by 2 August 2023, or, if that reference standard is not commercially available by that date, the unavailability of it.

The European Food Safety Authority identified some information on confirmatory methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 2 August 2024, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1000000** | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** |
| **1010000** | **Commodities from** |
| **1011000** | **(a) swine** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1011050** | **Edible offals (other than liver and kidney)** |
| **1011990** | **Others (2)** |
| **1012000** | **(b) bovine** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1012050** | **Edible offals (other than liver and kidney)** |
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |

▼M198

| | |
|---|---|
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |
| **1040000** | **Honey and other apiculture products (7)** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M204

**Valifenalate (R) (A)**

(R) The residue definition differs for the following combinations pesticide-code number: Valifenalate - code 1000000 except 1040000: Valifenalate and valifenalate acid (IR5839)

▼M204

(A) The EU reference laboratories identified the reference standard for valifenalate acid (IR5839) as commercially not available. When reviewing the MRLs, the Commission will take into account the commercial availability of the reference standard referred to it in the first sentence by 2 August 2023, or, if that reference standard is not commercially available by that date, the unavailability of it.

▼M206

**DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT) (F)**

(F) Fat soluble

For wild boar, the same MRL as for swine applies.

| | |
|---|---|
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M207

**1-methyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide (PAM)**

(O) MRL will not apply for commodities of plant origin

**Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO2) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO2) or derivatives thereof, calculated in total as cycloxydim**

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |

The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0220040** | **Spring onions/green onions and Welsh onions** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0500030** | **Maize/corn** |

**Cyflumetofen (sum of isomers)**

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |

▼**M207**

| | |
|---|---|
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |

**Penthiopyrad (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on hydrolysis of metabolite 1-methyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide (PAM) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0252010** | **Spinaches** |
| **0252020** | **Purslanes** |
| **0252030** | **Chards/beet leaves** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0270020** | **Cardoons** |
| **0270030** | **Celeries** |
| **0270040** | **Florence fennels** |
| **0270060** | **Leeks** |
| **0270070** | **Rhubarbs** |
| **0401090** | **Cotton seeds** |
| **0500080** | **Sorghum** |

▼M207

The European Food Safety Authority identified some information on hydrolysis of metabolite 1-methyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

**0220040** **Spring onions/green onions and Welsh onions**

The European Food Safety Authority identified some information on residue trials and hydrolysis of metabolite 1-methyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide (PAM) as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

**0251020** **Lettuces**

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

**0500010** **Barley**

**Sum of metobromuron and 4-bromophenylurea, expressed as metobromuron**

European Food Safety Authority identified some information on analytical methods and livestock metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

**0211000** **(a) potatoes**

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

**0152000** **(b) strawberries**

**0213020** **Carrots**

**0213060** **Parsnips**

**0252010** **Spinaches**

**0254000** **(d) watercresses**

**0256030** **Celery leaves**

**0256040** **Parsley**

**0256050** **Sage**

**0256070** **Thyme**

**0256080** **Basil and edible flowers**

**0260010** **Beans (with pods)**

**0260020** **Beans (without pods)**

**0270010** **Asparagus**

**0270040** **Florence fennels**

**0300010** **Beans**

**0300030** **Peas**

**0401050** **Sunflower seeds**

**0401070** **Soyabeans**

▼M207

The European Food Safety Authority identified some information on analytical methods, residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0251010** | **Lamb's lettuces/corn salads** |

The European Food Safety Authority identified some information on livestock metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |

**Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers)) (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 27 January 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0500010** | **Barley** |
| **0500090** | **Wheat** |

▼M220

**Isoxaben**

The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401090** | **Cotton seeds** |

The European Food Safety Authority identified some information on residue trials and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0700000** | **HOPS** |

▼M210

**Tetraconazole (sum of constituent isomers) (F)**

(F) Fat soluble

The European Food Safety Authority identified some information on residue trials including analysis of parent and metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0140010** | **Apricots** |
| **0140030** | **Peaches** |
| **1011010** | **Muscle** |
| **1011020** | **Fat** |
| **1011030** | **Liver** |
| **1011040** | **Kidney** |
| **1012010** | **Muscle** |
| **1012020** | **Fat** |

▼M210

| | |
|---|---|
| **1012030** | **Liver** |
| **1012040** | **Kidney** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |

The European Food Safety Authority identified some information on residue trials including analysis of metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |

The European Food Safety Authority identified some information on storage stability of a metabolite as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151010** | **Table grapes** |

The European Food Safety Authority identified some information on residue trials and storage stability of metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0151020** | **Wine grapes** |

▼M210

The European Food Safety Authority identified some information on residue trials including analysis of metabolites, storage stability of a metabolite and residues of metabolites in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

**0152000** **(b) strawberries**

The European Food Safety Authority identified some information on residue trials including analysis of metabolites and residues of metabolites in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

**0231010** **Tomatoes**

**0231030** **Aubergines/eggplants**

**0232010** **Cucumbers**

**0232030** **Courgettes**

**0233010** **Melons**

**0233020** **Pumpkins**

**0233030** **Watermelons**

**0500070** **Rye**

**0500090** **Wheat**

**0900010** **Sugar beet roots**

The European Food Safety Authority identified some information on residues of metabolites in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

**0232020** **Gherkins**

The European Food Safety Authority identified some information on residue trials including analysis of metabolites as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

**0255000** **(e) witloofs/Belgian endives**

The European Food Safety Authority identified some information on residue trials including analysis of parent and metabolites and residues of metabolites in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

**0270050** **Globe artichokes**

The European Food Safety Authority identified some information on residue trials including analysis of parent and metabolites, storage stability of metabolites, and residues of metabolites in rotational crops as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

**0401060** **Rapeseeds/canola seeds**

The European Food Safety Authority identified some information on residue trials including analysis of parent as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 6 March 2025, or, if that information is not submitted by that date, the lack of it.

**0900030** **Chicory roots**

▼M2

*ANNEX III*

**Temporary MRLs referred to in Articles 16(1) and 22(1)**

PART A

**Temporary MRLs for substances without MRLs under Directives 86/362/EEC, 86/363/EEC and 90/642/EEC**

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M73 — ▲M73 | ▼▼C11 — ▲M102 ▲C11 — ▲M102 | ▼▼C11 — ▲M102 ▲C11 — ▲M102 | ▼M197 — ▲M197 | ▼M74 — ▲M74 | ▼M107 — ▲M107 | ▼M124 — ▲M124 |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0110010 | Grapefruit | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0110020 | Oranges | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0110030 | Lemons | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0110040 | Limes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0110050 | Mandarins | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0110990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1918

▼M2

| ▼M32 ▲ | ▼M81 ▲ | ▼M32 ▲ | ▼M66 ▲ | Azadirachtin | ▼M46 ▲ | ▼M68 ▲ | ▼M55 ▲ | ▼M73 ▲ |
|---|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| ▼<br>M93<br>▲ | ▼<br>M5 Bromide ion<br>▲ | ▼<br>M144<br>▲ | ▼<br>M164<br>▲ | ▼<br>M145<br>▲ | ▼<br>M51<br>▲ | ▼<br>M32<br>▲ | ▼<br>M110<br>▲ |
|---|---|---|---|---|---|---|---|
| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| ▼<br>M144 —<br>▲ | ▼<br>M171 Chlordecone (F)<br>▲ | ▼<br>▼<br>M102 ▲ C11 —<br>▲ | ▼<br>M203 —<br>▲ | ▼<br>M32 —<br>▲ |
|---|---|---|---|---|
| (27) | (28) | (29) | (30) | (31) |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120010 | Almonds | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120020 | Brazil nuts | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120030 | Cashew nuts | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120040 | Chestnuts | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120050 | Coconuts | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120060 | Hazelnuts | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120070 | Macadamia | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120080 | Pecans | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120090 | Pine nuts | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120100 | Pistachios | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120110 | Walnuts | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0120990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0130010 | Apples | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0130020 | Pears | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0130030 | Quinces | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0130040 | Medlar | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0130050 | Loquat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0130990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0140010 | Apricots | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0140020 | Cherries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0140030 | Peaches | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0140040 | Plums | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0140990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0151010 | Table grapes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0151020 | Wine grapes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0152000 | (b) *Strawberries* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0153010 | Blackberries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0153020 | Dewberries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0153030 | Raspberries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0153990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154010 | Blueberries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154020 | Cranberries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154030 | Currants (red, black and white) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154040 | Gooseberries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154050 | Rose hips | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154060 | Mulberries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 5 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0154080 | Elderberries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0154990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161000 | (a) *Edible peel* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161010 | Dates | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161020 | Figs | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161030 | Table olives | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161040 | Kumquats | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161050 | Carambola | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161060 | Persimmon | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161070 | Jambolan (java plum) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0161990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0162010 | Kiwi | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0162020 | Lychee (Litchi) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0162030 | Passion fruit | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0162050 | Star apple | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0162990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 — ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163000 | (c) *Inedible peel, large* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163010 | Avocados | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163020 | Bananas | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163030 | Mangoes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163040 | Papaya | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163050 | Pomegranate | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163060 | Cherimoya | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163070 | Guava | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163080 | Pineapples | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163090 | Bread fruit | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163100 | Durian | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163110 | Soursop (guanabana) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0163990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0211000 | (a) *Potatoes* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0212010 | Cassava | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0212020 | Sweet potatoes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0212030 | Yams | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0212040 | Arrowroot | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0212990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213010 | Beetroot | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213020 | Carrots | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213030 | Celeriac | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213040 | Horseradish | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213050 | Jerusalem artichokes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213060 | Parsnips | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213070 | Parsley root | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213080 | Radishes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213090 | Salsify | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213100 | Swedes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213110 | Turnips | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0213990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0220010 | Garlic | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0220020 | Onions | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0220030 | Shallots | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0220040 | Spring onions | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0220990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0231000 | (a) *Solanacea* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0231010 | Tomatoes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0231020 | Peppers | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0231040 | Okra, lady's fingers | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0231990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0232010 | Cucumbers | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0232020 | Gherkins | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0232030 | Courgettes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0232990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0233010 | Melons | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0233020 | Pumpkins | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0233030 | Watermelons | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0233990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 — ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0240000 | (iv) **Brassica vegetables** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0241010 | Broccoli | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0241020 | Cauliflower | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0241990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0242000 | (b) *Head brassica* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0242010 | Brussels sprouts | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0242020 | Head cabbage | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0242990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0243010 | Chinese cabbage | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0243020 | Kale | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0243990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251010 | Lamb's lettuce | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251020 | Lettuce | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251030 | Scarole (broad-leaf endive) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251040 | Cress | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251050 | Land cress | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251060 | Rocket, Rucola | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251070 | Red mustard | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0251990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0252010 | Spinach | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0252020 | Purslane | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0252030 | Beet leaves (chard) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0252990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0254000 | (d) *Water cress* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0255000 | (e) *Witloof* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256000 | (F)*Herbs* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256010 | Chervil | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256020 | Chives | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256030 | Celery leaves | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256040 | Parsley | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0256050 | Sage | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256060 | Rosemary | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256070 | Thyme | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256080 | Basil | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256100 | Tarragon | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0256990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0260010 | Beans (with pods) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0260020 | Beans (without pods) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0260030 | Peas (with pods) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0260040 | Peas (without pods) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0260050 | Lentils | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0260990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0270010 | Asparagus | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0270020 | Cardoons | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0270030 | Celery | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0270040 | Fennel | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0270050 | Globe artichokes | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0270060 | Leek | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 30 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0270070 | Rhubarb | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0270080 | Bamboo shoots | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0270090 | Palm hearts | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0270990 | Others | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0280000 | (viii) **Fungi** | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0280010 | Cultivated | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0280020 | Wild | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0280990 | Others | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0290000 | (ix) **Sea weeds** | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0300010 | Beans | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0300020 | Lentils | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0300030 | Peas | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0300040 | Lupins | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0300990 | Others | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0401000 | (i) **Oilseeds** | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0401010 | Linseed | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0401020 | Peanuts | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |
| 0401030 | Poppy seed | ►M73 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M102 ►C11 —— ◄ ◄ | ►M197 —— ◄ | ►M74 —— ◄ | ►M107 —— ◄ | ►M124 —— ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1958

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 30 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 5 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 50 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 20 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 50 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 20 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0401040 | Sesame seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401050 | Sunflower seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401060 | Rape seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401070 | Soya bean | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401080 | Mustard seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401090 | Cotton seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401100 | Pumpkin seeds | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401110 | Safflower | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401120 | Borage | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401130 | Gold of pleasure | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401140 | Hempseed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401150 | Castor bean | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0401990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0402010 | Olives for oil production | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0402030 | Palmfruit | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0402040 | Kapok | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0402990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500000 | 5. **CEREALS** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500010 | Barley | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500020 | Buckwheat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500030 | Maize | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,5 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 1 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 — ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 20 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 5 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0500040 | Millet | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500050 | Oats | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500060 | Rice | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500070 | Rye | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500080 | Sorghum | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500090 | Wheat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0500990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0631000 | (a) *Flowers* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0631010 | Camomille flowers | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0631020 | Hybiscus flowers | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0631030 | Rose petals | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0631040 | Jasmine flowers | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1967

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 — ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 70 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 70 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 250 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 100 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 50 ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0631050 | Lime (linden) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0631990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0632000 | (b) *Leaves* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0632010 | Strawberry leaves | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0632020 | Rooibos leaves | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0632030 | Maté | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0632990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0633000 | (c) *Roots* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0633010 | Valerian root | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0633020 | Ginseng root | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0633990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0800000 | 8. **SPICES** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810000 | (i) **Seeds** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810010 | Anise | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810020 | Black caraway | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 —— ◄ | ►M5 50 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 50 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 100 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 70 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 50 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 70 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 70 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 20 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 400 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0810030 | Celery seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810040 | Coriander seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810050 | Cumin seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810060 | Dill seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810070 | Fennel seed | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810080 | Fenugreek | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810090 | Nutmeg | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0810990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820010 | Allspice | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820030 | Caraway | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820040 | Cardamom | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820050 | Juniper berries | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820060 | Pepper, black and white | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820070 | Vanilla pods | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820080 | Tamarind | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0820990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0830000 | (iii) **Bark** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0830010 | Cinnamon | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0830990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0840000 | (iv) **Roots or rhizome** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0840010 | Liquorice | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0840020 | Ginger | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0840040 | Horseradish | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0840990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0850000 | (v) **Buds** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0850010 | Cloves | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0850020 | Capers | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0850990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0860010 | Saffron | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0860990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0870000 | (vii) **Aril** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0870010 | Mace | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0870990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0900010 | Sugar beet (root) | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0900020 | Sugar cane | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0900030 | Chicory roots | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 0900990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,05 | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 —— ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 20 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 20 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 5 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |
| ►M93 —— ◄ | ►M5 5 ◄ | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1980

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,01 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1011000 | (a) *Swine* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1011010 | Meat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1011020 | Fat free of lean meat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1011030 | Liver | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1011040 | Kidney | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1011050 | Edible offal | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1011990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1982

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | 0,01 (*) | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | ►M5 0,05 (*) ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 0,05 (*) ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | ►M5 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 (+) ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1012000 | (b) *Bovine* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1012010 | Meat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1012020 | Fat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1012030 | Liver | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1012040 | Kidney | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1012050 | Edible offal | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1012990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1013000 | (c) *Sheep* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1013010 | Meat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1013020 | Fat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1013030 | Liver | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1013040 | Kidney | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1013050 | Edible offal | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1013990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1014000 | (d) *Goat* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1014010 | Meat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1014020 | Fat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1014030 | Liver | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1014040 | Kidney | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1014050 | Edible offal | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1014990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 —— ◄ | | ►M144 —— ◄ | ►M164 —— ◄ | ►M145 —— ◄ | ►M51 —— ◄ | ►M32 —— ◄ | ►M110 —— ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | ►M171 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,03 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1989

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1015010 | Meat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1015020 | Fat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1015030 | Liver | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1015040 | Kidney | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1015050 | Edible offal | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1015990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1016010 | Meat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1016020 | Fat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1016030 | Liver | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1016040 | Kidney | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1016050 | Edible offal | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1016990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1017010 | Meat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1017020 | Fat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1017030 | Liver | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1017040 | Kidney | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1017050 | Edible offal | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1017990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1020010 | Cattle | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1020020 | Sheep | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1020030 | Goat | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1020040 | Horse | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1020990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1994

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1995

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 0,05 (*) ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 0,05 (*) ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1996

▼**M2**

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►**M144** —— ◄ | | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | ►**M171** 0,02 ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |
| ►**M144** —— ◄ | ►**M171** 0,02 ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M203** —— ◄ | ►**M32** —— ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 1997

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030010 | Chicken | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1030020 | Duck | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1030030 | Goose | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1030040 | Quail | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1030990 | Others | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1040000 | (iv) **Honey** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1060000 | (vi) **Snails** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| ▼M5 | | | | | | | | |
| 1100000 | 11. **FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |
| 1200000 | 12. **CROPS EXCLUSIVELY USED FOR ANIMAL FEED** | ►M73 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M102 ►C11 — ◄ ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M107 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |
| ►M32 — ◄ | ►M81 — ◄ | ►M32 — ◄ | ►M66 — ◄ | | ►M46 — ◄ | ►M68 — ◄ | ►M55 — ◄ | ►M73 — ◄ |

▼M5

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | ►M81 — ◄ | | ►M66 — ◄ | | | ►M68 — ◄ | | ►M73 — ◄ |
| | ►M81 — ◄ | | ►M66 — ◄ | | | ►M68 — ◄ | | ►M73 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 0,05 (*) ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 0,05 (*) ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 0,05 (*) ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |
| ►M93 — ◄ | ►M5 0,05 (*) ◄ | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | ►M51 — ◄ | ►M32 — ◄ | ►M110 — ◄ |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | | | ►M110 — ◄ |
| ►M93 — ◄ | | ►M144 — ◄ | ►M164 — ◄ | ►M145 — ◄ | | | ►M110 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |
| ►M144 — ◄ | ►M171 0,02 ◄ | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | ►M32 — ◄ |

▼M5

| | | | | |
|---|---|---|---|---|
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | |
| ►M144 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M203 — ◄ | |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼ — M32 — ▲ | ▼ — M51 — ▲ | ▼M5 Clethodim (sum of Sethoxydim and Clethodim including degradation products calculated as Sethoxydim) ▲ | ▼ — M42 — ▲ | ▼M180 Clopyralid ▲ | Copper compounds (Copper) | ▼ — M66 — ▲ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M5 — ◄ | | ►M66 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0110010 | Grapefruit | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0110020 | Oranges | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0110030 | Lemons | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0110040 | Limes | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0110050 | Mandarins | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0110990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |

▼**M2**

| ▼ —— ▲ **M207** | ▼ —— ▲ **M106** | ▼ **M126** Cyproconazole [F] ▲ | ▼ —— ▲ **M71** | Dalapon | ▼ —— ▲ **M188** | ▼ **M75** Dicamba ▲ | ▼ —— ▲ **M32** |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►**M207** —— ◄ | ►**M106** —— ◄ | | ►**M71** —— ◄ | 0,05 (*) | ►**M188** —— ◄ | | ►**M32** —— ◄ |
| ►**M207** —— ◄ | ►**M106** —— ◄ | ►**M126** 0,05 (*) ◄ | ►**M71** —— ◄ | | ►**M188** —— ◄ | ►**M75** 0,05 (*) ◄ | ►**M32** —— ◄ |
| ►**M207** —— ◄ | ►**M106** —— ◄ | | ►**M71** —— ◄ | | ►**M188** —— ◄ | | ►**M32** —— ◄ |
| ►**M207** —— ◄ | ►**M106** —— ◄ | | ►**M71** —— ◄ | | ►**M188** —— ◄ | | ►**M32** —— ◄ |
| ►**M207** —— ◄ | ►**M106** —— ◄ | | ►**M71** —— ◄ | | ►**M188** —— ◄ | | ►**M32** —— ◄ |
| ►**M207** —— ◄ | ►**M106** —— ◄ | | ►**M71** —— ◄ | | ►**M188** —— ◄ | | ►**M32** —— ◄ |
| ►**M207** —— ◄ | ►**M106** —— ◄ | | ►**M71** —— ◄ | | ►**M188** —— ◄ | | ►**M32** —— ◄ |
| ►**M207** —— ◄ | ►**M106** —— ◄ | ►**M126** 0,05 (*) ◄ | ►**M71** —— ◄ | | ►**M188** —— ◄ | ►**M75** 0,05 (*) ◄ | ►**M32** —— ◄ |

▼M2

| ▼M84 ▲ | ▼M169 ▲ | ▼M66 ▲ | ▼M87 ▲ | ▼M146 Difenoconazole ▲ | ▼M145 ▲ | ▼M74 ▲ | ▼M128 ▲ |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,6 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| ▼<br>M32 Dimethipin<br>▲ | ▼<br>M40<br>▲ | ▼<br>M79<br>▲ | ▼<br>M46<br>▲ | ▼<br>M67<br>▲ | ▼<br>M5 Dithianon<br>▲ |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| ►M32 — ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,05 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 — ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 1 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 1 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 1 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 1 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 3 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 1 ◄ |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120020 | Brazil nuts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120030 | Cashew nuts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120040 | Chestnuts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120050 | Coconuts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120060 | Hazelnuts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120070 | Macadamia | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120080 | Pecans | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120090 | Pine nuts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120100 | Pistachios | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120110 | Walnuts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0120990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 5 | ►M66 — ◄ |
| 0130010 | Apples | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0130020 | Pears | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0130030 | Quinces | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0130040 | Medlar | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0130050 | Loquat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0130990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 5 | ►M66 — ◄ |
| 0140010 | Apricots | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0140020 | Cherries | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0140030 | Peaches | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0140040 | Plums | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0140990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,1 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,8 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M75 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M75 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M75 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M75 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M75 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,7 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,05 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,05 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 3 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,5 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 2 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,5 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,5 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 2 ◄ |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M32 — ◄ | ►M51 — ◄ | ►M5 — ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 50 | ►M66 — ◄ |
| 0151010 | Table grapes | ►M32 — ◄ | ►M51 — ◄ | ►M5 1 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0151020 | Wine grapes | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0152000 | (b) *Strawberries* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 5 | ►M66 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 5 | ►M66 — ◄ |
| 0153010 | Blackberries | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0153020 | Dewberries | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0153030 | Raspberries | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0153990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M32 — ◄ | ►M51 — ◄ | ►M5 — ◄ | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 0154010 | Blueberries | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0154020 | Cranberries | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M180 4 ◄ | | ►M66 — ◄ |
| 0154030 | Currants (red, black and white) | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0154040 | Gooseberries | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0154050 | Rose hips | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0154060 | Mulberries | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0154080 | Elderberries | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0154990 | Others | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,2 ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 1,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 1,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,8 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 3 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,5 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,5 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 3 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 3 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 3 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 3 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0161000 | (a) *Edible peel* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0161010 | Dates | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0161020 | Figs | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0161030 | Table olives | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 0161040 | Kumquats | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0161050 | Carambola | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0161060 | Persimmon | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0161070 | Jambolan (java plum) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0161990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0162010 | Kiwi | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0162020 | Lychee (Litchi) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0162030 | Passion fruit | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0162050 | Star apple | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0162990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0163010 | Avocados | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M5 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,6 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,8 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 **0,15** ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M43 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,6 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163030 | Mangoes | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163040 | Papaya | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163050 | Pomegranate | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163060 | Cherimoya | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163070 | Guava | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163080 | Pineapples | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163090 | Bread fruit | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163100 | Durian | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163110 | Soursop (guanabana) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0163990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 0211000 | (a) *Potatoes* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 1 ◄ | | ►M66 — ◄ |
| 0212010 | Cassava | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0212020 | Sweet potatoes | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0212030 | Yams | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0212040 | Arrowroot | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0212990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 — ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,1 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M5 — ◄ | | ►M66 — ◄ |
| 0213010 | Beetroot | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 1 ◄ | | ►M66 — ◄ |
| 0213020 | Carrots | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0213030 | Celeriac | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0213040 | Horseradish | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0213050 | Jerusalem artichokes | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0213060 | Parsnips | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0213070 | Parsley root | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0213080 | Radishes | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0213090 | Salsify | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0213100 | Swedes | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 1,5 ◄ | | ►M66 — ◄ |
| 0213110 | Turnips | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 1,5 ◄ | | ►M66 — ◄ |
| 0213990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M136 — ◄ | 5 | ►M66 — ◄ |
| 0220010 | Garlic | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0220020 | Onions | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0220030 | Shallots | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0220040 | Spring onions | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,7 ◄ | | ►M66 — ◄ |
| 0220990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0231000 | (a) *Solanacea* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 9 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,05 ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| ►**M32** 0,1 (*) ◄ | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| ►**M32** **0,05** (*) ◄ | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M32 — ◄ | ►M51 — ◄ | ►M5 1 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0231020 | Peppers | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0231040 | Okra, lady's fingers | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0231990 | Others | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 0232010 | Cucumbers | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0232020 | Gherkins | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0232030 | Courgettes | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0232990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 0233010 | Melons | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0233020 | Pumpkins | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0233030 | Watermelons | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0233990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | 10 | ►M66 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M26 — ◄ | | ►M66 — ◄ |
| 0241010 | Broccoli | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 1,5 ◄ | | ►M66 — ◄ |
| 0241020 | Cauliflower | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 3 ◄ | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 **0,9** ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,6 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 **0,6** ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 **0,6** ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 **0,6** ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,6 ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,6 ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| ►**M32** **0,05** (*) ◄ | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0242000 | (b) *Head brassica* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M26 — ◄ | | ►M66 — ◄ |
| 0242010 | Brussels sprouts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0242020 | Head cabbage | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 3 ◄ | | ►M66 — ◄ |
| 0242990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M32 — ◄ | ►M51 — ◄ | ►M5 1 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0243010 | Chinese cabbage | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 1 ◄ | | ►M66 — ◄ |
| 0243020 | Kale | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 1 ◄ | | ►M66 — ◄ |
| 0243990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 100 | ►M66 — ◄ |
| 0251010 | Lamb's lettuce | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0251020 | Lettuce | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0251040 | Cress | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0251050 | Land cress | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0251060 | Rocket, Rucola | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M61 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,08 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M133 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 7 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0251990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0252010 | Spinach | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 1 ◄ | | ►M66 — ◄ |
| 0252020 | Purslane | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0252030 | Beet leaves (chard) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 1 ◄ | | ►M66 — ◄ |
| 0252990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0254000 | (d) *Water cress* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0255000 | (e) *Witloof* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0256000 | (f) *Herbs* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 3 ◄ | | ►M66 — ◄ |
| 0256010 | Chervil | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0256020 | Chives | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0256030 | Celery leaves | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 50 | ►M66 — ◄ |
| 0256040 | Parsley | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0256050 | Sage | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0256060 | Rosemary | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0256070 | Thyme | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0256080 | Basil | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 4 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 10 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 10 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 10 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 10 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄ | ►M5 0,6 ◄<br>►M5 0,01 (*) ◄<br>►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,1 ◄ |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0256100 | Tarragon | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0256990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 20 | ►M66 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0260010 | Beans (with pods) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0260020 | Beans (without pods) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0260030 | Peas (with pods) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0260040 | Peas (without pods) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0260050 | Lentils | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0260990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M136 — ◄ | | ►M66 — ◄ |
| 0270010 | Asparagus | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 5 | ►M66 — ◄ |
| 0270020 | Cardoons | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0270030 | Celery | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0270040 | Fennel | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0270050 | Globe artichokes | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0270060 | Leek | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,7 ◄ | 20 | ►M66 — ◄ |
| 0270070 | Rhubarb | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0270080 | Bamboo shoots | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0270090 | Palm hearts | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0270990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 2038

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 5 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,2 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 4 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 7 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 7 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 **1,5** ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,6 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,6 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0280010 | Cultivated | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0280020 | Wild | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0280990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0300010 | Beans | ►M32 — ◄ | ►M51 — ◄ | ►M5 2 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0300020 | Lentils | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0300030 | Peas | ►M32 — ◄ | ►M51 — ◄ | ►M5 2 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0300040 | Lupins | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0300990 | Others | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0401010 | Linseed | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 20 ◄ | 30 | ►M66 — ◄ |
| 0401020 | Peanuts | ►M32 — ◄ | ►M51 — ◄ | ►M5 5 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401030 | Poppy seed | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401040 | Sesame seed | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401050 | Sunflower seed | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 40 | ►M66 — ◄ |
| 0401060 | Rape seed | ►M32 — ◄ | ►M51 — ◄ | ►M5 1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401070 | Soya bean | ►M32 — ◄ | ►M51 — ◄ | ►M5 10 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 40 | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,08 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | 0,1 | ►M188 — ◄ | ►M75 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,4 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,4 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,07 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 10 (+) ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,06 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,06 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 **0,15** ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,06 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,06 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,5 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,02 ◄ |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 1 ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,2 ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401090 | Cotton seed | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401100 | Pumpkin seeds | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401110 | Safflower | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401120 | Borage | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401130 | Gold of pleasure | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401140 | Hempseed | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401150 | Castor bean | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0401990 | Others | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,5 ◄ | 30 | ►M66 — ◄ |
| 0402010 | Olives for oil production | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0402030 | Palmfruit | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0402040 | Kapok | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0402990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0500000 | 5. **CEREALS** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | | 10 | ►M66 — ◄ |
| 0500010 | Barley | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 2 ◄ | | ►M66 — ◄ |
| 0500020 | Buckwheat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 2 ◄ | | ►M66 — ◄ |
| 0500030 | Maize | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 2 ◄ | | ►M66 — ◄ |
| 0500040 | Millet | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 2 ◄ | | ►M66 — ◄ |
| 0500050 | Oats | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **3** ◄ | | ►M66 — ◄ |
| 0500060 | Rice | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 2 ◄ | | ►M66 — ◄ |
| 0500070 | Rye | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 5 ◄ | | ►M66 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 2046

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,4 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 **0,4** ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,4 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M111 — ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,2 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,3 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,5 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,3 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,2 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,5 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,1 | ►M188 — ◄ | ►M75 0,3 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,5 ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 1 ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,05 ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 2 ◄ | | ►M66 — ◄ |
| 0500090 | Wheat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **3** ◄ | | ►M66 — ◄ |
| 0500990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 2 ◄ | | ►M66 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 40 | ►M66 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 50 | ►M66 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 5 ◄ | 100 | ►M66 — ◄ |
| 0631000 | (a) *Flowers* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0631010 | Camomille flowers | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0631020 | Hybiscus flowers | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0631030 | Rose petals | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0631040 | Jasmine flowers | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0631050 | Lime (linden) | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0631990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0632000 | (b) *Leaves* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0632010 | Strawberry leaves | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 4 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 2 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,3 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | 0,1 | ►M188 — ◄ | ►M61 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 40 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 40 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 20 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,05 ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| ►**M32** 0,1 (*) ◄ | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0632030 | Maté | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0632990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0633000 | (c) *Roots* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0633010 | Valerian root | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0633020 | Ginseng root | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0633990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 50 | ►M66 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | 20 | ►M66 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 5 ◄ | 1000 | ►M66 — ◄ |
| 0800000 | 8. **SPICES** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M136 — ◄ | 40 | ►M66 — ◄ |
| 0810000 | (i) **Seeds** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0810010 | Anise | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0810020 | Black caraway | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0810030 | Celery seed | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0810040 | Coriander seed | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0810050 | Cumin seed | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0810060 | Dill seed | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | 0,1 | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M111 — ◄ | ►M71 — ◄ | 0,1 | ►M188 — ◄ | ►M61 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M72 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 100 ◄ |
| ►M32 0,1 (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄<br>►M40 — ◄ | ►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄<br>►M79 — ◄ | ►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄<br>►M46 — ◄ | ►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄<br>►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0810080 | Fenugreek | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0810090 | Nutmeg | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0810990 | Others | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | ►M180 0,5 ◄ | | ►M66 —— ◄ |
| 0820010 | Allspice | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820030 | Caraway | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820040 | Cardamom | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820050 | Juniper berries | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820060 | Pepper, black and white | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820070 | Vanilla pods | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820080 | Tamarind | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0820990 | Others | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0830000 | (iii) **Bark** | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | ►M180 0,5 ◄ | | ►M66 —— ◄ |
| 0830010 | Cinnamon | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0830990 | Others | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | | | ►M66 —— ◄ |
| 0840010 | Liquorice | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | ►M180 0,5 ◄ | | ►M66 —— ◄ |
| 0840020 | Ginger | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | ►M180 —— ◄ | | ►M66 —— ◄ |
| 0840030 | Turmeric (Curcuma) | ►M32 —— ◄ | ►M51 —— ◄ | | ►M42 —— ◄ | ►M180 0,5 ◄ | | ►M66 —— ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 2058

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0840990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0850000 | (v) **Buds** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0850010 | Cloves | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0850020 | Capers | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0850990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0860010 | Saffron | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0860990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0870000 | (vii) **Aril** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,5 ◄ | | ►M66 — ◄ |
| 0870010 | Mace | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0870990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 0900010 | Sugar beet (root) | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,5 ◄ | ►M42 — ◄ | ►M180 1 ◄ | | ►M66 — ◄ |
| 0900020 | Sugar cane | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 0900030 | Chicory roots | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 0900990 | Others | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,1 ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 2062

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 (+) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 (+) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M27 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,1 ◄ | ►M71 — ◄ | 0,1 | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 1 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | 0,05 (*) | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,3 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,6 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| ►M32 **0,05** (*) ◄ | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1011000 | (a) *Swine* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,2 ◄ | ►M42 — ◄ | ►M180 — ◄ | | ►M66 — ◄ |
| 1011010 | Meat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 5 | ►M66 — ◄ |
| 1011020 | Fat free of lean meat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,05** ◄ | 5 | ►M66 — ◄ |
| 1011030 | Liver | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,05** ◄ | 30 | ►M66 — ◄ |
| 1011040 | Kidney | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,6** ◄ | 30 | ►M66 — ◄ |
| 1011050 | Edible offal | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 30 | ►M66 — ◄ |
| 1011990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 5 | ►M66 — ◄ |
| 1012000 | (b) *Bovine* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,2 ◄ | ►M42 — ◄ | | | ►M66 — ◄ |
| 1012010 | Meat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,08 ◄ | 5 | ►M66 — ◄ |
| 1012020 | Fat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,15** ◄ | 5 | ►M66 — ◄ |
| 1012030 | Liver | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,15** ◄ | 30 | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M5 — ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M27 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M27 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,5 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | ►M5 0,01 (*) ◄ |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **1,5** ◄ | 30 | ►M66 — ◄ |
| 1012050 | Edible offal | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 30 | ►M66 — ◄ |
| 1012990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 5 | ►M66 — ◄ |
| 1013000 | (c) *Sheep* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,2 ◄ | ►M42 — ◄ | ►M26 — ◄ | | ►M66 — ◄ |
| 1013010 | Meat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,08 ◄ | 5 | ►M66 — ◄ |
| 1013020 | Fat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,2** ◄ | 5 | ►M66 — ◄ |
| 1013030 | Liver | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,2** ◄ | 30 | ►M66 — ◄ |
| 1013040 | Kidney | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **2** ◄ | 30 | ►M66 — ◄ |
| 1013050 | Edible offal | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 30 | ►M66 — ◄ |
| 1013990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 5 | ►M66 — ◄ |
| 1014000 | (d) *Goat* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,2 ◄ | ►M42 — ◄ | ►M26 — ◄ | | ►M66 — ◄ |
| 1014010 | Meat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,08 ◄ | 5 | ►M66 — ◄ |
| 1014020 | Fat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,2** ◄ | 5 | ►M66 — ◄ |
| 1014030 | Liver | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **0,2** ◄ | 30 | ►M66 — ◄ |
| 1014040 | Kidney | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 **2** ◄ | 30 | ►M66 — ◄ |
| 1014050 | Edible offal | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 30 | ►M66 — ◄ |
| 1014990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 5 | ►M66 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,2 ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 1015010 | Meat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 1015020 | Fat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 1015030 | Liver | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,5 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M5 — ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M27 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M5 — ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M27 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M5 — ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M27 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 1015050 | Edible offal | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 1015990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,2 ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 1016010 | Meat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 1016020 | Fat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 1016030 | Liver | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 1016040 | Kidney | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 1016050 | Edible offal | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 1016990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,05 (*) ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 1017010 | Meat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 1017020 | Fat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |
| 1017030 | Liver | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 1017040 | Kidney | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 1017050 | Edible offal | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 30 | ►M66 — ◄ |
| 1017990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | 5 | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M27 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,02 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,04 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M5 — ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M27 — ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,07 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,5 ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,7 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M27 — ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,2 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,1 ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►M40 — ◄ | ►M79 — ◄ | ►M46 — ◄ | ►M67 — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,05 (*) ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 2 | ►M66 — ◄ |
| 1020010 | Cattle | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1020020 | Sheep | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1020030 | Goat | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1020040 | Horse | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1020990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,05 (*) ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | 2 | ►M66 — ◄ |
| 1030010 | Chicken | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1030020 | Duck | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1030030 | Goose | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,5 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,2 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,2 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,2 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,2 ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,005 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1030990 | Others | ►M32 — ◄ | ►M51 — ◄ | | ►M42 — ◄ | | | ►M66 — ◄ |
| 1040000 | (iv) **Honey** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,05 (*) ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,05 (*) ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 1060000 | (vi) **Snails** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,05 (*) ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M32 — ◄ | ►M51 — ◄ | ►M5 0,05 (*) ◄ | ►M42 — ◄ | ►M180 0,05 (*) ◄ | | ►M66 — ◄ |

▼M5

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1100000 | 11. **FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS** | | | | | | | ►M66 — ◄ |
| 1200000 | 12. **CROPS EXCLUSIVELY USED FOR ANIMAL FEED** | | | | | | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |
| ►M207 — ◄ | ►M106 — ◄ | ►M126 0,05 (*) ◄ | ►M71 — ◄ | | ►M188 — ◄ | ►M75 0,05 (*) ◄ | ►M32 — ◄ |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | |
| ►M207 — ◄ | ►M106 — ◄ | | ►M71 — ◄ | | ►M188 — ◄ | | |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | ►M146 0,05 (*) ◄ | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |
| ►M84 — ◄ | ►M169 — ◄ | ►M66 — ◄ | ►M87 — ◄ | | ►M145 — ◄ | ►M74 — ◄ | ►M128 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| | ►**M40** — ◄ | ►**M79** — ◄ | ►**M46** — ◄ | ►**M67** — ◄ | ►**M5** 0,01 (*) ◄ |
| ▼**M5** | | ►**M79** — ◄ | | ►**M67** — ◄ | |
| | | ►**M79** — ◄ | | ►**M67** — ◄ | |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M42▲ | ▼M100▲ | ▼M203▲ | ▼M16▲ EPTC (ethyl dipropylthiocarbamate) | ▼M42▲ | ▼M164▲ |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0110010 | Grapefruit | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0110020 | Oranges | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0110030 | Lemons | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0110040 | Limes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0110050 | Mandarins | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0110990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,02** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| ▼M166 — ▲M166 | ▼M59 — ▲M59 | ▼M143 — ▲M143 | ▼M125 Etridiazole ▲M125 | ▼M174 — ▲M174 | ▼M151 — ▲M151 | Fenoxaprop-P | ▼M147 — ▲M147 |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| ▼<br>M49<br>▲ | ▼<br>M117<br>▲ | ▼<br>M67<br>▲ | ▼<br>M55<br>▲ | ▼<br>▼<br>C11<br>▲<br>M102<br>▲ | ▼<br>M107<br>▲ | ▼<br>M77<br>▲ | ▼<br>M50<br>▲ |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| ▼M165 ▲ | ▼M32 ▲ | ▼M103 ▲ | ▼M151 ▲ | ▼M147 ▲ | ▼M59 ▲ | ▼M74 ▲ |
|---|---|---|---|---|---|---|
| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120020 | Brazil nuts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120030 | Cashew nuts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120040 | Chestnuts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120050 | Coconuts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120060 | Hazelnuts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120070 | Macadamia | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120080 | Pecans | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120090 | Pine nuts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120100 | Pistachios | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120110 | Walnuts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0120990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0130010 | Apples | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0130020 | Pears | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0130030 | Quinces | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0130040 | Medlar | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0130050 | Loquat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0130990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0140010 | Apricots | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0140020 | Cherries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0140030 | Peaches | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0140040 | Plums | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0140990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0151010 | Table grapes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0151020 | Wine grapes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0152000 | (b) *Strawberries* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0153010 | Blackberries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0153020 | Dewberries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0153030 | Raspberries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0153990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154010 | Blueberries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154020 | Cranberries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154030 | Currants (red, black and white) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154040 | Gooseberries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154050 | Rose hips | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154060 | Mulberries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154080 | Elderberries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0154990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,1 ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0161000 | (a) *Edible peel* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0161010 | Dates | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0161020 | Figs | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0161030 | Table olives | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0161040 | Kumquats | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0161050 | Carambola | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0161060 | Persimmon | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0161070 | Jambolan (java plum) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0161990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0162010 | Kiwi | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0162020 | Lychee (Litchi) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0162030 | Passion fruit | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0162050 | Star apple | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0162990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163010 | Avocados | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163030 | Mangoes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163040 | Papaya | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163050 | Pomegranate | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163060 | Cherimoya | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163070 | Guava | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163080 | Pineapples | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163090 | Bread fruit | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163100 | Durian | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163110 | Soursop (guanabana) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0163990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0211000 | (a) *Potatoes* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,1 | ►M42 — ◄ | ►M164 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0212010 | Cassava | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0212020 | Sweet potatoes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0212030 | Yams | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0212040 | Arrowroot | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0212990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0213010 | Beetroot | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213020 | Carrots | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213030 | Celeriac | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213040 | Horseradish | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213050 | Jerusalem artichokes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213060 | Parsnips | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213070 | Parsley root | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213080 | Radishes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213090 | Salsify | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213100 | Swedes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213110 | Turnips | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0213990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,02** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0220010 | Garlic | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0220020 | Onions | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0220030 | Shallots | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0220040 | Spring onions | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0220990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0231000 | (a) *Solanacea* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0231020 | Peppers | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0231040 | Okra, lady's fingers | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0231990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0232010 | Cucumbers | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0232020 | Gherkins | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0232030 | Courgettes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0232990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0233010 | Melons | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0233020 | Pumpkins | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0233030 | Watermelons | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0233990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0241010 | Broccoli | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0241020 | Cauliflower | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,1 ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 **0,4** ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 — ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 — ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 — ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 — ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0242000 | (b) *Head brassica* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0242010 | Brussels sprouts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0242020 | Head cabbage | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0242990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0243010 | Chinese cabbage | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0243020 | Kale | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0243990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0251010 | Lamb's lettuce | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0251020 | Lettuce | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0251040 | Cress | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0251050 | Land cress | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0251060 | Rocket, Rucola | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0251990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0252010 | Spinach | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0252020 | Purslane | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0252030 | Beet leaves (chard) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0252990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0254000 | (d) *Water cress* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0255000 | (e) *Witloof* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256000 | (f) *Herbs* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256010 | Chervil | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256020 | Chives | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256030 | Celery leaves | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256040 | Parsley | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256050 | Sage | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256060 | Rosemary | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256070 | Thyme | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256080 | Basil | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256100 | Tarragon | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0256990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0260010 | Beans (with pods) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0260020 | Beans (without pods) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0260030 | Peas (with pods) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0260040 | Peas (without pods) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0260050 | Lentils | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0260990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0270010 | Asparagus | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270020 | Cardoons | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270030 | Celery | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270040 | Fennel | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270050 | Globe artichokes | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270060 | Leek | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270070 | Rhubarb | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270080 | Bamboo shoots | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270090 | Palm hearts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0270990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0280010 | Cultivated | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0280020 | Wild | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0280990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0290000 | (ix) **. Sea weeds** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0300010 | Beans | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0300020 | Lentils | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0300030 | Peas | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0300040 | Lupins | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0300990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,02** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0401010 | Linseed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401020 | Peanuts | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401030 | Poppy seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401040 | Sesame seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401050 | Sunflower seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,1 | ►M42 — ◄ | ►M164 — ◄ |
| 0401060 | Rape seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401070 | Soya bean | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | 0,1 | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | 0,01 (*) | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | 0,1 | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | 0,1 | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401090 | Cotton seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401100 | Pumpkin seeds | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401110 | Safflower | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401120 | Borage | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401130 | Gold of pleasure | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401140 | Hempseed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401150 | Castor bean | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0401990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0402010 | Olives for oil production | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,02** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0402030 | Palmfruit | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,02** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0402040 | Kapok | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,02** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0402990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,02** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0500000 | 5. **CEREALS** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0500010 | Barley | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0500020 | Buckwheat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0500030 | Maize | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,1 | ►M42 — ◄ | ►M164 — ◄ |
| 0500040 | Millet | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0500050 | Oats | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0500060 | Rice | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0500070 | Rye | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,1 ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,01 (*) | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,01 (*) | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,01 (*) | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,01 (*) | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0500090 | Wheat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0500990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 0,05 (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0631000 | (a) *Flowers* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0631010 | Camomille flowers | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0631020 | Hybiscus flowers | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0631030 | Rose petals | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0631040 | Jasmine flowers | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0631050 | Lime (linden) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0631990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0632000 | (b) *Leaves* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0632010 | Strawberry leaves | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0632030 | Maté | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0632990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0633000 | (c) *Roots* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0633010 | Valerian root | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0633020 | Ginseng root | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0633990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 0,05 (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0800000 | 8. **SPICES** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 0,05 (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0810000 | (i) **Seeds** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810010 | Anise | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810020 | Black caraway | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810030 | Celery seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810040 | Coriander seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810050 | Cumin seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810060 | Dill seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | 0,1 | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** — ◄ | ►**M174** — ◄ | ►**M151** — ◄ | 0,1 | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |
| ►M49 —◄ | ►M117 —◄ | ►M67 —◄ | ►M55 —◄ | ►M102 ►C11 —◄◄ | ►M107 —◄ | ►M77 —◄ | ►M50 —◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810080 | Fenugreek | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810090 | Nutmeg | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0810990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820010 | Allspice | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820030 | Caraway | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820040 | Cardamom | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820050 | Juniper berries | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820060 | Pepper, black and white | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820070 | Vanilla pods | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820080 | Tamarind | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0820990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0830000 | (iii) **Bark** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0830010 | Cinnamon | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0830990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0840010 | Liquorice | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0840020 | Ginger | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | ►M125 0,05 (*) ◄ | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0840990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0850000 | (v) **Buds** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0850010 | Cloves | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0850020 | Capers | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0850990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0860010 | Saffron | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0860990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0870000 | (vii) **Aril** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0870010 | Mace | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0870990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 **0,01** (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |
| 0900010 | Sugar beet (root) | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0900020 | Sugar cane | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0900030 | Chicory roots | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 0900990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M164 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | ►M16 0,02 (*) ◄ | ►M42 — ◄ | ►M164 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** (+) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | 0,1 | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | 0,1 | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | 0,01 (*) | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | | ►**M174** — ◄ | ►**M151** — ◄ | 0,01 (*) | ►**M147** — ◄ |
| ►**M166** — ◄ | ►**M59** — ◄ | ►**M143** — ◄ | ►**M125** 0,05 (*) ◄ | ►**M174** — ◄ | ►**M151** — ◄ | | ►**M147** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1011000 | (a) *Swine* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1011010 | Meat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1011020 | Fat free of lean meat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1011030 | Liver | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1011040 | Kidney | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1011050 | Edible offal | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1011990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1012000 | (b) *Bovine* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1012010 | Meat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1012020 | Fat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1012030 | Liver | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1012050 | Edible offal | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1012990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1013000 | (c) *Sheep* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1013010 | Meat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1013020 | Fat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1013030 | Liver | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1013040 | Kidney | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1013050 | Edible offal | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1013990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1014000 | (d) *Goat* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1014010 | Meat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1014020 | Fat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1014030 | Liver | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1014040 | Kidney | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1014050 | Edible offal | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1014990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1015010 | Meat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1015020 | Fat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1015030 | Liver | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,1 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1015050 | Edible offal | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1015990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1016010 | Meat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1016020 | Fat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1016030 | Liver | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1016040 | Kidney | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1016050 | Edible offal | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1016990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1017010 | Meat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1017020 | Fat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1017030 | Liver | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1017040 | Kidney | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1017050 | Edible offal | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1017990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | 0,05 | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | 0,05 | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |
| ►M166 —◄ | ►M59 —◄ | ►M143 —◄ | | ►M174 —◄ | ►M151 —◄ | | ►M147 —◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |
| ►M165 —◄ | ►M32 —◄ | ►M103 —◄ | ►M151 —◄ | ►M147 —◄ | ►M59 —◄ | ►M74 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1020010 | Cattle | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1020020 | Sheep | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1020030 | Goat | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1020040 | Horse | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1020990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1030010 | Chicken | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1030020 | Duck | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1030030 | Goose | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |
| ►M49 — ◄ | ►M117 — ◄ | ►M67 — ◄ | ►M55 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M107 — ◄ | ►M77 — ◄ | ►M50 — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1030990 | Others | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1040000 | (iv) **Honey** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1060000 | (vi) **Snails** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M42 — ◄ | ►M100 — ◄ | ►M203 — ◄ | | ►M42 — ◄ | ►M164 — ◄ |
| ▼M5 | | | | | | | |
| 1100000 | 11. **FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS** | | ►M100 — ◄ | ►M203 — ◄ | | | ►M164 — ◄ |
| 1200000 | 12. **CROPS EXCLUSIVELY USED FOR ANIMAL FEED** | | ►M100 — ◄ | ►M203 — ◄ | | | ►M164 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | 0,05 | ►M147 — ◄ |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |
| ►M166 — ◄ | ►M59 — ◄ | ►M143 — ◄ | | ►M174 — ◄ | ►M151 — ◄ | | ►M147 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |
| ►M49 —— ◄ | ►M117 —— ◄ | ►M67 —— ◄ | ►M55 —— ◄ | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | ►M50 —— ◄ |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | ►M117 —— ◄ | ►M67 —— ◄ | | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | |
| | ►M117 —— ◄ | ►M67 —— ◄ | | ►M102 ►C11 —— ◄ ◄ | ►M107 —— ◄ | ►M77 —— ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | ►M32 — ◄ | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M5

| | | | | | | |
|---|---|---|---|---|---|---|
| ►M165 — ◄ | | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |
| ►M165 — ◄ | | ►M103 — ◄ | ►M151 — ◄ | ►M147 — ◄ | ►M59 — ◄ | ►M74 — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ▼ M91 ▲ | ▼ M49 ▲ | ▼ M196 ▲ Fosetyl-Al (sum of fosetyl, phosphonic acid and their salts, expressed as fosetyl) | ▼ ▼ M102 ▲ C11 ▲ | ▼ M57 ▲ | ▼ M100 ▲ |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M91 — ◄ | ►M49 — ◄ | ►M190 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0110010 | Grapefruit | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0110020 | Oranges | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0110030 | Lemons | ►M91 — ◄ | ►M49 — ◄ | ►M196 150 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0110040 | Limes | ►M91 — ◄ | ►M49 — ◄ | ►M196 150 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0110050 | Mandarins | ►M91 — ◄ | ►M49 — ◄ | ►M196 150 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0110990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M91 — ◄ | ►M49 — ◄ | ►M180 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| ▼M83 — ▲M83 | ▼M84 — ▲M84 | ▼M188 — ▲M188 | ▼M170 — ▲M170 | ▼M212 — ▲M212 | ▼M185 — ▲M185 | ▼M210 — ▲M210 | Lenacil |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| ▼M128 ▲ | ▼M102 ▲ ▼C11 ▲ | ▼M71 ▲ | ▼M188 ▲ | ▼M170 ▲ | ▼M71 ▲ | ▼M42 ▲ | ▼M16 ▲ Methabenzthiazuron |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | 0,1 (*) |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 **0,01** (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 **0,02** (*) ◄ |

▼**M2**

| ▼<br>**M166**<br>▲ | ▼<br>**M32** Methoprene<br>▲ | ▼<br>**M87**<br>▲ | ▼<br>**M79**<br>▲ | ▼<br>**M113** Metribuzin<br>▲ | ▼<br>**M32**<br>▲ | ▼<br>**M159**<br>▲ |
|---|---|---|---|---|---|---|
| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
| ►**M166** — ◄ | ►**M32** — ◄ | ►**M87** — ◄ | ►**M79** — ◄ | ►**M113** 0,1 (*) ◄ | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | ►**M32** 0,05 (*) ◄ | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M91 — ◄ | ►M49 — ◄ | ►M196 1 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120020 | Brazil nuts | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120030 | Cashew nuts | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120040 | Chestnuts | ►M91 — ◄ | ►M49 — ◄ | ►M196 1 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120050 | Coconuts | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120060 | Hazelnuts | ►M91 — ◄ | ►M49 — ◄ | ►M196 1 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120070 | Macadamia | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120080 | Pecans | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120090 | Pine nuts | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120100 | Pistachios | ►M91 — ◄ | ►M49 — ◄ | ►M196 1 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120110 | Walnuts | ►M91 — ◄ | ►M49 — ◄ | ►M196 1 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0120990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M91 — ◄ | ►M49 — ◄ | ►M196 150 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0130010 | Apples | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0130020 | Pears | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0130030 | Quinces | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0130040 | Medlar | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0130050 | Loquat | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0130990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M91 — ◄ | ►M49 — ◄ | ►M133 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0140010 | Apricots | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0140020 | Cherries | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0140030 | Peaches | ►M91 — ◄ | ►M49 — ◄ | ►M196 50 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0140040 | Plums | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0140990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M91 — ◄ | ►M49 — ◄ | ►M180 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0151010 | Table grapes | ►M91 — ◄ | ►M49 — ◄ | ►M196 100 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0151020 | Wine grapes | ►M91 — ◄ | ►M49 — ◄ | ►M196 200 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0152000 | (b) *Strawberries* | ►M91 — ◄ | ►M49 — ◄ | ►M196 100 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M91 — ◄ | ►M49 — ◄ | ►M101 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0153010 | Blackberries | ►M91 — ◄ | ►M49 — ◄ | ►M196 300 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0153020 | Dewberries | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0153030 | Raspberries | ►M91 — ◄ | ►M49 — ◄ | ►M196 300 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0153990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M91 — ◄ | ►M49 — ◄ | ►M146 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154010 | Blueberries | ►M91 — ◄ | ►M49 — ◄ | ►M196 200 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154020 | Cranberries | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154030 | Currants (red, black and white) | ►M91 — ◄ | ►M49 — ◄ | ►M196 200 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154040 | Gooseberries | ►M91 — ◄ | ►M49 — ◄ | ►M196 200 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154050 | Rose hips | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154060 | Mulberries | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M91 — ◄ | ►M49 — ◄ | ►M196 50 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154080 | Elderberries | ►M91 — ◄ | ►M49 — ◄ | ►M196 80 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0154990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161000 | (a) *Edible peel* | ►M91 — ◄ | ►M49 — ◄ | ►M146 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161010 | Dates | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161020 | Figs | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161030 | Table olives | ►M91 — ◄ | ►M49 — ◄ | ►M196 100 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161040 | Kumquats | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161050 | Carambola | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161060 | Persimmon | ►M91 — ◄ | ►M49 — ◄ | ►M196 50 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161070 | Jambolan (java plum) | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0161990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M91 — ◄ | ►M49 — ◄ | ►M63 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0162010 | Kiwi | ►M91 — ◄ | ►M49 — ◄ | ►M196 **200** ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0162020 | Lychee (Litchi) | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0162030 | Passion fruit | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0162050 | Star apple | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0162990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163010 | Avocados | ►M91 — ◄ | ►M49 — ◄ | ►M196 70 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 **0,01** (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163030 | Mangoes | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163040 | Papaya | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163050 | Pomegranate | ►M91 — ◄ | ►M49 — ◄ | ►M196 90 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163060 | Cherimoya | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163070 | Guava | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163080 | Pineapples | ►M91 — ◄ | ►M49 — ◄ | ►M196 50 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163090 | Bread fruit | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163100 | Durian | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163110 | Soursop (guanabana) | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0163990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0211000 | (a) *Potatoes* | ►M91 — ◄ | ►M49 — ◄ | ►M196 200 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0212010 | Cassava | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0212020 | Sweet potatoes | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0212030 | Yams | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0212040 | Arrowroot | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0212990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,5 |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 **0,01** (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | 0,1 (*) |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | 0,2 |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,2 ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M91 — ◄ | ►M49 — ◄ | ►M11 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213010 | Beetroot | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213020 | Carrots | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213030 | Celeriac | ►M91 — ◄ | ►M49 — ◄ | ►M196 8 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213040 | Horseradish | ►M91 — ◄ | ►M49 — ◄ | ►M196 200 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213050 | Jerusalem artichokes | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213060 | Parsnips | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213070 | Parsley root | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213080 | Radishes | ►M91 — ◄ | ►M49 — ◄ | ►M196 25 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213090 | Salsify | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213100 | Swedes | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213110 | Turnips | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0213990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0220010 | Garlic | ►M91 — ◄ | ►M49 — ◄ | ►M196 30 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0220020 | Onions | ►M91 — ◄ | ►M49 — ◄ | ►M196 50 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0220030 | Shallots | ►M91 — ◄ | ►M49 — ◄ | ►M196 30 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0220040 | Spring onions | ►M91 — ◄ | ►M49 — ◄ | ►M196 30 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0220990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0231000 | (a) *Solanacea* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | 0,2 |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,02 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 **0,02** (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M91 — ◄ | ►M49 — ◄ | ►M196 100 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0231020 | Peppers | ►M91 — ◄ | ►M49 — ◄ | ►M196 130 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M91 — ◄ | ►M49 — ◄ | ►M196 100 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0231040 | Okra, lady's fingers | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0231990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M91 — ◄ | ►M49 — ◄ | ►M146 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0232010 | Cucumbers | ►M91 — ◄ | ►M49 — ◄ | ►M196 80 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0232020 | Gherkins | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0232030 | Courgettes | ►M91 — ◄ | ►M49 — ◄ | ►M196 100 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0232990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0233010 | Melons | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0233020 | Pumpkins | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0233030 | Watermelons | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0233990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M91 — ◄ | ►M49 — ◄ | ►M196 5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M91 — ◄ | ►M49 — ◄ | ►M196 5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M91 — ◄ | ►M49 — ◄ | ►M180 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M91 — ◄ | ►M49 — ◄ | ►M196 70 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0241010 | Broccoli | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0241020 | Cauliflower | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0242000 | (b) *Head brassica* | ►M91 — ◄ | ►M49 — ◄ | ►M196 10 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0242010 | Brussels sprouts | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0242020 | Head cabbage | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0242990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M91 — ◄ | ►M49 — ◄ | ►M196 30 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0243010 | Chinese cabbage | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0243020 | Kale | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0243990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M91 — ◄ | ►M49 — ◄ | ►M196 10 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M91 — ◄ | ►M49 — ◄ | ►M146 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251010 | Lamb's lettuce | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251020 | Lettuce | ►M91 — ◄ | ►M49 — ◄ | ►M196 300 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251040 | Cress | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251050 | Land cress | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251060 | Rocket, Rucola | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 — ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,5 ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp. | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0251990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0252010 | Spinach | ►M91 — ◄ | ►M49 — ◄ | ►M196 300 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0252020 | Purslane | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0252030 | Beet leaves (chard) | ►M91 — ◄ | ►M49 — ◄ | ►M196 15 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0252990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0254000 | (d) *Water cress* | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0255000 | (e) *Witloof* | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256000 | (f) *Herbs* | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256010 | Chervil | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256020 | Chives | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256030 | Celery leaves | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256040 | Parsley | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256050 | Sage | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256060 | Rosemary | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256070 | Thyme | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256080 | Basil | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,5 ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 **0,02** (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 **0,02** (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 **0,02** (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 **0,02** (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256100 | Tarragon | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0256990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0260010 | Beans (with pods) | ►M91 — ◄ | ►M49 — ◄ | ►M90 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0260020 | Beans (without pods) | ►M91 — ◄ | ►M49 — ◄ | ►M90 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0260030 | Peas (with pods) | ►M91 — ◄ | ►M49 — ◄ | ►M90 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0260040 | Peas (without pods) | ►M91 — ◄ | ►M49 — ◄ | ►M90 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0260050 | Lentils | ►M91 — ◄ | ►M49 — ◄ | ►M90 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0260990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M90 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270010 | Asparagus | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270020 | Cardoons | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270030 | Celery | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270040 | Fennel | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270050 | Globe artichokes | ►M91 — ◄ | ►M49 — ◄ | ►M196 50 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270060 | Leek | ►M91 — ◄ | ►M49 — ◄ | ►M196 30 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270070 | Rhubarb | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270080 | Bamboo shoots | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270090 | Palm hearts | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0270990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,02 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0280010 | Cultivated | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0280020 | Wild | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0280990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0300010 | Beans | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0300020 | Lentils | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0300030 | Peas | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0300040 | Lupins | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0300990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M91 — ◄ | ►M49 — ◄ | ►M180 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401010 | Linseed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401020 | Peanuts | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401030 | Poppy seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401040 | Sesame seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401050 | Sunflower seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401060 | Rape seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401070 | Soya bean | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 2210

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 **0,01** (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 **0,01** (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 **0,01** (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | 0,1 (*) |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 **0,02** (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M166** —— ◄ | ►**M32** **0,02** (*) ◄ | ►**M87** —— ◄ | ►**M79** —— ◄ | ►**M113** 0,1 (*) ◄ | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | ►**M32** **0,02** (*) ◄ | ►**M87** —— ◄ | ►**M79** —— ◄ | ►**M113** 0,1 (*) ◄ | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | ►**M32** 0,05 (*) ◄ | ►**M87** —— ◄ | ►**M79** —— ◄ | ►**M113** 0,1 (*) ◄ | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | ►**M32** 0,05 (*) ◄ | ►**M87** —— ◄ | ►**M79** —— ◄ | ►**M113** —— ◄ | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | ►**M113** 0,1 (*) ◄ | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |
| ►**M166** —— ◄ | | ►**M87** —— ◄ | ►**M79** —— ◄ | | ►**M32** —— ◄ | ►**M159** —— ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401090 | Cotton seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401100 | Pumpkin seeds | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401110 | Safflower | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401120 | Borage | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401130 | Gold of pleasure | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401140 | Hempseed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401150 | Castor bean | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0401990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0402010 | Olives for oil production | ►M91 — ◄ | ►M49 — ◄ | ►M196 100 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0402030 | Palmfruit | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0402040 | Kapok | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0402990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500000 | 5. **CEREALS** | ►M91 — ◄ | ►M49 — ◄ | ►M180 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500010 | Barley | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500020 | Buckwheat | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500030 | Maize | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500040 | Millet | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500050 | Oats | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500060 | Rice | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500070 | Rye | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 2214

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,02 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,02 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,02 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,02 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,01 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 **0,2** ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 5 ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500090 | Wheat | ►M91 — ◄ | ►M49 — ◄ | ►M196 150 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0500990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M91 — ◄ | ►M49 — ◄ | ►M196 5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M91 — ◄ | ►M49 — ◄ | ►M196 5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M91 — ◄ | ►M49 — ◄ | ►M190 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0631000 | (a) *Flowers* | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0631010 | Camomille flowers | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0631020 | Hybiscus flowers | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0631030 | Rose petals | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0631040 | Jasmine flowers | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0631050 | Lime (linden) | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0631990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0632000 | (b) *Leaves* | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 000 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0632010 | Strawberry leaves | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | ►M16 0,05 (*) ◄ |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |

02005R0396 — EN — 21.10.2023 — 057.001 — 2220

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | ►M32 **0,1** (*) ◄ | ►M87 —— ◄ | ►M79 —— ◄ | ►M113 0,1 (*) ◄ | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |
| ►M166 —— ◄ | | ►M87 —— ◄ | ►M79 —— ◄ | | ►M32 —— ◄ | ►M159 —— ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0632030 | Maté | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0632990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0633000 | (c) *Roots* | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0633010 | Valerian root | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0633020 | Ginseng root | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0633990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M91 — ◄ | ►M49 — ◄ | ►M196 500 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 000 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0800000 | 8. **SPICES** | ►M91 — ◄ | ►M49 — ◄ | ►M63 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810000 | (i) **Seeds** | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810010 | Anise | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810020 | Black caraway | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810030 | Celery seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810040 | Coriander seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810050 | Cumin seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810060 | Dill seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,05 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M16 0,05 (*) ◄ |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 **0,1** (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 **0,1** (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810080 | Fenugreek | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810090 | Nutmeg | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0810990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820010 | Allspice | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820030 | Caraway | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820040 | Cardamom | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820050 | Juniper berries | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820060 | Pepper, black and white | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820070 | Vanilla pods | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820080 | Tamarind | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0820990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0830000 | (iii) **Bark** | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0830010 | Cinnamon | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0830990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0840010 | Liquorice | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0840020 | Ginger | ►M91 — ◄ | ►M49 — ◄ | ►M180 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M91 — ◄ | ►M49 — ◄ | ►M146 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0840990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0850000 | (v) **Buds** | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0850010 | Cloves | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0850020 | Capers | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0850990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0860010 | Saffron | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0860990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0870000 | (vii) **Aril** | ►M91 — ◄ | ►M49 — ◄ | ►M196 400 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0870010 | Mace | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0870990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0900010 | Sugar beet (root) | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0900020 | Sugar cane | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0900030 | Chicory roots | ►M91 — ◄ | ►M49 — ◄ | ►M196 75 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 0900990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 2 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | 0,1 (*) |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | ►**M16** **0,01** (*) ◄ |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | |
| ►**M128** —◄ | ►**M102** ►**C11** —◄◄ | ►**M71** —◄ | ►**M188** —◄ | ►**M170** —◄ | ►**M71** —◄ | ►**M42** —◄ | ►**M16** 0,05 (*) ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 **0,02** (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | ►M113 0,1 (*) ◄ | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M91 — ◄ | ►M49 — ◄ | ►M146 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1011000 | (a) *Swine* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1011010 | Meat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1011020 | Fat free of lean meat | ►M91 — ◄ | ►M49 — ◄ | ►M196 1,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1011030 | Liver | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,8 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1011040 | Kidney | ►M91 — ◄ | ►M49 — ◄ | ►M196 6 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1011050 | Edible offal | ►M91 — ◄ | ►M49 — ◄ | ►M196 6 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1011990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1012000 | (b) *Bovine* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1012010 | Meat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1012020 | Fat | ►M91 — ◄ | ►M49 — ◄ | ►M196 1,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1012030 | Liver | ►M91 — ◄ | ►M49 — ◄ | ►M196 1,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,2 ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,1 ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,2 ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M91 — ◄ | ►M49 — ◄ | ►M196 8 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1012050 | Edible offal | ►M91 — ◄ | ►M49 — ◄ | ►M196 8 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1012990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1013000 | (c) *Sheep* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1013010 | Meat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1013020 | Fat | ►M91 — ◄ | ►M49 — ◄ | ►M196 1,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1013030 | Liver | ►M91 — ◄ | ►M49 — ◄ | ►M196 1,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1013040 | Kidney | ►M91 — ◄ | ►M49 — ◄ | ►M196 8 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1013050 | Edible offal | ►M91 — ◄ | ►M49 — ◄ | ►M196 8 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1013990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1014000 | (d) *Goat* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1014010 | Meat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1014020 | Fat | ►M91 — ◄ | ►M49 — ◄ | ►M196 1,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1014030 | Liver | ►M91 — ◄ | ►M49 — ◄ | ►M196 1,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1014040 | Kidney | ►M91 — ◄ | ►M49 — ◄ | ►M196 8 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1014050 | Edible offal | ►M91 — ◄ | ►M49 — ◄ | ►M196 8 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1014990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1015010 | Meat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1015020 | Fat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1015030 | Liver | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,1 ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,2 ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,1 ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1015050 | Edible offal | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1015990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M91 — ◄ | ►M49 — ◄ | ►M180 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1016010 | Meat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1016020 | Fat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1016030 | Liver | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1016040 | Kidney | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1016050 | Edible offal | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1016990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1017010 | Meat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1017020 | Fat | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1017030 | Liver | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1017040 | Kidney | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1017050 | Edible offal | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1017990 | Others | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | ►**M32** 0,05 (*) ◄ | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | ►**M32** 0,05 (*) ◄ | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1020010 | Cattle | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1020020 | Sheep | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1020030 | Goat | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1020040 | Horse | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1020990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,7 ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1030010 | Chicken | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1030020 | Duck | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1030030 | Goose | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |
| ►M128 —◄ | ►M102 ►C11 —◄◄ | ►M71 —◄ | ►M188 —◄ | ►M170 —◄ | ►M71 —◄ | ►M42 —◄ | |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►**M166** — ◄ | ►**M32** 0,05 (*) ◄ | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | ►**M32** 0,05 (*) ◄ | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |
| ►**M166** — ◄ | | ►**M87** — ◄ | ►**M79** — ◄ | | ►**M32** — ◄ | ►**M159** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1030990 | Others | ►M91 — ◄ | ►M49 — ◄ | | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1040000 | (iv) **Honey** | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1060000 | (vi) **Snails** | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M91 — ◄ | ►M49 — ◄ | ►M196 0,5 (*) ◄ | ►M102 ►C11 — ◄ ◄ | ►M57 — ◄ | ►M100 — ◄ |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1100000 | 11. **FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS** | ►M91 — ◄ | | | ►M102 ►C11 — ◄ ◄ | | ►M100 — ◄ |
| 1200000 | 12. **CROPS EXCLUSIVELY USED FOR ANIMAL FEED** | ►M91 — ◄ | | | ►M102 ►C11 — ◄ ◄ | | ►M100 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |
| ►M83 — ◄ | ►M84 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M212 — ◄ | ►M185 — ◄ | ►M210 — ◄ | |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | ►M42 — ◄ | |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | | |
| ►M128 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M71 — ◄ | ►M188 — ◄ | ►M170 — ◄ | ►M71 — ◄ | | |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | ►M32 — ◄ | ►M159 — ◄ |
| ►M166 — ◄ | ►M32 0,05 (*) ◄ | ►M87 — ◄ | ►M79 — ◄ | | | ►M159 — ◄ |
| ▼M5 ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | | ►M159 — ◄ |
| ►M166 — ◄ | | ►M87 — ◄ | ►M79 — ◄ | | | ►M159 — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M58▲ | ▼M210▲ | ▼M165▲ | ▼M32▲ | ▼M195▲ | ▼M143▲ | ▼M160▲ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0110010 | Grapefruit | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0110020 | Oranges | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0110030 | Lemons | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0110040 | Limes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0110050 | Mandarins | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0110990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| ▼M77 — ▲M77 | ▼M165 — ▲M165 | ▼M213 — ▲M213 | ▼M106 — ▲M106 | Phoxim [F] | ▼M176 Picloram ▲M176 | ▼M91 — ▲M91 | ▼M32 — ▲M32 |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,01 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| ▼M52 — ▲ | ▼M68 — ▲ | ▼M147 — ▲ | ▼M71 — ▲ | ▼M66 — ▲ | ▼M42 — ▲ | ▼M91 — ▲ | Pyrethrins |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 1 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| ▼<br>**M144**<br>▲ | ▼<br>**M211** Pyriproxyfen ([F])<br>▲ | ▼<br>**M195**<br>▲ | ▼<br>**M147**<br>▲ | Rotenone | ▼<br>**M16** Simazine<br>▲ |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | 0,01 (*) | ►**M5** — ◄ |
| ►**M144** — ◄ | ►**M211** 0,6 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,02** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120020 | Brazil nuts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120030 | Cashew nuts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120040 | Chestnuts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120050 | Coconuts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120060 | Hazelnuts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120070 | Macadamia | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120080 | Pecans | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120090 | Pine nuts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120100 | Pistachios | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120110 | Walnuts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0120990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0130010 | Apples | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0130020 | Pears | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0130030 | Quinces | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0130040 | Medlar | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0130050 | Loquat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0130990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0140010 | Apricots | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0140020 | Cherries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0140030 | Peaches | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0140040 | Plums | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0140990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,2 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M5** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** **0,4** ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 1 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** 0,25 ◄ |
| ►**M144** — ◄ | ►**M211** 0,5 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,3 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M5** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0151010 | Table grapes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0151020 | Wine grapes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0152000 | (b) *Strawberries* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0153010 | Blackberries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0153020 | Dewberries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0153030 | Raspberries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0153990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154010 | Blueberries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154020 | Cranberries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154030 | Currants (red, black and white) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154040 | Gooseberries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154050 | Rose hips | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154060 | Mulberries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154080 | Elderberries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0154990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** 0,2 ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 1 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** 0,25 ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161000 | (a) *Edible peel* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161010 | Dates | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161020 | Figs | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161030 | Table olives | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161040 | Kumquats | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161050 | Carambola | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161060 | Persimmon | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161070 | Jambolan (java plum) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0161990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0162010 | Kiwi | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0162020 | Lychee (Litchi) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0162030 | Passion fruit | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0162050 | Star apple | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0162990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163010 | Avocados | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | ►**M109** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163030 | Mangoes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163040 | Papaya | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163050 | Pomegranate | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163060 | Cherimoya | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163070 | Guava | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163080 | Pineapples | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163090 | Bread fruit | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163100 | Durian | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163110 | Soursop (guanabana) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0163990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0211000 | (a) *Potatoes* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0212010 | Cassava | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0212020 | Sweet potatoes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0212030 | Yams | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0212040 | Arrowroot | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0212990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,01 (*) | ►M176 — ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 1 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | ►**M211** 0,7 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,3 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | 0,01 (*) | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M5** 0,05 (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M5** 0,1 ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213010 | Beetroot | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213020 | Carrots | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213030 | Celeriac | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213040 | Horseradish | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213050 | Jerusalem artichokes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213060 | Parsnips | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213070 | Parsley root | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213080 | Radishes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213090 | Salsify | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213100 | Swedes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213110 | Turnips | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0213990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0220010 | Garlic | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0220020 | Onions | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0220030 | Shallots | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0220040 | Spring onions | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0220990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0231000 | (a) *Solanacea* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 —◄ | ►M68 —◄ | ►M147 —◄ | ►M71 —◄ | ►M66 —◄ | ►M42 —◄ | ►M91 —◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M5** 0,1 ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,02** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 1 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0231020 | Peppers | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0231040 | Okra, lady's fingers | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0231990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0232010 | Cucumbers | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0232020 | Gherkins | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0232030 | Courgettes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0232990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0233010 | Melons | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0233020 | Pumpkins | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0233030 | Watermelons | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0233990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0241010 | Broccoli | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0241020 | Cauliflower | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,08 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,1 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,1 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M161** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,07 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0242000 | (b) *Head brassica* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0242010 | Brussels sprouts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0242020 | Head cabbage | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0242990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0243010 | Chinese cabbage | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0243020 | Kale | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0243990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251010 | Lamb's lettuce | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251020 | Lettuce | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251040 | Cress | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251050 | Land cress | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251060 | Rocket, Rucola | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄<br>►**M144** — ◄ | | ►**M195** — ◄<br>►**M195** — ◄ | ►**M147** — ◄<br>►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄<br>►**M144** — ◄ | | ►**M195** — ◄<br>►**M195** — ◄ | ►**M147** — ◄<br>►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄ | | ►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄ | ►**M147** — ◄<br>►**M147** — ◄<br>►**M147** — ◄<br>►**M147** — ◄<br>►**M147** — ◄<br>►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0251990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0252010 | Spinach | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0252020 | Purslane | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0252030 | Beet leaves (chard) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0252990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0254000 | (d) *Water cress* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0255000 | (e) *Witloof* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256000 | (f) *Herbs* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256010 | Chervil | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256020 | Chives | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256030 | Celery leaves | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256040 | Parsley | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256050 | Sage | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256060 | Rosemary | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256070 | Thyme | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256080 | Basil | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |
| ►M77 —◄ | ►M165 —◄ | ►M213 —◄ | ►M106 —◄ | | | ►M91 —◄ | ►M32 —◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄<br>►M52 — ◄ | ►M68 — ◄<br>►M68 — ◄ | ►M147 — ◄<br>►M147 — ◄ | ►M71 — ◄<br>►M71 — ◄ | ►M66 — ◄<br>►M66 — ◄ | ►M42 — ◄<br>►M42 — ◄ | ►M91 — ◄<br>►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄ | ►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄ | ►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄ | ►M71 — ◄<br>►M71 — ◄<br>►M71 — ◄ | ►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄ | ►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄ | ►M91 — ◄<br>►M91 — ◄<br>►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄<br>►M52 — ◄ | ►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄<br>►M68 — ◄ | ►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄ | ►M71 — ◄<br>►M71 — ◄<br>►M71 — ◄<br>►M71 — ◄<br>►M71 — ◄<br>►M71 — ◄<br>►M71 — ◄<br>►M71 — ◄ | ►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄<br>►M66 — ◄ | ►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄<br>►M42 — ◄ | ►M91 — ◄<br>►M91 — ◄<br>►M91 — ◄<br>►M91 — ◄<br>►M91 — ◄<br>►M91 — ◄<br>►M91 — ◄<br>►M91 — ◄ | |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M144 — ◄<br>►M144 — ◄ | | ►M195 — ◄<br>►M195 — ◄ | ►M147 — ◄<br>►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄<br>►M144 — ◄<br>►M144 — ◄ | | ►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄ | ►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄<br>►M144 — ◄<br>►M144 — ◄<br>►M144 — ◄<br>►M144 — ◄<br>►M144 — ◄<br>►M144 — ◄<br>►M144 — ◄ | | ►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄ | ►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄<br>►M147 — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256100 | Tarragon | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0256990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0260010 | Beans (with pods) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0260020 | Beans (without pods) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0260030 | Peas (with pods) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0260040 | Peas (without pods) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0260050 | Lentils | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0260990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270010 | Asparagus | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270020 | Cardoons | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270030 | Celery | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270040 | Fennel | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270050 | Globe artichokes | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270060 | Leek | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270070 | Rhubarb | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270080 | Bamboo shoots | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270090 | Palm hearts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0270990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0280010 | Cultivated | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0280020 | Wild | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0280990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0300010 | Beans | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0300020 | Lentils | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0300030 | Peas | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0300040 | Lupins | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0300990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401010 | Linseed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401020 | Peanuts | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401030 | Poppy seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401040 | Sesame seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401050 | Sunflower seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401060 | Rape seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401070 | Soya bean | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,01 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M61 — ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,03 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 3 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 3 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | 0,01 (*) | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | 0,02 (*) | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,02** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401090 | Cotton seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401100 | Pumpkin seeds | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401110 | Safflower | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401120 | Borage | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401130 | Gold of pleasure | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401140 | Hempseed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401150 | Castor bean | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0401990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0402010 | Olives for oil production | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0402030 | Palmfruit | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0402040 | Kapok | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0402990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500000 | 5. **CEREALS** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500010 | Barley | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500020 | Buckwheat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500030 | Maize | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500040 | Millet | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500050 | Oats | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500060 | Rice | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500070 | Rye | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,03 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,03 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,01 (*) | ►M5 — ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 1 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 3 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,02** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,02** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** **0,02** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M16** 0,05 (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | 0,01 (*) | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500090 | Wheat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0500990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0631000 | (a) *Flowers* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0631010 | Camomille flowers | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0631020 | Hybiscus flowers | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0631030 | Rose petals | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0631040 | Jasmine flowers | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0631050 | Lime (linden) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0631990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0632000 | (b) *Leaves* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0632010 | Strawberry leaves | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,1 | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M61** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | 0,02 (*) | ►**M16** 0,05 (*) ◄ |
| ►**M144** — ◄ | ►**M211** 15 ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0632030 | Maté | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0632990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0633000 | (c) *Roots* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0633010 | Valerian root | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0633020 | Ginseng root | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0633990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0800000 | 8. **SPICES** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810000 | (i) **Seeds** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810010 | Anise | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810020 | Black caraway | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810030 | Celery seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810040 | Coriander seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810050 | Cumin seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810060 | Dill seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M61 — ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | 0,02 (*) | ►**M16** **0,05** (*) ◄ |
| ►**M144** — ◄ | ►**M109** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | 0,02 (*) | ►**M16** 0,05 (*) ◄ |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810080 | Fenugreek | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810090 | Nutmeg | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0810990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820010 | Allspice | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820030 | Caraway | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820040 | Cardamom | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820050 | Juniper berries | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820060 | Pepper, black and white | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820070 | Vanilla pods | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820080 | Tamarind | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0820990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0830000 | (iii) **Bark** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0830010 | Cinnamon | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0830990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0840010 | Liquorice | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0840020 | Ginger | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 — ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M161** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0840990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0850000 | (v) **Buds** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0850010 | Cloves | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0850020 | Capers | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0850990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0860010 | Saffron | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0860990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0870000 | (vii) **Aril** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0870010 | Mace | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0870990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0900010 | Sugar beet (root) | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0900020 | Sugar cane | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0900030 | Chicory roots | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 0900990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 — ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,01 (*) | ►M5 — ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,05 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M5 — ◄ | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 1 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,5 |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | 0,05 (*) |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | ►**M161** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | 0,02 (*) | ►**M16** **0,01** (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M211** 0,05 (*) ◄ | ►**M195** — ◄ | ►**M147** — ◄ | 0,01 (*) | ►**M16** **0,01** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1011000 | (a) *Swine* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1011010 | Meat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1011020 | Fat free of lean meat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1011030 | Liver | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1011040 | Kidney | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1011050 | Edible offal | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1011990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1012000 | (b) *Bovine* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1012010 | Meat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1012020 | Fat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1012030 | Liver | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,7 | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 5 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,5 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | ►**M61** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M5** 0,05 (*) ◄ |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1012050 | Edible offal | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1012990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1013000 | (c) *Sheep* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1013010 | Meat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1013020 | Fat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1013030 | Liver | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1013040 | Kidney | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1013050 | Edible offal | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1013990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1014000 | (d) *Goat* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1014010 | Meat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1014020 | Fat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1014030 | Liver | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1014040 | Kidney | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1014050 | Edible offal | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1014990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1015010 | Meat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1015020 | Fat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1015030 | Liver | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 5 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,5 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,05 | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,4 | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,05 | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,05 | ►M176 5 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,5 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,05 | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,4 | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,05 | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,05 | ►M176 5 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,5 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,2 ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1015050 | Edible offal | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1015990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1016010 | Meat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1016020 | Fat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1016030 | Liver | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1016040 | Kidney | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1016050 | Edible offal | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1016990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1017010 | Meat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1017020 | Fat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1017030 | Liver | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1017040 | Kidney | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1017050 | Edible offal | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1017990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 5 ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 0,5 ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | 0,025 | ►M176 0,2 ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | 0,55 | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | 0,05 | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | 0,03 | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | 0,02 (*) | | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 0,2 ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 5 ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 0,5 ◄ | ►M91 —— ◄ | ►M32 —— ◄ |
| ►M77 —— ◄ | ►M165 —— ◄ | ►M213 —— ◄ | ►M106 —— ◄ | | ►M176 0,01 (*) ◄ | ►M91 —— ◄ | ►M32 —— ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |
| ►M144 —— ◄ | | ►M195 —— ◄ | ►M147 —— ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1020010 | Cattle | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1020020 | Sheep | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1020030 | Goat | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1020040 | Horse | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1020990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1030010 | Chicken | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1030020 | Duck | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1030030 | Goose | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | 0,02 (*) | ►**M176** 0,05 (*) ◄ | ►**M91** — ◄ | ►**M32** — ◄ |
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | | | ►**M91** — ◄ | ►**M32** — ◄ |
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | | | ►**M91** — ◄ | ►**M32** — ◄ |
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | | | ►**M91** — ◄ | ►**M32** — ◄ |
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | | | ►**M91** — ◄ | ►**M32** — ◄ |
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | | ►**M176** 0,01 (*) ◄ | ►**M91** — ◄ | ►**M32** — ◄ |
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | 0,06 | | ►**M91** — ◄ | ►**M32** — ◄ |
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | 0,02 (*) | | ►**M91** — ◄ | ►**M32** — ◄ |
| ►**M77** — ◄ | ►**M165** — ◄ | ►**M213** — ◄ | ►**M106** — ◄ | 0,02 (*) | | ►**M91** — ◄ | ►**M32** — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M144** — ◄ | ►**M61** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M5** 0,05 (*) ◄ |
| ►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄ | | ►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄ | ►**M147** — ◄<br>►**M147** — ◄<br>►**M147** — ◄<br>►**M147** — ◄ | | |
| ►**M144** — ◄ | | ►**M195** — ◄ | ►**M147** — ◄ | | |
| ►**M144** — ◄ | ►**M61** — ◄ | ►**M195** — ◄ | ►**M147** — ◄ | | ►**M5** 0,05 (*) ◄ |
| ►**M144** — ◄<br>►**M144** — ◄<br>►**M144** — ◄ | | ►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄ | ►**M147** — ◄<br>►**M147** — ◄<br>►**M147** — ◄ | | |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1030990 | Others | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1040000 | (iv) **Honey** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1060000 | (vi) **Snails** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | ►M32 — ◄ | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| ▼M5 | | | | | | | | |
| 1100000 | 11. **FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |
| 1200000 | 12. **CROPS EXCLUSIVELY USED FOR ANIMAL FEED** | ►M58 — ◄ | ►M210 — ◄ | ►M165 — ◄ | | ►M195 — ◄ | ►M143 — ◄ | ►M160 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,05 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | 0,02 (*) | ►M176 0,01 (*) ◄ | ►M91 — ◄ | ►M32 — ◄ |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | |
| ►M77 — ◄ | ►M165 — ◄ | ►M213 — ◄ | ►M106 — ◄ | | | ►M91 — ◄ | |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |
| ►M52 — ◄ | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | ►M42 — ◄ | ►M91 — ◄ | |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | | ►M91 — ◄ | |
| | ►M68 — ◄ | ►M147 — ◄ | ►M71 — ◄ | ►M66 — ◄ | | ►M91 — ◄ | |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄ | ►M61 — ◄ | ►M195 — ◄ | ►M147 — ◄ | | ►M5 0,05 (*) ◄ |
| ►M144 — ◄ | ►M61 — ◄ | ►M195 — ◄ | ►M147 — ◄ | | ►M5 0,05 (*) ◄ |
| ►M144 — ◄ | ►M61 — ◄ | ►M195 — ◄ | ►M147 — ◄ | | ►M5 0,05 (*) ◄ |
| ►M144 — ◄ | ►M61 — ◄ | ►M195 — ◄ | ►M147 — ◄ | | ►M5 0,05 (*) ◄ |

▼M5

| | | | | | |
|---|---|---|---|---|---|
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |
| ►M144 — ◄ | | ►M195 — ◄ | ►M147 — ◄ | | |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M74 — ▲M74 | ▼M109 Spirodiclofen [F] ▲M109 | ▼M149 Spiromesifen ▲M149 | ▼M107 — ▲M107 | ▼M11 — ▲M11 | ▼M160 — ▲M160 |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M74 — ◄ | ►M5 — ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0110010 | Grapefruit | ►M74 — ◄ | ►M109 0,5 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0110020 | Oranges | ►M74 — ◄ | ►M109 0,5 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0110030 | Lemons | ►M74 — ◄ | ►M109 0,5 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0110040 | Limes | ►M74 — ◄ | ►M109 0,4 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0110050 | Mandarins | ►M74 — ◄ | ►M109 0,4 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0110990 | Others | ►M74 — ◄ | ►M109 0,4 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M74 — ◄ | ►M5 — ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| ▼M49 — ▲M49 | ▼M147 — ▲M147 | ▼M119 — ▲M119 | ▼M91 — ▲M91 | ▼M174 — ▲M174 | Terbufos | ▼M169 — ▲M169 | ▼M210 — ▲M210 |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| ▼<br>M16 Tetradifon<br>▲ | ▼<br>M93<br>▲ | ▼<br>M50<br>▲ | ▼<br>M93<br>▲ | Tri-allate | ▼<br>M32<br>▲ | ▼<br>M131<br>▲ | ▼<br>M120<br>▲ |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | 0,1 (*) | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 0,02 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| ▼M138 ▲ | ▼M138 ▲ | ▼M32 ▲ | ▼M51 ▲ |
|---|---|---|---|
| (25) | (26) | (27) | (28) |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M74 — ◄ | ►M109 0,1 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120020 | Brazil nuts | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120030 | Cashew nuts | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120040 | Chestnuts | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120050 | Coconuts | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120060 | Hazelnuts | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120070 | Macadamia | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120080 | Pecans | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120090 | Pine nuts | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120100 | Pistachios | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120110 | Walnuts | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0120990 | Others | ►M74 — ◄ | ►M109 0,05 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M74 — ◄ | ►M109 0,8 ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0130010 | Apples | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0130020 | Pears | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0130030 | Quinces | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0130040 | Medlar | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0130050 | Loquat | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0130990 | Others | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M74 — ◄ | ►M109 2 ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0140010 | Apricots | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0140020 | Cherries | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0140030 | Peaches | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0140040 | Plums | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0140990 | Others | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 0,01 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 0,01 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 0,01 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M74 — ◄ | ►M5 — ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0151010 | Table grapes | ►M74 — ◄ | ►M109 2 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0151020 | Wine grapes | ►M74 — ◄ | ►M109 0,2 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0152000 | (b) *Strawberries* | ►M74 — ◄ | ►M109 2 ◄ | ►M149 1 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0153010 | Blackberries | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0153020 | Dewberries | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0153030 | Raspberries | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0153990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0154010 | Blueberries | ►M74 — ◄ | ►M109 4 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154020 | Cranberries | ►M74 — ◄ | ►M109 **0,8** ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154030 | Currants (red, black and white) | ►M74 — ◄ | ►M109 1 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154040 | Gooseberries | ►M74 — ◄ | ►M109 **0,8** ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154050 | Rose hips | ►M74 — ◄ | ►M109 0,1 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154060 | Mulberries | ►M74 — ◄ | ►M109 0,1 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M74 — ◄ | ►M109 0,1 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154080 | Elderberries | ►M74 — ◄ | ►M109 0,1 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0154990 | Others | ►M74 — ◄ | ►M109 0,1 ◄ | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| 2 | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| 0,02 (*) | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| 0,02 (*) | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
|

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M74 — ◄ | ►M33 — ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0161000 | (a) *Edible peel* | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0161010 | Dates | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0161020 | Figs | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0161030 | Table olives | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0161040 | Kumquats | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0161050 | Carambola | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0161060 | Persimmon | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0161070 | Jambolan (java plum) | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0161990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M5 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0162010 | Kiwi | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0162020 | Lychee (Litchi) | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0162030 | Passion fruit | ►M74 — ◄ | | ►M149 1 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0162050 | Star apple | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0162990 | Others | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0163010 | Avocados | ►M74 — ◄ | ►M109 1 ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M16 0,01 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
|

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M74 — ◄ | ►M109 0,3 ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163030 | Mangoes | ►M74 — ◄ | ►M109 1 ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163040 | Papaya | ►M74 — ◄ | ►M109 1 ◄ | ►M149 1 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163050 | Pomegranate | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163060 | Cherimoya | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163070 | Guava | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163080 | Pineapples | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163090 | Bread fruit | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163100 | Durian | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163110 | Soursop (guanabana) | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0163990 | Others | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0211000 | (a) *Potatoes* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0212010 | Cassava | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0212020 | Sweet potatoes | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0212030 | Yams | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0212040 | Arrowroot | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0212990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,05 | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | 0,1 (*) | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 0,01 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213010 | Beetroot | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213020 | Carrots | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213030 | Celeriac | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213040 | Horseradish | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213050 | Jerusalem artichokes | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213060 | Parsnips | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213070 | Parsley root | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213080 | Radishes | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213090 | Salsify | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213100 | Swedes | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213110 | Turnips | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0213990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0220010 | Garlic | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0220020 | Onions | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0220030 | Shallots | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0220040 | Spring onions | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0220990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0231000 | (a) *Solanacea* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| ►**M16** 0,02 (*) ◄ | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| ►**M16** **0,01** (*) ◄ | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| 0,02 (*) | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M74 — ◄ | ►M109 0,5 ◄ | ►M149 1 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0231020 | Peppers | ►M74 — ◄ | ►M109 0,2 ◄ | ►M149 0,5 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,5 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0231040 | Okra, lady's fingers | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0231990 | Others | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0232010 | Cucumbers | ►M74 — ◄ | ►M109 0,1 ◄ | ►M149 0,3 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0232020 | Gherkins | ►M74 — ◄ | ►M109 0,1 ◄ | ►M149 0,3 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0232030 | Courgettes | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,3 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0232990 | Others | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,3 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0233010 | Melons | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0233020 | Pumpkins | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0233030 | Watermelons | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0233990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0241010 | Broccoli | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0241020 | Cauliflower | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| 2 | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| 2 | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| 0,02 (*) | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| 0,02 (*) | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0242000 | (b) *Head brassica* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0242010 | Brussels sprouts | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0242020 | Head cabbage | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0242990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0243010 | Chinese cabbage | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0243020 | Kale | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0243990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0251010 | Lamb's lettuce | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0251020 | Lettuce | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0251040 | Cress | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0251050 | Land cress | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0251060 | Rocket, Rucola | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 0,01 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼**M2**

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |
| ►**M138** — ◄ | ►**M138** — ◄ | ►**M32** — ◄ | ►**M51** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0251990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0252010 | Spinach | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0252020 | Purslane | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0252030 | Beet leaves (chard) | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0252990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0254000 | (d) *Water cress* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0255000 | (e) *Witloof* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256000 | (f) *Herbs* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256010 | Chervil | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256020 | Chives | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256030 | Celery leaves | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256040 | Parsley | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256050 | Sage | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256060 | Rosemary | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256070 | Thyme | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256080 | Basil | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄<br>►M93 — ◄ | ►M50 — ◄<br>►M50 — ◄ | ►M93 — ◄<br>►M93 — ◄ | | ►M32 — ◄<br>►M32 — ◄ | ►M131 — ◄<br>►M131 — ◄ | ►M120 — ◄<br>►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄ | ►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄ | ►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄ | | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M131 — ◄<br>►M131 — ◄<br>►M131 — ◄ | ►M120 — ◄<br>►M120 — ◄<br>►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄ | ►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄<br>►M50 — ◄ | ►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄<br>►M93 — ◄ | | ►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄<br>►M32 — ◄ | ►M131 — ◄<br>►M131 — ◄<br>►M131 — ◄<br>►M131 — ◄<br>►M131 — ◄<br>►M131 — ◄<br>►M131 — ◄<br>►M131 — ◄ | ►M120 — ◄<br>►M120 — ◄<br>►M120 — ◄<br>►M120 — ◄<br>►M120 — ◄<br>►M120 — ◄<br>►M120 — ◄<br>►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256100 | Tarragon | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0256990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0260010 | Beans (with pods) | ►M74 — ◄ | | ►M149 1 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0260020 | Beans (without pods) | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0260030 | Peas (with pods) | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0260040 | Peas (without pods) | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0260050 | Lentils | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0260990 | Others | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0270010 | Asparagus | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270020 | Cardoons | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270030 | Celery | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270040 | Fennel | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270050 | Globe artichokes | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270060 | Leek | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270070 | Rhubarb | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270080 | Bamboo shoots | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270090 | Palm hearts | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0270990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 0,01 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 0,01 (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0280010 | Cultivated | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0280020 | Wild | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0280990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0300010 | Beans | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0300020 | Lentils | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0300030 | Peas | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0300040 | Lupins | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0300990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0401010 | Linseed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401020 | Peanuts | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401030 | Poppy seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401040 | Sesame seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401050 | Sunflower seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401060 | Rape seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401070 | Soya bean | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M16 **0,01** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | 0,1 (*) | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| 0,05 (*) | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | 0,1 (*) | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,02** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401090 | Cotton seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401100 | Pumpkin seeds | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401110 | Safflower | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401120 | Borage | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401130 | Gold of pleasure | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401140 | Hempseed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401150 | Castor bean | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0401990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0402010 | Olives for oil production | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0402030 | Palmfruit | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0402040 | Kapok | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0402990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0500000 | 5. **CEREALS** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0500010 | Barley | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0500020 | Buckwheat | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0500030 | Maize | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0500040 | Millet | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0500050 | Oats | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0500060 | Rice | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0500070 | Rye | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,02** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,02** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,02** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,02** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | 0,1 (*) | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0500090 | Wheat | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0500990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M39 — ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M74 — ◄ | | ►M149 50 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M74 — ◄ | | ►M149 **0,05** ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0631000 | (a) *Flowers* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0631010 | Camomille flowers | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0631020 | Hybiscus flowers | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0631030 | Rose petals | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0631040 | Jasmine flowers | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0631050 | Lime (linden) | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0631990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0632000 | (b) *Leaves* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0632010 | Strawberry leaves | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| ►**M16** 0,05 (*) ◄ | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | 0,1 (*) | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0632030 | Maté | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0632990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0633000 | (c) *Roots* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0633010 | Valerian root | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0633020 | Ginseng root | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0633990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M74 — ◄ | ►M109 40 ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0800000 | 8. **SPICES** | ►M74 — ◄ | ►M109 — ◄ | ►M5 — ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0810000 | (i) **Seeds** | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0810010 | Anise | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0810020 | Black caraway | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0810030 | Celery seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0810040 | Coriander seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0810050 | Cumin seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0810060 | Dill seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| ►**M16** **0,05** (*) ◄ | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | 0,1 (*) | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| ►**M16** 0,05 (*) ◄ | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | 0,1 (*) | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0810080 | Fenugreek | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0810090 | Nutmeg | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0810990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0820010 | Allspice | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0820030 | Caraway | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0820040 | Cardamom | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0820050 | Juniper berries | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0820060 | Pepper, black and white | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0820070 | Vanilla pods | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0820080 | Tamarind | ►M74 — ◄ | | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0820990 | Others | ►M74 — ◄ | | ►M149 0,05 ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0830000 | (iii) **Bark** | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0830010 | Cinnamon | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0830990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M74 — ◄ | | ►M149 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0840010 | Liquorice | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0840020 | Ginger | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |
| ►M138 —◄ | ►M138 —◄ | ►M32 —◄ | ►M51 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M74 — ◄ | ►M109 (+) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 0840990 | Others | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0850000 | (v) **Buds** | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0850010 | Cloves | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0850020 | Capers | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0850990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0860010 | Saffron | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0860990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0870000 | (vii) **Aril** | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0870010 | Mace | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0870990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M149 0,02 (*) ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 0900010 | Sugar beet (root) | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0900020 | Sugar cane | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0900030 | Chicory roots | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 0900990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M74 — ◄ | | ►M149 0,01 (*) ◄ | ►M107 — ◄ | ►M11 — ◄ | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | 0,01 (*) | ►M169 — ◄ | ►M210 — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| ►**M16** **0,01** (*) ◄ | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | 0,1 (*) | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |
| ►**M16** 0,05 (*) ◄ | ►**M93** — ◄ | ►**M50** — ◄ | ►**M93** — ◄ | 0,05 (*) | ►**M32** — ◄ | ►**M131** — ◄ | ►**M120** — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M74 — ◄ | | ►M39 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 1011000 | (a) *Swine* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1011010 | Meat | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1011020 | Fat free of lean meat | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1011030 | Liver | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1011040 | Kidney | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1011050 | Edible offal | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1011990 | Others | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1012000 | (b) *Bovine* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1012010 | Meat | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1012020 | Fat | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1012030 | Liver | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1012050 | Edible offal | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1012990 | Others | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1013000 | (c) *Sheep* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1013010 | Meat | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1013020 | Fat | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1013030 | Liver | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1013040 | Kidney | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1013050 | Edible offal | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1013990 | Others | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1014000 | (d) *Goat* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1014010 | Meat | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1014020 | Fat | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1014030 | Liver | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1014040 | Kidney | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1014050 | Edible offal | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1014990 | Others | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1015010 | Meat | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1015020 | Fat | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1015030 | Liver | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1015050 | Edible offal | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1015990 | Others | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1016010 | Meat | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1016020 | Fat | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1016030 | Liver | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1016040 | Kidney | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1016050 | Edible offal | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1016990 | Others | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1017010 | Meat | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1017020 | Fat | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1017030 | Liver | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1017040 | Kidney | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1017050 | Edible offal | ►M74 — ◄ | ►M109 0,05 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |
| 1017990 | Others | ►M74 — ◄ | ►M109 0,01 (*) ◄ | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M74 — ◄ | ►M109 0,004 (*) ◄ | ►M39 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 1020010 | Cattle | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1020020 | Sheep | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1020030 | Goat | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1020040 | Horse | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1020990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M39 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 1030010 | Chicken | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1030020 | Duck | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1030030 | Goose | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |
| ►M49 — ◄ | ►M147 — ◄ | ►M119 — ◄ | ►M91 — ◄ | ►M174 — ◄ | | ►M169 — ◄ | ►M210 — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | ►M11 — ◄ | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1030990 | Others | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1040000 | (iv) **Honey** | ►M74 — ◄ | ►M109 0,05 (*) ◄ | ►M39 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M39 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 1060000 | (vi) **Snails** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M39 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M74 — ◄ | ►M109 0,02 (*) ◄ | ►M39 — ◄ | ►M107 — ◄ | | ►M160 — ◄ |
| ▼M5 | | | | | | | |
| 1100000 | 11. **FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS** | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |
| 1200000 | 12. **CROPS EXCLUSIVELY USED FOR ANIMAL FEED** | ►M74 — ◄ | | | ►M107 — ◄ | | ►M160 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M49 —◄ | ►M147 —◄ | ►M119 —◄ | ►M91 —◄ | ►M174 —◄ | | ►M169 —◄ | ►M210 —◄ |
| ►M49 —◄ | ►M147 —◄ | ►M119 —◄ | ►M91 —◄ | ►M174 —◄ | | ►M169 —◄ | ►M210 —◄ |
| ►M49 —◄ | ►M147 —◄ | ►M119 —◄ | ►M91 —◄ | ►M174 —◄ | | ►M169 —◄ | ►M210 —◄ |
| ►M49 —◄ | ►M147 —◄ | ►M119 —◄ | ►M91 —◄ | ►M174 —◄ | | ►M169 —◄ | ►M210 —◄ |
| ►M49 —◄ | ►M147 —◄ | ►M119 —◄ | ►M91 —◄ | ►M174 —◄ | | ►M169 —◄ | ►M210 —◄ |
| ►M49 —◄ | ►M147 —◄ | ►M119 —◄ | ►M91 —◄ | ►M174 —◄ | | ►M169 —◄ | ►M210 —◄ |

▼M5

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | ►M147 —◄ | ►M119 —◄ | ►M91 —◄ | ►M174 —◄ | | ►M169 —◄ | ►M210 —◄ |
| | ►M147 —◄ | ►M119 —◄ | ►M91 —◄ | ►M174 —◄ | | ►M169 —◄ | ►M210 —◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | ►M50 — ◄ | ►M93 — ◄ | | ►M32 — ◄ | ►M131 — ◄ | ►M120 — ◄ |
| ▼M5 | ►M93 — ◄ | | ►M93 — ◄ | | | ►M131 — ◄ | ►M120 — ◄ |
| | ►M93 — ◄ | | ►M93 — ◄ | | | ►M131 — ◄ | ►M120 — ◄ |

▼M2

| (25) | (26) | (27) | (28) |
|---|---|---|---|
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | ►M32 — ◄ | ►M51 — ◄ |
| ►M138 — ◄ | ►M138 — ◄ | | ►M51 — ◄ |
| ▼M5 ►M138 — ◄ | ►M138 — ◄ | | |
| ►M138 — ◄ | ►M138 — ◄ | | |

▼M5

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M182▲ | ▼M197▲ | ▼M74▲ | ▼M160▲ | ▼M42▲ | ▼M93▲ |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0110010 | Grapefruit | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0110020 | Oranges | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0110030 | Lemons | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0110040 | Limes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0110050 | Mandarins | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0110990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼**M5**

| ▼ M151 ▲ | Fenpropathrin | ▼ M91 ▲ | ▼ M184 ▲ | ▼ M160 ▲ | ▼ M168 ▲ | ▼ M195 ▲ | Fluoroglycofene |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| ►**M151** — ◄ | | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | 0,01 (*) |
| ►**M151** — ◄ | 2 | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |
| ►**M151** — ◄ | | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |
| ►**M151** — ◄ | | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |
| ►**M151** — ◄ | | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |
| ►**M151** — ◄ | | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |
| ►**M151** — ◄ | | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |
| ►**M151** — ◄ | | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |
| ►**M151** — ◄ | 0,01 (*) | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |

▼**M5**

| ▼ ▲**M74** — | ▼ ▲**M16** Fomesafen | Furfural [1] | Halosulfuron methyl | ▼ ▲**M169** — | ▼ ▲**M32** — | ▼ ▲**M70** Malathion (sum of malathion and malaoxon expressed as malathion) ▼ | ▼ ▲**M150** — |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| ►**M74** — ◄ | 0,01 (*) | 1 | 0,01 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** **2** ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,02** (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |

▼M5

| |
|---|
| ▼M32 — ▲M32 |
| (25) |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120020 | Brazil nuts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120030 | Cashew nuts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120040 | Chestnuts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120050 | Coconuts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120060 | Hazelnuts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120070 | Macadamia | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120080 | Pecans | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120090 | Pine nuts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120100 | Pistachios | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120110 | Walnuts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0120990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0130010 | Apples | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0130020 | Pears | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0130030 | Quinces | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0130040 | Medlar | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0130050 | Loquat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0130990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0140010 | Apricots | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0140020 | Cherries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0140030 | Peaches | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0140040 | Plums | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0140990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |

▼M5



▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0151010 | Table grapes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0151020 | Wine grapes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0152000 | (b) *Strawberries* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0153010 | Blackberries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0153020 | Dewberries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0153030 | Raspberries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0153990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154010 | Blueberries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154020 | Cranberries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154030 | Currants (red, black and white) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154040 | Gooseberries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154050 | Rose hips | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154060 | Mulberries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154080 | Elderberries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0154990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 2430

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 2 | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |





▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161000 | (a) *Edible peel* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161010 | Dates | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161020 | Figs | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161030 | Table olives | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161040 | Kumquats | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161050 | Carambola | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161060 | Persimmon | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161070 | Jambolan (java plum) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0161990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0162010 | Kiwi | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0162020 | Lychee (Litchi) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0162030 | Passion fruit | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0162050 | Star apple | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0162990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163010 | Avocados | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ |

▼M5


(25)
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —
▼M32 —

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163030 | Mangoes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163040 | Papaya | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163050 | Pomegranate | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163060 | Cherimoya | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163070 | Guava | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163080 | Pineapples | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163090 | Bread fruit | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163100 | Durian | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163110 | Soursop (guanabana) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0163990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0211000 | (a) *Potatoes* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0212010 | Cassava | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0212020 | Sweet potatoes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0212030 | Yams | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0212040 | Arrowroot | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0212990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,1 |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | 0,01 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213010 | Beetroot | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213020 | Carrots | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213030 | Celeriac | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213040 | Horseradish | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213050 | Jerusalem artichokes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213060 | Parsnips | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213070 | Parsley root | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213080 | Radishes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213090 | Salsify | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213100 | Swedes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213110 | Turnips | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0213990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0220010 | Garlic | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0220020 | Onions | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0220030 | Shallots | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0220040 | Spring onions | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0220990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0231000 | (a) *Solanacea* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,02** (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 5 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0231020 | Peppers | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0231040 | Okra, lady's fingers | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0231990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0232010 | Cucumbers | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0232020 | Gherkins | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0232030 | Courgettes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0232990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0233000 | (c) *Cucurbits — inedible peel* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0233010 | Melons | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0233020 | Pumpkins | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0233030 | Watermelons | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0233990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0241010 | Broccoli | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0241020 | Cauliflower | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 1 | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0242000 | (b) *Head brassica* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0242010 | Brussels sprouts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0242020 | Head cabbage | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0242990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0243010 | Chinese cabbage | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0243020 | Kale | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0243990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251010 | Lamb's lettuce | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251020 | Lettuce | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251040 | Cress | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251050 | Land cress | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251060 | Rocket, Rucola | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** **0,5** ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251080 | Leaves and sprouts of *Brassica spp.* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0251990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0252010 | Spinach | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0252020 | Purslane | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0252030 | Beet leaves (chard) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0252990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0254000 | (d) *Water cress* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0255000 | (e) *Witloof* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256000 | (f) *Herbs* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256010 | Chervil | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256020 | Chives | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256030 | Celery leaves | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256040 | Parsley | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256050 | Sage | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256060 | Rosemary | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256070 | Thyme | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256080 | Basil | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |

▼M5


(25)
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256100 | Tarragon | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0256990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0260010 | Beans (with pods) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0260020 | Beans (without pods) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0260030 | Peas (with pods) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0260040 | Peas (without pods) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0260050 | Lentils | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0260990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270010 | Asparagus | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270020 | Cardoons | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270030 | Celery | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270040 | Fennel | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270050 | Globe artichokes | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270060 | Leek | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270070 | Rhubarb | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270080 | Bamboo shoots | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270090 | Palm hearts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0270990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | ►M16 **0,01** (*) ◄ | 1 | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | 0,05 | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | 0,05 | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | 0,05 | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | 0,05 | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | 0,01 (*) | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | 0,01 (*) | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | ►M16 0,01 (*) ◄ | 1 | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0280010 | Cultivated | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0280020 | Wild | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0280990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0300010 | Beans | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0300020 | Lentils | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0300030 | Peas | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0300040 | Lupins | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0300990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401010 | Linseed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401020 | Peanuts | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401030 | Poppy seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401040 | Sesame seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401050 | Sunflower seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401060 | Rape seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401070 | Soya bean | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,01** (*) ◄ | 1 | 0,01 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,05 | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,05 | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | 0,01 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,02** (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,05 | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401090 | Cotton seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401100 | Pumpkin seeds | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401110 | Safflower | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401120 | Borage | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401130 | Gold of pleasure | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401140 | Hempseed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401150 | Castor bean | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0401990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0402010 | Olives for oil production | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0402030 | Palmfruit | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0402040 | Kapok | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0402990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500000 | 5. **CEREALS** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500010 | Barley | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500020 | Buckwheat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500030 | Maize | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500040 | Millet | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500050 | Oats | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500060 | Rice | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500070 | Rye | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M151** — ◄ | | ►**M91** — ◄ | ►**M184** — ◄ | ►**M160** — ◄ | ►**M168** — ◄ | ►**M195** — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | 0,01 (*) | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,02** (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,02** (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,02** (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,02** (*) ◄ | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | 1 | 0,01 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 8 ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |

▼M5



▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500090 | Wheat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0500990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0631000 | (a) *Flowers* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0631010 | Camomille flowers | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0631020 | Hybiscus flowers | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0631030 | Rose petals | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0631040 | Jasmine flowers | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0631050 | Lime (linden) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0631990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0632000 | (b) *Leaves* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0632010 | Strawberry leaves | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | 0,02 (*) |
| ►**M151** —◄ | 2 | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | 0,02 (*) | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | 0,02 (*) | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,05** (*) ◄ | 1 | 0,02 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M25** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,5 ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 1,5 ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |

▼M5


(25)
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32
▼M32 — ▲M32

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0632030 | Maté | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0632990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0633000 | (c) *Roots* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0633010 | Valerian root | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0633020 | Ginseng root | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0633990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0800000 | 8. **SPICES** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810000 | (i) **Seeds** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810010 | Anise | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810020 | Black caraway | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810030 | Celery seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810040 | Coriander seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810040 | Coriander seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810060 | Dill seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,02 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,02 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,02 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,02 (*) |
| ►M151 — ◄ | 0,02 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,02 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,05** (*) ◄ | 1 | 0,02 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,05** (*) ◄ | 1 | 0,02 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** — ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |

▼M5


(25)
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲
▼M32 — ▲

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810080 | Fenugreek | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810090 | Nutmeg | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0810990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820010 | Allspice | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820030 | Caraway | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820040 | Cardamom | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820050 | Juniper berries | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820060 | Pepper, black and white | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820070 | Vanilla pods | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820080 | Tamarind | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0820990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0830000 | (iii) **Bark** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0830010 | Cinnamon | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0830990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0840010 | Liquorice | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0840020 | Ginger | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M25 — ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | ►M70 0,02 (*) ◄ | ►M150 — ◄ |

▼M5



▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0840990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0850000 | (v) **Buds** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0850010 | Cloves | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0850020 | Capers | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0850990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0860010 | Saffron | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0860990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0870000 | (vii) **Aril** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0870010 | Mace | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0870990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0900010 | Sugar beet (root) | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0900020 | Sugar cane | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0900030 | Chicory roots | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 0900990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 2482

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | 0,01 (*) | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | 0,01 (*) |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** **(+)** ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** 0,01 (*) ◄ | | 0,01 (*) | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | 2 | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | ►**M16** **0,01** (*) ◄ | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** — ◄ | ►**M150** — ◄ |

▼M5



▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1011000 | (a) *Swine* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1011010 | Meat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1011020 | Fat free of lean meat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1011030 | Liver | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1011040 | Kidney | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1011050 | Edible offal | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1011990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1012000 | (b) *Bovine* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1012010 | Meat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1012020 | Fat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1012030 | Liver | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |

▼M5

| | |
|---|---|
| (25) | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |
| | ▼M32 — ▲M32 |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1012050 | Edible offal | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1012990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1013000 | (c) *Sheep* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1013010 | Meat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1013020 | Fat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1013030 | Liver | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1013040 | Kidney | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1013050 | Edible offal | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1013990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1014000 | (d) *Goat* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1014010 | Meat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1014020 | Fat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1014030 | Liver | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1014040 | Kidney | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1014050 | Edible offal | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1014990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1015010 | Meat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1015020 | Fat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1015030 | Liver | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M74 — ◄ | | | | ►M169 — ◄ | ►M32 — ◄ | | ►M150 — ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1015050 | Edible offal | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1015990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl —, ostrich, pigeon* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1016010 | Meat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1016020 | Fat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1016030 | Liver | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1016040 | Kidney | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1016050 | Edible offal | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1016990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1017010 | Meat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1017020 | Fat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1017030 | Liver | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1017040 | Kidney | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1017050 | Edible offal | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1017990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |
| ►M74 —— ◄ | | | | ►M169 —— ◄ | ►M32 —— ◄ | | ►M150 —— ◄ |

▼M5

| (25) |
| --- |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |
| ►M32 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1020010 | Cattle | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1020020 | Sheep | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1020030 | Goat | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1020040 | Horse | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1020990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1030010 | Chicken | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1030020 | Duck | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1030030 | Goose | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |
| ►M151 — ◄ | | ►M91 — ◄ | ►M184 — ◄ | ►M160 — ◄ | ►M168 — ◄ | ►M195 — ◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |

▼M5



▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1030990 | Others | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1040000 | (iv) **Honey** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1060000 | (vi) **Snails** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | ►M42 — ◄ | ►M93 — ◄ |
| 1100000 | 11. **FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | | ►M93 — ◄ |
| 1200000 | 12. **CROPS EXCLUSIVELY USED FOR ANIMAL FEED** | ►M182 — ◄ | ►M197 — ◄ | ►M74 — ◄ | ►M160 — ◄ | | ►M93 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |
| ►**M151** —◄ | | ►**M91** —◄ | ►**M184** —◄ | ►**M160** —◄ | ►**M168** —◄ | ►**M195** —◄ | |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | ►**M32** — ◄ | | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** **0,05** (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | 1 | | ►**M169** — ◄ | ►**M32** — ◄ | ►**M70** 0,02 (*) ◄ | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | | | ►**M150** — ◄ |
| ►**M74** — ◄ | | | | ►**M169** — ◄ | | | ►**M150** — ◄ |

▼M5



▼M5

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M184▲ | ▼M184▲ | ▼M155▲ | ▼M84▲ | ▼M137▲ | ▼M138▲ |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0110010 | Grapefruit | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0110020 | Oranges | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0110030 | Lemons | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0110040 | Limes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0110050 | Mandarins | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0110990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| Phentoate | ▼ **M198** — ▲ | ▼ **M150** — ▲ | ▼ **M168** — ▲ | Pyrasulfutole | ▼ **M195** — ▲ | ▼ **M32** Quinclorac ▲ | ▼ **M174** — ▲ |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | ►**M32** — ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M174** — ◄ |

▼**M5**

| ▼<br>**M170**<br>▲ | ▼<br>**M195**<br>▲ | ▼<br>**M151**<br>▲ | ▼<br>**M42**<br>▲ | ▼<br>**M205**<br>▲ | ▼<br>▼<br>**M102** ▲ **C11**<br>▲ | ▼<br>**M110**<br>▲ | Tritosulfuron |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | 0,01 (*) |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |

▼M5

| |
|---|
| ▼M198 ▲ |
| (25) |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0120010 | Almonds | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120020 | Brazil nuts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120030 | Cashew nuts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120040 | Chestnuts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120050 | Coconuts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120060 | Hazelnuts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120070 | Macadamia | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120080 | Pecans | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120090 | Pine nuts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120100 | Pistachios | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120110 | Walnuts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0120990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0130010 | Apples | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0130020 | Pears | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0130030 | Quinces | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0130040 | Medlar | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0130050 | Loquat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0130990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0140010 | Apricots | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0140020 | Cherries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0140030 | Peaches | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0140040 | Plums | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0140990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0151000 | (a) *Table and wine grapes* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0151010 | Table grapes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0151020 | Wine grapes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0152000 | (b) *Strawberries* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0153010 | Blackberries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0153020 | Dewberries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0153030 | Raspberries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0153990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154010 | Blueberries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154020 | Cranberries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154030 | Currants (red, black and white) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154040 | Gooseberries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154050 | Rose hips | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154060 | Mulberries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154080 | Elderberries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0154990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0160000 | (vi) **Miscellaneous fruit** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161000 | (a) *Edible peel* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161010 | Dates | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161020 | Figs | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161030 | Table olives | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161040 | Kumquats | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161050 | Carambola | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161060 | Persimmon | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161070 | Jambolan (java plum) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0161990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0162010 | Kiwi | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0162020 | Lychee (Litchi) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0162030 | Passion fruit | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0162050 | Star apple | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0162990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163010 | Avocados | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163020 | Bananas | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163030 | Mangoes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163040 | Papaya | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163050 | Pomegranate | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163060 | Cherimoya | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163070 | Guava | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163080 | Pineapples | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163090 | Bread fruit | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163100 | Durian | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163110 | Soursop (guanabana) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0163990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0211000 | (a) *Potatoes* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0212010 | Cassava | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0212020 | Sweet potatoes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0212030 | Yams | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0212040 | Arrowroot | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0212990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | ►**M32** — ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,01 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213010 | Beetroot | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213020 | Carrots | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213030 | Celeriac | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213040 | Horseradish | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213050 | Jerusalem artichokes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213060 | Parsnips | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213070 | Parsley root | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213080 | Radishes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213090 | Salsify | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213100 | Swedes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213110 | Turnips | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0213990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0220010 | Garlic | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0220020 | Onions | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0220030 | Shallots | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0220040 | Spring onions | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0220990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0231000 | (a) *Solanacea* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,02 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0231010 | Tomatoes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0231020 | Peppers | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0231040 | Okra, lady's fingers | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0231990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0232010 | Cucumbers | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0232020 | Gherkins | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0232030 | Courgettes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0232990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0233000 | (c) *Cucurbits — inedible peel* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0233010 | Melons | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0233020 | Pumpkins | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0233030 | Watermelons | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0233990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0241010 | Broccoli | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0241020 | Cauliflower | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄ | ►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄ | ►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄ | | ►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄ | | ►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄ | ►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄ | ►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄ | | ►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄ | | ►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄ | ►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄ | ►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄ | | ►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄ | | ►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄<br>►M198 — ◄ | ►M150 — ◄<br>►M150 — ◄ | ►M168 — ◄<br>►M168 — ◄ | | ►M195 — ◄<br>►M195 — ◄ | | ►M174 — ◄<br>►M174 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0241990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0242000 | (b) *Head brassica* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0242010 | Brussels sprouts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0242020 | Head cabbage | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0242990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0243010 | Chinese cabbage | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0243020 | Kale | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0243990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251010 | Lamb's lettuce | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251020 | Lettuce | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251040 | Cress | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251050 | Land cress | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251060 | Rocket, Rucola | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄<br>►**M198** — ◄ | ►**M150** — ◄<br>►**M150** — ◄ | ►**M168** — ◄<br>►**M168** — ◄ | | ►**M195** — ◄<br>►**M195** — ◄ | | ►**M174** — ◄<br>►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄<br>►**M198** — ◄ | ►**M150** — ◄<br>►**M150** — ◄ | ►**M168** — ◄<br>►**M168** — ◄ | | ►**M195** — ◄<br>►**M195** — ◄ | | ►**M174** — ◄<br>►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄<br>►**M198** — ◄<br>►**M198** — ◄<br>►**M198** — ◄<br>►**M198** — ◄<br>►**M198** — ◄ | ►**M150** — ◄<br>►**M150** — ◄<br>►**M150** — ◄<br>►**M150** — ◄<br>►**M150** — ◄<br>►**M150** — ◄ | ►**M168** — ◄<br>►**M168** — ◄<br>►**M168** — ◄<br>►**M168** — ◄<br>►**M168** — ◄<br>►**M168** — ◄ | | ►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄<br>►**M195** — ◄ | | ►**M174** — ◄<br>►**M174** — ◄<br>►**M174** — ◄<br>►**M174** — ◄<br>►**M174** — ◄<br>►**M174** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0251070 | Red mustard | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251080 | Leaves and sprouts of *Brassica spp.* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0251990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0252010 | Spinach | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0252020 | Purslane | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0252030 | Beet leaves (chard) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0252990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0254000 | (d) *Water cress* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0255000 | (e) *Witloof* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256000 | (f) *Herbs* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256010 | Chervil | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256020 | Chives | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256030 | Celery leaves | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256040 | Parsley | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256050 | Sage | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256060 | Rosemary | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256070 | Thyme | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256080 | Basil | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄<br>►M198 — ◄ | ►M150 — ◄<br>►M150 — ◄ | ►M168 — ◄<br>►M168 — ◄ | | ►M195 — ◄<br>►M195 — ◄ | | ►M174 — ◄<br>►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄ | ►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄ | ►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄ | | ►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄ | | ►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,02 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄<br>►M198 — ◄ | ►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄<br>►M150 — ◄ | ►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄<br>►M168 — ◄ | | ►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄<br>►M195 — ◄ | | ►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄<br>►M174 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0256090 | Bay leaves (laurel) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256100 | Tarragon | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0256990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0260010 | Beans (with pods) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0260020 | Beans (without pods) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0260030 | Peas (with pods) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0260040 | Peas (without pods) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0260050 | Lentils | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0260990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270010 | Asparagus | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270020 | Cardoons | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270030 | Celery | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270040 | Fennel | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270050 | Globe artichokes | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270060 | Leek | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270070 | Rhubarb | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270080 | Bamboo shoots | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270090 | Palm hearts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0270990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | ►M32 0,01 (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0280000 | (viii) **Fungi** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0280010 | Cultivated | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0280020 | Wild | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0280990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0300010 | Beans | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0300020 | Lentils | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0300030 | Peas | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0300040 | Lupins | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0300990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401010 | Linseed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401020 | Peanuts | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401030 | Poppy seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401040 | Sesame seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401050 | Sunflower seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401060 | Rape seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401070 | Soya bean | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,01 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,01 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0401080 | Mustard seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401090 | Cotton seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401100 | Pumpkin seeds | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401110 | Safflower | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401120 | Borage | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401130 | Gold of pleasure | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401140 | Hempseed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401150 | Castor bean | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0401990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0402010 | Olives for oil production | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0402030 | Palmfruit | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0402040 | Kapok | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0402990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500000 | 5. **CEREALS** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500010 | Barley | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500020 | Buckwheat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500030 | Maize | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500040 | Millet | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500050 | Oats | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500060 | Rice | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500070 | Rye | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5



▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0500080 | Sorghum | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500090 | Wheat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0500990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0631000 | (a) *Flowers* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0631010 | Camomille flowers | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0631020 | Hybiscus flowers | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0631030 | Rose petals | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0631040 | Jasmine flowers | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0631050 | Lime (linden) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0631990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0632000 | (b) *Leaves* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0632010 | Strawberry leaves | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,02 (*) | ►M195 — ◄ | ►M32 **0,01** (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,02 (*) | ►M195 — ◄ | ►M32 **0,01** (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,02 (*) | ►M195 — ◄ | ►M32 **0,01** (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,02 (*) | ►M195 — ◄ | ►M32 **0,05** (*) ◄ | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,02 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0632020 | Rooibos leaves | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0632030 | Maté | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0632990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0633000 | (c) *Roots* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0633010 | Valerian root | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0633020 | Ginseng root | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0633990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0800000 | 8. **SPICES** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810000 | (i) **Seeds** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810010 | Anise | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810020 | Black caraway | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810030 | Celery seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810040 | Coriander seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810040 | Coriander seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810060 | Dill seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,02 (*) | ►**M195** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,02 (*) | ►**M195** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M174** — ◄ |
| 7 | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,02 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,02 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5


(25)
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —
▼M198 —

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0810070 | Fennel seed | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810080 | Fenugreek | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810090 | Nutmeg | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0810990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820010 | Allspice | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820030 | Caraway | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820040 | Cardamom | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820050 | Juniper berries | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820060 | Pepper, black and white | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820070 | Vanilla pods | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820080 | Tamarind | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0820990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0830000 | (iii) **Bark** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0830010 | Cinnamon | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0830990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0840010 | Liquorice | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0840020 | Ginger | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0840040 | Horseradish | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0840990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0850000 | (v) **Buds** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0850010 | Cloves | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0850020 | Capers | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0850990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0860010 | Saffron | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0860990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0870000 | (vii) **Aril** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0870010 | Mace | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0870990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0900010 | Sugar beet (root) | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0900020 | Sugar cane | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0900030 | Chicory roots | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 0900990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,01 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,01 (*) |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1011000 | (a) *Swine* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1011010 | Meat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1011020 | Fat free of lean meat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1011030 | Liver | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1011040 | Kidney | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1011050 | Edible offal | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1011990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1012000 | (b) *Bovine* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1012010 | Meat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1012020 | Fat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1012030 | Liver | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 1 | ►**M195** — ◄ | | ►**M174** — ◄ |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | 0,01 (*) |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |
| ►**M170** — ◄ | ►**M195** — ◄ | ►**M151** — ◄ | ►**M42** — ◄ | ►**M205** — ◄ | ►**M102** ►**C11** — ◄ ◄ | ►**M110** — ◄ | |

▼M5

| | |
|---|---|
| (25) | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |
| | ▼M198 — ▲M198 |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1012040 | Kidney | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1012050 | Edible offal | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1012990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1013000 | (c) *Sheep* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1013010 | Meat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1013020 | Fat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1013030 | Liver | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1013040 | Kidney | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1013050 | Edible offal | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1013990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1014000 | (d) *Goat* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1014010 | Meat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1014020 | Fat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1014030 | Liver | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1014040 | Kidney | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1014050 | Edible offal | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1014990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1015010 | Meat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1015020 | Fat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1015030 | Liver | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼M5

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,2 | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,01 (*) | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,01 (*) | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,01 (*) | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,01 (*) | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | 0,01 (*) | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |
| | ►M198 — ◄ | ►M150 — ◄ | ►M168 — ◄ | | ►M195 — ◄ | | ►M174 — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1015050 | Edible offal | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1015990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl —, ostrich, pigeon* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1016010 | Meat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1016020 | Fat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1016030 | Liver | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1016040 | Kidney | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1016050 | Edible offal | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1016990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1017010 | Meat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1017020 | Fat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1017030 | Liver | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1017040 | Kidney | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1017050 | Edible offal | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1017990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |
| ►M170 —◄ | ►M195 —◄ | ►M151 —◄ | ►M42 —◄ | ►M205 —◄ | ►M102 ►C11 —◄◄ | ►M110 —◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1020010 | Cattle | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1020020 | Sheep | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1020030 | Goat | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1020040 | Horse | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1020990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1030010 | Chicken | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1030020 | Duck | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1030030 | Goose | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |

▼M5

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,01 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | 0,01 (*) |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |
| ►M170 — ◄ | ►M195 — ◄ | ►M151 — ◄ | ►M42 — ◄ | ►M205 — ◄ | ►M102 ►C11 — ◄ ◄ | ►M110 — ◄ | |

▼M5

| (25) |
| --- |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |
| ►M198 — ◄ |

▼M5

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1030990 | Others | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1040000 | (iv) **Honey** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1060000 | (vi) **Snails** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1100000 | 11. **FISH, FISH PRODUCTS, SHELL FISH, MOLLUSCS AND OTHER MARINE AND FRESHWATER FOOD PRODUCTS** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |
| 1200000 | 12. **CROPS EXCLUSIVELY USED FOR ANIMAL FEED** | ►M184 — ◄ | ►M184 — ◄ | ►M155 — ◄ | ►M84 — ◄ | ►M137 — ◄ | ►M138 — ◄ |

▼**M5**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | 0,01 (*) | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |
| | ►**M198** — ◄ | ►**M150** — ◄ | ►**M168** — ◄ | | ►**M195** — ◄ | | ►**M174** — ◄ |

▼**M5**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| ►**M170** —— ◄ | ►**M195** —— ◄ | ►**M151** —— ◄ | ►**M42** —— ◄ | ►**M205** —— ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M110** —— ◄ | |
| ►**M170** —— ◄ | ►**M195** —— ◄ | ►**M151** —— ◄ | ►**M42** —— ◄ | ►**M205** —— ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M110** —— ◄ | |
| ►**M170** —— ◄ | ►**M195** —— ◄ | ►**M151** —— ◄ | ►**M42** —— ◄ | ►**M205** —— ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M110** —— ◄ | 0,01 (*) |
| ►**M170** —— ◄ | ►**M195** —— ◄ | ►**M151** —— ◄ | ►**M42** —— ◄ | ►**M205** —— ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M110** —— ◄ | 0,01 (*) |
| ►**M170** —— ◄ | ►**M195** —— ◄ | ►**M151** —— ◄ | ►**M42** —— ◄ | ►**M205** —— ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M110** —— ◄ | 0,01 (*) |
| ►**M170** —— ◄ | ►**M195** —— ◄ | ►**M151** —— ◄ | ►**M42** —— ◄ | ►**M205** —— ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M110** —— ◄ | 0,01 (*) |
| ►**M170** —— ◄ | ►**M195** —— ◄ | ►**M151** —— ◄ | | ►**M205** —— ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M110** —— ◄ | |
| ►**M170** —— ◄ | ►**M195** —— ◄ | ►**M151** —— ◄ | | ►**M205** —— ◄ | ►**M102** ►**C11** —— ◄ ◄ | ►**M110** —— ◄ | |

▼M5



▼M8

| *Pesticide residues and maximum residue levels (mg/kg)* | | | |
|---|---|---|---|
| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M197 — ◄ | ►M168 — ◄ |
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M197 — ◄ | ►M168 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M197 — ◄ | ►M168 — ◄ |
| 0110010 | Grapefruit | ►M197 — ◄ | ►M168 — ◄ |
| 0110020 | Oranges | ►M197 — ◄ | ►M168 — ◄ |
| 0110030 | Lemons | ►M197 — ◄ | ►M168 — ◄ |
| 0110040 | Limes | ►M197 — ◄ | ►M168 — ◄ |
| 0110050 | Mandarins | ►M197 — ◄ | ►M168 — ◄ |
| 0110990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M197 — ◄ | ►M168 — ◄ |
| 0120010 | Almonds | ►M197 — ◄ | ►M168 — ◄ |
| 0120020 | Brazil nuts | ►M197 — ◄ | ►M168 — ◄ |
| 0120030 | Cashew nuts | ►M197 — ◄ | ►M168 — ◄ |
| 0120040 | Chestnuts | ►M197 — ◄ | ►M168 — ◄ |
| 0120050 | Coconuts | ►M197 — ◄ | ►M168 — ◄ |
| 0120060 | Hazelnuts | ►M197 — ◄ | ►M168 — ◄ |
| 0120070 | Macadamia | ►M197 — ◄ | ►M168 — ◄ |
| 0120080 | Pecans | ►M197 — ◄ | ►M168 — ◄ |
| 0120090 | Pine nuts | ►M197 — ◄ | ►M168 — ◄ |
| 0120100 | Pistachios | ►M197 — ◄ | ►M168 — ◄ |
| 0120110 | Walnuts | ►M197 — ◄ | ►M168 — ◄ |
| 0120990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M197 — ◄ | ►M168 — ◄ |
| 0130010 | Apples | ►M197 — ◄ | ►M168 — ◄ |
| 0130020 | Pears | ►M197 — ◄ | ►M168 — ◄ |
| 0130030 | Quinces | ►M197 — ◄ | ►M168 — ◄ |
| 0130040 | Medlar | ►M197 — ◄ | ►M168 — ◄ |
| 0130050 | Loquat | ►M197 — ◄ | ►M168 — ◄ |
| 0130990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M197 — ◄ | ►M168 — ◄ |
| 0140010 | Apricots | ►M197 — ◄ | ►M168 — ◄ |
| 0140020 | Cherries | ►M197 — ◄ | ►M168 — ◄ |
| 0140030 | Peaches | ►M197 — ◄ | ►M168 — ◄ |
| 0140040 | Plums | ►M197 — ◄ | ►M168 — ◄ |
| 0140990 | Others | ►M197 — ◄ | ►M168 — ◄ |

▼M8

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0150000 | (v) **Berries & small fruit** | ►M197 — ◄ | ►M168 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M197 — ◄ | ►M168 — ◄ |
| 0151010 | Table grapes | ►M197 — ◄ | ►M168 — ◄ |
| 0151020 | Wine grapes | ►M197 — ◄ | ►M168 — ◄ |
| 0152000 | (b) *Strawberries* | ►M197 — ◄ | ►M168 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M197 — ◄ | ►M168 — ◄ |
| 0153010 | Blackberries | ►M197 — ◄ | ►M168 — ◄ |
| 0153020 | Dewberries | ►M197 — ◄ | ►M168 — ◄ |
| 0153030 | Raspberries | ►M197 — ◄ | ►M168 — ◄ |
| 0153990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M197 — ◄ | ►M168 — ◄ |
| 0154010 | Blueberries | ►M197 — ◄ | ►M168 — ◄ |
| 0154020 | Cranberries | ►M197 — ◄ | ►M168 — ◄ |
| 0154030 | Currants (red, black and white) | ►M197 — ◄ | ►M168 — ◄ |
| 0154040 | Gooseberries | ►M197 — ◄ | ►M168 — ◄ |
| 0154050 | Rose hips | ►M197 — ◄ | ►M168 — ◄ |
| 0154060 | Mulberries | ►M197 — ◄ | ►M168 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M197 — ◄ | ►M168 — ◄ |
| 0154080 | Elderberries | ►M197 — ◄ | ►M168 — ◄ |
| 0154990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M197 — ◄ | ►M168 — ◄ |
| 0161000 | (a) *Edible peel* | ►M197 — ◄ | ►M168 — ◄ |
| 0161010 | Dates | ►M197 — ◄ | ►M168 — ◄ |
| 0161020 | Figs | ►M197 — ◄ | ►M168 — ◄ |
| 0161030 | Table olives | ►M197 — ◄ | ►M168 — ◄ |
| 0161040 | Kumquats | ►M197 — ◄ | ►M168 — ◄ |
| 0161050 | Carambola | ►M197 — ◄ | ►M168 — ◄ |
| 0161060 | Persimmon | ►M197 — ◄ | ►M168 — ◄ |
| 0161070 | Jambolan (java plum) | ►M197 — ◄ | ►M168 — ◄ |
| 0161990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M197 — ◄ | ►M168 — ◄ |
| 0162010 | Kiwi | ►M197 — ◄ | ►M168 — ◄ |
| 0162020 | Lychee (Litchi) | ►M197 — ◄ | ►M168 — ◄ |
| 0162030 | Passion fruit | ►M197 — ◄ | ►M168 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M197 — ◄ | ►M168 — ◄ |
| 0162050 | Star apple | ►M197 — ◄ | ►M168 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M197 — ◄ | ►M168 — ◄ |

▼M8

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0162990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M197 — ◄ | ►M168 — ◄ |
| 0163010 | Avocados | ►M197 — ◄ | ►M168 — ◄ |
| 0163020 | Bananas | ►M197 — ◄ | ►M168 — ◄ |
| 0163030 | Mangoes | ►M197 — ◄ | ►M168 — ◄ |
| 0163040 | Papaya | ►M197 — ◄ | ►M168 — ◄ |
| 0163050 | Pomegranate | ►M197 — ◄ | ►M168 — ◄ |
| 0163060 | Cherimoya | ►M197 — ◄ | ►M168 — ◄ |
| 0163070 | Guava | ►M197 — ◄ | ►M168 — ◄ |
| 0163080 | Pineapples | ►M197 — ◄ | ►M168 — ◄ |
| 0163090 | Bread fruit | ►M197 — ◄ | ►M168 — ◄ |
| 0163100 | Durian | ►M197 — ◄ | ►M168 — ◄ |
| 0163110 | Soursop (guanabana) | ►M197 — ◄ | ►M168 — ◄ |
| 0163990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M197 — ◄ | ►M168 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M197 — ◄ | ►M168 — ◄ |
| 0211000 | (a) *Potatoes* | ►M197 — ◄ | ►M168 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M197 — ◄ | ►M168 — ◄ |
| 0212010 | Cassava | ►M197 — ◄ | ►M168 — ◄ |
| 0212020 | Sweet potatoes | ►M197 — ◄ | ►M168 — ◄ |
| 0212030 | Yams | ►M197 — ◄ | ►M168 — ◄ |
| 0212040 | Arrowroot | ►M197 — ◄ | ►M168 — ◄ |
| 0212990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M197 — ◄ | ►M168 — ◄ |
| 0213010 | Beetroot | ►M197 — ◄ | ►M168 — ◄ |
| 0213020 | Carrots | ►M197 — ◄ | ►M168 — ◄ |
| 0213030 | Celeriac | ►M197 — ◄ | ►M168 — ◄ |
| 0213040 | Horseradish | ►M197 — ◄ | ►M168 — ◄ |
| 0213050 | Jerusalem artichokes | ►M197 — ◄ | ►M168 — ◄ |
| 0213060 | Parsnips | ►M197 — ◄ | ►M168 — ◄ |
| 0213070 | Parsley root | ►M197 — ◄ | ►M168 — ◄ |
| 0213080 | Radishes | ►M197 — ◄ | ►M168 — ◄ |
| 0213090 | Salsify | ►M197 — ◄ | ►M168 — ◄ |
| 0213100 | Swedes | ►M197 — ◄ | ►M168 — ◄ |
| 0213110 | Turnips | ►M197 — ◄ | ►M168 — ◄ |
| 0213990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M197 — ◄ | ►M168 — ◄ |

▼**M8**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0220010 | Garlic | ►**M197** — ◄ | ►**M168** — ◄ |
| 0220020 | Onions | ►**M197** — ◄ | ►**M168** — ◄ |
| 0220030 | Shallots | ►**M197** — ◄ | ►**M168** — ◄ |
| 0220040 | Spring onions | ►**M197** — ◄ | ►**M168** — ◄ |
| 0220990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►**M197** — ◄ | ►**M168** — ◄ |
| 0231000 | (a) *Solanacea* | ►**M197** — ◄ | ►**M168** — ◄ |
| 0231010 | Tomatoes | ►**M197** — ◄ | ►**M168** — ◄ |
| 0231020 | Peppers | ►**M197** — ◄ | ►**M168** — ◄ |
| 0231030 | Aubergines (egg plants) | ►**M197** — ◄ | ►**M168** — ◄ |
| 0231040 | Okra, lady's fingers | ►**M197** — ◄ | ►**M168** — ◄ |
| 0231990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►**M197** — ◄ | ►**M168** — ◄ |
| 0232010 | Cucumbers | ►**M197** — ◄ | ►**M168** — ◄ |
| 0232020 | Gherkins | ►**M197** — ◄ | ►**M168** — ◄ |
| 0232030 | Courgettes | ►**M197** — ◄ | ►**M168** — ◄ |
| 0232990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 0233000 | (c) *Cucurbits — inedible peel* | ►**M197** — ◄ | ►**M168** — ◄ |
| 0233010 | Melons | ►**M197** — ◄ | ►**M168** — ◄ |
| 0233020 | Pumpkins | ►**M197** — ◄ | ►**M168** — ◄ |
| 0233030 | Watermelons | ►**M197** — ◄ | ►**M168** — ◄ |
| 0233990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 0234000 | (d) *Sweet corn* | ►**M197** — ◄ | ►**M168** — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►**M197** — ◄ | ►**M168** — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►**M197** — ◄ | ►**M168** — ◄ |
| 0241000 | (a) *Flowering brassica* | ►**M197** — ◄ | ►**M168** — ◄ |
| 0241010 | Broccoli | ►**M197** — ◄ | ►**M168** — ◄ |
| 0241020 | Cauliflower | ►**M197** — ◄ | ►**M168** — ◄ |
| 0241990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 0242000 | (b) *Head brassica* | ►**M197** — ◄ | ►**M168** — ◄ |
| 0242010 | Brussels sprouts | ►**M197** — ◄ | ►**M168** — ◄ |
| 0242020 | Head cabbage | ►**M197** — ◄ | ►**M168** — ◄ |
| 0242990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 0243000 | (c) *Leafy brassica* | ►**M197** — ◄ | ►**M168** — ◄ |
| 0243010 | Chinese cabbage | ►**M197** — ◄ | ►**M168** — ◄ |
| 0243020 | Kale | ►**M197** — ◄ | ►**M168** — ◄ |
| 0243990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 0244000 | (d) *Kohlrabi* | ►**M197** — ◄ | ►**M168** — ◄ |

▼M8

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M197 — ◄ | ►M168 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M197 — ◄ | ►M168 — ◄ |
| 0251010 | Lamb's lettuce | ►M197 — ◄ | ►M168 — ◄ |
| 0251020 | Lettuce | ►M197 — ◄ | ►M168 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M197 — ◄ | ►M168 — ◄ |
| 0251040 | Cress | ►M197 — ◄ | ►M168 — ◄ |
| 0251050 | Land cress | ►M197 — ◄ | ►M168 — ◄ |
| 0251060 | Rocket, Rucola | ►M197 — ◄ | ►M168 — ◄ |
| 0251070 | Red mustard | ►M197 — ◄ | ►M168 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp | ►M197 — ◄ | ►M168 — ◄ |
| 0251990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M197 — ◄ | ►M168 — ◄ |
| 0252010 | Spinach | ►M197 — ◄ | ►M168 — ◄ |
| 0252020 | Purslane | ►M197 — ◄ | ►M168 — ◄ |
| 0252030 | Beet leaves (chard) | ►M197 — ◄ | ►M168 — ◄ |
| 0252990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M197 — ◄ | ►M168 — ◄ |
| 0254000 | (d) *Water cress* | ►M197 — ◄ | ►M168 — ◄ |
| 0255000 | (e) *Witloof* | ►M197 — ◄ | ►M168 — ◄ |
| 0256000 | (f) *Herbs* | ►M197 — ◄ | ►M168 — ◄ |
| 0256010 | Chervil | ►M197 — ◄ | ►M168 — ◄ |
| 0256020 | Chives | ►M197 — ◄ | ►M168 — ◄ |
| 0256030 | Celery leaves | ►M197 — ◄ | ►M168 — ◄ |
| 0256040 | Parsley | ►M197 — ◄ | ►M168 — ◄ |
| 0256050 | Sage | ►M197 — ◄ | ►M168 — ◄ |
| 0256060 | Rosemary | ►M197 — ◄ | ►M168 — ◄ |
| 0256070 | Thyme | ►M197 — ◄ | ►M168 — ◄ |
| 0256080 | Basil | ►M197 — ◄ | ►M168 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M197 — ◄ | ►M168 — ◄ |
| 0256100 | Tarragon | ►M197 — ◄ | ►M168 — ◄ |
| 0256990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M197 — ◄ | ►M168 — ◄ |
| 0260010 | Beans (with pods) | ►M197 — ◄ | ►M168 — ◄ |
| 0260020 | Beans (without pods) | ►M197 — ◄ | ►M168 — ◄ |
| 0260030 | Peas (with pods) | ►M197 — ◄ | ►M168 — ◄ |
| 0260040 | Peas (without pods) | ►M197 — ◄ | ►M168 — ◄ |
| 0260050 | Lentils | ►M197 — ◄ | ►M168 — ◄ |

▼M8

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M197 — ◄ | ►M168 — ◄ |
| 0270010 | Asparagus | ►M197 — ◄ | ►M168 — ◄ |
| 0270020 | Cardoons | ►M197 — ◄ | ►M168 — ◄ |
| 0270030 | Celery | ►M197 — ◄ | ►M168 — ◄ |
| 0270040 | Fennel | ►M197 — ◄ | ►M168 — ◄ |
| 0270050 | Globe artichokes | ►M197 — ◄ | ►M168 — ◄ |
| 0270060 | Leek | ►M197 — ◄ | ►M168 — ◄ |
| 0270070 | Rhubarb | ►M197 — ◄ | ►M168 — ◄ |
| 0270080 | Bamboo shoots | ►M197 — ◄ | ►M168 — ◄ |
| 0270090 | Palm hearts | ►M197 — ◄ | ►M168 — ◄ |
| 0270990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0280000 | (viii) **Fungi** | ►M197 — ◄ | ►M168 — ◄ |
| 0280010 | Cultivated | ►M197 — ◄ | ►M168 — ◄ |
| 0280020 | Wild | ►M197 — ◄ | ►M168 — ◄ |
| 0280990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M197 — ◄ | ►M168 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M197 — ◄ | ►M168 — ◄ |
| 0300010 | Beans | ►M197 — ◄ | ►M168 — ◄ |
| 0300020 | Lentils | ►M197 — ◄ | ►M168 — ◄ |
| 0300030 | Peas | ►M197 — ◄ | ►M168 — ◄ |
| 0300040 | Lupins | ►M197 — ◄ | ►M168 — ◄ |
| 0300990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M197 — ◄ | ►M168 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M197 — ◄ | ►M168 — ◄ |
| 0401010 | Linseed | ►M197 — ◄ | ►M168 — ◄ |
| 0401020 | Peanuts | ►M197 — ◄ | ►M168 — ◄ |
| 0401030 | Poppy seed | ►M197 — ◄ | ►M168 — ◄ |
| 0401040 | Sesame seed | ►M197 — ◄ | ►M168 — ◄ |
| 0401050 | Sunflower seed | ►M197 — ◄ | ►M168 — ◄ |
| 0401060 | Rape seed | ►M197 — ◄ | ►M168 — ◄ |
| 0401070 | Soya bean | ►M197 — ◄ | ►M168 — ◄ |
| 0401080 | Mustard seed | ►M197 — ◄ | ►M168 — ◄ |
| 0401090 | Cotton seed | ►M197 — ◄ | ►M168 — ◄ |
| 0401100 | Pumpkin seeds | ►M197 — ◄ | ►M168 — ◄ |
| 0401110 | Safflower | ►M197 — ◄ | ►M168 — ◄ |
| 0401120 | Borage | ►M197 — ◄ | ►M168 — ◄ |
| 0401130 | Gold of pleasure | ►M197 — ◄ | ►M168 — ◄ |
| 0401140 | Hempseed | ►M197 — ◄ | ►M168 — ◄ |
| 0401150 | Castor bean | ►M197 — ◄ | ►M168 — ◄ |

▼M8

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0401990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M197 — ◄ | ►M168 — ◄ |
| 0402010 | Olives for oil production | ►M197 — ◄ | ►M168 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M197 — ◄ | ►M168 — ◄ |
| 0402030 | Palmfruit | ►M197 — ◄ | ►M168 — ◄ |
| 0402040 | Kapok | ►M197 — ◄ | ►M168 — ◄ |
| 0402990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0500000 | 5. **CEREALS** | ►M197 — ◄ | ►M168 — ◄ |
| 0500010 | Barley | ►M197 — ◄ | ►M168 — ◄ |
| 0500020 | Buckwheat | ►M197 — ◄ | ►M168 — ◄ |
| 0500030 | Maize | ►M197 — ◄ | ►M168 — ◄ |
| 0500040 | Millet | ►M197 — ◄ | ►M168 — ◄ |
| 0500050 | Oats | ►M197 — ◄ | ►M168 — ◄ |
| 0500060 | Rice | ►M197 — ◄ | ►M168 — ◄ |
| 0500070 | Rye | ►M197 — ◄ | ►M168 — ◄ |
| 0500080 | Sorghum | ►M197 — ◄ | ►M168 — ◄ |
| 0500090 | Wheat | ►M197 — ◄ | ►M168 — ◄ |
| 0500990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M197 — ◄ | ►M168 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M197 — ◄ | ►M168 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M197 — ◄ | ►M168 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M197 — ◄ | ►M168 — ◄ |
| 0631000 | (a) *Flowers* | ►M197 — ◄ | ►M168 — ◄ |
| 0631010 | Camomille flowers | ►M197 — ◄ | ►M168 — ◄ |
| 0631020 | Hybiscus flowers | ►M197 — ◄ | ►M168 — ◄ |
| 0631030 | Rose petals | ►M197 — ◄ | ►M168 — ◄ |
| 0631040 | Jasmine flowers | ►M197 — ◄ | ►M168 — ◄ |
| 0631050 | Lime (linden) | ►M197 — ◄ | ►M168 — ◄ |
| 0631990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0632000 | (b) *Leaves* | ►M197 — ◄ | ►M168 — ◄ |
| 0632010 | Strawberry leaves | ►M197 — ◄ | ►M168 — ◄ |
| 0632020 | Rooibos leaves | ►M197 — ◄ | ►M168 — ◄ |
| 0632030 | Maté | ►M197 — ◄ | ►M168 — ◄ |
| 0632990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0633000 | (c) *Roots* | ►M197 — ◄ | ►M168 — ◄ |
| 0633010 | Valerian root | ►M197 — ◄ | ►M168 — ◄ |
| 0633020 | Ginseng root | ►M197 — ◄ | ►M168 — ◄ |

▼M8

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0633990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M197 — ◄ | ►M168 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M197 — ◄ | ►M168 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M197 — ◄ | ►M168 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M197 — ◄ | ►M168 — ◄ |
| 0800000 | 8. **SPICES** | ►M197 — ◄ | ►M168 — ◄ |
| 0810000 | (i) **Seeds** | ►M197 — ◄ | ►M168 — ◄ |
| 0810010 | Anise | ►M197 — ◄ | ►M168 — ◄ |
| 0810020 | Black caraway | ►M197 — ◄ | ►M168 — ◄ |
| 0810030 | Celery seed | ►M197 — ◄ | ►M168 — ◄ |
| 0810040 | Coriander seed | ►M197 — ◄ | ►M168 — ◄ |
| 0810040 | Cumin seed | ►M197 — ◄ | ►M168 — ◄ |
| 0810060 | Dill seed | ►M197 — ◄ | ►M168 — ◄ |
| 0810070 | Fennel seed | ►M197 — ◄ | ►M168 — ◄ |
| 0810080 | Fenugreek | ►M197 — ◄ | ►M168 — ◄ |
| 0810090 | Nutmeg | ►M197 — ◄ | ►M168 — ◄ |
| 0810990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M197 — ◄ | ►M168 — ◄ |
| 0820010 | Allspice | ►M197 — ◄ | ►M168 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M197 — ◄ | ►M168 — ◄ |
| 0820030 | Caraway | ►M197 — ◄ | ►M168 — ◄ |
| 0820040 | Cardamom | ►M197 — ◄ | ►M168 — ◄ |
| 0820050 | Juniper berries | ►M197 — ◄ | ►M168 — ◄ |
| 0820060 | Pepper, black and white | ►M197 — ◄ | ►M168 — ◄ |
| 0820070 | Vanilla pods | ►M197 — ◄ | ►M168 — ◄ |
| 0820080 | Tamarind | ►M197 — ◄ | ►M168 — ◄ |
| 0820990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0830000 | (iii) **Bark** | ►M197 — ◄ | ►M168 — ◄ |
| 0830010 | Cinnamon | ►M197 — ◄ | ►M168 — ◄ |
| 0830990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M197 — ◄ | ►M168 — ◄ |
| 0840010 | Liquorice | ►M197 — ◄ | ►M168 — ◄ |
| 0840020 | Ginger | ►M197 — ◄ | ►M168 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M197 — ◄ | ►M168 — ◄ |
| 0840040 | Horse-radish | ►M197 — ◄ | ►M168 — ◄ |
| 0840990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0850000 | (v) **Buds** | ►M197 — ◄ | ►M168 — ◄ |
| 0850010 | Cloves | ►M197 — ◄ | ►M168 — ◄ |
| 0850020 | Capers | ►M197 — ◄ | ►M168 — ◄ |

▼M8

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0850990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M197 — ◄ | ►M168 — ◄ |
| 0860010 | Saffron | ►M197 — ◄ | ►M168 — ◄ |
| 0860990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0870000 | (vii) **Aril** | ►M197 — ◄ | ►M168 — ◄ |
| 0870010 | Mace | ►M197 — ◄ | ►M168 — ◄ |
| 0870990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M197 — ◄ | ►M168 — ◄ |
| 0900010 | Sugar beet (root) | ►M197 — ◄ | ►M168 — ◄ |
| 0900020 | Sugar cane | ►M197 — ◄ | ►M168 — ◄ |
| 0900030 | Chicory roots | ►M197 — ◄ | ►M168 — ◄ |
| 0900990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M197 — ◄ | ►M168 — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M197 — ◄ | ►M168 — ◄ |
| 1011000 | (a) *Swine* | ►M197 — ◄ | ►M168 — ◄ |
| 1011010 | Meat | ►M197 — ◄ | ►M168 — ◄ |
| 1011020 | Fat free of lean meat | ►M197 — ◄ | ►M168 — ◄ |
| 1011030 | Liver | ►M197 — ◄ | ►M168 — ◄ |
| 1011040 | Kidney | ►M197 — ◄ | ►M168 — ◄ |
| 1011050 | Edible offal | ►M197 — ◄ | ►M168 — ◄ |
| 1011990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 1012000 | (b) *Bovine* | ►M197 — ◄ | ►M168 — ◄ |
| 1012010 | Meat | ►M197 — ◄ | ►M168 — ◄ |
| 1012020 | Fat | ►M197 — ◄ | ►M168 — ◄ |
| 1012030 | Liver | ►M197 — ◄ | ►M168 — ◄ |
| 1012040 | Kidney | ►M197 — ◄ | ►M168 — ◄ |
| 1012050 | Edible offal | ►M197 — ◄ | ►M168 — ◄ |
| 1012990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 1013000 | (c) *Sheep* | ►M197 — ◄ | ►M168 — ◄ |
| 1013010 | Meat | ►M197 — ◄ | ►M168 — ◄ |
| 1013020 | Fat | ►M197 — ◄ | ►M168 — ◄ |
| 1013030 | Liver | ►M197 — ◄ | ►M168 — ◄ |

▼M8

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1013040 | Kidney | ►M197 — ◄ | ►M168 — ◄ |
| 1013050 | Edible offal | ►M197 — ◄ | ►M168 — ◄ |
| 1013990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 1014000 | (d) *Goat* | ►M197 — ◄ | ►M168 — ◄ |
| 1014010 | Meat | ►M197 — ◄ | ►M168 — ◄ |
| 1014020 | Fat | ►M197 — ◄ | ►M168 — ◄ |
| 1014030 | Liver | ►M197 — ◄ | ►M168 — ◄ |
| 1014040 | Kidney | ►M197 — ◄ | ►M168 — ◄ |
| 1014050 | Edible offal | ►M197 — ◄ | ►M168 — ◄ |
| 1014990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M197 — ◄ | ►M168 — ◄ |
| 1015010 | Meat | ►M197 — ◄ | ►M168 — ◄ |
| 1015020 | Fat | ►M197 — ◄ | ►M168 — ◄ |
| 1015030 | Liver | ►M197 — ◄ | ►M168 — ◄ |
| 1015040 | Kidney | ►M197 — ◄ | ►M168 — ◄ |
| 1015050 | Edible offal | ►M197 — ◄ | ►M168 — ◄ |
| 1015990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M197 — ◄ | ►M168 — ◄ |
| 1016010 | Meat | ►M197 — ◄ | ►M168 — ◄ |
| 1016020 | Fat | ►M197 — ◄ | ►M168 — ◄ |
| 1016030 | Liver | ►M197 — ◄ | ►M168 — ◄ |
| 1016040 | Kidney | ►M197 — ◄ | ►M168 — ◄ |
| 1016050 | Edible offal | ►M197 — ◄ | ►M168 — ◄ |
| 1016990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M197 — ◄ | ►M168 — ◄ |
| 1017010 | Meat | ►M197 — ◄ | ►M168 — ◄ |
| 1017020 | Fat | ►M197 — ◄ | ►M168 — ◄ |
| 1017030 | Liver | ►M197 — ◄ | ►M168 — ◄ |
| 1017040 | Kidney | ►M197 — ◄ | ►M168 — ◄ |
| 1017050 | Edible offal | ►M197 — ◄ | ►M168 — ◄ |
| 1017990 | Others | ►M197 — ◄ | ►M168 — ◄ |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M197 — ◄ | ►M168 — ◄ |
| 1020010 | Cattle | ►M197 — ◄ | ►M168 — ◄ |
| 1020020 | Sheep | ►M197 — ◄ | ►M168 — ◄ |
| 1020030 | Goat | ►M197 — ◄ | ►M168 — ◄ |
| 1020040 | Horse | ►M197 — ◄ | ►M168 — ◄ |

▼**M8**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1020990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►**M197** — ◄ | ►**M168** — ◄ |
| 1030010 | Chicken | ►**M197** — ◄ | ►**M168** — ◄ |
| 1030020 | Duck | ►**M197** — ◄ | ►**M168** — ◄ |
| 1030030 | Goose | ►**M197** — ◄ | ►**M168** — ◄ |
| 1030040 | Quail | ►**M197** — ◄ | ►**M168** — ◄ |
| 1030990 | Others | ►**M197** — ◄ | ►**M168** — ◄ |
| 1040000 | (iv) **Honey** | ►**M197** — ◄ | ►**M168** — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►**M197** — ◄ | ►**M168** — ◄ |
| 1060000 | (vi) **Snails** | ►**M197** — ◄ | ►**M168** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M197** — ◄ | ►**M168** — ◄ |

▼M13

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0110010 | Grapefruit | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0110020 | Oranges | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0110030 | Lemons | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0110040 | Limes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0110050 | Mandarins | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0110990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120010 | Almonds | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120020 | Brazil nuts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120030 | Cashew nuts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120040 | Chestnuts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120050 | Coconuts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120060 | Hazelnuts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120070 | Macadamia | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120080 | Pecans | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120090 | Pine nuts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120100 | Pistachios | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120110 | Walnuts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0120990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0130010 | Apples | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0130020 | Pears | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0130030 | Quinces | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0130040 | Medlar | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0130050 | Loquat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0130990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0140010 | Apricots | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0140020 | Cherries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0140030 | Peaches | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0140040 | Plums | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0140990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0151010 | Table grapes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0151020 | Wine grapes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0152000 | (b) *Strawberries* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0153010 | Blackberries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0153020 | Dewberries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0153030 | Raspberries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0153990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154010 | Blueberries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154020 | Cranberries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154030 | Currants (red, black and white) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154040 | Gooseberries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154050 | Rose hips | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154060 | Mulberries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154080 | Elderberries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0154990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161000 | (a) *Edible peel* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161010 | Dates | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161020 | Figs | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161030 | Table olives | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161040 | Kumquats | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161050 | Carambola | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161060 | Persimmon | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161070 | Jambolan (java plum) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0161990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0162010 | Kiwi | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0162020 | Lychee (Litchi) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0162030 | Passion fruit | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0162050 | Star apple | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0162990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0163000 | (c) *Inedible peel, large* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163010 | Avocados | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163020 | Bananas | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163030 | Mangoes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163040 | Papaya | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163050 | Pomegranate | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163060 | Cherimoya | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163070 | Guava | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163080 | Pineapples | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163090 | Bread fruit | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163100 | Durian | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163110 | Soursop (guanabana) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0163990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0211000 | (a) *Potatoes* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0212010 | Cassava | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0212020 | Sweet potatoes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0212030 | Yams | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0212040 | Arrowroot | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0212990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213010 | Beetroot | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213020 | Carrots | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213030 | Celeriac | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213040 | Horseradish | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213050 | Jerusalem artichokes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213060 | Parsnips | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213070 | Parsley root | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213080 | Radishes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213090 | Salsify | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213100 | Swedes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0213110 | Turnips | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0213990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0220010 | Garlic | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0220020 | Onions | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0220030 | Shallots | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0220040 | Spring onions | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0220990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0231000 | (a) *Solanacea* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0231010 | Tomatoes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0231020 | Peppers | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0231030 | Aubergines (egg plants) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0231040 | Okra, lady's fingers | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0231990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0232010 | Cucumbers | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0232020 | Gherkins | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0232030 | Courgettes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0232990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0233000 | (c) *Cucurbits — inedible peel* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0233010 | Melons | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0233020 | Pumpkins | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0233030 | Watermelons | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0233990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0241010 | Broccoli | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0241020 | Cauliflower | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0241990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0242000 | (b) *Head brassica* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0242010 | Brussels sprouts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0242020 | Head cabbage | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0242990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0243010 | Chinese cabbage | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0243020 | Kale | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0243990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251010 | Lamb's lettuce | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251020 | Lettuce | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251030 | Scarole (broad-leaf endive) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251040 | Cress | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251050 | Land cress | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251060 | Rocket, Rucola | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251070 | Red mustard | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0251990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0252010 | Spinach | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0252020 | Purslane | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0252030 | Beet leaves (chard) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0252990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0254000 | (d) *Water cress* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0255000 | (e) *Witloof* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256000 | (f) *Herbs* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256010 | Chervil | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256020 | Chives | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256030 | Celery leaves | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256040 | Parsley | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256050 | Sage | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256060 | Rosemary | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256070 | Thyme | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256080 | Basil | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256100 | Tarragon | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0256990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0260010 | Beans (with pods) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0260020 | Beans (without pods) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0260030 | Peas (with pods) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0260040 | Peas (without pods) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0260050 | Lentils | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0260990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270010 | Asparagus | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270020 | Cardoons | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270030 | Celery | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270040 | Fennel | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270050 | Globe artichokes | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270060 | Leek | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270070 | Rhubarb | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270080 | Bamboo shoots | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270090 | Palm hearts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0270990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0280000 | (viii) **Fungi** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0280010 | Cultivated | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0280020 | Wild | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0280990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0300010 | Beans | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0300020 | Lentils | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0300030 | Peas | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0300040 | Lupins | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0300990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401010 | Linseed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401020 | Peanuts | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401030 | Poppy seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401040 | Sesame seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401050 | Sunflower seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401060 | Rape seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401070 | Soya bean | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401080 | Mustard seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401090 | Cotton seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401100 | Pumpkin seeds | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401110 | Safflower | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401120 | Borage | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0401130 | Gold of pleasure | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401140 | Hempseed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401150 | Castor bean | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0401990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0402010 | Olives for oil production | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0402030 | Palmfruit | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0402040 | Kapok | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0402990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500000 | 5. **CEREALS** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500010 | Barley | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500020 | Buckwheat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500030 | Maize | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500040 | Millet | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500050 | Oats | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500060 | Rice | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500070 | Rye | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500080 | Sorghum | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500090 | Wheat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0500990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0631000 | (a) *Flowers* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0631010 | Camomille flowers | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0631020 | Hybiscus flowers | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0631030 | Rose petals | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0631040 | Jasmine flowers | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0631050 | Lime (linden) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0631990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0632000 | (b) *Leaves* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0632010 | Strawberry leaves | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0632020 | Rooibos leaves | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0632030 | Maté | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0632990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0633000 | (c) *Roots* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0633010 | Valerian root | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0633020 | Ginseng root | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0633990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0800000 | 8. **SPICES** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810000 | (i) **Seeds** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810010 | Anise | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810020 | Black caraway | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810030 | Celery seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810040 | Coriander seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810040 | Cumin seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810060 | Dill seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810070 | Fennel seed | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810080 | Fenugreek | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810090 | Nutmeg | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0810990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820010 | Allspice | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820030 | Caraway | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820040 | Cardamom | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820050 | Juniper berries | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820060 | Pepper, black and white | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820070 | Vanilla pods | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820080 | Tamarind | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0820990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0830000 | (iii) **Bark** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0830010 | Cinnamon | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0830990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0840010 | Liquorice | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0840020 | Ginger | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0840040 | Horse-radish | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0840990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0850000 | (v) **Buds** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0850010 | Cloves | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0850020 | Capers | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0850990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0860010 | Saffron | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0860990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0870000 | (vii) **Aril** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0870010 | Mace | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0870990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0900010 | Sugar beet (root) | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0900020 | Sugar cane | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0900030 | Chicory roots | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 0900990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1011000 | (a) *Swine* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1011010 | Meat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1011020 | Fat free of lean meat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1011030 | Liver | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1011040 | Kidney | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1011050 | Edible offal | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1011990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1012000 | (b) *Bovine* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1012010 | Meat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1012020 | Fat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1012030 | Liver | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1012040 | Kidney | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1012050 | Edible offal | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1012990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1013000 | (c) *Sheep* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1013010 | Meat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1013020 | Fat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1013030 | Liver | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1013040 | Kidney | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1013050 | Edible offal | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1013990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1014000 | (d) *Goat* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1014010 | Meat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1014020 | Fat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1014030 | Liver | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1014040 | Kidney | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1014050 | Edible offal | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1014990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1015010 | Meat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1015020 | Fat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1015030 | Liver | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1015040 | Kidney | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1015050 | Edible offal | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1015990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1016010 | Meat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1016020 | Fat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1016030 | Liver | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1016040 | Kidney | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1016050 | Edible offal | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1016990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1017010 | Meat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1017020 | Fat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1017030 | Liver | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1017040 | Kidney | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1017050 | Edible offal | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1017990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼M13

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1020010 | Cattle | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1020020 | Sheep | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1020030 | Goat | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1020040 | Horse | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1020990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1030010 | Chicken | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1030020 | Duck | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1030030 | Goose | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1030040 | Quail | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1030990 | Others | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1040000 | (iv) **Honey** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1060000 | (vi) **Snails** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M174 — ◄ | ►M184 — ◄ | ►M174 — ◄ |

▼**M14**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M219** Nicotine ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | |
| 0110000 | (i) **Citrus fruit** | ►**M219** 0,01 (*) ◄ |
| 0110010 | Grapefruit | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►**M219** 0,02 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | ►**M219** 0,01 (*) ◄ |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | ►**M219** 0,01 (*) ◄ |
| 0140010 | Apricots | |
| 0140020 | Cherries | |
| 0140030 | Peaches | |
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | ►**M219** 0,01 (*) ◄ |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |

▼**M14**

| (1) | (2) | (3) |
|---|---|---|
| 0152000 | (b) *Strawberries* | ►**M219** 0,01 (*) ◄ |
| 0153000 | (c) *Cane fruit* | ►**M219** 0,01 (*) ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries | ►**M219** 0,01 (*) ◄ |
| 0154020 | Cranberries | ►**M219** 0,01 (*) ◄ |
| 0154030 | Currants (red, black and white) | ►**M219** 0,01 (*) ◄ |
| 0154040 | Gooseberries | ►**M219** 0,01 (*) ◄ |
| 0154050 | Rose hips | ►**M219** 0,2 (+) ◄ |
| 0154060 | Mulberries | ►**M219** 0,01 (*) ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►**M219** 0,01 (*) ◄ |
| 0154080 | Elderberries | ►**M219** 0,01 (*) ◄ |
| 0154990 | Others | ►**M219** 0,01 (*) ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | ►**M219** 0,01 (*) ◄ |
| 0161020 | Figs | ►**M219** 0,01 (*) ◄ |
| 0161030 | Table olives | ►**M219** 0,02 (*) ◄ |
| 0161040 | Kumquats | ►**M219** 0,01 (*) ◄ |
| 0161050 | Carambola | ►**M219** 0,01 (*) ◄ |
| 0161060 | Persimmon | ►**M219** 0,01 (*) ◄ |
| 0161070 | Jambolan (java plum) | ►**M219** 0,01 (*) ◄ |
| 0161990 | Others | ►**M219** 0,01 (*) ◄ |
| 0162000 | (b) *Inedible peel, small* | ►**M219** 0,01 (*) ◄ |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | ►**M219** 0,02 (*) ◄ |
| 0163020 | Bananas | ►**M219** 0,01 (*) ◄ |
| 0163030 | Mangoes | ►**M219** 0,01 (*) ◄ |
| 0163040 | Papaya | ►**M219** 0,01 (*) ◄ |
| 0163050 | Pomegranate | ►**M219** 0,01 (*) ◄ |

▼M14

| (1) | (2) | (3) |
|---|---|---|
| 0163060 | Cherimoya | ►M219 0,01 (*) ◄ |
| 0163070 | Guava | ►M219 0,01 (*) ◄ |
| 0163080 | Pineapples | ►M219 0,01 (*) ◄ |
| 0163090 | Bread fruit | ►M219 0,01 (*) ◄ |
| 0163100 | Durian | ►M219 0,01 (*) ◄ |
| 0163110 | Soursop (guanabana) | ►M219 0,01 (*) ◄ |
| 0163990 | Others | ►M219 0,01 (*) ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | ►M219 0,01 (*) ◄ |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes | |
| 0213090 | Salsify | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | ►M219 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | ►M219 0,01 (*) ◄ |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Peppers | |

▼**M14**

| (1) | (2) | (3) |
|---|---|---|
| 0231030 | Aubergines (egg plants) | |
| 0231040 | Okra, lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | ►**M219** 0,01 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage | |
| 0243020 | Kale | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►**M219** 0,01 (*) ◄ |
| 0251010 | Lamb's lettuce | |
| 0251020 | Lettuce | |
| 0251030 | Scarole (broad-leaf endive) | |
| 0251040 | Cress | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp | |
| 0251990 | Others | |

▼**M14**

| (1) | (2) | (3) |
|---|---|---|
| 0252000 | (b) *Spinach & similar (leaves)* | ►**M219** 0,01 (*) ◄ |
| 0252010 | Spinach | |
| 0252020 | Purslane | |
| 0252030 | Beet leaves (chard) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►**M219** 0,01 (*) ◄ |
| 0254000 | (d) *Water cress* | ►**M219** 0,01 (*) ◄ |
| 0255000 | (e) *Witloof* | ►**M219** 0,01 (*) ◄ |
| 0256000 | (f) *Herbs* | ►**M219** 0,1 (+) ◄ |
| 0256010 | Chervil | ►**M219** (+) ◄ |
| 0256020 | Chives | ►**M219** (+) ◄ |
| 0256030 | Celery leaves | ►**M219** (+) ◄ |
| 0256040 | Parsley | ►**M219** (+) ◄ |
| 0256050 | Sage | ►**M219** (+) ◄ |
| 0256060 | Rosemary | ►**M219** (+) ◄ |
| 0256070 | Thyme | ►**M219** (+) ◄ |
| 0256080 | Basil | ►**M219** (+) ◄ |
| 0256090 | Bay leaves (laurel) | ►**M219** (+) ◄ |
| 0256100 | Tarragon | ►**M219** (+) ◄ |
| 0256990 | Others | ►**M219** (+) ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►**M219** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►**M219** 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | |
| 0280010 | Cultivated | ►**M219** 0,01 (*) ◄ |
| 0280020 | Wild | ►**M219** 0,02 (+) ◄ |
| 0280990 | Others | ►**M219** 0,01 (*) ◄ |

▼**M14**

| (1) | (2) | (3) |
|---|---|---|
| 0290000 | (ix) **Sea weeds** | ►**M219** 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►**M219** 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►**M219** 0,02 (*) ◄ |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower | |
| 0401120 | Borage | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | ►**M219** 0,02 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat | |
| 0500030 | Maize | |
| 0500040 | Millet | |
| 0500050 | Oats | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼M14

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M219 0,5 (+) ◄ |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M219 0,3 (+) ◄ |
| 0631000 | (a) *Flowers* | ►M219 (+) ◄ |
| 0631010 | Camomille flowers | ►M219 (+) ◄ |
| 0631020 | Hybiscus flowers | ►M219 (+) ◄ |
| 0631030 | Rose petals | ►M219 (+) ◄ |
| 0631040 | Jasmine flowers | ►M219 (+) ◄ |
| 0631050 | Lime (linden) | ►M219 (+) ◄ |
| 0631990 | Others | ►M219 (+) ◄ |
| 0632000 | (b) *Leaves* | ►M219 (+) ◄ |
| 0632010 | Strawberry leaves | ►M219 (+) ◄ |
| 0632020 | Rooibos leaves | ►M219 (+) ◄ |
| 0632030 | Maté | ►M219 (+) ◄ |
| 0632990 | Others | ►M219 (+) ◄ |
| 0633000 | (c) *Roots* | ►M219 (+) ◄ |
| 0633010 | Valerian root | ►M219 (+) ◄ |
| 0633020 | Ginseng root | ►M219 (+) ◄ |
| 0633990 | Others | ►M219 (+) ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M219 (+) ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M219 0,05 (*) ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M219 0,05 (*) ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M219 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M194 — ◄ |
| 0810000 | (i) **Seeds** | ►M219 0,05 (*) (+) ◄ |
| 0810010 | Anise | ►M219 (+) ◄ |
| 0810020 | Black caraway | ►M219 (+) ◄ |
| 0810030 | Celery seed | ►M219 (+) ◄ |
| 0810040 | Coriander seed | ►M219 (+) ◄ |
| 0810040 | Cumin seed | ►M219 (+) ◄ |
| 0810060 | Dill seed | ►M219 (+) ◄ |
| 0810070 | Fennel seed | ►M219 (+) ◄ |
| 0810080 | Fenugreek | ►M219 (+) ◄ |
| 0810090 | Nutmeg | ►M219 (+) ◄ |
| 0810990 | Others | ►M219 (+) ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M219 0,05 (*) (+) ◄ |
| 0820010 | Allspice | ►M219 (+) ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M219 (+) ◄ |
| 0820030 | Caraway | ►M219 (+) ◄ |

▼M14

| (1) | (2) | (3) |
|---|---|---|
| 0820040 | Cardamom | ►M219 (+) ◄ |
| 0820050 | Juniper berries | ►M219 (+) ◄ |
| 0820060 | Pepper, black and white | ►M219 (+) ◄ |
| 0820070 | Vanilla pods | ►M219 (+) ◄ |
| 0820080 | Tamarind | ►M219 (+) ◄ |
| 0820990 | Others | ►M219 (+) ◄ |
| 0830000 | (iii) **Bark** | ►M219 — ◄ |
| 0830010 | Cinnamon | ►M219 0,2 (+) ◄ |
| 0830990 | Others | ►M219 0,07 (+) ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M219 (+) ◄ |
| 0840010 | Liquorice | ►M219 0,07 (+) ◄ |
| 0840020 | Ginger | ►M219 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M219 0,07 (+) ◄ |
| 0840040 | Horse-radish | ►M219 — ◄ |
| 0840990 | Others | ►M219 0,07 (+) ◄ |
| 0850000 | (v) **Buds** | ►M219 0,07 (+) ◄ |
| 0850010 | Cloves | ►M219 (+) ◄ |
| 0850020 | Capers | ►M219 (+) ◄ |
| 0850990 | Others | ►M219 (+) ◄ |
| 0860000 | (vi) **Flower stigma** | ►M219 0,07 (+) ◄ |
| 0860010 | Saffron | ►M219 (+) ◄ |
| 0860990 | Others | ►M219 (+) ◄ |
| 0870000 | (vii) **Aril** | ►M219 0,07 (+) ◄ |
| 0870010 | Mace | ►M219 (+) ◄ |
| 0870990 | Others | ►M219 (+) ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M219 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals; other processed products such as sausages and food preparations based on these** | ►M219 0,01 (*) ◄ |
| 1011000 | (a) *Swine* | |
| 1011010 | Meat | |
| 1011020 | Fat free of lean meat | |
| 1011030 | Liver | |

▼**M14**

| (1) | (2) | (3) |
|---|---|---|
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Meat | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Meat | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Meat | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Meat | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *oultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Meat | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals* | |
| 1017010 | Meat | |

▼**M14**

| (1) | (2) | (3) |
|---|---|---|
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►**M219** 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►**M219** 0,05 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |
| 1040000 | (iv) **Honey** | ►**M219** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►**M219** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M219** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M219** 0,01 (*) ◄ |

▼**M20**

***Pesticide residues and maximum residue levels (mg/kg)***

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►**M24** Biphenyl ◄ | ►**M146** Isopyrazam ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | | ►**M43** — ◄ |
| 0110000 | (i) **Citrus fruit** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,01 (*) ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,01 (*) ◄ |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,7 ◄ |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | ►**M24** 0,01 (*) ◄ | ►**M43** — ◄ |
| 0140010 | Apricots | | ►**M146** 0,01 (*) ◄ |
| 0140020 | Cherries (sweet cherries, sour cherries) | | ►**M146** 0,01 (*) ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | | ►**M146** 1,5 ◄ |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | | ►**M146** 0,01 (*) ◄ |
| 0140990 | Others | | ►**M146** 0,01 (*) ◄ |

▼M20

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0150000 | (v) **Berries & small fruit** | | ►M146 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *Strawberries* | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0153000 | (c) *Cane fruit* | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberries) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x idaeus)) | | |
| 0153990 | Others | | |
| 0154000 | (d) *Other small fruit & berries* | | |
| 0154010 | Blueberries (Bilberries) | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0154020 | Cranberries (Cowberries (red bilberries)) | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0154030 | Currants (red, black and white) | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0154050 | Rose hips | ►M24 0,02 ◄ | ►M146 0,01 (*) ◄ |
| 0154060 | Mulberries (arbutus berry) | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | ►M24 0,01 (*) ◄ | ►M146 **0,4** ◄ |
| 0154080 | Elderberries (Black chokeberry (aronia-berry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0154990 | Others | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M24 0,01 (*) ◄ | |
| 0161000 | (a) *Edible peel* | | ►M146 — ◄ |
| 0161010 | Dates | | ►M146 0,01 (*) ◄ |
| 0161020 | Figs | | ►M146 0,01 (*) ◄ |
| 0161030 | Table olives | | ►M146 0,01 (*) ◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | | ►M146 0,01 (*) ◄ |
| 0161050 | Carambola (Bilimbi) | | ►M146 0,01 (*) ◄ |
| 0161060 | Persimmon | | ►M146 **0,4** ◄ |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama Eugenia uniflora)) | | ►M146 0,01 (*) ◄ |
| 0161990 | Others | | ►M146 0,01 (*) ◄ |
| 0162000 | (b) *Inedible peel, small* | | ►M146 0,01 (*) ◄ |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | | |

▼M20

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0162990 | Others | | |
| 0163000 | (c) *Inedible peel, large* | | |
| 0163010 | Avocados | | ►M146 0,01 (*) ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | ►M146 0,05 ◄ |
| 0163030 | Mangoes | | ►M146 0,01 (*) ◄ |
| 0163040 | Papaya | | ►M146 0,01 (*) ◄ |
| 0163050 | Pomegranate | | ►M146 0,01 (*) ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | | ►M146 0,01 (*) ◄ |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | | ►M146 0,01 (*) ◄ |
| 0163080 | Pineapples | | ►M146 0,01 (*) ◄ |
| 0163090 | Bread fruit (Jackfruit) | | ►M146 0,01 (*) ◄ |
| 0163100 | Durian | | ►M146 0,01 (*) ◄ |
| 0163110 | Soursop (guanabana) | | ►M146 0,01 (*) ◄ |
| 0163990 | Others | | ►M146 0,01 (*) ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | ►M54 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M24 0,01 (*) ◄ | |
| 0211000 | (a) *Potatoes* | | ►M146 0,01 (*) ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | ►M146 0,01 (*) ◄ |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | | |
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | ►M146 0,2 ◄ |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oysterplant)) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |

▼**M20**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0220010 | Garlic | | |
| 0220020 | Onions (Silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions (Welsh onion and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | ►**M24** 0,01 (*) ◄ | |
| 0231000 | (a) *Solanacea* | | |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry (Lycium barbarum and L. chinense)) | | ►**M146** 0,5 ◄ |
| 0231020 | Peppers (Chilli peppers) | | ►**M146** 0,09 ◄ |
| 0231030 | Aubergines (egg plants) (Pepino) | | ►**M146** 0,5 ◄ |
| 0231040 | Okra, lady's fingers | | ►**M146** 0,01 (*) ◄ |
| 0231990 | Others | | ►**M146** 0,01 (*) ◄ |
| 0232000 | (b) *Cucurbits - edible peel* | | ►**M146** 0,4 ◄ |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | | |
| 0232990 | Others | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | ►**M146** 0,3 ◄ |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *Sweet corn* | | ►**M146** 0,01 (*) ◄ |
| 0239000 | (e) *Other fruiting vegetables* | | ►**M146** 0,01 (*) ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,01 (*) ◄ |
| 0241000 | (a) *Flowering brassica* | | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) *Head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) *Leafy brassica* | | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai)) | | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) *Kohlrabi* | | |

▼**M20**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | ►**M146** 0,01 (*) ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►**M24** 0,01 (*) ◄ | |
| 0251010 | Lamb's lettuce (Italian cornsalad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | | |
| 0251040 | Cress | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | | |
| 0251990 | Others | | |
| 0252000 | (b) *Spinach & similar (leaves)* | ►**M24** 0,01 (*) ◄ | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►**M24** 0,01 (*) ◄ | |
| 0254000 | (d) *Water cress* | ►**M24** 0,01 (*) ◄ | |
| 0255000 | (e) *Witloof* | ►**M24** 0,01 (*) ◄ | |
| 0256000 | (f) *Herbs* | ►**M24** 0,1 ◄ | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves) | | |
| 0256040 | Parsley | | |
| 0256050 | Sage (Winter savory, summer savory) | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme (Marjoram, oregano) | | |
| 0256080 | Basil (Balm leaves, mint, peppermint) | | |
| 0256090 | Bay leaves (laurel) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others (Edible flowers) | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,01 (*) ◄ |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | | |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | | |

▼**M20**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,01 (*) ◄ |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,01 (*) ◄ |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,01 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►**M24** 0,01 (*) ◄ | ►**M146** 0,01 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►**M24** 0,01 (*) ◄ | ►**M43** — ◄ |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | ►**M146** 0,4 ◄ |
| 0401020 | Peanuts | | ►**M146** 0,01 (*) ◄ |
| 0401030 | Poppy seed | | ►**M146** 0,4 ◄ |
| 0401040 | Sesame seed | | ►**M146** 0,01 (*) ◄ |
| 0401050 | Sunflower seed | | ►**M146** 0,01 (*) ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | ►**M146** 0,4 ◄ |
| 0401070 | Soya bean | | ►**M146** 0,01 (*) ◄ |
| 0401080 | Mustard seed | | ►**M146** 0,4 ◄ |
| 0401090 | Cotton seed | | ►**M146** 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | | ►**M146** 0,01 (*) ◄ |
| 0401110 | Safflower | | ►**M146** 0,01 (*) ◄ |
| 0401120 | Borage | | ►**M146** 0,01 (*) ◄ |
| 0401130 | Gold of pleasure | | ►**M146** 0,01 (*) ◄ |
| 0401140 | Hempseed | | ►**M146** 0,01 (*) ◄ |
| 0401150 | Castor bean | | ►**M146** 0,01 (*) ◄ |

▼**M20**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0401990 | Others | | ►**M146** 0,01 (*) ◄ |
| 0402000 | (ii) **Oilfruits** | | ►**M146** 0,01 (*) ◄ |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | ►**M24** 0,01 (*) ◄ | |
| 0500010 | Barley | | ►**M146** 0,6 ◄ |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | ►**M146** 0,01 (*) ◄ |
| 0500030 | Maize | | ►**M146** 0,01 (*) ◄ |
| 0500040 | Millet (Foxtail millet, teff) | | ►**M146** 0,01 (*) ◄ |
| 0500050 | Oats | | ►**M146** 0,6 ◄ |
| 0500060 | Rice | | ►**M146** 0,01 (*) ◄ |
| 0500070 | Rye | | ►**M146** 0,2 ◄ |
| 0500080 | Sorghum | | ►**M146** 0,01 (*) ◄ |
| 0500090 | Wheat (Spelt, triticale) | | ►**M146** 0,2 ◄ |
| 0500990 | Others | | ►**M146** 0,01 (*) ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | | ►**M146** 0,01 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►**M24** 0,05 (*) ◄ | |
| 0620000 | (ii) **Coffee beans** | ►**M24** 0,05 (*) ◄ | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) *Flowers* | ►**M24** 0,05 (*) ◄ | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) *Leaves* | | |
| 0632010 | Strawberry leaves | ►**M24** 0,05 (*) ◄ | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►**M24** 0,05 (*) ◄ | |
| 0632030 | Maté | ►**M24** 0,5 ◄ | |
| 0632990 | Others | ►**M24** 0,05 (*) ◄ | |
| 0633000 | (c) *Roots* | ►**M24** 0,05 (*) ◄ | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |

▼M20

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0633990 | Others | | |
| 0639000 | (d) *Other herbal infusions* | ►M24 0,05 (*) ◄ | |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M24 0,05 (*) ◄ | |
| 0650000 | (v) **Carob (st johns bread)** | ►M24 0,05 (*) ◄ | |
| 0700000 | 7. **HOPS (dried) , including hop pellets and unconcentrated powder** | ►M24 0,05 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0800000 | 8. **SPICES** | **0,05** (*) | ►M54 — ◄ |
| 0810000 | (i) **Seeds** | | ►M146 0,01 (*) ◄ |
| 0810010 | Anise | ►M24 0,05 (*) ◄ | |
| 0810020 | Black caraway | ►M24 0,05 (*) ◄ | |
| 0810030 | Celery seed (Lovage seed) | ►M24 0,05 (*) ◄ | |
| 0810040 | Coriander seed | ►M24 0,05 (*) ◄ | |
| 0810050 | Cumin seed | ►M24 0,05 (*) ◄ | |
| 0810060 | Dill seed | ►M24 0,05 (*) ◄ | |
| 0810070 | Fennel seed | ►M24 0,05 (*) ◄ | |
| 0810080 | Fenugreek | ►M24 0,05 (*) ◄ | |
| 0810090 | Nutmeg | ►M24 **1** ◄ | |
| 0810990 | Others | ►M24 0,05 (*) ◄ | |
| 0820000 | (ii) **Fruits and berries** | ►M24 0,05 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0820010 | Allspice | | |
| 0820020 | Anise pepper (Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | ►M24 0,05 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | ►M24 0,05 (*) ◄ | |
| 0840010 | Liquorice | | ►M146 0,01 (*) ◄ |
| 0840020 | Ginger | | ►M146 0,01 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | | ►M146 0,01 (*) ◄ |
| 0840040 | Horseradish | | ►M146 — ◄ |
| 0840990 | Others | | ►M146 0,01 (*) ◄ |
| 0850000 | (v) **Buds** | ►M24 0,05 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |

▼M20

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | ►M24 0,05 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | | ►M146 0,01 (*) ◄ |
| 0870010 | Mace | ►M24 **1** ◄ | |
| 0870990 | Others | ►M24 0,05 (*) ◄ | |
| 0900000 | 9. **SUGAR PLANTS** | ►M24 0,01 (*) ◄ | ►M146 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M24 0,01 (*) ◄ | ►M43 — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | | ►M146 — ◄ |
| 1011000 | (a) *Swine* | | |
| 1011010 | Meat | | ►M146 0,01 (*) ◄ |
| 1011020 | Fat free of lean meat | | ►M146 **0,03** ◄ |
| 1011030 | Liver | | ►M146 **0,02** ◄ |
| 1011040 | Kidney | | ►M146 **0,02** ◄ |
| 1011050 | Edible offal | | ►M146 **0,02** ◄ |
| 1011990 | Others | | ►M146 0,01 (*) ◄ |
| 1012000 | (b) *Bovine* | | |
| 1012010 | Meat | | ►M146 0,01 (*) ◄ |
| 1012020 | Fat | | ►M146 **0,03** ◄ |
| 1012030 | Liver | | ►M146 **0,02** ◄ |
| 1012040 | Kidney | | ►M146 **0,02** ◄ |
| 1012050 | Edible offal | | ►M146 **0,02** ◄ |
| 1012990 | Others | | ►M146 0,01 (*) ◄ |
| 1013000 | (c) *Sheep* | | |
| 1013010 | Meat | | ►M146 0,01 (*) ◄ |
| 1013020 | Fat | | ►M146 **0,03** ◄ |
| 1013030 | Liver | | ►M146 **0,02** ◄ |

▼**M20**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1013040 | Kidney | | ►**M146** **0,02** ◄ |
| 1013050 | Edible offal | | ►**M146** **0,02** ◄ |
| 1013990 | Others | | ►**M146** 0,01 (*) ◄ |
| 1014000 | (d) *Goat* | | |
| 1014010 | Meat | | ►**M146** 0,01 (*) ◄ |
| 1014020 | Fat | | ►**M146** **0,03** ◄ |
| 1014030 | Liver | | ►**M146** **0,02** ◄ |
| 1014040 | Kidney | | ►**M146** **0,02** ◄ |
| 1014050 | Edible offal | | ►**M146** **0,02** ◄ |
| 1014990 | Others | | ►**M146** 0,01 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | |
| 1015010 | Meat | | ►**M146** 0,01 (*) ◄ |
| 1015020 | Fat | | ►**M146** **0,03** ◄ |
| 1015030 | Liver | | ►**M146** **0,02** ◄ |
| 1015040 | Kidney | | ►**M146** **0,02** ◄ |
| 1015050 | Edible offal | | ►**M146** **0,02** ◄ |
| 1015990 | Others | | ►**M146** 0,01 (*) ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | ►**M146** 0,01 (*) ◄ |
| 1016010 | Meat | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | | |
| 1017010 | Meat | | ►**M146** 0,01 (*) ◄ |
| 1017020 | Fat | | ►**M146** **0,03** ◄ |
| 1017030 | Liver | | ►**M146** **0,02** ◄ |
| 1017040 | Kidney | | ►**M146** **0,02** ◄ |
| 1017050 | Edible offal | | ►**M146** **0,02** ◄ |
| 1017990 | Others | | ►**M146** 0,01 (*) ◄ |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | | ►**M146** 0,01 (*) ◄ |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |

▼**M20**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1020990 | Others | | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | | ►**M146** 0,01 (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | | ►**M146** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | | ►**M146** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | | ►**M146** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | | ►**M146** 0,01 (*) ◄ |

▼M23

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Ethametsulfuron-methyl |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | |
| 0110000 | (i) **Citrus fruit** | **0,01** (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | **0,01** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | **0,01** (*) |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | **0,01** (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | |
| 0140990 | Others | |

▼M23

| (1) | (2) | (3) |
|---|---|---|
| 0150000 | (v) **Berries & small fruit** | **0,01** (*) |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloud-berries) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x idaeus)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | **0,01** (*) |
| 0161020 | Figs | **0,01** (*) |
| 0161030 | Table olives | **0,02** (*) |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | **0,01** (*) |
| 0161050 | Carambola (Bilimbi) | **0,01** (*) |
| 0161060 | Persimmon | **0,01** (*) |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama Eugenia uniflora),) | **0,01** (*) |
| 0161990 | Others | **0,01** (*) |
| 0162000 | (b) *Inedible peel, small* | **0,01** (*) |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | |

▼**M23**

| (1) | (2) | (3) |
|---|---|---|
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | **0,01** (*) |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | **0,01** (*) |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | |
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant)) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | |

▼**M23**

| (1) | (2) | (3) |
|---|---|---|
| 0220010 | Garlic | |
| 0220020 | Onions (Silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions (Welsh onion and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry (Lycium barbarum and L. chinense)) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino) | |
| 0231040 | Okra, lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits - edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |

▼M23

| (1) | (2) | (3) |
|---|---|---|
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | |
| 0251010 | Lamb's lettuce (Italian cornsalad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | |
| 0251040 | Cress | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves)* | |
| 0254000 | (d) *Water cress* | |
| 0255000 | (e) *Witloof* | |
| 0256000 | (f) *Herbs* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves) | |
| 0256040 | Parsley | |
| 0256050 | Sage (Winter savory, summer savory,) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |
| 0256080 | Basil (Balm leaves, mint, peppermint) | |
| 0256090 | Bay leaves (laurel) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others (Edible flowers) | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |

▼**M23**

| (1) | (2) | (3) |
|---|---|---|
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02** (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | |
| 0401110 | Safflower | |
| 0401120 | Borage | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |

▼M23

| (1) | (2) | (3) |
|---|---|---|
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff) | |
| 0500050 | Oats | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,02** (*) |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |

▼**M23**

| (1) | (2) | (3) |
|---|---|---|
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoa (fermented beans)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | **0,02** (*) |
| 0800000 | 8. **SPICES** | **0,02** (*) |
| 0810000 | (i) **Seeds** | |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | |
| 0820010 | Allspice | |
| 0820020 | Anise pepper (Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger | |
| 0840030 | Turmeric (Curcuma) | |
| 0840040 | Horseradish | |
| 0840990 | Others | |
| 0850000 | (v) **Buds** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |

▼**M23**

| (1) | (2) | (3) |
|---|---|---|
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | **0,01** (*) |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | |
| 1011000 | (a) *Swine* | |
| 1011010 | Meat | |
| 1011020 | Fat free of lean meat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Meat | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Meat | |
| 1013020 | Fat | |
| 1013030 | Liver | |

▼**M23**

| (1) | (2) | (3) |
|---|---|---|
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Meat | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Meat | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Meat | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | |
| 1017010 | Meat | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |

▼**M23**

| (1) | (2) | (3) |
|---|---|---|
| 1020990 | Others | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | |
| 1060000 | (vi) **Snails** | |
| 1070000 | (vii) **Other terrestrial animal products** | |

▼M24

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M170 — ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M170 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M170 — ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►M170 — ◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►M170 — ◄ |
| 0110030 | Lemons (Citron, lemon) | ►M170 — ◄ |
| 0110040 | Limes | ►M170 — ◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | ►M170 — ◄ |
| 0110990 | Others | ►M170 — ◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M170 — ◄ |
| 0120010 | Almonds | ►M170 — ◄ |
| 0120020 | Brazil nuts | ►M170 — ◄ |
| 0120030 | Cashew nuts | ►M170 — ◄ |
| 0120040 | Chestnuts | ►M170 — ◄ |
| 0120050 | Coconuts | ►M170 — ◄ |
| 0120060 | Hazelnuts (Filbert) | ►M170 — ◄ |
| 0120070 | Macadamia | ►M170 — ◄ |
| 0120080 | Pecans | ►M170 — ◄ |
| 0120090 | Pine nuts | ►M170 — ◄ |
| 0120100 | Pistachios | ►M170 — ◄ |
| 0120110 | Walnuts | ►M170 — ◄ |
| 0120990 | Others | ►M170 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M170 — ◄ |
| 0130010 | Apples (Crab apple) | ►M170 — ◄ |
| 0130020 | Pears (Oriental pear) | ►M170 — ◄ |
| 0130030 | Quinces | ►M170 — ◄ |
| 0130040 | Medlar | ►M170 — ◄ |
| 0130050 | Loquat | ►M170 — ◄ |
| 0130990 | Others | ►M170 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M170 — ◄ |
| 0140010 | Apricots | ►M170 — ◄ |
| 0140020 | Cherries (sweet cherries, sour cherries) | ►M170 — ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►M170 — ◄ |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | ►M170 — ◄ |
| 0140990 | Others | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 0150000 | (v) **Berries & small fruit** | ►M170 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M170 — ◄ |
| 0151010 | Table grapes | ►M170 — ◄ |
| 0151020 | Wine grapes | ►M170 — ◄ |
| 0152000 | (b) *Strawberries* | ►M170 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M170 — ◄ |
| 0153010 | Blackberries | ►M170 — ◄ |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberries) | ►M170 — ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x idaeus)) | ►M170 — ◄ |
| 0153990 | Others | ►M170 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M170 — ◄ |
| 0154010 | Blueberries (Bilberries) | ►M170 — ◄ |
| 0154020 | Cranberries (Cowberries (red bilberries)) | ►M170 — ◄ |
| 0154030 | Currants (red, black and white) | ►M170 — ◄ |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | ►M170 — ◄ |
| 0154050 | Rose hips | ►M170 — ◄ |
| 0154060 | Mulberries (arbutus berry) | ►M170 — ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | ►M170 — ◄ |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | ►M170 — ◄ |
| 0154990 | Others | ►M170 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M170 — ◄ |
| 0161000 | (a) *Edible peel* | ►M170 — ◄ |
| 0161010 | Dates | ►M170 — ◄ |
| 0161020 | Figs | ►M170 — ◄ |
| 0161030 | Table olives | ►M170 — ◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | ►M170 — ◄ |
| 0161050 | Carambola (Bilimbi) | ►M170 — ◄ |
| 0161060 | Persimmon | ►M170 — ◄ |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama Eugenia uniflora),) | ►M170 — ◄ |
| 0161990 | Others | ►M170 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M170 — ◄ |
| 0162010 | Kiwi | ►M170 — ◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | ►M170 — ◄ |
| 0162030 | Passion fruit | ►M170 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M170 — ◄ |
| 0162050 | Star apple | ►M170 — ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 0162990 | Others | ►M170 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M170 — ◄ |
| 0163010 | Avocados | ►M170 — ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►M170 — ◄ |
| 0163030 | Mangoes | ►M170 — ◄ |
| 0163040 | Papaya | ►M170 — ◄ |
| 0163050 | Pomegranate | ►M170 — ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | ►M170 — ◄ |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | ►M170 — ◄ |
| 0163080 | Pineapples | ►M170 — ◄ |
| 0163090 | Bread fruit (Jackfruit) | ►M170 — ◄ |
| 0163100 | Durian | ►M170 — ◄ |
| 0163110 | Soursop (guanabana) | ►M170 — ◄ |
| 0163990 | Others | ►M170 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M170 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M170 — ◄ |
| 0211000 | (a) *Potatoes* | ►M170 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M170 — ◄ |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | ►M170 — ◄ |
| 0212020 | Sweet potatoes | ►M170 — ◄ |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | ►M170 — ◄ |
| 0212040 | Arrowroot | ►M170 — ◄ |
| 0212990 | Others | ►M170 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M170 — ◄ |
| 0213010 | Beetroot | ►M170 — ◄ |
| 0213020 | Carrots | ►M170 — ◄ |
| 0213030 | Celeriac | ►M170 — ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | ►M170 — ◄ |
| 0213050 | Jerusalem artichokes | ►M170 — ◄ |
| 0213060 | Parsnips | ►M170 — ◄ |
| 0213070 | Parsley root | ►M170 — ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | ►M170 — ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant)) | ►M170 — ◄ |
| 0213100 | Swedes | ►M170 — ◄ |
| 0213110 | Turnips | ►M170 — ◄ |
| 0213990 | Others | ►M170 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 0220010 | Garlic | ►M170 — ◄ |
| 0220020 | Onions (Silverskin onions) | ►M170 — ◄ |
| 0220030 | Shallots | ►M170 — ◄ |
| 0220040 | Spring onions (Welsh onion and similar varieties) | ►M170 — ◄ |
| 0220990 | Others | ►M170 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M170 — ◄ |
| 0231000 | (a) *Solanacea* | ►M170 — ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry (Lycium barbarum and L. chinense)) | ►M170 — ◄ |
| 0231020 | Peppers (Chilli peppers) | ►M170 — ◄ |
| 0231030 | Aubergines (egg plants) (Pepino) | ►M170 — ◄ |
| 0231040 | Okra, lady's fingers | ►M170 — ◄ |
| 0231990 | Others | ►M170 — ◄ |
| 0232000 | (b) *Cucurbits - edible peel* | ►M170 — ◄ |
| 0232010 | Cucumbers | ►M170 — ◄ |
| 0232020 | Gherkins | ►M170 — ◄ |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | ►M170 — ◄ |
| 0232990 | Others | ►M170 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M170 — ◄ |
| 0233010 | Melons (Kiwano) | ►M170 — ◄ |
| 0233020 | Pumpkins (Winter squash) | ►M170 — ◄ |
| 0233030 | Watermelons | ►M170 — ◄ |
| 0233990 | Others | ►M170 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M170 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M170 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M170 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M170 — ◄ |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | ►M170 — ◄ |
| 0241020 | Cauliflower | ►M170 — ◄ |
| 0241990 | Others | ►M170 — ◄ |
| 0242000 | (b) *Head brassica* | ►M170 — ◄ |
| 0242010 | Brussels sprouts | ►M170 — ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►M170 — ◄ |
| 0242990 | Others | ►M170 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M170 — ◄ |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | ►M170 — ◄ |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►M170 — ◄ |
| 0243990 | Others | ►M170 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M170 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M170 — ◄ |
| 0251010 | Lamb's lettuce (Italian cornsalad) | ►M170 — ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►M170 — ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | ►M170 — ◄ |
| 0251040 | Cress | ►M170 — ◄ |
| 0251050 | Land cress | ►M170 — ◄ |
| 0251060 | Rocket, Rucola (Wild rocket) | ►M170 — ◄ |
| 0251070 | Red mustard | ►M170 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | ►M170 — ◄ |
| 0251990 | Others | ►M170 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M170 — ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | ►M170 — ◄ |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | ►M170 — ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►M170 — ◄ |
| 0252990 | Others | ►M170 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M170 — ◄ |
| 0254000 | (d) *Water cress* | ►M170 — ◄ |
| 0255000 | (e) *Witloof* | ►M170 — ◄ |
| 0256000 | (f) *Herbs* | ►M170 — ◄ |
| 0256010 | Chervil | ►M170 — ◄ |
| 0256020 | Chives | ►M170 — ◄ |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves) | ►M170 — ◄ |
| 0256040 | Parsley | ►M170 — ◄ |
| 0256050 | Sage (Winter savory, summer savory,) | ►M170 — ◄ |
| 0256060 | Rosemary | ►M170 — ◄ |
| 0256070 | Thyme (Marjoram, oregano) | ►M170 — ◄ |
| 0256080 | Basil (Balm leaves, mint, peppermint) | ►M170 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M170 — ◄ |
| 0256100 | Tarragon (Hyssop) | ►M170 — ◄ |
| 0256990 | Others (Edible flowers) | ►M170 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M170 — ◄ |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | ►M170 — ◄ |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | ►M170 — ◄ |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | ►M170 — ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►M170 — ◄ |
| 0260050 | Lentils | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 0260990 | Others | ►M170 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M170 — ◄ |
| 0270010 | Asparagus | ►M170 — ◄ |
| 0270020 | Cardoons | ►M170 — ◄ |
| 0270030 | Celery | ►M170 — ◄ |
| 0270040 | Fennel | ►M170 — ◄ |
| 0270050 | Globe artichokes | ►M170 — ◄ |
| 0270060 | Leek | ►M170 — ◄ |
| 0270070 | Rhubarb | ►M170 — ◄ |
| 0270080 | Bamboo shoots | ►M170 — ◄ |
| 0270090 | Palm hearts | ►M170 — ◄ |
| 0270990 | Others | ►M170 — ◄ |
| 0280000 | (viii) **Fungi** | ►M170 — ◄ |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | ►M170 — ◄ |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | ►M170 — ◄ |
| 0280990 | Others | ►M170 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M170 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M170 — ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►M170 — ◄ |
| 0300020 | Lentils | ►M170 — ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►M170 — ◄ |
| 0300040 | Lupins | ►M170 — ◄ |
| 0300990 | Others | ►M170 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M170 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M170 — ◄ |
| 0401010 | Linseed | ►M170 — ◄ |
| 0401020 | Peanuts | ►M170 — ◄ |
| 0401030 | Poppy seed | ►M170 — ◄ |
| 0401040 | Sesame seed | ►M170 — ◄ |
| 0401050 | Sunflower seed | ►M170 — ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►M170 — ◄ |
| 0401070 | Soya bean | ►M170 — ◄ |
| 0401080 | Mustard seed | ►M170 — ◄ |
| 0401090 | Cotton seed | ►M170 — ◄ |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | ►M170 — ◄ |
| 0401110 | Safflower | ►M170 — ◄ |
| 0401120 | Borage | ►M170 — ◄ |
| 0401130 | Gold of pleasure | ►M170 — ◄ |
| 0401140 | Hempseed | ►M170 — ◄ |
| 0401150 | Castor bean | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 0401990 | Others | ►M170 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M170 — ◄ |
| 0402010 | Olives for oil production | ►M170 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M170 — ◄ |
| 0402030 | Palmfruit | ►M170 — ◄ |
| 0402040 | Kapok | ►M170 — ◄ |
| 0402990 | Others | ►M170 — ◄ |
| 0500000 | 5. **CEREALS** | ►M170 — ◄ |
| 0500010 | Barley | ►M170 — ◄ |
| 0500020 | Buckwheat (Amaranthus, quinoa) | ►M170 — ◄ |
| 0500030 | Maize | ►M170 — ◄ |
| 0500040 | Millet (Foxtail millet, teff) | ►M170 — ◄ |
| 0500050 | Oats | ►M170 — ◄ |
| 0500060 | Rice | ►M170 — ◄ |
| 0500070 | Rye | ►M170 — ◄ |
| 0500080 | Sorghum | ►M170 — ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M170 — ◄ |
| 0500990 | Others | ►M170 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M170 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M170 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M170 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M170 — ◄ |
| 0631000 | (a) *Flowers* | ►M170 — ◄ |
| 0631010 | Camomille flowers | ►M170 — ◄ |
| 0631020 | Hybiscus flowers | ►M170 — ◄ |
| 0631030 | Rose petals | ►M170 — ◄ |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | ►M170 — ◄ |
| 0631050 | Lime (linden) | ►M170 — ◄ |
| 0631990 | Others | ►M170 — ◄ |
| 0632000 | (b) *Leaves* | ►M170 — ◄ |
| 0632010 | Strawberry leaves | ►M170 — ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M170 — ◄ |
| 0632030 | Maté | ►M170 — ◄ |
| 0632990 | Others | ►M170 — ◄ |
| 0633000 | (c) *Roots* | ►M170 — ◄ |
| 0633010 | Valerian root | ►M170 — ◄ |
| 0633020 | Ginseng root | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 0633990 | Others | ►M170 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M170 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M170 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M170 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M170 — ◄ |
| 0800000 | 8. **SPICES** | ►M170 — ◄ |
| 0810000 | (i) **Seeds** | ►M170 — ◄ |
| 0810010 | Anise | ►M170 — ◄ |
| 0810020 | Black caraway | ►M170 — ◄ |
| 0810030 | Celery seed (Lovage seed) | ►M170 — ◄ |
| 0810040 | Coriander seed | ►M170 — ◄ |
| 0810050 | Cumin seed | ►M170 — ◄ |
| 0810060 | Dill seed | ►M170 — ◄ |
| 0810070 | Fennel seed | ►M170 — ◄ |
| 0810080 | Fenugreek | ►M170 — ◄ |
| 0810090 | Nutmeg | ►M170 — ◄ |
| 0810990 | Others | ►M170 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M170 — ◄ |
| 0820010 | Allspice | ►M170 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M170 — ◄ |
| 0820030 | Caraway | ►M170 — ◄ |
| 0820040 | Cardamom | ►M170 — ◄ |
| 0820050 | Juniper berries | ►M170 — ◄ |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | ►M170 — ◄ |
| 0820070 | Vanilla pods | ►M170 — ◄ |
| 0820080 | Tamarind | ►M170 — ◄ |
| 0820990 | Others | ►M170 — ◄ |
| 0830000 | (iii) **Bark** | ►M170 — ◄ |
| 0830010 | Cinnamon (Cassia) | ►M170 — ◄ |
| 0830990 | Others | ►M170 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M170 — ◄ |
| 0840010 | Liquorice | ►M170 — ◄ |
| 0840020 | Ginger | ►M170 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M170 — ◄ |
| 0840040 | Horseradish | ►M170 — ◄ |
| 0840990 | Others | ►M170 — ◄ |
| 0850000 | (v) **Buds** | ►M170 — ◄ |
| 0850010 | Cloves | ►M170 — ◄ |
| 0850020 | Capers | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 0850990 | Others | ►M170 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M170 — ◄ |
| 0860010 | Saffron | ►M170 — ◄ |
| 0860990 | Others | ►M170 — ◄ |
| 0870000 | (vii) **Aril** | ►M170 — ◄ |
| 0870010 | Mace | ►M170 — ◄ |
| 0870990 | Others | ►M170 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M170 — ◄ |
| 0900010 | Sugar beet (root) | ►M170 — ◄ |
| 0900020 | Sugar cane | ►M170 — ◄ |
| 0900030 | Chicory roots | ►M170 — ◄ |
| 0900990 | Others | ►M170 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M170 — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | ►M170 — ◄ |
| 1011000 | (a) *Swine* | ►M170 — ◄ |
| 1011010 | Meat | ►M170 — ◄ |
| 1011020 | Fat free of lean meat | ►M170 — ◄ |
| 1011030 | Liver | ►M170 — ◄ |
| 1011040 | Kidney | ►M170 — ◄ |
| 1011050 | Edible offal | ►M170 — ◄ |
| 1011990 | Others | ►M170 — ◄ |
| 1012000 | (b) *Bovine* | ►M170 — ◄ |
| 1012010 | Meat | ►M170 — ◄ |
| 1012020 | Fat | ►M170 — ◄ |
| 1012030 | Liver | ►M170 — ◄ |
| 1012040 | Kidney | ►M170 — ◄ |
| 1012050 | Edible offal | ►M170 — ◄ |
| 1012990 | Others | ►M170 — ◄ |
| 1013000 | (c) *Sheep* | ►M170 — ◄ |
| 1013010 | Meat | ►M170 — ◄ |
| 1013020 | Fat | ►M170 — ◄ |
| 1013030 | Liver | ►M170 — ◄ |

▼M24

| (1) | (2) | (3) |
|---|---|---|
| 1013040 | Kidney | ►M170 — ◄ |
| 1013050 | Edible offal | ►M170 — ◄ |
| 1013990 | Others | ►M170 — ◄ |
| 1014000 | (d) *Goat* | ►M170 — ◄ |
| 1014010 | Meat | ►M170 — ◄ |
| 1014020 | Fat | ►M170 — ◄ |
| 1014030 | Liver | ►M170 — ◄ |
| 1014040 | Kidney | ►M170 — ◄ |
| 1014050 | Edible offal | ►M170 — ◄ |
| 1014990 | Others | ►M170 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M170 — ◄ |
| 1015010 | Meat | ►M170 — ◄ |
| 1015020 | Fat | ►M170 — ◄ |
| 1015030 | Liver | ►M170 — ◄ |
| 1015040 | Kidney | ►M170 — ◄ |
| 1015050 | Edible offal | ►M170 — ◄ |
| 1015990 | Others | ►M170 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M170 — ◄ |
| 1016010 | Meat | ►M170 — ◄ |
| 1016020 | Fat | ►M170 — ◄ |
| 1016030 | Liver | ►M170 — ◄ |
| 1016040 | Kidney | ►M170 — ◄ |
| 1016050 | Edible offal | ►M170 — ◄ |
| 1016990 | Others | ►M170 — ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | ►M170 — ◄ |
| 1017010 | Meat | ►M170 — ◄ |
| 1017020 | Fat | ►M170 — ◄ |
| 1017030 | Liver | ►M170 — ◄ |
| 1017040 | Kidney | ►M170 — ◄ |
| 1017050 | Edible offal | ►M170 — ◄ |
| 1017990 | Others | ►M170 — ◄ |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M170 — ◄ |
| 1020010 | Cattle | ►M170 — ◄ |
| 1020020 | Sheep | ►M170 — ◄ |
| 1020030 | Goat | ►M170 — ◄ |
| 1020040 | Horse | ►M170 — ◄ |

▼**M24**

| (1) | (2) | (3) |
|---|---|---|
| 1020990 | Others | ►**M170** — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►**M170** — ◄ |
| 1030010 | Chicken | ►**M170** — ◄ |
| 1030020 | Duck | ►**M170** — ◄ |
| 1030030 | Goose | ►**M170** — ◄ |
| 1030040 | Quail | ►**M170** — ◄ |
| 1030990 | Others | ►**M170** — ◄ |
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | ►**M170** — ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M170** — ◄ |
| 1060000 | (vi) **Snails** | ►**M170** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M170** — ◄ |

▼M25

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M169 — ◄ | ►M116 Imazapic ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0110000 | (i) **Citrus fruit** | ►M169 — ◄ | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►M169 — ◄ | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►M169 — ◄ | |
| 0110030 | Lemons (Citron, lemon) | ►M169 — ◄ | |
| 0110040 | Limes | ►M169 — ◄ | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | ►M169 — ◄ | |
| 0110990 | Others | ►M169 — ◄ | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M169 — ◄ | |
| 0120010 | Almonds | ►M169 — ◄ | |
| 0120020 | Brazil nuts | ►M169 — ◄ | |
| 0120030 | Cashew nuts | ►M169 — ◄ | |
| 0120040 | Chestnuts | ►M169 — ◄ | |
| 0120050 | Coconuts | ►M169 — ◄ | |
| 0120060 | Hazelnuts (Filbert) | ►M169 — ◄ | |
| 0120070 | Macadamia | ►M169 — ◄ | |
| 0120080 | Pecans | ►M169 — ◄ | |
| 0120090 | Pine nuts | ►M169 — ◄ | |
| 0120100 | Pistachios | ►M169 — ◄ | |
| 0120110 | Walnuts | ►M169 — ◄ | |
| 0120990 | Others | ►M169 — ◄ | |
| 0130000 | (iii) **Pome fruit** | ►M169 — ◄ | |
| 0130010 | Apples (Crab apple) | ►M169 — ◄ | |
| 0130020 | Pears (Oriental pear) | ►M169 — ◄ | |
| 0130030 | Quinces | ►M169 — ◄ | |
| 0130040 | Medlar | ►M169 — ◄ | |
| 0130050 | Loquat | ►M169 — ◄ | |
| 0130990 | Others | ►M169 — ◄ | |
| 0140000 | (iv) **Stone fruit** | ►M169 — ◄ | |
| 0140010 | Apricots | ►M169 — ◄ | |
| 0140020 | Cherries (sweet cherries, sour cherries) | ►M169 — ◄ | |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►M169 — ◄ | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | ►M169 — ◄ | |
| 0140990 | Others | ►M169 — ◄ | |

▼M25

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0150000 | (v) **Berries & small fruit** | ►M169 — ◄ | |
| 0151000 | (a) *Table and wine grapes* | ►M169 — ◄ | |
| 0151010 | Table grapes | ►M169 — ◄ | |
| 0151020 | Wine grapes | ►M169 — ◄ | |
| 0152000 | (b) *Strawberries* | ►M169 — ◄ | |
| 0153000 | (c) *Cane fruit* | ►M169 — ◄ | |
| 0153010 | Blackberries | ►M169 — ◄ | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberries) | ►M169 — ◄ | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x idaeus)) | ►M169 — ◄ | |
| 0153990 | Others | ►M169 — ◄ | |
| 0154000 | (d) *Other small fruit & berries* | ►M169 — ◄ | |
| 0154010 | Blueberries (Bilberries) | ►M169 — ◄ | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | ►M169 — ◄ | |
| 0154030 | Currants (red, black and white) | ►M169 — ◄ | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | ►M169 — ◄ | |
| 0154050 | Rose hips | ►M169 — ◄ | |
| 0154060 | Mulberries (arbutus berry) | ►M169 — ◄ | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | ►M169 — ◄ | |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | ►M169 — ◄ | |
| 0154990 | Others | ►M169 — ◄ | |
| 0160000 | (vi) **Miscellaneous fruit** | ►M169 — ◄ | |
| 0161000 | (a) *Edible peel* | ►M169 — ◄ | |
| 0161010 | Dates | ►M169 — ◄ | |
| 0161020 | Figs | ►M169 — ◄ | |
| 0161030 | Table olives | ►M169 — ◄ | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | ►M169 — ◄ | |
| 0161050 | Carambola (Bilimbi) | ►M169 — ◄ | |
| 0161060 | Persimmon | ►M169 — ◄ | |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama Eugenia uniflora),) | ►M169 — ◄ | |
| 0161990 | Others | ►M169 — ◄ | |
| 0162000 | (b) *Inedible peel, small* | ►M169 — ◄ | |
| 0162010 | Kiwi | ►M169 — ◄ | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | ►M169 — ◄ | |

▼M25

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0162030 | Passion fruit | ►M169 — ◄ | |
| 0162040 | Prickly pear (cactus fruit) | ►M169 — ◄ | |
| 0162050 | Star apple | ►M169 — ◄ | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | ►M169 — ◄ | |
| 0162990 | Others | ►M169 — ◄ | |
| 0163000 | (c) *Inedible peel, large* | ►M169 — ◄ | |
| 0163010 | Avocados | ►M169 — ◄ | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►M169 — ◄ | |
| 0163030 | Mangoes | ►M169 — ◄ | |
| 0163040 | Papaya | ►M169 — ◄ | |
| 0163050 | Pomegranate | ►M169 — ◄ | |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | ►M169 — ◄ | |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | ►M169 — ◄ | |
| 0163080 | Pineapples | ►M169 — ◄ | |
| 0163090 | Bread fruit (Jackfruit) | ►M169 — ◄ | |
| 0163100 | Durian | ►M169 — ◄ | |
| 0163110 | Soursop (guanabana) | ►M169 — ◄ | |
| 0163990 | Others | ►M169 — ◄ | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M169 — ◄ | |
| 0211000 | (a) *Potatoes* | ►M169 — ◄ | |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M169 — ◄ | |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | ►M169 — ◄ | |
| 0212020 | Sweet potatoes | ►M169 — ◄ | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | ►M169 — ◄ | |
| 0212040 | Arrowroot | ►M169 — ◄ | |
| 0212990 | Others | ►M169 — ◄ | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M169 — ◄ | |
| 0213010 | Beetroot | ►M169 — ◄ | |
| 0213020 | Carrots | ►M169 — ◄ | |
| 0213030 | Celeriac | ►M169 — ◄ | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | ►M169 — ◄ | |
| 0213050 | Jerusalem artichokes | ►M169 — ◄ | |
| 0213060 | Parsnips | ►M169 — ◄ | |
| 0213070 | Parsley root | ►M169 — ◄ | |

▼**M25**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | ►**M169** — ◄ | |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oysterplant)) | ►**M169** — ◄ | |
| 0213100 | Swedes | ►**M169** — ◄ | |
| 0213110 | Turnips | ►**M169** — ◄ | |
| 0213990 | Others | ►**M169** — ◄ | |
| 0220000 | (ii) **Bulb vegetables** | ►**M169** — ◄ | |
| 0220010 | Garlic | ►**M169** — ◄ | |
| 0220020 | Onions (Silverskin onions) | ►**M169** — ◄ | |
| 0220030 | Shallots | ►**M169** — ◄ | |
| 0220040 | Spring onions (Welsh onion and similar varieties) | ►**M169** — ◄ | |
| 0220990 | Others | ►**M169** — ◄ | |
| 0230000 | (iii) **Fruiting vegetables** | ►**M169** — ◄ | |
| 0231000 | (a) *Solanacea* | ►**M169** — ◄ | |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry (Lycium barbarum and L. chinense)) | ►**M169** — ◄ | |
| 0231020 | Peppers (Chilli peppers) | ►**M169** — ◄ | |
| 0231030 | Aubergines (egg plants) (Pepino) | ►**M169** — ◄ | |
| 0231040 | Okra, lady's fingers | ►**M169** — ◄ | |
| 0231990 | Others | ►**M169** — ◄ | |
| 0232000 | (b) *Cucurbits - edible peel* | ►**M169** — ◄ | |
| 0232010 | Cucumbers | ►**M169** — ◄ | |
| 0232020 | Gherkins | ►**M169** — ◄ | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | ►**M169** — ◄ | |
| 0232990 | Others | ►**M169** — ◄ | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►**M169** — ◄ | |
| 0233010 | Melons (Kiwano) | ►**M169** — ◄ | |
| 0233020 | Pumpkins (Winter squash) | ►**M169** — ◄ | |
| 0233030 | Watermelons | ►**M169** — ◄ | |
| 0233990 | Others | ►**M169** — ◄ | |
| 0234000 | (d) *Sweet corn* | ►**M169** — ◄ | |
| 0239000 | (e) *Other fruiting vegetables* | ►**M169** — ◄ | |
| 0240000 | (iv) **Brassica vegetables** | ►**M169** — ◄ | |
| 0241000 | (a) *Flowering brassica* | ►**M169** — ◄ | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | ►**M169** — ◄ | |
| 0241020 | Cauliflower | ►**M169** — ◄ | |
| 0241990 | Others | ►**M169** — ◄ | |
| 0242000 | (b) *Head brassica* | ►**M169** — ◄ | |
| 0242010 | Brussels sprouts | ►**M169** — ◄ | |

▼M25

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►M169 — ◄ | |
| 0242990 | Others | ►M169 — ◄ | |
| 0243000 | (c) *Leafy brassica* | ►M169 — ◄ | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | ►M169 — ◄ | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►M169 — ◄ | |
| 0243990 | Others | ►M169 — ◄ | |
| 0244000 | (d) *Kohlrabi* | ►M169 — ◄ | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M169 — ◄ | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M169 — ◄ | |
| 0251010 | Lamb's lettuce (Italian cornsalad) | ►M169 — ◄ | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►M169 — ◄ | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | ►M169 — ◄ | |
| 0251040 | Cress | ►M169 — ◄ | |
| 0251050 | Land cress | ►M169 — ◄ | |
| 0251060 | Rocket, Rucola (Wild rocket) | ►M169 — ◄ | |
| 0251070 | Red mustard | ►M169 — ◄ | |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | ►M169 — ◄ | |
| 0251990 | Others | ►M169 — ◄ | |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M169 — ◄ | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | ►M169 — ◄ | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | ►M169 — ◄ | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►M169 — ◄ | |
| 0252990 | Others | ►M169 — ◄ | |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M169 — ◄ | |
| 0254000 | (d) *Water cress* | ►M169 — ◄ | |
| 0255000 | (e) *Witloof* | ►M169 — ◄ | |
| 0256000 | (f) *Herbs* | ►M169 — ◄ | |
| 0256010 | Chervil | ►M169 — ◄ | |
| 0256020 | Chives | ►M169 — ◄ | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves) | ►M169 — ◄ | |

▼**M25**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0256040 | Parsley | ►**M169** — ◄ | |
| 0256050 | Sage (Winter savory, summer savory,) | ►**M169** — ◄ | |
| 0256060 | Rosemary | ►**M169** — ◄ | |
| 0256070 | Thyme (Marjoram, oregano) | ►**M169** — ◄ | |
| 0256080 | Basil (Balm leaves, mint, peppermint) | ►**M169** — ◄ | |
| 0256090 | Bay leaves (laurel) | ►**M169** — ◄ | |
| 0256100 | Tarragon (Hyssop) | ►**M169** — ◄ | |
| 0256990 | Others (Edible flowers) | ►**M169** — ◄ | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►**M169** — ◄ | |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | ►**M169** — ◄ | |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | ►**M169** — ◄ | |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | ►**M169** — ◄ | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►**M169** — ◄ | |
| 0260050 | Lentils | ►**M169** — ◄ | |
| 0260990 | Others | ►**M169** — ◄ | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►**M169** — ◄ | |
| 0270010 | Asparagus | ►**M169** — ◄ | |
| 0270020 | Cardoons | ►**M169** — ◄ | |
| 0270030 | Celery | ►**M169** — ◄ | |
| 0270040 | Fennel | ►**M169** — ◄ | |
| 0270050 | Globe artichokes | ►**M169** — ◄ | |
| 0270060 | Leek | ►**M169** — ◄ | |
| 0270070 | Rhubarb | ►**M169** — ◄ | |
| 0270080 | Bamboo shoots | ►**M169** — ◄ | |
| 0270090 | Palm hearts | ►**M169** — ◄ | |
| 0270990 | Others | ►**M169** — ◄ | |
| 0280000 | (viii) **Fungi** | ►**M169** — ◄ | |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | ►**M169** — ◄ | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | ►**M169** — ◄ | |
| 0280990 | Others | ►**M169** — ◄ | |
| 0290000 | (ix) **Sea weeds** | ►**M169** — ◄ | |
| 0300000 | 3. **PULSES, DRY** | ►**M169** — ◄ | ►**M116** 0,01 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►**M169** — ◄ | |
| 0300020 | Lentils | ►**M169** — ◄ | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►**M169** — ◄ | |
| 0300040 | Lupins | ►**M169** — ◄ | |

▼M25

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0300990 | Others | ►M169 — ◄ | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M169 — ◄ | ►M76 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M169 — ◄ | |
| 0401010 | Linseed | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401020 | Peanuts | ►M169 — ◄ | ►M116 0,05 (*) ◄ |
| 0401030 | Poppy seed | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401040 | Sesame seed | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401050 | Sunflower seed | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►M169 — ◄ | ►M116 0,05 (*) ◄ |
| 0401070 | Soya bean | ►M169 — ◄ | ►M116 **0,5** ◄ |
| 0401080 | Mustard seed | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401090 | Cotton seed | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401110 | Safflower | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401120 | Borage | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401130 | Gold of pleasure | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401140 | Hempseed | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401150 | Castor bean | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0401990 | Others | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0402000 | (ii) **Oilfruits** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0402010 | Olives for oil production | ►M169 — ◄ | |
| 0402020 | Palm nuts (palmoil kernels) | ►M169 — ◄ | |
| 0402030 | Palmfruit | ►M169 — ◄ | |
| 0402040 | Kapok | ►M169 — ◄ | |
| 0402990 | Others | ►M169 — ◄ | |
| 0500000 | 5. **CEREALS** | ►M169 — ◄ | ►M76 — ◄ |
| 0500010 | Barley | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0500020 | Buckwheat (Amaranthus, quinoa) | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0500030 | Maize | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0500040 | Millet (Foxtail millet, teff) | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0500050 | Oats | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0500060 | Rice | ►M169 — ◄ | ►M116 0,05 (*) ◄ |
| 0500070 | Rye | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0500080 | Sorghum | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M169 — ◄ | ►M116 0,05 (*) ◄ |
| 0500990 | Others | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | ►M169 — ◄ | |
| 0620000 | (ii) **Coffee beans** | ►M169 — ◄ | |

▼M25

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0630000 | (iii) **Herbal infusions (dried)** | ►M169 — ◄ | |
| 0631000 | (a) *Flowers* | ►M169 — ◄ | |
| 0631010 | Camomille flowers | ►M169 — ◄ | |
| 0631020 | Hybiscus flowers | ►M169 — ◄ | |
| 0631030 | Rose petals | ►M169 — ◄ | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | ►M169 — ◄ | |
| 0631050 | Lime (linden) | ►M169 — ◄ | |
| 0631990 | Others | ►M169 — ◄ | |
| 0632000 | (b) *Leaves* | ►M169 — ◄ | |
| 0632010 | Strawberry leaves | ►M169 — ◄ | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M169 — ◄ | |
| 0632030 | Maté | ►M169 — ◄ | |
| 0632990 | Others | ►M169 — ◄ | |
| 0633000 | (c) *Roots* | ►M169 — ◄ | |
| 0633010 | Valerian root | ►M169 — ◄ | |
| 0633020 | Ginseng root | ►M169 — ◄ | |
| 0633990 | Others | ►M169 — ◄ | |
| 0639000 | (d) *Other herbal infusions* | ►M169 — ◄ | |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M169 — ◄ | |
| 0650000 | (v) **Carob (st johns bread)** | ►M169 — ◄ | |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M169 — ◄ | ►M76 — ◄ |
| 0810000 | (i) **Seeds** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0810010 | Anise | ►M169 — ◄ | |
| 0810020 | Black caraway | ►M169 — ◄ | |
| 0810030 | Celery seed (Lovage seed) | ►M169 — ◄ | |
| 0810040 | Coriander seed | ►M169 — ◄ | |
| 0810050 | Cumin seed | ►M169 — ◄ | |
| 0810060 | Dill seed | ►M169 — ◄ | |
| 0810070 | Fennel seed | ►M169 — ◄ | |
| 0810080 | Fenugreek | ►M169 — ◄ | |
| 0810090 | Nutmeg | ►M169 — ◄ | |
| 0810990 | Others | ►M169 — ◄ | |
| 0820000 | (ii) **Fruits and berries** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0820010 | Allspice | ►M169 — ◄ | |
| 0820020 | Anise pepper (Japan pepper) | ►M169 — ◄ | |
| 0820030 | Caraway | ►M169 — ◄ | |
| 0820040 | Cardamom | ►M169 — ◄ | |
| 0820050 | Juniper berries | ►M169 — ◄ | |

▼M25

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | ►M169 — ◄ | |
| 0820070 | Vanilla pods | ►M169 — ◄ | |
| 0820080 | Tamarind | ►M169 — ◄ | |
| 0820990 | Others | ►M169 — ◄ | |
| 0830000 | (iii) **Bark** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0830010 | Cinnamon (Cassia) | ►M169 — ◄ | |
| 0830990 | Others | ►M169 — ◄ | |
| 0840000 | (iv) **Roots or rhizome** | ►M169 — ◄ | |
| 0840010 | Liquorice | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0840020 | Ginger | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0840040 | Horseradish | ►M169 — ◄ | ►M116 (+) ◄ |
| 0840990 | Others | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0850000 | (v) **Buds** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0850010 | Cloves | ►M169 — ◄ | |
| 0850020 | Capers | ►M169 — ◄ | |
| 0850990 | Others | ►M169 — ◄ | |
| 0860000 | (vi) **Flower stigma** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0860010 | Saffron | ►M169 — ◄ | |
| 0860990 | Others | ►M169 — ◄ | |
| 0870000 | (vii) **Aril** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0870010 | Mace | ►M169 — ◄ | |
| 0870990 | Others | ►M169 — ◄ | |
| 0900000 | 9. **SUGAR PLANTS** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | ►M169 — ◄ | |
| 0900020 | Sugar cane | ►M169 — ◄ | |
| 0900030 | Chicory roots | ►M169 — ◄ | |
| 0900990 | Others | ►M169 — ◄ | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M169 — ◄ | ►M76 — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 1011000 | (a) *Swine* | ►M169 — ◄ | |
| 1011010 | Meat | ►M169 — ◄ | |
| 1011020 | Fat free of lean meat | ►M169 — ◄ | |
| 1011030 | Liver | ►M169 — ◄ | |
| 1011040 | Kidney | ►M169 — ◄ | |
| 1011050 | Edible offal | ►M169 — ◄ | |

▼M25

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1011990 | Others | ►M169 — ◄ | |
| 1012000 | (b) *Bovine* | ►M169 — ◄ | |
| 1012010 | Meat | ►M169 — ◄ | |
| 1012020 | Fat | ►M169 — ◄ | |
| 1012030 | Liver | ►M169 — ◄ | |
| 1012040 | Kidney | ►M169 — ◄ | |
| 1012050 | Edible offal | ►M169 — ◄ | |
| 1012990 | Others | ►M169 — ◄ | |
| 1013000 | (c) *Sheep* | ►M169 — ◄ | |
| 1013010 | Meat | ►M169 — ◄ | |
| 1013020 | Fat | ►M169 — ◄ | |
| 1013030 | Liver | ►M169 — ◄ | |
| 1013040 | Kidney | ►M169 — ◄ | |
| 1013050 | Edible offal | ►M169 — ◄ | |
| 1013990 | Others | ►M169 — ◄ | |
| 1014000 | (d) *Goat* | ►M169 — ◄ | |
| 1014010 | Meat | ►M169 — ◄ | |
| 1014020 | Fat | ►M169 — ◄ | |
| 1014030 | Liver | ►M169 — ◄ | |
| 1014040 | Kidney | ►M169 — ◄ | |
| 1014050 | Edible offal | ►M169 — ◄ | |
| 1014990 | Others | ►M169 — ◄ | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M169 — ◄ | |
| 1015010 | Meat | ►M169 — ◄ | |
| 1015020 | Fat | ►M169 — ◄ | |
| 1015030 | Liver | ►M169 — ◄ | |
| 1015040 | Kidney | ►M169 — ◄ | |
| 1015050 | Edible offal | ►M169 — ◄ | |
| 1015990 | Others | ►M169 — ◄ | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M169 — ◄ | |
| 1016010 | Meat | ►M169 — ◄ | |
| 1016020 | Fat | ►M169 — ◄ | |
| 1016030 | Liver | ►M169 — ◄ | |
| 1016040 | Kidney | ►M169 — ◄ | |
| 1016050 | Edible offal | ►M169 — ◄ | |
| 1016990 | Others | ►M169 — ◄ | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | ►M169 — ◄ | |
| 1017010 | Meat | ►M169 — ◄ | |
| 1017020 | Fat | ►M169 — ◄ | |
| 1017030 | Liver | ►M169 — ◄ | |

▼M25

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1017040 | Kidney | ►M169 — ◄ | |
| 1017050 | Edible offal | ►M169 — ◄ | |
| 1017990 | Others | ►M169 — ◄ | |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 1020010 | Cattle | ►M169 — ◄ | |
| 1020020 | Sheep | ►M169 — ◄ | |
| 1020030 | Goat | ►M169 — ◄ | |
| 1020040 | Horse | ►M169 — ◄ | |
| 1020990 | Others | ►M169 — ◄ | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 1030010 | Chicken | ►M169 — ◄ | |
| 1030020 | Duck | ►M169 — ◄ | |
| 1030030 | Goose | ►M169 — ◄ | |
| 1030040 | Quail | ►M169 — ◄ | |
| 1030990 | Others | ►M169 — ◄ | |
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | ►M169 — ◄ | ►M116 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M169 — ◄ | ►M116 0,01 (*) ◄ |

▼M144

_____

▼M27

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Cadusafos |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | **0,01** (*) |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | |
| 0140990 | Others | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloud-berries) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x idaeus)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama Eugenia uniflora),) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | **0,01** (*) |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | |
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant)) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions (Silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions (Welsh onion and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry (Lycium barbarum and L. chinense)) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino) | |
| 0231040 | Okra, lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits - edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | |
| 0251010 | Lamb's lettuce (Italian cornsalad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | |
| 0251040 | Cress | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves)* | |
| 0254000 | (d) *Water cress* | |
| 0255000 | (e) *Witloof* | |
| 0256000 | (f) *Herbs* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves) | |
| 0256040 | Parsley | |
| 0256050 | Sage (Winter savory, summer savory,) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint) | |
| 0256090 | Bay leaves (laurel) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others (Edible flowers) | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,01** (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | |
| 0401110 | Safflower | |
| 0401120 | Borage | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff) | |
| 0500050 | Oats | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,01** (*) |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoa (fermented beans)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | **0,01** (*) |
| 0800000 | 8. **SPICES** | **0,01** (*) |
| 0810000 | (i) **Seeds** | |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | |
| 0820010 | Allspice | |
| 0820020 | Anise pepper (Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 0830000 | (iii) **Bark** | |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger | |
| 0840030 | Turmeric (Curcuma) | |
| 0840040 | Horseradish | |
| 0840990 | Others | |
| 0850000 | (v) **Buds** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | **0,01** (*) |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | |
| 1011000 | (a) *Swine* | |
| 1011010 | Meat | |
| 1011020 | Fat free of lean meat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Meat | |
| 1012020 | Fat | |
| 1012030 | Liver | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Meat | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Meat | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Meat | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Meat | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | |
| 1017010 | Meat | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |

▼M27

| (1) | (2) | (3) |
|---|---|---|
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | |
| 1060000 | (vi) **Snails** | |
| 1070000 | (vii) **Other terrestrial animal products** | |

▼M30

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M146 Isoprothiolane ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M146 0,01 (*) ◄ |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | |
| 0140990 | Others | |

▼M30

| (1) | (2) | (3) |
|---|---|---|
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloud-berries) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x idaeus)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama Eugenia uniflora),) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | |
| 0162030 | Passion fruit | |

▼M30

| (1) | (2) | (3) |
|---|---|---|
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M146 0,01 (*) ◄ |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | |
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | |

▼M30

| (1) | (2) | (3) |
|---|---|---|
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant)) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions (Silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions (Welsh onion and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry (Lycium barbarum and L. chinense)) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino) | |
| 0231040 | Okra, lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits - edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |

▼M30

| (1) | (2) | (3) |
|---|---|---|
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | |
| 0251010 | Lamb's lettuce (Italian cornsalad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | |
| 0251040 | Cress | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves)* | |
| 0254000 | (d) *Water cress* | |
| 0255000 | (e) *Witloof* | |
| 0256000 | (f) *Herbs* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves) | |
| 0256040 | Parsley | |
| 0256050 | Sage (Winter savory, summer savory,) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼M30

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint) | |
| 0256090 | Bay leaves (laurel) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others (Edible flowers) | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | |
| 0300000 | 3. **PULSES, DRY** | ►M146 0,01 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M146 0,01 (*) ◄ |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |

▼M30

| (1) | (2) | (3) |
|---|---|---|
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | |
| 0401110 | Safflower | |
| 0401120 | Borage | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | |
| 0500010 | Barley | ►M146 0,01 (*) ◄ |
| 0500020 | Buckwheat (Amaranthus, quinoa) | ►M146 0,01 (*) ◄ |
| 0500030 | Maize | ►M146 0,01 (*) ◄ |
| 0500040 | Millet (Foxtail millet, teff) | ►M146 0,01 (*) ◄ |
| 0500050 | Oats | ►M146 0,01 (*) ◄ |
| 0500060 | Rice | ►M146 **6** ◄ |
| 0500070 | Rye | ►M146 0,01 (*) ◄ |
| 0500080 | Sorghum | ►M146 0,01 (*) ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M146 0,01 (*) ◄ |
| 0500990 | Others | ►M146 0,01 (*) ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M146 0,01 (*) ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |

▼M30

| (1) | (2) | (3) |
|---|---|---|
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoa (fermented beans)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M146 0,01 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M61 — ◄ |
| 0810000 | (i) **Seeds** | ►M146 0,01 (*) ◄ |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | ►M146 0,01 (*) ◄ |
| 0820010 | Allspice | |
| 0820020 | Anise pepper (Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |

▼**M30**

| (1) | (2) | (3) |
|---|---|---|
| 0830000 | (iii) **Bark** | ►**M146** 0,01 (*) ◄ |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | ►**M146** 0,01 (*) ◄ |
| 0840020 | Ginger | ►**M146** 0,01 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | ►**M146** 0,01 (*) ◄ |
| 0840040 | Horseradish | ►**M146** — ◄ |
| 0840990 | Others | ►**M146** 0,01 (*) ◄ |
| 0850000 | (v) **Buds** | ►**M146** 0,01 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | ►**M146** 0,01 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | ►**M146** 0,01 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | ►**M146** 0,01 (*) ◄ |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►**M61** — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | ►**M146** 0,01 (*) ◄ |
| 1011000 | (a) *Swine* | |
| 1011010 | Meat | |
| 1011020 | Fat free of lean meat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Meat | |
| 1012020 | Fat | |
| 1012030 | Liver | |

▼**M30**

| (1) | (2) | (3) |
|---|---|---|
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Meat | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Meat | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Meat | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Meat | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | |
| 1017010 | Meat | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |

▼**M30**

| (1) | (2) | (3) |
|---|---|---|
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►**M146** 0,01 (*) ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►**M146** 0,01 (*) ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | ►**M146** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M146** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M146** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M146** 0,01 (*) ◄ |

▼M37

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M207 —◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | ►M207 —◄ |
| 0110000 | (i) **Citrus fruit** | ►M207 —◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►M207 —◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►M207 —◄ |
| 0110030 | Lemons (Citron, lemon) | ►M207 —◄ |
| 0110040 | Limes | ►M207 —◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | ►M207 —◄ |
| 0110990 | Others | ►M207 —◄ |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | ►M207 —◄ |
| 0120010 | Almonds | ►M207 —◄ |
| 0120020 | Brazil nuts | ►M207 —◄ |
| 0120030 | Cashew nuts | ►M207 —◄ |
| 0120040 | Chestnuts | ►M207 —◄ |
| 0120050 | Coconuts | ►M207 —◄ |
| 0120060 | Hazelnuts (Filbert) | ►M207 —◄ |
| 0120070 | Macadamia | ►M207 —◄ |
| 0120080 | Pecans | ►M207 —◄ |
| 0120090 | Pine nuts | ►M207 —◄ |
| 0120100 | Pistachios | ►M207 —◄ |
| 0120110 | Walnuts | ►M207 —◄ |
| 0120990 | Others | ►M207 —◄ |
| 0130000 | (iii) **Pome fruit** | ►M207 —◄ |
| 0130010 | Apples (Crab apple) | ►M207 —◄ |
| 0130020 | Pears (Oriental pear) | ►M207 —◄ |
| 0130030 | Quinces | ►M207 —◄ |
| 0130040 | Medlar | ►M207 —◄ |
| 0130050 | Loquat | ►M207 —◄ |
| 0130990 | Others | ►M207 —◄ |
| 0140000 | (iv) **Stone fruit** | ►M207 —◄ |
| 0140010 | Apricots | ►M207 —◄ |
| 0140020 | Cherries (sweet cherries, sour cherries) | ►M207 —◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►M207 —◄ |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | ►M207 —◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0140990 | Others | ►M207 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M207 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M207 — ◄ |
| 0151010 | Table grapes | ►M207 — ◄ |
| 0151020 | Wine grapes | ►M207 — ◄ |
| 0152000 | (b) *Strawberries* | ►M207 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M207 — ◄ |
| 0153010 | Blackberries | ►M207 — ◄ |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberries) | ►M207 — ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus x idaeus*)) | ►M207 — ◄ |
| 0153990 | Others | ►M207 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M207 — ◄ |
| 0154010 | Blueberries (Bilberries) | ►M207 — ◄ |
| 0154020 | Cranberries (Cowberries (red bilberries)) | ►M207 — ◄ |
| 0154030 | Currants (red, black and white) | ►M207 — ◄ |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | ►M207 — ◄ |
| 0154050 | Rose hips | ►M207 — ◄ |
| 0154060 | Mulberries (arbutus berry) | ►M207 — ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | ►M207 — ◄ |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | ►M207 — ◄ |
| 0154990 | Others | ►M207 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M207 — ◄ |
| 0161000 | (a) *Edible peel* | ►M207 — ◄ |
| 0161010 | Dates | ►M207 — ◄ |
| 0161020 | Figs | ►M207 — ◄ |
| 0161030 | Table olives | ►M207 — ◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia x Fortunella* spp.)) | ►M207 — ◄ |
| 0161050 | Carambola (Bilimbi) | ►M207 — ◄ |
| 0161060 | Persimmon | ►M207 — ◄ |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry, Surinam cherry (grumichama *Eugenia uniflora*),) | ►M207 — ◄ |
| 0161990 | Others | ►M207 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M207 — ◄ |
| 0162010 | Kiwi | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | ►M207 — ◄ |
| 0162030 | Passion fruit | ►M207 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M207 — ◄ |
| 0162050 | Star apple | ►M207 — ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | ►M207 — ◄ |
| 0162990 | Others | ►M207 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M207 — ◄ |
| 0163010 | Avocados | ►M207 — ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►M207 — ◄ |
| 0163030 | Mangoes | ►M207 — ◄ |
| 0163040 | Papaya | ►M207 — ◄ |
| 0163050 | Pomegranate | ►M207 — ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium-sized Annonaceae) | ►M207 — ◄ |
| 0163070 | Guava (Red pitaya or dragon fruit (*Hylocereus undatus*)) | ►M207 — ◄ |
| 0163080 | Pineapples | ►M207 — ◄ |
| 0163090 | Bread fruit (Jackfruit) | ►M207 — ◄ |
| 0163100 | Durian | ►M207 — ◄ |
| 0163110 | Soursop (guanabana) | ►M207 — ◄ |
| 0163990 | Others | ►M207 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M207 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M207 — ◄ |
| 0211000 | (a) *Potatoes* | ►M207 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M207 — ◄ |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | ►M207 — ◄ |
| 0212020 | Sweet potatoes | ►M207 — ◄ |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | ►M207 — ◄ |
| 0212040 | Arrowroot | ►M207 — ◄ |
| 0212990 | Others | ►M207 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M207 — ◄ |
| 0213010 | Beetroot | ►M207 — ◄ |
| 0213020 | Carrots | ►M207 — ◄ |
| 0213030 | Celeriac | ►M207 — ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►M207 — ◄ |
| 0213050 | Jerusalem artichokes | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0213060 | Parsnips | ►M207 — ◄ |
| 0213070 | Parsley root | ►M207 — ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | ►M207 — ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oyster-plant)) | ►M207 — ◄ |
| 0213100 | Swedes | ►M207 — ◄ |
| 0213110 | Turnips | ►M207 — ◄ |
| 0213990 | Others | ►M207 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M207 — ◄ |
| 0220010 | Garlic | ►M207 — ◄ |
| 0220020 | Onions (Silverskin onions) | ►M207 — ◄ |
| 0220030 | Shallots | ►M207 — ◄ |
| 0220040 | Spring onions (Welsh onion and similar varieties) | ►M207 — ◄ |
| 0220990 | Others | ►M207 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M207 — ◄ |
| 0231000 | (a) *Solanacea* | ►M207 — ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, goji-berry, wolfberry (*Lycium barbarum* and *L. chinense*)) | ►M207 — ◄ |
| 0231020 | Peppers (Chilli peppers) | ►M207 — ◄ |
| 0231030 | Aubergines (egg plants) (Pepino) | ►M207 — ◄ |
| 0231040 | Okra, lady's fingers | ►M207 — ◄ |
| 0231990 | Others | ►M207 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M207 — ◄ |
| 0232010 | Cucumbers | ►M207 — ◄ |
| 0232020 | Gherkins | ►M207 — ◄ |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | ►M207 — ◄ |
| 0232990 | Others | ►M207 — ◄ |
| 0233000 | (c) *Cucurbits — inedible peel* | ►M207 — ◄ |
| 0233010 | Melons (Kiwano) | ►M207 — ◄ |
| 0233020 | Pumpkins (Winter squash) | ►M207 — ◄ |
| 0233030 | Watermelons | ►M207 — ◄ |
| 0233990 | Others | ►M207 — ◄ |
| 0234000 | (d) *Sweet corn* | ►M207 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M207 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M207 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M207 — ◄ |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | ►M207 — ◄ |
| 0241020 | Cauliflower | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0241990 | Others | ►M207 — ◄ |
| 0242000 | (b) *Head brassica* | ►M207 — ◄ |
| 0242010 | Brussels sprouts | ►M207 — ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►M207 — ◄ |
| 0242990 | Others | ►M207 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M207 — ◄ |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai)) | ►M207 — ◄ |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►M207 — ◄ |
| 0243990 | Others | ►M207 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M207 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M207 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M207 — ◄ |
| 0251010 | Lamb's lettuce (Italian cornsalad) | ►M207 — ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►M207 — ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | ►M207 — ◄ |
| 0251040 | Cress | ►M207 — ◄ |
| 0251050 | Land cress | ►M207 — ◄ |
| 0251060 | Rocket, Rucola (Wild rocket) | ►M207 — ◄ |
| 0251070 | Red mustard | ►M207 — ◄ |
| 0251080 | Leaves and sprouts of *Brassica* spp. (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | ►M207 — ◄ |
| 0251990 | Others | ►M207 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M207 — ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | ►M207 — ◄ |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (*Salsola soda*)) | ►M207 — ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►M207 — ◄ |
| 0252990 | Others | ►M207 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M207 — ◄ |
| 0254000 | (d) *Water cress* | ►M207 — ◄ |
| 0255000 | (e) *Witloof* | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0256000 | (f) *Herbs* | ►M207 — ◄ |
| 0256010 | Chervil | ►M207 — ◄ |
| 0256020 | Chives | ►M207 — ◄ |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves) | ►M207 — ◄ |
| 0256040 | Parsley | ►M207 — ◄ |
| 0256050 | Sage (Winter savory, summer savory) | ►M207 — ◄ |
| 0256060 | Rosemary | ►M207 — ◄ |
| 0256070 | Thyme (Marjoram, oregano) | ►M207 — ◄ |
| 0256080 | Basil (Balm leaves, mint, peppermint) | ►M207 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M207 — ◄ |
| 0256100 | Tarragon (Hyssop) | ►M207 — ◄ |
| 0256990 | Others (Edible flowers) | ►M207 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M207 — ◄ |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | ►M207 — ◄ |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | ►M207 — ◄ |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | ►M207 — ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►M207 — ◄ |
| 0260050 | Lentils | ►M207 — ◄ |
| 0260990 | Others | ►M207 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M207 — ◄ |
| 0270010 | Asparagus | ►M207 — ◄ |
| 0270020 | Cardoons | ►M207 — ◄ |
| 0270030 | Celery | ►M207 — ◄ |
| 0270040 | Fennel | ►M207 — ◄ |
| 0270050 | Globe artichokes | ►M207 — ◄ |
| 0270060 | Leek | ►M207 — ◄ |
| 0270070 | Rhubarb | ►M207 — ◄ |
| 0270080 | Bamboo shoots | ►M207 — ◄ |
| 0270090 | Palm hearts | ►M207 — ◄ |
| 0270990 | Others | ►M207 — ◄ |
| 0280000 | (viii) **Fungi** | ►M207 — ◄ |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shitake) | ►M207 — ◄ |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | ►M207 — ◄ |
| 0280990 | Others | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0290000 | (ix) **Sea weeds** | ►M207 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M207 — ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►M207 — ◄ |
| 0300020 | Lentils | ►M207 — ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►M207 — ◄ |
| 0300040 | Lupins | ►M207 — ◄ |
| 0300990 | Others | ►M207 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M207 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M207 — ◄ |
| 0401010 | Linseed | ►M207 — ◄ |
| 0401020 | Peanuts | ►M207 — ◄ |
| 0401030 | Poppy seed | ►M207 — ◄ |
| 0401040 | Sesame seed | ►M207 — ◄ |
| 0401050 | Sunflower seed | ►M207 — ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►M207 — ◄ |
| 0401070 | Soya bean | ►M207 — ◄ |
| 0401080 | Mustard seed | ►M207 — ◄ |
| 0401090 | Cotton seed | ►M207 — ◄ |
| 0401100 | Pumpkin seeds (Other seeds of *cucurbitacea*) | ►M207 — ◄ |
| 0401110 | Safflower | ►M207 — ◄ |
| 0401120 | Borage | ►M207 — ◄ |
| 0401130 | Gold of pleasure | ►M207 — ◄ |
| 0401140 | Hempseed | ►M207 — ◄ |
| 0401150 | Castor bean | ►M207 — ◄ |
| 0401990 | Others | ►M207 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M207 — ◄ |
| 0402010 | Olives for oil production | ►M207 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M207 — ◄ |
| 0402030 | Palmfruit | ►M207 — ◄ |
| 0402040 | Kapok | ►M207 — ◄ |
| 0402990 | Others | ►M207 — ◄ |
| 0500000 | 5. **CEREALS** | ►M207 — ◄ |
| 0500010 | Barley | ►M207 — ◄ |
| 0500020 | Buckwheat (Amaranthus, quinoa) | ►M207 — ◄ |
| 0500030 | Maize | ►M207 — ◄ |
| 0500040 | Millet (Foxtail millet, teff) | ►M207 — ◄ |
| 0500050 | Oats | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0500060 | Rice | ►M207 — ◄ |
| 0500070 | Rye | ►M207 — ◄ |
| 0500080 | Sorghum | ►M207 — ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M207 — ◄ |
| 0500990 | Others | ►M207 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M207 — ◄ |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of *Camellia sinensis*)** | ►M207 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M207 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M207 — ◄ |
| 0631000 | (a) *Flowers* | ►M207 — ◄ |
| 0631010 | Camomille flowers | ►M207 — ◄ |
| 0631020 | Hybiscus flowers | ►M207 — ◄ |
| 0631030 | Rose petals | ►M207 — ◄ |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | ►M207 — ◄ |
| 0631050 | Lime (linden) | ►M207 — ◄ |
| 0631990 | Others | ►M207 — ◄ |
| 0632000 | (b) *Leaves* | ►M207 — ◄ |
| 0632010 | Strawberry leaves | ►M207 — ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M207 — ◄ |
| 0632030 | Maté | ►M207 — ◄ |
| 0632990 | Others | ►M207 — ◄ |
| 0633000 | (c) *Roots* | ►M207 — ◄ |
| 0633010 | Valerian root | ►M207 — ◄ |
| 0633020 | Ginseng root | ►M207 — ◄ |
| 0633990 | Others | ►M207 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M207 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M207 — ◄ |
| 0650000 | (v) **Carob (St Johns bread)** | ►M207 — ◄ |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | ►M207 — ◄ |
| 0800000 | 8. **SPICES** | ►M207 — ◄ |
| 0810000 | (i) **Seeds** | ►M207 — ◄ |
| 0810010 | Anise | ►M207 — ◄ |
| 0810020 | Black caraway | ►M207 — ◄ |
| 0810030 | Celery seed (Lovage seed) | ►M207 — ◄ |
| 0810040 | Coriander seed | ►M207 — ◄ |
| 0810050 | Cumin seed | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0810060 | Dill seed | ►M207 — ◄ |
| 0810070 | Fennel seed | ►M207 — ◄ |
| 0810080 | Fenugreek | ►M207 — ◄ |
| 0810090 | Nutmeg | ►M207 — ◄ |
| 0810990 | Others | ►M207 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M207 — ◄ |
| 0820010 | Allspice | ►M207 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M207 — ◄ |
| 0820030 | Caraway | ►M207 — ◄ |
| 0820040 | Cardamom | ►M207 — ◄ |
| 0820050 | Juniper berries | ►M207 — ◄ |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | ►M207 — ◄ |
| 0820070 | Vanilla pods | ►M207 — ◄ |
| 0820080 | Tamarind | ►M207 — ◄ |
| 0820990 | Others | ►M207 — ◄ |
| 0830000 | (iii) **Bark** | ►M207 — ◄ |
| 0830010 | Cinnamon (Cassia) | ►M207 — ◄ |
| 0830990 | Others | ►M207 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M207 — ◄ |
| 0840010 | Liquorice | ►M207 — ◄ |
| 0840020 | Ginger | ►M207 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M207 — ◄ |
| 0840040 | Horseradish | ►M207 — ◄ |
| 0840990 | Others | ►M207 — ◄ |
| 0850000 | (v) **Buds** | ►M207 — ◄ |
| 0850010 | Cloves | ►M207 — ◄ |
| 0850020 | Capers | ►M207 — ◄ |
| 0850990 | Others | ►M207 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M207 — ◄ |
| 0860010 | Saffron | ►M207 — ◄ |
| 0860990 | Others | ►M207 — ◄ |
| 0870000 | (vii) **Aril** | ►M207 — ◄ |
| 0870010 | Mace | ►M207 — ◄ |
| 0870990 | Others | ►M207 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M207 — ◄ |
| 0900010 | Sugar beet (root) | ►M207 — ◄ |
| 0900020 | Sugar cane | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 0900030 | Chicory roots | ►M207 — ◄ |
| 0900990 | Others | ►M207 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS** | ►M207 — ◄ |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | ►M207 — ◄ |
| 1011000 | (a) *Swine* | ►M207 — ◄ |
| 1011010 | Meat | ►M207 — ◄ |
| 1011020 | Fat free of lean meat | ►M207 — ◄ |
| 1011030 | Liver | ►M207 — ◄ |
| 1011040 | Kidney | ►M207 — ◄ |
| 1011050 | Edible offal | ►M207 — ◄ |
| 1011990 | Others | ►M207 — ◄ |
| 1012000 | (b) *Bovine* | ►M207 — ◄ |
| 1012010 | Meat | ►M207 — ◄ |
| 1012020 | Fat | ►M207 — ◄ |
| 1012030 | Liver | ►M207 — ◄ |
| 1012040 | Kidney | ►M207 — ◄ |
| 1012050 | Edible offal | ►M207 — ◄ |
| 1012990 | Others | ►M207 — ◄ |
| 1013000 | (c) *Sheep* | ►M207 — ◄ |
| 1013010 | Meat | ►M207 — ◄ |
| 1013020 | Fat | ►M207 — ◄ |
| 1013030 | Liver | ►M207 — ◄ |
| 1013040 | Kidney | ►M207 — ◄ |
| 1013050 | Edible offal | ►M207 — ◄ |
| 1013990 | Others | ►M207 — ◄ |
| 1014000 | (d) *Goat* | ►M207 — ◄ |
| 1014010 | Meat | ►M207 — ◄ |
| 1014020 | Fat | ►M207 — ◄ |
| 1014030 | Liver | ►M207 — ◄ |
| 1014040 | Kidney | ►M207 — ◄ |
| 1014050 | Edible offal | ►M207 — ◄ |
| 1014990 | Others | ►M207 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M207 — ◄ |
| 1015010 | Meat | ►M207 — ◄ |
| 1015020 | Fat | ►M207 — ◄ |

▼M37

| (1) | (2) | (3) |
|---|---|---|
| 1015030 | Liver | ►M207 — ◄ |
| 1015040 | Kidney | ►M207 — ◄ |
| 1015050 | Edible offal | ►M207 — ◄ |
| 1015990 | Others | ►M207 — ◄ |
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl —, ostrich, pigeon* | ►M207 — ◄ |
| 1016010 | Meat | ►M207 — ◄ |
| 1016020 | Fat | ►M207 — ◄ |
| 1016030 | Liver | ►M207 — ◄ |
| 1016040 | Kidney | ►M207 — ◄ |
| 1016050 | Edible offal | ►M207 — ◄ |
| 1016990 | Others | ►M207 — ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | ►M207 — ◄ |
| 1017010 | Meat | ►M207 — ◄ |
| 1017020 | Fat | ►M207 — ◄ |
| 1017030 | Liver | ►M207 — ◄ |
| 1017040 | Kidney | ►M207 — ◄ |
| 1017050 | Edible offal | ►M207 — ◄ |
| 1017990 | Others | ►M207 — ◄ |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | ►M207 — ◄ |
| 1020010 | Cattle | ►M207 — ◄ |
| 1020020 | Sheep | ►M207 — ◄ |
| 1020030 | Goat | ►M207 — ◄ |
| 1020040 | Horse | ►M207 — ◄ |
| 1020990 | Others | ►M207 — ◄ |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | ►M207 — ◄ |
| 1030010 | Chicken | ►M207 — ◄ |
| 1030020 | Duck | ►M207 — ◄ |
| 1030030 | Goose | ►M207 — ◄ |
| 1030040 | Quail | ►M207 — ◄ |
| 1030990 | Others | ►M207 — ◄ |
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | ►M207 — ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►M207 — ◄ |
| 1060000 | (vi) **Snails** | ►M207 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M207 — ◄ |

▼M44

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 — ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | ►M198 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M198 — ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►M198 — ◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►M198 — ◄ |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | ►M198 — ◄ |
| 0110040 | Limes | ►M198 — ◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | ►M198 — ◄ |
| 0110990 | Others | ►M198 — ◄ |
| 0120000 | (ii) **Tree nuts** | ►M198 — ◄ |
| 0120010 | Almonds | ►M198 — ◄ |
| 0120020 | Brazil nuts | ►M198 — ◄ |
| 0120030 | Cashew nuts | ►M198 — ◄ |
| 0120040 | Chestnuts | ►M198 — ◄ |
| 0120050 | Coconuts | ►M198 — ◄ |
| 0120060 | Hazelnuts (Filbert) | ►M198 — ◄ |
| 0120070 | Macadamia | ►M198 — ◄ |
| 0120080 | Pecans | ►M198 — ◄ |
| 0120090 | Pine nuts | ►M198 — ◄ |
| 0120100 | Pistachios | ►M198 — ◄ |
| 0120110 | Walnuts | ►M198 — ◄ |
| 0120990 | Others | ►M198 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M198 — ◄ |
| 0130010 | Apples (Crab apple) | ►M198 — ◄ |
| 0130020 | Pears (Oriental pear) | ►M198 — ◄ |
| 0130030 | Quinces | ►M198 — ◄ |
| 0130040 | Medlar | ►M198 — ◄ |
| 0130050 | Loquat | ►M198 — ◄ |
| 0130990 | Others | ►M198 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M198 — ◄ |
| 0140010 | Apricots | ►M198 — ◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | ►M198 — ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►M198 — ◄ |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0140990 | Others | ►M198 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M198 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M198 — ◄ |
| 0151010 | Table grapes | ►M198 — ◄ |
| 0151020 | Wine grapes | ►M198 — ◄ |
| 0152000 | (b) *Strawberries* | ►M198 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M198 — ◄ |
| 0153010 | Blackberries | ►M198 — ◄ |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | ►M198 — ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | ►M198 — ◄ |
| 0153990 | Others | ►M198 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M198 — ◄ |
| 0154010 | Blueberries (Bilberries) | ►M198 — ◄ |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | ►M198 — ◄ |
| 0154030 | Currants (red, black and white) | ►M198 — ◄ |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | ►M198 — ◄ |
| 0154050 | Rose hips | ►M198 — ◄ |
| 0154060 | Mulberries (Arbutus berry) | ►M198 — ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | ►M198 — ◄ |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, service-berries, and other treeberries) | ►M198 — ◄ |
| 0154990 | Others | ►M198 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M198 — ◄ |
| 0161000 | (a) *Edible peel* | ►M198 — ◄ |
| 0161010 | Dates | ►M198 — ◄ |
| 0161020 | Figs | ►M198 — ◄ |
| 0161030 | Table olives | ►M198 — ◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | ►M198 — ◄ |
| 0161050 | Carambola (Bilimbi) | ►M198 — ◄ |
| 0161060 | Persimmon | ►M198 — ◄ |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | ►M198 — ◄ |
| 0161990 | Others | ►M198 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M198 — ◄ |
| 0162010 | Kiwi | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | ►M198 — ◄ |
| 0162030 | Passion fruit | ►M198 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M198 — ◄ |
| 0162050 | Star apple | ►M198 — ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | ►M198 — ◄ |
| 0162990 | Others | ►M198 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M198 — ◄ |
| 0163010 | Avocados | ►M198 — ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►M198 — ◄ |
| 0163030 | Mangoes | ►M198 — ◄ |
| 0163040 | Papaya | ►M198 — ◄ |
| 0163050 | Pomegranate | ►M198 — ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | ►M198 — ◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | ►M198 — ◄ |
| 0163080 | Pineapples | ►M198 — ◄ |
| 0163090 | Bread fruit (Jackfruit) | ►M198 — ◄ |
| 0163100 | Durian | ►M198 — ◄ |
| 0163110 | Soursop (guanabana) | ►M198 — ◄ |
| 0163990 | Others | ►M198 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M198 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M198 — ◄ |
| 0211000 | (a) *Potatoes* | ►M198 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M198 — ◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | ►M198 — ◄ |
| 0212020 | Sweet potatoes | ►M198 — ◄ |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | ►M198 — ◄ |
| 0212040 | Arrowroot | ►M198 — ◄ |
| 0212990 | Others | ►M198 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M198 — ◄ |
| 0213010 | Beetroot | ►M198 — ◄ |
| 0213020 | Carrots | ►M198 — ◄ |
| 0213030 | Celeriac | ►M198 — ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►M198 — ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0213060 | Parsnips | ►M198 — ◄ |
| 0213070 | Parsley root | ►M198 — ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | ►M198 — ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | ►M198 — ◄ |
| 0213100 | Swedes | ►M198 — ◄ |
| 0213110 | Turnips | ►M198 — ◄ |
| 0213990 | Others | ►M198 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M198 — ◄ |
| 0220010 | Garlic | ►M198 — ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | ►M198 — ◄ |
| 0220030 | Shallots | ►M198 — ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | ►M198 — ◄ |
| 0220990 | Others | ►M198 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M198 — ◄ |
| 0231000 | (a) *Solanacea* | ►M198 — ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | ►M198 — ◄ |
| 0231020 | Peppers (Chilli peppers) | ►M198 — ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | ►M198 — ◄ |
| 0231040 | Okra (lady's fingers) | ►M198 — ◄ |
| 0231990 | Others | ►M198 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M198 — ◄ |
| 0232010 | Cucumbers | ►M198 — ◄ |
| 0232020 | Gherkins | ►M198 — ◄ |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | ►M198 — ◄ |
| 0232990 | Others | ►M198 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M198 — ◄ |
| 0233010 | Melons (Kiwano) | ►M198 — ◄ |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | ►M198 — ◄ |
| 0233030 | Watermelons | ►M198 — ◄ |
| 0233990 | Others | ►M198 — ◄ |
| 0234000 | (d) *Sweet corn (Baby corn)* | ►M198 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M198 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M198 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M198 — ◄ |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | ►M198 — ◄ |
| 0241020 | Cauliflower | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0241990 | Others | ►M198 — ◄ |
| 0242000 | (b) *Head brassica* | ►M198 — ◄ |
| 0242010 | Brussels sprouts | ►M198 — ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►M198 — ◄ |
| 0242990 | Others | ►M198 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M198 — ◄ |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai | ►M198 — ◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►M198 — ◄ |
| 0243990 | Others | ►M198 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M198 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M198 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M198 — ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | ►M198 — ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►M198 — ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | ►M198 — ◄ |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | ►M198 — ◄ |
| 0251050 | Land cress | ►M198 — ◄ |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | ►M198 — ◄ |
| 0251070 | Red mustard | ►M198 — ◄ |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | ►M198 — ◄ |
| 0251990 | Others | ►M198 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M198 — ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | ►M198 — ◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | ►M198 — ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►M198 — ◄ |
| 0252990 | Others | ►M198 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | ►M198 — ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | ►M198 — ◄ |
| 0255000 | (e) *Witloof* | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0256000 | (f) *Herbs* | ►M198 — ◄ |
| 0256010 | Chervil | ►M198 — ◄ |
| 0256020 | Chives | ►M198 — ◄ |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | ►M198 — ◄ |
| 0256040 | Parsley (leaves of root parsley) | ►M198 — ◄ |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | ►M198 — ◄ |
| 0256060 | Rosemary | ►M198 — ◄ |
| 0256070 | Thyme (Marjoram, oregano) | ►M198 — ◄ |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | ►M198 — ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | ►M198 — ◄ |
| 0256100 | Tarragon (Hyssop) | ►M198 — ◄ |
| 0256990 | Others | ►M198 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M198 — ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | ►M198 — ◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | ►M198 — ◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | ►M198 — ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►M198 — ◄ |
| 0260050 | Lentils | ►M198 — ◄ |
| 0260990 | Others | ►M198 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M198 — ◄ |
| 0270010 | Asparagus | ►M198 — ◄ |
| 0270020 | Cardoons (*Borago officinalis* stems) | ►M198 — ◄ |
| 0270030 | Celery | ►M198 — ◄ |
| 0270040 | Fennel | ►M198 — ◄ |
| 0270050 | Globe artichokes (Banana flower) | ►M198 — ◄ |
| 0270060 | Leek | ►M198 — ◄ |
| 0270070 | Rhubarb | ►M198 — ◄ |
| 0270080 | Bamboo shoots | ►M198 — ◄ |
| 0270090 | Palm hearts | ►M198 — ◄ |
| 0270990 | Others | ►M198 — ◄ |
| 0280000 | (viii) **Fungi** | ►M198 — ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | ►M198 — ◄ |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | ►M198 — ◄ |
| 0280990 | Others | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0290000 | (ix) **Sea weeds** | ►M198 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M198 — ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►M198 — ◄ |
| 0300020 | Lentils | ►M198 — ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►M198 — ◄ |
| 0300040 | Lupins | ►M198 — ◄ |
| 0300990 | Others | ►M198 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M198 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M198 — ◄ |
| 0401010 | Linseed | ►M198 — ◄ |
| 0401020 | Peanuts | ►M198 — ◄ |
| 0401030 | Poppy seed | ►M198 — ◄ |
| 0401040 | Sesame seed | ►M198 — ◄ |
| 0401050 | Sunflower seed | ►M198 — ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►M198 — ◄ |
| 0401070 | Soya bean | ►M198 — ◄ |
| 0401080 | Mustard seed | ►M198 — ◄ |
| 0401090 | Cotton seed | ►M198 — ◄ |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | ►M198 — ◄ |
| 0401110 | Safflower | ►M198 — ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | ►M198 — ◄ |
| 0401130 | Gold of pleasure | ►M198 — ◄ |
| 0401140 | Hempseed | ►M198 — ◄ |
| 0401150 | Castor bean | ►M198 — ◄ |
| 0401990 | Others | ►M198 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M198 — ◄ |
| 0402010 | Olives for oil production | ►M198 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M198 — ◄ |
| 0402030 | Palmfruit | ►M198 — ◄ |
| 0402040 | Kapok | ►M198 — ◄ |
| 0402990 | Others | ►M198 — ◄ |
| 0500000 | 5. **CEREALS** | ►M198 — ◄ |
| 0500010 | Barley | ►M198 — ◄ |
| 0500020 | Buckwheat (*Amaranthus, quinoa*) | ►M198 — ◄ |
| 0500030 | Maize | ►M198 — ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | ►M198 — ◄ |
| 0500050 | Oats | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | ►M198 — ◄ |
| 0500070 | Rye | ►M198 — ◄ |
| 0500080 | Sorghum | ►M198 — ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M198 — ◄ |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | ►M198 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M198 — ◄ |
| 0610000 | (i) **Tea** | ►M198 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M198 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M198 — ◄ |
| 0631000 | (a) *Flowers* | ►M198 — ◄ |
| 0631010 | Camomille flowers | ►M198 — ◄ |
| 0631020 | Hybiscus flowers | ►M198 — ◄ |
| 0631030 | Rose petals | ►M198 — ◄ |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | ►M198 — ◄ |
| 0631050 | Lime (linden) | ►M198 — ◄ |
| 0631990 | Others | ►M198 — ◄ |
| 0632000 | (b) *Leaves* | ►M198 — ◄ |
| 0632010 | Strawberry leaves | ►M198 — ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M198 — ◄ |
| 0632030 | Maté | ►M198 — ◄ |
| 0632990 | Others | ►M198 — ◄ |
| 0633000 | (c) *Roots* | ►M198 — ◄ |
| 0633010 | Valerian root | ►M198 — ◄ |
| 0633020 | Ginseng root | ►M198 — ◄ |
| 0633990 | Others | ►M198 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M198 — ◄ |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | ►M198 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M198 — ◄ |
| 0700000 | 7. **HOPS (dried)** | ►M198 — ◄ |
| 0800000 | 8. **SPICES** | ►M198 — ◄ |
| 0810000 | (i) **Seeds** | ►M198 — ◄ |
| 0810010 | Anise | ►M198 — ◄ |
| 0810020 | Black caraway | ►M198 — ◄ |
| 0810030 | Celery seed (Lovage seed) | ►M198 — ◄ |
| 0810040 | Coriander seed | ►M198 — ◄ |
| 0810050 | Cumin seed | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0810060 | Dill seed | ►M198 — ◄ |
| 0810070 | Fennel seed | ►M198 — ◄ |
| 0810080 | Fenugreek | ►M198 — ◄ |
| 0810090 | Nutmeg | ►M198 — ◄ |
| 0810990 | Others | ►M198 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M198 — ◄ |
| 0820010 | Allspice | ►M198 — ◄ |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | ►M198 — ◄ |
| 0820030 | Caraway | ►M198 — ◄ |
| 0820040 | Cardamom | ►M198 — ◄ |
| 0820050 | Juniper berries | ►M198 — ◄ |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | ►M198 — ◄ |
| 0820070 | Vanilla pods | ►M198 — ◄ |
| 0820080 | Tamarind | ►M198 — ◄ |
| 0820990 | Others | ►M198 — ◄ |
| 0830000 | (iii) **Bark** | ►M198 — ◄ |
| 0830010 | Cinnamon (Cassia) | ►M198 — ◄ |
| 0830990 | Others | ►M198 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M198 — ◄ |
| 0840010 | Liquorice | ►M198 — ◄ |
| 0840020 | Ginger | ►M198 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M198 — ◄ |
| 0840040 | Horseradish | ►M198 — ◄ |
| 0840990 | Others | ►M198 — ◄ |
| 0850000 | (v) **Buds** | ►M198 — ◄ |
| 0850010 | Cloves | ►M198 — ◄ |
| 0850020 | Capers | ►M198 — ◄ |
| 0850990 | Others | ►M198 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M198 — ◄ |
| 0860010 | Saffron | ►M198 — ◄ |
| 0860990 | Others | ►M198 — ◄ |
| 0870000 | (vii) **Aril** | ►M198 — ◄ |
| 0870010 | Mace | ►M198 — ◄ |
| 0870990 | Others | ►M198 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M198 — ◄ |
| 0900010 | Sugar beet (root) | ►M198 — ◄ |
| 0900020 | Sugar cane | ►M198 — ◄ |

▼M44

| (1) | (2) | (3) |
|---|---|---|
| 0900030 | Chicory roots | ►M198 — ◄ |
| 0900990 | Others | ►M198 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M198 — ◄ |
| 1010000 | (i) **Tissue** | ►M198 — ◄ |
| 1011000 | (a) *Swine* | ►M198 — ◄ |
| 1011010 | Muscle | ►M198 — ◄ |
| 1011020 | Fat | ►M198 — ◄ |
| 1011030 | Liver | ►M198 — ◄ |
| 1011040 | Kidney | ►M198 — ◄ |
| 1011050 | Edible offal | ►M198 — ◄ |
| 1011990 | Others | ►M198 — ◄ |
| 1012000 | (b) *Bovine* | ►M198 — ◄ |
| 1012010 | Muscle | ►M198 — ◄ |
| 1012020 | Fat | ►M198 — ◄ |
| 1012030 | Liver | ►M198 — ◄ |
| 1012040 | Kidney | ►M198 — ◄ |
| 1012050 | Edible offal | ►M198 — ◄ |
| 1012990 | Others | ►M198 — ◄ |
| 1013000 | (c) *Sheep* | ►M198 — ◄ |
| 1013010 | Muscle | ►M198 — ◄ |
| 1013020 | Fat | ►M198 — ◄ |
| 1013030 | Liver | ►M198 — ◄ |
| 1013040 | Kidney | ►M198 — ◄ |
| 1013050 | Edible offal | ►M198 — ◄ |
| 1013990 | Others | ►M198 — ◄ |
| 1014000 | (d) *Goat* | ►M198 — ◄ |
| 1014010 | Muscle | ►M198 — ◄ |
| 1014020 | Fat | ►M198 — ◄ |
| 1014030 | Liver | ►M198 — ◄ |
| 1014040 | Kidney | ►M198 — ◄ |
| 1014050 | Edible offal | ►M198 — ◄ |
| 1014990 | Others | ►M198 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M198 — ◄ |
| 1015010 | Muscle | ►M198 — ◄ |
| 1015020 | Fat | ►M198 — ◄ |

▼**M44**

| (1) | (2) | (3) |
|---|---|---|
| 1015030 | Liver | ►**M198** — ◄ |
| 1015040 | Kidney | ►**M198** — ◄ |
| 1015050 | Edible offal | ►**M198** — ◄ |
| 1015990 | Others | ►**M198** — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►**M198** — ◄ |
| 1016010 | Muscle | ►**M198** — ◄ |
| 1016020 | Fat | ►**M198** — ◄ |
| 1016030 | Liver | ►**M198** — ◄ |
| 1016040 | Kidney | ►**M198** — ◄ |
| 1016050 | Edible offal | ►**M198** — ◄ |
| 1016990 | Others | ►**M198** — ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | ►**M198** — ◄ |
| 1017010 | Muscle | ►**M198** — ◄ |
| 1017020 | Fat | ►**M198** — ◄ |
| 1017030 | Liver | ►**M198** — ◄ |
| 1017040 | Kidney | ►**M198** — ◄ |
| 1017050 | Edible offal | ►**M198** — ◄ |
| 1017990 | Others | ►**M198** — ◄ |
| 1020000 | (ii) **Milk** | ►**M198** — ◄ |
| 1020010 | Cattle | ►**M198** — ◄ |
| 1020020 | Sheep | ►**M198** — ◄ |
| 1020030 | Goat | ►**M198** — ◄ |
| 1020040 | Horse | ►**M198** — ◄ |
| 1020990 | Others | ►**M198** — ◄ |
| 1030000 | (iii) **Bird eggs** | ►**M198** — ◄ |
| 1030010 | Chicken | ►**M198** — ◄ |
| 1030020 | Duck | ►**M198** — ◄ |
| 1030030 | Goose | ►**M198** — ◄ |
| 1030040 | Quail | ►**M198** — ◄ |
| 1030990 | Others | ►**M198** — ◄ |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►**M198** — ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M198** — ◄ |
| 1060000 | (vi) **Snails** | ►**M198** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►**M198** — ◄ |

▼M47

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M164 — ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | ►M164 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M164 — ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►M164 — ◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►M164 — ◄ |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | ►M164 — ◄ |
| 0110040 | Limes | ►M164 — ◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | ►M164 — ◄ |
| 0110990 | Others | ►M164 — ◄ |
| 0120000 | (ii) **Tree nuts** | ►M164 — ◄ |
| 0120010 | Almonds | ►M164 — ◄ |
| 0120020 | Brazil nuts | ►M164 — ◄ |
| 0120030 | Cashew nuts | ►M164 — ◄ |
| 0120040 | Chestnuts | ►M164 — ◄ |
| 0120050 | Coconuts | ►M164 — ◄ |
| 0120060 | Hazelnuts (Filbert) | ►M164 — ◄ |
| 0120070 | Macadamia | ►M164 — ◄ |
| 0120080 | Pecans | ►M164 — ◄ |
| 0120090 | Pine nuts | ►M164 — ◄ |
| 0120100 | Pistachios | ►M164 — ◄ |
| 0120110 | Walnuts | ►M164 — ◄ |
| 0120990 | Others | ►M164 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M164 — ◄ |
| 0130010 | Apples (Crab apple) | ►M164 — ◄ |
| 0130020 | Pears (Oriental pear) | ►M164 — ◄ |
| 0130030 | Quinces | ►M164 — ◄ |
| 0130040 | Medlar | ►M164 — ◄ |
| 0130050 | Loquat | ►M164 — ◄ |
| 0130990 | Others | ►M164 — ◄ |
| 0140000 | (iv) **Stone fruit** | ►M164 — ◄ |
| 0140010 | Apricots | ►M164 — ◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | ►M164 — ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►M164 — ◄ |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | ►M164 — ◄ |
| 0140990 | Others | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 0150000 | (v) **Berries & small fruit** | ►M164 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M164 — ◄ |
| 0151010 | Table grapes | ►M164 — ◄ |
| 0151020 | Wine grapes | ►M164 — ◄ |
| 0152000 | (b) *Strawberries* | ►M164 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M164 — ◄ |
| 0153010 | Blackberries | ►M164 — ◄ |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | ►M164 — ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | ►M164 — ◄ |
| 0153990 | Others | ►M164 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M164 — ◄ |
| 0154010 | Blueberries (Bilberries) | ►M164 — ◄ |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | ►M164 — ◄ |
| 0154030 | Currants (red, black and white) | ►M164 — ◄ |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | ►M164 — ◄ |
| 0154050 | Rose hips | ►M164 — ◄ |
| 0154060 | Mulberries (*Arbutus* berry) | ►M164 — ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | ►M164 — ◄ |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, service-berries, and other treeberries) | ►M164 — ◄ |
| 0154990 | Others | ►M164 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M164 — ◄ |
| 0161000 | (a) *Edible peel* | ►M164 — ◄ |
| 0161010 | Dates | ►M164 — ◄ |
| 0161020 | Figs | ►M164 — ◄ |
| 0161030 | Table olives | ►M164 — ◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | ►M164 — ◄ |
| 0161050 | Carambola (Bilimbi) | ►M164 — ◄ |
| 0161060 | Persimmon | ►M164 — ◄ |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | ►M164 — ◄ |
| 0161990 | Others | ►M164 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M164 — ◄ |
| 0162010 | Kiwi | ►M164 — ◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | ►M164 — ◄ |
| 0162030 | Passion fruit | ►M164 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 0162050 | Star apple | ►M164 — ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | ►M164 — ◄ |
| 0162990 | Others | ►M164 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M164 — ◄ |
| 0163010 | Avocados | ►M164 — ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►M164 — ◄ |
| 0163030 | Mangoes | ►M164 — ◄ |
| 0163040 | Papaya | ►M164 — ◄ |
| 0163050 | Pomegranate | ►M164 — ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | ►M164 — ◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | ►M164 — ◄ |
| 0163080 | Pineapples | ►M164 — ◄ |
| 0163090 | Bread fruit (Jackfruit) | ►M164 — ◄ |
| 0163100 | Durian | ►M164 — ◄ |
| 0163110 | Soursop (guanabana) | ►M164 — ◄ |
| 0163990 | Others | ►M164 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M164 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M164 — ◄ |
| 0211000 | (a) *Potatoes* | ►M164 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M164 — ◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | ►M164 — ◄ |
| 0212020 | Sweet potatoes | ►M164 — ◄ |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | ►M164 — ◄ |
| 0212040 | Arrowroot | ►M164 — ◄ |
| 0212990 | Others | ►M164 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M164 — ◄ |
| 0213010 | Beetroot | ►M164 — ◄ |
| 0213020 | Carrots | ►M164 — ◄ |
| 0213030 | Celeriac | ►M164 — ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►M164 — ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | ►M164 — ◄ |
| 0213060 | Parsnips | ►M164 — ◄ |
| 0213070 | Parsley root | ►M164 — ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | ►M164 — ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | ►M164 — ◄ |
| 0213100 | Swedes | ►M164 — ◄ |
| 0213110 | Turnips | ►M164 — ◄ |
| 0213990 | Others | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 0220000 | (ii) **Bulb vegetables** | ►M164 — ◄ |
| 0220010 | Garlic | ►M164 — ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | ►M164 — ◄ |
| 0220030 | Shallots | ►M164 — ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | ►M164 — ◄ |
| 0220990 | Others | ►M164 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M164 — ◄ |
| 0231000 | (a) *Solanacea* | ►M164 — ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | ►M164 — ◄ |
| 0231020 | Peppers (Chilli peppers) | ►M164 — ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | ►M164 — ◄ |
| 0231040 | Okra (lady's fingers) | ►M164 — ◄ |
| 0231990 | Others | ►M164 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M164 — ◄ |
| 0232010 | Cucumbers | ►M164 — ◄ |
| 0232020 | Gherkins | ►M164 — ◄ |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | ►M164 — ◄ |
| 0232990 | Others | ►M164 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M164 — ◄ |
| 0233010 | Melons (Kiwano) | ►M164 — ◄ |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | ►M164 — ◄ |
| 0233030 | Watermelons | ►M164 — ◄ |
| 0233990 | Others | ►M164 — ◄ |
| 0234000 | (d) *Sweet corn (Baby corn)* | ►M164 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M164 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M164 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M164 — ◄ |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | ►M164 — ◄ |
| 0241020 | Cauliflower | ►M164 — ◄ |
| 0241990 | Others | ►M164 — ◄ |
| 0242000 | (b) *Head brassica* | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 0242010 | Brussels sprouts | ►M164 — ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►M164 — ◄ |
| 0242990 | Others | ►M164 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M164 — ◄ |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | ►M164 — ◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►M164 — ◄ |
| 0243990 | Others | ►M164 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M164 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M164 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M164 — ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | ►M164 — ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►M164 — ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | ►M164 — ◄ |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | ►M164 — ◄ |
| 0251050 | Land cress | ►M164 — ◄ |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | ►M164 — ◄ |
| 0251070 | Red mustard | ►M164 — ◄ |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | ►M164 — ◄ |
| 0251990 | Others | ►M164 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M164 — ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | ►M164 — ◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | ►M164 — ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►M164 — ◄ |
| 0252990 | Others | ►M164 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | ►M164 — ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | ►M164 — ◄ |
| 0255000 | (e) *Witloof* | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 0256000 | (f) *Herbs* | ►M164 — ◄ |
| 0256010 | Chervil | ►M164 — ◄ |
| 0256020 | Chives | ►M164 — ◄ |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | ►M164 — ◄ |
| 0256040 | Parsley (leaves of root parsley) | ►M164 — ◄ |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | ►M164 — ◄ |
| 0256060 | Rosemary | ►M164 — ◄ |
| 0256070 | Thyme (Marjoram, oregano) | ►M164 — ◄ |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | ►M164 — ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | ►M164 — ◄ |
| 0256100 | Tarragon (Hyssop) | ►M164 — ◄ |
| 0256990 | Others | ►M164 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M164 — ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | ►M164 — ◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | ►M164 — ◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | ►M164 — ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►M164 — ◄ |
| 0260050 | Lentils | ►M164 — ◄ |
| 0260990 | Others | ►M164 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M164 — ◄ |
| 0270010 | Asparagus | ►M164 — ◄ |
| 0270020 | Cardoons (*Borago officinalis* stems) | ►M164 — ◄ |
| 0270030 | Celery | ►M164 — ◄ |
| 0270040 | Fennel | ►M164 — ◄ |
| 0270050 | Globe artichokes (Banana flower) | ►M164 — ◄ |
| 0270060 | Leek | ►M164 — ◄ |
| 0270070 | Rhubarb | ►M164 — ◄ |
| 0270080 | Bamboo shoots | ►M164 — ◄ |
| 0270090 | Palm hearts | ►M164 — ◄ |
| 0270990 | Others | ►M164 — ◄ |
| 0280000 | (viii) **Fungi** | ►M164 — ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | ►M164 — ◄ |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | ►M164 — ◄ |
| 0280990 | Others | ►M164 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 0300000 | 3. **PULSES, DRY** | ►M164 — ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►M164 — ◄ |
| 0300020 | Lentils | ►M164 — ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►M164 — ◄ |
| 0300040 | Lupins | ►M164 — ◄ |
| 0300990 | Others | ►M164 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M164 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M164 — ◄ |
| 0401010 | Linseed | ►M164 — ◄ |
| 0401020 | Peanuts | ►M164 — ◄ |
| 0401030 | Poppy seed | ►M164 — ◄ |
| 0401040 | Sesame seed | ►M164 — ◄ |
| 0401050 | Sunflower seed | ►M164 — ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►M164 — ◄ |
| 0401070 | Soya bean | ►M164 — ◄ |
| 0401080 | Mustard seed | ►M164 — ◄ |
| 0401090 | Cotton seed | ►M164 — ◄ |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | ►M164 — ◄ |
| 0401110 | Safflower | ►M164 — ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | ►M164 — ◄ |
| 0401130 | Gold of pleasure | ►M164 — ◄ |
| 0401140 | Hempseed | ►M164 — ◄ |
| 0401150 | Castor bean | ►M164 — ◄ |
| 0401990 | Others | ►M164 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M164 — ◄ |
| 0402010 | Olives for oil production | ►M164 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M164 — ◄ |
| 0402030 | Palmfruit | ►M164 — ◄ |
| 0402040 | Kapok | ►M164 — ◄ |
| 0402990 | Others | ►M164 — ◄ |
| 0500000 | 5. **CEREALS** | ►M164 — ◄ |
| 0500010 | Barley | ►M164 — ◄ |
| 0500020 | Buckwheat (*Amaranthus, quinoa*) | ►M164 — ◄ |
| 0500030 | Maize | ►M164 — ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | ►M164 — ◄ |
| 0500050 | Oats | ►M164 — ◄ |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | ►M164 — ◄ |
| 0500070 | Rye | ►M164 — ◄ |
| 0500080 | Sorghum | ►M164 — ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M164 — ◄ |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M164 — ◄ |
| 0610000 | (i) **Tea** | ►M164 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M164 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M164 — ◄ |
| 0631000 | (a) *Flowers* | ►M164 — ◄ |
| 0631010 | Camomille flowers | ►M164 — ◄ |
| 0631020 | Hybiscus flowers | ►M164 — ◄ |
| 0631030 | Rose petals | ►M164 — ◄ |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | ►M164 — ◄ |
| 0631050 | Lime (linden) | ►M164 — ◄ |
| 0631990 | Others | ►M164 — ◄ |
| 0632000 | (b) *Leaves* | ►M164 — ◄ |
| 0632010 | Strawberry leaves | ►M164 — ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M164 — ◄ |
| 0632030 | Maté | ►M164 — ◄ |
| 0632990 | Others | ►M164 — ◄ |
| 0633000 | (c) *Roots* | ►M164 — ◄ |
| 0633010 | Valerian root | ►M164 — ◄ |
| 0633020 | Ginseng root | ►M164 — ◄ |
| 0633990 | Others | ►M164 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M164 — ◄ |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | ►M164 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M164 — ◄ |
| 0700000 | 7. **HOPS (dried)** | ►M164 — ◄ |
| 0800000 | 8. **SPICES** | ►M164 — ◄ |
| 0810000 | (i) **Seeds** | ►M164 — ◄ |
| 0810010 | Anise | ►M164 — ◄ |
| 0810020 | Black caraway | ►M164 — ◄ |
| 0810030 | Celery seed (Lovage seed) | ►M164 — ◄ |
| 0810040 | Coriander seed | ►M164 — ◄ |
| 0810050 | Cumin seed | ►M164 — ◄ |
| 0810060 | Dill seed | ►M164 — ◄ |
| 0810070 | Fennel seed | ►M164 — ◄ |
| 0810080 | Fenugreek | ►M164 — ◄ |
| 0810090 | Nutmeg | ►M164 — ◄ |
| 0810990 | Others | ►M164 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M164 — ◄ |
| 0820010 | Allspice | ►M164 — ◄ |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 0820030 | Caraway | ►M164 — ◄ |
| 0820040 | Cardamom | ►M164 — ◄ |
| 0820050 | Juniper berries | ►M164 — ◄ |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | ►M164 — ◄ |
| 0820070 | Vanilla pods | ►M164 — ◄ |
| 0820080 | Tamarind | ►M164 — ◄ |
| 0820990 | Others | ►M164 — ◄ |
| 0830000 | (iii) **Bark** | ►M164 — ◄ |
| 0830010 | Cinnamon (Cassia) | ►M164 — ◄ |
| 0830990 | Others | ►M164 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M164 — ◄ |
| 0840010 | Liquorice | ►M164 — ◄ |
| 0840020 | Ginger | ►M164 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M164 — ◄ |
| 0840040 | Horseradish | ►M164 — ◄ |
| 0840990 | Others | ►M164 — ◄ |
| 0850000 | (v) **Buds** | ►M164 — ◄ |
| 0850010 | Cloves | ►M164 — ◄ |
| 0850020 | Capers | ►M164 — ◄ |
| 0850990 | Others | ►M164 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M164 — ◄ |
| 0860010 | Saffron | ►M164 — ◄ |
| 0860990 | Others | ►M164 — ◄ |
| 0870000 | (vii) **Aril** | ►M164 — ◄ |
| 0870010 | Mace | ►M164 — ◄ |
| 0870990 | Others | ►M164 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M164 — ◄ |
| 0900010 | Sugar beet (root) | ►M164 — ◄ |
| 0900020 | Sugar cane | ►M164 — ◄ |
| 0900030 | Chicory roots | ►M164 — ◄ |
| 0900990 | Others | ►M164 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M164 — ◄ |
| 1010000 | (i) **Tissue** | ►M164 — ◄ |
| 1011000 | (a) *Swine* | ►M164 — ◄ |
| 1011010 | Muscle | ►M164 — ◄ |
| 1011020 | Fat | ►M164 — ◄ |
| 1011030 | Liver | ►M164 — ◄ |
| 1011040 | Kidney | ►M164 — ◄ |
| 1011050 | Edible offal | ►M164 — ◄ |
| 1011990 | Others | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 1012000 | (b) *Bovine* | ►M164 — ◄ |
| 1012010 | Muscle | ►M164 — ◄ |
| 1012020 | Fat | ►M164 — ◄ |
| 1012030 | Liver | ►M164 — ◄ |
| 1012040 | Kidney | ►M164 — ◄ |
| 1012050 | Edible offal | ►M164 — ◄ |
| 1012990 | Others | ►M164 — ◄ |
| 1013000 | (c) *Sheep* | ►M164 — ◄ |
| 1013010 | Muscle | ►M164 — ◄ |
| 1013020 | Fat | ►M164 — ◄ |
| 1013030 | Liver | ►M164 — ◄ |
| 1013040 | Kidney | ►M164 — ◄ |
| 1013050 | Edible offal | ►M164 — ◄ |
| 1013990 | Others | ►M164 — ◄ |
| 1014000 | (d) *Goat* | ►M164 — ◄ |
| 1014010 | Muscle | ►M164 — ◄ |
| 1014020 | Fat | ►M164 — ◄ |
| 1014030 | Liver | ►M164 — ◄ |
| 1014040 | Kidney | ►M164 — ◄ |
| 1014050 | Edible offal | ►M164 — ◄ |
| 1014990 | Others | ►M164 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M164 — ◄ |
| 1015010 | Muscle | ►M164 — ◄ |
| 1015020 | Fat | ►M164 — ◄ |
| 1015030 | Liver | ►M164 — ◄ |
| 1015040 | Kidney | ►M164 — ◄ |
| 1015050 | Edible offal | ►M164 — ◄ |
| 1015990 | Others | ►M164 — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M164 — ◄ |
| 1016010 | Muscle | ►M164 — ◄ |
| 1016020 | Fat | ►M164 — ◄ |
| 1016030 | Liver | ►M164 — ◄ |
| 1016040 | Kidney | ►M164 — ◄ |
| 1016050 | Edible offal | ►M164 — ◄ |
| 1016990 | Others | ►M164 — ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | ►M164 — ◄ |
| 1017010 | Muscle | ►M164 — ◄ |
| 1017020 | Fat | ►M164 — ◄ |
| 1017030 | Liver | ►M164 — ◄ |
| 1017040 | Kidney | ►M164 — ◄ |
| 1017050 | Edible offal | ►M164 — ◄ |
| 1017990 | Others | ►M164 — ◄ |

▼M47

| (1) | (2) | (3) |
|---|---|---|
| 1020000 | (ii) **Milk** | ►M164 — ◄ |
| 1020010 | Cattle | ►M164 — ◄ |
| 1020020 | Sheep | ►M164 — ◄ |
| 1020030 | Goat | ►M164 — ◄ |
| 1020040 | Horse | ►M164 — ◄ |
| 1020990 | Others | ►M164 — ◄ |
| 1030000 | (iii) **Bird eggs** | ►M164 — ◄ |
| 1030010 | Chicken | ►M164 — ◄ |
| 1030020 | Duck | ►M164 — ◄ |
| 1030030 | Goose | ►M164 — ◄ |
| 1030040 | Quail | ►M164 — ◄ |
| 1030990 | Others | ►M164 — ◄ |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►M164 — ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►M164 — ◄ |
| 1060000 | (vi) **Snails** | ►M164 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►M164 — ◄ |

▼M137

_____

▼**M61**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Saflufenacil (sum of saflufenacil, M800H11 and M800H35, expressed as saflufenacil) (R) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | **0,03** (*) |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) **Table and wine grapes** | |

▼M61

| (1) | (2) | (3) |
|---|---|---|
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) **Strawberries** | |
| 0153000 | (c) **Cane fruit** | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x Rubus idaeus)) | |
| 0153990 | Others | |
| 0154000 | (d) **Other small fruit & berries** | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (Arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, service-berries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) **Edible peel** | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (Eugenia uniflora)) | |
| 0161990 | Others | |
| 0162000 | (b) **Inedible peel, small** | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |

▼M61

| (1) | (2) | (3) |
|---|---|---|
| 0162990 | Others | |
| 0163000 | (c) **Inedible peel, large** | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | **0,03** (*) |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) **Potatoes** | |
| 0212000 | (b) **Tropical root and tuber vegetables** | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) **Other root and tuber vegetables except sugar beet** | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |

▼M61

| (1) | (2) | (3) |
|---|---|---|
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) **Solanacea** | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) **Cucurbits — edible peel** | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) **Cucurbits-inedible peel** | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) **Sweet corn (Baby corn)** | |
| 0239000 | (e) **Other fruiting vegetables** | |
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) **Flowering brassica** | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) **Head brassica** | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) **Leafy brassica** | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |

▼**M61**

| (1) | (2) | (3) |
|---|---|---|
| 0244000 | (d) **Kohlrabi** | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) **Lettuce and other salad plants including Brassicacea** | |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) **Spinach & similar (leaves)** | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) **Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))** | |
| 0254000 | (d) **Water cress (Morning glory/Chinese convolvulus/ water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)** | |
| 0255000 | (e) **Witloof** | |
| 0256000 | (f) **Herbs** | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |

▼**M61**

| (1) | (2) | (3) |
|---|---|---|
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (Borago officinalis stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | |
| 0300000 | 3. **PULSES, DRY** | |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | **0,5** |
| 0300020 | Lentils | **0,03** (*) |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | **0,1** |
| 0300040 | Lupins | **0,03** (*) |
| 0300990 | Others | **0,03** (*) |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | **0,03** (*) |
| 0401020 | Peanuts | **0,03** (*) |
| 0401030 | Poppy seed | **0,03** (*) |
| 0401040 | Sesame seed | **0,03** (*) |
| 0401050 | Sunflower seed | **1** |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | **0,6** |

▼**M61**

| (1) | (2) | (3) |
|---|---|---|
| 0401070 | Soya bean | **0,1** |
| 0401080 | Mustard seed | **0,03** (*) |
| 0401090 | Cotton seed | **0,3** |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | **0,03** (*) |
| 0401110 | Safflower | **0,03** (*) |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | **0,03** (*) |
| 0401130 | Gold of pleasure | **0,03** (*) |
| 0401140 | Hempseed | **0,03** (*) |
| 0401150 | Castor bean | **0,03** (*) |
| 0401990 | Others | **0,03** (*) |
| 0402000 | (ii) **Oilfruits** | **0,03** (*) |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | **0,03** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,03** (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) **Flowers** | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |

▼**M61**

| (1) | (2) | (3) |
|---|---|---|
| 0632000 | (b) **Leaves** | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) **Roots** | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) **Other herbal infusions** | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | **0,03** (*) |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | **0,03** (*) |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | **0,03** (*) |
| 0820010 | Allspice | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |

▼M61

| (1) | (2) | (3) |
|---|---|---|
| 0830000 | (iii) **Bark** | **0,03** (*) |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | **0,03** (*) |
| 0840020 | Ginger | **0,03** (*) |
| 0840030 | Turmeric (Curcuma) | **0,03** (*) |
| 0840040 | Horseradish | (+) |
| 0840990 | Others | **0,03** (*) |
| 0850000 | (v) **Buds** | **0,03** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | **0,03** (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | **0,03** (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,03** (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | |
| 1011000 | (a) **Swine** | |
| 1011010 | Muscle | **0,01** (*) |
| 1011020 | Fat | **0,01** (*) |
| 1011030 | Liver | **0,3** |
| 1011040 | Kidney | **0,3** |
| 1011050 | Edible offal | **0,3** |
| 1011990 | Others | **0,01** (*) |
| 1012000 | (b) **Bovine** | |
| 1012010 | Muscle | **0,01** (*) |
| 1012020 | Fat | **0,01** (*) |
| 1012030 | Liver | **0,6** |
| 1012040 | Kidney | **0,3** |
| 1012050 | Edible offal | **0,3** |
| 1012990 | Others | **0,01** (*) |

▼**M61**

| (1) | (2) | (3) |
|---|---|---|
| 1013000 | (c) **Sheep** | |
| 1013010 | Muscle | **0,01** (*) |
| 1013020 | Fat | **0,01** (*) |
| 1013030 | Liver | **0,6** |
| 1013040 | Kidney | **0,3** |
| 1013050 | Edible offal | **0,3** |
| 1013990 | Others | **0,01** (*) |
| 1014000 | (d) **Goat** | |
| 1014010 | Muscle | **0,01** (*) |
| 1014020 | Fat | **0,01** (*) |
| 1014030 | Liver | **0,6** |
| 1014040 | Kidney | **0,3** |
| 1014050 | Edible offal | **0,3** |
| 1014990 | Others | **0,01** (*) |
| 1015000 | (e) **Horses, asses, mules or hinnies** | |
| 1015010 | Muscle | **0,01** (*) |
| 1015020 | Fat | **0,01** (*) |
| 1015030 | Liver | **0,3** |
| 1015040 | Kidney | **0,3** |
| 1015050 | Edible offal | **0,3** |
| 1015990 | Others | **0,01** (*) |
| 1016000 | (f) **Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon** | **0,01** (*) |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) **Other farm animals (Rabbit, kangaroo, deer)** | |
| 1017010 | Muscle | **0,01** (*) |
| 1017020 | Fat | **0,01** (*) |
| 1017030 | Liver | **0,3** |
| 1017040 | Kidney | **0,3** |
| 1017050 | Edible offal | **0,3** |
| 1017990 | Others | **0,01** (*) |
| 1020000 | (ii) **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |

▼**M61**

| (1) | (2) | (3) |
|---|---|---|
| 1030000 | (iii) **Bird eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01** (*) |
| 1060000 | (vi) **Snails** | **0,01** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01** (*) |

▼M56

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Dinotefuran |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | **0,8** |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | |
| 0140990 | Others | |

▼**M56**

| (1) | (2) | (3) |
|---|---|---|
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | **0,9** |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x Rubus idaeus)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | **0,15** |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (Arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, service-berries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |

▼M56

| (1) | (2) | (3) |
|---|---|---|
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |

▼M56

| (1) | (2) | (3) |
|---|---|---|
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oyster-plant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | **0,1** |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | **4** |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |

▼M56

| (1) | (2) | (3) |
|---|---|---|
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **7** |
| 0255000 | (e) *Witloof* | |

▼M56

| (1) | (2) | (3) |
|---|---|---|
| 0256000 | (f) *Herbs* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (Borago officinalis stems) | |
| 0270030 | Celery | **0,6** |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | |

▼M56

| (1) | (2) | (3) |
|---|---|---|
| 0300000 | 3. **PULSES, DRY** | |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | **0,2** |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | **8** |

▼M56

| (1) | (2) | (3) |
|---|---|---|
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |

▼M56

| (1) | (2) | (3) |
|---|---|---|
| 0820000 | (ii) **Fruits and berries** | |
| 0820010 | Allspice | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger | |
| 0840030 | Turmeric (Curcuma) | |
| 0840040 | Horseradish | |
| 0840990 | Others | |
| 0850000 | (v) **Buds** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | |
| 1011000 | (a) *Swine* | |

▼**M56**

| (1) | (2) | (3) |
|---|---|---|
| 1011010 | Muscle | **0,1** |
| 1011020 | Fat | |
| 1011030 | Liver | **0,1** |
| 1011040 | Kidney | **0,1** |
| 1011050 | Edible offal | **0,1** |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | **0,1** |
| 1012020 | Fat | |
| 1012030 | Liver | **0,1** |
| 1012040 | Kidney | **0,1** |
| 1012050 | Edible offal | **0,1** |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | **0,1** |
| 1013020 | Fat | |
| 1013030 | Liver | **0,1** |
| 1013040 | Kidney | **0,1** |
| 1013050 | Edible offal | **0,1** |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | **0,1** |
| 1014020 | Fat | |
| 1014030 | Liver | **0,1** |
| 1014040 | Kidney | **0,1** |
| 1014050 | Edible offal | **0,1** |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | **0,1** |
| 1015020 | Fat | |
| 1015030 | Liver | **0,1** |
| 1015040 | Kidney | **0,1** |
| 1015050 | Edible offal | **0,1** |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | **0,02** |
| 1016020 | Fat | |
| 1016030 | Liver | **0,02** |
| 1016040 | Kidney | **0,02** |
| 1016050 | Edible offal | **0,02** |
| 1016990 | Others | |

▼**M56**

| (1) | (2) | (3) |
|---|---|---|
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | **0,1** |
| 1017020 | Fat | |
| 1017030 | Liver | **0,1** |
| 1017040 | Kidney | **0,1** |
| 1017050 | Edible offal | **0,1** |
| 1017990 | Others | |
| 1020000 | (ii) **Milk** | **0,1** |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | **0,02** |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | |
| 1060000 | (vi) **Snails** | |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | |

▼M65

Pesticide residues and maximum residue levels (mg/kg)

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0110000 | (i) **Citrus fruit** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0110040 | Limes | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* × *sinensis*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0110990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120000 | (ii) **Tree nuts** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120010 | Almonds | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120020 | Brazil nuts | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120030 | Cashew nuts | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120040 | Chestnuts | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120050 | Coconuts | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120060 | Hazelnuts (Filbert) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120070 | Macadamia | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120080 | Pecans | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120090 | Pine nuts | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120100 | Pistachios | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120110 | Walnuts | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0120990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0130000 | (iii) **Pome fruit** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0130010 | Apples (Crab apple) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0130020 | Pears (Oriental pear) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0130030 | Quinces | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0130040 | Medlar | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0130050 | Loquat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0130990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0140000 | (iv) **Stone fruit** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0140010 | Apricots | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0140990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0151010 | Table grapes | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0151020 | Wine grapes | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0152000 | (b) *Strawberries* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0153000 | (c) *Cane fruit* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0153010 | Blackberries | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* × *Rubus idaeus*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0153990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154010 | Blueberries (Bilberries) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154030 | Currants (red, black and white) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154050 | Rose hips | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154060 | Mulberries (*Arbutus* berry) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0154990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0161000 | (a) *Edible peel* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0161010 | Dates | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0161020 | Figs | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0161030 | Table olives | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* × *Fortunella* spp.)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0161050 | Carambola (Bilimbi) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0161060 | Persimmon | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0161990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0162010 | Kiwi | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0162030 | Passion fruit | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0162050 | Star apple | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0162990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163010 | Avocados | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163030 | Mangoes | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163040 | Papaya | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163050 | Pomegranate | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163080 | Pineapples | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163090 | Bread fruit (Jackfruit) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163100 | Durian | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163110 | Soursop (guanabana) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0163990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0211000 | (a) *Potatoes* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0212020 | Sweet potatoes | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0212040 | Arrowroot | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0212990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213010 | Beetroot | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213020 | Carrots | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213030 | Celeriac | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213060 | Parsnips | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213070 | Parsley root | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213100 | Swedes | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213110 | Turnips | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0213990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0220010 | Garlic | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0220030 | Shallots | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0220990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0231000 | (a) Solanacea | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0231020 | Peppers (Chilli peppers) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/ white eggplant (*S. macrocarpon*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0231040 | Okra (lady's fingers) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0231990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0232010 | Cucumbers | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0232020 | Gherkins | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0232990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼**M65**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M209** Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►**M209** Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0233000 | (c) *Cucurbits-inedible peel* | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0233010 | Melons (Kiwano) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0233030 | Watermelons | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0233990 | Others | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0234000 | (d) *Sweet corn (Baby corn)* | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0241000 | (a) *Flowering brassica* | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0241020 | Cauliflower | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0241990 | Others | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0242000 | (b) *Head brassica* | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0242010 | Brussels sprouts | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0242990 | Others | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0243000 | (c) *Leafy brassica* | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0243990 | Others | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0244000 | (d) *Kohlrabi* | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum*/ *C. intybus* var. *foliosum*), dandelion greens) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0251050 | Land cress | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | ►**M209** (+) ◄ | ►**M209** (+) ◄ |
| 0251070 | Red mustard | ►**M209** (+) ◄ | ►**M209** (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0251990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0252990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (*Acacia pennata*))* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (*Ipomea aquatica*), water clover, water mimosa)* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0255000 | (e) *Witloof* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256000 | (f) *Herbs* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256010 | Chervil | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256020 | Chives | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256040 | Parsley (leaves of root parsley) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256060 | Rosemary | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256070 | Thyme (Marjoram, oregano) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256100 | Tarragon (Hyssop) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0256990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0260050 | Lentils | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0260990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270010 | Asparagus | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270020 | Cardoons (*Borago officinalis* stems) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270030 | Celery | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270040 | Fennel | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270050 | Globe artichokes (Banana flower) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270060 | Leek | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270070 | Rhubarb | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270080 | Bamboo shoots | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270090 | Palm hearts | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0270990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0280000 | (viii) **Fungi** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0280990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0290000 | (ix) **Sea weeds** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0300020 | Lentils | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0300040 | Lupins | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0300990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0401000 | (i) **Oilseeds** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401010 | Linseed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401020 | Peanuts | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401030 | Poppy seed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401040 | Sesame seed | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0401050 | Sunflower seed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401070 | Soya bean | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401080 | Mustard seed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401090 | Cotton seed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401110 | Safflower | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401130 | Gold of pleasure | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401140 | Hempseed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401150 | Castor bean | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0401990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0402000 | (ii) **Oilfruits** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0402010 | Olives for oil production | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0402030 | Palmfruit | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0402040 | Kapok | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0402990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500000 | 5. **CEREALS** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0500010 | Barley | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500020 | Buckwheat (*Amaranthus*, quinoa) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500030 | Maize | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500050 | Oats | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500070 | Rye | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500080 | Sorghum | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0610000 | (i) **Tea** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0620000 | (ii) **Coffee beans** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0631000 | (a) *Flowers* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0631010 | Camomille flowers | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0631020 | Hybiscus flowers | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0631030 | Rose petals | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0631050 | Lime (linden) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0631990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0632000 | (b) *Leaves* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0632010 | Strawberry leaves | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0632030 | Maté | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0632990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0633000 | (c) *Roots* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0633010 | Valerian root | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0633020 | Ginseng root | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0633990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0700000 | 7. **HOPS (dried)** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0800000 | 8. **SPICES** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810000 | (i) **Seeds** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0810010 | Anise | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810020 | Black caraway | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810030 | Celery seed (Lovage seed) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810040 | Coriander seed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810050 | Cumin seed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810060 | Dill seed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810070 | Fennel seed | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810080 | Fenugreek | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810090 | Nutmeg | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0810990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0820010 | Allspice | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820030 | Caraway | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820040 | Cardamom | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820050 | Juniper berries | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820070 | Vanilla pods | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820080 | Tamarind | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0820990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 0830000 | (iii) **Bark** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0830010 | Cinnamon (Cassia) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0830990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0840010 | Liquorice | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0840020 | Ginger | ►M209 — ◄ | ►M209 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0840040 | Horseradish | | |
| 0840990 | Others | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0850000 | (v) **Buds** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0850010 | Cloves | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0850020 | Capers | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0850990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0860000 | (vi) **Flower stigma** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0860010 | Saffron | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0860990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0870000 | (vii) **Aril** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0870010 | Mace | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0870990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M209 0,1 (+) ◄ | ►M209 **0,05** (+) ◄ |
| 0900010 | Sugar beet (root) | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0900020 | Sugar cane | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0900030 | Chicory roots | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 0900990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M209 0,1 (+) ◄ | ►M209 0,1 (+) ◄ |
| 1010000 | (i) **Tissue** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1011000 | (a) *Swine* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1011010 | Muscle | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1011020 | Fat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1011030 | Liver | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1011040 | Kidney | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1011050 | Edible offal | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1011990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1012000 | (b) *Bovine* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1012010 | Muscle | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1012020 | Fat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1012030 | Liver | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1012040 | Kidney | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 1012050 | Edible offal | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1012990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1013000 | (c) *Sheep* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1013010 | Muscle | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1013020 | Fat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1013030 | Liver | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1013040 | Kidney | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1013050 | Edible offal | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1013990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1014000 | (d) *Goat* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1014010 | Muscle | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1014020 | Fat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1014030 | Liver | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1014040 | Kidney | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1014050 | Edible offal | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1014990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1015010 | Muscle | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1015020 | Fat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1015030 | Liver | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1015040 | Kidney | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1015050 | Edible offal | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1015990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1016010 | Muscle | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1016020 | Fat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1016030 | Liver | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1016040 | Kidney | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1016050 | Edible offal | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1016990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M65

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18) ◄ | ►M209 Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12) ◄ |
|---|---|---|---|
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1017010 | Muscle | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1017020 | Fat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1017030 | Liver | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1017040 | Kidney | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1017050 | Edible offal | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1017990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1020000 | (ii) **Milk** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1020010 | Cattle | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1020020 | Sheep | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1020030 | Goat | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1020040 | Horse | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1020990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1030000 | (iii) **Bird eggs** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1030010 | Chicken | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1030020 | Duck | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1030030 | Goose | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1030040 | Quail | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1030990 | Others | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1060000 | (vi) **Snails** | ►M209 (+) ◄ | ►M209 (+) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►M209 (+) ◄ | ►M209 (+) ◄ |

▼M70

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 —— ◄ | ►M116 Imazapyr ◄ |
|---|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | ►M198 —— ◄ | |
| 0110000 | (i) **Citrus fruit** | ►M198 —— ◄ | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►M198 —— ◄ | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►M198 —— ◄ | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | ►M198 —— ◄ | |
| 0110040 | Limes | ►M198 —— ◄ | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | ►M198 —— ◄ | |
| 0110990 | Others | ►M198 —— ◄ | |
| 0120000 | (ii) **Tree nuts** | ►M198 —— ◄ | |
| 0120010 | Almonds | ►M198 —— ◄ | |
| 0120020 | Brazil nuts | ►M198 —— ◄ | |
| 0120030 | Cashew nuts | ►M198 —— ◄ | |
| 0120040 | Chestnuts | ►M198 —— ◄ | |
| 0120050 | Coconuts | ►M198 —— ◄ | |
| 0120060 | Hazelnuts (Filbert) | ►M198 —— ◄ | |
| 0120070 | Macadamia | ►M198 —— ◄ | |
| 0120080 | Pecans | ►M198 —— ◄ | |
| 0120090 | Pine nuts | ►M198 —— ◄ | |
| 0120100 | Pistachios | ►M198 —— ◄ | |
| 0120110 | Walnuts | ►M198 —— ◄ | |
| 0120990 | Others | ►M198 —— ◄ | |
| 0130000 | (iii) **Pome fruit** | ►M198 —— ◄ | |
| 0130010 | Apples (Crab apple) | ►M198 —— ◄ | |

▼**M70**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M198** —— ◄ | ►**M116** Imazapyr ◄ |
|---|---|---|---|
| 0130020 | Pears (Oriental pear) | ►**M198** —— ◄ | |
| 0130030 | Quinces | ►**M198** —— ◄ | |
| 0130040 | Medlar | ►**M198** —— ◄ | |
| 0130050 | Loquat | ►**M198** —— ◄ | |
| 0130990 | Others | ►**M198** —— ◄ | |
| 0140000 | (iv) **Stone fruit** | ►**M198** —— ◄ | |
| 0140010 | Apricots | ►**M198** —— ◄ | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | ►**M198** —— ◄ | |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►**M198** —— ◄ | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | ►**M198** —— ◄ | |
| 0140990 | Others | ►**M198** —— ◄ | |
| 0150000 | (v) **Berries & small fruit** | ►**M198** —— ◄ | |
| 0151000 | (a) *Table and wine grapes* | ►**M198** —— ◄ | |
| 0151010 | Table grapes | ►**M198** —— ◄ | |
| 0151020 | Wine grapes | ►**M198** —— ◄ | |
| 0152000 | (b) *Strawberries* | ►**M198** —— ◄ | |
| 0153000 | (c) *Cane fruit* | ►**M198** —— ◄ | |
| 0153010 | Blackberries | ►**M198** —— ◄ | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | ►**M198** —— ◄ | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | ►**M198** —— ◄ | |
| 0153990 | Others | ►**M198** —— ◄ | |
| 0154000 | (d) *Other small fruit & berries* | ►**M198** —— ◄ | |

▼M70

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 —— ◄ | ►M116 Imazapyr ◄ |
|---|---|---|---|
| 0154010 | Blueberries (Bilberries) | ►M198 —— ◄ | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | ►M198 —— ◄ | |
| 0154030 | Currants (red, black and white) | ►M198 —— ◄ | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | ►M198 —— ◄ | |
| 0154050 | Rose hips | ►M198 —— ◄ | |
| 0154060 | Mulberries (Arbutus berry) | ►M198 —— ◄ | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | ►M198 —— ◄ | |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other tree-berries) | ►M198 —— ◄ | |
| 0154990 | Others | ►M198 —— ◄ | |
| 0160000 | (vi) **Miscellaneous fruit** | ►M198 —— ◄ | |
| 0161000 | (a) *Edible peel* | ►M198 —— ◄ | |
| 0161010 | Dates | ►M198 —— ◄ | |
| 0161020 | Figs | ►M198 —— ◄ | |
| 0161030 | Table olives | ►M198 —— ◄ | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | ►M198 —— ◄ | |
| 0161050 | Carambola (Bilimbi) | ►M198 —— ◄ | |
| 0161060 | Persimmon | ►M198 —— ◄ | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | ►M198 —— ◄ | |
| 0161990 | Others | ►M198 —— ◄ | |
| 0162000 | (b) *Inedible peel, small* | ►M198 —— ◄ | |
| 0162010 | Kiwi | ►M198 —— ◄ | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | ►M198 —— ◄ | |
| 0162030 | Passion fruit | ►M198 —— ◄ | |
| 0162040 | Prickly pear (cactus fruit) | ►M198 —— ◄ | |
| 0162050 | Star apple | ►M198 —— ◄ | |

▼M70

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 —— ◄ | ►M116 Imazapyr ◄ |
|---|---|---|---|
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/ yellow sapote, mammey sapote) | ►M198 —— ◄ | |
| 0162990 | Others | ►M198 —— ◄ | |
| 0163000 | (c) *Inedible peel, large* | ►M198 —— ◄ | |
| 0163010 | Avocados | ►M198 —— ◄ | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►M198 —— ◄ | |
| 0163030 | Mangoes | ►M198 —— ◄ | |
| 0163040 | Papaya | ►M198 —— ◄ | |
| 0163050 | Pomegranate | ►M198 —— ◄ | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | ►M198 —— ◄ | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | ►M198 —— ◄ | |
| 0163080 | Pineapples | ►M198 —— ◄ | |
| 0163090 | Bread fruit (Jackfruit) | ►M198 —— ◄ | |
| 0163100 | Durian | ►M198 —— ◄ | |
| 0163110 | Soursop (guanabana) | ►M198 —— ◄ | |
| 0163990 | Others | ►M198 —— ◄ | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M198 —— ◄ | |
| 0210000 | (i) **Root and tuber vegetables** | ►M198 —— ◄ | |
| 0211000 | (a) *Potatoes* | ►M198 —— ◄ | |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M198 —— ◄ | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | ►M198 —— ◄ | |
| 0212020 | Sweet potatoes | ►M198 —— ◄ | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | ►M198 —— ◄ | |
| 0212040 | Arrowroot | ►M198 —— ◄ | |
| 0212990 | Others | ►M198 —— ◄ | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M198 —— ◄ | |

▼M70

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 —— ◄ | ►M116 Imazapyr ◄ |
|---|---|---|---|
| 0213010 | Beetroot | ►M198 —— ◄ | |
| 0213020 | Carrots | ►M198 —— ◄ | |
| 0213030 | Celeriac | ►M198 —— ◄ | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►M198 —— ◄ | |
| 0213050 | Jerusalem artichokes (Crosne) | ►M198 —— ◄ | |
| 0213060 | Parsnips | ►M198 —— ◄ | |
| 0213070 | Parsley root | ►M198 —— ◄ | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | ►M198 —— ◄ | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | ►M198 —— ◄ | |
| 0213100 | Swedes | ►M198 —— ◄ | |
| 0213110 | Turnips | ►M198 —— ◄ | |
| 0213990 | Others | ►M198 —— ◄ | |
| 0220000 | (ii) **Bulb vegetables** | ►M198 —— ◄ | |
| 0220010 | Garlic | ►M198 —— ◄ | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | ►M198 —— ◄ | |
| 0220030 | Shallots | ►M198 —— ◄ | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | ►M198 —— ◄ | |
| 0220990 | Others | ►M198 —— ◄ | |
| 0230000 | (iii) **Fruiting vegetables** | ►M198 —— ◄ | |
| 0231000 | (a) *Solanacea* | ►M198 —— ◄ | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | ►M198 —— ◄ | |
| 0231020 | Peppers (Chilli peppers) | ►M198 —— ◄ | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | ►M198 —— ◄ | |
| 0231040 | Okra (lady's fingers) | ►M198 —— ◄ | |
| 0231990 | Others | ►M198 —— ◄ | |

▼**M70**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M198** —— ◄ | ►**M116** Imazapyr ◄ |
|---|---|---|---|
| 0232000 | (b) *Cucurbits — edible peel* | ►**M198** —— ◄ | |
| 0232010 | Cucumbers | ►**M198** —— ◄ | |
| 0232020 | Gherkins | ►**M198** —— ◄ | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | ►**M198** —— ◄ | |
| 0232990 | Others | ►**M198** —— ◄ | |
| 0233000 | (c) *Cucurbits-inedible peel* | ►**M198** —— ◄ | |
| 0233010 | Melons (Kiwano) | ►**M198** —— ◄ | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | ►**M198** —— ◄ | |
| 0233030 | Watermelons | ►**M198** —— ◄ | |
| 0233990 | Others | ►**M198** —— ◄ | |
| 0234000 | (d) *Sweet corn (Baby corn)* | ►**M198** —— ◄ | |
| 0239000 | (e) *Other fruiting vegetables* | ►**M198** —— ◄ | |
| 0240000 | (iv) **Brassica vegetables** | ►**M198** —— ◄ | |
| 0241000 | (a) *Flowering brassica* | ►**M198** —— ◄ | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | ►**M198** —— ◄ | |
| 0241020 | Cauliflower | ►**M198** —— ◄ | |
| 0241990 | Others | ►**M198** —— ◄ | |
| 0242000 | (b) *Head brassica* | ►**M198** —— ◄ | |
| 0242010 | Brussels sprouts | ►**M198** —— ◄ | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►**M198** —— ◄ | |
| 0242990 | Others | ►**M198** —— ◄ | |
| 0243000 | (c) *Leafy brassica* | ►**M198** —— ◄ | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | ►**M198** —— ◄ | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►**M198** —— ◄ | |

▼**M70**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M198** —— ◄ | ►**M116** Imazapyr ◄ |
|---|---|---|---|
| 0243990 | Others | ►**M198** —— ◄ | |
| 0244000 | (d) *Kohlrabi* | ►**M198** —— ◄ | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►**M198** —— ◄ | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►**M198** —— ◄ | |
| 0251010 | Lamb's lettuce (Italian corn salad) | ►**M198** —— ◄ | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►**M198** —— ◄ | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/ C. intybus var. foliosum), dandelion greens) | ►**M198** —— ◄ | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | ►**M198** —— ◄ | |
| 0251050 | Land cress | ►**M198** —— ◄ | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | ►**M198** —— ◄ | |
| 0251070 | Red mustard | ►**M198** —— ◄ | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | ►**M198** —— ◄ | |
| 0251990 | Others | ►**M198** —— ◄ | |
| 0252000 | (b) *Spinach & similar (leaves)* | ►**M198** —— ◄ | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | ►**M198** —— ◄ | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | ►**M198** —— ◄ | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►**M198** —— ◄ | |
| 0252990 | Others | ►**M198** —— ◄ | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | ►**M198** —— ◄ | |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/ kangkung (Ipomea aquatica), water clover, water mimosa)* | ►**M198** —— ◄ | |

▼M70

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 —— ◄ | ►M116 Imazapyr ◄ |
|---|---|---|---|
| 0255000 | (e) *Witloof* | ►M198 —— ◄ | |
| 0256000 | (f) *Herbs* | ►M198 —— ◄ | |
| 0256010 | Chervil | ►M198 —— ◄ | |
| 0256020 | Chives | ►M198 —— ◄ | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | ►M198 —— ◄ | |
| 0256040 | Parsley (leaves of root parsley) | ►M198 —— ◄ | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | ►M198 —— ◄ | |
| 0256060 | Rosemary | ►M198 —— ◄ | |
| 0256070 | Thyme (Marjoram, oregano) | ►M198 —— ◄ | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | ►M198 —— ◄ | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | ►M198 —— ◄ | |
| 0256100 | Tarragon (Hyssop) | ►M198 —— ◄ | |
| 0256990 | Others | ►M198 —— ◄ | |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►M198 —— ◄ | |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | ►M198 —— ◄ | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | ►M198 —— ◄ | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | ►M198 —— ◄ | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►M198 —— ◄ | |
| 0260050 | Lentils | ►M198 —— ◄ | |
| 0260990 | Others | ►M198 —— ◄ | |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►M198 —— ◄ | |

▼M70

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 —— ◄ | ►M116 Imazapyr ◄ |
|---|---|---|---|
| 0270010 | Asparagus | ►M198 —— ◄ | |
| 0270020 | Cardoons (Borago officinalis stems) | ►M198 —— ◄ | |
| 0270030 | Celery | ►M198 —— ◄ | |
| 0270040 | Fennel | ►M198 —— ◄ | |
| 0270050 | Globe artichokes (Banana flower) | ►M198 —— ◄ | |
| 0270060 | Leek | ►M198 —— ◄ | |
| 0270070 | Rhubarb | ►M198 —— ◄ | |
| 0270080 | Bamboo shoots | ►M198 —— ◄ | |
| 0270090 | Palm hearts | ►M198 —— ◄ | |
| 0270990 | Others | ►M198 —— ◄ | |
| 0280000 | (viii) **Fungi** | ►M198 —— ◄ | |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | ►M198 —— ◄ | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | ►M198 —— ◄ | |
| 0280990 | Others | ►M198 —— ◄ | |
| 0290000 | (ix) **Sea weeds** | ►M198 —— ◄ | |
| 0300000 | 3. **PULSES, DRY** | ►M198 —— ◄ | |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►M198 —— ◄ | |
| 0300020 | Lentils | ►M198 —— ◄ | ►M116 0,3 ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►M198 —— ◄ | |
| 0300040 | Lupins | ►M198 —— ◄ | |
| 0300990 | Others | ►M198 —— ◄ | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M198 —— ◄ | |
| 0401000 | (i) **Oilseeds** | ►M198 —— ◄ | |
| 0401010 | Linseed | ►M198 —— ◄ | |
| 0401020 | Peanuts | ►M198 —— ◄ | |
| 0401030 | Poppy seed | ►M198 —— ◄ | |
| 0401040 | Sesame seed | ►M198 —— ◄ | |

▼**M70**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M198** —— ◄ | ►**M116** Imazapyr ◄ |
|---|---|---|---|
| 0401050 | Sunflower seed | ►**M198** —— ◄ | ►**M116** 0,08 ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 0401070 | Soya bean | ►**M198** —— ◄ | ►**M116** **5** ◄ |
| 0401080 | Mustard seed | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 0401090 | Cotton seed | ►**M198** —— ◄ | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | ►**M198** —— ◄ | |
| 0401110 | Safflower | ►**M198** —— ◄ | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | ►**M198** —— ◄ | |
| 0401130 | Gold of pleasure | ►**M198** —— ◄ | |
| 0401140 | Hempseed | ►**M198** —— ◄ | |
| 0401150 | Castor bean | ►**M198** —— ◄ | |
| 0401990 | Others | ►**M198** —— ◄ | |
| 0402000 | (ii) **Oilfruits** | ►**M198** —— ◄ | |
| 0402010 | Olives for oil production | ►**M198** —— ◄ | |
| 0402020 | Palm nuts (palmoil kernels) | ►**M198** —— ◄ | |
| 0402030 | Palmfruit | ►**M198** —— ◄ | |
| 0402040 | Kapok | ►**M198** —— ◄ | |
| 0402990 | Others | ►**M198** —— ◄ | |
| 0500000 | 5. **CEREALS** | ►**M198** —— ◄ | |
| 0500010 | Barley | ►**M198** —— ◄ | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | ►**M198** —— ◄ | |
| 0500030 | Maize | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | ►**M198** —— ◄ | |
| 0500050 | Oats | ►**M198** —— ◄ | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | ►**M198** —— ◄ | |
| 0500070 | Rye | ►**M198** —— ◄ | |
| 0500080 | Sorghum | ►**M198** —— ◄ | |
| 0500090 | Wheat (Spelt, triticale) | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | ►**M198** —— ◄ | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►**M198** —— ◄ | |

▼M70

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 —— ◄ | ►M116 Imazapyr ◄ |
|---|---|---|---|
| 0610000 | (i) **Tea** | ►M198 —— ◄ | |
| 0620000 | (ii) **Coffee beans** | ►M198 —— ◄ | |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M198 —— ◄ | |
| 0631000 | (a) *Flowers* | ►M198 —— ◄ | |
| 0631010 | Camomille flowers | ►M198 —— ◄ | |
| 0631020 | Hybiscus flowers | ►M198 —— ◄ | |
| 0631030 | Rose petals | ►M198 —— ◄ | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | ►M198 —— ◄ | |
| 0631050 | Lime (linden) | ►M198 —— ◄ | |
| 0631990 | Others | ►M198 —— ◄ | |
| 0632000 | (b) *Leaves* | ►M198 —— ◄ | |
| 0632010 | Strawberry leaves | ►M198 —— ◄ | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M198 —— ◄ | |
| 0632030 | Maté | ►M198 —— ◄ | |
| 0632990 | Others | ►M198 —— ◄ | |
| 0633000 | (c) *Roots* | ►M198 —— ◄ | |
| 0633010 | Valerian root | ►M198 —— ◄ | |
| 0633020 | Ginseng root | ►M198 —— ◄ | |
| 0633990 | Others | ►M198 —— ◄ | |
| 0639000 | (d) *Other herbal infusions* | ►M198 —— ◄ | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | ►M198 —— ◄ | |
| 0650000 | (v) **Carob (st johns bread)** | ►M198 —— ◄ | |
| 0700000 | 7. **HOPS (dried)** | ►M198 —— ◄ | |
| 0800000 | 8. **SPICES** | ►M198 —— ◄ | |
| 0810000 | (i) **Seeds** | ►M198 —— ◄ | |
| 0810010 | Anise | ►M198 —— ◄ | |
| 0810020 | Black caraway | ►M198 —— ◄ | |

▼M70

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M198 —— ◄ | ►M116 Imazapyr ◄ |
|---|---|---|---|
| 0810030 | Celery seed (Lovage seed) | ►M198 —— ◄ | |
| 0810040 | Coriander seed | ►M198 —— ◄ | |
| 0810050 | Cumin seed | ►M198 —— ◄ | |
| 0810060 | Dill seed | ►M198 —— ◄ | |
| 0810070 | Fennel seed | ►M198 —— ◄ | |
| 0810080 | Fenugreek | ►M198 —— ◄ | |
| 0810090 | Nutmeg | ►M198 —— ◄ | |
| 0810990 | Others | ►M198 —— ◄ | |
| 0820000 | (ii) **Fruits and berries** | ►M198 —— ◄ | |
| 0820010 | Allspice | ►M198 —— ◄ | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | ►M198 —— ◄ | |
| 0820030 | Caraway | ►M198 —— ◄ | |
| 0820040 | Cardamom | ►M198 —— ◄ | |
| 0820050 | Juniper berries | ►M198 —— ◄ | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | ►M198 —— ◄ | |
| 0820070 | Vanilla pods | ►M198 —— ◄ | |
| 0820080 | Tamarind | ►M198 —— ◄ | |
| 0820990 | Others | ►M198 —— ◄ | |
| 0830000 | (iii) **Bark** | ►M198 —— ◄ | |
| 0830010 | Cinnamon (Cassia) | ►M198 —— ◄ | |
| 0830990 | Others | ►M198 —— ◄ | |
| 0840000 | (iv) **Roots or rhizome** | ►M198 —— ◄ | |
| 0840010 | Liquorice | ►M198 —— ◄ | |
| 0840020 | Ginger | ►M198 —— ◄ | |
| 0840030 | Turmeric (Curcuma) | ►M198 —— ◄ | |
| 0840040 | Horseradish | ►M198 —— ◄ | |
| 0840990 | Others | ►M198 —— ◄ | |

▼**M70**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M198** —— ◄ | ►**M116** Imazapyr ◄ |
|---|---|---|---|
| 0850000 | (v) **Buds** | ►**M198** —— ◄ | |
| 0850010 | Cloves | ►**M198** —— ◄ | |
| 0850020 | Capers | ►**M198** —— ◄ | |
| 0850990 | Others | ►**M198** —— ◄ | |
| 0860000 | (vi) **Flower stigma** | ►**M198** —— ◄ | |
| 0860010 | Saffron | ►**M198** —— ◄ | |
| 0860990 | Others | ►**M198** —— ◄ | |
| 0870000 | (vii) **Aril** | ►**M198** —— ◄ | |
| 0870010 | Mace | ►**M198** —— ◄ | |
| 0870990 | Others | ►**M198** —— ◄ | |
| 0900000 | 9. **SUGAR PLANTS** | ►**M198** —— ◄ | |
| 0900010 | Sugar beet (root) | ►**M198** —— ◄ | |
| 0900020 | Sugar cane | ►**M198** —— ◄ | |
| 0900030 | Chicory roots | ►**M198** —— ◄ | |
| 0900990 | Others | ►**M198** —— ◄ | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►**M198** —— ◄ | |
| 1010000 | (i) **Tissue** | ►**M198** —— ◄ | ►**M116** —— ◄ |
| 1011000 | (a) *Swine* | ►**M198** —— ◄ | |
| 1011010 | Muscle | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1011020 | Fat | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1011030 | Liver | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1011040 | Kidney | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1011050 | Edible offal | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1011990 | Others | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1012000 | (b) *Bovine* | ►**M198** —— ◄ | |
| 1012010 | Muscle | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1012020 | Fat | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |

▼**M70**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M198** —— ◄ | ►**M116** Imazapyr ◄ |
|---|---|---|---|
| 1012030 | Liver | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1012040 | Kidney | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1012050 | Edible offal | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1012990 | Others | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1013000 | (c) *Sheep* | ►**M198** —— ◄ | |
| 1013010 | Muscle | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1013020 | Fat | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1013030 | Liver | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1013040 | Kidney | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1013050 | Edible offal | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1013990 | Others | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1014000 | (d) *Goat* | ►**M198** —— ◄ | |
| 1014010 | Muscle | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1014020 | Fat | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1014030 | Liver | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1014040 | Kidney | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1014050 | Edible offal | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1014990 | Others | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►**M198** —— ◄ | |
| 1015010 | Muscle | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1015020 | Fat | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1015030 | Liver | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1015040 | Kidney | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1015050 | Edible offal | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1015990 | Others | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1016010 | Muscle | ►**M198** —— ◄ | |
| 1016020 | Fat | ►**M198** —— ◄ | |

▼**M70**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M198** —— ◄ | ►**M116** Imazapyr ◄ |
|---|---|---|---|
| 1016030 | Liver | ►**M198** —— ◄ | |
| 1016040 | Kidney | ►**M198** —— ◄ | |
| 1016050 | Edible offal | ►**M198** —— ◄ | |
| 1016990 | Others | ►**M198** —— ◄ | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | ►**M198** —— ◄ | |
| 1017010 | Muscle | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1017020 | Fat | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1017030 | Liver | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1017040 | Kidney | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1017050 | Edible offal | ►**M198** —— ◄ | ►**M116** **0,2** ◄ |
| 1017990 | Others | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1020000 | (ii) **Milk** | ►**M198** —— ◄ | ►**M116** 0,01 (*) ◄ |
| 1020010 | Cattle | ►**M198** —— ◄ | |
| 1020020 | Sheep | ►**M198** —— ◄ | |
| 1020030 | Goat | ►**M198** —— ◄ | |
| 1020040 | Horse | ►**M198** —— ◄ | |
| 1020990 | Others | ►**M198** —— ◄ | |
| 1030000 | (iii) **Bird eggs** | ►**M198** —— ◄ | ►**M116** 0,01 (*) ◄ |
| 1030010 | Chicken | ►**M198** —— ◄ | |
| 1030020 | Duck | ►**M198** —— ◄ | |
| 1030030 | Goose | ►**M198** —— ◄ | |
| 1030040 | Quail | ►**M198** —— ◄ | |
| 1030990 | Others | ►**M198** —— ◄ | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►**M198** —— ◄ | ►**M116** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M198** —— ◄ | ►**M116** 0,01 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M198** —— ◄ | ►**M116** 0,01 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►**M198** —— ◄ | ►**M116** 0,01 (*) ◄ |

▼M75

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M111 — ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | ►M111 — ◄ |
| 0110000 | (i) **Citrus fruit** | ►M111 — ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | ►M111 — ◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | ►M111 — ◄ |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | ►M111 — ◄ |
| 0110040 | Limes | ►M111 — ◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis)) | ►M111 — ◄ |
| 0110990 | Others | ►M111 — ◄ |
| 0120000 | (ii) **Tree nuts** | ►M111 — ◄ |
| 0120010 | Almonds | ►M111 — ◄ |
| 0120020 | Brazil nuts | ►M111 — ◄ |
| 0120030 | Cashew nuts | ►M111 — ◄ |
| 0120040 | Chestnuts | ►M111 — ◄ |
| 0120050 | Coconuts | ►M111 — ◄ |
| 0120060 | Hazelnuts (Filbert) | ►M111 — ◄ |
| 0120070 | Macadamia | ►M111 — ◄ |
| 0120080 | Pecans | ►M111 — ◄ |
| 0120090 | Pine nuts | ►M111 — ◄ |
| 0120100 | Pistachios | ►M111 — ◄ |
| 0120110 | Walnuts | ►M111 — ◄ |
| 0120990 | Others | ►M111 — ◄ |
| 0130000 | (iii) **Pome fruit** | ►M111 — ◄ |
| 0130010 | Apples (Crab apple) | ►M111 — ◄ |
| 0130020 | Pears (Oriental pear) | ►M111 — ◄ |
| 0130030 | Quinces | ►M111 — ◄ |
| 0130040 | Medlar | ►M111 — ◄ |
| 0130050 | Loquat | ►M111 — ◄ |
| 0130990 | Others | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0140000 | (iv) **Stone fruit** | ►M111 — ◄ |
| 0140010 | Apricots | ►M111 — ◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | ►M111 — ◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | ►M111 — ◄ |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | ►M111 — ◄ |
| 0140990 | Others | ►M111 — ◄ |
| 0150000 | (v) **Berries & small fruit** | ►M111 — ◄ |
| 0151000 | (a) *Table and wine grapes* | ►M111 — ◄ |
| 0151010 | Table grapes | ►M111 — ◄ |
| 0151020 | Wine grapes | ►M111 — ◄ |
| 0152000 | (b) *Strawberries* | ►M111 — ◄ |
| 0153000 | (c) *Cane fruit* | ►M111 — ◄ |
| 0153010 | Blackberries | ►M111 — ◄ |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | ►M111 — ◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x Rubus idaeus)) | ►M111 — ◄ |
| 0153990 | Others | ►M111 — ◄ |
| 0154000 | (d) *Other small fruit & berries* | ►M111 — ◄ |
| 0154010 | Blueberries (Bilberries) | ►M111 — ◄ |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | ►M111 — ◄ |
| 0154030 | Currants (red, black and white) | ►M111 — ◄ |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | ►M111 — ◄ |
| 0154050 | Rose hips | ►M111 — ◄ |
| 0154060 | Mulberries (Arbutus berry) | ►M111 — ◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | ►M111 — ◄ |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0154990 | Others | ►M111 — ◄ |
| 0160000 | (vi) **Miscellaneous fruit** | ►M111 — ◄ |
| 0161000 | (a) *Edible peel* | ►M111 — ◄ |
| 0161010 | Dates | ►M111 — ◄ |
| 0161020 | Figs | ►M111 — ◄ |
| 0161030 | Table olives | ►M111 — ◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | ►M111 — ◄ |
| 0161050 | Carambola (Bilimbi) | ►M111 — ◄ |
| 0161060 | Persimmon | ►M111 — ◄ |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | ►M111 — ◄ |
| 0161990 | Others | ►M111 — ◄ |
| 0162000 | (b) *Inedible peel, small* | ►M111 — ◄ |
| 0162010 | Kiwi | ►M111 — ◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | ►M111 — ◄ |
| 0162030 | Passion fruit | ►M111 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M111 — ◄ |
| 0162050 | Star apple | ►M111 — ◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | ►M111 — ◄ |
| 0162990 | Others | ►M111 — ◄ |
| 0163000 | (c) *Inedible peel, large* | ►M111 — ◄ |
| 0163010 | Avocados | ►M111 — ◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | ►M111 — ◄ |
| 0163030 | Mangoes | ►M111 — ◄ |
| 0163040 | Papaya | ►M111 — ◄ |
| 0163050 | Pomegranate | ►M111 — ◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | ►M111 — ◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | ►M111 — ◄ |
| 0163080 | Pineapples | ►M111 — ◄ |
| 0163090 | Bread fruit (Jackfruit) | ►M111 — ◄ |
| 0163100 | Durian | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0163110 | Soursop (guanabana) | ►M111 — ◄ |
| 0163990 | Others | ►M111 — ◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | ►M111 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | ►M111 — ◄ |
| 0211000 | (a) *Potatoes* | ►M111 — ◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | ►M111 — ◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | ►M111 — ◄ |
| 0212020 | Sweet potatoes | ►M111 — ◄ |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | ►M111 — ◄ |
| 0212040 | Arrowroot | ►M111 — ◄ |
| 0212990 | Others | ►M111 — ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | ►M111 — ◄ |
| 0213010 | Beetroot | ►M111 — ◄ |
| 0213020 | Carrots | ►M111 — ◄ |
| 0213030 | Celeriac | ►M111 — ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | ►M111 — ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | ►M111 — ◄ |
| 0213060 | Parsnips | ►M111 — ◄ |
| 0213070 | Parsley root | ►M111 — ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | ►M111 — ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | ►M111 — ◄ |
| 0213100 | Swedes | ►M111 — ◄ |
| 0213110 | Turnips | ►M111 — ◄ |
| 0213990 | Others | ►M111 — ◄ |
| 0220000 | (ii) **Bulb vegetables** | ►M111 — ◄ |
| 0220010 | Garlic | ►M111 — ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0220030 | Shallots | ►M111 — ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | ►M111 — ◄ |
| 0220990 | Others | ►M111 — ◄ |
| 0230000 | (iii) **Fruiting vegetables** | ►M111 — ◄ |
| 0231000 | (a) *Solanacea* | ►M111 — ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | ►M111 — ◄ |
| 0231020 | Peppers (Chilli peppers) | ►M111 — ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | ►M111 — ◄ |
| 0231040 | Okra (lady's fingers) | ►M111 — ◄ |
| 0231990 | Others | ►M111 — ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | ►M111 — ◄ |
| 0232010 | Cucumbers | ►M111 — ◄ |
| 0232020 | Gherkins | ►M111 — ◄ |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | ►M111 — ◄ |
| 0232990 | Others | ►M111 — ◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | ►M111 — ◄ |
| 0233010 | Melons (Kiwano) | ►M111 — ◄ |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | ►M111 — ◄ |
| 0233030 | Watermelons | ►M111 — ◄ |
| 0233990 | Others | ►M111 — ◄ |
| 0234000 | (d) *Sweet corn (Baby corn)* | ►M111 — ◄ |
| 0239000 | (e) *Other fruiting vegetables* | ►M111 — ◄ |
| 0240000 | (iv) **Brassica vegetables** | ►M111 — ◄ |
| 0241000 | (a) *Flowering brassica* | ►M111 — ◄ |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | ►M111 — ◄ |
| 0241020 | Cauliflower | ►M111 — ◄ |
| 0241990 | Others | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0242000 | (b) *Head brassica* | ►M111 — ◄ |
| 0242010 | Brussels sprouts | ►M111 — ◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | ►M111 — ◄ |
| 0242990 | Others | ►M111 — ◄ |
| 0243000 | (c) *Leafy brassica* | ►M111 — ◄ |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | ►M111 — ◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | ►M111 — ◄ |
| 0243990 | Others | ►M111 — ◄ |
| 0244000 | (d) *Kohlrabi* | ►M111 — ◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | ►M111 — ◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | ►M111 — ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | ►M111 — ◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | ►M111 — ◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | ►M111 — ◄ |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | ►M111 — ◄ |
| 0251050 | Land cress | ►M111 — ◄ |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | ►M111 — ◄ |
| 0251070 | Red mustard | ►M111 — ◄ |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | ►M111 — ◄ |
| 0251990 | Others | ►M111 — ◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | ►M111 — ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | ►M111 — ◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | ►M111 — ◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | ►M111 — ◄ |
| 0252990 | Others | ►M111 — ◄ |

▼**M75**

| (1) | (2) | (3) |
|---|---|---|
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | ►**M111** — ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | ►**M111** — ◄ |
| 0255000 | (e) *Witloof* | ►**M111** — ◄ |
| 0256000 | (f) *Herbs* | ►**M111** — ◄ |
| 0256010 | Chervil | ►**M111** — ◄ |
| 0256020 | Chives | ►**M111** — ◄ |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | ►**M111** — ◄ |
| 0256040 | Parsley (leaves of root parsley) | ►**M111** — ◄ |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | ►**M111** — ◄ |
| 0256060 | Rosemary | ►**M111** — ◄ |
| 0256070 | Thyme (Marjoram, oregano) | ►**M111** — ◄ |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | ►**M111** — ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | ►**M111** — ◄ |
| 0256100 | Tarragon (Hyssop) | ►**M111** — ◄ |
| 0256990 | Others | ►**M111** — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | ►**M111** — ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | ►**M111** — ◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | ►**M111** — ◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | ►**M111** — ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | ►**M111** — ◄ |
| 0260050 | Lentils | ►**M111** — ◄ |
| 0260990 | Others | ►**M111** — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | ►**M111** — ◄ |
| 0270010 | Asparagus | ►**M111** — ◄ |
| 0270020 | Cardoons (Borago officinalis stems) | ►**M111** — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0270030 | Celery | ►M111 — ◄ |
| 0270040 | Fennel | ►M111 — ◄ |
| 0270050 | Globe artichokes (Banana flower) | ►M111 — ◄ |
| 0270060 | Leek | ►M111 — ◄ |
| 0270070 | Rhubarb | ►M111 — ◄ |
| 0270080 | Bamboo shoots | ►M111 — ◄ |
| 0270090 | Palm hearts | ►M111 — ◄ |
| 0270990 | Others | ►M111 — ◄ |
| 0280000 | (viii) **Fungi** | ►M111 — ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | ►M111 — ◄ |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | ►M111 — ◄ |
| 0280990 | Others | ►M111 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M111 — ◄ |
| 0300000 | 3. **PULSES, DRY** | ►M111 — ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | ►M111 — ◄ |
| 0300020 | Lentils | ►M111 — ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | ►M111 — ◄ |
| 0300040 | Lupins | ►M111 — ◄ |
| 0300990 | Others | ►M111 — ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | ►M111 — ◄ |
| 0401000 | (i) **Oilseeds** | ►M111 — ◄ |
| 0401010 | Linseed | ►M111 — ◄ |
| 0401020 | Peanuts | ►M111 — ◄ |
| 0401030 | Poppy seed | ►M111 — ◄ |
| 0401040 | Sesame seed | ►M111 — ◄ |
| 0401050 | Sunflower seed | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | ►M111 — ◄ |
| 0401070 | Soya bean | ►M111 — ◄ |
| 0401080 | Mustard seed | ►M111 — ◄ |
| 0401090 | Cotton seed | ►M111 — ◄ |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | ►M111 — ◄ |
| 0401110 | Safflower | ►M111 — ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | ►M111 — ◄ |
| 0401130 | Gold of pleasure | ►M111 — ◄ |
| 0401140 | Hempseed | ►M111 — ◄ |
| 0401150 | Castor bean | ►M111 — ◄ |
| 0401990 | Others | ►M111 — ◄ |
| 0402000 | (ii) **Oilfruits** | ►M111 — ◄ |
| 0402010 | Olives for oil production | ►M111 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M111 — ◄ |
| 0402030 | Palmfruit | ►M111 — ◄ |
| 0402040 | Kapok | ►M111 — ◄ |
| 0402990 | Others | ►M111 — ◄ |
| 0500000 | 5. **CEREALS** | ►M111 — ◄ |
| 0500010 | Barley | ►M111 — ◄ |
| 0500020 | Buckwheat (Amaranthus, quinoa) | ►M111 — ◄ |
| 0500030 | Maize | ►M111 — ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | ►M111 — ◄ |
| 0500050 | Oats | ►M111 — ◄ |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | ►M111 — ◄ |
| 0500070 | Rye | ►M111 — ◄ |
| 0500080 | Sorghum | ►M111 — ◄ |
| 0500090 | Wheat (Spelt, triticale) | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | ►M111 — ◄ |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | ►M111 — ◄ |
| 0610000 | (i) **Tea** | ►M111 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M111 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M111 — ◄ |
| 0631000 | (a) *Flowers* | ►M111 — ◄ |
| 0631010 | Camomille flowers | ►M111 — ◄ |
| 0631020 | Hybiscus flowers | ►M111 — ◄ |
| 0631030 | Rose petals | ►M111 — ◄ |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | ►M111 — ◄ |
| 0631050 | Lime (linden) | ►M111 — ◄ |
| 0631990 | Others | ►M111 — ◄ |
| 0632000 | (b) *Leaves* | ►M111 — ◄ |
| 0632010 | Strawberry leaves | ►M111 — ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | ►M111 — ◄ |
| 0632030 | Maté | ►M111 — ◄ |
| 0632990 | Others | ►M111 — ◄ |
| 0633000 | (c) *Roots* | ►M111 — ◄ |
| 0633010 | Valerian root | ►M111 — ◄ |
| 0633020 | Ginseng root | ►M111 — ◄ |
| 0633990 | Others | ►M111 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M111 — ◄ |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | ►M111 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M111 — ◄ |
| 0700000 | 7. **HOPS (dried)** | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0800000 | 8. **SPICES** | ►M111 — ◄ |
| 0810000 | (i) **Seeds** | ►M111 — ◄ |
| 0810010 | Anise | ►M111 — ◄ |
| 0810020 | Black caraway | ►M111 — ◄ |
| 0810030 | Celery seed (Lovage seed) | ►M111 — ◄ |
| 0810040 | Coriander seed | ►M111 — ◄ |
| 0810050 | Cumin seed | ►M111 — ◄ |
| 0810060 | Dill seed | ►M111 — ◄ |
| 0810070 | Fennel seed | ►M111 — ◄ |
| 0810080 | Fenugreek | ►M111 — ◄ |
| 0810090 | Nutmeg | ►M111 — ◄ |
| 0810990 | Others | ►M111 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M111 — ◄ |
| 0820010 | Allspice | ►M111 — ◄ |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | ►M111 — ◄ |
| 0820030 | Caraway | ►M111 — ◄ |
| 0820040 | Cardamom | ►M111 — ◄ |
| 0820050 | Juniper berries | ►M111 — ◄ |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | ►M111 — ◄ |
| 0820070 | Vanilla pods | ►M111 — ◄ |
| 0820080 | Tamarind | ►M111 — ◄ |
| 0820990 | Others | ►M111 — ◄ |
| 0830000 | (iii) **Bark** | ►M111 — ◄ |
| 0830010 | Cinnamon (Cassia) | ►M111 — ◄ |
| 0830990 | Others | ►M111 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 0840010 | Liquorice | ►M111 — ◄ |
| 0840020 | Ginger | ►M111 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M111 — ◄ |
| 0840040 | Horseradish | ►M111 — ◄ |
| 0840990 | Others | ►M111 — ◄ |
| 0850000 | (v) **Buds** | ►M111 — ◄ |
| 0850010 | Cloves | ►M111 — ◄ |
| 0850020 | Capers | ►M111 — ◄ |
| 0850990 | Others | ►M111 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M111 — ◄ |
| 0860010 | Saffron | ►M111 — ◄ |
| 0860990 | Others | ►M111 — ◄ |
| 0870000 | (vii) **Aril** | ►M111 — ◄ |
| 0870010 | Mace | ►M111 — ◄ |
| 0870990 | Others | ►M111 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M111 — ◄ |
| 0900010 | Sugar beet (root) | ►M111 — ◄ |
| 0900020 | Sugar cane | ►M111 — ◄ |
| 0900030 | Chicory roots | ►M111 — ◄ |
| 0900990 | Others | ►M111 — ◄ |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | ►M111 — ◄ |
| 1010000 | (i) **Tissue** | ►M111 — ◄ |
| 1011000 | (a) *Swine* | ►M111 — ◄ |
| 1011010 | Muscle | ►M111 — ◄ |

▼M75

| (1) | (2) | (3) |
|---|---|---|
| 1011020 | Fat | ►M111 — ◄ |
| 1011030 | Liver | ►M111 — ◄ |
| 1011040 | Kidney | ►M111 — ◄ |
| 1011050 | Edible offal | ►M111 — ◄ |
| 1011990 | Others | ►M111 — ◄ |
| 1012000 | (b) *Bovine* | ►M111 — ◄ |
| 1012010 | Muscle | ►M111 — ◄ |
| 1012020 | Fat | ►M111 — ◄ |
| 1012030 | Liver | ►M111 — ◄ |
| 1012040 | Kidney | ►M111 — ◄ |
| 1012050 | Edible offal | ►M111 — ◄ |
| 1012990 | Others | ►M111 — ◄ |
| 1013000 | (c) *Sheep* | ►M111 — ◄ |
| 1013010 | Muscle | ►M111 — ◄ |
| 1013020 | Fat | ►M111 — ◄ |
| 1013030 | Liver | ►M111 — ◄ |
| 1013040 | Kidney | ►M111 — ◄ |
| 1013050 | Edible offal | ►M111 — ◄ |
| 1013990 | Others | ►M111 — ◄ |
| 1014000 | (d) *Goat* | ►M111 — ◄ |
| 1014010 | Muscle | ►M111 — ◄ |
| 1014020 | Fat | ►M111 — ◄ |
| 1014030 | Liver | ►M111 — ◄ |
| 1014040 | Kidney | ►M111 — ◄ |
| 1014050 | Edible offal | ►M111 — ◄ |

▼**M75**

| (1) | (2) | (3) |
|---|---|---|
| 1014990 | Others | ►**M111** — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►**M111** — ◄ |
| 1015010 | Muscle | ►**M111** — ◄ |
| 1015020 | Fat | ►**M111** — ◄ |
| 1015030 | Liver | ►**M111** — ◄ |
| 1015040 | Kidney | ►**M111** — ◄ |
| 1015050 | Edible offal | ►**M111** — ◄ |
| 1015990 | Others | ►**M111** — ◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | ►**M111** — ◄ |
| 1016010 | Muscle | ►**M111** — ◄ |
| 1016020 | Fat | ►**M111** — ◄ |
| 1016030 | Liver | ►**M111** — ◄ |
| 1016040 | Kidney | ►**M111** — ◄ |
| 1016050 | Edible offal | ►**M111** — ◄ |
| 1016990 | Others | ►**M111** — ◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | ►**M111** — ◄ |
| 1017010 | Muscle | ►**M111** — ◄ |
| 1017020 | Fat | ►**M111** — ◄ |
| 1017030 | Liver | ►**M111** — ◄ |
| 1017040 | Kidney | ►**M111** — ◄ |
| 1017050 | Edible offal | ►**M111** — ◄ |
| 1017990 | Others | ►**M111** — ◄ |

▼**M75**

| (1) | (2) | (3) |
|---|---|---|
| 1020000 | (ii) **Milk** | ►**M111** — ◄ |
| 1020010 | Cattle | ►**M111** — ◄ |
| 1020020 | Sheep | ►**M111** — ◄ |
| 1020030 | Goat | ►**M111** — ◄ |
| 1020040 | Horse | ►**M111** — ◄ |
| 1020990 | Others | ►**M111** — ◄ |
| 1030000 | (iii) **Bird eggs** | ►**M111** — ◄ |
| 1030010 | Chicken | ►**M111** — ◄ |
| 1030020 | Duck | ►**M111** — ◄ |
| 1030030 | Goose | ►**M111** — ◄ |
| 1030040 | Quail | ►**M111** — ◄ |
| 1030990 | Others | ►**M111** — ◄ |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | ►**M111** — ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | ►**M111** — ◄ |
| 1060000 | (vi) **Snails** | ►**M111** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | ►**M111** — ◄ |

▼M85

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M112 — ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►M112 — ◄ |
| 0110000 | **Citrus fruits** | ►M112 — ◄ |
| 0110010 | Grapefruits | ►M112 — ◄ |
| 0110020 | Oranges | ►M112 — ◄ |
| 0110030 | Lemons | ►M112 — ◄ |
| 0110040 | Limes | ►M112 — ◄ |
| 0110050 | Mandarins | ►M112 — ◄ |
| 0110990 | Others | ►M112 — ◄ |
| 0120000 | **Tree nuts** | ►M112 — ◄ |
| 0120010 | Almonds | ►M112 — ◄ |
| 0120020 | Brazil nuts | ►M112 — ◄ |
| 0120030 | Cashew nuts | ►M112 — ◄ |
| 0120040 | Chestnuts | ►M112 — ◄ |
| 0120050 | Coconuts | ►M112 — ◄ |
| 0120060 | Hazelnuts/cobnuts | ►M112 — ◄ |
| 0120070 | Macadamias | ►M112 — ◄ |
| 0120080 | Pecans | ►M112 — ◄ |
| 0120090 | Pine nut kernels | ►M112 — ◄ |
| 0120100 | Pistachios | ►M112 — ◄ |
| 0120110 | Walnuts | ►M112 — ◄ |
| 0120990 | Others | ►M112 — ◄ |
| 0130000 | **Pome fruits** | ►M112 — ◄ |
| 0130010 | Apples | ►M112 — ◄ |
| 0130020 | Pears | ►M112 — ◄ |
| 0130030 | Quinces | ►M112 — ◄ |
| 0130040 | Medlars | ►M112 — ◄ |
| 0130050 | Loquats/Japanese medlars | ►M112 — ◄ |
| 0130990 | Others | ►M112 — ◄ |
| 0140000 | **Stone fruits** | ►M112 — ◄ |
| 0140010 | Apricots | ►M112 — ◄ |
| 0140020 | Cherries (sweet) | ►M112 — ◄ |
| 0140030 | Peaches | ►M112 — ◄ |

▼**M85**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | ►**M112** — ◄ |
| 0140990 | Others | ►**M112** — ◄ |
| 0150000 | **Berries and small fruits** | ►**M112** — ◄ |
| 0151000 | (a) *grapes* | ►**M112** — ◄ |
| 0151010 | Table grapes | ►**M112** — ◄ |
| 0151020 | Wine grapes | ►**M112** — ◄ |
| 0152000 | (b) *strawberries* | ►**M112** — ◄ |
| 0153000 | (c) *cane fruits* | ►**M112** — ◄ |
| 0153010 | Blackberries | ►**M112** — ◄ |
| 0153020 | Dewberries | ►**M112** — ◄ |
| 0153030 | Raspberries (red and yellow) | ►**M112** — ◄ |
| 0153990 | Others | ►**M112** — ◄ |
| 0154000 | (d) *other small fruits and berries* | ►**M112** — ◄ |
| 0154010 | Blueberries | ►**M112** — ◄ |
| 0154020 | Cranberries | ►**M112** — ◄ |
| 0154030 | Currants (black, red and white) | ►**M112** — ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►**M112** — ◄ |
| 0154050 | Rose hips | ►**M112** — ◄ |
| 0154060 | Mulberries (black and white) | ►**M112** — ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►**M112** — ◄ |
| 0154080 | Elderberries | ►**M112** — ◄ |
| 0154990 | Others | ►**M112** — ◄ |
| 0160000 | **Miscellaneous fruits with** | ►**M112** — ◄ |
| 0161000 | (a) *edible peel* | ►**M112** — ◄ |
| 0161010 | Dates | ►**M112** — ◄ |
| 0161020 | Figs | ►**M112** — ◄ |
| 0161030 | Table olives | ►**M112** — ◄ |
| 0161040 | Kumquats | ►**M112** — ◄ |
| 0161050 | Carambolas | ►**M112** — ◄ |
| 0161060 | Kaki/Japanese persimmons | ►**M112** — ◄ |

▼M85

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | ►M112 — ◄ |
| 0161990 | Others | ►M112 — ◄ |
| 0162000 | (b) *inedible peel, small* | ►M112 — ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | ►M112 — ◄ |
| 0162020 | Litchis/lychees | ►M112 — ◄ |
| 0162030 | Passionfruits/maracujas | ►M112 — ◄ |
| 0162040 | Prickly pears/cactus fruits | ►M112 — ◄ |
| 0162050 | Star apples/cainitos | ►M112 — ◄ |
| 0162060 | American persimmons/Virginia kaki | ►M112 — ◄ |
| 0162990 | Others | ►M112 — ◄ |
| 0163000 | (c) *inedible peel, large* | ►M112 — ◄ |
| 0163010 | Avocados | ►M112 — ◄ |
| 0163020 | Bananas | ►M112 — ◄ |
| 0163030 | Mangoes | ►M112 — ◄ |
| 0163040 | Papayas | ►M112 — ◄ |
| 0163050 | Granate apples/pomegranates | ►M112 — ◄ |
| 0163060 | Cherimoyas | ►M112 — ◄ |
| 0163070 | Guavas | ►M112 — ◄ |
| 0163080 | Pineapples | ►M112 — ◄ |
| 0163090 | Breadfruits | ►M112 — ◄ |
| 0163100 | Durians | ►M112 — ◄ |
| 0163110 | Soursops/guanabanas | ►M112 — ◄ |
| 0163990 | Others | ►M112 — ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | ►M112 — ◄ |
| 0210000 | **Root and tuber vegetables** | ►M112 — ◄ |
| 0211000 | (a) *potatoes* | ►M112 — ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►M112 — ◄ |
| 0212010 | Cassava roots/manioc | ►M112 — ◄ |
| 0212020 | Sweet potatoes | ►M112 — ◄ |
| 0212030 | Yams | ►M112 — ◄ |

▼**M85**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | ►**M112** — ◄ |
| 0212990 | Others | ►**M112** — ◄ |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M112** — ◄ |
| 0213010 | Beetroots | ►**M112** — ◄ |
| 0213020 | Carrots | ►**M112** — ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | ►**M112** — ◄ |
| 0213040 | Horseradishes | ►**M112** — ◄ |
| 0213050 | Jerusalem artichokes | ►**M112** — ◄ |
| 0213060 | Parsnips | ►**M112** — ◄ |
| 0213070 | Parsley roots/Hamburg roots parsley | ►**M112** — ◄ |
| 0213080 | Radishes | ►**M112** — ◄ |
| 0213090 | Salsifies | ►**M112** — ◄ |
| 0213100 | Swedes/rutabagas | ►**M112** — ◄ |
| 0213110 | Turnips | ►**M112** — ◄ |
| 0213990 | Others | ►**M112** — ◄ |
| 0220000 | **Bulb vegetables** | ►**M112** — ◄ |
| 0220010 | Garlic | ►**M112** — ◄ |
| 0220020 | Onions | ►**M112** — ◄ |
| 0220030 | Shallots | ►**M112** — ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M112** — ◄ |
| 0220990 | Others | ►**M112** — ◄ |
| 0230000 | **Fruiting vegetables** | ►**M112** — ◄ |
| 0231000 | (a) *solanacea* | ►**M112** — ◄ |
| 0231010 | Tomatoes | ►**M112** — ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M112** — ◄ |
| 0231030 | Aubergines/eggplants | ►**M112** — ◄ |
| 0231040 | Okra/lady's fingers | ►**M112** — ◄ |
| 0231990 | Others | ►**M112** — ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M112** — ◄ |
| 0232010 | Cucumbers | ►**M112** — ◄ |
| 0232020 | Gherkins | ►**M112** — ◄ |

▼**M85**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | ►**M112** — ◄ |
| 0232990 | Others | ►**M112** — ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M112** — ◄ |
| 0233010 | Melons | ►**M112** — ◄ |
| 0233020 | Pumpkins | ►**M112** — ◄ |
| 0233030 | Watermelons | ►**M112** — ◄ |
| 0233990 | Others | ►**M112** — ◄ |
| 0234000 | (d) *sweet corn* | ►**M112** — ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M112** — ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M112** — ◄ |
| 0241000 | (a) *flowering brassica* | ►**M112** — ◄ |
| 0241010 | Broccoli | ►**M112** — ◄ |
| 0241020 | Cauliflowers | ►**M112** — ◄ |
| 0241990 | Others | ►**M112** — ◄ |
| 0242000 | (b) *head brassica* | ►**M112** — ◄ |
| 0242010 | Brussels sprouts | ►**M112** — ◄ |
| 0242020 | Head cabbages | ►**M112** — ◄ |
| 0242990 | Others | ►**M112** — ◄ |
| 0243000 | (c) *leafy brassica* | ►**M112** — ◄ |
| 0243010 | Chinese cabbages/pe-tsai | ►**M112** — ◄ |
| 0243020 | Kales | ►**M112** — ◄ |
| 0243990 | Others | ►**M112** — ◄ |
| 0244000 | (d) *kohlrabies* | ►**M112** — ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | ►**M112** — ◄ |
| 0251000 | (a) *lettuces and salad plants* | ►**M112** — ◄ |
| 0251010 | Lamb's lettuces/corn salads | ►**M112** — ◄ |
| 0251020 | Lettuces | ►**M112** — ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►**M112** — ◄ |

▼**M85**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M112** — ◄ |
| 0251050 | Land cresses | ►**M112** — ◄ |
| 0251060 | Roman rocket/rucola | ►**M112** — ◄ |
| 0251070 | Red mustards | ►**M112** — ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M112** — ◄ |
| 0251990 | Others | ►**M112** — ◄ |
| 0252000 | (b) *spinaches and similar leaves* | ►**M112** — ◄ |
| 0252010 | Spinaches | ►**M112** — ◄ |
| 0252020 | Purslanes | ►**M112** — ◄ |
| 0252030 | Chards/beet leaves | ►**M112** — ◄ |
| 0252990 | Others | ►**M112** — ◄ |
| 0253000 | (c) *grape leaves and similar species* | ►**M112** — ◄ |
| 0254000 | (d) *watercresses* | ►**M112** — ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M112** — ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M112** — ◄ |
| 0256010 | Chervil | ►**M112** — ◄ |
| 0256020 | Chives | ►**M112** — ◄ |
| 0256030 | Celery leaves | ►**M112** — ◄ |
| 0256040 | Parsley | ►**M112** — ◄ |
| 0256050 | Sage | ►**M112** — ◄ |
| 0256060 | Rosemary | ►**M112** — ◄ |
| 0256070 | Thyme | ►**M112** — ◄ |
| 0256080 | Basil and edible flowers | ►**M112** — ◄ |
| 0256090 | Laurel/bay leave | ►**M112** — ◄ |
| 0256100 | Tarragon | ►**M112** — ◄ |
| 0256990 | Others | ►**M112** — ◄ |

▼**M85**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►**M112** — ◄ |
| 0260010 | Beans (with pods) | ►**M112** — ◄ |
| 0260020 | Beans (without pods) | ►**M112** — ◄ |
| 0260030 | Peas (with pods) | ►**M112** — ◄ |
| 0260040 | Peas (without pods) | ►**M112** — ◄ |
| 0260050 | Lentils | ►**M112** — ◄ |
| 0260990 | Others | ►**M112** — ◄ |
| 0270000 | **Stem vegetables** | ►**M112** — ◄ |
| 0270010 | Asparagus | ►**M112** — ◄ |
| 0270020 | Cardoons | ►**M112** — ◄ |
| 0270030 | Celeries | ►**M112** — ◄ |
| 0270040 | Florence fennels | ►**M112** — ◄ |
| 0270050 | Globe artichokes | ►**M112** — ◄ |
| 0270060 | Leeks | ►**M112** — ◄ |
| 0270070 | Rhubarbs | ►**M112** — ◄ |
| 0270080 | Bamboo shoots | ►**M112** — ◄ |
| 0270090 | Palm hearts | ►**M112** — ◄ |
| 0270990 | Others | ►**M112** — ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►**M112** — ◄ |
| 0280010 | Cultivated fungi | ►**M112** — ◄ |
| 0280020 | Wild fungi | ►**M112** — ◄ |
| 0280990 | **Mosses and lichens** | ►**M112** — ◄ |
| 0290000 | **Algae and prokaryotes organisms** | ►**M112** — ◄ |
| 0300000 | **PULSES** | ►**M112** — ◄ |
| 0300010 | Beans | ►**M112** — ◄ |
| 0300020 | Lentils | ►**M112** — ◄ |
| 0300030 | Peas | ►**M112** — ◄ |
| 0300040 | Lupins/lupini beans | ►**M112** — ◄ |
| 0300990 | Others | ►**M112** — ◄ |

▼M85

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►M112 — ◄ |
| 0401000 | **Oilseeds** | ►M112 — ◄ |
| 0401010 | Linseeds | ►M112 — ◄ |
| 0401020 | Peanuts/groundnuts | ►M112 — ◄ |
| 0401030 | Poppy seeds | ►M112 — ◄ |
| 0401040 | Sesame seeds | ►M112 — ◄ |
| 0401050 | Sunflower seeds | ►M112 — ◄ |
| 0401060 | Rapeseeds/canola seeds | ►M112 — ◄ |
| 0401070 | Soyabeans | ►M112 — ◄ |
| 0401080 | Mustard seeds | ►M112 — ◄ |
| 0401090 | Cotton seeds | ►M112 — ◄ |
| 0401100 | Pumpkin seeds | ►M112 — ◄ |
| 0401110 | Safflower seeds | ►M112 — ◄ |
| 0401120 | Borage seeds | ►M112 — ◄ |
| 0401130 | Gold of pleasure seeds | ►M112 — ◄ |
| 0401140 | Hemp seeds | ►M112 — ◄ |
| 0401150 | Castor beans | ►M112 — ◄ |
| 0401990 | Others | ►M112 — ◄ |
| 0402000 | **Oil fruits** | ►M112 — ◄ |
| 0402010 | Olives for oil production | ►M112 — ◄ |
| 0402020 | Oil palms kernels | ►M112 — ◄ |
| 0402030 | Oil palms fruits | ►M112 — ◄ |
| 0402040 | Kapok | ►M112 — ◄ |
| 0402990 | Others | ►M112 — ◄ |
| 0500000 | **CEREALS** | ►M112 — ◄ |
| 0500010 | Barley | ►M112 — ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | ►M112 — ◄ |
| 0500030 | Maize/corn | ►M112 — ◄ |
| 0500040 | Common millet/proso millet | ►M112 — ◄ |
| 0500050 | Oat | ►M112 — ◄ |
| 0500060 | Rice | ►M112 — ◄ |
| 0500070 | Rye | ►M112 — ◄ |
| 0500080 | Sorghum | ►M112 — ◄ |
| 0500090 | Wheat | ►M112 — ◄ |
| 0500990 | Others | ►M112 — ◄ |

▼M85

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M112 — ◄ |
| 0610000 | **Teas** | ►M112 — ◄ |
| 0620000 | **Coffee beans** | ►M112 — ◄ |
| 0630000 | **Herbal infusions from** | ►M112 — ◄ |
| 0631000 | (a) *flowers* | ►M112 — ◄ |
| 0631010 | Chamomile | ►M112 — ◄ |
| 0631020 | Hibiscus/roselle | ►M112 — ◄ |
| 0631030 | Rose | ►M112 — ◄ |
| 0631040 | Jasmine | ►M112 — ◄ |
| 0631050 | Lime/linden | ►M112 — ◄ |
| 0631990 | Others | ►M112 — ◄ |
| 0632000 | (b) *leaves and herbs* | ►M112 — ◄ |
| 0632010 | Strawberry | ►M112 — ◄ |
| 0632020 | Rooibos | ►M112 — ◄ |
| 0632030 | Mate/maté | ►M112 — ◄ |
| 0632990 | Others | ►M112 — ◄ |
| 0633000 | (c) *roots* | ►M112 — ◄ |
| 0633010 | Valerian | ►M112 — ◄ |
| 0633020 | Ginseng | ►M112 — ◄ |
| 0633990 | Others | ►M112 — ◄ |
| 0639000 | (d) *any other parts of the plant* | ►M112 — ◄ |
| 0640000 | **Cocoa beans** | ►M112 — ◄ |
| 0650000 | **Carobs/Saint John's breads** | ►M112 — ◄ |
| 0700000 | **HOPS** | ►M112 — ◄ |
| 0800000 | **SPICES** | ►M112 — ◄ |
| 0810000 | **Seed spices** | ►M112 — ◄ |
| 0810010 | Anise/aniseed | ►M112 — ◄ |
| 0810020 | Black caraway/black cumin | ►M112 — ◄ |
| 0810030 | Celery | ►M112 — ◄ |
| 0810040 | Coriander | ►M112 — ◄ |
| 0810050 | Cumin | ►M112 — ◄ |
| 0810060 | Dill | ►M112 — ◄ |
| 0810070 | Fennel | ►M112 — ◄ |
| 0810080 | Fenugreek | ►M112 — ◄ |
| 0810090 | Nutmeg | ►M112 — ◄ |
| 0810990 | Others | ►M112 — ◄ |
| 0820000 | **Fruit spices** | ►M112 — ◄ |
| 0820010 | Allspice/pimento | ►M112 — ◄ |

▼M85

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | ►M112 — ◄ |
| 0820030 | Caraway | ►M112 — ◄ |
| 0820040 | Cardamom | ►M112 — ◄ |
| 0820050 | Juniper berry | ►M112 — ◄ |
| 0820060 | Peppercorn (black, green and white) | ►M112 — ◄ |
| 0820070 | Vanilla | ►M112 — ◄ |
| 0820080 | Tamarind | ►M112 — ◄ |
| 0820990 | Others | ►M112 — ◄ |
| 0830000 | **Bark spices** | ►M112 — ◄ |
| 0830010 | Cinnamon | ►M112 — ◄ |
| 0830990 | Others | ►M112 — ◄ |
| 0840000 | **Root and rhizome spices** | ►M112 — ◄ |
| 0840010 | Liquorice | ►M112 — ◄ |
| 0840020 | Ginger | ►M112 — ◄ |
| 0840030 | Turmeric/curcuma | ►M112 — ◄ |
| 0840040 | Horseradish | ►M112 — ◄ |
| 0840990 | Others | ►M112 — ◄ |
| 0850000 | **Bud spices** | ►M112 — ◄ |
| 0850010 | Cloves | ►M112 — ◄ |
| 0850020 | Capers | ►M112 — ◄ |
| 0850990 | Others | ►M112 — ◄ |
| 0860000 | **Flower pistil spices** | ►M112 — ◄ |
| 0860010 | Saffron | ►M112 — ◄ |
| 0860990 | Others | ►M112 — ◄ |
| 0870000 | **Aril spices** | ►M112 — ◄ |
| 0870010 | Mace | ►M112 — ◄ |
| 0870990 | Others | ►M112 — ◄ |
| 0900000 | **SUGAR PLANTS** | ►M112 — ◄ |
| 0900010 | Sugar beet roots | ►M112 — ◄ |
| 0900020 | Sugar canes | ►M112 — ◄ |
| 0900030 | Chicory roots | ►M112 — ◄ |
| 0900990 | Others | ►M112 — ◄ |

▼**M85**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | ►**M112** — ◄ |
| 1010000 | **Tissues from** | ►**M112** — ◄ |
| 1011000 | (a) *swine* | ►**M112** — ◄ |
| 1011010 | Muscle | ►**M112** — ◄ |
| 1011020 | Fat tissue | ►**M112** — ◄ |
| 1011030 | Liver | ►**M112** — ◄ |
| 1011040 | Kidney | ►**M112** — ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►**M112** — ◄ |
| 1011990 | Others | ►**M112** — ◄ |
| 1012000 | (b) *bovine* | ►**M112** — ◄ |
| 1012010 | Muscle | ►**M112** — ◄ |
| 1012020 | Fat tissue | ►**M112** — ◄ |
| 1012030 | Liver | ►**M112** — ◄ |
| 1012040 | Kidney | ►**M112** — ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►**M112** — ◄ |
| 1012990 | Others | ►**M112** — ◄ |
| 1013000 | (c) *sheep* | ►**M112** — ◄ |
| 1013010 | Muscle | ►**M112** — ◄ |
| 1013020 | Fat tissue | ►**M112** — ◄ |
| 1013030 | Liver | ►**M112** — ◄ |
| 1013040 | Kidney | ►**M112** — ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►**M112** — ◄ |
| 1013990 | Others | ►**M112** — ◄ |
| 1014000 | d) *goat* | ►**M112** — ◄ |
| 1014010 | Muscle | ►**M112** — ◄ |
| 1014020 | Fat tissue | ►**M112** — ◄ |
| 1014030 | Liver | ►**M112** — ◄ |
| 1014040 | Kidney | ►**M112** — ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►**M112** — ◄ |
| 1014990 | Others | ►**M112** — ◄ |
| 1015000 | (e) *equine* | ►**M112** — ◄ |
| 1015010 | Muscle | ►**M112** — ◄ |
| 1015020 | Fat tissue | ►**M112** — ◄ |
| 1015030 | Liver | ►**M112** — ◄ |

▼**M85**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►**M112** — ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M112** — ◄ |
| 1015990 | Others | ►**M112** — ◄ |
| 1016000 | (f) *poultry* | ►**M112** — ◄ |
| 1016010 | Muscle | ►**M112** — ◄ |
| 1016020 | Fat tissue | ►**M112** — ◄ |
| 1016030 | Liver | ►**M112** — ◄ |
| 1016040 | Kidney | ►**M112** — ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►**M112** — ◄ |
| 1016990 | Others | ►**M112** — ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | ►**M112** — ◄ |
| 1017010 | Muscle | ►**M112** — ◄ |
| 1017020 | Fat tissue | ►**M112** — ◄ |
| 1017030 | Liver | ►**M112** — ◄ |
| 1017040 | Kidney | ►**M112** — ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M112** — ◄ |
| 1017990 | Others | ►**M112** — ◄ |
| 1020000 | **Milk** | ►**M112** — ◄ |
| 1020010 | Cattle | ►**M112** — ◄ |
| 1020020 | Sheep | ►**M112** — ◄ |
| 1020030 | Goat | ►**M112** — ◄ |
| 1020040 | Horse | ►**M112** — ◄ |
| 1020990 | Others | ►**M112** — ◄ |
| 1030000 | **Birds eggs** | ►**M112** — ◄ |
| 1030010 | Chicken | ►**M112** — ◄ |
| 1030020 | Duck | ►**M112** — ◄ |
| 1030030 | Geese | ►**M112** — ◄ |
| 1030040 | Quail | ►**M112** — ◄ |
| 1030990 | Others | ►**M112** — ◄ |

▼**M85**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M112** — ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M112** — ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M112** — ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M112** — ◄ |

▼M97

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M183 — ◄ | ►M183 — ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►M183 — ◄ | ►M183 — ◄ |
| 0110000 | **Citrus fruits** | ►M183 — ◄ | ►M183 — ◄ |
| 0110010 | Grapefruits | ►M183 — ◄ | ►M183 — ◄ |
| 0110020 | Oranges | ►M183 — ◄ | ►M183 — ◄ |
| 0110030 | Lemons | ►M183 — ◄ | ►M183 — ◄ |
| 0110040 | Limes | ►M183 — ◄ | ►M183 — ◄ |
| 0110050 | Mandarins | ►M183 — ◄ | ►M183 — ◄ |
| 0110990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0120000 | **Tree nuts** | ►M183 — ◄ | ►M183 — ◄ |
| 0120010 | Almonds | ►M183 — ◄ | ►M183 — ◄ |
| 0120020 | Brazil nuts | ►M183 — ◄ | ►M183 — ◄ |
| 0120030 | Cashew nuts | ►M183 — ◄ | ►M183 — ◄ |
| 0120040 | Chestnuts | ►M183 — ◄ | ►M183 — ◄ |
| 0120050 | Coconuts | ►M183 — ◄ | ►M183 — ◄ |
| 0120060 | Hazelnuts/cobnuts | ►M183 — ◄ | ►M183 — ◄ |
| 0120070 | Macadamias | ►M183 — ◄ | ►M183 — ◄ |
| 0120080 | Pecans | ►M183 — ◄ | ►M183 — ◄ |
| 0120090 | Pine nut kernels | ►M183 — ◄ | ►M183 — ◄ |
| 0120100 | Pistachios | ►M183 — ◄ | ►M183 — ◄ |
| 0120110 | Walnuts | ►M183 — ◄ | ►M183 — ◄ |
| 0120990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0130000 | **Pome fruits** | ►M183 — ◄ | ►M183 — ◄ |
| 0130010 | Apples | ►M183 — ◄ | ►M183 — ◄ |
| 0130020 | Pears | ►M183 — ◄ | ►M183 — ◄ |
| 0130030 | Quinces | ►M183 — ◄ | ►M183 — ◄ |
| 0130040 | Medlars | ►M183 — ◄ | ►M183 — ◄ |
| 0130050 | Loquats/Japanese medlars | ►M183 — ◄ | ►M183 — ◄ |
| 0130990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0140000 | **Stone fruits** | ►M183 — ◄ | ►M183 — ◄ |
| 0140010 | Apricots | ►M183 — ◄ | ►M183 — ◄ |
| 0140020 | Cherries (sweet) | ►M183 — ◄ | ►M183 — ◄ |
| 0140030 | Peaches | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | ►M183 — ◄ | ►M183 — ◄ |
| 0140990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0150000 | **Berries and small fruits** | ►M183 — ◄ | ►M183 — ◄ |
| 0151000 | (a) *grapes* | ►M183 — ◄ | ►M183 — ◄ |
| 0151010 | Table grapes | ►M183 — ◄ | ►M183 — ◄ |
| 0151020 | Wine grapes | ►M183 — ◄ | ►M183 — ◄ |
| 0152000 | (b) *strawberries* | ►M183 — ◄ | ►M183 — ◄ |
| 0153000 | (c) *cane fruits* | ►M183 — ◄ | ►M183 — ◄ |
| 0153010 | Blackberries | ►M183 — ◄ | ►M183 — ◄ |
| 0153020 | Dewberries | ►M183 — ◄ | ►M183 — ◄ |
| 0153030 | Raspberries (red and yellow) | ►M183 — ◄ | ►M183 — ◄ |
| 0153990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0154000 | (d) *other small fruits and berries* | ►M183 — ◄ | ►M183 — ◄ |
| 0154010 | Blueberries | ►M183 — ◄ | ►M183 — ◄ |
| 0154020 | Cranberries | ►M183 — ◄ | ►M183 — ◄ |
| 0154030 | Currants (black, red and white) | ►M183 — ◄ | ►M183 — ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►M183 — ◄ | ►M183 — ◄ |
| 0154050 | Rose hips | ►M183 — ◄ | ►M183 — ◄ |
| 0154060 | Mulberries (black and white) | ►M183 — ◄ | ►M183 — ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►M183 — ◄ | ►M183 — ◄ |
| 0154080 | Elderberries | ►M183 — ◄ | ►M183 — ◄ |
| 0154990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0160000 | **Miscellaneous fruits with** | ►M183 — ◄ | ►M183 — ◄ |
| 0161000 | (a) *edible peel* | ►M183 — ◄ | ►M183 — ◄ |
| 0161010 | Dates | ►M183 — ◄ | ►M183 — ◄ |
| 0161020 | Figs | ►M183 — ◄ | ►M183 — ◄ |
| 0161030 | Table olives | ►M183 — ◄ | ►M183 — ◄ |
| 0161040 | Kumquats | ►M183 — ◄ | ►M183 — ◄ |
| 0161050 | Carambolas | ►M183 — ◄ | ►M183 — ◄ |
| 0161060 | Kaki/Japanese persimmons | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | ►M183 — ◄ | ►M183 — ◄ |
| 0161990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0162000 | (b) *inedible peel, small* | ►M183 — ◄ | ►M183 — ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | ►M183 — ◄ | ►M183 — ◄ |
| 0162020 | Litchis/lychees | ►M183 — ◄ | ►M183 — ◄ |
| 0162030 | Passionfruits/maracujas | ►M183 — ◄ | ►M183 — ◄ |
| 0162040 | Prickly pears/cactus fruits | ►M183 — ◄ | ►M183 — ◄ |
| 0162050 | Star apples/cainitos | ►M183 — ◄ | ►M183 — ◄ |
| 0162060 | American persimmons/Virginia kaki | ►M183 — ◄ | ►M183 — ◄ |
| 0162990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0163000 | (c) *inedible peel, large* | ►M183 — ◄ | ►M183 — ◄ |
| 0163010 | Avocados | ►M183 — ◄ | ►M183 — ◄ |
| 0163020 | Bananas | ►M183 — ◄ | ►M183 — ◄ |
| 0163030 | Mangoes | ►M183 — ◄ | ►M183 — ◄ |
| 0163040 | Papayas | ►M183 — ◄ | ►M183 — ◄ |
| 0163050 | Granate apples/pomegranates | ►M183 — ◄ | ►M183 — ◄ |
| 0163060 | Cherimoyas | ►M183 — ◄ | ►M183 — ◄ |
| 0163070 | Guavas | ►M183 — ◄ | ►M183 — ◄ |
| 0163080 | Pineapples | ►M183 — ◄ | ►M183 — ◄ |
| 0163090 | Breadfruits | ►M183 — ◄ | ►M183 — ◄ |
| 0163100 | Durians | ►M183 — ◄ | ►M183 — ◄ |
| 0163110 | Soursops/guanabanas | ►M183 — ◄ | ►M183 — ◄ |
| 0163990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | ►M183 — ◄ | ►M183 — ◄ |
| 0210000 | **Root and tuber vegetables** | ►M183 — ◄ | ►M183 — ◄ |
| 0211000 | (a) *potatoes* | ►M183 — ◄ | ►M183 — ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►M183 — ◄ | ►M183 — ◄ |
| 0212010 | Cassava roots/manioc | ►M183 — ◄ | ►M183 — ◄ |
| 0212020 | Sweet potatoes | ►M183 — ◄ | ►M183 — ◄ |
| 0212030 | Yams | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | ►M183 — ◄ | ►M183 — ◄ |
| 0212990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►M183 — ◄ | ►M183 — ◄ |
| 0213010 | Beetroots | ►M183 — ◄ | ►M183 — ◄ |
| 0213020 | Carrots | ►M183 — ◄ | ►M183 — ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | ►M183 — ◄ | ►M183 — ◄ |
| 0213040 | Horseradishes | ►M183 — ◄ | ►M183 — ◄ |
| 0213050 | Jerusalem artichokes | ►M183 — ◄ | ►M183 — ◄ |
| 0213060 | Parsnips | ►M183 — ◄ | ►M183 — ◄ |
| 0213070 | Parsley roots/Hamburg roots parsley | ►M183 — ◄ | ►M183 — ◄ |
| 0213080 | Radishes | ►M183 — ◄ | ►M183 — ◄ |
| 0213090 | Salsifies | ►M183 — ◄ | ►M183 — ◄ |
| 0213100 | Swedes/rutabagas | ►M183 — ◄ | ►M183 — ◄ |
| 0213110 | Turnips | ►M183 — ◄ | ►M183 — ◄ |
| 0213990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0220000 | **Bulb vegetables** | ►M183 — ◄ | ►M183 — ◄ |
| 0220010 | Garlic | ►M183 — ◄ | ►M183 — ◄ |
| 0220020 | Onions | ►M183 — ◄ | ►M183 — ◄ |
| 0220030 | Shallots | ►M183 — ◄ | ►M183 — ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►M183 — ◄ | ►M183 — ◄ |
| 0220990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0230000 | **Fruiting vegetables** | ►M183 — ◄ | ►M183 — ◄ |
| 0231000 | (a) *solanacea* | ►M183 — ◄ | ►M183 — ◄ |
| 0231010 | Tomatoes | ►M183 — ◄ | ►M183 — ◄ |
| 0231020 | Sweet peppers/bell peppers | ►M183 — ◄ | ►M183 — ◄ |
| 0231030 | Aubergines/eggplants | ►M183 — ◄ | ►M183 — ◄ |
| 0231040 | Okra/lady's fingers | ►M183 — ◄ | ►M183 — ◄ |
| 0231990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►M183 — ◄ | ►M183 — ◄ |
| 0232010 | Cucumbers | ►M183 — ◄ | ►M183 — ◄ |
| 0232020 | Gherkins | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | ►M183 — ◄ | ►M183 — ◄ |
| 0232990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | ►M183 — ◄ | ►M183 — ◄ |
| 0233010 | Melons | ►M183 — ◄ | ►M183 — ◄ |
| 0233020 | Pumpkins | ►M183 — ◄ | ►M183 — ◄ |
| 0233030 | Watermelons | ►M183 — ◄ | ►M183 — ◄ |
| 0233990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0234000 | (d) *sweet corn* | ►M183 — ◄ | ►M183 — ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►M183 — ◄ | ►M183 — ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►M183 — ◄ | ►M183 — ◄ |
| 0241000 | (a) *flowering brassica* | ►M183 — ◄ | ►M183 — ◄ |
| 0241010 | Broccoli | ►M183 — ◄ | ►M183 — ◄ |
| 0241020 | Cauliflowers | ►M183 — ◄ | ►M183 — ◄ |
| 0241990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0242000 | (b) *head brassica* | ►M183 — ◄ | ►M183 — ◄ |
| 0242010 | Brussels sprouts | ►M183 — ◄ | ►M183 — ◄ |
| 0242020 | Head cabbages | ►M183 — ◄ | ►M183 — ◄ |
| 0242990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0243000 | (c) *leafy brassica* | ►M183 — ◄ | ►M183 — ◄ |
| 0243010 | Chinese cabbages/pe-tsai | ►M183 — ◄ | ►M183 — ◄ |
| 0243020 | Kales | ►M183 — ◄ | ►M183 — ◄ |
| 0243990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0244000 | (d) *kohlrabies* | ►M183 — ◄ | ►M183 — ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | ►M183 — ◄ | ►M183 — ◄ |
| 0251000 | (a) *lettuces and salad plants* | ►M183 — ◄ | ►M183 — ◄ |
| 0251010 | Lamb's lettuces/corn salads | ►M183 — ◄ | ►M183 — ◄ |
| 0251020 | Lettuces | ►M183 — ◄ | ►M183 — ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►M183 — ◄ | ►M183 — ◄ |
| 0251050 | Land cresses | ►M183 — ◄ | ►M183 — ◄ |
| 0251060 | Roman rocket/rucola | ►M183 — ◄ | ►M183 — ◄ |
| 0251070 | Red mustards | ►M183 — ◄ | ►M183 — ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►M183 — ◄ | ►M183 — ◄ |
| 0251990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0252000 | (b) *spinaches and similar leaves* | ►M183 — ◄ | ►M183 — ◄ |
| 0252010 | Spinaches | ►M183 — ◄ | ►M183 — ◄ |
| 0252020 | Purslanes | ►M183 — ◄ | ►M183 — ◄ |
| 0252030 | Chards/beet leaves | ►M183 — ◄ | ►M183 — ◄ |
| 0252990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0253000 | (c) *grape leaves and similar species* | ►M183 — ◄ | ►M183 — ◄ |
| 0254000 | (d) *watercresses* | ►M183 — ◄ | ►M183 — ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►M183 — ◄ | ►M183 — ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►M183 — ◄ | ►M183 — ◄ |
| 0256010 | Chervil | ►M183 — ◄ | ►M183 — ◄ |
| 0256020 | Chives | ►M183 — ◄ | ►M183 — ◄ |
| 0256030 | Celery leaves | ►M183 — ◄ | ►M183 — ◄ |
| 0256040 | Parsley | ►M183 — ◄ | ►M183 — ◄ |
| 0256050 | Sage | ►M183 — ◄ | ►M183 — ◄ |
| 0256060 | Rosemary | ►M183 — ◄ | ►M183 — ◄ |
| 0256070 | Thyme | ►M183 — ◄ | ►M183 — ◄ |
| 0256080 | Basil and edible flowers | ►M183 — ◄ | ►M183 — ◄ |
| 0256090 | Laurel/bay leave | ►M183 — ◄ | ►M183 — ◄ |
| 0256100 | Tarragon | ►M183 — ◄ | ►M183 — ◄ |
| 0256990 | Others | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | ►M183 — ◄ | ►M183 — ◄ |
| 0260010 | Beans (with pods) | ►M183 — ◄ | ►M183 — ◄ |
| 0260020 | Beans (without pods) | ►M183 — ◄ | ►M183 — ◄ |
| 0260030 | Peas (with pods) | ►M183 — ◄ | ►M183 — ◄ |
| 0260040 | Peas (without pods) | ►M183 — ◄ | ►M183 — ◄ |
| 0260050 | Lentils | ►M183 — ◄ | ►M183 — ◄ |
| 0260990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0270000 | **Stem vegetables** | ►M183 — ◄ | ►M183 — ◄ |
| 0270010 | Asparagus | ►M183 — ◄ | ►M183 — ◄ |
| 0270020 | Cardoons | ►M183 — ◄ | ►M183 — ◄ |
| 0270030 | Celeries | ►M183 — ◄ | ►M183 — ◄ |
| 0270040 | Florence fennels | ►M183 — ◄ | ►M183 — ◄ |
| 0270050 | Globe artichokes | ►M183 — ◄ | ►M183 — ◄ |
| 0270060 | Leeks | ►M183 — ◄ | ►M183 — ◄ |
| 0270070 | Rhubarbs | ►M183 — ◄ | ►M183 — ◄ |
| 0270080 | Bamboo shoots | ►M183 — ◄ | ►M183 — ◄ |
| 0270090 | Palm hearts | ►M183 — ◄ | ►M183 — ◄ |
| 0270990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►M183 — ◄ | ►M183 — ◄ |
| 0280010 | Cultivated fungi | ►M183 — ◄ | ►M183 — ◄ |
| 0280020 | Wild fungi | ►M183 — ◄ | ►M183 — ◄ |
| 0280990 | Mosses and lichens | ►M183 — ◄ | ►M183 — ◄ |
| 0290000 | **Algae and prokaryotes organisms** | ►M183 — ◄ | ►M183 — ◄ |
| 0300000 | **PULSES** | ►M183 — ◄ | ►M183 — ◄ |
| 0300010 | Beans | ►M183 — ◄ | ►M183 — ◄ |
| 0300020 | Lentils | ►M183 — ◄ | ►M183 — ◄ |
| 0300030 | Peas | ►M183 — ◄ | ►M183 — ◄ |
| 0300040 | Lupins/lupini beans | ►M183 — ◄ | ►M183 — ◄ |
| 0300990 | Others | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►M183 — ◄ | ►M183 — ◄ |
| 0401000 | **Oilseeds** | ►M183 — ◄ | ►M183 — ◄ |
| 0401010 | Linseeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401020 | Peanuts/groundnuts | ►M183 — ◄ | ►M183 — ◄ |
| 0401030 | Poppy seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401040 | Sesame seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401050 | Sunflower seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401060 | Rapeseeds/canola seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401070 | Soyabeans | ►M183 — ◄ | ►M183 — ◄ |
| 0401080 | Mustard seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401090 | Cotton seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401100 | Pumpkin seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401110 | Safflower seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401120 | Borage seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401130 | Gold of pleasure seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401140 | Hemp seeds | ►M183 — ◄ | ►M183 — ◄ |
| 0401150 | Castor beans | ►M183 — ◄ | ►M183 — ◄ |
| 0401990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0402000 | **Oil fruits** | ►M183 — ◄ | ►M183 — ◄ |
| 0402010 | Olives for oil production | ►M183 — ◄ | ►M183 — ◄ |
| 0402020 | Oil palms kernels | ►M183 — ◄ | ►M183 — ◄ |
| 0402030 | Oil palms fruits | ►M183 — ◄ | ►M183 — ◄ |
| 0402040 | Kapok | ►M183 — ◄ | ►M183 — ◄ |
| 0402990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0500000 | **CEREALS** | ►M183 — ◄ | ►M183 — ◄ |
| 0500010 | Barley | ►M183 — ◄ | ►M183 — ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | ►M183 — ◄ | ►M183 — ◄ |
| 0500030 | Maize/corn | ►M183 — ◄ | ►M183 — ◄ |
| 0500040 | Common millet/proso millet | ►M183 — ◄ | ►M183 — ◄ |
| 0500050 | Oat | ►M183 — ◄ | ►M183 — ◄ |
| 0500060 | Rice | ►M183 — ◄ | ►M183 — ◄ |
| 0500070 | Rye | ►M183 — ◄ | ►M183 — ◄ |
| 0500080 | Sorghum | ►M183 — ◄ | ►M183 — ◄ |
| 0500090 | Wheat | ►M183 — ◄ | ►M183 — ◄ |
| 0500990 | Others | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M183 — ◄ | ►M183 — ◄ |
| 0610000 | **Teas** | ►M183 — ◄ | ►M183 — ◄ |
| 0620000 | **Coffee beans** | ►M183 — ◄ | ►M183 — ◄ |
| 0630000 | **Herbal infusions from** | ►M183 — ◄ | ►M183 — ◄ |
| 0631000 | (a) *flowers* | ►M183 — ◄ | ►M183 — ◄ |
| 0631010 | Chamomile | ►M183 — ◄ | ►M183 — ◄ |
| 0631020 | Hibiscus/roselle | ►M183 — ◄ | ►M183 — ◄ |
| 0631030 | Rose | ►M183 — ◄ | ►M183 — ◄ |
| 0631040 | Jasmine | ►M183 — ◄ | ►M183 — ◄ |
| 0631050 | Lime/linden | ►M183 — ◄ | ►M183 — ◄ |
| 0631990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0632000 | (b) *leaves and herbs* | ►M183 — ◄ | ►M183 — ◄ |
| 0632010 | Strawberry | ►M183 — ◄ | ►M183 — ◄ |
| 0632020 | Rooibos | ►M183 — ◄ | ►M183 — ◄ |
| 0632030 | Mate/maté | ►M183 — ◄ | ►M183 — ◄ |
| 0632990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0633000 | (c) *roots* | ►M183 — ◄ | ►M183 — ◄ |
| 0633010 | Valerian | ►M183 — ◄ | ►M183 — ◄ |
| 0633020 | Ginseng | ►M183 — ◄ | ►M183 — ◄ |
| 0633990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0639000 | (d) *any other parts of the plant* | ►M183 — ◄ | ►M183 — ◄ |
| 0640000 | **Cocoa beans** | ►M183 — ◄ | ►M183 — ◄ |
| 0650000 | **Carobs/Saint John's breads** | ►M183 — ◄ | ►M183 — ◄ |
| 0700000 | **HOPS** | ►M183 — ◄ | ►M183 — ◄ |
| 0800000 | **SPICES** | ►M183 — ◄ | ►M183 — ◄ |
| 0810000 | **Seed spices** | ►M183 — ◄ | ►M183 — ◄ |
| 0810010 | Anise/aniseed | ►M183 — ◄ | ►M183 — ◄ |
| 0810020 | Black caraway/black cumin | ►M183 — ◄ | ►M183 — ◄ |
| 0810030 | Celery | ►M183 — ◄ | ►M183 — ◄ |
| 0810040 | Coriander | ►M183 — ◄ | ►M183 — ◄ |
| 0810050 | Cumin | ►M183 — ◄ | ►M183 — ◄ |
| 0810060 | Dill | ►M183 — ◄ | ►M183 — ◄ |
| 0810070 | Fennel | ►M183 — ◄ | ►M183 — ◄ |
| 0810080 | Fenugreek | ►M183 — ◄ | ►M183 — ◄ |
| 0810090 | Nutmeg | ►M183 — ◄ | ►M183 — ◄ |
| 0810990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0820000 | **Fruit spices** | ►M183 — ◄ | ►M183 — ◄ |
| 0820010 | Allspice/pimento | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | ►M183 — ◄ | ►M183 — ◄ |
| 0820030 | Caraway | ►M183 — ◄ | ►M183 — ◄ |
| 0820040 | Cardamom | ►M183 — ◄ | ►M183 — ◄ |
| 0820050 | Juniper berry | ►M183 — ◄ | ►M183 — ◄ |
| 0820060 | Peppercorn (black, green and white) | ►M183 — ◄ | ►M183 — ◄ |
| 0820070 | Vanilla | ►M183 — ◄ | ►M183 — ◄ |
| 0820080 | Tamarind | ►M183 — ◄ | ►M183 — ◄ |
| 0820990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0830000 | **Bark spices** | ►M183 — ◄ | ►M183 — ◄ |
| 0830010 | Cinnamon | ►M183 — ◄ | ►M183 — ◄ |
| 0830990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0840000 | **Root and rhizome spices** | ►M183 — ◄ | ►M183 — ◄ |
| 0840010 | Liquorice | ►M183 — ◄ | ►M183 — ◄ |
| 0840020 | Ginger | ►M183 — ◄ | ►M183 — ◄ |
| 0840030 | Turmeric/curcuma | ►M183 — ◄ | ►M183 — ◄ |
| 0840040 | Horseradish | ►M183 — ◄ | ►M183 — ◄ |
| 0840990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0850000 | **Bud spices** | ►M183 — ◄ | ►M183 — ◄ |
| 0850010 | Cloves | ►M183 — ◄ | ►M183 — ◄ |
| 0850020 | Capers | ►M183 — ◄ | ►M183 — ◄ |
| 0850990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0860000 | **Flower pistil spices** | ►M183 — ◄ | ►M183 — ◄ |
| 0860010 | Saffron | ►M183 — ◄ | ►M183 — ◄ |
| 0860990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0870000 | **Aril spices** | ►M183 — ◄ | ►M183 — ◄ |
| 0870010 | Mace | ►M183 — ◄ | ►M183 — ◄ |
| 0870990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 0900000 | **SUGAR PLANTS** | ►M183 — ◄ | ►M183 — ◄ |
| 0900010 | Sugar beet roots | ►M183 — ◄ | ►M183 — ◄ |
| 0900020 | Sugar canes | ►M183 — ◄ | ►M183 — ◄ |
| 0900030 | Chicory roots | ►M183 — ◄ | ►M183 — ◄ |
| 0900990 | Others | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | ►M183 — ◄ | ►M183 — ◄ |
| 1010000 | **Tissues from** | ►M183 — ◄ | ►M183 — ◄ |
| 1011000 | (a) *swine* | ►M183 — ◄ | ►M183 — ◄ |
| 1011010 | Muscle | ►M183 — ◄ | ►M183 — ◄ |
| 1011020 | Fat tissue | ►M183 — ◄ | ►M183 — ◄ |
| 1011030 | Liver | ►M183 — ◄ | ►M183 — ◄ |
| 1011040 | Kidney | ►M183 — ◄ | ►M183 — ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►M183 — ◄ | ►M183 — ◄ |
| 1011990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 1012000 | (b) *bovine* | ►M183 — ◄ | ►M183 — ◄ |
| 1012010 | Muscle | ►M183 — ◄ | ►M183 — ◄ |
| 1012020 | Fat tissue | ►M183 — ◄ | ►M183 — ◄ |
| 1012030 | Liver | ►M183 — ◄ | ►M183 — ◄ |
| 1012040 | Kidney | ►M183 — ◄ | ►M183 — ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►M183 — ◄ | ►M183 — ◄ |
| 1012990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 1013000 | (c) *sheep* | ►M183 — ◄ | ►M183 — ◄ |
| 1013010 | Muscle | ►M183 — ◄ | ►M183 — ◄ |
| 1013020 | Fat tissue | ►M183 — ◄ | ►M183 — ◄ |
| 1013030 | Liver | ►M183 — ◄ | ►M183 — ◄ |
| 1013040 | Kidney | ►M183 — ◄ | ►M183 — ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►M183 — ◄ | ►M183 — ◄ |
| 1013990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 1014000 | (d) *goat* | ►M183 — ◄ | ►M183 — ◄ |
| 1014010 | Muscle | ►M183 — ◄ | ►M183 — ◄ |
| 1014020 | Fat tissue | ►M183 — ◄ | ►M183 — ◄ |
| 1014030 | Liver | ►M183 — ◄ | ►M183 — ◄ |
| 1014040 | Kidney | ►M183 — ◄ | ►M183 — ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►M183 — ◄ | ►M183 — ◄ |
| 1014990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 1015000 | (e) *equine* | ►M183 — ◄ | ►M183 — ◄ |
| 1015010 | Muscle | ►M183 — ◄ | ►M183 — ◄ |
| 1015020 | Fat tissue | ►M183 — ◄ | ►M183 — ◄ |
| 1015030 | Liver | ►M183 — ◄ | ►M183 — ◄ |

▼M97

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | ►M183 — ◄ | ►M183 — ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►M183 — ◄ | ►M183 — ◄ |
| 1015990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 1016000 | (f) *poultry* | ►M183 — ◄ | ►M183 — ◄ |
| 1016010 | Muscle | ►M183 — ◄ | ►M183 — ◄ |
| 1016020 | Fat tissue | ►M183 — ◄ | ►M183 — ◄ |
| 1016030 | Liver | ►M183 — ◄ | ►M183 — ◄ |
| 1016040 | Kidney | ►M183 — ◄ | ►M183 — ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►M183 — ◄ | ►M183 — ◄ |
| 1016990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | ►M183 — ◄ | ►M183 — ◄ |
| 1017010 | Muscle | ►M183 — ◄ | ►M183 — ◄ |
| 1017020 | Fat tissue | ►M183 — ◄ | ►M183 — ◄ |
| 1017030 | Liver | ►M183 — ◄ | ►M183 — ◄ |
| 1017040 | Kidney | ►M183 — ◄ | ►M183 — ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►M183 — ◄ | ►M183 — ◄ |
| 1017990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 1020000 | **Milk** | ►M183 — ◄ | ►M183 — ◄ |
| 1020010 | Cattle | ►M183 — ◄ | ►M183 — ◄ |
| 1020020 | Sheep | ►M183 — ◄ | ►M183 — ◄ |
| 1020030 | Goat | ►M183 — ◄ | ►M183 — ◄ |
| 1020040 | Horse | ►M183 — ◄ | ►M183 — ◄ |
| 1020990 | Others | ►M183 — ◄ | ►M183 — ◄ |
| 1030000 | **Birds eggs** | ►M183 — ◄ | ►M183 — ◄ |
| 1030010 | Chicken | ►M183 — ◄ | ►M183 — ◄ |
| 1030020 | Duck | ►M183 — ◄ | ►M183 — ◄ |
| 1030030 | Geese | ►M183 — ◄ | ►M183 — ◄ |
| 1030040 | Quail | ►M183 — ◄ | ►M183 — ◄ |
| 1030990 | Others | ►M183 — ◄ | ►M183 — ◄ |

▼**M97**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M183** — ◄ | ►**M183** — ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M183** — ◄ | ►**M183** — ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M183** — ◄ | ►**M183** — ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M183** — ◄ | ►**M183** — ◄ |

▼M98

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M207 — ◄ | ►M160 — ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►M207 — ◄ | ►M160 — ◄ |
| 0110000 | **Citrus fruits** | ►M207 — ◄ | ►M160 — ◄ |
| 0110010 | Grapefruits | ►M207 — ◄ | ►M160 — ◄ |
| 0110020 | Oranges | ►M207 — ◄ | ►M160 — ◄ |
| 0110030 | Lemons | ►M207 — ◄ | ►M160 — ◄ |
| 0110040 | Limes | ►M207 — ◄ | ►M160 — ◄ |
| 0110050 | Mandarins | ►M207 — ◄ | ►M160 — ◄ |
| 0110990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0120000 | **Tree nuts** | ►M207 — ◄ | ►M160 — ◄ |
| 0120010 | Almonds | ►M207 — ◄ | ►M160 — ◄ |
| 0120020 | Brazil nuts | ►M207 — ◄ | ►M160 — ◄ |
| 0120030 | Cashew nuts | ►M207 — ◄ | ►M160 — ◄ |
| 0120040 | Chestnuts | ►M207 — ◄ | ►M160 — ◄ |
| 0120050 | Coconuts | ►M207 — ◄ | ►M160 — ◄ |
| 0120060 | Hazelnuts/cobnuts | ►M207 — ◄ | ►M160 — ◄ |
| 0120070 | Macadamias | ►M207 — ◄ | ►M160 — ◄ |
| 0120080 | Pecans | ►M207 — ◄ | ►M160 — ◄ |
| 0120090 | Pine nut kernels | ►M207 — ◄ | ►M160 — ◄ |
| 0120100 | Pistachios | ►M207 — ◄ | ►M160 — ◄ |
| 0120110 | Walnuts | ►M207 — ◄ | ►M160 — ◄ |
| 0120990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0130000 | **Pome fruits** | ►M207 — ◄ | ►M160 — ◄ |
| 0130010 | Apples | ►M207 — ◄ | ►M160 — ◄ |
| 0130020 | Pears | ►M207 — ◄ | ►M160 — ◄ |
| 0130030 | Quinces | ►M207 — ◄ | ►M160 — ◄ |
| 0130040 | Medlars | ►M207 — ◄ | ►M160 — ◄ |
| 0130050 | Loquats/Japanese medlars | ►M207 — ◄ | ►M160 — ◄ |
| 0130990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0140000 | **Stone fruits** | ►M207 — ◄ | ►M160 — ◄ |
| 0140010 | Apricots | ►M207 — ◄ | ►M160 — ◄ |
| 0140020 | Cherries (sweet) | ►M207 — ◄ | ►M160 — ◄ |
| 0140030 | Peaches | ►M207 — ◄ | ►M160 — ◄ |

▼**M98**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | ►**M207** — ◄ | ►**M160** — ◄ |
| 0140990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0150000 | **Berries and small fruits** | ►**M207** — ◄ | ►**M160** — ◄ |
| 0151000 | (a) *grapes* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0151010 | Table grapes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0151020 | Wine grapes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0152000 | (b) *strawberries* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0153000 | (c) *cane fruits* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0153010 | Blackberries | ►**M207** — ◄ | ►**M160** — ◄ |
| 0153020 | Dewberries | ►**M207** — ◄ | ►**M160** — ◄ |
| 0153030 | Raspberries (red and yellow) | ►**M207** — ◄ | ►**M160** — ◄ |
| 0153990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154000 | (d) *other small fruits and berries* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154010 | Blueberries | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154020 | Cranberries | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154030 | Currants (black, red and white) | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154040 | Gooseberries (green, red and yellow) | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154050 | Rose hips | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154060 | Mulberries (black and white) | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154070 | Azaroles/Mediterranean medlars | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154080 | Elderberries | ►**M207** — ◄ | ►**M160** — ◄ |
| 0154990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0160000 | **Miscellaneous fruits with** | ►**M207** — ◄ | ►**M160** — ◄ |
| 0161000 | (a) *edible peel* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0161010 | Dates | ►**M207** — ◄ | ►**M160** — ◄ |
| 0161020 | Figs | ►**M207** — ◄ | ►**M160** — ◄ |
| 0161030 | Table olives | ►**M207** — ◄ | ►**M160** — ◄ |
| 0161040 | Kumquats | ►**M207** — ◄ | ►**M160** — ◄ |
| 0161050 | Carambolas | ►**M207** — ◄ | ►**M160** — ◄ |
| 0161060 | Kaki/Japanese persimmons | ►**M207** — ◄ | ►**M160** — ◄ |

▼**M98**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | ►**M207** — ◄ | ►**M160** — ◄ |
| 0161990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0162000 | (b) *inedible peel, small* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0162010 | Kiwi fruits (green, red, yellow) | ►**M207** — ◄ | ►**M160** — ◄ |
| 0162020 | Litchis/lychees | ►**M207** — ◄ | ►**M160** — ◄ |
| 0162030 | Passionfruits/maracujas | ►**M207** — ◄ | ►**M160** — ◄ |
| 0162040 | Prickly pears/cactus fruits | ►**M207** — ◄ | ►**M160** — ◄ |
| 0162050 | Star apples/cainitos | ►**M207** — ◄ | ►**M160** — ◄ |
| 0162060 | American persimmons/Virginia kaki | ►**M207** — ◄ | ►**M160** — ◄ |
| 0162990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163000 | (c) *inedible peel, large* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163010 | Avocados | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163020 | Bananas | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163030 | Mangoes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163040 | Papayas | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163050 | Granate apples/pomegranates | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163060 | Cherimoyas | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163070 | Guavas | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163080 | Pineapples | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163090 | Breadfruits | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163100 | Durians | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163110 | Soursops/guanabanas | ►**M207** — ◄ | ►**M160** — ◄ |
| 0163990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | ►**M207** — ◄ | ►**M160** — ◄ |
| 0210000 | **Root and tuber vegetables** | ►**M207** — ◄ | ►**M160** — ◄ |
| 0211000 | (a) *potatoes* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0212010 | Cassava roots/manioc | ►**M207** — ◄ | ►**M160** — ◄ |
| 0212020 | Sweet potatoes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0212030 | Yams | ►**M207** — ◄ | ►**M160** — ◄ |

▼**M98**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | ►**M207** — ◄ | ►**M160** — ◄ |
| 0212990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213010 | Beetroots | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213020 | Carrots | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213030 | Celeriacs/turnip rooted celeries | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213040 | Horseradishes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213050 | Jerusalem artichokes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213060 | Parsnips | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213070 | Parsley roots/Hamburg roots parsley | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213080 | Radishes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213090 | Salsifies | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213100 | Swedes/rutabagas | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213110 | Turnips | ►**M207** — ◄ | ►**M160** — ◄ |
| 0213990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0220000 | **Bulb vegetables** | ►**M207** — ◄ | ►**M160** — ◄ |
| 0220010 | Garlic | ►**M207** — ◄ | ►**M160** — ◄ |
| 0220020 | Onions | ►**M207** — ◄ | ►**M160** — ◄ |
| 0220030 | Shallots | ►**M207** — ◄ | ►**M160** — ◄ |
| 0220040 | Spring onions/green onions and Welsh onions | ►**M207** — ◄ | ►**M160** — ◄ |
| 0220990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0230000 | **Fruiting vegetables** | ►**M207** — ◄ | ►**M160** — ◄ |
| 0231000 | (a) *solanacea* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0231010 | Tomatoes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0231020 | Sweet peppers/bell peppers | ►**M207** — ◄ | ►**M160** — ◄ |
| 0231030 | Aubergines/eggplants | ►**M207** — ◄ | ►**M160** — ◄ |
| 0231040 | Okra/lady's fingers | ►**M207** — ◄ | ►**M160** — ◄ |
| 0231990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0232000 | (b) *cucurbits with edible peel* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0232010 | Cucumbers | ►**M207** — ◄ | ►**M160** — ◄ |
| 0232020 | Gherkins | ►**M207** — ◄ | ►**M160** — ◄ |

▼**M98**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0232990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0233000 | (c) *cucurbits with inedible peel* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0233010 | Melons | ►**M207** — ◄ | ►**M160** — ◄ |
| 0233020 | Pumpkins | ►**M207** — ◄ | ►**M160** — ◄ |
| 0233030 | Watermelons | ►**M207** — ◄ | ►**M160** — ◄ |
| 0233990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0234000 | (d) *sweet corn* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0239000 | (e) *other fruiting vegetables* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M207** — ◄ | ►**M160** — ◄ |
| 0241000 | (a) *flowering brassica* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0241010 | Broccoli | ►**M207** — ◄ | ►**M160** — ◄ |
| 0241020 | Cauliflowers | ►**M207** — ◄ | ►**M160** — ◄ |
| 0241990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0242000 | (b) *head brassica* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0242010 | Brussels sprouts | ►**M207** — ◄ | ►**M160** — ◄ |
| 0242020 | Head cabbages | ►**M207** — ◄ | ►**M160** — ◄ |
| 0242990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0243000 | (c) *leafy brassica* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0243010 | Chinese cabbages/pe-tsai | ►**M207** — ◄ | ►**M160** — ◄ |
| 0243020 | Kales | ►**M207** — ◄ | ►**M160** — ◄ |
| 0243990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0244000 | (d) *kohlrabies* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251000 | (a) *lettuces and salad plants* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251010 | Lamb's lettuces/corn salads | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251020 | Lettuces | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251030 | Escaroles/broad-leaved endives | ►**M207** — ◄ | ►**M160** — ◄ |

▼**M98**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251050 | Land cresses | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251060 | Roman rocket/rucola | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251070 | Red mustards | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251080 | Baby leaf crops (including brassica species) | ►**M207** — ◄ | ►**M160** — ◄ |
| 0251990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0252000 | (b) *spinaches and similar leaves* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0252010 | Spinaches | ►**M207** — ◄ | ►**M160** — ◄ |
| 0252020 | Purslanes | ►**M207** — ◄ | ►**M160** — ◄ |
| 0252030 | Chards/beet leaves | ►**M207** — ◄ | ►**M160** — ◄ |
| 0252990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 0253000 | (c) *grape leaves and similar species* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0254000 | (d) *watercresses* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256010 | Chervil | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256020 | Chives | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256030 | Celery leaves | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256040 | Parsley | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256050 | Sage | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256060 | Rosemary | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256070 | Thyme | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256080 | Basil and edible flowers | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256090 | Laurel/bay leave | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256100 | Tarragon | ►**M207** — ◄ | ►**M160** — ◄ |
| 0256990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |

▼M98

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | ►M207 — ◄ | ►M160 — ◄ |
| 0260010 | Beans (with pods) | ►M207 — ◄ | ►M160 — ◄ |
| 0260020 | Beans (without pods) | ►M207 — ◄ | ►M160 — ◄ |
| 0260030 | Peas (with pods) | ►M207 — ◄ | ►M160 — ◄ |
| 0260040 | Peas (without pods) | ►M207 — ◄ | ►M160 — ◄ |
| 0260050 | Lentils | ►M207 — ◄ | ►M160 — ◄ |
| 0260990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0270000 | **Stem vegetables** | ►M207 — ◄ | ►M160 — ◄ |
| 0270010 | Asparagus | ►M207 — ◄ | ►M160 — ◄ |
| 0270020 | Cardoons | ►M207 — ◄ | ►M160 — ◄ |
| 0270030 | Celeries | ►M207 — ◄ | ►M160 — ◄ |
| 0270040 | Florence fennels | ►M207 — ◄ | ►M160 — ◄ |
| 0270050 | Globe artichokes | ►M207 — ◄ | ►M160 — ◄ |
| 0270060 | Leeks | ►M207 — ◄ | ►M160 — ◄ |
| 0270070 | Rhubarbs | ►M207 — ◄ | ►M160 — ◄ |
| 0270080 | Bamboo shoots | ►M207 — ◄ | ►M160 — ◄ |
| 0270090 | Palm hearts | ►M207 — ◄ | ►M160 — ◄ |
| 0270990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0280000 | **Fungi, mosses and lichens** | ►M207 — ◄ | ►M160 — ◄ |
| 0280010 | Cultivated fungi | ►M207 — ◄ | ►M160 — ◄ |
| 0280020 | Wild fungi | ►M207 — ◄ | ►M160 — ◄ |
| 0280990 | Mosses and lichens | ►M207 — ◄ | ►M160 — ◄ |
| 0290000 | **Algae and prokaryotes organisms** | ►M207 — ◄ | ►M160 — ◄ |
| 0300000 | **PULSES** | ►M207 — ◄ | ►M160 — ◄ |
| 0300010 | Beans | ►M207 — ◄ | ►M160 — ◄ |
| 0300020 | Lentils | ►M207 — ◄ | ►M160 — ◄ |
| 0300030 | Peas | ►M207 — ◄ | ►M160 — ◄ |
| 0300040 | Lupins/lupini beans | ►M207 — ◄ | ►M160 — ◄ |
| 0300990 | Others | ►M207 — ◄ | ►M160 — ◄ |

▼M98

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►M207 — ◄ | ►M160 — ◄ |
| 0401000 | **Oilseeds** | ►M207 — ◄ | ►M160 — ◄ |
| 0401010 | Linseeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401020 | Peanuts/groundnuts | ►M207 — ◄ | ►M160 — ◄ |
| 0401030 | Poppy seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401040 | Sesame seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401050 | Sunflower seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401060 | Rapeseeds/canola seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401070 | Soyabeans | ►M207 — ◄ | ►M160 — ◄ |
| 0401080 | Mustard seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401090 | Cotton seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401100 | Pumpkin seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401110 | Safflower seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401120 | Borage seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401130 | Gold of pleasure seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401140 | Hemp seeds | ►M207 — ◄ | ►M160 — ◄ |
| 0401150 | Castor beans | ►M207 — ◄ | ►M160 — ◄ |
| 0401990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0402000 | **Oil fruits** | ►M207 — ◄ | ►M160 — ◄ |
| 0402010 | Olives for oil production | ►M207 — ◄ | ►M160 — ◄ |
| 0402020 | Oil palms kernels | ►M207 — ◄ | ►M160 — ◄ |
| 0402030 | Oil palms fruits | ►M207 — ◄ | ►M160 — ◄ |
| 0402040 | Kapok | ►M207 — ◄ | ►M160 — ◄ |
| 0402990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0500000 | **CEREALS** | ►M207 — ◄ | ►M160 — ◄ |
| 0500010 | Barley | ►M207 — ◄ | ►M160 — ◄ |
| 0500020 | Buckwheat and other pseudo-cereals | ►M207 — ◄ | ►M160 — ◄ |
| 0500030 | Maize/corn | ►M207 — ◄ | ►M160 — ◄ |
| 0500040 | Common millet/proso millet | ►M207 — ◄ | ►M160 — ◄ |
| 0500050 | Oat | ►M207 — ◄ | ►M160 — ◄ |
| 0500060 | Rice | ►M207 — ◄ | ►M160 — ◄ |
| 0500070 | Rye | ►M207 — ◄ | ►M160 — ◄ |
| 0500080 | Sorghum | ►M207 — ◄ | ►M160 — ◄ |
| 0500090 | Wheat | ►M207 — ◄ | ►M160 — ◄ |
| 0500990 | Others | ►M207 — ◄ | ►M160 — ◄ |

▼M98

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M207 — ◄ | ►M160 — ◄ |
| 0610000 | **Teas** | ►M207 — ◄ | ►M160 — ◄ |
| 0620000 | **Coffee beans** | ►M207 — ◄ | ►M160 — ◄ |
| 0630000 | **Herbal infusions from** | ►M207 — ◄ | ►M160 — ◄ |
| 0631000 | (a) *flowers* | ►M207 — ◄ | ►M160 — ◄ |
| 0631010 | Chamomile | ►M207 — ◄ | ►M160 — ◄ |
| 0631020 | Hibiscus/roselle | ►M207 — ◄ | ►M160 — ◄ |
| 0631030 | Rose | ►M207 — ◄ | ►M160 — ◄ |
| 0631040 | Jasmine | ►M207 — ◄ | ►M160 — ◄ |
| 0631050 | Lime/linden | ►M207 — ◄ | ►M160 — ◄ |
| 0631990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0632000 | (b) *leaves and herbs* | ►M207 — ◄ | ►M160 — ◄ |
| 0632010 | Strawberry | ►M207 — ◄ | ►M160 — ◄ |
| 0632020 | Rooibos | ►M207 — ◄ | ►M160 — ◄ |
| 0632030 | Mate/maté | ►M207 — ◄ | ►M160 — ◄ |
| 0632990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0633000 | (c) *roots* | ►M207 — ◄ | ►M160 — ◄ |
| 0633010 | Valerian | ►M207 — ◄ | ►M160 — ◄ |
| 0633020 | Ginseng | ►M207 — ◄ | ►M160 — ◄ |
| 0633990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0639000 | (d) *any other parts of the plant* | ►M207 — ◄ | ►M160 — ◄ |
| 0640000 | **Cocoa beans** | ►M207 — ◄ | ►M160 — ◄ |
| 0650000 | **Carobs/Saint John's breads** | ►M207 — ◄ | ►M160 — ◄ |
| 0700000 | **HOPS** | ►M207 — ◄ | ►M160 — ◄ |
| 0800000 | **SPICES** | ►M207 — ◄ | ►M160 — ◄ |
| 0810000 | **Seed spices** | ►M207 — ◄ | ►M160 — ◄ |
| 0810010 | Anise/aniseed | ►M207 — ◄ | ►M160 — ◄ |
| 0810020 | Black caraway/black cumin | ►M207 — ◄ | ►M160 — ◄ |
| 0810030 | Celery | ►M207 — ◄ | ►M160 — ◄ |
| 0810040 | Coriander | ►M207 — ◄ | ►M160 — ◄ |
| 0810050 | Cumin | ►M207 — ◄ | ►M160 — ◄ |
| 0810060 | Dill | ►M207 — ◄ | ►M160 — ◄ |
| 0810070 | Fennel | ►M207 — ◄ | ►M160 — ◄ |
| 0810080 | Fenugreek | ►M207 — ◄ | ►M160 — ◄ |
| 0810090 | Nutmeg | ►M207 — ◄ | ►M160 — ◄ |
| 0810990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0820000 | **Fruit spices** | ►M207 — ◄ | ►M160 — ◄ |
| 0820010 | Allspice/pimento | ►M207 — ◄ | ►M160 — ◄ |

▼M98

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | ►M207 — ◄ | ►M160 — ◄ |
| 0820030 | Caraway | ►M207 — ◄ | ►M160 — ◄ |
| 0820040 | Cardamom | ►M207 — ◄ | ►M160 — ◄ |
| 0820050 | Juniper berry | ►M207 — ◄ | ►M160 — ◄ |
| 0820060 | Peppercorn (black, green and white) | ►M207 — ◄ | ►M160 — ◄ |
| 0820070 | Vanilla | ►M207 — ◄ | ►M160 — ◄ |
| 0820080 | Tamarind | ►M207 — ◄ | ►M160 — ◄ |
| 0820990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0830000 | **Bark spices** | ►M207 — ◄ | ►M160 — ◄ |
| 0830010 | Cinnamon | ►M207 — ◄ | ►M160 — ◄ |
| 0830990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0840000 | **Root and rhizome spices** | ►M207 — ◄ | ►M160 — ◄ |
| 0840010 | Liquorice | ►M207 — ◄ | ►M160 — ◄ |
| 0840020 | Ginger | ►M207 — ◄ | ►M160 — ◄ |
| 0840030 | Turmeric/curcuma | ►M207 — ◄ | ►M160 — ◄ |
| 0840040 | Horseradish | ►M207 — ◄ | ►M160 — ◄ |
| 0840990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0850000 | **Bud spices** | ►M207 — ◄ | ►M160 — ◄ |
| 0850010 | Cloves | ►M207 — ◄ | ►M160 — ◄ |
| 0850020 | Capers | ►M207 — ◄ | ►M160 — ◄ |
| 0850990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0860000 | **Flower pistil spices** | ►M207 — ◄ | ►M160 — ◄ |
| 0860010 | Saffron | ►M207 — ◄ | ►M160 — ◄ |
| 0860990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0870000 | **Aril spices** | ►M207 — ◄ | ►M160 — ◄ |
| 0870010 | Mace | ►M207 — ◄ | ►M160 — ◄ |
| 0870990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 0900000 | **SUGAR PLANTS** | ►M207 — ◄ | ►M160 — ◄ |
| 0900010 | Sugar beet roots | ►M207 — ◄ | ►M160 — ◄ |
| 0900020 | Sugar canes | ►M207 — ◄ | ►M160 — ◄ |
| 0900030 | Chicory roots | ►M207 — ◄ | ►M160 — ◄ |
| 0900990 | Others | ►M207 — ◄ | ►M160 — ◄ |

▼M98

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | ►M207 — ◄ | ►M160 — ◄ |
| 1010000 | **Tissues from** | ►M207 — ◄ | ►M160 — ◄ |
| 1011000 | (a) *swine* | ►M207 — ◄ | ►M160 — ◄ |
| 1011010 | Muscle | ►M207 — ◄ | ►M160 — ◄ |
| 1011020 | Fat tissue | ►M207 — ◄ | ►M160 — ◄ |
| 1011030 | Liver | ►M207 — ◄ | ►M160 — ◄ |
| 1011040 | Kidney | ►M207 — ◄ | ►M160 — ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►M207 — ◄ | ►M160 — ◄ |
| 1011990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 1012000 | (b) *bovine* | ►M207 — ◄ | ►M160 — ◄ |
| 1012010 | Muscle | ►M207 — ◄ | ►M160 — ◄ |
| 1012020 | Fat tissue | ►M207 — ◄ | ►M160 — ◄ |
| 1012030 | Liver | ►M207 — ◄ | ►M160 — ◄ |
| 1012040 | Kidney | ►M207 — ◄ | ►M160 — ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►M207 — ◄ | ►M160 — ◄ |
| 1012990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 1013000 | (c) *sheep* | ►M207 — ◄ | ►M160 — ◄ |
| 1013010 | Muscle | ►M207 — ◄ | ►M160 — ◄ |
| 1013020 | Fat tissue | ►M207 — ◄ | ►M160 — ◄ |
| 1013030 | Liver | ►M207 — ◄ | ►M160 — ◄ |
| 1013040 | Kidney | ►M207 — ◄ | ►M160 — ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►M207 — ◄ | ►M160 — ◄ |
| 1013990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 1014000 | (d) *goat* | ►M207 — ◄ | ►M160 — ◄ |
| 1014010 | Muscle | ►M207 — ◄ | ►M160 — ◄ |
| 1014020 | Fat tissue | ►M207 — ◄ | ►M160 — ◄ |
| 1014030 | Liver | ►M207 — ◄ | ►M160 — ◄ |
| 1014040 | Kidney | ►M207 — ◄ | ►M160 — ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►M207 — ◄ | ►M160 — ◄ |
| 1014990 | Others | ►M207 — ◄ | ►M160 — ◄ |
| 1015000 | (e) *equine* | ►M207 — ◄ | ►M160 — ◄ |
| 1015010 | Muscle | ►M207 — ◄ | ►M160 — ◄ |
| 1015020 | Fat tissue | ►M207 — ◄ | ►M160 — ◄ |
| 1015030 | Liver | ►M207 — ◄ | ►M160 — ◄ |

▼**M98**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | ►**M207** — ◄ | ►**M160** — ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►**M207** — ◄ | ►**M160** — ◄ |
| 1015990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 1016000 | (f) *poultry* | ►**M207** — ◄ | ►**M160** — ◄ |
| 1016010 | Muscle | ►**M207** — ◄ | ►**M160** — ◄ |
| 1016020 | Fat tissue | ►**M207** — ◄ | ►**M160** — ◄ |
| 1016030 | Liver | ►**M207** — ◄ | ►**M160** — ◄ |
| 1016040 | Kidney | ►**M207** — ◄ | ►**M160** — ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►**M207** — ◄ | ►**M160** — ◄ |
| 1016990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | ►**M207** — ◄ | ►**M160** — ◄ |
| 1017010 | Muscle | ►**M207** — ◄ | ►**M160** — ◄ |
| 1017020 | Fat tissue | ►**M207** — ◄ | ►**M160** — ◄ |
| 1017030 | Liver | ►**M207** — ◄ | ►**M160** — ◄ |
| 1017040 | Kidney | ►**M207** — ◄ | ►**M160** — ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►**M207** — ◄ | ►**M160** — ◄ |
| 1017990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 1020000 | **Milk** | ►**M207** — ◄ | ►**M160** — ◄ |
| 1020010 | Cattle | ►**M207** — ◄ | ►**M160** — ◄ |
| 1020020 | Sheep | ►**M207** — ◄ | ►**M160** — ◄ |
| 1020030 | Goat | ►**M207** — ◄ | ►**M160** — ◄ |
| 1020040 | Horse | ►**M207** — ◄ | ►**M160** — ◄ |
| 1020990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |
| 1030000 | **Birds eggs** | ►**M207** — ◄ | ►**M160** — ◄ |
| 1030010 | Chicken | ►**M207** — ◄ | ►**M160** — ◄ |
| 1030020 | Duck | ►**M207** — ◄ | ►**M160** — ◄ |
| 1030030 | Geese | ►**M207** — ◄ | ►**M160** — ◄ |
| 1030040 | Quail | ►**M207** — ◄ | ►**M160** — ◄ |
| 1030990 | Others | ►**M207** — ◄ | ►**M160** — ◄ |

▼**M98**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | ►**M207** — ◄ | ►**M160** — ◄ |
| 1050000 | **Amphibians and Reptiles** | ►**M207** — ◄ | ►**M160** — ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►**M207** — ◄ | ►**M160** — ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►**M207** — ◄ | ►**M160** — ◄ |

▼**M127**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Mercury compounds (sum of mercury compounds expressed as mercury) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | 0,01 (*) |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | **0,02 (+)** |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | 0,01 (*) |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | 0,01 (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | 0,01 (*) |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | 0,01 (*) |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | 0,01 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,03 (+)** |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | 0,01 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | **0,05 (+)** |
| 0280020 | Wild fungi | **0,5 (+)** |
| 0280990 | Mosses and lichens | 0,01 (*) |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) |
| 0300000 | **PULSES** | 0,01 (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼M127

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | **Oilseeds** | **0,02 (+)** |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | 0,01 (*) |
| 0402020 | Oil palms kernels | 0,02 (*) |
| 0402030 | Oil palms fruits | 0,02 (*) |
| 0402040 | Kapok | 0,02 (*) |
| 0402990 | Others | 0,02 (*) |
| 0500000 | **CEREALS** | 0,01 (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼M127

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | |
| 0610000 | **Teas** | **0,02 (+)** |
| 0620000 | **Coffee beans** | **0,02 (+)** |
| 0630000 | **Herbal infusions from** | **0,02 (+)** |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | **0,02 (+)** |
| 0650000 | **Carobs/Saint John's breads** | 0,02 (*) |
| 0700000 | **HOPS** | 0,02 (*) |
| 0800000 | **SPICES** | **(+)** |
| 0810000 | **Seed spices** | |
| 0810010 | Anise/aniseed | **0,02** |
| 0810020 | Black caraway/black cumin | **0,02** |
| 0810030 | Celery | **0,02** |
| 0810040 | Coriander | **0,02** |
| 0810050 | Cumin | **0,02** |
| 0810060 | Dill | **0,02** |
| 0810070 | Fennel | **0,02** |
| 0810080 | Fenugreek | **0,02** |
| 0810090 | Nutmeg | **0,05** |
| 0810990 | Others | **0,02** |
| 0820000 | **Fruit spices** | **0,02** |
| 0820010 | Allspice/pimento | |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | **0,02** |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,02** |
| 0840020 | Ginger | **0,05** |
| 0840030 | Turmeric/curcuma | **0,05** |
| 0840040 | Horseradish | |
| 0840990 | Others | **0,02** |
| 0850000 | **Bud spices** | **0,02** |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | **0,02** |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | |
| 0870010 | Mace | **0,05** |
| 0870990 | Others | **0,02** |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M127

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | |
| 1011000 | (a) *swine* | **(+)** |
| 1011010 | Muscle | **0,01** |
| 1011020 | Fat tissue | **0,01** |
| 1011030 | Liver | **0,02** |
| 1011040 | Kidney | **0,02** |
| 1011050 | Edible offals (other than liver and kidney) | **0,02** |
| 1011990 | Others | **0,01** (*) |
| 1012000 | (b) *bovine* | **(+)** |
| 1012010 | Muscle | **0,01** |
| 1012020 | Fat tissue | **0,01** |
| 1012030 | Liver | **0,02** |
| 1012040 | Kidney | **0,02** |
| 1012050 | Edible offals (other than liver and kidney) | **0,02** |
| 1012990 | Others | **0,01** (*) |
| 1013000 | (c) *sheep* | **(+)** |
| 1013010 | Muscle | **0,01** |
| 1013020 | Fat tissue | **0,01** |
| 1013030 | Liver | **0,02** |
| 1013040 | Kidney | **0,02** |
| 1013050 | Edible offals (other than liver and kidney) | **0,02** |
| 1013990 | Others | **0,01** (*) |
| 1014000 | (d) *goat* | **(+)** |
| 1014010 | Muscle | **0,01** |
| 1014020 | Fat tissue | **0,01** |
| 1014030 | Liver | **0,02** |
| 1014040 | Kidney | **0,02** |
| 1014050 | Edible offals (other than liver and kidney) | **0,02** |
| 1014990 | Others | **0,01** (*) |
| 1015000 | (e) *equine* | **(+)** |
| 1015010 | Muscle | **0,01** |
| 1015020 | Fat tissue | **0,01** |
| 1015030 | Liver | **0,02** |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | **0,02** |
| 1015050 | Edible offals (other than liver and kidney) | **0,02** |
| 1015990 | Others | **0,01** (*) |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | **0,01 (+)** |
| 1016020 | Fat tissue | **0,01 (+)** |
| 1016030 | Liver | **0,02 (+)** |
| 1016040 | Kidney | **0,02 (+)** |
| 1016050 | Edible offals (other than liver and kidney) | **0,02 (+)** |
| 1016990 | Others | 0,01 (*) |
| 1017000 | (g) *other farmed terrestrial animals* | **(+)** |
| 1017010 | Muscle | **0,01** |
| 1017020 | Fat tissue | **0,01** |
| 1017030 | Liver | **0,02** |
| 1017040 | Kidney | **0,02** |
| 1017050 | Edible offals (other than liver and kidney) | **0,02** |
| 1017990 | Others | **0,01** (*) |
| 1020000 | **Milk** | **0,01 (+)** |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | 0,01 (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M127**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,01 (+)** |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,04 (+)** |

▼**M146**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bicyclopyrone (sum of bicyclopyrone and its structurally related metabolites determined as the sum of the common moieties 2-(2-methoxyethoxymethyl)-6-(trifluoromethyl) pyridine-3-carboxylic acid (SYN503780) and (2-(2-hydroxyethoxymethyl)-6- (trifluoromethyl)pyridine-3-carboxylic acid (CSCD686480), expressed as bicyclopyrone) | Triflumezopyrim |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | |
| 0110000 | **Citrus fruits** | | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruits with** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others (2) | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/ Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/ pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | | |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | | |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | **0,03** | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | | |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | | |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | | |
| 0254000 | (d) *watercresses* | | |
| 0255000 | (e) *witloofs/Belgian endives* | | |
| 0256000 | (f) *herbs and edible flowers* | | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | | |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | | |
| 0300000 | **PULSES** | | |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼M146

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | | |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | | |
| 0500010 | Barley | **0,04** | |
| 0500020 | Buckwheat and other pseudo-cereals | **0,02** (*) | |
| 0500030 | Maize/corn | **0,02** (*) | |
| 0500040 | Common millet/proso millet | **0,02** (*) | |
| 0500050 | Oat | **0,02** (*) | |
| 0500060 | Rice | **0,02** (*) | **0,01** |
| 0500070 | Rye | **0,02** (*) | |
| 0500080 | Sorghum | **0,02** (*) | |
| 0500090 | Wheat | **0,04** | |
| 0500990 | Others (2) | **0,02** (*) | |

▼M146

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | | |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | | |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | | |
| 0820010 | Allspice/pimento | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | | |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | | |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | | |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | | |
| 0850000 | **Bud spices** | | |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | | |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | | |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | **0,02** (*) | |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | | **0,01** (*) |
| 1011000 | (a) *swine* | **0,02** (*) | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others (2) | | |
| 1012000 | (b) *bovine* | **0,02** (*) | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others (2) | | |
| 1013000 | (c) *sheep* | **0,02** (*) | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others (2) | | |
| 1014000 | (d) *goat* | **0,02** (*) | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others (2) | | |
| 1015000 | (e) *equine* | **0,02** (*) | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others (2) | | |
| 1016000 | (f) *poultry* | **0,01** (*) | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others (2) | | |
| 1017000 | (g) *other farmed terrestrial animals* | **0,02** (*) | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others (2) | | |
| 1020000 | **Milk** | **0,02** (*) | **0,01** (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | **0,01** (*) | **0,01** (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,02** (*) | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,02** (*) | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,02** (*) | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |

▼**M146**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼**M152**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M194** Chlormequat (sum of chlormequat and its salts, expressed as chlormequat-chloride) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | ►**M194** 0,01 (*) ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | ►**M194** 0,01 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | ►**M194** 0,01 (*) ◄ |
| 0130020 | Pears | ►**M194** 0,07 (+) ◄ |
| 0130030 | Quinces | ►**M194** 0,01 (*) ◄ |
| 0130040 | Medlars | ►**M194** 0,01 (*) ◄ |
| 0130050 | Loquats/Japanese medlars | ►**M194** 0,01 (*) ◄ |
| 0130990 | Others (2) | ►**M194** 0,01 (*) ◄ |
| 0140000 | **Stone fruits** | ►**M194** 0,01 (*) ◄ |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M152**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | ►**M194** 0,05 ◄ |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | ►**M194** 0,01 (*) ◄ |
| 0153000 | (c) *cane fruits* | ►**M194** 0,01 (*) ◄ |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | ►**M194** 0,01 (*) ◄ |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | ►**M194** 0,01 (*) ◄ |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M152**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M194** 0,01 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M152**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | ►**M194** 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | ►**M194** 0,01 (*) ◄ |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M152**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | ►**M194** 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | ►**M194** 0,01 (*) ◄ |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M152**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼M152

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►M194 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | ►M194 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | ►M194 0,9 (+) ◄ |
| 0280020 | Wild fungi | ►M194 0,01 (*) ◄ |
| 0280990 | Mosses and lichens | ►M194 0,01 (*) ◄ |
| 0290000 | **Algae and prokaryotes organisms** | ►M194 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►M194 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼M152

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | ►M194 0,01 (*) ◄ |
| 0401020 | Peanuts/groundnuts | ►M194 0,01 (*) ◄ |
| 0401030 | Poppy seeds | ►M194 0,01 (*) ◄ |
| 0401040 | Sesame seeds | ►M194 0,01 (*) ◄ |
| 0401050 | Sunflower seeds | ►M194 0,01 (*) ◄ |
| 0401060 | Rapeseeds/canola seeds | ►M194 7 (+) ◄ |
| 0401070 | Soyabeans | ►M194 0,01 (*) ◄ |
| 0401080 | Mustard seeds | ►M194 0,01 (*) ◄ |
| 0401090 | Cotton seeds | ►M194 0,7 ◄ |
| 0401100 | Pumpkin seeds | ►M194 0,01 (*) ◄ |
| 0401110 | Safflower seeds | ►M194 0,01 (*) ◄ |
| 0401120 | Borage seeds | ►M194 0,01 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►M194 0,01 (*) ◄ |
| 0401140 | Hemp seeds | ►M194 0,01 (*) ◄ |
| 0401150 | Castor beans | ►M194 0,01 (*) ◄ |
| 0401990 | Others (2) | ►M194 0,01 (*) ◄ |
| 0402000 | **Oil fruits** | ►M194 0,01 (*) ◄ |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | ►M194 7 ◄ |
| 0500020 | Buckwheat and other pseudocereals | ►M194 0,01 (*) ◄ |
| 0500030 | Maize/corn | ►M194 0,01 (*) ◄ |
| 0500040 | Common millet/proso millet | ►M194 0,01 (*) ◄ |
| 0500050 | Oat | ►M194 15 ◄ |
| 0500060 | Rice | ►M194 0,01 (*) ◄ |
| 0500070 | Rye | ►M194 8 ◄ |
| 0500080 | Sorghum | ►M194 0,01 (*) ◄ |
| 0500090 | Wheat | ►M194 7 ◄ |
| 0500990 | Others (2) | ►M194 0,01 (*) ◄ |

▼M152

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M194 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►M194 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►M194 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | ►M194 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M152**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | ►**M194** 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M194** 0,05 (*) ◄ |
| 0840020 | Ginger (10) | ►**M163** — ◄ |
| 0840030 | Turmeric/curcuma | ►**M194** 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | ►**M194** 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►**M194** 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | ►**M194** 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | ►**M194** 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | ►**M194** 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼M152

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | ►M194 0,3 ◄ |
| 1011020 | Fat | ►M194 0,15 ◄ |
| 1011030 | Liver | ►M194 1,5 ◄ |
| 1011040 | Kidney | ►M194 1,5 ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►M194 1,5 ◄ |
| 1011990 | Others (2) | ►M194 0,01 (*) ◄ |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►M194 0,3 ◄ |
| 1012020 | Fat | ►M194 0,15 ◄ |
| 1012030 | Liver | ►M194 1,5 ◄ |
| 1012040 | Kidney | ►M194 1,5 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►M194 1,5 ◄ |
| 1012990 | Others (2) | ►M194 0,01 (*) ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►M194 0,4 ◄ |
| 1013020 | Fat | ►M194 0,15 ◄ |
| 1013030 | Liver | ►M194 1,5 ◄ |
| 1013040 | Kidney | ►M194 2 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►M194 1,5 ◄ |
| 1013990 | Others (2) | ►M194 0,01 (*) ◄ |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | ►M194 0,3 ◄ |
| 1014020 | Fat | ►M194 0,15 ◄ |
| 1014030 | Liver | ►M194 1,5 ◄ |
| 1014040 | Kidney | ►M194 1,5 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►M194 1,5 ◄ |
| 1014990 | Others (2) | ►M194 0,01 (*) ◄ |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | ►M194 0,3 ◄ |
| 1015020 | Fat | ►M194 0,15 ◄ |
| 1015030 | Liver | ►M194 1,5 ◄ |

▼M152

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►M194 1,5 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►M194 1,5 ◄ |
| 1015990 | Others (2) | ►M194 0,01 (*) ◄ |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | ►M194 0,05 ◄ |
| 1016020 | Fat | ►M194 0,05 ◄ |
| 1016030 | Liver | ►M194 0,15 ◄ |
| 1016040 | Kidney | ►M194 0,15 ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►M194 0,15 ◄ |
| 1016990 | Others (2) | ►M194 0,01 (*) ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | ►M194 0,3 ◄ |
| 1017020 | Fat | ►M194 0,15 ◄ |
| 1017030 | Liver | ►M194 1,5 ◄ |
| 1017040 | Kidney | ►M194 1,5 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►M194 1,5 ◄ |
| 1017990 | Others (2) | ►M194 0,01 (*) ◄ |
| 1020000 | **Milk** | ►M194 0,5 ◄ |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | ►M194 0,15 ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | ►M194 0,05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►M194 0,01 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►M194 0,01 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►M194 0,3 ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M152**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼M154

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M172 Mepiquat (sum of mepiquat and its salts, expressed as mepiquat chloride) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | ►M172 0.02 (*) ◄ |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | ►M172 0.05 (*) ◄ |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | ►M172 0.02 (*) ◄ |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | ►M172 0.02 (*) ◄ |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | ►**M172** 0.02 (*) ◄ |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruitswith** | ►**M172** 0.02 (*) ◄ |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | ►**M172** 0.02 (*) ◄ |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | ►**M172** 0.02 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | ►**M172** 0.02 (*) ◄ |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | ►**M172** 0.02 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►**M172** 0.02 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M172** 0.02 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | ►**M172** 0.02 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M172** 0.02 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M172** 0.02 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M172** 0.05 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼M154

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | ►M172 0.02 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | ►M172 0.02 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | ►M172 0.09 (+) ◄ |
| 0280020 | Wild fungi | ►M172 0.02 (*) ◄ |
| 0280990 | Mosses and lichens | ►M172 0.02 (*) ◄ |
| 0290000 | **Algae and prokaryotes organisms** | ►M172 0.02 (*) ◄ |
| 0300000 | **PULSES** | ►M172 0.02 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼M154

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | ►M172 40 ◄ |
| 0401020 | Peanuts/groundnuts | ►M172 0.05 (*) ◄ |
| 0401030 | Poppy seeds | ►M172 40 ◄ |
| 0401040 | Sesame seeds | ►M172 0.05 (*) ◄ |
| 0401050 | Sunflower seeds | ►M172 40 ◄ |
| 0401060 | Rapeseeds/canola seeds | ►M172 15 ◄ |
| 0401070 | Soyabeans | ►M172 0.05 (*) ◄ |
| 0401080 | Mustard seeds | ►M172 40 ◄ |
| 0401090 | Cotton seeds | ►M172 **6** ◄ |
| 0401100 | Pumpkin seeds | ►M172 0.05 (*) ◄ |
| 0401110 | Safflower seeds | ►M172 0.05 (*) ◄ |
| 0401120 | Borage seeds | ►M172 0.05 (*) ◄ |
| 0401130 | Gold of pleasure seeds | ►M172 40 ◄ |
| 0401140 | Hemp seeds | ►M172 0.05 (*) ◄ |
| 0401150 | Castor beans | ►M172 0.05 (*) ◄ |
| 0401990 | Others (2) | ►M172 0.05 (*) ◄ |
| 0402000 | **Oil fruits** | ►M172 0.05 (*) ◄ |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | |
| 0500010 | Barley | ►M172 4 ◄ |
| 0500020 | Buckwheat and other pseudocereals | ►M172 0.02 (*) ◄ |
| 0500030 | Maize/corn | ►M172 0.02 (*) ◄ |
| 0500040 | Common millet/proso millet | ►M172 0.02 (*) ◄ |
| 0500050 | Oat | ►M172 3 ◄ |
| 0500060 | Rice | ►M172 0.02 (*) ◄ |
| 0500070 | Rye | ►M172 3 ◄ |
| 0500080 | Sorghum | ►M172 0.02 (*) ◄ |
| 0500090 | Wheat | ►M172 3 ◄ |
| 0500990 | Others (2) | ►M172 0.02 (*) ◄ |

▼M154

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M172 0.1 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►M172 0.1 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►M172 0.1 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | ►M172 0.1 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | ►**M172** 0.1 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►**M172** 0.1 (*) ◄ |
| 0840020 | Ginger (10) | ►**M172** 0.1 (*) ◄ |
| 0840030 | Turmeric/curcuma | ►**M172** 0.1 (*) ◄ |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | ►**M172** 0.1 (*) ◄ |
| 0850000 | **Bud spices** | ►**M172** 0.1 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | ►**M172** 0.1 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | ►**M172** 0.1 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | ►**M172** 0.02 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼M154

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | ►M172 **0.05** ◄ |
| 1011020 | Fat | ►M172 **0.05** ◄ |
| 1011030 | Liver | ►M172 0.07 ◄ |
| 1011040 | Kidney | ►M172 0.07 ◄ |
| 1011050 | Edible offals (other than liver and kidney) | ►M172 0.05 (*) ◄ |
| 1011990 | Others (2) | ►M172 0.05 (*) ◄ |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | ►M172 0.09 ◄ |
| 1012020 | Fat | ►M172 0.06 ◄ |
| 1012030 | Liver | ►M172 0.5 ◄ |
| 1012040 | Kidney | ►M172 0.8 ◄ |
| 1012050 | Edible offals (other than liver and kidney) | ►M172 0.8 ◄ |
| 1012990 | Others (2) | ►M172 0.05 (*) ◄ |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | ►M172 0.09 ◄ |
| 1013020 | Fat | ►M172 0.06 ◄ |
| 1013030 | Liver | ►M172 0.6 ◄ |
| 1013040 | Kidney | ►M172 0.8 ◄ |
| 1013050 | Edible offals (other than liver and kidney) | ►M172 0.8 ◄ |
| 1013990 | Others (2) | ►M172 0.05 (*) ◄ |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | ►M172 0.09 ◄ |
| 1014020 | Fat | ►M172 0.06 ◄ |
| 1014030 | Liver | ►M172 0.6 ◄ |
| 1014040 | Kidney | ►M172 0.8 ◄ |
| 1014050 | Edible offals (other than liver and kidney) | ►M172 0.8 ◄ |
| 1014990 | Others (2) | ►M172 0.05 (*) ◄ |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | ►M172 0.09 ◄ |
| 1015020 | Fat | ►M172 0.06 ◄ |
| 1015030 | Liver | ►M172 0.5 ◄ |

▼M154

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | ►M172 0.8 ◄ |
| 1015050 | Edible offals (other than liver and kidney) | ►M172 0.8 ◄ |
| 1015990 | Others (2) | ►M172 0.05 (*) ◄ |
| 1016000 | (f) *poultry* | ►M172 — ◄ |
| 1016010 | Muscle | ►M172 **0.05** ◄ |
| 1016020 | Fat | ►M172 **0.05** ◄ |
| 1016030 | Liver | ►M172 **0.05** ◄ |
| 1016040 | Kidney | ►M172 0.05 (*) ◄ |
| 1016050 | Edible offals (other than liver and kidney) | ►M172 0.05 (*) ◄ |
| 1016990 | Others (2) | ►M172 0.05 (*) ◄ |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | ►M172 0.09 ◄ |
| 1017020 | Fat | ►M172 0.06 ◄ |
| 1017030 | Liver | ►M172 0.5 ◄ |
| 1017040 | Kidney | ►M172 0.8 ◄ |
| 1017050 | Edible offals (other than liver and kidney) | ►M172 0.8 ◄ |
| 1017990 | Others (2) | ►M172 0.05 (*) ◄ |
| 1020000 | **Milk** | |
| 1020010 | Cattle | ►M172 0.07 ◄ |
| 1020020 | Sheep | ►M172 0.15 ◄ |
| 1020030 | Goat | ►M172 0.15 ◄ |
| 1020040 | Horse | ►M172 0.07 ◄ |
| 1020990 | Others (2) | ►M172 0.07 ◄ |
| 1030000 | **Birds eggs** | ►M172 0.07 ◄ |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | ►M172 0.05 (*) ◄ |
| 1050000 | **Amphibians and Reptiles** | ►M172 0.05 (*) ◄ |
| 1060000 | **Terrestrial invertebrate animals** | ►M172 0.05 (*) ◄ |
| 1070000 | **Wild terrestrial vertebrate animals** | ►M172 0.05 (*) ◄ |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M154**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M158**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Chlorate (A) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | **0,05** |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | **0,1** |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | **0,05** |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | **0,05** |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | **0,05** |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruitswith** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | **0,3** |
| 0161020 | Figs | **0,3** |
| 0161030 | Table olives | **0,7** |
| 0161040 | Kumquats | **0,3** |
| 0161050 | Carambolas | **0,3** |
| 0161060 | Kaki/Japanese persimmons | **0,3** |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | **0,3** |
| 0161990 | Others (2) | **0,3** |
| 0162000 | (b) *inedible peel, small* | **0,3** |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | **0,3** |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | **0,05** |
| 0212000 | (b) *tropical root and tuber vegetables* | **0,05** |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | **0,15** |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | **0,7** |
| 0220020 | Onions | **0,5** |
| 0220030 | Shallots | **0,5** |
| 0220040 | Spring onions/green onions and Welsh onions | **0,5** |
| 0220990 | Others (2) | **0,05** |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | **0,1** |
| 0231020 | Sweet peppers/bell peppers | **0,3** |
| 0231030 | Aubergines/eggplants | **0,4** |
| 0231040 | Okra/lady's fingers | **0,1** |
| 0231990 | Others (2) | **0,1** |
| 0232000 | (b) *cucurbits with edible peel* | **0,2** |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | **0,08** |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | **0,1** |
| 0239000 | (e) *other fruiting vegetables* | **0,1** |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | **0,4** |
| 0241020 | Cauliflowers | **0,06** |
| 0241990 | Others (2) | **0,06** |
| 0242000 | (b) *head brassica* | **0,07** |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | **0,06** |
| 0243020 | Kales | **0,2** |
| 0243990 | Others (2) | **0,06** |
| 0244000 | (d) *kohlrabies* | **0,06** |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | **0,7** |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼M158

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,35** |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | **0,25** |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | **0,7** |
| 0280020 | Wild fungi | **0,7** |
| 0280990 | Mosses and lichens | **0,05** |
| 0290000 | **Algae and prokaryotes organisms** | **0,05** |
| 0300000 | **PULSES** | **0,35** |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼M158

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | |
| 0401000 | **Oilseeds** | **0,05** |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | **0,7** |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,05** |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,07** |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,07** |
| 0820010 | Allspice/pimento | |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,07** |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,07** |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | **0,07** |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,07** |
| 0850000 | **Bud spices** | **0,07** |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,07** |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,07** |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,05** |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | **0,05** |
| 1011020 | Fat | **0,1** (*) |
| 1011030 | Liver | **0,05** |
| 1011040 | Kidney | **0,05** |
| 1011050 | Edible offals (other than liver and kidney) | **0,05** |
| 1011990 | Others (2) | **0,05** |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | **0,05** |
| 1012020 | Fat | **0,1** (*) |
| 1012030 | Liver | **0,05** |
| 1012040 | Kidney | **0,05** |
| 1012050 | Edible offals (other than liver and kidney) | **0,05** |
| 1012990 | Others (2) | **0,05** |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | **0,05** |
| 1013020 | Fat | **0,1** (*) |
| 1013030 | Liver | **0,05** |
| 1013040 | Kidney | **0,05** |
| 1013050 | Edible offals (other than liver and kidney) | **0,05** |
| 1013990 | Others (2) | **0,05** |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | **0,05** |
| 1014020 | Fat | **0,1** (*) |
| 1014030 | Liver | **0,05** |
| 1014040 | Kidney | **0,05** |
| 1014050 | Edible offals (other than liver and kidney) | **0,05** |
| 1014990 | Others (2) | **0,05** |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | **0,05** |
| 1015020 | Fat | **0,1** (*) |
| 1015030 | Liver | **0,05** |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | **0,05** |
| 1015050 | Edible offals (other than liver and kidney) | **0,05** |
| 1015990 | Others (2) | **0,05** |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | **0,05** |
| 1016020 | Fat | **0,1** (*) |
| 1016030 | Liver | **0,05** |
| 1016040 | Kidney | **0,05** |
| 1016050 | Edible offals (other than liver and kidney) | **0,05** |
| 1016990 | Others (2) | **0,05** |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | **0,05** |
| 1017020 | Fat | **0,1** (*) |
| 1017030 | Liver | **0,05** |
| 1017040 | Kidney | **0,05** |
| 1017050 | Edible offals (other than liver and kidney) | **0,05** |
| 1017990 | Others (2) | **0,05** |
| 1020000 | **Milk** | **0,1** |
| 1020010 | Cattle | **(+)** |
| 1020020 | Sheep | **(+)** |
| 1020030 | Goat | **(+)** |
| 1020040 | Horse | **(+)** |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,05** |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,05** |
| 1060000 | **Terrestrial invertebrate animals** | **0,05** |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,05** |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M158**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M166**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M209** Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | ►**M209** 0,01 (*) ◄ |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruitswith** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | ►M209 **0,35 (+)** ◄ |
| 0212000 | (b) *tropical root and tuber vegetables* | ►M209 0,01 (*) ◄ |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | ►M209 0,01 (*) ◄ |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | ►M209 0,01 (*) ◄ |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | ►M209 0,01 (*) ◄ |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | ►M209 0,01 (*) ◄ |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | ►M209 0,01 (*) ◄ |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M166**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►**M209** Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | ►**M209** 0,01 (*) ◄ |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | ►**M209** 0,01 (*) ◄ |
| 0254000 | (d) *watercresses* | ►**M209** 0,01 (*) ◄ |
| 0255000 | (e) *witloofs/Belgian endives* | ►**M209** 0,01 (*) ◄ |
| 0256000 | (f) *herbs and edible flowers* | ►**M209** 0,02 (*) ◄ |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0260000 | **Legume vegetables** | ►M209 0,01 (*) ◄ |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | ►M209 0,01 (*) ◄ |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | ►M209 0,01 (*) ◄ |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | ►M209 0,01 (*) ◄ |
| 0300000 | **PULSES** | ►M209 0,01 (*) ◄ |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | ►M209 0,01 (*) ◄ |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | ►M209 0,01 (*) ◄ |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | ►M209 0,05 (*) ◄ |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | ►M209 0,05 (*) ◄ |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | ►M209 0,05 (*) ◄ |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | ►M209 0,05 (*) ◄ |
| 0820010 | Allspice/pimento | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | ►M209 0,05 (*) ◄ |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | ►M209 0,05 (*) ◄ |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | ►M209 0,05 (*) ◄ |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | ►M209 0,05 (*) ◄ |
| 0850000 | **Bud spices** | ►M209 0,05 (*) ◄ |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | ►M209 0,05 (*) ◄ |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | ►M209 0,05 (*) ◄ |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | ►M209 0,01 (*) ◄ |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | ►M209 0,05 (*) ◄ |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | |
| 1050000 | **Amphibians and Reptiles** | |
| 1060000 | **Terrestrial invertebrate animals** | |
| 1070000 | **Wild terrestrial vertebrate animals** | |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M209 Chlorpropham (R) (F) ◄ |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼M2

►M5 [1] The MRLs account for residues due to natural occurrence of furfural, with the exception of those set for Codes 0231010 and 0231020. ◄

[a] For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(*) Limit of analytical determination.

►M8 (***) Pesticide-code combination for which the MRL as set in Annex III Part B applies. ◄

►M41 (****) Pesticide-code combination for which the MRL as set in Annex V applies. ◄

[F] = Fat soluble

[R] = The residue definition differs for the following combinations pesticide-code number:

Fenpropidin — code 1000000: Sum of fenpropidin and CGA289267 expressed as fenpropidin

▼M219

**Nicotine**

Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 22 February 2030, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0154050** | **Rose hips** |
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leaves** |
| **0256100** | **Tarragon** |
| **0256990** | **Others (2)** |
| **0630000** | **Herbal infusions from** |
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others (2)** |
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |

▼M219

| | |
|---|---|
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0639000** | **(d) any other parts of the plant** |
| **0800000** | **SPICES** |
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others (2)** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black, green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others (2)** |
| **0830000** | **Bark spices** |
| **0830010** | **Cinnamon** |
| **0830990** | **Others (2)** |
| **0840000** | **Root and rhizome spices** |
| **0840010** | **Liquorice** |
| **0840030** | **Turmeric/curcuma** |
| **0840990** | **Others (2)** |
| **0850000** | **Bud spices** |
| **0850010** | **Cloves** |
| **0850020** | **Capers** |
| **0850990** | **Others (2)** |
| **0860000** | **Flower pistil spices** |
| **0860010** | **Saffron** |
| **0860990** | **Others (2)** |
| **0870000** | **Aril spices** |
| **0870010** | **Mace** |
| **0870990** | **Others (2)** |

▼M219

The following MRLs apply to dried wild mushrooms: 2,3 mg/kg for ceps, 1,2 mg/kg for dried wild mushrooms other than ceps. Recent monitoring data show that residues of nicotine occurs in dried ceps and dried wild mushrooms other than ceps. Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 25 July 2029, or, if that information is not submitted by that date, the lack of it.

**0280020** **Wild fungi**

Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. Temporary MRL valid until 22 February 2026. After this date the MRL will be 0,4 mg/kg unless further modified by a Regulation in light of new information provided by 30 June 2025 at the latest.

**0610000** **Teas**

▼M61

**Isoprothiolane**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼M80

**Isopyrazam**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼M75

**Dicamba**

(+) The following MRL applies to dicamba-tolerant soya bean: 0,4 mg/kg of 3,6-dichloro-salicylic acid (DCSA) and its conjugates, expressed as DCSA.

**0401070** **Soya bean**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼M61

**Saflufenacil (sum of saflufenacil, M800H11 and M800H35, expressed as saflufenacil) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Saflufenacil-code 1000000 except 1040000: Saflufenacil

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼M209

**Benzalkonium chloride (mixture of alkylbenzyldimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18)**

These MRLs shall be reviewed by 22 February 2030. Reassessment of data may lead to modification of MRLs.

▼M209

| | |
|---|---|
| **0100000** | **FRUITS FRESH or FROZEN; TREE NUTS** |
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others (2)** |
| **0120000** | **Tree nuts** |
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |
| **0120070** | **Macadamias** |
| **0120080** | **Pecans** |
| **0120090** | **Pine nut kernels** |
| **0120100** | **Pistachios** |
| **0120110** | **Walnuts** |
| **0120990** | **Others (2)** |
| **0130000** | **Pome fruits** |
| **0130010** | **Apples** |
| **0130020** | **Pears** |
| **0130030** | **Quinces** |
| **0130040** | **Medlars** |
| **0130050** | **Loquats/Japanese medlars** |
| **0130990** | **Others (2)** |
| **0140000** | **Stone fruits** |
| **0140010** | **Apricots** |
| **0140020** | **Cherries (sweet)** |
| **0140030** | **Peaches** |
| **0140040** | **Plums** |
| **0140990** | **Others (2)** |
| **0150000** | **Berries and small fruits** |
| **0151000** | **(a) grapes** |
| **0151010** | **Table grapes** |
| **0151020** | **Wine grapes** |
| **0152000** | **(b) strawberries** |
| **0153000** | **(c) cane fruits** |
| **0153010** | **Blackberries** |
| **0153020** | **Dewberries** |
| **0153030** | **Raspberries (red and yellow)** |
| **0153990** | **Others (2)** |

▼M209

| | |
|---|---|
| 0154000 | (d) other small fruits and berries |
| 0154010 | Blueberries |
| 0154020 | Cranberries |
| 0154030 | Currants (black red and white) |
| 0154040 | Gooseberries (green red and yellow) |
| 0154050 | Rose hips |
| 0154060 | Mulberries (black and white) |
| 0154070 | Azaroles/Mediterranean medlars |
| 0154080 | Elderberries |
| 0154990 | Others (2) |
| 0160000 | Miscellaneous fruitswith |
| 0161000 | (a) edible peel |
| 0161010 | Dates |
| 0161020 | Figs |
| 0161030 | Table olives |
| 0161040 | Kumquats |
| 0161050 | Carambolas |
| 0161060 | Kaki/Japanese persimmons |
| 0161070 | Jambuls/jambolans |
| 0161990 | Others (2) |
| 0162000 | (b) inedible peel small |
| 0162010 | Kiwi fruits (green red yellow) |
| 0162020 | Litchis/lychees |
| 0162030 | Passionfruits/maracujas |
| 0162040 | Prickly pears/cactus fruits |
| 0162050 | Star apples/cainitos |
| 0162060 | American persimmons/Virginia kaki |
| 0162990 | Others (2) |
| 0163000 | (c) inedible peel large |
| 0163010 | Avocados |
| 0163020 | Bananas |
| 0163030 | Mangoes |
| 0163040 | Papayas |
| 0163050 | Granate apples/pomegranates |
| 0163060 | Cherimoyas |
| 0163070 | Guavas |
| 0163080 | Pineapples |
| 0163090 | Breadfruits |
| 0163100 | Durians |
| 0163110 | Soursops/guanabanas |
| 0163990 | Others (2) |
| 0200000 | VEGETABLES FRESH or FROZEN |
| 0210000 | Root and tuber vegetables |
| 0211000 | (a) potatoes |

▼**M209**

| | |
|---|---|
| **0212000** | **(b) tropical root and tuber vegetables** |
| **0212010** | **Cassava roots/manioc** |
| **0212020** | **Sweet potatoes** |
| **0212030** | **Yams** |
| **0212040** | **Arrowroots** |
| **0212990** | **Others (2)** |
| **0213000** | **(c) other root and tuber vegetables except sugar beets** |
| **0213010** | **Beetroots** |
| **0213020** | **Carrots** |
| **0213030** | **Celeriacs/turnip rooted celeries** |
| **0213040** | **Horseradishes** |
| **0213050** | **Jerusalem artichokes** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley roots/Hamburg roots parsley** |
| **0213080** | **Radishes** |
| **0213090** | **Salsifies** |
| **0213100** | **Swedes/rutabagas** |
| **0213110** | **Turnips** |
| **0213990** | **Others (2)** |
| **0220000** | **Bulb vegetables** |
| **0220010** | **Garlic** |
| **0220020** | **Onions** |
| **0220030** | **Shallots** |
| **0220040** | **Spring onions/green onions and Welsh onions** |
| **0220990** | **Others (2)** |
| **0230000** | **Fruiting vegetables** |
| **0231000** | **(a) Solanaceae and Malvaceae** |
| **0231010** | **Tomatoes** |
| **0231020** | **Sweet peppers/bell peppers** |
| **0231030** | **Aubergines/eggplants** |
| **0231040** | **Okra/lady's fingers** |
| **0231990** | **Others (2)** |
| **0232000** | **(b) cucurbits with edible peel** |
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes** |
| **0232990** | **Others (2)** |
| **0233000** | **(c) cucurbits with inedible peel** |
| **0233010** | **Melons** |
| **0233020** | **Pumpkins** |
| **0233030** | **Watermelons** |
| **0233990** | **Others (2)** |
| **0234000** | **(d) sweet corn** |
| **0239000** | **(e) other fruiting vegetables** |

▼M209

| | |
|---|---|
| **0240000** | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** |
| **0241000** | **(a) flowering brassica** |
| **0241010** | **Broccoli** |
| **0241020** | **Cauliflowers** |
| **0241990** | **Others (2)** |
| **0242000** | **(b) head brassica** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbages** |
| **0242990** | **Others (2)** |
| **0243000** | **(c) leafy brassica** |
| **0243010** | **Chinese cabbages/pe-tsai** |
| **0243020** | **Kales** |
| **0243990** | **Others (2)** |
| **0244000** | **(d) kohlrabies** |
| **0250000** | **Leaf vegetables herbs and edible flowers** |
| **0251000** | **(a) lettuces and salad plants** |
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0251990** | **Others (2)** |
| **0252000** | **(b) spinaches and similar leaves** |
| **0252010** | **Spinaches** |
| **0252020** | **Purslanes** |
| **0252030** | **Chards/beet leaves** |
| **0252990** | **Others (2)** |
| **0253000** | **(c) grape leaves and similar species** |
| **0254000** | **(d) watercresses** |
| **0255000** | **(e) witloofs/Belgian endives** |
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leaves** |
| **0256100** | **Tarragon** |

▼M209

| | |
|---|---|
| 0256990 | Others (2) |
| 0260000 | Legume vegetables |
| 0260010 | Beans (with pods) |
| 0260020 | Beans (without pods) |
| 0260030 | Peas (with pods) |
| 0260040 | Peas (without pods) |
| 0260050 | Lentils |
| 0260990 | Others (2) |
| 0270000 | Stem vegetables |
| 0270010 | Asparagus |
| 0270020 | Cardoons |
| 0270030 | Celeries |
| 0270040 | Florence fennels |
| 0270050 | Globe artichokes |
| 0270060 | Leeks |
| 0270070 | Rhubarbs |
| 0270080 | Bamboo shoots |
| 0270090 | Palm hearts |
| 0270990 | Others (2) |
| 0280000 | Fungi mosses and lichens |
| 0280010 | Cultivated fungi |
| 0280020 | Wild fungi |
| 0280990 | Mosses and lichens |
| 0290000 | Algae and prokaryotes organisms |
| 0300000 | PULSES |
| 0300010 | Beans |
| 0300020 | Lentils |
| 0300030 | Peas |
| 0300040 | Lupins/lupini beans |
| 0300990 | Others (2) |
| 0400000 | OILSEEDS AND OIL FRUITS |
| 0401000 | Oilseeds |
| 0401010 | Linseeds |
| 0401020 | Peanuts/groundnuts |
| 0401030 | Poppy seeds |
| 0401040 | Sesame seeds |
| 0401050 | Sunflower seeds |
| 0401060 | Rapeseeds/canola seeds |
| 0401070 | Soyabeans |
| 0401080 | Mustard seeds |
| 0401090 | Cotton seeds |
| 0401100 | Pumpkin seeds |
| 0401110 | Safflower seeds |
| 0401120 | Borage seeds |

▼M209

| | |
|---|---|
| 0401130 | Gold of pleasure seeds |
| 0401140 | Hemp seeds |
| 0401150 | Castor beans |
| 0401990 | Others (2) |
| 0402000 | Oil fruits |
| 0402010 | Olives for oil production |
| 0402020 | Oil palms kernels |
| 0402030 | Oil palms fruits |
| 0402040 | Kapok |
| 0402990 | Others (2) |
| 0500000 | CEREALS |
| 0500010 | Barley |
| 0500020 | Buckwheat and other pseudocereals |
| 0500030 | Maize/corn |
| 0500040 | Common millet/proso millet |
| 0500050 | Oat |
| 0500060 | Rice |
| 0500070 | Rye |
| 0500080 | Sorghum |
| 0500090 | Wheat |
| 0500990 | Others (2) |
| 0600000 | TEAS COFFEE HERBAL INFUSIONS COCOA AND CAROBS |
| 0610000 | Teas |
| 0620000 | Coffee beans |
| 0630000 | Herbal infusions from |
| 0631000 | (a) flowers |
| 0631010 | Chamomile |
| 0631020 | Hibiscus/roselle |
| 0631030 | Rose |
| 0631040 | Jasmine |
| 0631050 | Lime/linden |
| 0631990 | Others (2) |
| 0632000 | (b) leaves and herbs |
| 0632010 | Strawberry |
| 0632020 | Rooibos |
| 0632030 | Mate/maté |
| 0632990 | Others (2) |
| 0633000 | (c) roots |
| 0633010 | Valerian |
| 0633020 | Ginseng |
| 0633990 | Others (2) |
| 0639000 | (d) any other parts of the plant |
| 0640000 | Cocoa beans |
| 0650000 | Carobs/Saint John's breads |

▼**M209**

| | |
|---|---|
| **0700000** | **HOPS** |
| **0800000** | **SPICES** |
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others (2)** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berry** |
| **0820060** | **Peppercorn (black green and white)** |
| **0820070** | **Vanilla** |
| **0820080** | **Tamarind** |
| **0820990** | **Others (2)** |
| **0830000** | **Bark spices** |
| **0830010** | **Cinnamon** |
| **0830990** | **Others (2)** |
| **0840000** | **Root and rhizome spices** |
| **0840010** | **Liquorice** |
| **0840030** | **Turmeric/curcuma** |
| **0840990** | **Others (2)** |
| **0850000** | **Bud spices** |
| **0850010** | **Cloves** |
| **0850020** | **Capers** |
| **0850990** | **Others (2)** |
| **0860000** | **Flower pistil spices** |
| **0860010** | **Saffron** |
| **0860990** | **Others (2)** |
| **0870000** | **Aril spices** |
| **0870010** | **Mace** |
| **0870990** | **Others (2)** |
| **0900000** | **SUGAR PLANTS** |
| **0900010** | **Sugar beet roots** |
| **0900020** | **Sugar canes** |
| **0900030** | **Chicory roots** |

▼M209

| | |
|---|---|
| 0900990 | Others (2) |
| 1000000 | PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS |
| 1010000 | Commodities from |
| 1011000 | (a) swine |
| 1011010 | Muscle |
| 1011020 | Fat |
| 1011030 | Liver |
| 1011040 | Kidney |
| 1011050 | Edible offals (other than liver and kidney) |
| 1011990 | Others (2) |
| 1012000 | (b) bovine |
| 1012010 | Muscle |
| 1012020 | Fat |
| 1012030 | Liver |
| 1012040 | Kidney |
| 1012050 | Edible offals (other than liver and kidney) |
| 1012990 | Others (2) |
| 1013000 | (c) sheep |
| 1013010 | Muscle |
| 1013020 | Fat |
| 1013030 | Liver |
| 1013040 | Kidney |
| 1013050 | Edible offals (other than liver and kidney) |
| 1013990 | Others (2) |
| 1014000 | (d) goat |
| 1014010 | Muscle |
| 1014020 | Fat |
| 1014030 | Liver |
| 1014040 | Kidney |
| 1014050 | Edible offals (other than liver and kidney) |
| 1014990 | Others (2) |
| 1015000 | (e) equine |
| 1015010 | Muscle |
| 1015020 | Fat |
| 1015030 | Liver |
| 1015040 | Kidney |
| 1015050 | Edible offals (other than liver and kidney) |
| 1015990 | Others (2) |
| 1016000 | (f) poultry |
| 1016010 | Muscle |
| 1016020 | Fat |
| 1016030 | Liver |
| 1016040 | Kidney |
| 1016050 | Edible offals (other than liver and kidney) |

▼M209

| | |
|---|---|
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |
| **1040000** | **Honey and other apiculture products (7)** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

**Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12)**

These MRLs shall be reviewed by 22 February 2030. Reassessment of data may lead to modification of MRLs.

| | |
|---|---|
| **0100000** | **FRUITS FRESH or FROZEN; TREE NUTS** |
| **0110000** | **Citrus fruits** |
| **0110010** | **Grapefruits** |
| **0110020** | **Oranges** |
| **0110030** | **Lemons** |
| **0110040** | **Limes** |
| **0110050** | **Mandarins** |
| **0110990** | **Others (2)** |
| **0120000** | **Tree nuts** |
| **0120010** | **Almonds** |
| **0120020** | **Brazil nuts** |
| **0120030** | **Cashew nuts** |
| **0120040** | **Chestnuts** |
| **0120050** | **Coconuts** |
| **0120060** | **Hazelnuts/cobnuts** |
| **0120070** | **Macadamias** |

▼M209

| | |
|---|---|
| 0120080 | Pecans |
| 0120090 | Pine nut kernels |
| 0120100 | Pistachios |
| 0120110 | Walnuts |
| 0120990 | Others (2) |
| 0130000 | Pome fruits |
| 0130010 | Apples |
| 0130020 | Pears |
| 0130030 | Quinces |
| 0130040 | Medlars |
| 0130050 | Loquats/Japanese medlars |
| 0130990 | Others (2) |
| 0140000 | Stone fruits |
| 0140010 | Apricots |
| 0140020 | Cherries (sweet) |
| 0140030 | Peaches |
| 0140040 | Plums |
| 0140990 | Others (2) |
| 0150000 | Berries and small fruits |
| 0151000 | (a) grapes |
| 0151010 | Table grapes |
| 0151020 | Wine grapes |
| 0152000 | (b) strawberries |
| 0153000 | (c) cane fruits |
| 0153010 | Blackberries |
| 0153020 | Dewberries |
| 0153030 | Raspberries (red and yellow) |
| 0153990 | Others (2) |
| 0154000 | (d) other small fruits and berries |
| 0154010 | Blueberries |
| 0154020 | Cranberries |
| 0154030 | Currants (black red and white) |
| 0154040 | Gooseberries (green red and yellow) |
| 0154050 | Rose hips |
| 0154060 | Mulberries (black and white) |
| 0154070 | Azaroles/Mediterranean medlars |
| 0154080 | Elderberries |
| 0154990 | Others (2) |
| 0160000 | Miscellaneous fruitswith |
| 0161000 | (a) edible peel |
| 0161010 | Dates |
| 0161020 | Figs |
| 0161030 | Table olives |
| 0161040 | Kumquats |

▼M209

| | |
|---|---|
| 0161050 | Carambolas |
| 0161060 | Kaki/Japanese persimmons |
| 0161070 | Jambuls/jambolans |
| 0161990 | Others (2) |
| 0162000 | (b) inedible peel small |
| 0162010 | Kiwi fruits (green red yellow) |
| 0162020 | Litchis/lychees |
| 0162030 | Passionfruits/maracujas |
| 0162040 | Prickly pears/cactus fruits |
| 0162050 | Star apples/cainitos |
| 0162060 | American persimmons/Virginia kaki |
| 0162990 | Others (2) |
| 0163000 | (c) inedible peel large |
| 0163010 | Avocados |
| 0163020 | Bananas |
| 0163030 | Mangoes |
| 0163040 | Papayas |
| 0163050 | Granate apples/pomegranates |
| 0163060 | Cherimoyas |
| 0163070 | Guavas |
| 0163080 | Pineapples |
| 0163090 | Breadfruits |
| 0163100 | Durians |
| 0163110 | Soursops/guanabanas |
| 0163990 | Others (2) |
| 0200000 | VEGETABLES FRESH or FROZEN |
| 0210000 | Root and tuber vegetables |
| 0211000 | (a) potatoes |
| 0212000 | (b) tropical root and tuber vegetables |
| 0212010 | Cassava roots/manioc |
| 0212020 | Sweet potatoes |
| 0212030 | Yams |
| 0212040 | Arrowroots |
| 0212990 | Others (2) |
| 0213000 | (c) other root and tuber vegetables except sugar beets |
| 0213010 | Beetroots |
| 0213020 | Carrots |
| 0213030 | Celeriacs/turnip rooted celeries |
| 0213040 | Horseradishes |
| 0213050 | Jerusalem artichokes |
| 0213060 | Parsnips |
| 0213070 | Parsley roots/Hamburg roots parsley |
| 0213080 | Radishes |
| 0213090 | Salsifies |

▼M209

| | |
|---|---|
| 0213100 | Swedes/rutabagas |
| 0213110 | Turnips |
| 0213990 | Others (2) |
| 0220000 | Bulb vegetables |
| 0220010 | Garlic |
| 0220020 | Onions |
| 0220030 | Shallots |
| 0220040 | Spring onions/green onions and Welsh onions |
| 0220990 | Others (2) |
| 0230000 | Fruiting vegetables |
| 0231000 | (a) Solanaceae and Malvaceae |
| 0231010 | Tomatoes |
| 0231020 | Sweet peppers/bell peppers |
| 0231030 | Aubergines/eggplants |
| 0231040 | Okra/lady's fingers |
| 0231990 | Others (2) |
| 0232000 | (b) cucurbits with edible peel |
| 0232010 | Cucumbers |
| 0232020 | Gherkins |
| 0232030 | Courgettes |
| 0232990 | Others (2) |
| 0233000 | (c) cucurbits with inedible peel |
| 0233010 | Melons |
| 0233020 | Pumpkins |
| 0233030 | Watermelons |
| 0233990 | Others (2) |
| 0234000 | (d) sweet corn |
| 0239000 | (e) other fruiting vegetables |
| 0240000 | Brassica vegetables(excluding brassica roots and brassica baby leaf crops) |
| 0241000 | (a) flowering brassica |
| 0241010 | Broccoli |
| 0241020 | Cauliflowers |
| 0241990 | Others (2) |
| 0242000 | (b) head brassica |
| 0242010 | Brussels sprouts |
| 0242020 | Head cabbages |
| 0242990 | Others (2) |
| 0243000 | (c) leafy brassica |
| 0243010 | Chinese cabbages/pe-tsai |
| 0243020 | Kales |
| 0243990 | Others (2) |
| 0244000 | (d) kohlrabies |
| 0250000 | Leaf vegetables herbs and edible flowers |
| 0251000 | (a) lettuces and salad plants |

▼**M209**

| | |
|---|---|
| **0251010** | **Lamb's lettuces/corn salads** |
| **0251020** | **Lettuces** |
| **0251030** | **Escaroles/broad-leaved endives** |
| **0251040** | **Cresses and other sprouts and shoots** |
| **0251050** | **Land cresses** |
| **0251060** | **Roman rocket/rucola** |
| **0251070** | **Red mustards** |
| **0251080** | **Baby leaf crops (including brassica species)** |
| **0251990** | **Others (2)** |
| **0252000** | **(b) spinaches and similar leaves** |
| **0252010** | **Spinaches** |
| **0252020** | **Purslanes** |
| **0252030** | **Chards/beet leaves** |
| **0252990** | **Others (2)** |
| **0253000** | **(c) grape leaves and similar species** |
| **0254000** | **(d) watercresses** |
| **0255000** | **(e) witloofs/Belgian endives** |
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leaves** |
| **0256100** | **Tarragon** |
| **0256990** | **Others (2)** |
| **0260000** | **Legume vegetables** |
| **0260010** | **Beans (with pods)** |
| **0260020** | **Beans (without pods)** |
| **0260030** | **Peas (with pods)** |
| **0260040** | **Peas (without pods)** |
| **0260050** | **Lentils** |
| **0260990** | **Others (2)** |
| **0270000** | **Stem vegetables** |
| **0270010** | **Asparagus** |
| **0270020** | **Cardoons** |
| **0270030** | **Celeries** |
| **0270040** | **Florence fennels** |
| **0270050** | **Globe artichokes** |
| **0270060** | **Leeks** |
| **0270070** | **Rhubarbs** |

▼M209

| | |
|---|---|
| 0270080 | Bamboo shoots |
| 0270090 | Palm hearts |
| 0270990 | Others (2) |
| 0280000 | Fungi mosses and lichens |
| 0280010 | Cultivated fungi |
| 0280020 | Wild fungi |
| 0280990 | Mosses and lichens |
| 0290000 | Algae and prokaryotes organisms |
| 0300000 | PULSES |
| 0300010 | Beans |
| 0300020 | Lentils |
| 0300030 | Peas |
| 0300040 | Lupins/lupini beans |
| 0300990 | Others (2) |
| 0400000 | OILSEEDS AND OIL FRUITS |
| 0401000 | Oilseeds |
| 0401010 | Linseeds |
| 0401020 | Peanuts/groundnuts |
| 0401030 | Poppy seeds |
| 0401040 | Sesame seeds |
| 0401050 | Sunflower seeds |
| 0401060 | Rapeseeds/canola seeds |
| 0401070 | Soyabeans |
| 0401080 | Mustard seeds |
| 0401090 | Cotton seeds |
| 0401100 | Pumpkin seeds |
| 0401110 | Safflower seeds |
| 0401120 | Borage seeds |
| 0401130 | Gold of pleasure seeds |
| 0401140 | Hemp seeds |
| 0401150 | Castor beans |
| 0401990 | Others (2) |
| 0402000 | Oil fruits |
| 0402010 | Olives for oil production |
| 0402020 | Oil palms kernels |
| 0402030 | Oil palms fruits |
| 0402040 | Kapok |
| 0402990 | Others (2) |
| 0500000 | CEREALS |
| 0500010 | Barley |
| 0500020 | Buckwheat and other pseudocereals |
| 0500030 | Maize/corn |
| 0500040 | Common millet/proso millet |
| 0500050 | Oat |

▼M209

| | |
|---|---|
| **0500060** | **Rice** |
| **0500070** | **Rye** |
| **0500080** | **Sorghum** |
| **0500090** | **Wheat** |
| **0500990** | **Others (2)** |
| **0600000** | **TEAS COFFEE HERBAL INFUSIONS COCOA AND CAROBS** |
| **0610000** | **Teas** |
| **0620000** | **Coffee beans** |
| **0630000** | **Herbal infusions from** |
| **0631000** | **(a) flowers** |
| **0631010** | **Chamomile** |
| **0631020** | **Hibiscus/roselle** |
| **0631030** | **Rose** |
| **0631040** | **Jasmine** |
| **0631050** | **Lime/linden** |
| **0631990** | **Others (2)** |
| **0632000** | **(b) leaves and herbs** |
| **0632010** | **Strawberry** |
| **0632020** | **Rooibos** |
| **0632030** | **Mate/maté** |
| **0632990** | **Others (2)** |
| **0633000** | **(c) roots** |
| **0633010** | **Valerian** |
| **0633020** | **Ginseng** |
| **0633990** | **Others (2)** |
| **0639000** | **(d) any other parts of the plant** |
| **0640000** | **Cocoa beans** |
| **0650000** | **Carobs/Saint John's breads** |
| **0700000** | **HOPS** |
| **0800000** | **SPICES** |
| **0810000** | **Seed spices** |
| **0810010** | **Anise/aniseed** |
| **0810020** | **Black caraway/black cumin** |
| **0810030** | **Celery** |
| **0810040** | **Coriander** |
| **0810050** | **Cumin** |
| **0810060** | **Dill** |
| **0810070** | **Fennel** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others (2)** |
| **0820000** | **Fruit spices** |
| **0820010** | **Allspice/pimento** |
| **0820020** | **Sichuan pepper** |

▼M209

| | |
|---|---|
| 0820030 | Caraway |
| 0820040 | Cardamom |
| 0820050 | Juniper berry |
| 0820060 | Peppercorn (black green and white) |
| 0820070 | Vanilla |
| 0820080 | Tamarind |
| 0820990 | Others (2) |
| 0830000 | Bark spices |
| 0830010 | Cinnamon |
| 0830990 | Others (2) |
| 0840000 | Root and rhizome spices |
| 0840010 | Liquorice |
| 0840030 | Turmeric/curcuma |
| 0840990 | Others (2) |
| 0850000 | Bud spices |
| 0850010 | Cloves |
| 0850020 | Capers |
| 0850990 | Others (2) |
| 0860000 | Flower pistil spices |
| 0860010 | Saffron |
| 0860990 | Others (2) |
| 0870000 | Aril spices |
| 0870010 | Mace |
| 0870990 | Others (2) |
| 0900000 | SUGAR PLANTS |
| 0900010 | Sugar beet roots |
| 0900020 | Sugar canes |
| 0900030 | Chicory roots |
| 0900990 | Others (2) |
| 1000000 | PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS |
| 1010000 | Commodities from |
| 1011000 | (a) swine |
| 1011010 | Muscle |
| 1011020 | Fat |
| 1011030 | Liver |
| 1011040 | Kidney |
| 1011050 | Edible offals (other than liver and kidney) |
| 1011990 | Others (2) |
| 1012000 | (b) bovine |
| 1012010 | Muscle |
| 1012020 | Fat |
| 1012030 | Liver |
| 1012040 | Kidney |
| 1012050 | Edible offals (other than liver and kidney) |

▼M209

| | |
|---|---|
| **1012990** | **Others (2)** |
| **1013000** | **(c) sheep** |
| **1013010** | **Muscle** |
| **1013020** | **Fat** |
| **1013030** | **Liver** |
| **1013040** | **Kidney** |
| **1013050** | **Edible offals (other than liver and kidney)** |
| **1013990** | **Others (2)** |
| **1014000** | **(d) goat** |
| **1014010** | **Muscle** |
| **1014020** | **Fat** |
| **1014030** | **Liver** |
| **1014040** | **Kidney** |
| **1014050** | **Edible offals (other than liver and kidney)** |
| **1014990** | **Others (2)** |
| **1015000** | **(e) equine** |
| **1015010** | **Muscle** |
| **1015020** | **Fat** |
| **1015030** | **Liver** |
| **1015040** | **Kidney** |
| **1015050** | **Edible offals (other than liver and kidney)** |
| **1015990** | **Others (2)** |
| **1016000** | **(f) poultry** |
| **1016010** | **Muscle** |
| **1016020** | **Fat** |
| **1016030** | **Liver** |
| **1016040** | **Kidney** |
| **1016050** | **Edible offals (other than liver and kidney)** |
| **1016990** | **Others (2)** |
| **1017000** | **(g) other farmed terrestrial animals** |
| **1017010** | **Muscle** |
| **1017020** | **Fat** |
| **1017030** | **Liver** |
| **1017040** | **Kidney** |
| **1017050** | **Edible offals (other than liver and kidney)** |
| **1017990** | **Others (2)** |
| **1020000** | **Milk** |
| **1020010** | **Cattle** |
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |
| **1020990** | **Others (2)** |
| **1030000** | **Birds eggs** |
| **1030010** | **Chicken** |

▼M209

| | |
|---|---|
| **1030020** | **Duck** |
| **1030030** | **Geese** |
| **1030040** | **Quail** |
| **1030990** | **Others (2)** |
| **1040000** | **Honey and other apiculture products (7)** |
| **1050000** | **Amphibians and Reptiles** |
| **1060000** | **Terrestrial invertebrate animals** |
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M146

**Difenoconazole**

(R) = The residue definition differs for the following combinations pesticide-code number:

Fluopyram - code 1000000 except 1040000: sum fluopyram and fluopyram-benzamide (M25) expressed as fluopyram

▼M70

**Malathion (sum of malathion and malaoxon expressed as malathion)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M116

**Imazapic**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M211

**Pyriproxyfen (F)**

(F) Fat soluble

▼M109

**Spirodiclofen (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art, 20 (1) of Regulation (EC) No 396/2005,

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M126

**Cyproconazole (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M125

**Etridiazole**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M127

**Mercury compounds (sum of mercury compounds expressed as mercury)**

(+) Monitoring data show that residues occur due to environmental contamination. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **0120000** | **Tree nuts** |
| **0256000** | **(f) herbs and edible flowers** |
| **0280010** | **Cultivated fungi** |

(+) The following MRL applies to ceps: 0,9 mg/kg. Monitoring data show that residues occur due to environmental contamination. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **0280020** | **Wild fungi** |

(+) Monitoring data show that residues occur due to environmental contamination. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **0401000** | **Oilseeds** |
| **0610000** | **Teas** |
| **0620000** | **Coffee beans** |
| **0630000** | **Herbal infusions from** |
| **0640000** | **Cocoa beans** |
| **0800000** | **SPICES** |

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

(+) Monitoring data show that residues occur due to environmental contamination. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **1011000** | **(a) Tissues from swine** |
| **1012000** | **(b) Tissues from bovine** |
| **1013000** | **(c) Tissues from sheep** |
| **1014000** | **(d) Tissues from goat** |
| **1015000** | **(e) Tissues from equine** |

(+) The following MRL applies to duck meat: 0,04 mg/kg. Monitoring data show that residues occur due to environmental contamination. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **1016010** | **Muscle (poultry)** |

(+) Monitoring data show that residues occur due to environmental contamination. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **1016020** | **Fat tissue (poultry)** |

▼M127

| | |
|---|---|
| **1016030** | **Liver (poultry)** |
| **1016040** | **Kidney (poultry)** |
| **1016050** | **Edible offals (poultry)** |
| **1017000** | **(g) Tissues from other farmed terrestrial animals** |
| **1020000** | **Milk** |
| **1040000** | **Honey and other apiculture products** |

(+) The following MRL applies to offal of wild boar: 0,1 mg/kg. Monitoring data show that residues occur due to environmental contamination. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M194

**Chlormequat (sum of chlormequat and its salts, expressed as chlormequat-chloride)**

Recent monitoring data show that chlormequat levels in pears are declining but still occur at levels above the limit of determination due to former uses and persistence in the trees. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 25 July 2029, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0130020** | **Pears** |

The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 April 2019, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0401060** | **Rapeseeds/canola seeds** |

The following MRL applies to oyster mushrooms: 6 mg/kg. Monitoring data show that cross-contamination of untreated cultivated fungi may occur with straw lawfully treated with chlormequat. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 25 July 2023, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0280010** | **Cultivated fungi** |

▼M172

**Mepiquat (sum of mepiquat and its salts, expressed as mepiquat chloride)**

(+) The following MRL applies to oyster mushrooms: 0.7 mg/kg. Monitoring data show that cross-contamination of untreated cultivated fungi may occur with straw lawfully treated with mepiquat. When reviewing the MRL, the Commission will take into account the information, if it is submitted by 31 December 2022, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0280010** | **Cultivated fungi** |

▼M158

**Chlorate (A)**

(A) To take into account the specific situation of chlorate residues, in processed food (including for the purpose of this Regulation foodstuffs that have been derived using processes listed in Article 2(1)(n) of Regulation (EC) No 852/2004), that has come in contact with products containing chlorate residues, or that contains ingredients with such residues, such as processing aids or drinking water, used in compliance with the respective legal requirements, these additional contributions of chlorate residues should be taken into account when determining the permitted content of chlorate residues in or on the processed food products in accordance with Article 20 (1) of this Regulation. The burden of proof regarding the level of those additional contributions lies with the food and feed business operator.

(+) Includes raw milk, heat-treated milk and milk for the manufacture of milk-based products as defined in Regulation (EU) No 1308/2013. The MRL applies to milk ready for use (marketed as such or reconstituted as instructed by the manufacturer)

| | |
|---|---|
| **1020010** | **Cattle** |

▼M158

(+) Includes raw milk, heat-treated milk and milk for the manufacture of milk-based products. The MRL applies to milk ready for use (marketed as such or reconstituted as instructed by the manufacturer)

| | |
|---|---|
| **1020020** | **Sheep** |
| **1020030** | **Goat** |
| **1020040** | **Horse** |

▼M209

**Chlorpropham (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: Chlorpropham - codes 1016000 and 1030000: chlorpropham and 3-chloro-4-hydroxyaniline conjugates, expressed as chlorpropham; Chlorpropham - code 1000000 except 1016000, 1030000 and 1040000 : Chlorpropham and 4'-hydroxychlorpropham-O-sulphonic acid (4-HSA),expressed as chlorpropham

(F) Fat soluble

Monitoring data show that there may be a contamination of potatoes above the default MRL of 0.01 mg/kg when stored in facilities with a history of chlorpropham use. This temporary MRL will be reviewed based on monitoring data submitted to the Commission by 31 December 2022 and thereafter by 31 December of each subsequent year. Food business operators should submit a report on the development and implementation of cleaning practices to the Commission together with the monitoring data by 31 December 2022, and updates to it in the subsequent years.

| | |
|---|---|
| **0211000** | **(a) potatoes** |

▼M171

**Chlordecone (F)**

(+) Monitoring data show that an unavoidable cross-contamination occurs. When re-viewing the MRL, the Commission will take into account the information available within 10 years from the date of publication.

| | |
|---|---|
| **1010000** | **Commodities from** |
| **1011000** | **(a) swine** |
| **1012000** | **(b) bovine** |
| **1013000** | **(c) sheep** |
| **1014000** | **d) goat** |
| **1015000** | **(e) equine** |
| **1016000** | **(f) poultry** |
| **1017000** | **(g) other farmed terrestrial animals** |

▼M2

PART B

**Temporary MRLs for products not defined in Annexes I of Directives 86/362/EEC, 86/363/EEC and 90/642/EEC**

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,1-dichloro-2,2-bis(4-ethylphenyl)ethane (Perthane)(Ethylan) [F] | 1,2-dibromoethane (ethylene dibromide) [F] | 1,2-dichloroethane (ethylene dichloride) [F] | ▼ — M91 ▲ | ▼ — M40 ▲ | ▼ — M77 ▲ | ▼ — M46 ▲ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0130040 | Medlar | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0130050 | Loquat | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0154050 | Rose hips | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0154060 | Mulberries | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0154080 | Elderberries | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0161050 | Carambola | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0161060 | Persimmon | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0161070 | Jambolan (java plum) | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0162050 | Star apple | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163060 | Cherimoya | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼M2

| ▼ —— ▲M84 | ▼ Acephate ▲M32 | ▼ —— ▲M51 | ▼ —— ▲M59 | ▼ Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb) ▲M16 | Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin) (F) | ▼ —— ▲M113 | ▼ —— ▲M67 |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*) ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |

▼M2

| Aramite (F) | ▼M95 — ▲M95 | ▼M52 — ▲M52 | Azinphos-ethyl (F) | ▼M165 — ▲M165 | ▼M32 Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin) ▲M32 | ▼M79 — ▲M79 | ▼M77 — ▲M77 |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |

▼M2

| ▼M168 ▲M168 | ▼M32 ▲M32 | ▼M68 ▲M68 | ▼M50 ▲M50 | ▼M110 ▲M110 | ▼M77 ▲M77 |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163070 | Guava | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163090 | Bread fruit | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163100 | Durian | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0163110 | Soursop (guanabana) | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0212040 | Arrowroot | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0251050 | Land cress | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0251070 | Red mustard | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0252020 | Purslane | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256050 | Sage | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256060 | Rosemary | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256070 | Thyme | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256080 | Basil | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256090 | Bay leaves (laurel) | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0256100 | Tarragon | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0270080 | Bamboo shoots | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0270090 | Palm hearts | 0,01 (*) | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0290000 | (ix) **Sea weeds** | | | | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0401110 | Safflower | 0,01 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0401120 | Borage | 0,01 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0401130 | Gold of pleasure | 0,01 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0401150 | Castor bean | 0,01 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | 0,01 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** 0,02 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** 0,02 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** 0,02 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** 0,02 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** 0,02 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** 0,02 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,02 (*) ◄ | 0,01 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** **0,02** (*) ◄ | | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
|  | ►M95 — ◄ | ►M52 — ◄ |  | ►M165 — ◄ | ►M32 0,01 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0402030 | Palmfruit | 0,01 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0402040 | Kapok | 0,01 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0620000 | (ii) **Coffee beans** | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631000 | (a) *Flowers* | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631010 | Camomille flowers | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631020 | Hybiscus flowers | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631030 | Rose petals | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631040 | Jasmine flowers | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631050 | Lime (linden) | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0631990 | Others | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632000 | (b) *Leaves* | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632010 | Strawberry leaves | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632020 | Rooibos leaves | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632030 | Maté | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0632990 | Others | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0633000 | (c) *Roots* | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0633010 | Valerian root | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0633020 | Ginseng root | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** 0,05 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,1 ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,05 (*) ◄ | 0,02 (*) | ►**M113** — ◄ | ►**M67** — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,02 (*) | ►M165 — ◄ | ►M32 0,02 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0633990 | Others | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0639000 | (d) *Other herbal infusions* | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | 0,1 (*) | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0800000 | 8. **SPICES** | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810000 | (i) **Seeds** | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810010 | Anise | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810020 | Black caraway | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810030 | Celery seed | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810040 | Coriander seed | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810050 | Cumin seed | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810060 | Dill seed | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810070 | Fennel seed | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810080 | Fenugreek | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810090 | Nutmeg | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0810990 | Others | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820000 | (ii) **Fruits and berries** | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820010 | Allspice | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820030 | Caraway | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820040 | Cardamom | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M32 **0,05** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,02 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,05 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,02 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,05 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,05 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,05 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,02 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0820050 | Juniper berries | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820060 | Pepper, black and white | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820070 | Vanilla pods | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820080 | Tamarind | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0820990 | Others | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0830000 | (iii) **Bark** | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0830010 | Cinnamon | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0830990 | Others | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840010 | Liquorice | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840020 | Ginger | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840030 | Turmeric (Curcuma) | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840040 | Horseradish | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0840990 | Others | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0850000 | (v) **Buds** | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0850010 | Cloves | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0850020 | Capers | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0850990 | Others | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0860000 | (vi) **Flower stigma** | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0860010 | Saffron | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0860990 | Others | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0870000 | (vii) **Aril** | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0870010 | Mace | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0870990 | Others | 0,02 | 0,02 (*) | 0,02 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | 0,01 | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900010 | Sugar beet (root) | 0,01 | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900020 | Sugar cane | 0,01 | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900030 | Chicory roots | 0,01 | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 0900990 | Others | 0,01 | 0,01 (*) | 0,01 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1015010 | Meat | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1015020 | Fat | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1015030 | Liver | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1015040 | Kidney | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1015050 | Edible offal | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1015990 | Others | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1017000 | (g) *Other farm animals* | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1017010 | Meat | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1017020 | Fat | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1017030 | Liver | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1017040 | Kidney | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1017050 | Edible offal | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1017990 | Others | 0,01 (*) | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1030020 | Duck | 0,01 | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |
| 1030030 | Goose | 0,01 | | 0,1 (*) | ►M91 — ◄ | ►M40 — ◄ | ►M77 — ◄ | ►M46 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M84 — ◄ | ►M32 0,2 (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 (*) ◄ | 0,1 | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,05 ◄ | 0,01 (*) | ►M113 — ◄ | ►M67 — ◄ |
| ►M84 — ◄ | ►M32 **0,01** (*) ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M16 0,02 (*)

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| 0,1 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,05 (*) ◄ | ►M79 — ◄ | ►M77 — ◄ |
| 0,01 (*) | ►M95 — ◄ | ►M52 — ◄ | 0,05 (*) | ►M165 — ◄ | ►M32 0,01

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |
| ►M168 — ◄ | ►M32 — ◄ | ►M68 — ◄ | ►M50 — ◄ | ►M110 — ◄ | ►M77 — ◄ |

▼**M2**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | 0,01 | | 0,1 (*) | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | ►**M46** — ◄ |
| 1030990 | Others | 0,01 | | 0,1 (*) | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | ►**M46** — ◄ |
| 1040000 | (iv) **Honey** | | | | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | ►**M46** — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | | | | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | ►**M46** — ◄ |
| 1060000 | (vi) **Snails** | | | | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | ►**M46** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | | | | ►**M91** — ◄ | ►**M40** — ◄ | ►**M77** — ◄ | ►**M46** — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M84** — ◄ | ►**M32** 0,02 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,01 (*) ◄ | 0,02 | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** 0,02 (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** 0,01 (*) ◄ | 0,02 | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** **0,01** (*) ◄ | 0,01 | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** **0,01** (*) ◄ | 0,01 | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** **0,01** (*) ◄ | 0,01 | ►**M113** — ◄ | ►**M67** — ◄ |
| ►**M84** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M16** **0,01** (*) ◄ | 0,01 | ►**M113** — ◄ | ►**M67** — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| 0,01 (*) | ►**M95** —— ◄ | ►**M52** —— ◄ | 0,01 (*) | ►**M165** —— ◄ | ►**M32** **0,01** (*) ◄ | ►**M79** —— ◄ | ►**M77** —— ◄ |
| 0,01 (*) | ►**M95** —— ◄ | ►**M52** —— ◄ | 0,01 (*) | ►**M165** —— ◄ | ►**M32** **0,01** (*) ◄ | ►**M79** —— ◄ | ►**M77** —— ◄ |
| | ►**M95** —— ◄ | ►**M52** —— ◄ | | ►**M165** —— ◄ | ►**M32** **0,01** (*) ◄ | ►**M79** —— ◄ | ►**M77** —— ◄ |
| | ►**M95** —— ◄ | ►**M52** —— ◄ | | ►**M165** —— ◄ | ►**M32** **0,01** (*) ◄ | ►**M79** —— ◄ | ►**M77** —— ◄ |
| | ►**M95** —— ◄ | ►**M52** —— ◄ | | ►**M165** —— ◄ | ►**M32** **0,01** (*) ◄ | ►**M79** —— ◄ | ►**M77** —— ◄ |
| | ►**M95** —— ◄ | ►**M52** —— ◄ | | ►**M165** —— ◄ | ►**M32** **0,01** (*) ◄ | ►**M79** —— ◄ | ►**M77** —— ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |
| ►**M168** — ◄ | ►**M32** — ◄ | ►**M68** — ◄ | ►**M50** — ◄ | ►**M110** — ◄ | ►**M77** — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M119▲ | ▼M77▲ | ▼M212▲ | ▼M68▲ | ▼M77▲ | ▼M32▲ |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0130040 | Medlar | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0130050 | Loquat | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0154050 | Rose hips | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0154060 | Mulberries | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0154080 | Elderberries | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0161050 | Carambola | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0161060 | Persimmon | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0161070 | Jambolan (java plum) | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0162050 | Star apple | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |
| 0163060 | Cherimoya | ►M119 ◄ | ►M77 ◄ | ►M212 ◄ | ►M68 ◄ | ►M77 ◄ | ►M32 ◄ |

▼**M2**

| ▼<br>▲**M96** — | ▼<br>▲**M64** Carbaryl (F) | Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim) (R) | ▲**M70** Carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R) ▼ | Carbon disulphide | ▼<br>▲**M166** — | ▼<br>▲**M70** — | Carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone-ethyl) |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,2 | ►**M70** **0,001** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 2 | ►**M70** **0,001** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,003** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,003** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,003** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |

▼M2

| Cartap | Chlorbenside (F) | ▼M77 — ▲M77 | Chlordane (sum of cis- and trans-chlrodane) (F) (R) | ▼M32 Chlorfenapyr ▲M32 | Chlorfenson (F) | ▼M45 — ▲M45 | ▼M119 — ▲M119 |
|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |
| | 0,01 (*) | ►M77 — ◄ | 0,01 (*) | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M45 — ◄ | ►M119 — ◄ |

▼M2

| Chlorobenzilate [F] | ▼M68 ▲ | ▼M77 ▲ | ▼M50 ▲ | ▼M131 ▲ | ▼M131 ▲ | ▼M77 ▲ |
|---|---|---|---|---|---|---|
| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |
| 0,02 (*) | ►M68 ◄ | ►M77 ◄ | ►M50 ◄ | ►M131 ◄ | ►M131 ◄ | ►M77 ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163070 | Guava | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163090 | Bread fruit | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163100 | Durian | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0163110 | Soursop (guanabana) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0212040 | Arrowroot | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251050 | Land cress | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0251070 | Red mustard | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0252020 | Purslane | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256050 | Sage | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256060 | Rosemary | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256070 | Thyme | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256080 | Basil | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0256100 | Tarragon | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270080 | Bamboo shoots | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0270090 | Palm hearts | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401110 | Safflower | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401120 | Borage | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401130 | Gold of pleasure | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0401150 | Castor bean | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,002** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,002** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,002** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,005** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,02 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,02 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,02 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,02 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,02 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,02 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,002** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** **0,002** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,02 (*) ◄ | 0,1 (*) | ►**M70** 0,02 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | | ►**M77** — ◄ | | ►**M32** **0,01** (*) ◄ | | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| 0,02 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0402030 | Palmfruit | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0402040 | Kapok | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631000 | (a) *Flowers* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631010 | Camomille flowers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631020 | Hybiscus flowers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631030 | Rose petals | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631040 | Jasmine flowers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631050 | Lime (linden) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0631990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632000 | (b) *Leaves* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632010 | Strawberry leaves | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632020 | Rooibos leaves | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632030 | Maté | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0632990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0633000 | (c) *Roots* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0633010 | Valerian root | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0633020 | Ginseng root | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | ►M64 0,02 (*) ◄ | 0,1 (*) | ►M70 0,02 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,02 (*) ◄ | 0,1 (*) | ►M70 0,02 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | 0,01 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,01 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,02** (*) ◄ | 0,01 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,1 (*) | ►**M77** —— ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| 0,02 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,02 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0633990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0800000 | 8. **SPICES** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810000 | (i) **Seeds** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810010 | Anise | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810020 | Black caraway | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810030 | Celery seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810040 | Coriander seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810050 | Cumin seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810060 | Dill seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810070 | Fennel seed | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810080 | Fenugreek | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810090 | Nutmeg | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0810990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820010 | Allspice | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820030 | Caraway | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820040 | Cardamom | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M32** — ◄ | 0,1 (*) | ►**M70** — ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,8 ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,8 ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,8 ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,8 ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |
| 0,1 (*) | ►M68 —◄ | ►M77 —◄ | ►M50 —◄ | ►M131 —◄ | ►M131 —◄ | ►M77 —◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0820050 | Juniper berries | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820060 | Pepper, black and white | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820070 | Vanilla pods | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820080 | Tamarind | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0820990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0830000 | (iii) **Bark** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0830010 | Cinnamon | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0830990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840010 | Liquorice | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840020 | Ginger | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840040 | Horseradish | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0840990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0850000 | (v) **Buds** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0850010 | Cloves | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0850020 | Capers | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0850990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0860010 | Saffron | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0860990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0870000 | (vii) **Aril** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0870010 | Mace | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼M2

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►M96 — ◄ | ►M64 0,8 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,8 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,8 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,8 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,8 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 — ◄ | 0,1 (*) | ►M70 — ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,1 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,1 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,1 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 (+) ◄ | 0,1 (*) | ►M70 (+) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,1 ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |
| ►M96 — ◄ | ►M64 0,05 (*) ◄ | 0,1 (*) | ►M70 0,05 (*) ◄ | | ►M166 — ◄ | ►M70 — ◄ | 0,02 (*) |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0870990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900010 | Sugar beet (root) | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900020 | Sugar cane | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900030 | Chicory roots | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 0900990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015020 | Fat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1015990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017010 | Meat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017020 | Fat | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017030 | Liver | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017040 | Kidney | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017050 | Edible offal | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1017990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1030020 | Duck | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1030030 | Goose | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,1 (*) | ►**M70** 0,05 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,02 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,01 (*) ◄ | 0,1 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | 0,01 (*) |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | 0,1 (*) | ►**M77** — ◄ | 0,02 (*) | ►**M32** **0,05** (*) ◄ | 0,1 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,01 (*) | ►**M77** — ◄ | 0,01 (*) | ►**M32** **0,01** (*) ◄ | 0,01 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,05 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,005 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |
| | 0,05 (*) | ►**M77** — ◄ | 0,005 (*) | | 0,05 (*) | ►**M45** — ◄ | ►**M119** — ◄ |

▼M2

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| 0,1 (*) | ►M68 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M131 — ◄ | ►M131 — ◄ | ►M77 — ◄ |
| 0,02

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1030990 | Others | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1040000 | (iv) **Honey** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1060000 | (vi) **Snails** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M119 — ◄ | ►M77 — ◄ | ►M212 — ◄ | ►M68 — ◄ | ►M77 — ◄ | ►M32 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 0,05 (*) | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | 1 | ►**M70** **0,05** (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |
| ►**M96** — ◄ | ►**M64** 0,05 (*) ◄ | | ►**M70** 0,01 (*) ◄ | | ►**M166** — ◄ | ►**M70** — ◄ | |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|
| | 0,05 (*) | ►**M77** —— ◄ | 0,005 (*) | | 0,05 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | 0,05 (*) | ►**M77** —— ◄ | 0,005 (*) | | 0,05 (*) | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | | ►**M77** —— ◄ | 0,01 | | | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | | ►**M77** —— ◄ | 0,005 | | | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | | ►**M77** —— ◄ | 0,005 | | | ►**M45** —— ◄ | ►**M119** —— ◄ |
| | | ►**M77** —— ◄ | 0,005 | | | ►**M45** —— ◄ | ►**M119** —— ◄ |

▼**M2**

| (25) | (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|---|
| 0,1 (*) | ►**M68** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M131** — ◄ | ►**M131** — ◄ | ►**M77** — ◄ |
| 0,1 (*) | ►**M68** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M131** — ◄ | ►**M131** — ◄ | ►**M77** — ◄ |
| | ►**M68** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M131** — ◄ | ►**M131** — ◄ | ►**M77** — ◄ |
| | ►**M68** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M131** — ◄ | ►**M131** — ◄ | ►**M77** — ◄ |
| | ►**M68** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M131** — ◄ | ►**M131** — ◄ | ►**M77** — ◄ |
| | ►**M68** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M131** — ◄ | ►**M131** — ◄ | ►**M77** — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M110 — ▲M110 | ▼M76 Clofentezine [R] ▲M76 | ▼M55 — ▲M55 | ▼M46 — ▲M46 | ▼M207 — ▲M207 | ▼M55 — ▲M55 | ▼M116 Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers)) [F] ▲M116 |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0130040 | Medlar | ►M110 — ◄ | ►M76 0,5 ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 1 ◄ |
| 0130050 | Loquat | ►M110 — ◄ | ►M76 0,5 ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 1 ◄ |
| 0154050 | Rose hips | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0154060 | Mulberries | ►M110 — ◄ | ►M76 0,3 ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0154080 | Elderberries | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0161050 | Carambola | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 0161060 | Persimmon | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0161070 | Jambolan (java plum) | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0162050 | Star apple | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0163060 | Cherimoya | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |

▼M2

| ▼M49 — ▲M49 | ▼M51 — ▲M51 | ▼M206 DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT) (F) ▲ | ▼M107 — ▲M107 | ▼M84 — ▲M84 | ▼M77 — ▲M77 | ▼M32 Diazinon (F) ▲ | ▼M5 Dichlorvos ▲ |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |

▼M2

| ▼M32 Dicofol (sum of p, p' and o,p' isomers) (F) ▲M32 | ▼M73 — ▲M73 | ▼M123 — ▲M123 | ▼M77 — ▲M77 | ▼M77 — ▲M77 | ▼M77 — ▲M77 | ▼M41 — ▲M41 | ▼M100 — ▲M100 |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |

▼M2

| ▲M32 Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton) (F) ▼ | ▲M111 Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram) ▼ | ▲M77 — ▼ | ▲M16 Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan) (F) ▼ | Endrin (F) | ▲M21 — ▼ |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| ►M32 **0,01** (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 **0,05** (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 **0,05** (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 **0,2(+)** ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163070 | Guava | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0163090 | Bread fruit | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0163100 | Durian | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 1 ◄ |
| 0163110 | Soursop (guanabana) | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0212040 | Arrowroot | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0251050 | Land cress | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 0251070 | Red mustard | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 0252020 | Purslane | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,7 ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0256050 | Sage | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 0256060 | Rosemary | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 0256070 | Thyme | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 0256080 | Basil | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 0256090 | Bay leaves (laurel) | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 0256100 | Tarragon | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 0270080 | Bamboo shoots | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0270090 | Palm hearts | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0290000 | (ix) **Sea weeds** | ►M110 — ◄ | | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0401110 | Safflower | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 ◄ |
| 0401120 | Borage | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0401130 | Gold of pleasure | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0401150 | Castor bean | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,02 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,02 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,02 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,02 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,02 (*) ◄ | ►M5 0,01 (*) ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,05** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,05** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,05** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,05** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,05 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 5(+) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 0,05 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 **0,01** (*) ◄ | ►M111 0,05 (*) ◄ | ►M77 — ◄ | ►M16 **0,05** (*) ◄ | | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,01 (*) | ►M21 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0402030 | Palmfruit | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0402040 | Kapok | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0620000 | (ii) **Coffee beans** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0631000 | (a) *Flowers* | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0631010 | Camomille flowers | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0631020 | Hybiscus flowers | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0631030 | Rose petals | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0631040 | Jasmine flowers | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0631050 | Lime (linden) | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0631990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0632000 | (b) *Leaves* | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0632010 | Strawberry leaves | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0632020 | Rooibos leaves | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0632030 | Maté | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0632990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0633000 | (c) *Roots* | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0633010 | Valerian root | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0633020 | Ginseng root | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,02 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,02 (*) ◄ | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 0,02 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 0,02 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M32 0,05 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,05 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M32 0,02 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,02 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,01 (*) | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M98 — ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M98 — ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 1,5(+) ◄ | ►M77 — ◄ | ►M16 **0,1** (*) ◄ | 0,1 | ►M21 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0633990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0800000 | 8. **SPICES** | ►M110 — ◄ | ►M76 — ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 — ◄ |
| 0810000 | (i) **Seeds** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810010 | Anise | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810020 | Black caraway | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810030 | Celery seed | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810040 | Coriander seed | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810050 | Cumin seed | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810060 | Dill seed | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810070 | Fennel seed | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810080 | Fenugreek | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810090 | Nutmeg | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0810990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 — ◄ |
| 0820010 | Allspice | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0820030 | Caraway | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0820040 | Cardamom | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 3 ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,2 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,5 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 0,02 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,2 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 0,02 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 — ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M5 — ◄ | ►M5 0,1 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** **0,1** (*) ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,1 (*) ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,1 (*) ◄ | 0,01 (*) | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,1 (*) ◄ | 0,01 (*) | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | | ►**M77** — ◄ | ►**M5** — ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M98** — ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1(+) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1(+) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 1 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M98** — ◄ | ►**M77** — ◄ | ►**M16** 5 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 5 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 5 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 5 ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1(+) ◄ | ►**M77** — ◄ | ►**M16** 5 ◄ | 0,1 | ►**M21** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0820050 | Juniper berries | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0820060 | Pepper, black and white | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0820070 | Vanilla pods | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0820080 | Tamarind | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0820990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0830000 | (iii) **Bark** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0830010 | Cinnamon | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0830990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M110 — ◄ | ►M76 — ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 — ◄ |
| 0840010 | Liquorice | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 (*) ◄ |
| 0840020 | Ginger | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 (*) ◄ |
| 0840040 | Horseradish | ►M110 — ◄ | ►M76 (+) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 (+) ◄ |
| 0840990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 (*) ◄ |
| 0850000 | (v) **Buds** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0850010 | Cloves | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0850020 | Capers | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0850990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0860000 | (vi) **Flower stigma** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0860010 | Saffron | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0860990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0870000 | (vii) **Aril** | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0870010 | Mace | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 — ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 — ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 — ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,5 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,1 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1(+) ◄ | ►M77 — ◄ | ►M16 5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M98 — ◄ | ►M77 — ◄ | ►M16 0,5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 (+) ◄ | ►M77 — ◄ | ►M16 0,5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,5 ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 25 ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |
| ►M32 0,05 (*) ◄ | ►M111 0,1 (*) ◄ | ►M77 — ◄ | ►M16 0,1 (*) ◄ | 0,1 | ►M21 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0870990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,1 (*) ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 — ◄ |
| 0900010 | Sugar beet (root) | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 1 ◄ |
| 0900020 | Sugar cane | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 0900030 | Chicory roots | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 0900990 | Others | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 — ◄ |
| 1015010 | Meat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 1015020 | Fat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 2 ◄ |
| 1015030 | Liver | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1015040 | Kidney | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1015050 | Edible offal | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1015990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1017000 | (g) *Other farm animals* | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1017010 | Meat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1017020 | Fat | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1017030 | Liver | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1017040 | Kidney | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1017050 | Edible offal | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1017990 | Others | ►M110 — ◄ | ►M76 0,05 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,2 ◄ |
| 1030020 | Duck | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |
| 1030030 | Goose | ►M110 — ◄ | ►M76 0,02 (*) ◄ | ►M55 — ◄ | ►M46 — ◄ | ►M207 — ◄ | ►M55 — ◄ | ►M116 0,05 (*) ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | | ►M5 0,01 (*) ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,1 ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 (*) ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M5 — ◄ |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 1 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,01** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | |
| ►M49 — ◄ | ►M51 — ◄ | ►M206 0,05 ◄ | ►M107 — ◄ | ►M84 — ◄ | ►M77 — ◄ | ►M32 **0,02** (*) ◄ | |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M32 **0,1** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 0,02 (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,02** (*) ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,05** ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |
| ►M32 **0,05** ◄ | ►M73 — ◄ | ►M123 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M41 — ◄ | ►M100 — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M32** 0,05 (*) ◄ | ►**M111** 0,1 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,1 (*) ◄ | 0,1 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | | ►**M77** — ◄ | ►**M16** **0,05** (*) ◄ | 0,01 (*) | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 2 ◄ | ►**M77** — ◄ | ►**M16** **0,05** (*) ◄ | 0,01 (*) | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,01 (*) | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,01 (*) | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,01 (*) | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,05 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,005 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,005 | ►**M21** — ◄ |

▼**M2**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►**M110** — ◄ | ►**M76** 0,02 (*) ◄ | ►**M55** — ◄ | ►**M46** — ◄ | ►**M207** — ◄ | ►**M55** — ◄ | ►**M116** 0,05 (*) ◄ |
| 1030990 | Others | ►**M110** — ◄ | ►**M76** 0,02 (*) ◄ | ►**M55** — ◄ | ►**M46** — ◄ | ►**M207** — ◄ | ►**M55** — ◄ | ►**M116** 0,05 (*) ◄ |
| 1040000 | (iv) **Honey** | ►**M110** — ◄ | ►**M76** 0,05 (*) ◄ | ►**M55** — ◄ | ►**M46** — ◄ | ►**M207** — ◄ | ►**M55** — ◄ | ►**M116** 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►**M110** — ◄ | ►**M76** 0,05 (*) ◄ | ►**M55** — ◄ | ►**M46** — ◄ | ►**M207** — ◄ | ►**M55** — ◄ | ►**M116** 0,05 (*) ◄ |
| 1060000 | (vi) **Snails** | ►**M110** — ◄ | ►**M76** 0,05 (*) ◄ | ►**M55** — ◄ | ►**M46** — ◄ | ►**M207** — ◄ | ►**M55** — ◄ | ►**M116** 0,05 (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M110** — ◄ | ►**M76** 0,05 (*) ◄ | ►**M55** — ◄ | ►**M46** — ◄ | ►**M207** — ◄ | ►**M55** — ◄ | ►**M116** 0,05 (*) ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** 0,05 ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M32** **0,02** (*) ◄ | |
| ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** 0,05 ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M32** **0,02** (*) ◄ | |
| ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** 0,05 ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M32** **0,01** (*) ◄ | |
| ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** 0,05 ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M32** **0,01** (*) ◄ | |
| ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** 0,05 ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M32** **0,01** (*) ◄ | |
| ►**M49** — ◄ | ►**M51** — ◄ | ►**M206** 0,05**(+)** ◄ | ►**M107** — ◄ | ►**M84** — ◄ | ►**M77** — ◄ | ►**M32** **0,01** (*) ◄ | |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M32** **0,05** ◄ | ►**M73** — ◄ | ►**M123** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ | ►**M100** — ◄ |
| ►**M32** **0,05** ◄ | ►**M73** — ◄ | ►**M123** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ | ►**M100** — ◄ |
| ►**M32** **0,02** (*) ◄ | ►**M73** — ◄ | ►**M123** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ | ►**M100** — ◄ |
| ►**M32** **0,02** (*) ◄ | ►**M73** — ◄ | ►**M123** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ | ►**M100** — ◄ |
| ►**M32** **0,02** (*) ◄ | ►**M73** — ◄ | ►**M123** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ | ►**M100** — ◄ |
| ►**M32** **0,02** (*) ◄ | ►**M73** — ◄ | ►**M123** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M41** — ◄ | ►**M100** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,005 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,05 (*) ◄ | 0,005 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,01 (*) ◄ | 0,01 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,01 (*) ◄ | 0,01 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,01 (*) ◄ | 0,01 | ►**M21** — ◄ |
| ►**M32** **0,01** (*) ◄ | ►**M111** 0,05 (*) ◄ | ►**M77** — ◄ | ►**M16** 0,01 (*) ◄ | 0,01 | ►**M21** — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M16 Ethion ▲M16 | ▼M103 — ▲M103 | ▼M145 — ▲M145 | ▼M77 — ▲M77 | ▼M103 — ▲M103 | ▼M68 — ▲M68 |
|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 0130040 | Medlar | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0130050 | Loquat | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0154050 | Rose hips | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0154060 | Mulberries | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0154080 | Elderberries | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0161050 | Carambola | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0161060 | Persimmon | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0161070 | Jambolan (java plum) | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0162050 | Star apple | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0163060 | Cherimoya | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼M2

| ▼ M103 — ▲ M103 | ▼ M21 — ▲ M21 | ▼ M53 Fenarimol ▲ | ▼ M144 — ▲ M144 | Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos) | ▼ M81 — ▲ M81 | ▼ M32 Fenitrothion ▲ | ▼ M110 — ▲ M110 |
|---|---|---|---|---|---|---|---|
| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 **0,1** ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 **0,1** ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 0,01 (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |
| ►M103 — ◄ | ►M21 — ◄ | ►M53 0,02 (*) ◄ | ►M144 — ◄ | 0,01 (*) | ►M81 — ◄ | ►M32 **0,01** (*) ◄ | ►M110 — ◄ |

▼M2

| ▼M16 Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent) (F) ▼ | ▼M77 — ▲ | ▼M77 — ▲ | ▼M50 — ▲ | ▼M50 — ▲ | ▼M52 — ▲ | ▼M46 — ▲ | ▼M77 — ▲ | ▼M67 — ▲ |
|---|---|---|---|---|---|---|---|---|
| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,01** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |

▼M2

| ▼M66 ▲ | ▼M66 ▲ | ▼M79 ▲ | ▼M103 ▲ | ▼M93 ▲ | ▼M52 ▲ |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |
| ►M66 ◄ | ►M66 ◄ | ►M79 ◄ | ►M103 ◄ | ►M93 ◄ | ►M52 ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0163070 | Guava | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0163090 | Bread fruit | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0163100 | Durian | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0163110 | Soursop (guanabana) | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0212040 | Arrowroot | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0251050 | Land cress | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0251070 | Red mustard | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0252020 | Purslane | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0256050 | Sage | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0256060 | Rosemary | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0256070 | Thyme | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0256080 | Basil | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0256100 | Tarragon | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0270080 | Bamboo shoots | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0270090 | Palm hearts | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401110 | Safflower | ►M16 0,02 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401120 | Borage | ►M16 0,02 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401130 | Gold of pleasure | ►M16 0,02 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0401150 | Castor bean | ►M16 0,02 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M16 **0,02** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0402030 | Palmfruit | ►M16 **0,02** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0402040 | Kapok | ►M16 **0,02** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631000 | (a) *Flowers* | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631010 | Camomille flowers | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631020 | Hybiscus flowers | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631030 | Rose petals | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631040 | Jasmine flowers | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631050 | Lime (linden) | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0631990 | Others | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0632000 | (b) *Leaves* | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0632010 | Strawberry leaves | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0632020 | Rooibos leaves | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0632030 | Maté | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0632990 | Others | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0633000 | (c) *Roots* | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0633010 | Valerian root | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0633020 | Ginseng root | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,02** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,02 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0633990 | Others | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0800000 | 8. **SPICES** | ►M5 — ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810000 | (i) **Seeds** | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810010 | Anise | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810020 | Black caraway | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810030 | Celery seed | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810040 | Coriander seed | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810050 | Cumin seed | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810060 | Dill seed | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810070 | Fennel seed | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810080 | Fenugreek | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810090 | Nutmeg | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0810990 | Others | ►M16 3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820010 | Allspice | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820030 | Caraway | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820040 | Cardamom | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** — ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** — ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 7 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0820050 | Juniper berries | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820060 | Pepper, black and white | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820070 | Vanilla pods | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820080 | Tamarind | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0820990 | Others | ►M16 5 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0830000 | (iii) **Bark** | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0830010 | Cinnamon | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0830990 | Others | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M16 0,3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0840010 | Liquorice | ►M16 0,3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0840020 | Ginger | ►M16 0,3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M16 0,3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0840040 | Horseradish | ►M16 0,3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0840990 | Others | ►M16 0,3 ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0850000 | (v) **Buds** | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0850010 | Cloves | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0850020 | Capers | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0850990 | Others | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0860010 | Saffron | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0860990 | Others | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0870000 | (vii) **Aril** | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0870010 | Mace | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** 1 ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** — ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** **(+)** ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 0870990 | Others | ►M16 **0,05** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900010 | Sugar beet (root) | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900020 | Sugar cane | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900030 | Chicory roots | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 0900990 | Others | ►M16 0,01 (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1015010 | Meat | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1015020 | Fat | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1015030 | Liver | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1015040 | Kidney | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1015050 | Edible offal | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1015990 | Others | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1017010 | Meat | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1017020 | Fat | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1017030 | Liver | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1017040 | Kidney | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1017050 | Edible offal | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1017990 | Others | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1030020 | Duck | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1030030 | Goose | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,05 (*) ◄ | ►**M144** — ◄ | 0,1 (*) | ►**M81** — ◄ | ►**M32** **0,05** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | 0,01 (*) | ►**M81** — ◄ | ►**M32** 0,01 

▼M2

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►M16 **0,05** (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,05 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |
| ►M16 0,01 (*) ◄ | ►M77 — ◄ | ►M77 — ◄ | ►M50 — ◄ | ►M50 — ◄ | ►M52 — ◄ | ►M46 — ◄ | ►M77 — ◄ | ►M67 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M66 — ◄ | ►M66 — ◄ | ►M79 — ◄ | ►M103 — ◄ | ►M93 — ◄ | ►M52 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1030990 | Others | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1040000 | (iv) **Honey** | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1060000 | (vi) **Snails** | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M16 **0,01** (*) ◄ | ►M103 — ◄ | ►M145 — ◄ | ►M77 — ◄ | ►M103 — ◄ | ►M68 — ◄ |

▼**M2**

| (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
|---|---|---|---|---|---|---|---|
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** 0,02 (*) ◄ | ►**M144** — ◄ | | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** **0,05 (*)** ◄ | ►**M144** — ◄ | | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** **0,02 (*)** ◄ | ►**M144** — ◄ | | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** **0,02 (*)** ◄ | ►**M144** — ◄ | | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |
| ►**M103** — ◄ | ►**M21** — ◄ | ►**M53** **0,02 (*)** ◄ | ►**M144** — ◄ | | ►**M81** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M110** — ◄ |

▼**M2**

| (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|---|
| ►**M16** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ | ►**M67** — ◄ |
| ►**M16** 0,01 (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ | ►**M67** — ◄ |
| ►**M16** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ | ►**M67** — ◄ |
| ►**M16** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ | ►**M67** — ◄ |
| ►**M16** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ | ►**M67** — ◄ |
| ►**M16** **0,01** (*) ◄ | ►**M77** — ◄ | ►**M77** — ◄ | ►**M50** — ◄ | ►**M50** — ◄ | ►**M52** — ◄ | ►**M46** — ◄ | ►**M77** — ◄ | ►**M67** — ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M66** — ◄ | ►**M66** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M66** — ◄ | ►**M66** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M66** — ◄ | ►**M66** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M66** — ◄ | ►**M66** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M66** — ◄ | ►**M66** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |
| ►**M66** — ◄ | ►**M66** — ◄ | ►**M79** — ◄ | ►**M103** — ◄ | ►**M93** — ◄ | ►**M52** — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M77▲ | Fosthiazate | ▼M32▲ | ▼M38 Glyphosate▲ | Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor) [f] | ▼M108▲ | ▼M121▲ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0130040 | Medlar | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0130050 | Loquat | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0154050 | Rose hips | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0154060 | Mulberries | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0154080 | Elderberries | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0161050 | Carambola | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0161060 | Persimmon | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0161070 | Jambolan (java plum) | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0162050 | Star apple | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0163060 | Cherimoya | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |

▼M2

| ▼M121 ▲ | ▼M121 ▲ | ▼M32 ▲ | Hydrogen cyanide (cyanides expressed as hydrogen cyanide) | ▼M106 ▲ | ▼M153 ▲ | ▼M68 ▲ | ▼M52 ▲ | ▼M40 ▲ |
|---|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |
| ►M121 ◄ | ►M121 ◄ | ►M32 ◄ | | ►M106 ◄ | ►M153 ◄ | ►M68 ◄ | ►M52 ◄ | ►M40 ◄ |

▼M2

| ▼M52 ▲ | ▼M42 ▲ | ▼M71 ▲ | ▼M42 ▲ | ▼M51 ▲ | ▼M59 ▲ | ▼M81 ▲ | ▼M134 ▲ |
|---|---|---|---|---|---|---|---|
| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |
| ►M52 ◄ | ►M42 ◄ | ►M71 ◄ | ►M42 ◄ | ►M51 ◄ | ►M59 ◄ | ►M81 ◄ | ►M134 ◄ |

▼**M2**

| ▼ — ▲**M121** | ▼ — ▲**M141** | ▼ — ▲**M5** | ▼ — ▲**M42** | ▲**M56** MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) [F] [R] ▼ |
|---|---|---|---|---|
| (27) | (28) | ►**M5** — ◄ | (30) | (31) |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** — ◄ | ►**M141** — ◄ | | ►**M42** — ◄ | ►**M56** 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163070 | Guava | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 0163090 | Bread fruit | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 0163100 | Durian | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 0163110 | Soursop (guanabana) | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 0212040 | Arrowroot | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0251050 | Land cress | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0251070 | Red mustard | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0252020 | Purslane | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0256050 | Sage | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0256060 | Rosemary | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0256070 | Thyme | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0256080 | Basil | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0256100 | Tarragon | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0270080 | Bamboo shoots | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0270090 | Palm hearts | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M77 — ◄ | | ►M32 — ◄ | | | ►M108 — ◄ | ►M121 — ◄ |
| 0401110 | Safflower | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0401120 | Borage | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0401130 | Gold of pleasure | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0401150 | Castor bean | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 3041

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |

▼**M2**

| (27) | (28) | ►**M5** —◄ | (30) | (31) |
|---|---|---|---|---|
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0402030 | Palmfruit | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0402040 | Kapok | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 ◄ | 0,01 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 ◄ | 0,02 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | | ►M108 — ◄ | ►M121 — ◄ |
| 0631000 | (a) *Flowers* | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0631010 | Camomille flowers | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0631020 | Hybiscus flowers | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0631030 | Rose petals | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0631040 | Jasmine flowers | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0631050 | Lime (linden) | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0631990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0632000 | (b) *Leaves* | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0632010 | Strawberry leaves | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0632020 | Rooibos leaves | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0632030 | Maté | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0632990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0633000 | (c) *Roots* | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0633010 | Valerian root | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0633020 | Ginseng root | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |
| ►M121 — ◄ | ►M121 — ◄ | ►M32 — ◄ | | ►M106 — ◄ | ►M153 — ◄ | ►M68 — ◄ | ►M52 — ◄ | ►M40 — ◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |

▼M2

| (27) | (28) | ►M5 — ◄ | (30) | (31) |
|---|---|---|---|---|
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |
| ►M121 — ◄ | ►M141 — ◄ | | ►M42 — ◄ | ►M56 0,1 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0633990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 2 (*) ◄ | 0,02 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,02 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,02 (*) | ►M108 — ◄ | ►M121 — ◄ |
| 0800000 | 8. **SPICES** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810000 | (i) **Seeds** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810010 | Anise | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810020 | Black caraway | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810030 | Celery seed | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810040 | Coriander seed | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810050 | Cumin seed | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810060 | Dill seed | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810070 | Fennel seed | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810080 | Fenugreek | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810090 | Nutmeg | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0810990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820010 | Allspice | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820030 | Caraway | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820040 | Cardamom | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |

▼M2

| (27) | (28) | ►M5 —— ◄ | (30) | (31) |
|---|---|---|---|---|
| ►M121 —— ◄ | ►M141 —— ◄ | | ►M42 —— ◄ | ►M56 0,1 (*) ◄ |
| ►M121 —— ◄ | ►M141 —— ◄ | | ►M42 —— ◄ | ►M56 0,1 (*) ◄ |
| ►M121 —— ◄ | ►M141 —— ◄ | | ►M42 —— ◄ | ►M56 0,1 (*) ◄ |
| ►M121 —— ◄ | ►M141 —— ◄ | | ►M42 —— ◄ | ►M56 0,1 (*) ◄ |
| ►M121 —— ◄ | ►M141 —— ◄ | | ►M42 —— ◄ | ►M56 —— ◄ |
| ►M121 —— ◄ | ►M141 —— ◄ | | ►M42 —— ◄ | ►M56 0,1 (*)

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0820050 | Juniper berries | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820060 | Pepper, black and white | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820070 | Vanilla pods | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820080 | Tamarind | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0820990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0830000 | (iii) **Bark** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0830010 | Cinnamon | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0830990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0840010 | Liquorice | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0840020 | Ginger | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0840040 | Horseradish | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0840990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0850000 | (v) **Buds** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0850010 | Cloves | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0850020 | Capers | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0850990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0860010 | Saffron | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0860990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0870000 | (vii) **Aril** | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0870010 | Mace | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |

▼**M2**

| (27) | (28) | ►**M5** —◄ | (30) | (31) |
|---|---|---|---|---|
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** —◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** (+) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0870990 | Others | ►M77 — ◄ | 0,05 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,1 | ►M108 — ◄ | ►M121 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 0900010 | Sugar beet (root) | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 **15** ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 0900020 | Sugar cane | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 0900030 | Chicory roots | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 0900990 | Others | ►M77 — ◄ | 0,02 (*) | ►M32 — ◄ | ►M38 0,1 (*) ◄ | 0,01 | ►M108 — ◄ | ►M121 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1015010 | Meat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1015020 | Fat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1015030 | Liver | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1015040 | Kidney | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1015050 | Edible offal | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1015990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1017010 | Meat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1017020 | Fat | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1017030 | Liver | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1017040 | Kidney | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1017050 | Edible offal | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1017990 | Others | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,2 | ►M108 — ◄ | ►M121 — ◄ |
| 1030020 | Duck | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,02 | ►M108 — ◄ | ►M121 — ◄ |
| 1030030 | Goose | ►M77 — ◄ | | ►M32 — ◄ | ►M38 0,05 (*) ◄ | 0,02 | ►M108 — ◄ | ►M121 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |
| ►M121 —◄ | ►M121 —◄ | ►M32 —◄ | | ►M106 —◄ | ►M153 —◄ | ►M68 —◄ | ►M52 —◄ | ►M40 —◄ |

▼M2

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |
| ►M52 — ◄ | ►M42 — ◄ | ►M71 — ◄ | ►M42 — ◄ | ►M51 — ◄ | ►M59 — ◄ | ►M81 — ◄ | ►M134 — ◄ |

▼**M2**

| (27) | (28) | ►**M5** —◄ | (30) | (31) |
|---|---|---|---|---|
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **0,1** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **0,2** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **3** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **3** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **3** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** —◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **0,1** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **0,2** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **3** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **3** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** **3** ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,1 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** —◄ | ►**M141** —◄ | | ►**M42** —◄ | ►**M56** 0,05 (*) ◄ |

▼**M2**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M38** 0,05 (*) ◄ | 0,02 | ►**M108** — ◄ | ►**M121** — ◄ |
| 1030990 | Others | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M38** 0,05 (*) ◄ | 0,02 | ►**M108** — ◄ | ►**M121** — ◄ |
| 1040000 | (iv) **Honey** | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M38** 0,05 (*) ◄ | 0,01 | ►**M108** — ◄ | ►**M121** — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M38** 0,05 (*) ◄ | 0,01 | ►**M108** — ◄ | ►**M121** — ◄ |
| 1060000 | (vi) **Snails** | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M38** 0,05 (*) ◄ | 0,01 | ►**M108** — ◄ | ►**M121** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M77** — ◄ | | ►**M32** — ◄ | ►**M38** 0,05 (*) ◄ | 0,01 | ►**M108** — ◄ | ►**M121** — ◄ |

02005R0396 — EN — 21.10.2023 — 057.001 — 3061

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|
| ►**M121** —◄ | ►**M121** —◄ | ►**M32** —◄ | | ►**M106** —◄ | ►**M153** —◄ | ►**M68** —◄ | ►**M52** —◄ | ►**M40** —◄ |
| ►**M121** —◄ | ►**M121** —◄ | ►**M32** —◄ | | ►**M106** —◄ | ►**M153** —◄ | ►**M68** —◄ | ►**M52** —◄ | ►**M40** —◄ |
| ►**M121** —◄ | ►**M121** —◄ | ►**M32** —◄ | | ►**M106** —◄ | ►**M153** —◄ | ►**M68** —◄ | ►**M52** —◄ | ►**M40** —◄ |
| ►**M121** —◄ | ►**M121** —◄ | ►**M32** —◄ | | ►**M106** —◄ | ►**M153** —◄ | ►**M68** —◄ | ►**M52** —◄ | ►**M40** —◄ |
| ►**M121** —◄ | ►**M121** —◄ | ►**M32** —◄ | | ►**M106** —◄ | ►**M153** —◄ | ►**M68** —◄ | ►**M52** —◄ | ►**M40** —◄ |
| ►**M121** —◄ | ►**M121** —◄ | ►**M32** —◄ | | ►**M106** —◄ | ►**M153** —◄ | ►**M68** —◄ | ►**M52** —◄ | ►**M40** —◄ |

▼**M2**

| (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|
| ►**M52** — ◄ | ►**M42** — ◄ | ►**M71** — ◄ | ►**M42** — ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ | ►**M134** — ◄ |
| ►**M52** — ◄ | ►**M42** — ◄ | ►**M71** — ◄ | ►**M42** — ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ | ►**M134** — ◄ |
| ►**M52** — ◄ | ►**M42** — ◄ | ►**M71** — ◄ | ►**M42** — ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ | ►**M134** — ◄ |
| ►**M52** — ◄ | ►**M42** — ◄ | ►**M71** — ◄ | ►**M42** — ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ | ►**M134** — ◄ |
| ►**M52** — ◄ | ►**M42** — ◄ | ►**M71** — ◄ | ►**M42** — ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ | ►**M134** — ◄ |
| ►**M52** — ◄ | ►**M42** — ◄ | ►**M71** — ◄ | ►**M42** — ◄ | ►**M51** — ◄ | ►**M59** — ◄ | ►**M81** — ◄ | ►**M134** — ◄ |

▼**M2**

| (27) | (28) | ►**M5** —— ◄ | (30) | (31) |
|---|---|---|---|---|
| ►**M121** —— ◄ | ►**M141** —— ◄ | | ►**M42** —— ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** —— ◄ | ►**M141** —— ◄ | | ►**M42** —— ◄ | ►**M56** 0,05 (*) ◄ |
| ►**M121** —— ◄ | ►**M141** —— ◄ | | ►**M42** —— ◄ | |
| ►**M121** —— ◄ | ►**M141** —— ◄ | | ►**M42** —— ◄ | |
| ►**M121** —— ◄ | ►**M141** —— ◄ | | ►**M42** —— ◄ | |
| ►**M121** —— ◄ | ►**M141** —— ◄ | | ►**M42** —— ◄ | |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M77▲ | Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop) | ▼M42▲ | ▼M127▲ | ▼M52▲ | ▼M87▲ | ▼M124▲ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0130040 | Medlar | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0130050 | Loquat | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0154050 | Rose hips | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0154060 | Mulberries | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0154080 | Elderberries | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0161050 | Carambola | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0161060 | Persimmon | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0161070 | Jambolan (java plum) | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0162050 | Star apple | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |
| 0163060 | Cherimoya | ►M77◄ | 0,05 (*) | ►M42◄ | ►M127◄ | ►M52◄ | ►M87◄ | ►M124◄ |

▼**M2**

| ▼**M77** — ▲**M77** | ▼**M32** Methamidophos ▲**M32** | ▼**M16** Methidathion ▲**M16** | ▼**M46** — ▲**M46** | ▼**M107** — ▲**M107** | Methoxychlor [F] | ▼**M79** — ▲**M79** | ▼**M58** — ▲**M58** |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►**M77** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M16** **0,03** ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** **0,01** (*) ◄ | ►**M16** **0,03** ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |

▼M2

| Mevinphos (sum of E- and Z-isomers) | ▼M46 — ▲M46 | ▼M59 — ▲M59 | ▼M32 — ▲M32 | ▼M77 — ▲M77 | ▼M159 — ▲M159 | Nitrofen ([f]) | ▼M79 — ▲M79 | ▼M49 — ▲M49 |
|---|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |

▼M2

| ▼ ▲M52 — ▼ | ▲M32 Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl) ▼ | Paraquat | ▼ ▲M5 Parathion (F) | ▲M32 Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl) ▼ |
|---|---|---|---|---|
| (27) | (28) | (29) | (30) | (31) |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163070 | Guava | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0163090 | Bread fruit | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0163100 | Durian | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0163110 | Soursop (guanabana) | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0212040 | Arrowroot | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0251050 | Land cress | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0251070 | Red mustard | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0252020 | Purslane | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0256050 | Sage | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0256060 | Rosemary | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0256070 | Thyme | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0256080 | Basil | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0256100 | Tarragon | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0270080 | Bamboo shoots | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0270090 | Palm hearts | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0401110 | Safflower | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0401120 | Borage | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0401130 | Gold of pleasure | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0401150 | Castor bean | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,01 (*) ◄ | ►M16 0,02 ◄ | ►M46 — ◄ | ►M107 — ◄ | | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|---|
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M49 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 0,01 (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 0,02 (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 0,02 (*) ◄ |
| ►M52 — ◄ | ►M32 0,02 (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 0,02 (*) ◄ |
| ►M52 — ◄ | ►M32 0,02 (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 0,02 (*) ◄ |
| ►M52 — ◄ | ►M32 0,02 (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 0,02 (*) ◄ |
| ►M52 — ◄ | ►M32 0,02 (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 0,02 (*) ◄ |
| ►M52 — ◄ | ►M32 0,02 (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 0,02 (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,01** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 0,01 (*) ◄ | | | ►M32 **0,01** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,02** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,02** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,02** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,02** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,02** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,02** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,02** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,02** (*) ◄ |
| ►M52 — ◄ | ►M32 **0,02** (*) ◄ | 0,02 (*) | ►M5 0,05 (*) ◄ | ►M32 **0,02** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0402030 | Palmfruit | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0402040 | Kapok | ►M77 — ◄ | 0,05 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0631000 | (a) *Flowers* | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0631010 | Camomille flowers | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0631020 | Hybiscus flowers | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0631030 | Rose petals | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0631040 | Jasmine flowers | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0631050 | Lime (linden) | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0631990 | Others | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0632000 | (b) *Leaves* | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0632010 | Strawberry leaves | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0632020 | Rooibos leaves | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0632030 | Maté | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0632990 | Others | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0633000 | (c) *Roots* | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0633010 | Valerian root | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0633020 | Ginseng root | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,02** (*) ◄ | ►M16 **0,05** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,01 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|---|
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |

▼**M2**

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►**M52** — ◄ | ►**M32** **0,02** (*) ◄ | 0,02 (*) | ►**M5** 0,05 (*) ◄ | ►**M32** **0,02** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,02** (*) ◄ | 0,02 (*) | ►**M5** 0,05 (*) ◄ | ►**M32** **0,02** (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** 0,1 (*) ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** 0,1 (*) ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0633990 | Others | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0800000 | 8. **SPICES** | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810000 | (i) **Seeds** | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810010 | Anise | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810020 | Black caraway | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810030 | Celery seed | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810040 | Coriander seed | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810050 | Cumin seed | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810060 | Dill seed | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810070 | Fennel seed | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810080 | Fenugreek | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810090 | Nutmeg | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0810990 | Others | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0820010 | Allspice | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0820030 | Caraway | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 0820040 | Cardamom | ►M77 — ◄ | 0,1 (*) | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 **0,1** (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 **0,05** (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|---|
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |

▼**M2**

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** 0,1 (*) ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** 0,1 (*) ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M5** — ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** 0,1 (*) ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** 0,1 ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 5 ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0820050 | Juniper berries | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0820060 | Pepper, black and white | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0820070 | Vanilla pods | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0820080 | Tamarind | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0820990 | Others | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0830000 | (iii) **Bark** | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0830010 | Cinnamon | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0830990 | Others | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0840010 | Liquorice | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0840020 | Ginger | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0840030 | Turmeric (Curcuma) | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0840040 | Horseradish | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0840990 | Others | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0850000 | (v) **Buds** | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0850010 | Cloves | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0850020 | Capers | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0850990 | Others | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0860000 | (vi) **Flower stigma** | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0860010 | Saffron | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0860990 | Others | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0870000 | (vii) **Aril** | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |
| 0870010 | Mace | ►M77 —— ◄ | 0,1 (*) | ►M42 —— ◄ | ►M127 —— ◄ | ►M52 —— ◄ | ►M87 —— ◄ | ►M124 —— ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |
| ►M77 — ◄ | ►M32 0,1 (*) ◄ | ►M16 0,1 (*) ◄ | ►M46 — ◄ | ►M107 — ◄ | 0,1 (*) | ►M79 — ◄ | ►M58 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|---|
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |

▼M2

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 5 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 5 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 5 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 5 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 5 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 0,1 (*) ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 0,2 ◄ | ►M32 3 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 3 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 3 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 3 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 3 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 3 ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 0,1 (*) ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 0,1 (*) ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 0,1 (*) ◄ | ►M32 0,05 (*) ◄ |
| ►M52 — ◄ | ►M32 0,05 (*) ◄ | 0,05 (*) | ►M5 — ◄ | ►M32 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0870990 | Others | ►M77 —◄ | 0,1 (*) | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M77 —◄ | 0,05 (*) | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 0900010 | Sugar beet (root) | ►M77 —◄ | 0,05 (*) | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 0900020 | Sugar cane | ►M77 —◄ | 0,05 (*) | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 0900030 | Chicory roots | ►M77 —◄ | 0,05 (*) | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 0900990 | Others | ►M77 —◄ | 0,05 (*) | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1015010 | Meat | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1015020 | Fat | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1015030 | Liver | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1015040 | Kidney | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1015050 | Edible offal | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1015990 | Others | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1017000 | (g) *Other farm animals* | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1017010 | Meat | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1017020 | Fat | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1017030 | Liver | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1017040 | Kidney | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1017050 | Edible offal | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1017990 | Others | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1030020 | Duck | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |
| 1030030 | Goose | ►M77 —◄ | | ►M42 —◄ | ►M127 —◄ | ►M52 —◄ | ►M87 —◄ | ►M124 —◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M77** — ◄ | ►**M32** 0,1 (*) ◄ | ►**M16** 0,1 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,1 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** **0,02** ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|---|
| 0,02 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,02 (*) | ►M79 — ◄ | ►M49 — ◄ |
| 0,01 (*) | ►M46 — ◄ | ►M59 — ◄ | ►M32 — ◄ | ►M77 — ◄ | ►M159 — ◄ | 0,01

▼**M2**

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►**M52** — ◄ | ►**M32** 0,05 (*) ◄ | 0,05 (*) | ►**M5** — ◄ | ►**M32** 0,05 (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | 0,02 (*) | ►**M5** 0,05 (*) ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | 0,02 (*) | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | 0,02 (*) | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | 0,02 (*) | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | 0,02 (*) | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** 0,05 (*) ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** 0,05 (*) ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** — ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** 0,05 (*) ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** 0,05 (*) ◄ | ►**M32** **0,01** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 1030990 | Others | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 1040000 | (iv) **Honey** | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 1060000 | (vi) **Snails** | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M77 — ◄ | | ►M42 — ◄ | ►M127 — ◄ | ►M52 — ◄ | ►M87 — ◄ | ►M124 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | ►**M32** 0,01 (*) ◄ | ►**M16** 0,02 (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | | ►**M16** **0,02** (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | | ►**M16** **0,02** (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | | ►**M16** **0,02** (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | | ►**M79** — ◄ | ►**M58** — ◄ |
| ►**M77** — ◄ | | ►**M16** **0,02** (*) ◄ | ►**M46** — ◄ | ►**M107** — ◄ | | ►**M79** — ◄ | ►**M58** — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) |
|---|---|---|---|---|---|---|---|---|
| | ►**M46** — ◄ | ►**M59** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M49** — ◄ |
| | ►**M46** — ◄ | ►**M59** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | 0,01 (*) | ►**M79** — ◄ | ►**M49** — ◄ |
| | ►**M46** — ◄ | ►**M59** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | | ►**M79** — ◄ | ►**M49** — ◄ |
| | ►**M46** — ◄ | ►**M59** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | | ►**M79** — ◄ | ►**M49** — ◄ |
| | ►**M46** — ◄ | ►**M59** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | | ►**M79** — ◄ | ►**M49** — ◄ |
| | ►**M46** — ◄ | ►**M59** — ◄ | ►**M32** — ◄ | ►**M77** — ◄ | ►**M159** — ◄ | | ►**M79** — ◄ | ►**M49** — ◄ |

▼**M2**

| (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** 0,05 (*) ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M5** 0,05 (*) ◄ | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |
| ►**M52** — ◄ | ►**M32** **0,01** (*) ◄ | | | ►**M32** **0,01** (*) ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M143 ▲M143 | ▼M67 ▲M67 | ▼M91 ▲M91 | ▼M84 ▲M84 | ▼M32 Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate) ▲M32 | Phosphamidon | ▼M66 ▲M66 |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0130040 | Medlar | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0130050 | Loquat | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0154050 | Rose hips | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0154060 | Mulberries | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0154080 | Elderberries | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0161050 | Carambola | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0161060 | Persimmon | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0161070 | Jambolan (java plum) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0162050 | Star apple | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0163060 | Cherimoya | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |

▼M2

| ▼M51 — ▲M51 | ▼M87 — ▲M87 | ▼M156 — ▲M156 | ▼M64 — ▲M64 | ▼M209 Profenofos [F] ▲M209 | ▼M73 — ▲M73 | ▼M96 — ▲M96 | ▼M184 — ▲M184 |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |

▼M2

| ▼M200 ▲ | ▼M59 ▲ | ▼M67 ▲ | ▼M58 ▲ | ▼M55 ▲ | ▼M40 ▲ | ▼M59 ▲ | ▼M77 ▲ |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |
| ►M200 ◄ | ►M59 ◄ | ►M67 ◄ | ►M58 ◄ | ►M55 ◄ | ►M40 ◄ | ►M59 ◄ | ►M77 ◄ |

▼**M2**

| ▼<br>**M67**<br>— ▲ | ▼<br>**M51**<br>— ▲ | ▼<br>**M77**<br>— ▲ | ▼<br>**M47** Quinoxyfen (F)<br>▲ | ▼<br>**M32** Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene) (F)<br>▲ | ▼<br>**M77**<br>— ▲ |
|---|---|---|---|---|---|
| (26) | (27) | (28) | (29) | (30) | (31) |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 2 ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 2 ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 2 ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 2 ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,02 (*) ◄ | ►**M77** — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163070 | Guava | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0163090 | Bread fruit | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0163100 | Durian | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0163110 | Soursop (guanabana) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0212040 | Arrowroot | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0251050 | Land cress | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0251070 | Red mustard | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0252020 | Purslane | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0256050 | Sage | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0256060 | Rosemary | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0256070 | Thyme | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0256080 | Basil | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0256100 | Tarragon | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0270080 | Bamboo shoots | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0270090 | Palm hearts | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 0401110 | Safflower | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0401120 | Borage | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0401130 | Gold of pleasure | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0401150 | Castor bean | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | **►M209 0,03 (+) ◄** | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | **►M209 0,03 (+) ◄** | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | **►M209 0,03 (+) ◄** | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | **►M209 0,03 (+) ◄** | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | **►M209 0,03 (+) ◄** | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | **►M209 0,03 (+) ◄** | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |
| ►M200 — ◄ | ►M59 — ◄ | ►M67 — ◄ | ►M58 — ◄ | ►M55 — ◄ | ►M40 — ◄ | ►M59 — ◄ | ►M77 — ◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0402030 | Palmfruit | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0402040 | Kapok | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0631000 | (a) *Flowers* | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0631010 | Camomille flowers | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0631020 | Hybiscus flowers | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0631030 | Rose petals | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0631040 | Jasmine flowers | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0631050 | Lime (linden) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0631990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0632000 | (b) *Leaves* | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0632010 | Strawberry leaves | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0632020 | Rooibos leaves | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0632030 | Maté | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0632990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0633000 | (c) *Roots* | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0633010 | Valerian root | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0633020 | Ginseng root | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M64 — ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M64 — ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,1 (+) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,05** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0633990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0800000 | 8. **SPICES** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M5 — ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810000 | (i) **Seeds** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810010 | Anise | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810020 | Black caraway | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810030 | Celery seed | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810040 | Coriander seed | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810050 | Cumin seed | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810060 | Dill seed | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810070 | Fennel seed | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810080 | Fenugreek | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810090 | Nutmeg | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0810990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,5** ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820010 | Allspice | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820030 | Caraway | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820040 | Cardamom | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M32 — ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,1 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 5 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,1 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,07 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,07 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,07 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 3 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 — ◄ | ►M5 — ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0820050 | Juniper berries | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820060 | Pepper, black and white | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820070 | Vanilla pods | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820080 | Tamarind | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0820990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0830000 | (iii) **Bark** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0830010 | Cinnamon | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0830990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0840010 | Liquorice | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0840020 | Ginger | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0840040 | Horseradish | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0840990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,1 (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0850000 | (v) **Buds** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0850010 | Cloves | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0850020 | Capers | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0850990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0860010 | Saffron | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0860990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0870000 | (vii) **Aril** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0870010 | Mace | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,07 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,07 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,07 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,07 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,07 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M64 — ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M194 — ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M194 — ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 — ◄ | ►M32 2 ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 2 ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 2 ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 2 ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 (+) ◄ | ►M32 2 ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 2 ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0870990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,05** (*) ◄ | 0,02 (*) | ►M66 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,05 (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0900010 | Sugar beet (root) | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,05 (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0900020 | Sugar cane | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,05 (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0900030 | Chicory roots | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,05 (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 0900990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,05 (*) ◄ | 0,01 (*) | ►M66 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 — ◄ | | ►M66 — ◄ |
| 1015010 | Meat | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** ◄ | | ►M66 — ◄ |
| 1015020 | Fat | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1015030 | Liver | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** ◄ | | ►M66 — ◄ |
| 1015040 | Kidney | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** ◄ | | ►M66 — ◄ |
| 1015050 | Edible offal | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,02** ◄ | | ►M66 — ◄ |
| 1015990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1017010 | Meat | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1017020 | Fat | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1017030 | Liver | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1017040 | Kidney | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1017050 | Edible offal | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1017990 | Others | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 **0,01** (*) ◄ | | ►M66 — ◄ |
| 1030020 | Duck | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,05 (*) ◄ | | ►M66 — ◄ |
| 1030030 | Goose | ►M143 — ◄ | ►M67 — ◄ | ►M91 — ◄ | ►M84 — ◄ | ►M32 0,05 (*) ◄ | | ►M66 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,01 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,05 ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |
| ►M51 — ◄ | ►M87 — ◄ | ►M156 — ◄ | ►M64 — ◄ | ►M209 0,02 (*) ◄ | ►M73 — ◄ | ►M96 — ◄ | ►M184 — ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M200 —◄ | ►M59 —◄ | ►M67 —◄ | ►M58 —◄ | ►M55 —◄ | ►M40 —◄ | ►M59 —◄ | ►M77 —◄ |

▼M2

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,05 (*) ◄ | ►M32 **0,1** (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,02 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,2 ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |
| ►M67 — ◄ | ►M51 — ◄ | ►M77 — ◄ | ►M47 0,02 (*) ◄ | ►M32 0,01 (*) ◄ | ►M77 — ◄ |

▼**M2**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►**M143** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** 0,05 (*) ◄ | | ►**M66** — ◄ |
| 1030990 | Others | ►**M143** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** 0,05 (*) ◄ | | ►**M66** — ◄ |
| 1040000 | (iv) **Honey** | ►**M143** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M66** — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►**M143** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M66** — ◄ |
| 1060000 | (vi) **Snails** | ►**M143** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M66** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►**M143** — ◄ | ►**M67** — ◄ | ►**M91** — ◄ | ►**M84** — ◄ | ►**M32** **0,01** (*) ◄ | | ►**M66** — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M51** — ◄ | ►**M87** — ◄ | ►**M156** — ◄ | ►**M64** — ◄ | ►**M209** 0,02 (*) ◄ | ►**M73** — ◄ | ►**M96** — ◄ | ►**M184** — ◄ |
| ►**M51** — ◄ | ►**M87** — ◄ | ►**M156** — ◄ | ►**M64** — ◄ | ►**M209** 0,02 (*) ◄ | ►**M73** — ◄ | ►**M96** — ◄ | ►**M184** — ◄ |
| ►**M51** — ◄ | ►**M87** — ◄ | ►**M156** — ◄ | ►**M64** — ◄ | ►**M209** 0,05 (*) ◄ | ►**M73** — ◄ | ►**M96** — ◄ | ►**M184** — ◄ |
| ►**M51** — ◄ | ►**M87** — ◄ | ►**M156** — ◄ | ►**M64** — ◄ | ►**M209** 0,01 (*) ◄ | ►**M73** — ◄ | ►**M96** — ◄ | ►**M184** — ◄ |
| ►**M51** — ◄ | ►**M87** — ◄ | ►**M156** — ◄ | ►**M64** — ◄ | ►**M209** 0,01 (*) ◄ | ►**M73** — ◄ | ►**M96** — ◄ | ►**M184** — ◄ |
| ►**M51** — ◄ | ►**M87** — ◄ | ►**M156** — ◄ | ►**M64** — ◄ | ►**M209** 0,01 (*) ◄ | ►**M73** — ◄ | ►**M96** — ◄ | ►**M184** — ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M200** —— ◄ | ►**M59** —— ◄ | ►**M67** —— ◄ | ►**M58** —— ◄ | ►**M55** —— ◄ | ►**M40** —— ◄ | ►**M59** —— ◄ | ►**M77** —— ◄ |
| ►**M200** —— ◄ | ►**M59** —— ◄ | ►**M67** —— ◄ | ►**M58** —— ◄ | ►**M55** —— ◄ | ►**M40** —— ◄ | ►**M59** —— ◄ | ►**M77** —— ◄ |
| ►**M200** —— ◄ | ►**M59** —— ◄ | ►**M67** —— ◄ | ►**M58** —— ◄ | ►**M55** —— ◄ | ►**M40** —— ◄ | ►**M59** —— ◄ | ►**M77** —— ◄ |
| ►**M200** —— ◄ | ►**M59** —— ◄ | ►**M67** —— ◄ | ►**M58** —— ◄ | ►**M55** —— ◄ | ►**M40** —— ◄ | ►**M59** —— ◄ | ►**M77** —— ◄ |
| ►**M200** —— ◄ | ►**M59** —— ◄ | ►**M67** —— ◄ | ►**M58** —— ◄ | ►**M55** —— ◄ | ►**M40** —— ◄ | ►**M59** —— ◄ | ►**M77** —— ◄ |
| ►**M200** —— ◄ | ►**M59** —— ◄ | ►**M67** —— ◄ | ►**M58** —— ◄ | ►**M55** —— ◄ | ►**M40** —— ◄ | ►**M59** —— ◄ | ►**M77** —— ◄ |

▼**M2**

| (26) | (27) | (28) | (29) | (30) | (31) |
|---|---|---|---|---|---|
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** 0,02 (*) ◄ | ►**M32** 0,01 (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** **0,05** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** **0,02** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** **0,02** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M77** — ◄ |
| ►**M67** — ◄ | ►**M51** — ◄ | ►**M77** — ◄ | ►**M47** **0,02** (*) ◄ | ►**M32** **0,01** (*) ◄ | ►**M77** — ◄ |

▼M2

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ▼M58▲ | ▼M55▲ | ▼M96▲ | ▼M58▲ | ▼M77▲ | TEPP | ▼M124▲ |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0130040 | Medlar | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0130050 | Loquat | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0154050 | Rose hips | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0154060 | Mulberries | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0154080 | Elderberries | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0161050 | Carambola | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0161060 | Persimmon | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0161070 | Jambolan (java plum) | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0162050 | Star apple | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |
| 0163060 | Cherimoya | ►M58 ◄ | ►M55 ◄ | ►M96 ◄ | ►M58 ◄ | ►M77 ◄ | 0,01 (*) | ►M124 ◄ |

▼**M2**

| ▼ **M81** ▲ | ▼ **M58** ▲ | Thiophanate-methyl (R) | ▼ **M200** ▲ | ▼ **M32** ▲ | ▼ **M117** ▲ | ▼ **M21** ▲ | ▼ **M116** ▲ Triazophos (F) |
|---|---|---|---|---|---|---|---|
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| ►**M81** — ◄ | ►**M58** — ◄ | 2 | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 2 | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,1 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |

▼M2

| ▼M79 — ▲M79 | ▼M32 — ▲M32 | ▼M81 — ▲M81 | ▼M16 Triforine ▲M16 | Trimethyl-sulfonium cation, resulting from the use of glyphosate ([F]) | ▼M21 — ▲M21 | ▼M45 — ▲M45 | Ziram ([13]) |
|---|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |

▼**M2**

| ▼**M111** Zoxamide ▲ |
|---|
| (26) |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0163070 | Guava | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0163090 | Bread fruit | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0163100 | Durian | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0163110 | Soursop (guanabana) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0212040 | Arrowroot | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0251050 | Land cress | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0251070 | Red mustard | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0252020 | Purslane | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0256050 | Sage | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0256060 | Rosemary | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0256070 | Thyme | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0256080 | Basil | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0256100 | Tarragon | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0270080 | Bamboo shoots | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0270090 | Palm hearts | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 0401110 | Safflower | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0401120 | Borage | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0401130 | Gold of pleasure | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0401150 | Castor bean | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |

▼**M2**

| (26) |
| --- |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** **30** ◄ |
| ►**M111** **30** ◄ |
| ►**M111** **30** ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** **30** ◄ |
| ►**M111** **30** ◄ |
| ►**M111** **30** ◄ |
| ►**M111** **30** ◄ |
| ►**M111** **30** ◄ |
| ►**M111** **30** ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0402030 | Palmfruit | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0402040 | Kapok | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0631000 | (a) *Flowers* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0631010 | Camomille flowers | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0631020 | Hybiscus flowers | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0631030 | Rose petals | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0631040 | Jasmine flowers | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0631050 | Lime (linden) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0631990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0632000 | (b) *Leaves* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0632010 | Strawberry leaves | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0632020 | Rooibos leaves | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0632030 | Maté | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0632990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0633000 | (c) *Roots* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0633010 | Valerian root | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0633020 | Ginseng root | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,02** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,02** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |

▼**M2**

| (26) |
|---|
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0633990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0800000 | 8. **SPICES** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810000 | (i) **Seeds** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810010 | Anise | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810020 | Black caraway | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810030 | Celery seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810040 | Coriander seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810050 | Cumin seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810060 | Dill seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810070 | Fennel seed | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810080 | Fenugreek | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810090 | Nutmeg | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0810990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820010 | Allspice | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820030 | Caraway | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820040 | Cardamom | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M27 — ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 — ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 **0,1** ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 **0,1** ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 — ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,07 ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,07 ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,07 ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 **4** ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |

▼**M2**

| (26) |
| --- |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** — ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0820050 | Juniper berries | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820060 | Pepper, black and white | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820070 | Vanilla pods | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820080 | Tamarind | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0820990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0830000 | (iii) **Bark** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0830010 | Cinnamon | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0830990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0840010 | Liquorice | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0840020 | Ginger | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0840040 | Horseradish | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0840990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0850000 | (v) **Buds** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0850010 | Cloves | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0850020 | Capers | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0850990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0860010 | Saffron | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0860990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0870000 | (vii) **Aril** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0870010 | Mace | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,07 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,07 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,07 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,07 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,07 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** —— ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,1 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,1 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,1 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** **(+)** ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,1 ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |
| ►**M81** —— ◄ | ►**M58** —— ◄ | 0,1 (*) | ►**M200** —— ◄ | ►**M32** —— ◄ | ►**M117** —— ◄ | ►**M21** —— ◄ | ►**M116** 0,02 (*) ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,05** (*) ◄ | 0,05 (*) | ►**M21** — ◄ | ►**M45** — ◄ | 0,2 (*) |

▼**M2**

| (26) |
|---|
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** — ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| |
| ►**M111** (+) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,05 (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0870990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,02 (*) | ►M124 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0900010 | Sugar beet (root) | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0900020 | Sugar cane | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0900030 | Chicory roots | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 0900990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | 0,01 (*) | ►M124 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1015010 | Meat | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1015020 | Fat | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1015030 | Liver | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1015040 | Kidney | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1015050 | Edible offal | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1015990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1017010 | Meat | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1017020 | Fat | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1017030 | Liver | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1017040 | Kidney | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1017050 | Edible offal | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1017990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1030020 | Duck | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1030030 | Goose | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |

▼M2

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,02 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,1 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |
| ►M81 — ◄ | ►M58 — ◄ | 0,05 (*) | ►M200 — ◄ | ►M32 — ◄ | ►M117 — ◄ | ►M21 — ◄ | ►M116 0,01 (*) ◄ |

▼M2

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,05** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,2 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | 0,1 (*) |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,05 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,01 (*) | ►M21 — ◄ | ►M45 — ◄ | |
| ►M79 — ◄ | ►M32 — ◄ | ►M81 — ◄ | ►M16 **0,01** (*) ◄ | 0,01 (*) | ►M21 — ◄ | ►M45 — ◄ | |

▼**M2**

| (26) |
| --- |
| ►**M111** 0,05 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** 0,02 (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |
| ►**M111** **0,01** (*) ◄ |

▼M2

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1030040 | Quail | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1030990 | Others | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1040000 | (iv) **Honey** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1060000 | (vi) **Snails** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M58 — ◄ | ►M55 — ◄ | ►M96 — ◄ | ►M58 — ◄ | ►M77 — ◄ | | ►M124 — ◄ |

▼**M2**

| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|
| ►**M81** — ◄ | ►**M58** — ◄ | 0,05 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 0,05 (*) | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | 1 | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** **0,05** (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |
| ►**M81** — ◄ | ►**M58** — ◄ | | ►**M200** — ◄ | ►**M32** — ◄ | ►**M117** — ◄ | ►**M21** — ◄ | ►**M116** 0,01 (*) ◄ |

▼**M2**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) |
|---|---|---|---|---|---|---|---|
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,01** (*) ◄ | 0,01 (*) | ►**M21** — ◄ | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,01** (*) ◄ | 0,01 (*) | ►**M21** — ◄ | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,01** (*) ◄ | | ►**M21** — ◄ | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,01** (*) ◄ | | ►**M21** — ◄ | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,01** (*) ◄ | | ►**M21** — ◄ | ►**M45** — ◄ | |
| ►**M79** — ◄ | ►**M32** — ◄ | ►**M81** — ◄ | ►**M16** **0,01** (*) ◄ | | ►**M21** — ◄ | ►**M45** — ◄ | |

▼**M2**

| (26) |
|---|
| ►**M111 0,01** (*) ◄ |
| ►**M111 0,01** (*) ◄ |
| ►**M111 0,05** (*) ◄ |
| ►**M111 0,01** (*) ◄ |
| ►**M111 0,01** (*) ◄ |
| ►**M111 0,01** (*) ◄ |

▼M5

*Pesticide residues and maximum residue levels (mg/kg)*

| Code number | Groups and examples of individual products to which the MRLs apply (a) | ►M113 — ◄ | ►M77 — ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0130040 | Medlar | ►M113 — ◄ | ►M77 — ◄ |
| 0130050 | Loquat | ►M113 — ◄ | ►M77 — ◄ |
| 0154050 | Rose hips | ►M113 — ◄ | ►M77 — ◄ |
| 0154060 | Mulberries | ►M113 — ◄ | ►M77 — ◄ |
| 0154070 | Azarole (mediteranean medlar) | ►M113 — ◄ | ►M77 — ◄ |
| 0154080 | Elderberries | ►M113 — ◄ | ►M77 — ◄ |
| 0161050 | Carambola | ►M113 — ◄ | ►M77 — ◄ |
| 0161060 | Persimmon | ►M113 — ◄ | ►M77 — ◄ |
| 0161070 | Jambolan (java plum) | ►M113 — ◄ | ►M77 — ◄ |
| 0162040 | Prickly pear (cactus fruit) | ►M113 — ◄ | ►M77 — ◄ |
| 0162050 | Star apple | ►M113 — ◄ | ►M77 — ◄ |
| 0162060 | American persimmon (Virginia kaki) | ►M113 — ◄ | ►M77 — ◄ |
| 0163060 | Cherimoya | ►M113 — ◄ | ►M77 — ◄ |
| 0163070 | Guava | ►M113 — ◄ | ►M77 — ◄ |
| 0163090 | Bread fruit | ►M113 — ◄ | ►M77 — ◄ |
| 0163100 | Durian | ►M113 — ◄ | ►M77 — ◄ |
| 0163110 | Soursop (guanabana) | ►M113 — ◄ | ►M77 — ◄ |
| 0212040 | Arrowroot | ►M113 — ◄ | ►M77 — ◄ |
| 0251050 | Land cress | ►M113 — ◄ | ►M77 — ◄ |
| 0251070 | Red mustard | ►M113 — ◄ | ►M77 — ◄ |
| 0252020 | Purslane | ►M113 — ◄ | ►M77 — ◄ |
| 0253000 | (c) *Vine leaves (grape leaves)* | ►M113 — ◄ | ►M77 — ◄ |
| 0256050 | Sage | ►M113 — ◄ | ►M77 — ◄ |
| 0256060 | Rosemary | ►M113 — ◄ | ►M77 — ◄ |
| 0256070 | Thyme | ►M113 — ◄ | ►M77 — ◄ |
| 0256080 | Basil | ►M113 — ◄ | ►M77 — ◄ |
| 0256090 | Bay leaves (laurel) | ►M113 — ◄ | ►M77 — ◄ |
| 0256100 | Tarragon | ►M113 — ◄ | ►M77 — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0270080 | Bamboo shoots | ►M113 — ◄ | ►M77 — ◄ |
| 0270090 | Palm hearts | ►M113 — ◄ | ►M77 — ◄ |
| 0290000 | (ix) **Sea weeds** | ►M113 — ◄ | ►M77 — ◄ |
| 0401110 | Safflower | ►M113 — ◄ | ►M77 — ◄ |
| 0401120 | Borage | ►M113 — ◄ | ►M77 — ◄ |
| 0401130 | Gold of pleasure | ►M113 — ◄ | ►M77 — ◄ |
| 0401150 | Castor bean | ►M113 — ◄ | ►M77 — ◄ |
| 0402020 | Palm nuts (palmoil kernels) | ►M113 — ◄ | ►M77 — ◄ |
| 0402030 | Palmfruit | ►M113 — ◄ | ►M77 — ◄ |
| 0402040 | Kapok | ►M113 — ◄ | ►M77 — ◄ |
| 0620000 | (ii) **Coffee beans** | ►M113 — ◄ | ►M77 — ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | ►M113 — ◄ | ►M77 — ◄ |
| 0631000 | (a) *Flowers* | ►M113 — ◄ | ►M77 — ◄ |
| 0631010 | Camomille flowers | ►M113 — ◄ | ►M77 — ◄ |
| 0631020 | Hybiscus flowers | ►M113 — ◄ | ►M77 — ◄ |
| 0631030 | Rose petals | ►M113 — ◄ | ►M77 — ◄ |
| 0631040 | Jasmine flowers | ►M113 — ◄ | ►M77 — ◄ |
| 0631050 | Lime (linden) | ►M113 — ◄ | ►M77 — ◄ |
| 0631990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0632000 | (b) *Leaves* | ►M113 — ◄ | ►M77 — ◄ |
| 0632010 | Strawberry leaves | ►M113 — ◄ | ►M77 — ◄ |
| 0632020 | Rooibos leaves | ►M113 — ◄ | ►M77 — ◄ |
| 0632030 | Maté | ►M113 — ◄ | ►M77 — ◄ |
| 0632990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0633000 | (c) *Roots* | ►M113 — ◄ | ►M77 — ◄ |
| 0633010 | Valerian root | ►M113 — ◄ | ►M77 — ◄ |
| 0633020 | Ginseng root | ►M113 — ◄ | ►M77 — ◄ |
| 0633990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0639000 | (d) *Other herbal infusions* | ►M113 — ◄ | ►M77 — ◄ |
| 0640000 | (iv) **Cocoa (fermented beans)** | ►M113 — ◄ | ►M77 — ◄ |
| 0650000 | (v) **Carob (st johns bread)** | ►M113 — ◄ | ►M77 — ◄ |
| 0800000 | 8. **SPICES** | ►M113 — ◄ | ►M77 — ◄ |
| 0810000 | (i) **Seeds** | ►M113 — ◄ | ►M77 — ◄ |
| 0810010 | Anise | ►M113 — ◄ | ►M77 — ◄ |
| 0810020 | Black caraway | ►M113 — ◄ | ►M77 — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0810030 | Celery seed | ►M113 — ◄ | ►M77 — ◄ |
| 0810040 | Coriander seed | ►M113 — ◄ | ►M77 — ◄ |
| 0810050 | Cumin seed | ►M113 — ◄ | ►M77 — ◄ |
| 0810060 | Dill seed | ►M113 — ◄ | ►M77 — ◄ |
| 0810070 | Fennel seed | ►M113 — ◄ | ►M77 — ◄ |
| 0810080 | Fenugreek | ►M113 — ◄ | ►M77 — ◄ |
| 0810090 | Nutmeg | ►M113 — ◄ | ►M77 — ◄ |
| 0810990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0820000 | (ii) **Fruits and berries** | ►M113 — ◄ | ►M77 — ◄ |
| 0820010 | Allspice | ►M113 — ◄ | ►M77 — ◄ |
| 0820020 | Anise pepper (Japan pepper) | ►M113 — ◄ | ►M77 — ◄ |
| 0820030 | Caraway | ►M113 — ◄ | ►M77 — ◄ |
| 0820040 | Cardamom | ►M113 — ◄ | ►M77 — ◄ |
| 0820050 | Juniper berries | ►M113 — ◄ | ►M77 — ◄ |
| 0820060 | Pepper, black and white | ►M113 — ◄ | ►M77 — ◄ |
| 0820070 | Vanilla pods | ►M113 — ◄ | ►M77 — ◄ |
| 0820080 | Tamarind | ►M113 — ◄ | ►M77 — ◄ |
| 0820990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0830000 | (iii) **Bark** | ►M113 — ◄ | ►M77 — ◄ |
| 0830010 | Cinnamon | ►M113 — ◄ | ►M77 — ◄ |
| 0830990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0840000 | (iv) **Roots or rhizome** | ►M113 — ◄ | ►M77 — ◄ |
| 0840010 | Liquorice | ►M113 — ◄ | ►M77 — ◄ |
| 0840020 | Ginger | ►M113 — ◄ | ►M77 — ◄ |
| 0840030 | Turmeric (Curcuma) | ►M113 — ◄ | ►M77 — ◄ |
| 0840040 | Horseradish | ►M113 — ◄ | ►M77 — ◄ |
| 0840990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0850000 | (v) **Buds** | ►M113 — ◄ | ►M77 — ◄ |
| 0850010 | Cloves | ►M113 — ◄ | ►M77 — ◄ |
| 0850020 | Capers | ►M113 — ◄ | ►M77 — ◄ |
| 0850990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0860000 | (vi) **Flower stigma** | ►M113 — ◄ | ►M77 — ◄ |
| 0860010 | Saffron | ►M113 — ◄ | ►M77 — ◄ |
| 0860990 | Others | ►M113 — ◄ | ►M77 — ◄ |

▼M5

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0870000 | (vii) **Aril** | ►M113 — ◄ | ►M77 — ◄ |
| 0870010 | Mace | ►M113 — ◄ | ►M77 — ◄ |
| 0870990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 0900000 | 9. **SUGAR PLANTS** | ►M113 — ◄ | ►M77 — ◄ |
| 0900010 | Sugar beet (root) | ►M113 — ◄ | ►M77 — ◄ |
| 0900020 | Sugar cane | ►M113 — ◄ | ►M77 — ◄ |
| 0900030 | Chicory roots | ►M113 — ◄ | ►M77 — ◄ |
| 0900990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | ►M113 — ◄ | ►M77 — ◄ |
| 1015010 | Meat | ►M113 — ◄ | ►M77 — ◄ |
| 1015020 | Fat | ►M113 — ◄ | ►M77 — ◄ |
| 1015030 | Liver | ►M113 — ◄ | ►M77 — ◄ |
| 1015040 | Kidney | ►M113 — ◄ | ►M77 — ◄ |
| 1015050 | Edible offal | ►M113 — ◄ | ►M77 — ◄ |
| 1015990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 1017000 | (g) *Other farm animals* | ►M113 — ◄ | ►M77 — ◄ |
| 1017010 | Meat | ►M113 — ◄ | ►M77 — ◄ |
| 1017020 | Fat | ►M113 — ◄ | ►M77 — ◄ |
| 1017030 | Liver | ►M113 — ◄ | ►M77 — ◄ |
| 1017040 | Kidney | ►M113 — ◄ | ►M77 — ◄ |
| 1017050 | Edible offal | ►M113 — ◄ | ►M77 — ◄ |
| 1017990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 1030020 | Duck | ►M113 — ◄ | ►M77 — ◄ |
| 1030030 | Goose | ►M113 — ◄ | ►M77 — ◄ |
| 1030040 | Quail | ►M113 — ◄ | ►M77 — ◄ |
| 1030990 | Others | ►M113 — ◄ | ►M77 — ◄ |
| 1040000 | (iv) **Honey** | ►M113 — ◄ | ►M77 — ◄ |
| 1050000 | (v) **Amphibians and reptiles** | ►M113 — ◄ | ►M77 — ◄ |
| 1060000 | (vi) **Snails** | ►M113 — ◄ | ►M77 — ◄ |
| 1070000 | (vii) **Other terrestrial animal products** | ►M113 — ◄ | ►M77 — ◄ |

▼M2

([13]) As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

([a]) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(*) Limit of analytical determination

([F]) = Fat soluble

([R]) = The residue definition differs for the following combinations pesticide-code number:

▼M2

---

Carbendazim — code 1000000: Carbendazim and thiophanate-methyl, expressed as carbendazim

Chlordane — code 1000000: Sum of cis- and trans-isomers and oxychlordane expressed as chlordane

►M37 Metabolite 490M1 = 2-methoxyimino-2-[2-(o-tolyloxymethyl)phenyl]acetic acid. Metabolite 490M9 = 2-[2-(4-hydroxy-2-methylphenoxymethyl)phenyl]-2-methoxy-iminoacetic acid. ◄

Thiofanate-methyl — code 1000000: Carbendazim and thiophanate-methyl, expressed as carbendazim

▼M64

**Carbaryl (F)**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M209

**Profenofos (F)**

(F) Fat soluble

Recent monitoring data show that residues of profenofos occur in rose petals. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in rose petals. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 25 July 2029, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0631030** | **Rose** |

Recent monitoring data show that residues of profenofos still occur in herbs and edible flowers. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs and edible flowers. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 22 February 2030, or, if that information is not submitted by that date, the lack of it

| | |
|---|---|
| **0256000** | **(f) herbs and edible flowers** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves** |
| **0256040** | **Parsley** |
| **0256050** | **Sage** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme** |
| **0256080** | **Basil and edible flowers** |
| **0256090** | **Laurel/bay leaves** |
| **0256100** | **Tarragon** |
| **0256990** | **Others (2)** |

The following MRL applies to chilli peppers: 3 mg/kg.

| | |
|---|---|
| **0231020** | **Sweet peppers/bell peppers** |

▼M47

**Quinoxyfen (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M56

**MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

**MCPA and MCPB - code 1000000: MCPA, MCPB and MCPA thioethyl expressed as MCPA**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| 0840040 | Horseradish |

▼M53

**Fenarimol**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M76

**Clofentezine (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Clofentezine - codes 0500000 and 1000000: Sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| 0840040 | Horseradish |

▼M70

**Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Carbofuran — code 1000000 except 1040000: 3-OH-carbofuran (free and conjugated) expressed as carbofuran

▼M70

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼M111

**Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)**

In brackets the origin of the residue (ma: maneb; mz: mancozeb; me: metiram; pr: propineb; t: thiram; z: ziram),

The MRLs expressed as CS2 can arise from different dithiocarbamates and therefore they do not reflect a single Good Agricultural Practice (GAP), It is therefore not appropriate to use these MRLs to check compliance with a GAP,

(+) (ma, mz, me, pr, t, z)

**0130040** **Medlars**

**0130050** **Loquats/Japanese medlars**

(+) (mz)

**0161060** **Kaki/Japanese persimmons**

(+) (mz, me, t)

**0251050** **Land cresses**

**0251070** **Red mustards**

**0252020** **Purslanes**

(+) (mz, me)

**0256050** **Sage**

**0256060** **Rosemary**

**0256070** **Thyme**

**0256080** **Basil and edible flowers**

**0256090** **Laurel/bay leave**

**0256100** **Tarragon**

(+) (mz)

**0633020** **Ginseng**

**0810040** **Coriander**

**0810070** **Fennel**

**0820040** **Cardamom**

**0820060** **Peppercorn (black, green and white)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art, 20 (1) of Regulation (EC) No 396/2005,

**0840040** **Horseradish**

▼M111

**Zoxamide**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art, 20 (1) of Regulation (EC) No 396/2005,

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M116

**Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers)) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Triazophos (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M206

**DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT) (F)**

(F) Fat soluble

For wild boar, the same MRL as for swine applies.

| | |
|---|---|
| **1070000** | **Wild terrestrial vertebrate animals** |

▼M2

*ANNEX IV*

**List of active substances of plant protection products evaluated under Directive 91/414/EEC for which no MRLs are required, referred to in Article 5(1) ►M82 (2) ◄**

▼M163
1,4-diaminobutane (aka Putrescine)
▼M154
1-decanol
ABE-IT 56
▼M191
Acetic acid
▼M154
S-abscisic acid
▼M57
L-ascorbic acid
▼M39
*Adoxophyes orana granulovirus* strain BV-0001
▼M173
*Allium cepa* L. bulb extract
▼M5
Aluminium silicate (aka kaolin) ►M82 —— ◄ (1)
▼M163
Ammonium acetate
▼M5
*Ampelomyces quisqualis* strain AQ10
▼M180
Aqueous extract from the germinated seeds of sweet *Lupinus albus*
▼M33
*Aureobasidium pullulans* strains DSM 14940 and DSM 14941
▼M214
*Bacillus amyloliquefaciens* strain AH2
▼M125
*Bacillus amyloliquefaciens* strain FZB24
▼M214
*Bacillus amyloliquefaciens* strain IT-45
▼M125
*Bacillus amyloliquefaciens* strain MBI 600
▼M92
*Bacillus amyloliquefaciens* subsp. *plantarum* strain D747
▼M57
*Bacillus firmus* I-1582
▼M176
*Bacillus pumilus* QST 2808
▼M187
*Bacillus subtilis* strain IAB/BS03
▼M5
*Bacillus subtilis* strain QST 713
▼M94
*Beauveria bassiana* strain ATCC 74040
*Beauveria bassiana* strain GHA
▼M148
*Beauveria bassiana* strain PPRI 5339
▼M130
Beer
▼M5
Benzoic acid ►M82 —— ◄
▼M94
Calcium carbide
▼M201
Calcium carbonate
▼M92
Calcium hydroxide

(1) Substances temporarily included in Annex IV, pending finalisation of their evaluation under Directive. 91/414/EEC and pending submission of EFSA's reasoned opinion in accordance with Article 12(1).
(2) Substances included in Annex IV without prejudice to other specific food and/or feed legislation, e.g. on food additives, feed additives, food supplements, flavourings, etc.

▼M99

*Candida oleophila* strain O

▼M82

Capric acid

▼M201

Carbon dioxide

▼M105

Carvone (1)

▼M92

Cerevisane

▼M69

Chitosan hydrochloride

▼M125

Clayed charcoal

▼M5

*Coniothyrium minitans* strain CON/M/91-08 (DSM 9660)

▼M92

COS-OGA

▼M167

Cow milk

▼M94

*Cydia pomonella* Granulovirus (CpGV)

▼M167

L-cysteine

▼M105

Diammonium phosphate

▼M173

24-epibrassinolide

▼M5

Ethylene (2)

Extract from Tea tree (2)

▼M69

*Equisetum arvense* L.

▼M167

Ferric pyrophosphate

▼M57

Gibberellic acid (2)

▼M5

Fatty acid/Lauric acid ►M82 — ◄ (2)

Fatty acids C7-C20 ►M82 — ◄ (2)

Fatty acids: fatty acid methyl ester ►M82 — ◄ (2)

Fatty acids: Heptanoic acid ►M82 — ◄ (2)

Fatty acids: Octanoic acid ►M82 — ◄ (2)

Fatty acids: Decanoic acid ►M82 — ◄ (2)

Fatty acids: Oleic acid incl. ethyloleate ►M82 — ◄ (2)

Fatty acids: Pelargonic acid ►M82 — ◄ (2)

▼M154

Fatty alcohols/aliphatic alcohols

▼M99

FEN 560 (also called fenugreek or fenugreek seed powder)

▼M5

Ferric phosphate (Iron (III) phosphate)

▼M78

———————

▼M5

Ferrous sulphate (Iron (II) sulphate) (2) ►M82 — ◄

Folic acid ►M82 — ◄

▼M92

Fructose

▼M5

Garlic extract (2)

▼M78

Geraniol (2) ►M82 — ◄

▼M5

Gibberellin (2)

►M148 *Clonostachys rosea* strain J1446 ◄ (2)

(1) At the time of inclusion in Annex IV the recommendation of the European Food Safety Authority refers to the existing uses. If new uses are foreseen, the impact on the consumer exposure has to be reconsidered by the authorising Member State.

(2) Substances temporarily included in Annex IV, pending finalisation of their evaluation under Directive. 91/414/EEC and pending submission of EFSA's reasoned opinion in accordance with Article 12(1).

▼M39
Heptamaloxyloglucan
▼M125
Hydrogen peroxide
▼M5
Kieselguhr (aka diatomaceous earth) (1)
▼M69
Lactic acid ►M82 — ◄
▼M5
Laminarin
▼M69
*Lecanicillium muscarium* strain Ve6
▼M92
Lecithins
▼M163
Limestone
▼M191
Lime sulphur
Maltodextrin
▼M220
*Metarhizium brunneum* strain Ma 43
▼M99
Methyl decanoate (CAS 110-42-9)
▼M5
Methyl nonyl ketone (1)
▼M99
Methyl octanoate (CAS 111-11-5)
▼M172
*Metschnikowia fructicola* strain NRRL Y-27328
▼M122
Mild Pepino Mosaic Virus isolate VC1
Mild Pepino Mosaic Virus isolate VX1
▼M130
Mustard seeds powder
▼M140
Onion oil
▼M5
*Paecilomyces fumosoroseus* apopka strain 97
▼M57
*Paecilomyces fumosoroseus* strain FE 9901
▼M39
*Paecilomyces lilacinus* strain 251
▼M82
Paraffin oil (CAS 64742-46-7)
Paraffin oil (CAS 72623-86-0)
Paraffin oil (CAS 8042-47-5)
Paraffin oil (CAS 97862-82-3)
▼M136
*Pasteuria nishizawae* Pn1
▼M190
*Pepino Mosaic Virus*, EU strain, mild isolate Abp1
*Pepino Mosaic Virus*, CH2 strain, mild isolate Abp2
▼M92
*Pepino mosaic* virus strain CH2 isolate 1906
▼M163
Pepper
▼M57
*Phlebiopsis gigantea*
Orange oil (1)
▼M5
Plant oils/Citronellol (1)
Plant oils/Clove oil Eugenol (1)
Plant oils/Rapeseed oil (1)
Plant oils/Spearmint oil (1)
▼M201
Potassium hydrogen carbonate
▼M5
Potassium Iodide ►M94 — ◄
▼M7
Potassium tri-iodide
▼M5
Potassium Thiocyanate (1)
*Pseudomonas chlororaphis* strain MA342

(1) Substances temporarily included in Annex IV, pending finalisation of their evaluation under Directive. 91/414/EEC and pending submission of EFSA's reasoned opinion in accordance with Article 12(1).

▼M176

*Pseudomonas* sp. strain DSMZ 13134

▼M214

*Purpureocillium lilacinum* strain PL11

▼M5

Quartz sand ([1])

▼M163

Repellants: blood meal

▼M216

Repellants: Fish oil

Repellants: Sheep fat

▼M165

———————

▼M94

Rescalure

▼M105

*Saccharomyces cerevisiae* strain LAS02

▼M92

*Salix* spp cortex

▼M163

Seaweed extracts

▼M209

———————

▼M126

Sodium chloride

▼M94

Sodium hydrogen carbonate

▼M220

Straight Chain Lepidopteran Pheromones (SCLP)

▼M99

*Streptomyces* K61 (formerly *S. griseoviridis*)

▼M78

Sucrose

▼M11

Sulphur

▼M68

Sulphuric acid

▼M122

Sunflower oil

▼M136

Talc E553B

▼M99

Terpenoid blend QRD 460

▼M78

Thymol ([1]) ►M82 —— ◄

*Trichoderma asperellum* (formerly *T. harzianum*) strains ICC012, T25 and TV1

*Trichoderma asperellum* (strain T34)

*Trichoderma atroviride* (formerly *T. harzianum*) strains IMI 206040 and T11

*Trichoderma atroviride* strain I-1237

▼M111

*Trichoderma atroviride* strain SC1

▼M78

*Trichoderma gamsii* (formerly *T. viride*) strain ICC080

*Trichoderma harzianum* strains T-22 and ITEM 908

*Trichoderma polysporum* strain IMI 206039

▼M163

Trimethylamine hydrochloride

▼M82

Urea

▼M125

*Urtica* spp

▼M92

*Verticillium albo-atrum* isolate WCS850

Vinegar

▼M105

Whey

▼M39

*Zucchini yellow mosaik virus* - weak strain

▼M57

*Helicoverpa armigera* nucleopolyhedrovirus

([1]) Substances temporarily included in Annex IV, pending finalisation of their evaluation under Directive. 91/414/EEC and pending submission of EFSA's reasoned opinion in accordance with Article 12(1).

▼**M194**

*Spodoptera exigua multicapsid nucleopolyhedrovirus* (SeMNPV) isolate BV-0004

▼**M57**

*Spodoptera exigua* nuclear polyhedrosis virus
*Spodoptera littoralis* nucleopolyhedrovirus

▼M32

*ANNEX V*

**List of default values, as referred to in Article 18(1)(b)**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Alachlor | Anilazine | ▼M70 — ▲M70 | Butylate | Captafol (F) |
|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | | | ►M70 — ◄ | | |
| 0110000 | (i) **Citrus fruit** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | ►M70 — ◄ | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | ►M70 — ◄ | | |
| 0110030 | Lemons (Citron, lemon) | | | ►M70 — ◄ | | |
| 0110040 | Limes | | | ►M70 — ◄ | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | | | ►M70 — ◄ | | |
| 0110990 | Others | | | ►M70 — ◄ | | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | **0,02** (*) | **0,02** (*) | ►M70 — ◄ | **0,02** (*) | **0,05** (*) |
| 0120010 | Almonds | | | ►M70 — ◄ | | |
| 0120020 | Brazil nuts | | | ►M70 — ◄ | | |
| 0120030 | Cashew nuts | | | ►M70 — ◄ | | |
| 0120040 | Chestnuts | | | ►M70 — ◄ | | |
| 0120050 | Coconuts | | | ►M70 — ◄ | | |
| 0120060 | Hazelnuts (Filbert) | | | ►M70 — ◄ | | |
| 0120070 | Macadamia | | | ►M70 — ◄ | | |
| 0120080 | Pecans | | | ►M70 — ◄ | | |
| 0120090 | Pine nuts | | | ►M70 — ◄ | | |
| 0120100 | Pistachios | | | ►M70 — ◄ | | |
| 0120110 | Walnuts | | | ►M70 — ◄ | | |
| 0120990 | Others | | | ►M70 — ◄ | | |
| 0130000 | (iii) **Pome fruit** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0130010 | Apples (Crab apple) | | | ►M70 — ◄ | | |
| 0130020 | Pears (Oriental pear) | | | ►M70 — ◄ | | |

▼**M32**

| Chlorthal-dimethyl | Chlorthiamid | ▼ Dichlobenil ▲**M168** | Diniconazole | Flufenzin | ▼ —— ▲**M70** | Hexaconazole | Lactofen | Mepronil | Monocrotophos |
|---|---|---|---|---|---|---|---|---|---|
| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
| | | ►**M168** **0,01** (*) ◄ | | | ►**M70** —— ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** —— ◄ | **0,01** (*) | **0,02** (*) | ►**M70** —— ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄ | | | | |
| | | | | | ►**M70** —— ◄ | | | | |
| **0,02** (*) | **0,02** (*) | ►**M168** —— ◄ | **0,02** (*) | 0,05 (*) | ►**M70** —— ◄ | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) |
| | | | | | ►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄<br>►**M70** —— ◄ | | | | |
| | | | | | ►**M70** —— ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** —— ◄ | **0,01** (*) | **0,02** (*) | ►**M70** —— ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** —— ◄<br>►**M70** —— ◄ | | | | |

▼**M32**

| Monuron | Oxycarboxin | Propachlor: oxalinic derivate of propachlor, expressed as propachlor | ▼**M114** Tolylfluanid (Sum of tolylfluanid and dimethylaminosulfotoluidide expressed as tolylfluanid) (F) (R) ▼ | Trichlorfon | Trademorph (F) | ▼**M73** Trifluralin ▼ |
|---|---|---|---|---|---|---|
| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| | | | ►**M114** **0,02** (*) ◄ | | | ►**M73** **0,01** (*) ◄ |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M73** — ◄ | **0,01** (*) | **0,01** (*) | ►**M73** — ◄ |
| | | | | | | |
| | | | | | | |
| **0,02** (*) | **0,02** (*) | 0,05 (*) | ►**M73** — ◄ | **0,02** (*) | **0,02** (*) | ►**M73** — ◄ |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M73** — ◄ | **0,01** (*) | **0,01** (*) | ►**M73** — ◄ |
| | | | | | | |

▼M32

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0130030 | Quinces | | | ►M70 — ◄ | | |
| 0130040 | Medlar | | | ►M70 — ◄ | | |
| 0130050 | Loquat | | | ►M70 — ◄ | | |
| 0130990 | Others | | | ►M70 — ◄ | | |
| 0140000 | (iv) **Stone fruit** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0140010 | Apricots | | | ►M70 — ◄ | | |
| 0140020 | Cherries (sweet cherries, sour cherries) | | | ►M70 — ◄ | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | ►M70 — ◄ | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | | | ►M70 — ◄ | | |
| 0140990 | Others | | | ►M70 — ◄ | | |
| 0150000 | (v) **Berries & small fruit** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0151000 | (a) *Table and wine grapes* | | | ►M70 — ◄ | | |
| 0151010 | Table grapes | | | ►M70 — ◄ | | |
| 0151020 | Wine grapes | | | ►M70 — ◄ | | |
| 0152000 | (b) *Strawberries* | | | ►M70 — ◄ | | |
| 0153000 | (c) *Cane fruit* | | | ►M70 — ◄ | | |
| 0153010 | Blackberries | | | ►M70 — ◄ | | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberries) | | | ►M70 — ◄ | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x idaeus)) | | | ►M70 — ◄ | | |
| 0153990 | Others | | | ►M70 — ◄ | | |
| 0154000 | (d) *Other small fruit & berries* | | | ►M70 — ◄ | | |
| 0154010 | Blueberries (Bilberries) | | | ►M70 — ◄ | | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | | | ►M70 — ◄ | | |
| 0154030 | Currants (red, black and white) | | | ►M70 — ◄ | | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | | | ►M70 — ◄ | | |
| 0154050 | Rose hips | | | ►M70 — ◄ | | |
| 0154060 | Mulberries (arbutus berry) | | | ►M70 — ◄ | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | | | ►M70 — ◄ | | |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | | | ►M70 — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** — ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,01** (*) | **0,01** (*) | ►**M168** — ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M73** —— ◄ | **0,01** (*) | **0,01** (*) | ►**M73** —— ◄ |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M73** —— ◄ | **0,01** (*) | **0,01** (*) | ►**M73** —— ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

▼M32

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0154990 | Others | | | ►M70 — ◄ | | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0161000 | (a) *Edible peel* | | | ►M70 — ◄ | | |
| 0161010 | Dates | | | ►M70 — ◄ | | |
| 0161020 | Figs | | | ►M70 — ◄ | | |
| 0161030 | Table olives | | | ►M70 — ◄ | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | | | ►M70 — ◄ | | |
| 0161050 | Carambola (Bilimbi) | | | ►M70 — ◄ | | |
| 0161060 | Persimmon | | | ►M70 — ◄ | | |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama Eugenia uniflora),) | | | ►M70 — ◄ | | |
| 0161990 | Others | | | ►M70 — ◄ | | |
| 0162000 | (b) *Inedible peel, small* | | | ►M70 — ◄ | | |
| 0162010 | Kiwi | | | ►M70 — ◄ | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | | | ►M70 — ◄ | | |
| 0162030 | Passion fruit | | | ►M70 — ◄ | | |
| 0162040 | Prickly pear (cactus fruit) | | | ►M70 — ◄ | | |
| 0162050 | Star apple | | | ►M70 — ◄ | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | | | ►M70 — ◄ | | |
| 0162990 | Others | | | ►M70 — ◄ | | |
| 0163000 | (c) *Inedible peel, large* | | | ►M70 — ◄ | | |
| 0163010 | Avocados | | | ►M70 — ◄ | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | ►M70 — ◄ | | |
| 0163030 | Mangoes | | | ►M70 — ◄ | | |
| 0163040 | Papaya | | | ►M70 — ◄ | | |
| 0163050 | Pomegranate | | | ►M70 — ◄ | | |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | | | ►M70 — ◄ | | |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | | | ►M70 — ◄ | | |
| 0163080 | Pineapples | | | ►M70 — ◄ | | |
| 0163090 | Bread fruit (Jackfruit) | | | ►M70 — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** — ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M73** — ◄ | **0,01** (*) | **0,01** (*) | ►**M73** — ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

▼M32

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0163100 | Durian | | | ►M70 — ◄ | | |
| 0163110 | Soursop (guanabana) | | | ►M70 — ◄ | | |
| 0163990 | Others | | | ►M70 — ◄ | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | ►M70 — ◄ | | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0211000 | (a) *Potatoes* | | | ►M70 — ◄ | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | ►M70 — ◄ | | |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | | | ►M70 — ◄ | | |
| 0212020 | Sweet potatoes | | | ►M70 — ◄ | | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | | | ►M70 — ◄ | | |
| 0212040 | Arrowroot | | | ►M70 — ◄ | | |
| 0212990 | Others | | | ►M70 — ◄ | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | ►M70 — ◄ | | |
| 0213010 | Beetroot | | | ►M70 — ◄ | | |
| 0213020 | Carrots | | | ►M70 — ◄ | | |
| 0213030 | Celeriac | | | ►M70 — ◄ | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | | | ►M70 — ◄ | | |
| 0213050 | Jerusalem artichokes | | | ►M70 — ◄ | | |
| 0213060 | Parsnips | | | ►M70 — ◄ | | |
| 0213070 | Parsley root | | | ►M70 — ◄ | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | | ►M70 — ◄ | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oysterplant)) | | | ►M70 — ◄ | | |
| 0213100 | Swedes | | | ►M70 — ◄ | | |
| 0213110 | Turnips | | | ►M70 — ◄ | | |
| 0213990 | Others | | | ►M70 — ◄ | | |
| 0220000 | (ii) **Bulb vegetables** | **0,02** (*) | **0,02** (*) | ►M70 — ◄ | **0,02** (*) | **0,05** (*) |
| 0220010 | Garlic | | | ►M70 — ◄ | | |
| 0220020 | Onions (Silverskin onions) | | | ►M70 — ◄ | | |
| 0220030 | Shallots | | | ►M70 — ◄ | | |
| 0220040 | Spring onions (Welsh onion and similar varieties) | | | ►M70 — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,01** (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,02** (*) | **0,02** (*) | ►**M168** **0,01** (*) ◄ | **0,02** (*) | 0,05 (*) | ►**M70** — ◄ | 0,02 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| **0,02** (*) | **0,02** (*) | **0,05** (*) | ►**M114** **0,02** (*) ◄ | **0,02** (*) | **0,02** (*) | ►**M73** **0,01** (*) ◄ |
| | | | | | | |

▼M32

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0220990 | Others | | | ►M70 — ◄ | | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0231000 | (a) *Solanacea* | | | ►M70 — ◄ | | |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry (Lycium barbarum and L. chinense)) | | | ►M70 — ◄ | | |
| 0231020 | Peppers (Chilli peppers) | | | ►M70 — ◄ | | |
| 0231030 | Aubergines (egg plants) (Pepino) | | | ►M70 — ◄ | | |
| 0231040 | Okra, lady's fingers | | | ►M70 — ◄ | | |
| 0231990 | Others | | | ►M70 — ◄ | | |
| 0232000 | (b) *Cucurbits - edible peel* | | | ►M70 — ◄ | | |
| 0232010 | Cucumbers | | | ►M70 — ◄ | | |
| 0232020 | Gherkins | | | ►M70 — ◄ | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | | | ►M70 — ◄ | | |
| 0232990 | Others | | | ►M70 — ◄ | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | | ►M70 — ◄ | | |
| 0233010 | Melons (Kiwano) | | | ►M70 — ◄ | | |
| 0233020 | Pumpkins (Winter squash) | | | ►M70 — ◄ | | |
| 0233030 | Watermelons | | | ►M70 — ◄ | | |
| 0233990 | Others | | | ►M70 — ◄ | | |
| 0234000 | (d) *Sweet corn* | | | ►M70 — ◄ | | |
| 0239000 | (e) *Other fruiting vegetables* | | | ►M70 — ◄ | | |
| 0240000 | (iv) **Brassica vegetables** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0241000 | (a) *Flowering brassica* | | | ►M70 — ◄ | | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | | | ►M70 — ◄ | | |
| 0241020 | Cauliflower | | | ►M70 — ◄ | | |
| 0241990 | Others | | | ►M70 — ◄ | | |
| 0242000 | (b) *Head brassica* | | | ►M70 — ◄ | | |
| 0242010 | Brussels sprouts | | | ►M70 — ◄ | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | ►M70 — ◄ | | |
| 0242990 | Others | | | ►M70 — ◄ | | |
| 0243000 | (c) *Leafy brassica* | | | ►M70 — ◄ | | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | | | ►M70 — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄ | | | | |
| **0,01** (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,01** (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

▼**M32**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | ►**M70** —◄ | | |
| 0243990 | Others | | | ►**M70** —◄ | | |
| 0244000 | (d) *Kohlrabi* | | | ►**M70** —◄ | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | ►**M70** —◄ | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01** (*) | **0,01** (*) | ►**M70** —◄ | **0,01** (*) | 0,02 (*) |
| 0251010 | Lamb's lettuce (Italian corn-salad) | | | ►**M70** —◄ | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | ►**M70** —◄ | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | | | ►**M70** —◄ | | |
| 0251040 | Cress | | | ►**M70** —◄ | | |
| 0251050 | Land cress | | | ►**M70** —◄ | | |
| 0251060 | Rocket, Rucola (Wild rocket) | | | ►**M70** —◄ | | |
| 0251070 | Red mustard | | | ►**M70** —◄ | | |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | | | ►**M70** —◄ | | |
| 0251990 | Others | | | ►**M70** —◄ | | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01** (*) | **0,01** (*) | ►**M70** —◄ | **0,01** (*) | 0,02 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | | | ►**M70** —◄ | | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | | | ►**M70** —◄ | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | ►**M70** —◄ | | |
| 0252990 | Others | | | ►**M70** —◄ | | |
| 0253000 | (c) *Vine leaves (grape leaves)* | **0,01** (*) | **0,01** (*) | ►**M70** —◄ | **0,01** (*) | 0,02 (*) |
| 0254000 | (d) *Water cress* | **0,01** (*) | **0,01** (*) | ►**M70** —◄ | **0,01** (*) | 0,02 (*) |
| 0255000 | (e) *Witloof* | **0,01** (*) | **0,01** (*) | ►**M70** —◄ | **0,01** (*) | 0,02 (*) |
| 0256000 | (f) *Herbs* | **0,02** (*) | **0,02** (*) | ►**M70** —◄ | **0,02** (*) | **0,05** (*) |
| 0256010 | Chervil | | | ►**M70** —◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,01** (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,01** (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| 0,01 (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| 0,01 (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| **0,02** (*) | **0,02** (*) | ►**M168** 0,02 (*) ◄ | **0,02** (*) | 0,05 (*) | ►**M70** — ◄ | 0,02 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) |
| | | | | | ►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| **0,02** (*) | **0,02** (*) | **0,05** (*) | ►**M114** **0,05** (*) ◄ | **0,02** (*) | **0,02** (*) | ►**M73** 0,02 (*) ◄ |
| | | | | | | |

▼**M32**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0256020 | Chives | | | ►**M70** — ◄ | | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves) | | | ►**M70** — ◄ | | |
| 0256040 | Parsley | | | ►**M70** — ◄ | | |
| 0256050 | Sage (Winter savory, summer savory,) | | | ►**M70** — ◄ | | |
| 0256060 | Rosemary | | | ►**M70** — ◄ | | |
| 0256070 | Thyme (Marjoram, oregano) | | | ►**M70** — ◄ | | |
| 0256080 | Basil (Balm leaves, mint, peppermint) | | | ►**M70** — ◄ | | |
| 0256090 | Bay leaves (laurel) | | | ►**M70** — ◄ | | |
| 0256100 | Tarragon (Hyssop) | | | ►**M70** — ◄ | | |
| 0256990 | Others (Edible flowers) | | | ►**M70** — ◄ | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01** (*) | **0,01** (*) | ►**M70** — ◄ | **0,01** (*) | 0,02 (*) |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | | | ►**M70** — ◄ | | |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | | | ►**M70** — ◄ | | |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | | | ►**M70** — ◄ | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | | ►**M70** — ◄ | | |
| 0260050 | Lentils | | | ►**M70** — ◄ | | |
| 0260990 | Others | | | ►**M70** — ◄ | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01** (*) | **0,01** (*) | ►**M70** — ◄ | **0,01** (*) | 0,02 (*) |
| 0270010 | Asparagus | | | ►**M70** — ◄ | | |
| 0270020 | Cardoons | | | ►**M70** — ◄ | | |
| 0270030 | Celery | | | ►**M70** — ◄ | | |
| 0270040 | Fennel | | | ►**M70** — ◄ | | |
| 0270050 | Globe artichokes | | | ►**M70** — ◄ | | |
| 0270060 | Leek | | | ►**M70** — ◄ | | |
| 0270070 | Rhubarb | | | ►**M70** — ◄ | | |
| 0270080 | Bamboo shoots | | | ►**M70** — ◄ | | |
| 0270090 | Palm hearts | | | ►**M70** — ◄ | | |
| 0270990 | Others | | | ►**M70** — ◄ | | |
| 0280000 | (viii) **Fungi** | **0,01** (*) | **0,01** (*) | ►**M70** — ◄ | **0,01** (*) | 0,02 (*) |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | | | ►**M70** — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br><br><br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,01** (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄<br><br>►**M70** — ◄<br><br>►**M70** — ◄<br><br>►**M70** — ◄<br><br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,01** (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |

▼M32

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | | | ►M70 — ◄ | | |
| 0280990 | Others | | | ►M70 — ◄ | | |
| 0290000 | (ix) **Sea weeds** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | ►M70 — ◄ | | |
| 0300020 | Lentils | | | ►M70 — ◄ | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | ►M70 — ◄ | | |
| 0300040 | Lupins | | | ►M70 — ◄ | | |
| 0300990 | Others | | | ►M70 — ◄ | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02** (*) | **0,02** (*) | ►M70 — ◄ | **0,02** (*) | **0,05** (*) |
| 0401000 | (i) **Oilseeds** | | | ►M70 — ◄ | | |
| 0401010 | Linseed | | | ►M70 — ◄ | | |
| 0401020 | Peanuts | | | ►M70 — ◄ | | |
| 0401030 | Poppy seed | | | ►M70 — ◄ | | |
| 0401040 | Sesame seed | | | ►M70 — ◄ | | |
| 0401050 | Sunflower seed | | | ►M70 — ◄ | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | ►M70 — ◄ | | |
| 0401070 | Soya bean | | | ►M70 — ◄ | | |
| 0401080 | Mustard seed | | | ►M70 — ◄ | | |
| 0401090 | Cotton seed | | | ►M70 — ◄ | | |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | | | ►M70 — ◄ | | |
| 0401110 | Safflower | | | ►M70 — ◄ | | |
| 0401120 | Borage | | | ►M70 — ◄ | | |
| 0401130 | Gold of pleasure | | | ►M70 — ◄ | | |
| 0401140 | Hempseed | | | ►M70 — ◄ | | |
| 0401150 | Castor bean | | | ►M70 — ◄ | | |
| 0401990 | Others | | | ►M70 — ◄ | | |
| 0402000 | (ii) **Oilfruits** | | | ►M70 — ◄ | | |
| 0402010 | Olives for oil production | | | ►M70 — ◄ | | |
| 0402020 | Palm nuts (palmoil kernels) | | | ►M70 — ◄ | | |
| 0402030 | Palmfruit | | | ►M70 — ◄ | | |
| 0402040 | Kapok | | | ►M70 — ◄ | | |
| 0402990 | Others | | | ►M70 — ◄ | | |
| 0500000 | 5. **CEREALS** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | **0,02** (*) |
| 0500010 | Barley | | | ►M70 — ◄ | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | | ►M70 — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| **0,01** (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,02** (*) | **0,02** (*) | ►**M168** **0,01** (*) ◄ | **0,02** (*) | 0,05 (*) | ►**M70** — ◄ | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,05** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| **0,02** (*) | **0,02** (*) | 0,05 (*) | ►**M114** **0,02** (*) ◄ | **0,02** (*) | **0,02** (*) | ►**M73** **0,01** (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,05** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** **0,01** (*) ◄ |
| | | | | | | |

▼M32

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0500030 | Maize | | | ►M70 — ◄ | | |
| 0500040 | Millet (Foxtail millet, teff) | | | ►M70 — ◄ | | |
| 0500050 | Oats | | | ►M70 — ◄ | | |
| 0500060 | Rice | | | ►M70 — ◄ | | |
| 0500070 | Rye | | | ►M70 — ◄ | | |
| 0500080 | Sorghum | | | ►M70 — ◄ | | |
| 0500090 | Wheat (Spelt, triticale) | | | ►M70 — ◄ | | |
| 0500990 | Others | | | ►M70 — ◄ | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) | 0,05 (*) | ►M70 — ◄ | 0,05 (*) | 0,1 (*) |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)** | | | ►M70 — ◄ | | |
| 0620000 | (ii) **Coffee beans** | | | ►M70 — ◄ | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | | ►M70 — ◄ | | |
| 0631000 | (a) *Flowers* | | | ►M70 — ◄ | | |
| 0631010 | Camomille flowers | | | ►M70 — ◄ | | |
| 0631020 | Hybiscus flowers | | | ►M70 — ◄ | | |
| 0631030 | Rose petals | | | ►M70 — ◄ | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | | ►M70 — ◄ | | |
| 0631050 | Lime (linden) | | | ►M70 — ◄ | | |
| 0631990 | Others | | | ►M70 — ◄ | | |
| 0632000 | (b) *Leaves* | | | ►M70 — ◄ | | |
| 0632010 | Strawberry leaves | | | ►M70 — ◄ | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | ►M70 — ◄ | | |
| 0632030 | Maté | | | ►M70 — ◄ | | |
| 0632990 | Others | | | ►M70 — ◄ | | |
| 0633000 | (c) *Roots* | | | ►M70 — ◄ | | |
| 0633010 | Valerian root | | | ►M70 — ◄ | | |
| 0633020 | Ginseng root | | | ►M70 — ◄ | | |
| 0633990 | Others | | | ►M70 — ◄ | | |
| 0639000 | (d) *Other herbal infusions* | | | ►M70 — ◄ | | |
| 0640000 | (iv) **Cocoa (fermented beans)** | | | ►M70 — ◄ | | |
| 0650000 | (v) **Carob (st johns bread)** | | | ►M70 — ◄ | | |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | 0,05 (*) | 0,05 (*) | ►M70 — ◄ | 0,05 (*) | 0,1 (*) |
| 0800000 | 8. **SPICES** | **0,05** (*) | 0,05 (*) | ►M70 — ◄ | 0,05 (*) | 0,1 (*) |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,05** (*) | 0,05 (*) | ►**M168** 0,05 (*) ◄ | 0,05 (*) | **0,1** (*) | ►**M70** — ◄ | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| **0,05** (*) | 0,05 (*) | ►**M168** 0,05 (*) ◄ | 0,05 (*) | **0,1** (*) | ►**M70** — ◄ | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| **0,05** (*) | 0,05 (*) | ►**M168** — ◄ | 0,05 (*) | **0,1** (*) | ►**M70** — ◄ | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| **0,05** (*) | 0,05 (*) | **0,1** (*) | ►**M114** **0,1** (*) ◄ | **0,05** (*) | **0,05** (*) | ►**M73** 0,05 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| **0,05** (*) | 0,05 (*) | **0,1** (*) | ►**M114** **0,1** (*) ◄ | **0,05** (*) | **0,05** (*) | ►**M73** 0,05 (*) ◄ |
| 0,05 (*) | 0,05 (*) | **0,1** (*) | ►**M73** — ◄ | **0,05** (*) | **0,05** (*) | ►**M73** — ◄ |

▼M32

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0810000 | (i) **Seeds** | | | ►M70 — ◄ | | |
| 0810010 | Anise | | | ►M70 — ◄ | | |
| 0810020 | Black caraway | | | ►M70 — ◄ | | |
| 0810030 | Celery seed (Lovage seed) | | | ►M70 — ◄ | | |
| 0810040 | Coriander seed | | | ►M70 — ◄ | | |
| 0810050 | Cumin seed | | | ►M70 — ◄ | | |
| 0810060 | Dill seed | | | ►M70 — ◄ | | |
| 0810070 | Fennel seed | | | ►M70 — ◄ | | |
| 0810080 | Fenugreek | | | ►M70 — ◄ | | |
| 0810090 | Nutmeg | | | ►M70 — ◄ | | |
| 0810990 | Others | | | ►M70 — ◄ | | |
| 0820000 | (ii) **Fruits and berries** | | | ►M70 — ◄ | | |
| 0820010 | Allspice | | | ►M70 — ◄ | | |
| 0820020 | Anise pepper (Japan pepper) | | | ►M70 — ◄ | | |
| 0820030 | Caraway | | | ►M70 — ◄ | | |
| 0820040 | Cardamom | | | ►M70 — ◄ | | |
| 0820050 | Juniper berries | | | ►M70 — ◄ | | |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | | | ►M70 — ◄ | | |
| 0820070 | Vanilla pods | | | ►M70 — ◄ | | |
| 0820080 | Tamarind | | | ►M70 — ◄ | | |
| 0820990 | Others | | | ►M70 — ◄ | | |
| 0830000 | (iii) **Bark** | | | ►M70 — ◄ | | |
| 0830010 | Cinnamon (Cassia) | | | ►M70 — ◄ | | |
| 0830990 | Others | | | ►M70 — ◄ | | |
| 0840000 | (iv) **Roots or rhizome** | | | ►M70 — ◄ | | |
| 0840010 | Liquorice | | | ►M70 — ◄ | | |
| 0840020 | Ginger | | | ►M70 — ◄ | | |
| 0840030 | Turmeric (Curcuma) | | | ►M70 — ◄ | | |
| 0840040 | Horseradish | | | ►M70 — ◄ | | |
| 0840990 | Others | | | ►M70 — ◄ | | |
| 0850000 | (v) **Buds** | | | ►M70 — ◄ | | |
| 0850010 | Cloves | | | ►M70 — ◄ | | |
| 0850020 | Capers | | | ►M70 — ◄ | | |
| 0850990 | Others | | | ►M70 — ◄ | | |
| 0860000 | (vi) **Flower stigma** | | | ►M70 — ◄ | | |
| 0860010 | Saffron | | | ►M70 — ◄ | | |
| 0860990 | Others | | | ►M70 — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | ►**M168** 0,05 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,05 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,05 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,05 (*) ◄<br>►**M168** 0,05 (*) ◄ | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | ►**M168** 0,05 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,05 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,05 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | ►**M114** **0,1** (*) ◄ | | | ►**M73** 0,05 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | ►**M114** **0,1** (*) ◄ | | | ►**M73** 0,05 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | ►**M114** **0,1** (*) ◄ | | | ►**M73** 0,05 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | ►**M114** **0,1** (*) ◄<br>►**M114** **0,1** (*) ◄<br>►**M114** **0,1** (*) ◄<br>►**M114** (+) ◄ | | | ►**M73** 0,05 (*) ◄<br>►**M73** 0,05 (*) ◄<br>►**M73** 0,05 (*) ◄<br>►**M73** **(+)** ◄ |
| | | | ►**M114** **0,1** (*) ◄ | | | ►**M73** 0,05 (*) ◄ |
| | | | ►**M114** **0,1** (*) ◄ | | | ►**M73** 0,05 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | ►**M114** **0,1** (*) ◄ | | | ►**M73** 0,05 (*) ◄ |
| | | | | | | |
| | | | | | | |

▼M32

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 0870000 | (vii) **Aril** | | | ►M70 — ◄ | | |
| 0870010 | Mace | | | ►M70 — ◄ | | |
| 0870990 | Others | | | ►M70 — ◄ | | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | 0,02 (*) |
| 0900010 | Sugar beet (root) | | | ►M70 — ◄ | | |
| 0900020 | Sugar cane | | | ►M70 — ◄ | | |
| 0900030 | Chicory roots | | | ►M70 — ◄ | | |
| 0900990 | Others | | | ►M70 — ◄ | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | 0,01 (*) | **0,01** (*) | ►M70 — ◄ | **0,01** (*) | **0,01** (*) |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | | | ►M70 — ◄ | | |
| 1011000 | (a) *Swine* | | | ►M70 — ◄ | | |
| 1011010 | Meat | | | ►M70 — ◄ | | |
| 1011020 | Fat free of lean meat | | | ►M70 — ◄ | | |
| 1011030 | Liver | | | ►M70 — ◄ | | |
| 1011040 | Kidney | | | ►M70 — ◄ | | |
| 1011050 | Edible offal | | | ►M70 — ◄ | | |
| 1011990 | Others | | | ►M70 — ◄ | | |
| 1012000 | (b) *Bovine* | | | ►M70 — ◄ | | |
| 1012010 | Meat | | | ►M70 — ◄ | | |
| 1012020 | Fat | | | ►M70 — ◄ | | |
| 1012030 | Liver | | | ►M70 — ◄ | | |
| 1012040 | Kidney | | | ►M70 — ◄ | | |
| 1012050 | Edible offal | | | ►M70 — ◄ | | |
| 1012990 | Others | | | ►M70 — ◄ | | |
| 1013000 | (c) *Sheep* | | | ►M70 — ◄ | | |
| 1013010 | Meat | | | ►M70 — ◄ | | |
| 1013020 | Fat | | | ►M70 — ◄ | | |
| 1013030 | Liver | | | ►M70 — ◄ | | |
| 1013040 | Kidney | | | ►M70 — ◄ | | |
| 1013050 | Edible offal | | | ►M70 — ◄ | | |
| 1013990 | Others | | | ►M70 — ◄ | | |
| 1014000 | (d) *Goat* | | | ►M70 — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | ►**M168** 0,05 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** 0,01 (*) ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| 0,01 (*) | **0,01** (*) | ►**M168** — ◄ | **0,01** (*) | **0,02** (*) | ►**M70** — ◄ | | 0,01 (*) | | |
| | | ►**M168** 0,01 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | ►**M114** **0,1** (*) ◄ | | | ►**M73** 0,05 (*) ◄ |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | ►**M114** **0,02** (*) ◄ | **0,01** (*) | **0,01** (*) | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| **0,01** (*) | **0,01** (*) | **0,02** (*) | | **0,01** (*) | **0,01** (*) | ►**M73** — ◄ |
| | | | ►**M114** **0,05** (*) ◄ | | | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

▼**M32**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1014010 | Meat | | | ►**M70** — ◄ | | |
| 1014020 | Fat | | | ►**M70** — ◄ | | |
| 1014030 | Liver | | | ►**M70** — ◄ | | |
| 1014040 | Kidney | | | ►**M70** — ◄ | | |
| 1014050 | Edible offal | | | ►**M70** — ◄ | | |
| 1014990 | Others | | | ►**M70** — ◄ | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | | ►**M70** — ◄ | | |
| 1015010 | Meat | | | ►**M70** — ◄ | | |
| 1015020 | Fat | | | ►**M70** — ◄ | | |
| 1015030 | Liver | | | ►**M70** — ◄ | | |
| 1015040 | Kidney | | | ►**M70** — ◄ | | |
| 1015050 | Edible offal | | | ►**M70** — ◄ | | |
| 1015990 | Others | | | ►**M70** — ◄ | | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | ►**M70** — ◄ | | |
| 1016010 | Meat | | | ►**M70** — ◄ | | |
| 1016020 | Fat | | | ►**M70** — ◄ | | |
| 1016030 | Liver | | | ►**M70** — ◄ | | |
| 1016040 | Kidney | | | ►**M70** — ◄ | | |
| 1016050 | Edible offal | | | ►**M70** — ◄ | | |
| 1016990 | Others | | | ►**M70** — ◄ | | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | | | ►**M70** — ◄ | | |
| 1017010 | Meat | | | ►**M70** — ◄ | | |
| 1017020 | Fat | | | ►**M70** — ◄ | | |
| 1017030 | Liver | | | ►**M70** — ◄ | | |
| 1017040 | Kidney | | | ►**M70** — ◄ | | |
| 1017050 | Edible offal | | | ►**M70** — ◄ | | |
| 1017990 | Others | | | ►**M70** — ◄ | | |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | | | ►**M70** — ◄ | | |
| 1020010 | Cattle | | | ►**M70** — ◄ | | |
| 1020020 | Sheep | | | ►**M70** — ◄ | | |
| 1020030 | Goat | | | ►**M70** — ◄ | | |
| 1020040 | Horse | | | ►**M70** — ◄ | | |
| 1020990 | Others | | | ►**M70** — ◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,01 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | ►**M114** 0,01 (*) ◄ | | | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |

▼**M32**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
|---|---|---|---|---|---|---|
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | | | ►**M70** —◄ | | |
| 1030010 | Chicken | | | ►**M70** —◄ | | |
| 1030020 | Duck | | | ►**M70** —◄ | | |
| 1030030 | Goose | | | ►**M70** —◄ | | |
| 1030040 | Quail | | | ►**M70** —◄ | | |
| 1030990 | Others | | | ►**M70** —◄ | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | | | ►**M70** —◄ | | |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | | | ►**M70** —◄ | | |
| 1060000 | (vi) **Snails** | | | ►**M70** —◄ | | |
| 1070000 | (vii) **Other terrestrial animal products** | | | ►**M70** —◄ | | |

▼**M32**

| (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) |
|---|---|---|---|---|---|---|---|---|---|
| | | ►**M168** 0,01 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄<br>►**M70** — ◄ | | | | |
| | | | | | ►**M70** — ◄ | | | | |
| | | ►**M168** **0,05** (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,01 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,01 (*) ◄ | | | ►**M70** — ◄ | | | | |
| | | ►**M168** 0,01 (*) ◄ | | | ►**M70** — ◄ | | | | |

▼**M32**

| (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|
| | | | ►**M114** **0,05** (*) ◄ | | | ►**M73** 0,01 (*) ◄ |
| | | | | | | |
| | | | | | | |
| | | | ►**M114** 0,05 (*) ◄ | | | ►**M73** **0,05** (*) ◄ |
| | | | ►**M114** **0,05** (*) ◄ | | | ►**M73** 0,01 (*) ◄ |
| | | | ►**M114** **0,05** (*) ◄ | | | ►**M73** 0,01 (*) ◄ |
| | | | ►**M114** **0,05** (*) ◄ | | | ►**M73** 0,01 (*) ◄ |

▼**M89**

_____

▼M42

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Ethalfluralin |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN; NUTS** | **0,01 (*)** |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts (shelled or unshelled)** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼M42

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberries) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus x idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia x Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼M42

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilean cherry Surinam cherry (grumichama *Eugenia uniflora*),) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | |
| 0163070 | Guava (Red pitaya or dragon fruit (*Hylocereus undatus*)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | **0,01 (*)** |
| 0210000 | (i) **Root and tuber vegetables** | |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | |

▼**M42**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify (Spanish oysterplant)) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions (Silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions (Welsh onion and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*)) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino) | |
| 0231040 | Okra, lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M42**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits — inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | |
| 0251010 | Lamb's lettuce (Italian cornsalad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | |

▼**M42**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cress | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of *Brassica* spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beet-root) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves)* | |
| 0254000 | (d) *Water cress* | |
| 0255000 | (e) *Witloof* | |
| 0256000 | (f) *Herbs* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves) | |
| 0256040 | Parsley | |
| 0256050 | Sage (Winter savory, summer savory,) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M42**

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint) | |
| 0256090 | Bay leaves (laurel) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others (Edible flowers) | |
| 0260000 | (vi) **Legume vegetables (fresh)** | |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | |
| 0300000 | 3. **PULSES, DRY** | **0,01 (*)** |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼M42

| (1) | (2) | (3) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,01 (*)** |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of *cucurbitacea*) | |
| 0401110 | Safflower | |
| 0401120 | Borage | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | **0,01 (*)** |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff) | |
| 0500050 | Oats | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others | |

▼M42

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,01 (*)** |
| 0610000 | (i) **Tea (dried leaves and stalks, fermented or otherwise of *Camellia sinensis*)** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoa (fermented beans)** | |
| 0650000 | (v) **Carob (St johns bread)** | |
| 0700000 | 7. **HOPS (dried), including hop pellets and unconcentrated powder** | **0,01 (*)** |
| 0800000 | 8. **SPICES** | **0,01 (*)** |
| 0810000 | (i) **Seeds** | |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | |
| 0820010 | Allspice | |

▼**M42**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Anise pepper (Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger | |
| 0840030 | Turmeric (Curcuma) | |
| 0840040 | Horseradish | |
| 0840990 | Others | |
| 0850000 | (v) **Buds** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01 (*)** |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M42

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS** | 0,01 (*) |
| 1010000 | (i) **Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these** | |
| 1011000 | (a) *Swine* | |
| 1011010 | Meat | |
| 1011020 | Fat free of lean meat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Meat | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Meat | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Meat | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Meat | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼M42

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon* | |
| 1016010 | Meat | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, Kangaroo)* | |
| 1017010 | Meat | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M42**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen)** | |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | |
| 1060000 | (vi) **Snails** | |
| 1070000 | (vii) **Other terrestrial animal products** | |

▼M45

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Chlorfenvinphos (F) | ►M77 Vinclozolin ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | ►M77 — ◄ |
| 0110000 | (i) **Citrus fruit** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts** | **0,02** (*) | ►M77 **0,02** (*) ◄ |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0151000 | (a) *Table and wine grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *Strawberries* | | |
| 0153000 | (c) *Cane fruit* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | | |
| 0153990 | Others | | |
| 0154000 | (d) *Other small fruit & berries* | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (*Arbutus* berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0161000 | (a) *Edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |
| 0161060 | Persimmon | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | | |
| 0161990 | Others | | |
| 0162000 | (b) *Inedible peel, small* | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) *Inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | ►M77 — ◄ |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0211000 | (a) *Potatoes* | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0220010 | Garlic | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0231000 | (a) *Solanacea* | | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | | |
| 0231040 | Okra (lady's fingers) | | |
| 0231990 | Others | | |
| 0232000 | (b) *Cucurbits — edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | |
| 0239000 | (e) *Other fruiting vegetables* | | |
| 0240000 | (iv) **Brassica vegetables** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0241000 | (a) *Flowering brassica* | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) *Head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) *Leafy brassica* | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) *Kohlrabi* | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | | |

▼**M45**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01** (*) | ►**M77** **0,01** (*) ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01** (*) | ►**M77** **0,01** (*) ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01** (*) | ►**M77** **0,01** (*) ◄ |
| 0255000 | (e) *Witloof* | **0,01** (*) | ►**M77** **0,01** (*) ◄ |
| 0256000 | (f) *Herbs* | **0,02** (*) | ►**M77** **0,02** (*) ◄ |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme (Marjoram, oregano) | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons (*Borago officinalis* stems) | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes (Banana flower) | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | 0,01 (*) | ►M77 **0,01** (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02** (*) | ►M77 **0,02** (*) ◄ |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) **Oilfruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (*Amaranthus, quinoa*) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | |
| 0500050 | Oats | | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,05** (*) | ►M77 **0,05** (*) ◄ |
| 0610000 | (i) **Tea** | | |
| 0620000 | (ii) **Coffee beans** | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) *Flowers* | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) *Leaves* | | |
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *Roots* | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) *Other herbal infusions* | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | |
| 0650000 | (v) **Carob (st johns bread)** | | |
| 0700000 | 7. **HOPS (dried)** | **0,05** (*) | ►M77 0,05 (*) ◄ |
| 0800000 | 8. **SPICES** | **0,05** (*) | ►M77 — ◄ |
| 0810000 | (i) **Seeds** | | ►M77 **0,05** (*) ◄ |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | | ►M77 **0,05** (*) ◄ |
| 0820010 | Allspice | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | | ►M77 **0,05** (*) ◄ |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | | ►M77 **0,05** (*) ◄ |
| 0840020 | Ginger | | ►M77 **0,05** (*) ◄ |
| 0840030 | Turmeric (Curcuma) | | ►M77 **0,05** (*) ◄ |
| 0840040 | Horseradish | | ►M77 (+) ◄ |
| 0840990 | Others | | ►M77 **0,05** (*) ◄ |
| 0850000 | (v) **Buds** | | ►M77 **0,05** (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | | ►M77 **0,05** (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | | ►M77 **0,05** (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) | ►M77 **0,01** (*) ◄ |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | **0,01** (*) | ►M77 — ◄ |
| 1010000 | (i) **Tissue** | | ►M77 **0,01** (*) ◄ |
| 1011000 | (a) *Swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offal | | |
| 1011990 | Others | | |
| 1012000 | (b) *Bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offal | | |
| 1012990 | Others | | |
| 1013000 | (c) *Sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offal | | |
| 1013990 | Others | | |
| 1014000 | (d) *Goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offal | | |
| 1014990 | Others | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offal | | |
| 1015990 | Others | | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offal | | |
| 1017990 | Others | | |
| 1020000 | (ii) **Milk** | | ►M77 **0,01** (*) ◄ |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Bird eggs** | | ►M77 **0,01** (*) ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼M45

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | | ►M77 0,05 (*) ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | | ►M77 **0,01** (*) ◄ |
| 1060000 | (vi) **Snails** | | ►M77 **0,01** (*) ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | | ►M77 **0,01** (*) ◄ |

▼M46

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Cyclanilide (F) | Diniconazole (sum of isomers) |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | 0,05 (*) | |
| 0110000 | (i) **Citrus fruit** | | 0,01 (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts** | | 0,02 (*) |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | | 0,01 (*) |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | | 0,01 (*) |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | | 0,01 (*) |
| 0151000 | (a) *Table and wine grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *Strawberries* | | |
| 0153000 | (c) *Cane fruit* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | | |
| 0153990 | Others | | |
| 0154000 | (d) *Other small fruit & berries* | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (*Arbutus* berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | | 0,01 (*) |
| 0161000 | (a) *Edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |
| 0161060 | Persimmon | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | | |
| 0161990 | Others | | |
| 0162000 | (b) *Inedible peel, small* | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) *Inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | |
| 0210000 | (i) **Root and tuber vegetables** | 0,05 (*) | 0,01 (*) |
| 0211000 | (a) *Potatoes* | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | 0,05 (*) | **0,01** (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | 0,05 (*) | 0,01 (*) |
| 0231000 | (a) *Solanacea* | | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | | |
| 0231040 | Okra (lady's fingers) | | |
| 0231990 | Others | | |
| 0232000 | (b) *Cucurbits — edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) *Cucurbits — inedible peel* | | |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | |
| 0239000 | (e) *Other fruiting vegetables* | | |
| 0240000 | (iv) **Brassica vegetables** | 0,05 (*) | 0,01 (*) |
| 0241000 | (a) *Flowering brassica* | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) *Head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) *Leafy brassica* | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) *Kohlrabi* | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | 0,05 (*) | 0,01 (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum*/*C. intybus* var. *foliosum*), dandelion greens) | | |

▼**M46**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) *Spinach & similar (leaves)* | 0,05 (*) | 0,01 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | 0,05 (*) | 0,01 (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | 0,05 (*) | 0,01 (*) |
| 0255000 | (e) *Witloof* | 0,05 (*) | 0,01 (*) |
| 0256000 | (f) *Herbs* | **0,1** (*) | 0,02 (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme (Marjoram, oregano) | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,05 (*) | 0,01 (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,05 (*) | 0,01 (*) |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons (*Borago officinalis* stems) | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes (Banana flower) | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | 0,05 (*) | 0,01 (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | 0,05 (*) | 0,01 (*) |
| 0300000 | 3. **PULSES, DRY** | 0,05 (*) | 0,01 (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,05** (*) | 0,02 (*) |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) **Oilfruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | 0,05 (*) | 0,01 (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (*Amaranthus, quinoa*) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | |
| 0500050 | Oats | | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,1 (*) | 0,05 (*) |
| 0610000 | (i) **Tea** | | |
| 0620000 | (ii) **Coffee beans** | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) *Flowers* | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) *Leaves* | | |
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *Roots* | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) *Other herbal infusions* | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | |
| 0650000 | (v) **Carob (st johns bread)** | | |
| 0700000 | 7. **HOPS (dried)** | 0,1 (*) | 0,05 (*) |
| 0800000 | 8. **SPICES** | 0,1 (*) | 0,05 (*) |
| 0810000 | (i) **Seeds** | | |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | | |
| 0820010 | Allspice | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | | |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | | |
| 0840020 | Ginger | | |
| 0840030 | Turmeric (Curcuma) | | |
| 0840040 | Horseradish | | |
| 0840990 | Others | | |
| 0850000 | (v) **Buds** | | |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | | |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | | |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | 0,05 (*) | 0,01 (*) |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |

▼M46

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | | |
| 1010000 | (i) **Tissue** | 0,01 (*) | 0,01 (*) |
| 1011000 | (a) *Swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offal | | |
| 1011990 | Others | | |
| 1012000 | (b) *Bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offal | | |
| 1012990 | Others | | |
| 1013000 | (c) *Sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offal | | |
| 1013990 | Others | | |
| 1014000 | (d) *Goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offal | | |
| 1014990 | Others | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |

▼**M46**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offal | | |
| 1015990 | Others | | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offal | | |
| 1017990 | Others | | |
| 1020000 | (ii) **Milk** | 0,01 (*) | 0,01 (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Bird eggs** | 0,01 (*) | 0,01 (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M46**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01** (*) | 0,01 (*) |
| 1060000 | (vi) **Snails** | **0,01** (*) | 0,01 (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01** (*) | 0,01 (*) |

▼M50

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►M52 Thiobencarb (4-chlorobenzyl methyl sulfone) (A) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | |
| 0110000 | (i) **Citrus fruit** | **0,01** (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | **0,02 (*)** |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | **0,01 (*)** |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | **0,01 (*)** |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | **0,01 (*)** |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus hybrids*) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (*Arbutus* berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01 (*)** |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01 (*)** |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | **0,01 (*)** |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01 (*)** |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | **0,01 (*)** |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01 (*)** |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (*Mizuna*, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01 (*)** |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | |
| 0252030 | Beet leaves (chard) (Leaves of beet-root) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01 (*)** |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01 (*)** |
| 0255000 | (e) *Witloof* | **0,01 (*)** |
| 0256000 | (f) *Herbs* | **0,02 (*)** |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01 (*)** |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01 (*)** |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (*Borago officinalis* stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | **0,01 (*)** |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | **0,01 (*)** |
| 0300000 | 3. **PULSES, DRY** | **0,01 (*)** |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02 (*)** |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | **0,01 (*)** |
| 0500010 | Barley | |
| 0500020 | Buckwheat (*Amaranthus, quinoa*) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,05 (*)** |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | **0,05 (*)** |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | **0,05 (*)** |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | **0,05 (*)** |
| 0820010 | Allspice | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | **0,05 (*)** |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | **0,05 (*)** |
| 0840020 | Ginger | **0,05 (*)** |
| 0840030 | Turmeric (Curcuma) | **0,05 (*)** |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | **0,05 (*)** |
| 0850000 | (v) **Buds** | **0,05 (*)** |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | **0,05 (*)** |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | **0,05 (*)** |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01 (*)** |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M50

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | 0,01 (*) |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk** | 0,01 (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | 0,01 (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M50**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05 (*)** |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01 (*)** |
| 1060000 | (vi) **Snails** | **0,01 (*)** |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01 (*)** |

▼**M51**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Butralin | ►**M114** Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine (UDHM), expressed as daminozide) ◄ |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | |
| 0110000 | (i) **Citrus fruit** | **0,01 (*)** | ►**M114** **0,06** (*) ◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts** | 0,02 (*) | ►**M114** 0,1 (*) ◄ |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | **0,01 (*)** | ►**M114** **0,06** (*) ◄ |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | **0,01 (*)** | ►**M114** **0,06** (*) ◄ |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140030 | Peaches (Nectarines and similar hybrids) | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0151000 | (a) *Table and wine grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *Strawberries* | | |
| 0153000 | (c) *Cane fruit* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | | |
| 0153990 | Others | | |
| 0154000 | (d) *Other small fruit & berries* | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (*Arbutus* berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0161000 | (a) *Edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161060 | Persimmon | | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | | |
| 0161990 | Others | | |
| 0162000 | (b) *Inedible peel, small* | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) *Inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0211000 | (a) *Potatoes* | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0220010 | Garlic | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0231000 | (a) *Solanacea* | | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | | |
| 0231040 | Okra (lady's fingers) | | |
| 0231990 | Others | | |
| 0232000 | (b) *Cucurbits — edible peel* | | |
| 0232010 | Cucumbers | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232020 | Gherkins | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | |
| 0239000 | (e) *Other fruiting vegetables* | | |
| 0240000 | (iv) **Brassica vegetables** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0241000 | (a) *Flowering brassica* | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) *Head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) *Leafy brassica* | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) *Kohlrabi* | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01 (*)** | ►**M114** **0,06** (*) ◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01 (*)** | ►**M114** **0,06** (*) ◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01 (*)** | ►**M114** **0,06** (*) ◄ |
| 0255000 | (e) *Witloof* | **0,01 (*)** | ►**M114** **0,06** (*) ◄ |
| 0256000 | (f) *Herbs* | 0,02 (*) | ►**M114** **0,1** (*) ◄ |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | |
| 0256060 | Rosemary | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0256070 | Thyme (Marjoram, oregano) | | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons (*Borago officinalis* stems) | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes (Banana flower) | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | **0,01 (*)** | ►M114 0,06 (*) ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | **0,01 (*)** | ►M114 0,06 (*) ◄ |
| 0300000 | 3. **PULSES, DRY** | **0,01 (*)** | ►M114 0,06 (*) ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,02 (*) | ►M114 0,1 (*) ◄ |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) **Oilfruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (*Amaranthus*, quinoa) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | |
| 0500050 | Oats | | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0610000 | (i) **Tea** | | |
| 0620000 | (ii) **Coffee beans** | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) *Flowers* | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) *Leaves* | | |
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *Roots* | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) *Other herbal infusions* | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | |
| 0650000 | (v) **Carob (st johns bread)** | | |
| 0700000 | 7. **HOPS (dried)** | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0800000 | 8. **SPICES** | | |
| 0810000 | (i) **Seeds** | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | **0,05 (*)** | ►M114 0,1 (*) ◄ |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820010 | Allspice | | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0830010 | Cinnamon (*Cassia*) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0840020 | Ginger | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0840030 | Turmeric (Curcuma) | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0840040 | Horseradish | **(+)** | ►M114 (+) ◄ |
| 0840990 | Others | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0850000 | (v) **Buds** | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | **0,05 (*)** | ►M114 0,1 (*) ◄ |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01 (*)** | ►M114 **0,06** (*) ◄ |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |

▼M51

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0900990 | Others | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | ►M114 **0,06** (*) ◄ |
| 1010000 | (i) **Tissue** | **0,01 (*)** | ►M114 — ◄ |
| 1011000 | (a) *Swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offal | | |
| 1011990 | Others | | |
| 1012000 | (b) *Bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offal | | |
| 1012990 | Others | | |
| 1013000 | (c) *Sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offal | | |
| 1013990 | Others | | |
| 1014000 | (d) *Goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offal | | |
| 1014990 | Others | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offal | | |
| 1015990 | Others | | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offal | | |
| 1017990 | Others | | |
| 1020000 | (ii) **Milk** | **0,01 (*)** | ►**M114** — ◄ |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Bird eggs** | **0,01 (*)** | ►**M114** — ◄ |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |

▼**M51**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1030990 | Others | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05 (*)** | ►**M114** — ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01 (*)** | ►**M114** — ◄ |
| 1060000 | (vi) **Snails** | **0,01 (*)** | ►**M114** — ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01 (*)** | ►**M114** — ◄ |

▼M59

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Quinoclamine | Warfarin |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | **0,01** (*) |
| 0110000 | (i) **Citrus fruit** | **0,01** (*) | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts** | **0,02** (*) | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | **0,01** (*) | |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | **0,01** (*) | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140030 | Peaches (Nectarines and similar hybrids) | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | **0,01** (*) | |
| 0151000 | (a) **Table and wine grapes** | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) **Strawberries** | | |
| 0153000 | (c) **Cane fruit** | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x Rubus idaeus)) | | |
| 0153990 | Others | | |
| 0154000 | (d) **Other small fruit & berries** | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (Arbutus berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01** (*) | |
| 0161000 | (a) **Edible peel** | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161060 | Persimmon | | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | | |
| 0161990 | Others | | |
| 0162000 | (b) **Inedible peel, small** | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) **Inedible peel, large** | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | **0,01** (*) |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) | |
| 0211000 | (a) **Potatoes** | | |
| 0212000 | (b) **Tropical root and tuber vegetables** | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) **Other root and tuber vegetables except sugar beet** | | |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | **0,01** (*) | |
| 0220010 | Garlic | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) | |
| 0231000 | (a) **Solanacea** | | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | | |
| 0231040 | Okra (lady's fingers) | | |
| 0231990 | Others | | |
| 0232000 | (b) **Cucurbits — edible peel** | | |
| 0232010 | Cucumbers | | |

▼**M59**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232020 | Gherkins | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) **Cucurbits-inedible peel** | | |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) **Sweet corn (Baby corn)** | | |
| 0239000 | (e) **Other fruiting vegetables** | | |
| 0240000 | (iv) **Brassica vegetables** | **0,01** (*) | |
| 0241000 | (a) **Flowering brassica** | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) **Head brassica** | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) **Leafy brassica** | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) **Kohlrabi** | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | |
| 0251000 | (a) **Lettuce and other salad plants including Brassicacea** | **0,01** (*) | |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) **Spinach & similar (leaves)** | **0,01** (*) | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) **Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))** | **0,01** (*) | |
| 0254000 | (d) **Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)** | **0,01** (*) | |
| 0255000 | (e) **Witloof** | **0,01** (*) | |
| 0256000 | (f) **Herbs** | **0,02** (*) | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme (Marjoram, oregano) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01** (*) | |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01** (*) | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons (Borago officinalis stems) | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes (Banana flower) | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | **0,01** (*) | |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | **0,01** (*) | |
| 0300000 | 3. **PULSES, DRY** | **0,02** (*) | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02** (*) | **0,01** (*) |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) **Oilfruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | **0,02** (*) | **0,01** (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | |
| 0500050 | Oats | | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,05** (*) | **0,01** (*) |
| 0610000 | (i) **Tea** | | |
| 0620000 | (ii) **Coffee beans** | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) **Flowers** | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) **Leaves** | | |
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) **Roots** | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) **Other herbal infusions** | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | |
| 0650000 | (v) **Carob (st johns bread)** | | |
| 0700000 | 7. **HOPS (dried)** | **0,05** (*) | **0,01** (*) |
| 0800000 | 8. **SPICES** | | |
| 0810000 | (i) **Seeds** | **0,05** (*) | **0,01** (*) |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | **0,05** (*) | **0,01** (*) |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820010 | Allspice | | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | **0,05** (*) | **0,01** (*) |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | **0,05** (*) | **0,01** (*) |
| 0840020 | Ginger | **0,05** (*) | **0,01** (*) |
| 0840030 | Turmeric (Curcuma) | **0,05** (*) | **0,01** (*) |
| 0840040 | Horseradish | **(+)** | **(+)** |
| 0840990 | Others | **0,05** (*) | **0,01** (*) |
| 0850000 | (v) **Buds** | **0,05** (*) | **0,01** (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | **0,05** (*) | **0,01** (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | **0,05** (*) | **0,01** (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0900990 | Others | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | **0,01** (*) |
| 1010000 | (i) **Tissue** | **0,02** (*) | |
| 1011000 | (a) **Swine** | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offal | | |
| 1011990 | Others | | |
| 1012000 | (b) **Bovine** | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offal | | |
| 1012990 | Others | | |
| 1013000 | (c) **Sheep** | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offal | | |
| 1013990 | Others | | |
| 1014000 | (d) **Goat** | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offal | | |
| 1014990 | Others | | |
| 1015000 | (e) **Horses, asses, mules or hinnies** | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |

▼**M59**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offal | | |
| 1015990 | Others | | |
| 1016000 | (f) **Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon** | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) **Other farm animals (Rabbit, kangaroo, deer)** | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offal | | |
| 1017990 | Others | | |
| 1020000 | (ii) **Milk** | **0,02** (*) | |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Bird eggs** | **0,02** (*) | |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |

▼**M59**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1030990 | Others | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) | |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,02** (*) | |
| 1060000 | (vi) **Snails** | **0,02** (*) | |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,02** (*) | |

▼M59

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Ethoxyquin (F) | Flusilazole (F) (R) |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | **0,01** (*) |
| 0110000 | (i) **Citrus fruit** | 0,05 (*) | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata x sinensis)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts** | **0,1** (*) | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | **0,05** (*) | |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | 0,05 (*) | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140030 | Peaches (Nectarines and similar hybrids) | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | 0,05 (*) | |
| 0151000 | (a) **Table and wine grapes** | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) **Strawberries** | | |
| 0153000 | (c) **Cane fruit** | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus x Rubus idaeus)) | | |
| 0153990 | Others | | |
| 0154000 | (d) **Other small fruit & berries** | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (Arbutus berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | 0,05 (*) | |
| 0161000 | (a) **Edible peel** | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161060 | Persimmon | | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | | |
| 0161990 | Others | | |
| 0162000 | (b) **Inedible peel, small** | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) **Inedible peel, large** | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | |
| 0210000 | (i) **Root and tuber vegetables** | 0,05 (*) | **0,01** (*) |
| 0211000 | (a) **Potatoes** | | |
| 0212000 | (b) **Tropical root and tuber vegetables** | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) **Other root and tuber vegetables except sugar beet** | | |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | 0,05 (*) | **0,01** (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | 0,05 (*) | **0,01** (*) |
| 0231000 | (a) **Solanacea** | | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | | |
| 0231040 | Okra (lady's fingers) | | |
| 0231990 | Others | | |
| 0232000 | (b) **Cucurbits — edible peel** | | |
| 0232010 | Cucumbers | | |

▼**M59**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232020 | Gherkins | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) **Cucurbits-inedible peel** | | |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) **Sweet corn (Baby corn)** | | |
| 0239000 | (e) **Other fruiting vegetables** | | |
| 0240000 | (iv) **Brassica vegetables** | 0,05 (*) | **0,01** (*) |
| 0241000 | (a) **Flowering brassica** | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) **Head brassica** | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) **Leafy brassica** | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) **Kohlrabi** | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | |
| 0251000 | (a) **Lettuce and other salad plants including Brassicacea** | 0,05 (*) | **0,01** (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |

▼**M59**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) **Spinach & similar (leaves)** | 0,05 (*) | **0,01** (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) **Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))** | 0,05 (*) | **0,01** (*) |
| 0254000 | (d) **Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)** | 0,05 (*) | **0,01** (*) |
| 0255000 | (e) **Witloof** | 0,05 (*) | **0,01** (*) |
| 0256000 | (f) **Herbs** | **0,1** (*) | 0,02 (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme (Marjoram, oregano) | | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,05 (*) | **0,01** (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,05 (*) | **0,01** (*) |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons (Borago officinalis stems) | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes (Banana flower) | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | 0,05 (*) | **0,01** (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | 0,05 (*) | **0,01** (*) |
| 0300000 | 3. **PULSES, DRY** | 0,05 (*) | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,1 (*) | **0,01** (*) |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) **Oilfruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | 0,05 (*) | **0,01** (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | |
| 0500050 | Oats | | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,1** (*) | 0,05 (*) |
| 0610000 | (i) **Tea** | | |
| 0620000 | (ii) **Coffee beans** | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) **Flowers** | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) **Leaves** | | |
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) **Roots** | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) **Other herbal infusions** | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | |
| 0650000 | (v) **Carob (st johns bread)** | | |
| 0700000 | 7. **HOPS (dried)** | **0,1** (*) | 0,05 (*) |
| 0800000 | 8. **SPICES** | | |
| 0810000 | (i) **Seeds** | **0,1** (*) | 0,05 (*) |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | **0,1** (*) | 0,05 (*) |

▼**M59**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820010 | Allspice | | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | **0,1** (*) | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | **0,1** (*) | 0,05 (*) |
| 0840020 | Ginger | **0,1** (*) | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | **0,1** (*) | 0,05 (*) |
| 0840040 | Horseradish | **(+)** | **(+)** |
| 0840990 | Others | **0,1** (*) | 0,05 (*) |
| 0850000 | (v) **Buds** | **0,1** (*) | 0,05 (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | **0,1** (*) | 0,05 (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | **0,1** (*) | 0,05 (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | 0,05 (*) | **0,01** (*) |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |

▼M59

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0900990 | Others | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | 0,05 (*) | |
| 1010000 | (i) **Tissue** | | **0,02** (*) |
| 1011000 | (a) **Swine** | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offal | | |
| 1011990 | Others | | |
| 1012000 | (b) **Bovine** | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offal | | |
| 1012990 | Others | | |
| 1013000 | (c) **Sheep** | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offal | | |
| 1013990 | Others | | |
| 1014000 | (d) **Goat** | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offal | | |
| 1014990 | Others | | |
| 1015000 | (e) **Horses, asses, mules or hinnies** | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |

▼**M59**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offal | | |
| 1015990 | Others | | |
| 1016000 | (f) **Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon** | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) **Other farm animals (Rabbit, kangaroo, deer)** | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offal | | |
| 1017990 | Others | | |
| 1020000 | (ii) **Milk** | | **0,02** (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Bird eggs** | | **0,02** (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |

▼**M59**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1030990 | Others | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | | **0,02** (*) |
| 1060000 | (vi) **Snails** | | **0,02** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | | **0,02** (*) |

▼M64

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | |
| 0110000 | (i) **Citrus fruit** | 0,01 (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* x *sinensis*)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | 0,02 (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | 0,01 (*) |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | 0,01 (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼**M64**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | 0,01 (*) |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* x *Rubus idaeus*)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (Arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | 0,01 (*) |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* x *Fortunella* spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼**M64**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | 0,01 (*) |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M64**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | 0,02 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | 0,01 (*) |
| 0231000 | (a) Solanacea | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼M64

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | 0,01 (*) |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | 0,01 (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. crispum/*C. intybus* var. *foliosum*), dandelion greens) | |

▼**M64**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) **Spinach & similar (leaves)** | 0,01 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beet-root) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (*Acacia pennata*))* | 0,01 (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (*Ipomea aquatica*), water clover, water mimosa)* | 0,01 (*) |
| 0255000 | (e) *Witloof* | 0,01 (*) |
| 0256000 | (f) *Herbs* | 0,02 (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M64**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,01 (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,01 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (*Borago officinalis* stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | 0,01 (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | 0,01 (*) |
| 0300000 | 3. **PULSES, DRY** | 0,01 (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼**M64**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,02 (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | 0,01 (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | |

▼M64

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | 0,05 (*) |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | 0,05 (*) |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | 0,05 (*) |
| 0820010 | Allspice | |

▼**M64**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | 0,05 (*) |
| 0840040 | Horseradish | (+) |
| 0840990 | Others | 0,05 (*) |
| 0850000 | (v) **Buds** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | 0,01 (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M64

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | 0,01 (*) |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M64**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk** | 0,01 (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | 0,01 (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼M64

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Procymidone (R) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | 0,05 (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | 0,01 (*) |
| 1060000 | (vi) **Snails** | 0,01 (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | 0,01 (*) |

▼**M66**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | 0,01 (*) | 0,01 (*) |
| 0110000 | (i) **Citrus fruit** | 0,05 (*) | | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* × *sinensis*)) | | | |
| 0110990 | Others | | | |
| 0120000 | (ii) **Tree nuts** | 0,1 (*) | | |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts (Filbert) | | | |
| 0120070 | Macadamia | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nuts | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others | | | |
| 0130000 | (iii) **Pome fruit** | 0,05 (*) | | |
| 0130010 | Apples (Crab apple) | | | |
| 0130020 | Pears (Oriental pear) | | | |
| 0130030 | Quinces | | | |
| 0130040 | Medlar | | | |
| 0130050 | Loquat | | | |
| 0130990 | Others | | | |
| 0140000 | (iv) **Stone fruit** | 0,05 (*) | | |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | |

▼M66

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | | | |
| 0140990 | Others | | | |
| 0150000 | (v) *Berries & small fruit* | 0,05 (*) | | |
| 0151000 | (a) *Table and wine grapes* | | | |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *Strawberries* | | | |
| 0153000 | (c) *Cane fruit* | | | |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* × *Rubus idaeus*)) | | | |
| 0153990 | Others | | | |
| 0154000 | (d) **Other small fruit & berries** | | | |
| 0154010 | Blueberries (Bilberries) | | | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | | |
| 0154030 | Currants (red, black and white) | | | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | | | |
| 0154050 | Rose hips | | | |
| 0154060 | Mulberries (Arbutus berry) | | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | | |
| 0154990 | Others | | | |
| 0160000 | (vi) *Miscellaneous fruit* | 0,05 (*) | | |
| 0161000 | (a) *Edible peel* | | | |
| 0161010 | Dates | | | |
| 0161020 | Figs | | | |
| 0161030 | Table olives | | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* × *Fortunella* spp.)) | | | |
| 0161050 | Carambola (Bilimbi) | | | |
| 0161060 | Persimmon | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (*Eugenia uniflora*)) | | | |
| 0161990 | Others | | | |
| 0162000 | (b) *Inedible peel, small* | | | |
| 0162010 | Kiwi | | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | | | |
| 0162030 | Passion fruit | | | |
| 0162040 | Prickly pear (cactus fruit) | | | |
| 0162050 | Star apple | | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | | |
| 0162990 | Others | | | |
| 0163000 | (c) **Inedible peel, large** | | | |
| 0163010 | Avocados | | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papaya | | | |
| 0163050 | Pomegranate | | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | | | |
| 0163070 | Guava (Red pitaya/dragon fruit (*Hylocereus undatus*)) | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Bread fruit (Jackfruit) | | | |
| 0163100 | Durian | | | |
| 0163110 | Soursop (guanabana) | | | |
| 0163990 | Others | | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | 0,01 (*) | |
| 0210000 | (i) **Root and tuber vegetables** | 0,05 (*) | | 0,01 (*) |
| 0211000 | (a) *Potatoes* | | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0212040 | Arrowroot | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | |
| 0213010 | Beetroot | | | |
| 0213020 | Carrots | | | |
| 0213030 | Celeriac | | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | | |
| 0213050 | Jerusalem artichokes (Crosne) | | | |
| 0213060 | Parsnips | | | |
| 0213070 | Parsley root | | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | | |
| 0213100 | Swedes | | | |
| 0213110 | Turnips | | | |
| 0213990 | Others | | | |
| 0220000 | (ii) **Bulb vegetables** | 0,05 (*) | | 0,01 (*) |
| 0220010 | Garlic | | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | | |
| 0220030 | Shallots | | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | | |
| 0220990 | Others | | | |
| 0230000 | (iii) **Fruiting vegetables** | 0,05 (*) | | 0,01 (*) |
| 0231000 | (a) Solanacea | | | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | | | |
| 0231020 | Peppers (Chilli peppers) | | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | | | |
| 0231040 | Okra (lady's fingers) | | | |
| 0231990 | Others | | | |
| 0232000 | (b) *Cucurbits — edible peel* | | | |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *Cucurbits — inedible peel* | | | |
| 0233010 | Melons (Kiwano) | | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | | |
| 0239000 | (e) *Other fruiting vegetables* | | | |
| 0240000 | (iv) **Brassica vegetables** | 0,05 (*) | | 0,01 (*) |
| 0241000 | (a) *Flowering brassica* | | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | |
| 0241020 | Cauliflower | | | |
| 0241990 | Others | | | |
| 0242000 | (b) *Head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *Leafy brassica* | | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *Kohlrabi* | | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | |
| 0251000 | (a) *Lettuce and other salad plants including* Brassicacea | 0,05 (*) | | 0,01 (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens) | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | |
| 0251050 | Land cress | | | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | | |
| 0251070 | Red mustard | | | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *Spinach & similar (leaves)* | 0,05 (*) | | 0,01 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | | | |
| 0252030 | Beet leaves (chard) (Leaves of beet-root) | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (*Acacia pennata*))* | 0,05 (*) | | 0,01 (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (*Ipomea aquatica*), water clover, water mimosa)* | 0,05 (*) | | 0,01 (*) |
| 0255000 | (e) *Witloof* | 0,05 (*) | | 0,01 (*) |
| 0256000 | (f) *Herbs* | 0,1 (*) | | 0,02 (*) |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | | | |
| 0256040 | Parsley (leaves of root parsley) | | | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme (Marjoram, oregano) | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | |
| 0256100 | Tarragon (Hyssop) | | | |
| 0256990 | Others | | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,05 (*) | | 0,01 (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others | | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,05 (*) | | 0,01 (*) |
| 0270010 | Asparagus | | | |
| 0270020 | Cardoons (*Borago officinalis* stems) | | | |
| 0270030 | Celery | | | |
| 0270040 | Fennel | | | |
| 0270050 | Globe artichokes (Banana flower) | | | |
| 0270060 | Leek | | | |
| 0270070 | Rhubarb | | | |
| 0270080 | Bamboo shoots | | | |
| 0270090 | Palm hearts | | | |
| 0270990 | Others | | | |
| 0280000 | (viii) **Fungi** | 0,05 (*) | | 0,01 (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | | |
| 0280990 | Others | | | |
| 0290000 | (ix) **Sea weeds** | 0,05 (*) | | 0,01 (*) |
| 0300000 | 3. **PULSES, DRY** | 0,05 (*) | 0,01 (*) | 0,01 (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0300040 | Lupins | | | |
| 0300990 | Others | | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,1 (*) | 0,01 (*) | 0,01 (*) |
| 0401000 | (i) **Oilseeds** | | | |
| 0401010 | Linseed | | | |
| 0401020 | Peanuts | | | |
| 0401030 | Poppy seed | | | |
| 0401040 | Sesame seed | | | |
| 0401050 | Sunflower seed | | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | |
| 0401070 | Soya bean | | | |
| 0401080 | Mustard seed | | | |
| 0401090 | Cotton seed | | | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | | | |
| 0401110 | Safflower | | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | | |
| 0401130 | Gold of pleasure | | | |
| 0401140 | Hempseed | | | |
| 0401150 | Castor bean | | | |
| 0401990 | Others | | | |
| 0402000 | (ii) **Oilfruits** | | | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Palm nuts (palmoil kernels) | | | |
| 0402030 | Palmfruit | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others | | | |
| 0500000 | 5. **CEREALS** | 0,05 (*) | 0,01 (*) | 0,01 (*) |
| 0500010 | Barley | | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | | |
| 0500030 | Maize | | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | | |
| 0500050 | Oats | | | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | | | |
| 0500070 | Rye | | | |
| 0500080 | Sorghum | | | |
| 0500090 | Wheat (Spelt, triticale) | | | |
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | | | |

▼M66

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0610000 | (i) **Tea** | | | |
| 0620000 | (ii) **Coffee beans** | | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | | |
| 0631000 | (a) *Flowers* | | | |
| 0631010 | Camomille flowers | | | |
| 0631020 | Hybiscus flowers | | | |
| 0631030 | Rose petals | | | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | | |
| 0631050 | Lime (linden) | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *Leaves* | | | |
| 0632010 | Strawberry leaves | | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | |
| 0632030 | Maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *Roots* | | | |
| 0633010 | Valerian root | | | |
| 0633020 | Ginseng root | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *Other herbal infusions* | | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | | |
| 0650000 | (v) **Carob (st johns bread)** | | | |
| 0700000 | 7. **HOPS (dried)** | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0800000 | 8. **SPICES** | | | |
| 0810000 | (i) **Seeds** | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0810010 | Anise | | | |
| 0810020 | Black caraway | | | |
| 0810030 | Celery seed (Lovage seed) | | | |
| 0810040 | Coriander seed | | | |
| 0810050 | Cumin seed | | | |
| 0810060 | Dill seed | | | |
| 0810070 | Fennel seed | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | (ii) **Fruits and berries** | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0820010 | Allspice | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berries | | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | |
| 0820070 | Vanilla pods | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | (iii) **Bark** | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | | | |
| 0830990 | Others | | | |
| 0840000 | (iv) **Roots or rhizome** | | | |
| 0840010 | Liquorice | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0840020 | Ginger | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0840040 | Horseradish | (+) | (+) | (+) |
| 0840990 | Others | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0850000 | (v) **Buds** | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | (vi) **Flower stigma** | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | (vii) **Aril** | 0,1 (*) | 0,01 (*) | 0,05 (*) |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | 9. **SUGAR PLANTS** | 0,05 (*) | 0,01 (*) | 0,01 (*) |
| 0900010 | Sugar beet (root) | | | |
| 0900020 | Sugar cane | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | 0,02 (*) | 0,01 (*) | |
| 1010000 | (i) **Tissue** | | | 0,01 (*) |
| 1011000 | (a) *Swine* | | | |
| 1011010 | Muscle | | | |
| 1011020 | Fat | | | |
| 1011030 | Liver | | | |
| 1011040 | Kidney | | | |
| 1011050 | Edible offal | | | |
| 1011990 | Others | | | |
| 1012000 | (b) *Bovine* | | | |
| 1012010 | Muscle | | | |
| 1012020 | Fat | | | |
| 1012030 | Liver | | | |
| 1012040 | Kidney | | | |
| 1012050 | Edible offal | | | |
| 1012990 | Others | | | |
| 1013000 | (c) *Sheep* | | | |
| 1013010 | Muscle | | | |
| 1013020 | Fat | | | |
| 1013030 | Liver | | | |
| 1013040 | Kidney | | | |
| 1013050 | Edible offal | | | |
| 1013990 | Others | | | |
| 1014000 | (d) *Goat* | | | |
| 1014010 | Muscle | | | |
| 1014020 | Fat | | | |
| 1014030 | Liver | | | |
| 1014040 | Kidney | | | |
| 1014050 | Edible offal | | | |
| 1014990 | Others | | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | | |
| 1015010 | Muscle | | | |
| 1015020 | Fat | | | |
| 1015030 | Liver | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 1015040 | Kidney | | | |
| 1015050 | Edible offal | | | |
| 1015990 | Others | | | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | |
| 1016010 | Muscle | | | |
| 1016020 | Fat | | | |
| 1016030 | Liver | | | |
| 1016040 | Kidney | | | |
| 1016050 | Edible offal | | | |
| 1016990 | Others | | | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | | |
| 1017010 | Muscle | | | |
| 1017020 | Fat | | | |
| 1017030 | Liver | | | |
| 1017040 | Kidney | | | |
| 1017050 | Edible offal | | | |
| 1017990 | Others | | | |
| 1020000 | (ii) **Milk** | | | 0,01 (*) |
| 1020010 | Cattle | | | |
| 1020020 | Sheep | | | |
| 1020030 | Goat | | | |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | (iii) **Bird eggs** | | | 0,01 (*) |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Goose | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M66**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Asulam | Cyanamide including salts expressed as cyanamide | Propisochlor |
|---|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | | | 0,05 (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | | | 0,01 (*) |
| 1060000 | (vi) **Snails** | | | 0,01 (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | | | 0,01 (*) |

▼M68

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | |
| 0110000 | (i) **Citrus fruit** | 0,01 (*) | 0,01 (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* × *sinensis*)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) **Tree nuts** | 0,02 (*) | 0,02 (*) |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | (iii) **Pome fruit** | 0,01 (*) | 0,01 (*) |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) **Stone fruit** | 0,01 (*) | 0,01 (*) |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0140030 | Peaches (Nectarines and similar hybrids) | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*)) | | |
| 0140990 | Others | | |
| 0150000 | (v) **Berries & small fruit** | 0,01 (*) | 0,01 (*) |
| 0151000 | (a) *Table and wine grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *Strawberries* | | |
| 0153000 | (c) *Cane fruit* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other *Rubus* hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (*Rubus arcticus*), nectar raspberries (*Rubus arcticus* × *Rubus idaeus*)) | | |
| 0153990 | Others | | |
| 0154000 | (d) *Other small fruit & berries* | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/red bilberries (*V. vitis-idaea*)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other *Ribes* species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (Arbutus berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (*Actinidia arguta*)) | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) **Miscellaneous fruit** | 0,01 (*) | 0,01 (*) |
| 0161000 | (a) *Edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (*Citrus aurantifolia* × *Fortunella* spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0161060 | Persimmon | | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (*Eugenia uniflora*)) | | |
| 0161990 | Others | | |
| 0162000 | (b) *Inedible peel, small* | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) *Inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (*Annona diversifolia*) and other medium sized *Annonaceae* fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | |
| 0210000 | (i) **Root and tuber vegetables** | 0,01 (*) | 0,01 (*) |
| 0211000 | (a) *Potatoes* | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | |
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (*Cyperus esculentus*)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) **Bulb vegetables** | 0,01 (*) | 0,01 (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | |
| 0220990 | Others | | |
| 0230000 | (iii) **Fruiting vegetables** | 0,01 (*) | 0,01 (*) |
| 0231000 | (a) Solanacea | | |
| 0231010 | Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*)) | | |
| 0231040 | Okra (lady's fingers) | | |
| 0231990 | Others | | |
| 0232000 | (b) *Cucurbits — edible peel* | | |
| 0232010 | Cucumbers | | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0232020 | Gherkins | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) *Cucurbits — inedible peel* | | |
| 0233010 | Melons (Kiwano) | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | |
| 0239000 | (e) *Other fruiting vegetables* | | |
| 0240000 | (iv) **Brassica vegetables** | 0,01 (*) | 0,01 (*) |
| 0241000 | (a) *Flowering brassica* | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) *Head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | |
| 0242990 | Others | | |
| 0243000 | (c) *Leafy brassica* | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) *Kohlrabi* | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | |
| 0251000 | (a) *Lettuce and other salad plants including* Brassicacea | 0,01 (*) | 0,01 (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum*/*C. intybus* var. *foliosum*), dandelion greens) | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (*Diplotaxis* spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) *Spinach & similar (leaves)* | 0,01 (*) | 0,01 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (*Salsola soda*)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (*Acacia pennata*))* | 0,01 (*) | 0,01 (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (*Ipomea aquatica*), water clover, water mimosa)* | 0,01 (*) | 0,01 (*) |
| 0255000 | (e) *Witloof* | 0,01 (*) | 0,01 (*) |
| 0256000 | (f) *Herbs* | 0,02 (*) | 0,02 (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other *Apiacea* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, *Borago officinalis* leaves) | | |
| 0256060 | Rosemary | | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0256070 | Thyme (Marjoram, oregano) | | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,01 (*) | 0,01 (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,01 (*) | 0,01 (*) |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons (*Borago officinalis* stems) | | |
| 0270030 | Celery | | |
| 0270040 | Fennel | | |
| 0270050 | Globe artichokes (Banana flower) | | |
| 0270060 | Leek | | |
| 0270070 | Rhubarb | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | (viii) **Fungi** | 0,01 (*) | 0,01 (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, *fungus mycelium* (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) **Sea weeds** | 0,01 (*) | 0,01 (*) |
| 0300000 | 3. **PULSES, DRY** | 0,01 (*) | 0,01 (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | 0,02 (*) | 0,05 (*) |
| 0401000 | (i) **Oilseeds** | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of *Cucurbitaceae*) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (*Echium plantagineum*), Corn Gromwell (*Buglossoides arvensis*)) | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) **Oilfruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. **CEREALS** | 0,01 (*) | 0,01 (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (*Amaranthus*, quinoa) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | |
| 0500050 | Oats | | |
| 0500060 | Rice (Indian/wild rice (*Zizania aquatica*)) | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0500990 | Others (Canary grass seeds (*Phalaris canariensis*)) | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,02 (*) | 0,05 (*) |
| 0610000 | (i) **Tea** | | |
| 0620000 | (ii) **Coffee beans** | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | |
| 0631000 | (a) *Flowers* | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (*Sambucus nigra*)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) *Leaves* | | |
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *Roots* | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) *Other herbal infusions* | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | |
| 0650000 | (v) **Carob (st johns bread)** | | |
| 0700000 | 7. **HOPS (dried)** | 0,02 (*) | 0,05 (*) |
| 0800000 | 8. **SPICES** | | |
| 0810000 | (i) **Seeds** | 0,02 (*) | 0,05 (*) |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | (ii) **Fruits and berries** | 0,02 (*) | 0,05 (*) |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0820010 | Allspice | | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) **Bark** | 0,02 (*) | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) **Roots or rhizome** | | |
| 0840010 | Liquorice | 0,02 (*) | 0,05 (*) |
| 0840020 | Ginger | 0,02 (*) | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | 0,02 (*) | 0,05 (*) |
| 0840040 | Horseradish | (+) | (+) |
| 0840990 | Others | 0,02 (*) | 0,05 (*) |
| 0850000 | (v) **Buds** | 0,02 (*) | 0,05 (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | (vi) **Flower stigma** | 0,02 (*) | 0,05 (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) **Aril** | 0,02 (*) | 0,05 (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. **SUGAR PLANTS** | 0,01 (*) | 0,01 (*) |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |

▼M68

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 0900990 | Others | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | | |
| 1010000 | (i) **Tissue** | 0,01 (*) | 0,01 (*) |
| 1011000 | (a) *Swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offal | | |
| 1011990 | Others | | |
| 1012000 | (b) *Bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offal | | |
| 1012990 | Others | | |
| 1013000 | (c) *Sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offal | | |
| 1013990 | Others | | |
| 1014000 | (d) *Goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offal | | |
| 1014990 | Others | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offal | | |
| 1015990 | Others | | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offal | | |
| 1016990 | Others | | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offal | | |
| 1017990 | Others | | |
| 1020000 | (ii) **Milk** | 0,01 (*) | 0,01 (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) **Bird eggs** | 0,01 (*) | 0,01 (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |

▼**M68**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Anthraquinone (F) | Propanil |
|---|---|---|---|
| 1030990 | Others | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | 0,02 (*) | 0,05 (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | 0,01 (*) | 0,01 (*) |
| 1060000 | (vi) **Snails** | 0,01 (*) | 0,01 (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | 0,01 (*) | 0,01 (*) |

▼**M71**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►**M133** —◄ |
|---|---|---|---|---|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►**M133** —◄ |
| 0110000 | (i) **Citrus fruit** | | | | | | ►**M133** —◄ |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | | | | ►**M133** —◄ |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | | | | ►**M133** —◄ |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | | | | | | ►**M133** —◄ |
| 0110040 | Limes | | | | | | ►**M133** —◄ |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | | | | | | ►**M133** —◄ |
| 0110990 | Others | | | | | | ►**M133** —◄ |
| 0120000 | (ii) **Tree nuts** | | | | | | ►**M133** —◄ |
| 0120010 | Almonds | | | | | | ►**M133** —◄ |
| 0120020 | Brazil nuts | | | | | | ►**M133** —◄ |
| 0120030 | Cashew nuts | | | | | | ►**M133** —◄ |
| 0120040 | Chestnuts | | | | | | ►**M133** —◄ |
| 0120050 | Coconuts | | | | | | ►**M133** —◄ |
| 0120060 | Hazelnuts (Filbert) | | | | | | ►**M133** —◄ |
| 0120070 | Macadamia | | | | | | ►**M133** —◄ |
| 0120080 | Pecans | | | | | | ►**M133** —◄ |
| 0120090 | Pine nuts | | | | | | ►**M133** —◄ |
| 0120100 | Pistachios | | | | | | ►**M133** —◄ |
| 0120110 | Walnuts | | | | | | ►**M133** —◄ |
| 0120990 | Others | | | | | | ►**M133** —◄ |
| 0130000 | (iii) **Pome fruit** | | | | | | ►**M133** —◄ |
| 0130010 | Apples (Crab apple) | | | | | | ►**M133** —◄ |
| 0130020 | Pears (Oriental pear) | | | | | | ►**M133** —◄ |
| 0130030 | Quinces | | | | | | ►**M133** —◄ |
| 0130040 | Medlar | | | | | | ►**M133** —◄ |
| 0130050 | Loquat | | | | | | ►**M133** —◄ |
| 0130990 | Others | | | | | | ►**M133** —◄ |
| 0140000 | (iv) **Stone fruit** | | | | | | ►**M133** —◄ |
| 0140010 | Apricots | | | | | | ►**M133** —◄ |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | | | | ►**M133** —◄ |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | | | | ►**M133** —◄ |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►**M133** —◄ |
|---|---|---|---|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | | | | | | ►**M133** —◄ |
| 0140990 | Others | | | | | | ►**M133** —◄ |
| 0150000 | (v) **Berries & small fruit** | | | | | | ►**M133** —◄ |
| 0151000 | (a) *Table and wine grapes* | | | | | | ►**M133** —◄ |
| 0151010 | Table grapes | | | | | | ►**M133** —◄ |
| 0151020 | Wine grapes | | | | | | ►**M133** —◄ |
| 0152000 | (b) *Strawberries* | | | | | | ►**M133** —◄ |
| 0153000 | (c) *Cane fruit* | | | | | | ►**M133** —◄ |
| 0153010 | Blackberries | | | | | | ►**M133** —◄ |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | | | | | | ►**M133** —◄ |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | | | | | | ►**M133** —◄ |
| 0153990 | Others | | | | | | ►**M133** —◄ |
| 0154000 | (d) *Other small fruit & berries* | | | | | | ►**M133** —◄ |
| 0154010 | Blueberries (Bilberries) | | | | | | ►**M133** —◄ |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | | | | | | ►**M133** —◄ |
| 0154030 | Currants (red, black and white) | | | | | | ►**M133** —◄ |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | | | | | ►**M133** —◄ |
| 0154050 | Rose hips | | | | | | ►**M133** —◄ |
| 0154060 | Mulberries (Arbutus berry) | | | | | | ►**M133** —◄ |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | | | | | | ►**M133** —◄ |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | | | | | ►**M133** —◄ |
| 0154990 | Others | | | | | | ►**M133** —◄ |
| 0160000 | (vi) **Miscellaneous fruit** | | | | | | ►**M133** —◄ |
| 0161000 | (a) *Edible peel* | | | | | | ►**M133** —◄ |
| 0161010 | Dates | | | | | | ►**M133** —◄ |
| 0161020 | Figs | | | | | | ►**M133** —◄ |
| 0161030 | Table olives | | | | | | ►**M133** —◄ |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | | | | | | ►**M133** —◄ |
| 0161050 | Carambola (Bilimbi) | | | | | | ►**M133** —◄ |
| 0161060 | Persimmon | | | | | | ►**M133** —◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 —◄ |
|---|---|---|---|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | | | | | | ►M133 —◄ |
| 0161990 | Others | | | | | | ►M133 —◄ |
| 0162000 | (b) *Inedible peel, small* | | | | | | ►M133 —◄ |
| 0162010 | Kiwi | | | | | | ►M133 —◄ |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | | | | | ►M133 —◄ |
| 0162030 | Passion fruit | | | | | | ►M133 —◄ |
| 0162040 | Prickly pear (cactus fruit) | | | | | | ►M133 —◄ |
| 0162050 | Star apple | | | | | | ►M133 —◄ |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | | | | | ►M133 —◄ |
| 0162990 | Others | | | | | | ►M133 —◄ |
| 0163000 | (c) *Inedible peel, large* | | | | | | ►M133 —◄ |
| 0163010 | Avocados | | | | | | ►M133 —◄ |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | | | | ►M133 —◄ |
| 0163030 | Mangoes | | | | | | ►M133 —◄ |
| 0163040 | Papaya | | | | | | ►M133 —◄ |
| 0163050 | Pomegranate | | | | | | ►M133 —◄ |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | | | | | | ►M133 —◄ |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | | | | | | ►M133 —◄ |
| 0163080 | Pineapples | | | | | | ►M133 —◄ |
| 0163090 | Bread fruit (Jackfruit) | | | | | | ►M133 —◄ |
| 0163100 | Durian | | | | | | ►M133 —◄ |
| 0163110 | Soursop (guanabana) | | | | | | ►M133 —◄ |
| 0163990 | Others | | | | | | ►M133 —◄ |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M133 —◄ |
| 0210000 | (i) **Root and tuber vegetables** | | | | | | ►M133 —◄ |
| 0211000 | (a) *Potatoes* | | | | | | ►M133 —◄ |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | | | | ►M133 —◄ |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | | | | | ►M133 —◄ |
| 0212020 | Sweet potatoes | | | | | | ►M133 —◄ |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | | | | | ►M133 —◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 —— ◄ |
|---|---|---|---|---|---|---|---|
| 0212040 | Arrowroot | | | | | | ►M133 —— ◄ |
| 0212990 | Others | | | | | | ►M133 —— ◄ |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | | | | ►M133 —— ◄ |
| 0213010 | Beetroot | | | | | | ►M133 —— ◄ |
| 0213020 | Carrots | | | | | | ►M133 —— ◄ |
| 0213030 | Celeriac | | | | | | ►M133 —— ◄ |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | | | | | ►M133 —— ◄ |
| 0213050 | Jerusalem artichokes (Crosne) | | | | | | ►M133 —— ◄ |
| 0213060 | Parsnips | | | | | | ►M133 —— ◄ |
| 0213070 | Parsley root | | | | | | ►M133 —— ◄ |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | | | | | ►M133 —— ◄ |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | | | | | ►M133 —— ◄ |
| 0213100 | Swedes | | | | | | ►M133 —— ◄ |
| 0213110 | Turnips | | | | | | ►M133 —— ◄ |
| 0213990 | Others | | | | | | ►M133 —— ◄ |
| 0220000 | (ii) **Bulb vegetables** | | | | | | ►M133 —— ◄ |
| 0220010 | Garlic | | | | | | ►M133 —— ◄ |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | | | | | ►M133 —— ◄ |
| 0220030 | Shallots | | | | | | ►M133 —— ◄ |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | | | | | ►M133 —— ◄ |
| 0220990 | Others | | | | | | ►M133 —— ◄ |
| 0230000 | (iii) **Fruiting vegetables** | | | | | | ►M133 —— ◄ |
| 0231000 | (a) *Solanacea* | | | | | | ►M133 —— ◄ |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | | | | | | ►M133 —— ◄ |
| 0231020 | Peppers (Chilli peppers) | | | | | | ►M133 —— ◄ |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | | | | | | ►M133 —— ◄ |
| 0231040 | Okra (lady's fingers) | | | | | | ►M133 —— ◄ |
| 0231990 | Others | | | | | | ►M133 —— ◄ |
| 0232000 | (b) *Cucurbits — edible peel* | | | | | | ►M133 —— ◄ |
| 0232010 | Cucumbers | | | | | | ►M133 —— ◄ |
| 0232020 | Gherkins | | | | | | ►M133 —— ◄ |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►**M133** —◄ |
|---|---|---|---|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | | | | | ►**M133** —◄ |
| 0232990 | Others | | | | | | ►**M133** —◄ |
| 0233000 | (c) *Cucurbits-inedible peel* | | | | | | ►**M133** —◄ |
| 0233010 | Melons (Kiwano) | | | | | | ►**M133** —◄ |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | | | | ►**M133** —◄ |
| 0233030 | Watermelons | | | | | | ►**M133** —◄ |
| 0233990 | Others | | | | | | ►**M133** —◄ |
| 0234000 | (d) *Sweet corn (Baby corn)* | | | | | | ►**M133** —◄ |
| 0239000 | (e) *Other fruiting vegetables* | | | | | | ►**M133** —◄ |
| 0240000 | (iv) **Brassica vegetables** | | | | | | ►**M133** —◄ |
| 0241000 | (a) *Flowering brassica* | | | | | | ►**M133** —◄ |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | | | | ►**M133** —◄ |
| 0241020 | Cauliflower | | | | | | ►**M133** —◄ |
| 0241990 | Others | | | | | | ►**M133** —◄ |
| 0242000 | (b) *Head brassica* | | | | | | ►**M133** —◄ |
| 0242010 | Brussels sprouts | | | | | | ►**M133** —◄ |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | | | | ►**M133** —◄ |
| 0242990 | Others | | | | | | ►**M133** —◄ |
| 0243000 | (c) *Leafy brassica* | | | | | | ►**M133** —◄ |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | | | | | | ►**M133** —◄ |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | | | | ►**M133** —◄ |
| 0243990 | Others | | | | | | ►**M133** —◄ |
| 0244000 | (d) *Kohlrabi* | | | | | | ►**M133** —◄ |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | | | | ►**M133** —◄ |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | | | | | | ►**M133** —◄ |
| 0251010 | Lamb's lettuce (Italian corn salad) | | | | | | ►**M133** —◄ |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | | | | ►**M133** —◄ |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | | | | | | ►**M133** —◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 —◄ |
|---|---|---|---|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | | | | ►M133 —◄ |
| 0251050 | Land cress | | | | | | ►M133 —◄ |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | | | | | | ►M133 —◄ |
| 0251070 | Red mustard | | | | | | ►M133 —◄ |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | | | | ►M133 —◄ |
| 0251990 | Others | | | | | | ►M133 —◄ |
| 0252000 | (b) *Spinach & similar (leaves)* | | | | | | ►M133 —◄ |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | | | | | | ►M133 —◄ |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | | | | | | ►M133 —◄ |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | | | | ►M133 —◄ |
| 0252990 | Others | | | | | | ►M133 —◄ |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | | | | | | ►M133 —◄ |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | | | | | | ►M133 —◄ |
| 0255000 | (e) *Witloof* | | | | | | ►M133 —◄ |
| 0256000 | (f) *Herbs* | | | | | | ►M133 —◄ |
| 0256010 | Chervil | | | | | | ►M133 —◄ |
| 0256020 | Chives | | | | | | ►M133 —◄ |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | | | | | | ►M133 —◄ |
| 0256040 | Parsley (leaves of root parsley) | | | | | | ►M133 —◄ |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | | | | | | ►M133 —◄ |
| 0256060 | Rosemary | | | | | | ►M133 —◄ |
| 0256070 | Thyme (Marjoram, oregano) | | | | | | ►M133 —◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 — ◄ |
|---|---|---|---|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | | | | ►M133 — ◄ |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | | | | ►M133 — ◄ |
| 0256100 | Tarragon (Hyssop) | | | | | | ►M133 — ◄ |
| 0256990 | Others | | | | | | ►M133 — ◄ |
| 0260000 | (vi) **Legume vegetables (fresh)** | | | | | | ►M133 — ◄ |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | | | | | ►M133 — ◄ |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | | | | | ►M133 — ◄ |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | | | | | ►M133 — ◄ |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | | | | | ►M133 — ◄ |
| 0260050 | Lentils | | | | | | ►M133 — ◄ |
| 0260990 | Others | | | | | | ►M133 — ◄ |
| 0270000 | (vii) **Stem vegetables (fresh)** | | | | | | ►M133 — ◄ |
| 0270010 | Asparagus | | | | | | ►M133 — ◄ |
| 0270020 | Cardoons (Borago officinalis stems) | | | | | | ►M133 — ◄ |
| 0270030 | Celery | | | | | | ►M133 — ◄ |
| 0270040 | Fennel | | | | | | ►M133 — ◄ |
| 0270050 | Globe artichokes (Banana flower) | | | | | | ►M133 — ◄ |
| 0270060 | Leek | | | | | | ►M133 — ◄ |
| 0270070 | Rhubarb | | | | | | ►M133 — ◄ |
| 0270080 | Bamboo shoots | | | | | | ►M133 — ◄ |
| 0270090 | Palm hearts | | | | | | ►M133 — ◄ |
| 0270990 | Others | | | | | | ►M133 — ◄ |
| 0280000 | (viii) **Fungi** | | | | | | ►M133 — ◄ |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | | | | | ►M133 — ◄ |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | | | | | ►M133 — ◄ |
| 0280990 | Others | | | | | | ►M133 — ◄ |
| 0290000 | (ix) **Sea weeds** | | | | | | ►M133 — ◄ |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M133 — ◄ |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | | | | ►M133 — ◄ |
| 0300020 | Lentils | | | | | | ►M133 — ◄ |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | | | | ►M133 — ◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 —— ◄ |
|---|---|---|---|---|---|---|---|
| 0300040 | Lupins | | | | | | ►M133 —— ◄ |
| 0300990 | Others | | | | | | ►M133 —— ◄ |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M133 —— ◄ |
| 0401000 | (i) **Oilseeds** | | | | | | ►M133 —— ◄ |
| 0401010 | Linseed | | | | | | ►M133 —— ◄ |
| 0401020 | Peanuts | | | | | | ►M133 —— ◄ |
| 0401030 | Poppy seed | | | | | | ►M133 —— ◄ |
| 0401040 | Sesame seed | | | | | | ►M133 —— ◄ |
| 0401050 | Sunflower seed | | | | | | ►M133 —— ◄ |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | | | | ►M133 —— ◄ |
| 0401070 | Soya bean | | | | | | ►M133 —— ◄ |
| 0401080 | Mustard seed | | | | | | ►M133 —— ◄ |
| 0401090 | Cotton seed | | | | | | ►M133 —— ◄ |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | | | | | | ►M133 —— ◄ |
| 0401110 | Safflower | | | | | | ►M133 —— ◄ |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | | | | | | ►M133 —— ◄ |
| 0401130 | Gold of pleasure | | | | | | ►M133 —— ◄ |
| 0401140 | Hempseed | | | | | | ►M133 —— ◄ |
| 0401150 | Castor bean | | | | | | ►M133 —— ◄ |
| 0401990 | Others | | | | | | ►M133 —— ◄ |
| 0402000 | (ii) **Oilfruits** | | | | | | ►M133 —— ◄ |
| 0402010 | Olives for oil production | | | | | | ►M133 —— ◄ |
| 0402020 | Palm nuts (palmoil kernels) | | | | | | ►M133 —— ◄ |
| 0402030 | Palmfruit | | | | | | ►M133 —— ◄ |
| 0402040 | Kapok | | | | | | ►M133 —— ◄ |
| 0402990 | Others | | | | | | ►M133 —— ◄ |
| 0500000 | 5. **CEREALS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M133 —— ◄ |
| 0500010 | Barley | | | | | | ►M133 —— ◄ |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | | | | | ►M133 —— ◄ |
| 0500030 | Maize | | | | | | ►M133 —— ◄ |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | | | | | ►M133 —— ◄ |
| 0500050 | Oats | | | | | | ►M133 —— ◄ |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | | | | | | ►M133 —— ◄ |
| 0500070 | Rye | | | | | | ►M133 —— ◄ |
| 0500080 | Sorghum | | | | | | ►M133 —— ◄ |
| 0500090 | Wheat (Spelt, triticale) | | | | | | ►M133 —— ◄ |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | | | | | | ►M133 —— ◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 —— ◄ |
|---|---|---|---|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M133 —— ◄ |
| 0610000 | (i) **Tea** | | | | | | ►M133 —— ◄ |
| 0620000 | (ii) **Coffee beans** | | | | | | ►M133 —— ◄ |
| 0630000 | (iii) **Herbal infusions (dried)** | | | | | | ►M133 —— ◄ |
| 0631000 | (a) *Flowers* | | | | | | ►M133 —— ◄ |
| 0631010 | Camomille flowers | | | | | | ►M133 —— ◄ |
| 0631020 | Hybiscus flowers | | | | | | ►M133 —— ◄ |
| 0631030 | Rose petals | | | | | | ►M133 —— ◄ |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | | | | | ►M133 —— ◄ |
| 0631050 | Lime (linden) | | | | | | ►M133 —— ◄ |
| 0631990 | Others | | | | | | ►M133 —— ◄ |
| 0632000 | (b) *Leaves* | | | | | | ►M133 —— ◄ |
| 0632010 | Strawberry leaves | | | | | | ►M133 —— ◄ |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | | | | ►M133 —— ◄ |
| 0632030 | Maté | | | | | | ►M133 —— ◄ |
| 0632990 | Others | | | | | | ►M133 —— ◄ |
| 0633000 | (c) *Roots* | | | | | | ►M133 —— ◄ |
| 0633010 | Valerian root | | | | | | ►M133 —— ◄ |
| 0633020 | Ginseng root | | | | | | ►M133 —— ◄ |
| 0633990 | Others | | | | | | ►M133 —— ◄ |
| 0639000 | (d) *Other herbal infusions* | | | | | | ►M133 —— ◄ |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | | | | | ►M133 —— ◄ |
| 0650000 | (v) **Carob (st johns bread)** | | | | | | ►M133 —— ◄ |
| 0700000 | 7. **HOPS (dried)** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M133 —— ◄ |
| 0800000 | 8. **SPICES** | | | | **0,01** (*) | **0,01** (*) | ►M133 —— ◄ |
| 0810000 | (i) **Seeds** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0810010 | Anise | | | | | | ►M133 —— ◄ |
| 0810020 | Black caraway | | | | | | ►M133 —— ◄ |
| 0810030 | Celery seed (Lovage seed) | | | | | | ►M133 —— ◄ |
| 0810040 | Coriander seed | | | | | | ►M133 —— ◄ |
| 0810050 | Cumin seed | | | | | | ►M133 —— ◄ |
| 0810060 | Dill seed | | | | | | ►M133 —— ◄ |
| 0810070 | Fennel seed | | | | | | ►M133 —— ◄ |
| 0810080 | Fenugreek | | | | | | ►M133 —— ◄ |
| 0810090 | Nutmeg | | | | | | ►M133 —— ◄ |
| 0810990 | Others | | | | | | ►M133 —— ◄ |
| 0820000 | (ii) **Fruits and berries** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0820010 | Allspice | | | | | | ►M133 —— ◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 —— ◄ |
|---|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | | | | ►M133 —— ◄ |
| 0820030 | Caraway | | | | | | ►M133 —— ◄ |
| 0820040 | Cardamom | | | | | | ►M133 —— ◄ |
| 0820050 | Juniper berries | | | | | | ►M133 —— ◄ |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | | | | ►M133 —— ◄ |
| 0820070 | Vanilla pods | | | | | | ►M133 —— ◄ |
| 0820080 | Tamarind | | | | | | ►M133 —— ◄ |
| 0820990 | Others | | | | | | ►M133 —— ◄ |
| 0830000 | (iii) **Bark** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0830010 | Cinnamon (Cassia) | | | | | | ►M133 —— ◄ |
| 0830990 | Others | | | | | | ►M133 —— ◄ |
| 0840000 | (iv) **Roots or rhizome** | | | | | | ►M133 —— ◄ |
| 0840010 | Liquorice | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0840020 | Ginger | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0840030 | Turmeric (Curcuma) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0840040 | Horseradish | (+) | (+) | (+) | **(+)** | **(+)** | ►M133 —— ◄ |
| 0840990 | Others | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0850000 | (v) **Buds** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0850010 | Cloves | | | | | | ►M133 —— ◄ |
| 0850020 | Capers | | | | | | ►M133 —— ◄ |
| 0850990 | Others | | | | | | ►M133 —— ◄ |
| 0860000 | (vi) **Flower stigma** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0860010 | Saffron | | | | | | ►M133 —— ◄ |
| 0860990 | Others | | | | | | ►M133 —— ◄ |
| 0870000 | (vii) **Aril** | **0,01** (*) | **0,01** (*) | **0,01** (*) | | | ►M133 —— ◄ |
| 0870010 | Mace | | | | | | ►M133 —— ◄ |
| 0870990 | Others | | | | | | ►M133 —— ◄ |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M133 —— ◄ |
| 0900010 | Sugar beet (root) | | | | | | ►M133 —— ◄ |
| 0900020 | Sugar cane | | | | | | ►M133 —— ◄ |
| 0900030 | Chicory roots | | | | | | ►M133 —— ◄ |
| 0900990 | Others | | | | | | ►M133 —— ◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 —— ◄ |
|---|---|---|---|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | ►M133 —— ◄ |
| 1010000 | (i) **Tissue** | | | | | | ►M133 —— ◄ |
| 1011000 | (a) *Swine* | | | | | | ►M133 —— ◄ |
| 1011010 | Muscle | | | | | | ►M133 —— ◄ |
| 1011020 | Fat | | | | | | ►M133 —— ◄ |
| 1011030 | Liver | | | | | | ►M133 —— ◄ |
| 1011040 | Kidney | | | | | | ►M133 —— ◄ |
| 1011050 | Edible offal | | | | | | ►M133 —— ◄ |
| 1011990 | Others | | | | | | ►M133 —— ◄ |
| 1012000 | (b) *Bovine* | | | | | | ►M133 —— ◄ |
| 1012010 | Muscle | | | | | | ►M133 —— ◄ |
| 1012020 | Fat | | | | | | ►M133 —— ◄ |
| 1012030 | Liver | | | | | | ►M133 —— ◄ |
| 1012040 | Kidney | | | | | | ►M133 —— ◄ |
| 1012050 | Edible offal | | | | | | ►M133 —— ◄ |
| 1012990 | Others | | | | | | ►M133 —— ◄ |
| 1013000 | (c) *Sheep* | | | | | | ►M133 —— ◄ |
| 1013010 | Muscle | | | | | | ►M133 —— ◄ |
| 1013020 | Fat | | | | | | ►M133 —— ◄ |
| 1013030 | Liver | | | | | | ►M133 —— ◄ |
| 1013040 | Kidney | | | | | | ►M133 —— ◄ |
| 1013050 | Edible offal | | | | | | ►M133 —— ◄ |
| 1013990 | Others | | | | | | ►M133 —— ◄ |
| 1014000 | (d) *Goat* | | | | | | ►M133 —— ◄ |
| 1014010 | Muscle | | | | | | ►M133 —— ◄ |
| 1014020 | Fat | | | | | | ►M133 —— ◄ |
| 1014030 | Liver | | | | | | ►M133 —— ◄ |
| 1014040 | Kidney | | | | | | ►M133 —— ◄ |
| 1014050 | Edible offal | | | | | | ►M133 —— ◄ |
| 1014990 | Others | | | | | | ►M133 —— ◄ |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | | | | | ►M133 —— ◄ |
| 1015010 | Muscle | | | | | | ►M133 —— ◄ |
| 1015020 | Fat | | | | | | ►M133 —— ◄ |
| 1015030 | Liver | | | | | | ►M133 —— ◄ |

▼M71

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►M133 —◄ |
|---|---|---|---|---|---|---|---|
| 1015040 | Kidney | | | | | | ►M133 —◄ |
| 1015050 | Edible offal | | | | | | ►M133 —◄ |
| 1015990 | Others | | | | | | ►M133 —◄ |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | | | | ►M133 —◄ |
| 1016010 | Muscle | | | | | | ►M133 —◄ |
| 1016020 | Fat | | | | | | ►M133 —◄ |
| 1016030 | Liver | | | | | | ►M133 —◄ |
| 1016040 | Kidney | | | | | | ►M133 —◄ |
| 1016050 | Edible offal | | | | | | ►M133 —◄ |
| 1016990 | Others | | | | | | ►M133 —◄ |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | | | | | ►M133 —◄ |
| 1017010 | Muscle | | | | | | ►M133 —◄ |
| 1017020 | Fat | | | | | | ►M133 —◄ |
| 1017030 | Liver | | | | | | ►M133 —◄ |
| 1017040 | Kidney | | | | | | ►M133 —◄ |
| 1017050 | Edible offal | | | | | | ►M133 —◄ |
| 1017990 | Others | | | | | | ►M133 —◄ |
| 1020000 | (ii) **Milk** | | | | | | ►M133 —◄ |
| 1020010 | Cattle | | | | | | ►M133 —◄ |
| 1020020 | Sheep | | | | | | ►M133 —◄ |
| 1020030 | Goat | | | | | | ►M133 —◄ |
| 1020040 | Horse | | | | | | ►M133 —◄ |
| 1020990 | Others | | | | | | ►M133 —◄ |
| 1030000 | (iii) **Bird eggs** | | | | | | ►M133 —◄ |
| 1030010 | Chicken | | | | | | ►M133 —◄ |
| 1030020 | Duck | | | | | | ►M133 —◄ |
| 1030030 | Goose | | | | | | ►M133 —◄ |
| 1030040 | Quail | | | | | | ►M133 —◄ |
| 1030990 | Others | | | | | | ►M133 —◄ |

▼**M71**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bone oil | Carbon monoxide | Dodemorph | Paraffin oil (CAS 64742-54-7) | Petroleum oils (CAS 92062-35-6) | ►**M133** —— ◄ |
|---|---|---|---|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | | | | | | ►**M133** —— ◄ |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | | | | | | ►**M133** —— ◄ |
| 1060000 | (vi) **Snails** | | | | | | ►**M133** —— ◄ |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | | | | | | ►**M133** —— ◄ |

▼M73

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | **0,01** (*) |
| 0110000 | (i) **Citrus fruit** | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (Arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (Eugenia uniflora)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | **0,01** (*) |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01** (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01** (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beet-root) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01** (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01** (*) |
| 0255000 | (e) *Witloof* | **0,01** (*) |
| 0256000 | (f) *Herbs* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long cori-ander/stink weed (Eryngium foeti-dum)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01** (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (Borago officinalis stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | **0,01** (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | **0,01** (*) |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,01** (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | 0,05 (*) |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | 0,05 (*) |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | 0,05 (*) |
| 0820010 | Allspice | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | 1,3-Dichloropropene |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | 0,05 (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | 0,05 (*) |
| 0850000 | (v) **Buds** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M73

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | **0,02** (*) |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offal | |
| 1011990 | Others | |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offal | |
| 1012990 | Others | |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offal | |
| 1013990 | Others | |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offal | |
| 1014990 | Others | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offal | |
| 1015990 | Others | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offal | |
| 1016990 | Others | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offal | |
| 1017990 | Others | |
| 1020000 | (ii) **Milk** | **0,02** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | **0,02** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M73**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 1,3-Dichloropropene |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,02** (*) |
| 1060000 | (vi) **Snails** | **0,02** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,02** (*) |

▼M79

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Oxadiargyl |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | 0,01 (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) **grapes** | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) **strawberries** | |
| 0153000 | (c) **cane fruits** | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) **other small fruits and berries** | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) **edible peel** | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) **inedible peel, small** | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) **inedible peel, large** | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) |
| 0211000 | (a) **potatoes** | |
| 0212000 | (b) **tropical root and tuber vegetables** | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) **other root and tuber vegetables except sugar beets** | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | 0,01 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) |
| 0231000 | (a) **solanacea** | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) **cucurbits with edible peel** | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) **cucurbits with inedible peel** | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) **sweet corn** | |
| 0239000 | (e) **other fruiting vegetables** | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) |
| 0241000 | (a) **flowering brassica** | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) **head brassica** | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) **leafy brassica** | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) **kohlrabies** | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) **lettuces and salad plants** | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) **spinaches and similar leaves** | 0,01 (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) **grape leaves and similar species** | 0,01 (*) |
| 0254000 | (d) **watercresses** | 0,01 (*) |
| 0255000 | (e) **witloofs/Belgian endives** | 0,01 (*) |
| 0256000 | (f) **herbs and edible flowers** | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |
| 0260000 | **Legume vegetables** | 0,01 (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | 0,01 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) |
| 0300000 | **PULSES** | 0,01 (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,01 (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | 0,01 (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) **flowers** | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) **leaves and herbs** | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) **roots** | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) **any other parts of the plant** | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | 0,05 (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | 0,05 (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | 0,05 (*) |
| 0820010 | Allspice/pimento | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | 0,05 (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric/curcuma | 0,05 (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | **0,01** (*) |
| 1011000 | (a) **swine** | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) **bovine** | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) **sheep** | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | (d) **goat** | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) **equine** | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) **poultry** | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) **other farmed terrestrial animals** | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼M79

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |

▼M74

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 2-naphthyloxyacetic acid |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | |
| 0110000 | (i) **Citrus fruit** | **0,01** (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | |
| 0110040 | Limes | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | |
| 0110990 | Others | |
| 0120000 | (ii) **Tree nuts** | **0,02** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts (Filbert) | |
| 0120070 | Macadamia | |
| 0120080 | Pecans | |
| 0120090 | Pine nuts | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | (iii) **Pome fruit** | **0,01** (*) |
| 0130010 | Apples (Crab apple) | |
| 0130020 | Pears (Oriental pear) | |
| 0130030 | Quinces | |
| 0130040 | Medlar | |
| 0130050 | Loquat | |
| 0130990 | Others | |
| 0140000 | (iv) **Stone fruit** | **0,01** (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | |
| 0140030 | Peaches (Nectarines and similar hybrids) | |

▼M74

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | |
| 0140990 | Others | |
| 0150000 | (v) **Berries & small fruit** | **0,01** (*) |
| 0151000 | (a) *Table and wine grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *Strawberries* | |
| 0153000 | (c) *Cane fruit* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | |
| 0153990 | Others | |
| 0154000 | (d) *Other small fruit & berries* | |
| 0154010 | Blueberries (Bilberries) | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | |
| 0154030 | Currants (red, black and white) | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (Arbutus berry) | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buck-thorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | |
| 0154990 | Others | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01** (*) |
| 0161000 | (a) *Edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | |
| 0161050 | Carambola (Bilimbi) | |
| 0161060 | Persimmon | |

▼M74

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (Eugenia uniflora)) | |
| 0161990 | Others | |
| 0162000 | (b) *Inedible peel, small* | |
| 0162010 | Kiwi | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | |
| 0162030 | Passion fruit | |
| 0162040 | Prickly pear (cactus fruit) | |
| 0162050 | Star apple | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | |
| 0162990 | Others | |
| 0163000 | (c) *Inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | |
| 0163030 | Mangoes | |
| 0163040 | Papaya | |
| 0163050 | Pomegranate | |
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | |
| 0163080 | Pineapples | |
| 0163090 | Bread fruit (Jackfruit) | |
| 0163100 | Durian | |
| 0163110 | Soursop (guanabana) | |
| 0163990 | Others | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *Potatoes* | |
| 0212000 | (b) *Tropical root and tuber vegetables* | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | |

▼**M74**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroot | |
| 0212990 | Others | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | |
| 0213010 | Beetroot | |
| 0213020 | Carrots | |
| 0213030 | Celeriac | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | |
| 0213050 | Jerusalem artichokes (Crosne) | |
| 0213060 | Parsnips | |
| 0213070 | Parsley root | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | |
| 0213100 | Swedes | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | (ii) **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | |
| 0220030 | Shallots | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | |
| 0220990 | Others | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanacea* | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | |
| 0231020 | Peppers (Chilli peppers) | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | |
| 0231040 | Okra (lady's fingers) | |
| 0231990 | Others | |
| 0232000 | (b) *Cucurbits — edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M74**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | |
| 0232990 | Others | |
| 0233000 | (c) *Cucurbits-inedible peel* | |
| 0233010 | Melons (Kiwano) | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *Sweet corn (Baby corn)* | |
| 0239000 | (e) *Other fruiting vegetables* | |
| 0240000 | (iv) **Brassica vegetables** | **0,01** (*) |
| 0241000 | (a) *Flowering brassica* | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | |
| 0241020 | Cauliflower | |
| 0241990 | Others | |
| 0242000 | (b) *Head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | |
| 0242990 | Others | |
| 0243000 | (c) *Leafy brassica* | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | |
| 0243990 | Others | |
| 0244000 | (d) *Kohlrabi* | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01** (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | |

▼**M74**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | |
| 0251050 | Land cress | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | |
| 0251070 | Red mustard | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | |
| 0251990 | Others | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01** (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri) | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | |
| 0252030 | Beet leaves (chard) (Leaves of beet-root) | |
| 0252990 | Others | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01** (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01** (*) |
| 0255000 | (e) *Witloof* | **0,01** (*) |
| 0256000 | (f) *Herbs* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long cori-ander/stink weed (Eryngium foeti-dum)) | |
| 0256040 | Parsley (leaves of root parsley) | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | |
| 0256060 | Rosemary | |
| 0256070 | Thyme (Marjoram, oregano) | |

▼**M74**

| (1) | (2) | (3) |
|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | |
| 0256100 | Tarragon (Hyssop) | |
| 0256990 | Others | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,01 (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons (Borago officinalis stems) | |
| 0270030 | Celery | |
| 0270040 | Fennel | |
| 0270050 | Globe artichokes (Banana flower) | |
| 0270060 | Leek | |
| 0270070 | Rhubarb | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | (viii) **Fungi** | **0,01** (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | |
| 0280990 | Others | |
| 0290000 | (ix) **Sea weeds** | **0,01** (*) |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | |
| 0300020 | Lentils | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | |

▼M74

| (1) | (2) | (3) |
|---|---|---|
| 0300040 | Lupins | |
| 0300990 | Others | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02** (*) |
| 0401000 | (i) **Oilseeds** | |
| 0401010 | Linseed | |
| 0401020 | Peanuts | |
| 0401030 | Poppy seed | |
| 0401040 | Sesame seed | |
| 0401050 | Sunflower seed | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | |
| 0401070 | Soya bean | |
| 0401080 | Mustard seed | |
| 0401090 | Cotton seed | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | |
| 0401110 | Safflower | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | |
| 0401130 | Gold of pleasure | |
| 0401140 | Hempseed | |
| 0401150 | Castor bean | |
| 0401990 | Others | |
| 0402000 | (ii) **Oilfruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Palm nuts (palmoil kernels) | |
| 0402030 | Palmfruit | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | 5. **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | |
| 0500030 | Maize | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | |
| 0500050 | Oats | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat (Spelt, triticale) | |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | |

▼M74

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,05** (*) |
| 0610000 | (i) **Tea** | |
| 0620000 | (ii) **Coffee beans** | |
| 0630000 | (iii) **Herbal infusions (dried)** | |
| 0631000 | (a) *Flowers* | |
| 0631010 | Camomille flowers | |
| 0631020 | Hybiscus flowers | |
| 0631030 | Rose petals | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | |
| 0631050 | Lime (linden) | |
| 0631990 | Others | |
| 0632000 | (b) *Leaves* | |
| 0632010 | Strawberry leaves | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | |
| 0632030 | Maté | |
| 0632990 | Others | |
| 0633000 | (c) *Roots* | |
| 0633010 | Valerian root | |
| 0633020 | Ginseng root | |
| 0633990 | Others | |
| 0639000 | (d) *Other herbal infusions* | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | |
| 0650000 | (v) **Carob (st johns bread)** | |
| 0700000 | 7. **HOPS (dried)** | **0,05** (*) |
| 0800000 | 8. **SPICES** | |
| 0810000 | (i) **Seeds** | **0,05** (*) |
| 0810010 | Anise | |
| 0810020 | Black caraway | |
| 0810030 | Celery seed (Lovage seed) | |
| 0810040 | Coriander seed | |
| 0810050 | Cumin seed | |
| 0810060 | Dill seed | |
| 0810070 | Fennel seed | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | (ii) **Fruits and berries** | **0,05** (*) |
| 0820010 | Allspice | |

▼**M74**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berries | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | |
| 0820070 | Vanilla pods | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | (iii) **Bark** | **0,05** (*) |
| 0830010 | Cinnamon (Cassia) | |
| 0830990 | Others | |
| 0840000 | (iv) **Roots or rhizome** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger | **0,05** (*) |
| 0840030 | Turmeric (Curcuma) | **0,05** (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | **0,05** (*) |
| 0850000 | (v) **Buds** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | (vi) **Flower stigma** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | (vii) **Aril** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet (root) | |
| 0900020 | Sugar cane | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M74

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | |
| 1010000 | (i) **Tissue** | |
| 1011000 | (a) *Swine* | |
| 1011010 | Muscle | **0,01** (*) |
| 1011020 | Fat | **0,01** (*) |
| 1011030 | Liver | **0,02** (*) |
| 1011040 | Kidney | **0,01** (*) |
| 1011050 | Edible offal | **0,02** (*) |
| 1011990 | Others | **0,01** (*) |
| 1012000 | (b) *Bovine* | |
| 1012010 | Muscle | **0,01** (*) |
| 1012020 | Fat | **0,01** (*) |
| 1012030 | Liver | **0,02** (*) |
| 1012040 | Kidney | **0,01** (*) |
| 1012050 | Edible offal | **0,02** (*) |
| 1012990 | Others | **0,01** (*) |
| 1013000 | (c) *Sheep* | |
| 1013010 | Muscle | **0,01** (*) |
| 1013020 | Fat | **0,01** (*) |
| 1013030 | Liver | **0,02** (*) |
| 1013040 | Kidney | **0,01** (*) |
| 1013050 | Edible offal | **0,02** (*) |
| 1013990 | Others | **0,01** (*) |
| 1014000 | (d) *Goat* | |
| 1014010 | Muscle | **0,01** (*) |
| 1014020 | Fat | **0,01** (*) |
| 1014030 | Liver | **0,02** (*) |
| 1014040 | Kidney | **0,01** (*) |
| 1014050 | Edible offal | **0,02** (*) |
| 1014990 | Others | **0,01** (*) |
| 1015000 | (e) *Horses, asses, mules or hinnies* | |
| 1015010 | Muscle | **0,01** (*) |
| 1015020 | Fat | **0,01** (*) |
| 1015030 | Liver | **0,02** (*) |

▼**M74**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | **0,01** (*) |
| 1015050 | Edible offal | **0,02** (*) |
| 1015990 | Others | **0,01** (*) |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | |
| 1016010 | Muscle | **0,01** (*) |
| 1016020 | Fat | **0,01** (*) |
| 1016030 | Liver | **0,02** (*) |
| 1016040 | Kidney | **0,01** (*) |
| 1016050 | Edible offal | **0,02** (*) |
| 1016990 | Others | **0,01** (*) |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | |
| 1017010 | Muscle | **0,01** (*) |
| 1017020 | Fat | **0,01** (*) |
| 1017030 | Liver | **0,02** (*) |
| 1017040 | Kidney | **0,01** (*) |
| 1017050 | Edible offal | **0,02** (*) |
| 1017990 | Others | **0,01** (*) |
| 1020000 | (ii) **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | (iii) **Bird eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Goose | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M74**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01** (*) |
| 1060000 | (vi) **Snails** | **0,01** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01** (*) |

▼M74

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Acetochlor | Chloropicrin | Flurprimidole |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | **0,01** (*) | | |
| 0110000 | (i) **Citrus fruit** | | 0,01 (*) | 0,01 (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | | | |
| 0110990 | Others | | | |
| 0120000 | (ii) **Tree nuts** | | 0,01 (*) | **0,02** (*) |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts (Filbert) | | | |
| 0120070 | Macadamia | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nuts | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others | | | |
| 0130000 | (iii) **Pome fruit** | | **0,005** (*) | 0,01 (*) |
| 0130010 | Apples (Crab apple) | | | |
| 0130020 | Pears (Oriental pear) | | | |
| 0130030 | Quinces | | | |
| 0130040 | Medlar | | | |
| 0130050 | Loquat | | | |
| 0130990 | Others | | | |
| 0140000 | (iv) **Stone fruit** | | **0,005** (*) | 0,01 (*) |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | | | |
| 0140990 | Others | | | |
| 0150000 | (v) **Berries & small fruit** | | **0,01** (*) | 0,01 (*) |
| 0151000 | (a) *Table and wine grapes* | | | |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *Strawberries* | | | |
| 0153000 | (c) *Cane fruit* | | | |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | | | |
| 0153990 | Others | | | |
| 0154000 | (d) *Other small fruit & berries* | | | |
| 0154010 | Blueberries (Bilberries) | | | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | | | |
| 0154030 | Currants (red, black and white) | | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | | |
| 0154050 | Rose hips | | | |
| 0154060 | Mulberries (Arbutus berry) | | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | | | |
| 0154080 | Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | | |
| 0154990 | Others | | | |
| 0160000 | (vi) **Miscellaneous fruit** | | **0,005** (*) | 0,01 (*) |
| 0161000 | (a) *Edible peel* | | | |
| 0161010 | Dates | | | |
| 0161020 | Figs | | | |
| 0161030 | Table olives | | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | | | |
| 0161050 | Carambola (Bilimbi) | | | |
| 0161060 | Persimmon | | | |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/ grumichama (Eugenia uniflora)) | | | |
| 0161990 | Others | | | |
| 0162000 | (b) *Inedible peel, small* | | | |
| 0162010 | Kiwi | | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/ hairy litchi, longan, mangosteen, langsat, salak) | | | |
| 0162030 | Passion fruit | | | |
| 0162040 | Prickly pear (cactus fruit) | | | |
| 0162050 | Star apple | | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | | |
| 0162990 | Others | | | |
| 0163000 | (c) *Inedible peel, large* | | | |
| 0163010 | Avocados | | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papaya | | | |
| 0163050 | Pomegranate | | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | | | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Bread fruit (Jackfruit) | | | |
| 0163100 | Durian | | | |
| 0163110 | Soursop (guanabana) | | | |
| 0163990 | Others | | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) | **0,005** (*) | **0,01** (*) |
| 0211000 | (a) *Potatoes* | | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | |
| 0212010 | Cassava (Dasheen, eddoe/Japanese taro, tannia) | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroot | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | |
| 0213010 | Beetroot | | | |
| 0213020 | Carrots | | | |
| 0213030 | Celeriac | | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | | |
| 0213050 | Jerusalem artichokes (Crosne) | | | |
| 0213060 | Parsnips | | | |
| 0213070 | Parsley root | | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | | |
| 0213100 | Swedes | | | |
| 0213110 | Turnips | | | |
| 0213990 | Others | | | |
| 0220000 | (ii) **Bulb vegetables** | **0,01** (*) | **0,005** (*) | 0,01 (*) |
| 0220010 | Garlic | | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | | |
| 0220030 | Shallots | | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | | |
| 0220990 | Others | | | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) | **0,005** (*) | 0,01 (*) |
| 0231000 | (a) *Solanacea* | | | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | | | |
| 0231020 | Peppers (Chilli peppers) | | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | | | |
| 0231040 | Okra (lady's fingers) | | | |
| 0231990 | Others | | | |
| 0232000 | (b) *Cucurbits — edible peel* | | | |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | | |
| 0233010 | Melons (Kiwano) | | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | | |
| 0239000 | (e) *Other fruiting vegetables* | | | |
| 0240000 | (iv) **Brassica vegetables** | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0241000 | (a) *Flowering brassica* | | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | |
| 0241020 | Cauliflower | | | |
| 0241990 | Others | | | |
| 0242000 | (b) *Head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *Leafy brassica* | | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | | | |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *Kohlrabi* | | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | | | |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | |
| 0251050 | Land cress | | | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | | | |
| 0251070 | Red mustard | | | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *Spinach & similar (leaves)* | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | | |
| 0252020 | Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0254000 | (d) *Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0255000 | (e) *Witloof* | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0256000 | (f) *Herbs* | **0,02** (*) | 0,01 (*) | **0,02** (*) |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum)) | | | |
| 0256040 | Parsley (leaves of root parsley) | | | |
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme (Marjoram, oregano) | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | |
| 0256100 | Tarragon (Hyssop) | | | |
| 0256990 | Others | | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/ snow peas) | | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others | | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0270010 | Asparagus | | | |
| 0270020 | Cardoons (Borago officinalis stems) | | | |
| 0270030 | Celery | | | |
| 0270040 | Fennel | | | |
| 0270050 | Globe artichokes (Banana flower) | | | |
| 0270060 | Leek | | | |
| 0270070 | Rhubarb | | | |
| 0270080 | Bamboo shoots | | | |
| 0270090 | Palm hearts | | | |
| 0270990 | Others | | | |
| 0280000 | (viii) **Fungi** | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | | |
| 0280990 | Others | | | |
| 0290000 | (ix) **Sea weeds** | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0300000 | 3. **PULSES, DRY** | 0,01 (*) | **0,005** (*) | **0,02** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0300040 | Lupins | | | |
| 0300990 | Others | | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,01** (*) | 0,01 (*) | **0,02** (*) |
| 0401000 | (i) **Oilseeds** | | | |
| 0401010 | Linseed | | | |
| 0401020 | Peanuts | | | |
| 0401030 | Poppy seed | | | |
| 0401040 | Sesame seed | | | |
| 0401050 | Sunflower seed | | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | |
| 0401070 | Soya bean | | | |
| 0401080 | Mustard seed | | | |
| 0401090 | Cotton seed | | | |
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | | | |
| 0401110 | Safflower | | | |
| 0401120 | Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | | | |
| 0401130 | Gold of pleasure | | | |
| 0401140 | Hempseed | | | |
| 0401150 | Castor bean | | | |
| 0401990 | Others | | | |
| 0402000 | (ii) **Oilfruits** | | | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Palm nuts (palmoil kernels) | | | |
| 0402030 | Palmfruit | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others | | | |
| 0500000 | 5. **CEREALS** | **0,01** (*) | **0,005** (*) | **0,02** (*) |
| 0500010 | Barley | | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | | |
| 0500030 | Maize | | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | | |
| 0500050 | Oats | | | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | | | |
| 0500070 | Rye | | | |
| 0500080 | Sorghum | | | |
| 0500090 | Wheat (Spelt, triticale) | | | |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0610000 | (i) **Tea** | | | |
| 0620000 | (ii) **Coffee beans** | | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | | |
| 0631000 | (a) *Flowers* | | | |
| 0631010 | Camomille flowers | | | |
| 0631020 | Hybiscus flowers | | | |
| 0631030 | Rose petals | | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | | |
| 0631050 | Lime (linden) | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *Leaves* | | | |
| 0632010 | Strawberry leaves | | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | |
| 0632030 | Maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *Roots* | | | |
| 0633010 | Valerian root | | | |
| 0633020 | Ginseng root | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *Other herbal infusions* | | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | | |
| 0650000 | (v) **Carob (st johns bread)** | | | |
| 0700000 | 7. **HOPS (dried)** | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0800000 | 8. **SPICES** | | | |
| 0810000 | (i) **Seeds** | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0810010 | Anise | | | |
| 0810020 | Black caraway | | | |
| 0810030 | Celery seed (Lovage seed) | | | |
| 0810040 | Coriander seed | | | |
| 0810050 | Cumin seed | | | |
| 0810060 | Dill seed | | | |
| 0810070 | Fennel seed | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | (ii) **Fruits and berries** | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0820010 | Allspice | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berries | | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | |
| 0820070 | Vanilla pods | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | (iii) **Bark** | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0830010 | Cinnamon (Cassia) | | | |
| 0830990 | Others | | | |
| 0840000 | (iv) **Roots or rhizome** | | | |
| 0840010 | Liquorice | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0840020 | Ginger | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0840030 | Turmeric (Curcuma) | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0840040 | Horseradish | **(+)** | **(+)** | **(+)** |
| 0840990 | Others | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0850000 | (v) **Buds** | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | (vi) **Flower stigma** | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | (vii) **Aril** | **0,05** (*) | **0,025** (*) | **0,05** (*) |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | 9. **SUGAR PLANTS** | 0,01 (*) | **0,005** (*) | 0,01 (*) |
| 0900010 | Sugar beet (root) | | | |
| 0900020 | Sugar cane | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼M74

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS** | | | |
| 1010000 | (i) **Tissue** | 0,01 (*) | | |
| 1011000 | (a) *Swine* | | | |
| 1011010 | Muscle | | **0,01** (*) | **0,01** (*) |
| 1011020 | Fat | | **0,02** (*) | **0,01** (*) |
| 1011030 | Liver | | **0,01** (*) | **0,02** (*) |
| 1011040 | Kidney | | **0,01** (*) | **0,01** (*) |
| 1011050 | Edible offal | | **0,02** (*) | **0,02** (*) |
| 1011990 | Others | | **0,01** (*) | **0,01** (*) |
| 1012000 | (b) *Bovine* | | | |
| 1012010 | Muscle | | **0,01** (*) | **0,01** (*) |
| 1012020 | Fat | | **0,02** (*) | **0,01** (*) |
| 1012030 | Liver | | **0,01** (*) | **0,02** (*) |
| 1012040 | Kidney | | **0,01** (*) | **0,01** (*) |
| 1012050 | Edible offal | | **0,02** (*) | **0,02** (*) |
| 1012990 | Others | | **0,01** (*) | **0,01** (*) |
| 1013000 | (c) *Sheep* | | | |
| 1013010 | Muscle | | **0,01** (*) | **0,01** (*) |
| 1013020 | Fat | | **0,02** (*) | **0,01** (*) |
| 1013030 | Liver | | **0,01** (*) | **0,02** (*) |
| 1013040 | Kidney | | **0,01** (*) | **0,01** (*) |
| 1013050 | Edible offal | | **0,02** (*) | **0,02** (*) |
| 1013990 | Others | | **0,01** (*) | **0,01** (*) |
| 1014000 | (d) *Goat* | | | |
| 1014010 | Muscle | | **0,01** (*) | **0,01** (*) |
| 1014020 | Fat | | **0,02** (*) | **0,01** (*) |
| 1014030 | Liver | | **0,01** (*) | **0,02** (*) |
| 1014040 | Kidney | | **0,01** (*) | **0,01** (*) |
| 1014050 | Edible offal | | **0,02** (*) | **0,02** (*) |
| 1014990 | Others | | **0,01** (*) | **0,01** (*) |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | | |
| 1015010 | Muscle | | **0,01** (*) | **0,01** (*) |
| 1015020 | Fat | | **0,02** (*) | **0,01** (*) |
| 1015030 | Liver | | **0,01** (*) | **0,02** (*) |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | | **0,01** (*) | **0,01** (*) |
| 1015050 | Edible offal | | **0,02** (*) | **0,02** (*) |
| 1015990 | Others | | **0,01** (*) | **0,01** (*) |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | |
| 1016010 | Muscle | | **0,01** (*) | **0,01** (*) |
| 1016020 | Fat | | **0,02** (*) | **0,01** (*) |
| 1016030 | Liver | | **0,01** (*) | **0,02** (*) |
| 1016040 | Kidney | | **0,01** (*) | **0,01** (*) |
| 1016050 | Edible offal | | **0,02** (*) | **0,02** (*) |
| 1016990 | Others | | **0,01** (*) | **0,01** (*) |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | | |
| 1017010 | Muscle | | **0,01** (*) | **0,01** (*) |
| 1017020 | Fat | | **0,02** (*) | **0,01** (*) |
| 1017030 | Liver | | **0,01** (*) | **0,02** (*) |
| 1017040 | Kidney | | **0,01** (*) | **0,01** (*) |
| 1017050 | Edible offal | | **0,02** (*) | **0,02** (*) |
| 1017990 | Others | | **0,01** (*) | **0,01** (*) |
| 1020000 | (ii) **Milk** | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| 1020010 | Cattle | | | |
| 1020020 | Sheep | | | |
| 1020030 | Goat | | | |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | (iii) **Bird eggs** | 0,01 (*) | **0,01** (*) | **0,01** (*) |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Goose | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M74**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 1060000 | (vi) **Snails** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01** (*) | **0,01** (*) | **0,01** (*) |

▼M77

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 2,4,5-T (sum of 2,4,5-T, its salts and esters, expressed as 2,4,5-T) (F) | Barban (F) | Bromophos-ethyl (F) | Camphechlor (Toxaphene) (F) (R) | Chlorbufam (F) | Chloroxuron (F) | Chlozolinate (F) | Di-allate (sum of isomers) (F) | Dinoseb (sum of dinoseb, its salts, dinoseb-acetate and binapacryl, expressed as dinoseb) | Dinoterb (sum of dinoterb, its salts and esters, expressed as dinoterb) | Dioxathion (sum of isomers) (F) | DNOC | Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide) (F) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | | | | | | | | | | | | |
| 0110000 | (i) **Citrus fruit** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | | | | | | | | | | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | | | | | | | | | | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | | | | | | | | | | | | | |
| 0110040 | Limes | | | | | | | | | | | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | | | | | | | | | | | | | |
| 0110990 | Others | | | | | | | | | | | | | |
| 0120000 | (ii) **Tree nuts** | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | 0,05 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,05** (*) |
| 0120010 | Almonds | | | | | | | | | | | | | |
| 0120020 | Brazil nuts | | | | | | | | | | | | | |
| 0120030 | Cashew nuts | | | | | | | | | | | | | |
| 0120040 | Chestnuts | | | | | | | | | | | | | |
| 0120050 | Coconuts | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0120060 | Hazelnuts (Filbert) | | | | | | | | | | | | | |
| 0120070 | Macadamia | | | | | | | | | | | | | |
| 0120080 | Pecans | | | | | | | | | | | | | |
| 0120090 | Pine nuts | | | | | | | | | | | | | |
| 0120100 | Pistachios | | | | | | | | | | | | | |
| 0120110 | Walnuts | | | | | | | | | | | | | |
| 0120990 | Others | | | | | | | | | | | | | |
| 0130000 | (iii) **Pome fruit** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0130010 | Apples (Crab apple) | | | | | | | | | | | | | |
| 0130020 | Pears (Oriental pear) | | | | | | | | | | | | | |
| 0130030 | Quinces | | | | | | | | | | | | | |
| 0130040 | Medlar | | | | | | | | | | | | | |
| 0130050 | Loquat | | | | | | | | | | | | | |
| 0130990 | Others | | | | | | | | | | | | | |
| 0140000 | (iv) **Stone fruit** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0140010 | Apricots | | | | | | | | | | | | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | | | | | | | | | | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | | | | | | | | | | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | | | | | | | | | | | | | |
| 0140990 | Others | | | | | | | | | | | | | |
| 0150000 | (v) **Berries & small fruit** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0151000 | (a) *Table and wine grapes* | | | | | | | | | | | | | |
| 0151010 | Table grapes | | | | | | | | | | | | | |
| 0151020 | Wine grapes | | | | | | | | | | | | | |
| 0152000 | (b) *Strawberries* | | | | | | | | | | | | | |
| 0153000 | (c) *Cane fruit* | | | | | | | | | | | | | |
| 0153010 | Blackberries | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | | | | | | | | | | | | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | | | | | | | | | | | | | |
| 0153990 | Others | | | | | | | | | | | | | |
| 0154000 | (d) *Other small fruit & berries* | | | | | | | | | | | | | |
| 0154010 | Blueberries (Bilberries) | | | | | | | | | | | | | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | | | | | | | | | | | | | |
| 0154030 | Currants (red, black and white) | | | | | | | | | | | | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | | | | | | | | | | | | |
| 0154050 | Rose hips | | | | | | | | | | | | | |
| 0154060 | Mulberries (Arbutus berry) | | | | | | | | | | | | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | | | | | | | | | | | | | |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | | | | | | | | | | | | |
| 0154990 | Others | | | | | | | | | | | | | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0161000 | (a) *Edible peel* | | | | | | | | | | | | | |
| 0161010 | Dates | | | | | | | | | | | | | |
| 0161020 | Figs | | | | | | | | | | | | | |
| 0161030 | Table olives | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | | | | | | | | | | | | | |
| 0161050 | Carambola (Bilimbi) | | | | | | | | | | | | | |
| 0161060 | Persimmon | | | | | | | | | | | | | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | | | | | | | | | | | | | |
| 0161990 | Others | | | | | | | | | | | | | |
| 0162000 | (b) *Inedible peel, small* | | | | | | | | | | | | | |
| 0162010 | Kiwi | | | | | | | | | | | | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | | | | | | | | | | | | |
| 0162030 | Passion fruit | | | | | | | | | | | | | |
| 0162040 | Prickly pear (cactus fruit) | | | | | | | | | | | | | |
| 0162050 | Star apple | | | | | | | | | | | | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/ yellow sapote, mammey sapote) | | | | | | | | | | | | | |
| 0162990 | Others | | | | | | | | | | | | | |
| 0163000 | (c) *Inedible peel, large* | | | | | | | | | | | | | |
| 0163010 | Avocados | | | | | | | | | | | | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | | | | | | | | | | | |
| 0163030 | Mangoes | | | | | | | | | | | | | |
| 0163040 | Papaya | | | | | | | | | | | | | |
| 0163050 | Pomegranate | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | | | | | | | | | | | | | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | | | | | | | | | | | | | |
| 0163080 | Pineapples | | | | | | | | | | | | | |
| 0163090 | Bread fruit (Jackfruit) | | | | | | | | | | | | | |
| 0163100 | Durian | | | | | | | | | | | | | |
| 0163110 | Soursop (guanabana) | | | | | | | | | | | | | |
| 0163990 | Others | | | | | | | | | | | | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | | | | | | | | | | | |
| 0210000 | (i) **Root and tuber vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0211000 | (a) *Potatoes* | | | | | | | | | | | | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | | | | | | | | | | | |
| 0212010 | Cassava (Dasheen, eddoe/ Japanese taro, tannia) | | | | | | | | | | | | | |
| 0212020 | Sweet potatoes | | | | | | | | | | | | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | | | | | | | | | | | | |
| 0212040 | Arrowroot | | | | | | | | | | | | | |
| 0212990 | Others | | | | | | | | | | | | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | | | | | | | | | | | |
| 0213010 | Beetroot | | | | | | | | | | | | | |
| 0213020 | Carrots | | | | | | | | | | | | | |
| 0213030 | Celeriac | | | | | | | | | | | | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | | | | | | | | | | | | |
| 0213050 | Jerusalem artichokes (Crosne) | | | | | | | | | | | | | |
| 0213060 | Parsnips | | | | | | | | | | | | | |
| 0213070 | Parsley root | | | | | | | | | | | | | |

02005R0396 — EN — 21.10.2023 — 057.001 — 3400

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | | | | | | | | | | | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | | | | | | | | | | | | | |
| 0213100 | Swedes | | | | | | | | | | | | | |
| 0213110 | Turnips | | | | | | | | | | | | | |
| 0213990 | Others | | | | | | | | | | | | | |
| 0220000 | (ii) **Bulb vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0220010 | Garlic | | | | | | | | | | | | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | | | | | | | | | | | | |
| 0220030 | Shallots | | | | | | | | | | | | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | | | | | | | | | | | | |
| 0220990 | Others | | | | | | | | | | | | | |
| 0230000 | (iii) **Fruiting vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0231000 | (a) *Solanacea* | | | | | | | | | | | | | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | | | | | | | | | | | | | |
| 0231020 | Peppers (Chilli peppers) | | | | | | | | | | | | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | | | | | | | | | | | | | |
| 0231040 | Okra (lady's fingers) | | | | | | | | | | | | | |
| 0231990 | Others | | | | | | | | | | | | | |
| 0232000 | (b) *Cucurbits — edible peel* | | | | | | | | | | | | | |
| 0232010 | Cucumbers | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0232020 | Gherkins | | | | | | | | | | | | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | | | | | | | | | | | | |
| 0232990 | Others | | | | | | | | | | | | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | | | | | | | | | | | | |
| 0233010 | Melons (Kiwano) | | | | | | | | | | | | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | | | | | | | | | | | |
| 0233030 | Watermelons | | | | | | | | | | | | | |
| 0233990 | Others | | | | | | | | | | | | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | | | | | | | | | | | | |
| 0239000 | (e) *Other fruiting vegetables* | | | | | | | | | | | | | |
| 0240000 | (iv) **Brassica vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0241000 | (a) *Flowering brassica* | | | | | | | | | | | | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | | | | | | | | | | | |
| 0241020 | Cauliflower | | | | | | | | | | | | | |
| 0241990 | Others | | | | | | | | | | | | | |
| 0242000 | (b) *Head brassica* | | | | | | | | | | | | | |
| 0242010 | Brussels sprouts | | | | | | | | | | | | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | | | | | | | | | | | |
| 0242990 | Others | | | | | | | | | | | | | |
| 0243000 | (c) *Leafy brassica* | | | | | | | | | | | | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | | | | | | | | | | | |
| 0243990 | Others | | | | | | | | | | | | | |
| 0244000 | (d) *Kohlrabi* | | | | | | | | | | | | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | | | | | | | | | | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | | | | | | | | | | | | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | | | | | | | | | | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | | | | | | | | | | | | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | | | | | | | | | | | |
| 0251050 | Land cress | | | | | | | | | | | | | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | | | | | | | | | | | | | |
| 0251070 | Red mustard | | | | | | | | | | | | | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | | | | | | | | | | | |
| 0251990 | Others | | | | | | | | | | | | | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | | | | | | | | | | | | |
| 0252020 | Purslane (Winter purslane/ miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | | | | | | | | | | | | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | | | | | | | | | | | |
| 0252990 | Others | | | | | | | | | | | | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0254000 | (d) *Water cress (Morning glory/ Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0255000 | (e) *Witloof* | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0256000 | (f) *Herbs* | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | 0,05 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,05** (*) |
| 0256010 | Chervil | | | | | | | | | | | | | |
| 0256020 | Chives | | | | | | | | | | | | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/ stinking/long coriander/stink weed (Eryngium foetidum)) | | | | | | | | | | | | | |
| 0256040 | Parsley (leaves of root parsley) | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | | | | | | | | | | | | | |
| 0256060 | Rosemary | | | | | | | | | | | | | |
| 0256070 | Thyme (Marjoram, oregano) | | | | | | | | | | | | | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | | | | | | | | | | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | | | | | | | | | | | |
| 0256100 | Tarragon (Hyssop) | | | | | | | | | | | | | |
| 0256990 | Others | | | | | | | | | | | | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0260010 | Beans (with pods) (Green bean/ French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | | | | | | | | | | | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | | | | | | | | | | | | |
| 0260030 | Peas (with pods) (Mangetout/ sugar peas/snow peas) | | | | | | | | | | | | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | | | | | | | | | | | | |
| 0260050 | Lentils | | | | | | | | | | | | | |
| 0260990 | Others | | | | | | | | | | | | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0270010 | Asparagus | | | | | | | | | | | | | |
| 0270020 | Cardoons (Borago officinalis stems) | | | | | | | | | | | | | |
| 0270030 | Celery | | | | | | | | | | | | | |
| 0270040 | Fennel | | | | | | | | | | | | | |
| 0270050 | Globe artichokes (Banana flower) | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0270060 | Leek | | | | | | | | | | | | | |
| 0270070 | Rhubarb | | | | | | | | | | | | | |
| 0270080 | Bamboo shoots | | | | | | | | | | | | | |
| 0270090 | Palm hearts | | | | | | | | | | | | | |
| 0270990 | Others | | | | | | | | | | | | | |
| 0280000 | (viii) **Fungi** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | | | | | | | | | | | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | | | | | | | | | | | | |
| 0280990 | Others | | | | | | | | | | | | | |
| 0290000 | (ix) **Sea weeds** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0300000 | 3. **PULSES, DRY** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,02** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | | | | | | | | | | | |
| 0300020 | Lentils | | | | | | | | | | | | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | | | | | | | | | | | |
| 0300040 | Lupins | | | | | | | | | | | | | |
| 0300990 | Others | | | | | | | | | | | | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | 0,05 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,05** (*) |
| 0401000 | (i) **Oilseeds** | | | | | | | | | | | | | |
| 0401010 | Linseed | | | | | | | | | | | | | |
| 0401020 | Peanuts | | | | | | | | | | | | | |
| 0401030 | Poppy seed | | | | | | | | | | | | | |
| 0401040 | Sesame seed | | | | | | | | | | | | | |
| 0401050 | Sunflower seed | | | | | | | | | | | | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | | | | | | | | | | | |
| 0401070 | Soya bean | | | | | | | | | | | | | |
| 0401080 | Mustard seed | | | | | | | | | | | | | |
| 0401090 | Cotton seed | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | | | | | | | | | | | | | |
| 0401110 | Safflower | | | | | | | | | | | | | |
| 0401120 | Borage (Purple viper's bugloss/ Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | | | | | | | | | | | | | |
| 0401130 | Gold of pleasure | | | | | | | | | | | | | |
| 0401140 | Hempseed | | | | | | | | | | | | | |
| 0401150 | Castor bean | | | | | | | | | | | | | |
| 0401990 | Others | | | | | | | | | | | | | |
| 0402000 | (ii) **Oilfruits** | | | | | | | | | | | | | |
| 0402010 | Olives for oil production | | | | | | | | | | | | | |
| 0402020 | Palm nuts (palmoil kernels) | | | | | | | | | | | | | |
| 0402030 | Palmfruit | | | | | | | | | | | | | |
| 0402040 | Kapok | | | | | | | | | | | | | |
| 0402990 | Others | | | | | | | | | | | | | |
| 0500000 | 5. **CEREALS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | 0,02 (*) |
| 0500010 | Barley | | | | | | | | | | | | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | | | | | | | | | | | | |
| 0500030 | Maize | | | | | | | | | | | | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | | | | | | | | | | | | |
| 0500050 | Oats | | | | | | | | | | | | | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | | | | | | | | | | | | | |
| 0500070 | Rye | | | | | | | | | | | | | |
| 0500080 | Sorghum | | | | | | | | | | | | | |
| 0500090 | Wheat (Spelt, triticale) | | | | | | | | | | | | | |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | | | | | | | | | | | | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0610000 | (i) **Tea** | | | | | | | | | | | | | |
| 0620000 | (ii) **Coffee beans** | | | | | | | | | | | | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0631000 | (a) *Flowers* | | | | | | | | | | | | | |
| 0631010 | Camomille flowers | | | | | | | | | | | | | |
| 0631020 | Hybiscus flowers | | | | | | | | | | | | | |
| 0631030 | Rose petals | | | | | | | | | | | | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | | | | | | | | | | | | |
| 0631050 | Lime (linden) | | | | | | | | | | | | | |
| 0631990 | Others | | | | | | | | | | | | | |
| 0632000 | (b) *Leaves* | | | | | | | | | | | | | |
| 0632010 | Strawberry leaves | | | | | | | | | | | | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | | | | | | | | | | | |
| 0632030 | Maté | | | | | | | | | | | | | |
| 0632990 | Others | | | | | | | | | | | | | |
| 0633000 | (c) *Roots* | | | | | | | | | | | | | |
| 0633010 | Valerian root | | | | | | | | | | | | | |
| 0633020 | Ginseng root | | | | | | | | | | | | | |
| 0633990 | Others | | | | | | | | | | | | | |
| 0639000 | (d) *Other herbal infusions* | | | | | | | | | | | | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | | | | | | | | | | | | |
| 0650000 | (v) **Carob (st johns bread)** | | | | | | | | | | | | | |
| 0700000 | 7. **HOPS (dried)** | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0800000 | 8. **SPICES** | | | | | | | | | | | | | |
| 0810000 | (i) **Seeds** | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0810010 | Anise | | | | | | | | | | | | | |
| 0810020 | Black caraway | | | | | | | | | | | | | |
| 0810030 | Celery seed (Lovage seed) | | | | | | | | | | | | | |
| 0810040 | Coriander seed | | | | | | | | | | | | | |
| 0810050 | Cumin seed | | | | | | | | | | | | | |
| 0810060 | Dill seed | | | | | | | | | | | | | |
| 0810070 | Fennel seed | | | | | | | | | | | | | |
| 0810080 | Fenugreek | | | | | | | | | | | | | |
| 0810090 | Nutmeg | | | | | | | | | | | | | |
| 0810990 | Others | | | | | | | | | | | | | |
| 0820000 | (ii) **Fruits and berries** | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0820010 | Allspice | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | | | | | | | | | | | |
| 0820030 | Caraway | | | | | | | | | | | | | |
| 0820040 | Cardamom | | | | | | | | | | | | | |
| 0820050 | Juniper berries | | | | | | | | | | | | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | | | | | | | | | | | |
| 0820070 | Vanilla pods | | | | | | | | | | | | | |
| 0820080 | Tamarind | | | | | | | | | | | | | |
| 0820990 | Others | | | | | | | | | | | | | |
| 0830000 | (iii) **Bark** | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0830010 | Cinnamon (Cassia) | | | | | | | | | | | | | |
| 0830990 | Others | | | | | | | | | | | | | |
| 0840000 | (iv) **Roots or rhizome** | | | | | | | | | | | | | |
| 0840010 | Liquorice | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0840020 | Ginger | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0840030 | Turmeric (Curcuma) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0840040 | Horseradish | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** |
| 0840990 | Others | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0850000 | (v) **Buds** | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0850010 | Cloves | | | | | | | | | | | | | |
| 0850020 | Capers | | | | | | | | | | | | | |
| 0850990 | Others | | | | | | | | | | | | | |
| 0860000 | (vi) **Flower stigma** | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0860010 | Saffron | | | | | | | | | | | | | |
| 0860990 | Others | | | | | | | | | | | | | |
| 0870000 | (vii) **Aril** | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,1 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,1** (*) |
| 0870010 | Mace | | | | | | | | | | | | | |
| 0870990 | Others | | | | | | | | | | | | | |
| 0900000 | 9. **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) |
| 0900010 | Sugar beet (root) | | | | | | | | | | | | | |
| 0900020 | Sugar cane | | | | | | | | | | | | | |
| 0900030 | Chicory roots | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0900990 | Others | | | | | | | | | | | | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | | | | | | | | | | | | |
| 1010000 | (i) **Tissue** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | 0,02 (*) |
| 1011000 | (a) *Swine* | | | | | | | | | | | | | |
| 1011010 | Muscle | | | | | | | | | | | | | |
| 1011020 | Fat | | | | | | | | | | | | | |
| 1011030 | Liver | | | | | | | | | | | | | |
| 1011040 | Kidney | | | | | | | | | | | | | |
| 1011050 | Edible offal | | | | | | | | | | | | | |
| 1011990 | Others | | | | | | | | | | | | | |
| 1012000 | (b) *Bovine* | | | | | | | | | | | | | |
| 1012010 | Muscle | | | | | | | | | | | | | |
| 1012020 | Fat | | | | | | | | | | | | | |
| 1012030 | Liver | | | | | | | | | | | | | |
| 1012040 | Kidney | | | | | | | | | | | | | |
| 1012050 | Edible offal | | | | | | | | | | | | | |
| 1012990 | Others | | | | | | | | | | | | | |
| 1013000 | (c) *Sheep* | | | | | | | | | | | | | |
| 1013010 | Muscle | | | | | | | | | | | | | |
| 1013020 | Fat | | | | | | | | | | | | | |
| 1013030 | Liver | | | | | | | | | | | | | |
| 1013040 | Kidney | | | | | | | | | | | | | |
| 1013050 | Edible offal | | | | | | | | | | | | | |
| 1013990 | Others | | | | | | | | | | | | | |
| 1014000 | (d) *Goat* | | | | | | | | | | | | | |
| 1014010 | Muscle | | | | | | | | | | | | | |
| 1014020 | Fat | | | | | | | | | | | | | |
| 1014030 | Liver | | | | | | | | | | | | | |
| 1014040 | Kidney | | | | | | | | | | | | | |
| 1014050 | Edible offal | | | | | | | | | | | | | |
| 1014990 | Others | | | | | | | | | | | | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1015010 | Muscle | | | | | | | | | | | | | |
| 1015020 | Fat | | | | | | | | | | | | | |
| 1015030 | Liver | | | | | | | | | | | | | |
| 1015040 | Kidney | | | | | | | | | | | | | |
| 1015050 | Edible offal | | | | | | | | | | | | | |
| 1015990 | Others | | | | | | | | | | | | | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | | | | | | | | | | | |
| 1016010 | Muscle | | | | | | | | | | | | | |
| 1016020 | Fat | | | | | | | | | | | | | |
| 1016030 | Liver | | | | | | | | | | | | | |
| 1016040 | Kidney | | | | | | | | | | | | | |
| 1016050 | Edible offal | | | | | | | | | | | | | |
| 1016990 | Others | | | | | | | | | | | | | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | | | | | | | | | | | | |
| 1017010 | Muscle | | | | | | | | | | | | | |
| 1017020 | Fat | | | | | | | | | | | | | |
| 1017030 | Liver | | | | | | | | | | | | | |
| 1017040 | Kidney | | | | | | | | | | | | | |
| 1017050 | Edible offal | | | | | | | | | | | | | |
| 1017990 | Others | | | | | | | | | | | | | |
| 1020000 | (ii) **Milk** | **0,01** (*) | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | 0,02 (*) |
| 1020010 | Cattle | | | | | | | | | | | | | |
| 1020020 | Sheep | | | | | | | | | | | | | |
| 1020030 | Goat | | | | | | | | | | | | | |
| 1020040 | Horse | | | | | | | | | | | | | |
| 1020990 | Others | | | | | | | | | | | | | |
| 1030000 | (iii) **Bird eggs** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | 0,02 (*) |
| 1030010 | Chicken | | | | | | | | | | | | | |
| 1030020 | Duck | | | | | | | | | | | | | |
| 1030030 | Goose | | | | | | | | | | | | | |
| 1030040 | Quail | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1030990 | Others | | | | | | | | | | | | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,02** (*) |
| 1060000 | (vi) **Snails** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,02** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,02** (*) |

02005R0396 — EN — 21.10.2023 — 057.001 — 3412

▼M77

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fentin (fentin including its salts, expressed as triphenyltin cation) (F) | Flucycloxuron (F) | Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers)) (F) | Formothion | Mecarbam | Methacrifos | Monolinuron | Phenothrin (phenothrin including other mixtures of constituent isomers (sum of isomers)) (F) | Propham | Pyrazophos (F) | Quinalphos (F) | Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers)) (F) | Tecnazene (F) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| 0100000 | 1. **FRUIT FRESH OR FROZEN NUTS** | | | | | **0,01** (*) | | | | | | | | |
| 0110000 | (i) **Citrus fruit** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | | | | | | | | | | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | | | | | | | | | | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis)) | | | | | | | | | | | | | |
| 0110040 | Limes | | | | | | | | | | | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis)) | | | | | | | | | | | | | |
| 0110990 | Others | | | | | | | | | | | | | |
| 0120000 | (ii) **Tree nuts** | 0,05 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | | **0,02** (*) | **0,02** (*) | 0,05 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) |
| 0120010 | Almonds | | | | | | | | | | | | | |
| 0120020 | Brazil nuts | | | | | | | | | | | | | |
| 0120030 | Cashew nuts | | | | | | | | | | | | | |
| 0120040 | Chestnuts | | | | | | | | | | | | | |
| 0120050 | Coconuts | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0120060 | Hazelnuts (Filbert) | | | | | | | | | | | | | |
| 0120070 | Macadamia | | | | | | | | | | | | | |
| 0120080 | Pecans | | | | | | | | | | | | | |
| 0120090 | Pine nuts | | | | | | | | | | | | | |
| 0120100 | Pistachios | | | | | | | | | | | | | |
| 0120110 | Walnuts | | | | | | | | | | | | | |
| 0120990 | Others | | | | | | | | | | | | | |
| 0130000 | (iii) **Pome fruit** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0130010 | Apples (Crab apple) | | | | | | | | | | | | | |
| 0130020 | Pears (Oriental pear) | | | | | | | | | | | | | |
| 0130030 | Quinces | | | | | | | | | | | | | |
| 0130040 | Medlar | | | | | | | | | | | | | |
| 0130050 | Loquat | | | | | | | | | | | | | |
| 0130990 | Others | | | | | | | | | | | | | |
| 0140000 | (iv) **Stone fruit** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0140010 | Apricots | | | | | | | | | | | | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | | | | | | | | | | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | | | | | | | | | | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus)) | | | | | | | | | | | | | |
| 0140990 | Others | | | | | | | | | | | | | |
| 0150000 | (v) **Berries & small fruit** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0151000 | (a) *Table and wine grapes* | | | | | | | | | | | | | |
| 0151010 | Table grapes | | | | | | | | | | | | | |
| 0151020 | Wine grapes | | | | | | | | | | | | | |
| 0152000 | (b) *Strawberries* | | | | | | | | | | | | | |
| 0153000 | (c) *Cane fruit* | | | | | | | | | | | | | |
| 0153010 | Blackberries | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids) | | | | | | | | | | | | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus)) | | | | | | | | | | | | | |
| 0153990 | Others | | | | | | | | | | | | | |
| 0154000 | (d) *Other small fruit & berries* | | | | | | | | | | | | | |
| 0154010 | Blueberries (Bilberries) | | | | | | | | | | | | | |
| 0154020 | Cranberries (Cowberries/red bilberries (V. vitis-idaea)) | | | | | | | | | | | | | |
| 0154030 | Currants (red, black and white) | | | | | | | | | | | | | |
| 0154040 | Gooseberries (Including hybrids with other Ribes species) | | | | | | | | | | | | | |
| 0154050 | Rose hips | | | | | | | | | | | | | |
| 0154060 | Mulberries (Arbutus berry) | | | | | | | | | | | | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | | | | | | | | | | | | | |
| 0154080 | Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | | | | | | | | | | | | |
| 0154990 | Others | | | | | | | | | | | | | |
| 0160000 | (vi) **Miscellaneous fruit** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0161000 | (a) *Edible peel* | | | | | | | | | | | | | |
| 0161010 | Dates | | | | | | | | | | | | | |
| 0161020 | Figs | | | | | | | | | | | | | |
| 0161030 | Table olives | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.)) | | | | | | | | | | | | | |
| 0161050 | Carambola (Bilimbi) | | | | | | | | | | | | | |
| 0161060 | Persimmon | | | | | | | | | | | | | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (Eugenia uniflora)) | | | | | | | | | | | | | |
| 0161990 | Others | | | | | | | | | | | | | |
| 0162000 | (b) *Inedible peel, small* | | | | | | | | | | | | | |
| 0162010 | Kiwi | | | | | | | | | | | | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak) | | | | | | | | | | | | | |
| 0162030 | Passion fruit | | | | | | | | | | | | | |
| 0162040 | Prickly pear (cactus fruit) | | | | | | | | | | | | | |
| 0162050 | Star apple | | | | | | | | | | | | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/ yellow sapote, mammey sapote) | | | | | | | | | | | | | |
| 0162990 | Others | | | | | | | | | | | | | |
| 0163000 | (c) *Inedible peel, large* | | | | | | | | | | | | | |
| 0163010 | Avocados | | | | | | | | | | | | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | | | | | | | | | | | |
| 0163030 | Mangoes | | | | | | | | | | | | | |
| 0163040 | Papaya | | | | | | | | | | | | | |
| 0163050 | Pomegranate | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0163060 | Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits) | | | | | | | | | | | | | |
| 0163070 | Guava (Red pitaya/dragon fruit (Hylocereus undatus)) | | | | | | | | | | | | | |
| 0163080 | Pineapples | | | | | | | | | | | | | |
| 0163090 | Bread fruit (Jackfruit) | | | | | | | | | | | | | |
| 0163100 | Durian | | | | | | | | | | | | | |
| 0163110 | Soursop (guanabana) | | | | | | | | | | | | | |
| 0163990 | Others | | | | | | | | | | | | | |
| 0200000 | 2. **VEGETABLES FRESH OR FROZEN** | | | | | | | | | | | | | |
| 0210000 | (i) **Root and tuber vegetables** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0211000 | (a) *Potatoes* | | | | | | | | | | | | | |
| 0212000 | (b) *Tropical root and tuber vegetables* | | | | | | | | | | | | | |
| 0212010 | Cassava (Dasheen, eddoe/ Japanese taro, tannia) | | | | | | | | | | | | | |
| 0212020 | Sweet potatoes | | | | | | | | | | | | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | | | | | | | | | | | | |
| 0212040 | Arrowroot | | | | | | | | | | | | | |
| 0212990 | Others | | | | | | | | | | | | | |
| 0213000 | (c) *Other root and tuber vegetables except sugar beet* | | | | | | | | | | | | | |
| 0213010 | Beetroot | | | | | | | | | | | | | |
| 0213020 | Carrots | | | | | | | | | | | | | |
| 0213030 | Celeriac | | | | | | | | | | | | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | | | | | | | | | | | | |
| 0213050 | Jerusalem artichokes (Crosne) | | | | | | | | | | | | | |
| 0213060 | Parsnips | | | | | | | | | | | | | |
| 0213070 | Parsley root | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | | | | | | | | | | | | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) | | | | | | | | | | | | | |
| 0213100 | Swedes | | | | | | | | | | | | | |
| 0213110 | Turnips | | | | | | | | | | | | | |
| 0213990 | Others | | | | | | | | | | | | | |
| 0220000 | (ii) **Bulb vegetables** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0220010 | Garlic | | | | | | | | | | | | | |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | | | | | | | | | | | | |
| 0220030 | Shallots | | | | | | | | | | | | | |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | | | | | | | | | | | | |
| 0220990 | Others | | | | | | | | | | | | | |
| 0230000 | (iii) **Fruiting vegetables** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0231000 | (a) *Solanacea* | | | | | | | | | | | | | |
| 0231010 | Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato) | | | | | | | | | | | | | |
| 0231020 | Peppers (Chilli peppers) | | | | | | | | | | | | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon)) | | | | | | | | | | | | | |
| 0231040 | Okra (lady's fingers) | | | | | | | | | | | | | |
| 0231990 | Others | | | | | | | | | | | | | |
| 0232000 | (b) *Cucurbits — edible peel* | | | | | | | | | | | | | |
| 0232010 | Cucumbers | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0232020 | Gherkins | | | | | | | | | | | | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) | | | | | | | | | | | | | |
| 0232990 | Others | | | | | | | | | | | | | |
| 0233000 | (c) *Cucurbits-inedible peel* | | | | | | | | | | | | | |
| 0233010 | Melons (Kiwano) | | | | | | | | | | | | | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | | | | | | | | | | | |
| 0233030 | Watermelons | | | | | | | | | | | | | |
| 0233990 | Others | | | | | | | | | | | | | |
| 0234000 | (d) *Sweet corn (Baby corn)* | | | | | | | | | | | | | |
| 0239000 | (e) *Other fruiting vegetables* | | | | | | | | | | | | | |
| 0240000 | (iv) **Brassica vegetables** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0241000 | (a) *Flowering brassica* | | | | | | | | | | | | | |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | | | | | | | | | | | |
| 0241020 | Cauliflower | | | | | | | | | | | | | |
| 0241990 | Others | | | | | | | | | | | | | |
| 0242000 | (b) *Head brassica* | | | | | | | | | | | | | |
| 0242010 | Brussels sprouts | | | | | | | | | | | | | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | | | | | | | | | | | |
| 0242990 | Others | | | | | | | | | | | | | |
| 0243000 | (c) *Leafy brassica* | | | | | | | | | | | | | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | | | | | | | | | | | |
| 0243990 | Others | | | | | | | | | | | | | |
| 0244000 | (d) *Kohlrabi* | | | | | | | | | | | | | |
| 0250000 | (v) **Leaf vegetables & fresh herbs** | | | | | | | | | | | | | |
| 0251000 | (a) *Lettuce and other salad plants including Brassicacea* | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0251010 | Lamb's lettuce (Italian corn salad) | | | | | | | | | | | | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | | | | | | | | | | | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens) | | | | | | | | | | | | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | | | | | | | | | | | |
| 0251050 | Land cress | | | | | | | | | | | | | |
| 0251060 | Rocket, Rucola (Wild rocket (Diplotaxis spp.)) | | | | | | | | | | | | | |
| 0251070 | Red mustard | | | | | | | | | | | | | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | | | | | | | | | | | |
| 0251990 | Others | | | | | | | | | | | | | |
| 0252000 | (b) *Spinach & similar (leaves)* | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri) | | | | | | | | | | | | | |
| 0252020 | Purslane (Winter purslane/ miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda)) | | | | | | | | | | | | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | | | | | | | | | | | |
| 0252990 | Others | | | | | | | | | | | | | |
| 0253000 | (c) *Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))* | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0254000 | (d) *Water cress (Morning glory/ Chinese convolvulus/water convolvulus/water spinach/ kangkung (Ipomea aquatica), water clover, water mimosa)* | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0255000 | (e) *Witloof* | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0256000 | (f) *Herbs* | 0,05 (*) | **0,02** (*) | **0,02** (*) | 0,02 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | 0,05 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) |
| 0256010 | Chervil | | | | | | | | | | | | | |
| 0256020 | Chives | | | | | | | | | | | | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves, culantro/ stinking/long coriander/stink weed (Eryngium foetidum)) | | | | | | | | | | | | | |
| 0256040 | Parsley (leaves of root parsley) | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0256050 | Sage (Winter savory, summer savory, Borago officinalis leaves) | | | | | | | | | | | | | |
| 0256060 | Rosemary | | | | | | | | | | | | | |
| 0256070 | Thyme (Marjoram, oregano) | | | | | | | | | | | | | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | | | | | | | | | | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | | | | | | | | | | | |
| 0256100 | Tarragon (Hyssop) | | | | | | | | | | | | | |
| 0256990 | Others | | | | | | | | | | | | | |
| 0260000 | (vi) **Legume vegetables (fresh)** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0260010 | Beans (with pods) (Green bean/ French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | | | | | | | | | | | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | | | | | | | | | | | | |
| 0260030 | Peas (with pods) (Mangetout/ sugar peas/snow peas) | | | | | | | | | | | | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | | | | | | | | | | | | |
| 0260050 | Lentils | | | | | | | | | | | | | |
| 0260990 | Others | | | | | | | | | | | | | |
| 0270000 | (vii) **Stem vegetables (fresh)** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0270010 | Asparagus | | | | | | | | | | | | | |
| 0270020 | Cardoons (Borago officinalis stems) | | | | | | | | | | | | | |
| 0270030 | Celery | | | | | | | | | | | | | |
| 0270040 | Fennel | | | | | | | | | | | | | |
| 0270050 | Globe artichokes (Banana flower) | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0270060 | Leek | | | | | | | | | | | | | |
| 0270070 | Rhubarb | | | | | | | | | | | | | |
| 0270080 | Bamboo shoots | | | | | | | | | | | | | |
| 0270090 | Palm hearts | | | | | | | | | | | | | |
| 0270990 | Others | | | | | | | | | | | | | |
| 0280000 | (viii) **Fungi** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts)) | | | | | | | | | | | | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | | | | | | | | | | | | |
| 0280990 | Others | | | | | | | | | | | | | |
| 0290000 | (ix) **Sea weeds** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0300000 | 3. **PULSES, DRY** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | 0,05 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | | | | | | | | | | | |
| 0300020 | Lentils | | | | | | | | | | | | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | | | | | | | | | | | |
| 0300040 | Lupins | | | | | | | | | | | | | |
| 0300990 | Others | | | | | | | | | | | | | |
| 0400000 | 4. **OILSEEDS AND OILFRUITS** | **0,05** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,01** (*) | **0,02** (*) | **0,02** (*) | 0,05 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) |
| 0401000 | (i) **Oilseeds** | | | | | | | | | | | | | |
| 0401010 | Linseed | | | | | | | | | | | | | |
| 0401020 | Peanuts | | | | | | | | | | | | | |
| 0401030 | Poppy seed | | | | | | | | | | | | | |
| 0401040 | Sesame seed | | | | | | | | | | | | | |
| 0401050 | Sunflower seed | | | | | | | | | | | | | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | | | | | | | | | | | |
| 0401070 | Soya bean | | | | | | | | | | | | | |
| 0401080 | Mustard seed | | | | | | | | | | | | | |
| 0401090 | Cotton seed | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0401100 | Pumpkin seeds (Other seeds of Cucurbitaceae) | | | | | | | | | | | | | |
| 0401110 | Safflower | | | | | | | | | | | | | |
| 0401120 | Borage (Purple viper's bugloss/ Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis)) | | | | | | | | | | | | | |
| 0401130 | Gold of pleasure | | | | | | | | | | | | | |
| 0401140 | Hempseed | | | | | | | | | | | | | |
| 0401150 | Castor bean | | | | | | | | | | | | | |
| 0401990 | Others | | | | | | | | | | | | | |
| 0402000 | (ii) **Oilfruits** | | | | | | | | | | | | | |
| 0402010 | Olives for oil production | | | | | | | | | | | | | |
| 0402020 | Palm nuts (palmoil kernels) | | | | | | | | | | | | | |
| 0402030 | Palmfruit | | | | | | | | | | | | | |
| 0402040 | Kapok | | | | | | | | | | | | | |
| 0402990 | Others | | | | | | | | | | | | | |
| 0500000 | 5. **CEREALS** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | 0,05 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) |
| 0500010 | Barley | | | | | | | | | | | | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | | | | | | | | | | | | |
| 0500030 | Maize | | | | | | | | | | | | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | | | | | | | | | | | | |
| 0500050 | Oats | | | | | | | | | | | | | |
| 0500060 | Rice (Indian/wild rice (Zizania aquatica)) | | | | | | | | | | | | | |
| 0500070 | Rye | | | | | | | | | | | | | |
| 0500080 | Sorghum | | | | | | | | | | | | | |
| 0500090 | Wheat (Spelt, triticale) | | | | | | | | | | | | | |
| 0500990 | Others (Canary grass seeds (Phalaris canariensis)) | | | | | | | | | | | | | |
| 0600000 | 6. **TEA, COFFEE, HERBAL INFUSIONS AND COCOA** | 0,1 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0610000 | (i) **Tea** | | | | | | | | | | | | | |
| 0620000 | (ii) **Coffee beans** | | | | | | | | | | | | | |
| 0630000 | (iii) **Herbal infusions (dried)** | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0631000 | (a) *Flowers* | | | | | | | | | | | | | |
| 0631010 | Camomille flowers | | | | | | | | | | | | | |
| 0631020 | Hybiscus flowers | | | | | | | | | | | | | |
| 0631030 | Rose petals | | | | | | | | | | | | | |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | | | | | | | | | | | | |
| 0631050 | Lime (linden) | | | | | | | | | | | | | |
| 0631990 | Others | | | | | | | | | | | | | |
| 0632000 | (b) *Leaves* | | | | | | | | | | | | | |
| 0632010 | Strawberry leaves | | | | | | | | | | | | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | | | | | | | | | | | |
| 0632030 | Maté | | | | | | | | | | | | | |
| 0632990 | Others | | | | | | | | | | | | | |
| 0633000 | (c) *Roots* | | | | | | | | | | | | | |
| 0633010 | Valerian root | | | | | | | | | | | | | |
| 0633020 | Ginseng root | | | | | | | | | | | | | |
| 0633990 | Others | | | | | | | | | | | | | |
| 0639000 | (d) *Other herbal infusions* | | | | | | | | | | | | | |
| 0640000 | (iv) **Cocoabeans (fermented or dried)** | | | | | | | | | | | | | |
| 0650000 | (v) **Carob (st johns bread)** | | | | | | | | | | | | | |
| 0700000 | 7. **HOPS (dried)** | 0,1 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0800000 | 8. **SPICES** | | | | | | | | | | | | | |
| 0810000 | (i) **Seeds** | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0810010 | Anise | | | | | | | | | | | | | |
| 0810020 | Black caraway | | | | | | | | | | | | | |
| 0810030 | Celery seed (Lovage seed) | | | | | | | | | | | | | |
| 0810040 | Coriander seed | | | | | | | | | | | | | |
| 0810050 | Cumin seed | | | | | | | | | | | | | |
| 0810060 | Dill seed | | | | | | | | | | | | | |
| 0810070 | Fennel seed | | | | | | | | | | | | | |
| 0810080 | Fenugreek | | | | | | | | | | | | | |
| 0810090 | Nutmeg | | | | | | | | | | | | | |
| 0810990 | Others | | | | | | | | | | | | | |
| 0820000 | (ii) **Fruits and berries** | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0820010 | Allspice | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | | | | | | | | | | | |
| 0820030 | Caraway | | | | | | | | | | | | | |
| 0820040 | Cardamom | | | | | | | | | | | | | |
| 0820050 | Juniper berries | | | | | | | | | | | | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | | | | | | | | | | | |
| 0820070 | Vanilla pods | | | | | | | | | | | | | |
| 0820080 | Tamarind | | | | | | | | | | | | | |
| 0820990 | Others | | | | | | | | | | | | | |
| 0830000 | (iii) **Bark** | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0830010 | Cinnamon (Cassia) | | | | | | | | | | | | | |
| 0830990 | Others | | | | | | | | | | | | | |
| 0840000 | (iv) **Roots or rhizome** | | | | | | | | | | | | | |
| 0840010 | Liquorice | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0840020 | Ginger | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0840030 | Turmeric (Curcuma) | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0840040 | Horseradish | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** | **(+)** |
| 0840990 | Others | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0850000 | (v) **Buds** | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0850010 | Cloves | | | | | | | | | | | | | |
| 0850020 | Capers | | | | | | | | | | | | | |
| 0850990 | Others | | | | | | | | | | | | | |
| 0860000 | (vi) **Flower stigma** | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0860010 | Saffron | | | | | | | | | | | | | |
| 0860990 | Others | | | | | | | | | | | | | |
| 0870000 | (vii) **Aril** | 0,1 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 0870010 | Mace | | | | | | | | | | | | | |
| 0870990 | Others | | | | | | | | | | | | | |
| 0900000 | 9. **SUGAR PLANTS** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0900010 | Sugar beet (root) | | | | | | | | | | | | | |
| 0900020 | Sugar cane | | | | | | | | | | | | | |
| 0900030 | Chicory roots | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0900990 | Others | | | | | | | | | | | | | |
| 1000000 | 10. **PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS** | | | | | | | | 0,05 (*) | | | | | |
| 1010000 | (i) **Tissue** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) |
| 1011000 | (a) *Swine* | | | | | | | | | | | | | |
| 1011010 | Muscle | | | | | | | | | | | | | |
| 1011020 | Fat | | | | | | | | | | | | | |
| 1011030 | Liver | | | | | | | | | | | | | |
| 1011040 | Kidney | | | | | | | | | | | | | |
| 1011050 | Edible offal | | | | | | | | | | | | | |
| 1011990 | Others | | | | | | | | | | | | | |
| 1012000 | (b) *Bovine* | | | | | | | | | | | | | |
| 1012010 | Muscle | | | | | | | | | | | | | |
| 1012020 | Fat | | | | | | | | | | | | | |
| 1012030 | Liver | | | | | | | | | | | | | |
| 1012040 | Kidney | | | | | | | | | | | | | |
| 1012050 | Edible offal | | | | | | | | | | | | | |
| 1012990 | Others | | | | | | | | | | | | | |
| 1013000 | (c) *Sheep* | | | | | | | | | | | | | |
| 1013010 | Muscle | | | | | | | | | | | | | |
| 1013020 | Fat | | | | | | | | | | | | | |
| 1013030 | Liver | | | | | | | | | | | | | |
| 1013040 | Kidney | | | | | | | | | | | | | |
| 1013050 | Edible offal | | | | | | | | | | | | | |
| 1013990 | Others | | | | | | | | | | | | | |
| 1014000 | (d) *Goat* | | | | | | | | | | | | | |
| 1014010 | Muscle | | | | | | | | | | | | | |
| 1014020 | Fat | | | | | | | | | | | | | |
| 1014030 | Liver | | | | | | | | | | | | | |
| 1014040 | Kidney | | | | | | | | | | | | | |
| 1014050 | Edible offal | | | | | | | | | | | | | |
| 1014990 | Others | | | | | | | | | | | | | |
| 1015000 | (e) *Horses, asses, mules or hinnies* | | | | | | | | | | | | | |

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1015010 | Muscle | | | | | | | | | | | | | |
| 1015020 | Fat | | | | | | | | | | | | | |
| 1015030 | Liver | | | | | | | | | | | | | |
| 1015040 | Kidney | | | | | | | | | | | | | |
| 1015050 | Edible offal | | | | | | | | | | | | | |
| 1015990 | Others | | | | | | | | | | | | | |
| 1016000 | (f) *Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon* | | | | | | | | | | | | | |
| 1016010 | Muscle | | | | | | | | | | | | | |
| 1016020 | Fat | | | | | | | | | | | | | |
| 1016030 | Liver | | | | | | | | | | | | | |
| 1016040 | Kidney | | | | | | | | | | | | | |
| 1016050 | Edible offal | | | | | | | | | | | | | |
| 1016990 | Others | | | | | | | | | | | | | |
| 1017000 | (g) *Other farm animals (Rabbit, kangaroo, deer)* | | | | | | | | | | | | | |
| 1017010 | Muscle | | | | | | | | | | | | | |
| 1017020 | Fat | | | | | | | | | | | | | |
| 1017030 | Liver | | | | | | | | | | | | | |
| 1017040 | Kidney | | | | | | | | | | | | | |
| 1017050 | Edible offal | | | | | | | | | | | | | |
| 1017990 | Others | | | | | | | | | | | | | |
| 1020000 | (ii) **Milk** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) |
| 1020010 | Cattle | | | | | | | | | | | | | |
| 1020020 | Sheep | | | | | | | | | | | | | |
| 1020030 | Goat | | | | | | | | | | | | | |
| 1020040 | Horse | | | | | | | | | | | | | |
| 1020990 | Others | | | | | | | | | | | | | |
| 1030000 | (iii) **Bird eggs** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) |
| 1030010 | Chicken | | | | | | | | | | | | | |
| 1030020 | Duck | | | | | | | | | | | | | |
| 1030030 | Goose | | | | | | | | | | | | | |
| 1030040 | Quail | | | | | | | | | | | | | |

02005R0396 — EN — 21.10.2023 — 057.001 — 3428

▼M77

| (1) | (2) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1030990 | Others | | | | | | | | | | | | | |
| 1040000 | (iv) **Honey (Royal jelly, pollen, honey comb with honey (comb honey))** | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | | 0,05 (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) | **0,05** (*) |
| 1050000 | (v) **Amphibians and reptiles (Frog legs, crocodiles)** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) |
| 1060000 | (vi) **Snails** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) |
| 1070000 | (vii) **Other terrestrial animal products (Wild game)** | **0,02** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,02** (*) | **0,01** (*) |

▼M83

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Guazatine (guazatine acetate, sum of components) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,05** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼M83

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0,05** (*) |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼M83

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | |
| 0300000 | **PULSES** | **0,05** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼M83

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,05** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,05** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger | **0,05** (*) |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | **0,05** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | **0,05** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | **0,02** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,05** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M83**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,05** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,05** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,05** (*) |

▼M91

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Indolylacetic acid | Indolylbutyric acid |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,1** (*) | **0,1** (*) |
| 0110000 | **Citrus fruits** | | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others | | |
| 0120000 | **Tree nuts** | | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **Pome fruits** | | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others | | |
| 0140000 | **Stone fruits** | | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼M91

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others | | |
| 0160000 | **Miscellaneous fruits with** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M91**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0,1** (*) | **0,1** (*) |
| 0210000 | **Root and tuber vegetables** | | |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼M91

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | **Bulb vegetables** | | |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others | | |
| 0230000 | **Fruiting vegetables** | | |
| 0231000 | (a) *solanacea* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M91**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | | |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼M91

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others | | |
| 0252000 | (b) *spinaches and similar leaves* | | |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others | | |
| 0253000 | (c) *grape leaves and similar species* | | |
| 0254000 | (d) *watercresses* | | |
| 0255000 | (e) *witloofs/Belgian endives* | | |
| 0256000 | (f) *herbs and edible flowers* | | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leave | | |
| 0256100 | Tarragon | | |
| 0256990 | Others | | |

▼M91

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | **Stem vegetables** | | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | **Fungi, mosses and lichens** | | |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | | |
| 0300000 | **PULSES** | **0,1** (*) | **0,1** (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others | | |

▼M91

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,1** (*) | **0,1** (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | **CEREALS** | **0,1** (*) | **0,1** (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudo-cereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others | | |

▼**M91**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,1** (*) | **0,1** (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | **0,1** (*) | **0,1** (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | **0,1** (*) | **0,1** (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | **0,1** (*) | **0,1** (*) |
| 0820010 | Allspice/pimento | | |

▼**M91**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | **Bark spices** | **0,1** (*) | **0,1** (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | **0,1** (*) | **0,1** (*) |
| 0840020 | Ginger | **0,1** (*) | **0,1** (*) |
| 0840030 | Turmeric/curcuma | **0,1** (*) | **0,1** (*) |
| 0840040 | Horseradish | (+) | (+) |
| 0840990 | Others | **0,1** (*) | **0,1** (*) |
| 0850000 | **Bud spices** | **0,1** (*) | **0,1** (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | **0,1** (*) | **0,1** (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | **0,1** (*) | **0,1** (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | **0,1** (*) | **0,1** (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |

▼M91

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **0,1** (*) | **0,1** (*) |
| 1010000 | **Tissues from** | | |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat tissue | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat tissue | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat tissue | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others | | |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat tissue | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat tissue | | |
| 1015030 | Liver | | |

▼M91

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others | | |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat tissue | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat tissue | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others | | |
| 1020000 | **Milk** | | |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | | |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M91**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | | |
| 1050000 | **Amphibians and Reptiles** | | |
| 1060000 | **Terrestrial invertebrate animals** | | |
| 1070000 | **Wild terrestrial vertebrate animals** | | |

▼M95

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Atrazine (F) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | 0,05 (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | 0,05 (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | 0,05 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | **0,05** (*) |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | 0,05 (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | 0,05 (*) |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | 0,05 (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | 0,05 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | 0,05 (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | |
| 0300000 | **PULSES** | 0,05 (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,05 (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,05** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,1 (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | 0,1 (*) |
| 0800000 | **SPICES** | 0,1 (*) |
| 0810000 | **Seed spices** | |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | |
| 0820010 | Allspice/pimento | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger | |
| 0840030 | Turmeric/curcuma | |
| 0840040 | Horseradish | |
| 0840990 | Others | |
| 0850000 | **Bud spices** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | 0,05 (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼M95

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | |
| 1060000 | **Terrestrial invertebrate animals** | |
| 1070000 | **Wild terrestrial vertebrate animals** | |

▼**M100**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 2-amino-4-methoxy-6-(trifluormethyl)-1,3,5-triazine (AMTT), resulting from the use of tritosulfuron (F) | Tritosulfuron |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | 0,01 (*) |
| 0110000 | **Citrus fruits** | | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others | | |
| 0120000 | **Tree nuts** | | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others | | |
| 0130000 | **Pome fruits** | | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others | | |
| 0140000 | **Stone fruits** | | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others | | |
| 0160000 | **Miscellaneous fruits with** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | 0,01 (*) |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others | | |
| 0230000 | **Fruiting vegetables** | | |
| 0231000 | (a) *solanacea* | **0,01** (*) | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others | | |
| 0232000 | (b) *cucurbits with edible peel* | **0,01** (*) | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others | | |
| 0233000 | (c) *cucurbits with inedible peel* | **0,01** (*) | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others | | |
| 0234000 | (d) *sweet corn* | **0,001** (*) | |
| 0239000 | (e) *other fruiting vegetables* | **0,01** (*) | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | **0,01** (*) | |
| 0251000 | (a) *lettuces and salad plants* | | |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others | | |
| 0252000 | (b) *spinaches and similar leaves* | | |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others | | |
| 0253000 | (c) *grape leaves and similar species* | | |
| 0254000 | (d) *watercresses* | | |
| 0255000 | (e) *witloofs/Belgian endives* | | |
| 0256000 | (f) *herbs and edible flowers* | | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leave | | |
| 0256100 | Tarragon | | |
| 0256990 | Others | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) | |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | **Stem vegetables** | **0,01** (*) | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | |
| 0300000 | **PULSES** | **0,01** (*) | 0,01 (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | 0,01 (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | **CEREALS** | **0,001** (*) | 0,01 (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudo-cereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,01** (*) | **0,05** (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | **0,01** (*) | **0,05** (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | **0,01** (*) | **0,05** (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others | | |
| 0820000 | **Fruit spices** | **0,01** (*) | **0,05** (*) |
| 0820010 | Allspice/pimento | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | **Bark spices** | **0,01** (*) | **0,05** (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | **0,01** (*) | **0,05** (*) |
| 0840020 | Ginger | **0,01** (*) | **0,05** (*) |
| 0840030 | Turmeric/curcuma | **0,01** (*) | **0,05** (*) |
| 0840040 | Horseradish | (+) | **(+)** |
| 0840990 | Others | **0,01** (*) | **0,05** (*) |
| 0850000 | **Bud spices** | **0,01** (*) | **0,05** (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |
| 0860000 | **Flower pistil spices** | **0,01** (*) | **0,05** (*) |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | **Aril spices** | **0,01** (*) | **0,05** (*) |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | 0,01 (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | | |
| 1010000 | **Tissues from** | **0,01** (*) | 0,01 (*) |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat tissue | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat tissue | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat tissue | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others | | |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat tissue | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat tissue | | |
| 1015030 | Liver | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others | | |
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat tissue | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat tissue | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others | | |
| 1020000 | **Milk** | **0,001** (*) | 0,01 (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | **Birds eggs** | **0,01** (*) | 0,01 (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |

▼**M100**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,01** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | 0,01 (*) |

▼M107

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Thiodicarb |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger | **0,05** (*) |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M107**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |

▼**M108**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 3-decen-2-one |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,1** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0,1** (*) |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | |
| 0300000 | **PULSES** | **0,1** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,1** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,1** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,1** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,1** (*) |
| 0800000 | **SPICES** | **0,1** (*) |
| 0810000 | **Seed spices** | |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | |
| 0820010 | Allspice/pimento | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger | |
| 0840030 | Turmeric/curcuma | |
| 0840040 | Horseradish | |
| 0840990 | Others | |
| 0850000 | **Bud spices** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | **0,1** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | **0,1** (*) |
| 1010000 | **Tissues from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M108**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | |
| 1050000 | **Amphibians and Reptiles** | |
| 1060000 | **Terrestrial invertebrate animals** | |
| 1070000 | **Wild terrestrial vertebrate animals** | |

▼**M120**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Tricyclazole |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | 0,05 (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | 0,05 (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | 0,05 (*) |
| 0820010 | Allspice/pimento | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | 0,05 (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric/curcuma | 0,05 (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M120**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |

▼M110

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Cinidon-ethyl |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | 0.05* |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | 0,05 (*) |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | |
| 0300000 | **PULSES** | 0,05 (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,05** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,05** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,1 (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | 0,1 (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | 0,1 (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | 0,1 (*) |
| 0820010 | Allspice/pimento | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | 0,1 (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | 0,1 (*) |
| 0840020 | Ginger | 0,1 (*) |
| 0840030 | Turmeric/curcuma | 0,1 (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | 0,1 (*) |
| 0850000 | **Bud spices** | 0,1 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | 0,1 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | 0,1 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | **0,05** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | **0,1** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | **0,05** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,1** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M110**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,1** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,1** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,1** (*) |

▼M117

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Triadimefon (F) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger | **0,05** (*) |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish | (+) |
| 0840990 | Others | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | **0,01** (*) |
| 1011020 | Fat tissue | **0,05** (*) |
| 1011030 | Liver | **0,05** (*) |
| 1011040 | Kidney | **0,05** (*) |
| 1011050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1011990 | Others | **0,05** (*) |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | **0,01** (*) |
| 1012020 | Fat tissue | **0,05** (*) |
| 1012030 | Liver | **0,05** (*) |
| 1012040 | Kidney | **0,05** (*) |
| 1012050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1012990 | Others | **0,05** (*) |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | **0,01** (*) |
| 1013020 | Fat tissue | **0,05** (*) |
| 1013030 | Liver | **0,05** (*) |
| 1013040 | Kidney | **0,05** (*) |
| 1013050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1013990 | Others | **0,05** (*) |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | **0,01** (*) |
| 1014020 | Fat tissue | **0,05** (*) |
| 1014030 | Liver | **0,05** (*) |
| 1014040 | Kidney | **0,05** (*) |
| 1014050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1014990 | Others | **0,05** (*) |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | **0,01** (*) |
| 1015020 | Fat tissue | **0,05** (*) |
| 1015030 | Liver | **0,05** (*) |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | **0,05** (*) |
| 1015050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1015990 | Others | **0,05** (*) |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | **0,01** (*) |
| 1016020 | Fat tissue | **0,05** (*) |
| 1016030 | Liver | **0,05** (*) |
| 1016040 | Kidney | **0,05** (*) |
| 1016050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1016990 | Others | **0,05** (*) |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | **0,01** (*) |
| 1017020 | Fat tissue | **0,05** (*) |
| 1017030 | Liver | **0,05** (*) |
| 1017040 | Kidney | **0,05** (*) |
| 1017050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1017990 | Others | **0,05** (*) |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M117**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |

▼M119

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bitertanol (sum of isomers) (F) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | 0,01 (*) |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | **Tree nuts** | 0,02 (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others | |
| 0130000 | **Pome fruits** | 0,01 (*) |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others | |
| 0140000 | **Stone fruits** | 0,01 (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others | |
| 0150000 | **Berries and small fruits** | 0,01 (*) |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | **Miscellaneous fruits with** | 0,01 (*) |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | **Bulb vegetables** | 0,01 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) |
| 0231000 | (a) *solanacea* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | 0,02 (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leave | |
| 0256100 | Tarragon | |
| 0256990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | **Stem vegetables** | 0,01 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) |
| 0300000 | **PULSES** | 0,01 (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,02 (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudo-cereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | 0,05 (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | 0,05 (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | **Fruit spices** | 0,05 (*) |
| 0820010 | Allspice/pimento | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | **Bark spices** | 0,05 (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | 0,05 (*) |
| 0840020 | Ginger | 0,05 (*) |
| 0840030 | Turmeric/curcuma | 0,05 (*) |
| 0840040 | Horseradish | **(+)** |
| 0840990 | Others | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | **Flower pistil spices** | 0,05 (*) |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | **Aril spices** | 0,05 (*) |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Tissues from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat tissue | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat tissue | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat tissue | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat tissue | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat tissue | |
| 1015030 | Liver | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others | |
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat tissue | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | **Birds eggs** | 0,01 (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |

▼**M119**

| (1) | (2) | (3) |
|---|---|---|
| 1040000 | **Honey and other apiculture products** | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) |

▼**M121**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Hexachloro-cyclohexane (HCH), alpha-isomer (F) | Hexachloro-cyclohexane (HCH), beta-isomer (F) | Lindane (Gamma-isomer of hexachloro-cyclohexane (HCH)) (F) |
|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | **0,01** (*) | 0,01 (*) |
| 0110000 | **Citrus fruits** | | | |
| 0110010 | Grapefruits | | | |
| 0110020 | Oranges | | | |
| 0110030 | Lemons | | | |
| 0110040 | Limes | | | |
| 0110050 | Mandarins | | | |
| 0110990 | Others | | | |
| 0120000 | **Tree nuts** | | | |
| 0120010 | Almonds | | | |
| 0120020 | Brazil nuts | | | |
| 0120030 | Cashew nuts | | | |
| 0120040 | Chestnuts | | | |
| 0120050 | Coconuts | | | |
| 0120060 | Hazelnuts/cobnuts | | | |
| 0120070 | Macadamias | | | |
| 0120080 | Pecans | | | |
| 0120090 | Pine nut kernels | | | |
| 0120100 | Pistachios | | | |
| 0120110 | Walnuts | | | |
| 0120990 | Others | | | |
| 0130000 | **Pome fruits** | | | |
| 0130010 | Apples | | | |
| 0130020 | Pears | | | |
| 0130030 | Quinces | | | |
| 0130040 | Medlars | | | |
| 0130050 | Loquats/Japanese medlars | | | |
| 0130990 | Others | | | |
| 0140000 | **Stone fruits** | | | |
| 0140010 | Apricots | | | |
| 0140020 | Cherries (sweet) | | | |
| 0140030 | Peaches | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0140040 | Plums | | | |
| 0140990 | Others | | | |
| 0150000 | **Berries and small fruits** | | | |
| 0151000 | (a) *grapes* | | | |
| 0151010 | Table grapes | | | |
| 0151020 | Wine grapes | | | |
| 0152000 | (b) *strawberries* | | | |
| 0153000 | (c) *cane fruits* | | | |
| 0153010 | Blackberries | | | |
| 0153020 | Dewberries | | | |
| 0153030 | Raspberries (red and yellow) | | | |
| 0153990 | Others | | | |
| 0154000 | (d) *other small fruits and berries* | | | |
| 0154010 | Blueberries | | | |
| 0154020 | Cranberries | | | |
| 0154030 | Currants (black, red and white) | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | |
| 0154050 | Rose hips | | | |
| 0154060 | Mulberries (black and white) | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | |
| 0154080 | Elderberries | | | |
| 0154990 | Others | | | |
| 0160000 | **Miscellaneous fruits with** | | | |
| 0161000 | (a) *edible peel* | | | |
| 0161010 | Dates | | | |
| 0161020 | Figs | | | |
| 0161030 | Table olives | | | |
| 0161040 | Kumquats | | | |
| 0161050 | Carambolas | | | |
| 0161060 | Kaki/Japanese persimmons | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | |
| 0161990 | Others | | | |
| 0162000 | (b) *inedible peel, small* | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | |
| 0162020 | Litchis/lychees | | | |
| 0162030 | Passionfruits/maracujas | | | |
| 0162040 | Prickly pears/cactus fruits | | | |
| 0162050 | Star apples/cainitos | | | |
| 0162060 | American persimmons/Virginia kaki | | | |
| 0162990 | Others | | | |
| 0163000 | (c) *inedible peel, large* | | | |
| 0163010 | Avocados | | | |
| 0163020 | Bananas | | | |
| 0163030 | Mangoes | | | |
| 0163040 | Papayas | | | |
| 0163050 | Granate apples/pomegranates | | | |
| 0163060 | Cherimoyas | | | |
| 0163070 | Guavas | | | |
| 0163080 | Pineapples | | | |
| 0163090 | Breadfruits | | | |
| 0163100 | Durians | | | |
| 0163110 | Soursops/guanabanas | | | |
| 0163990 | Others | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0,01** (*) | **0,01** (*) | 0,01 (*) |
| 0210000 | **Root and tuber vegetables** | | | |
| 0211000 | (a) *potatoes* | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | |
| 0212010 | Cassava roots/manioc | | | |
| 0212020 | Sweet potatoes | | | |
| 0212030 | Yams | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0212040 | Arrowroots | | | |
| 0212990 | Others | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | |
| 0213010 | Beetroots | | | |
| 0213020 | Carrots | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | |
| 0213040 | Horseradishes | | | |
| 0213050 | Jerusalem artichokes | | | |
| 0213060 | Parsnips | | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | | |
| 0213080 | Radishes | | | |
| 0213090 | Salsifies | | | |
| 0213100 | Swedes/rutabagas | | | |
| 0213110 | Turnips | | | |
| 0213990 | Others | | | |
| 0220000 | **Bulb vegetables** | | | |
| 0220010 | Garlic | | | |
| 0220020 | Onions | | | |
| 0220030 | Shallots | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | |
| 0220990 | Others | | | |
| 0230000 | **Fruiting vegetables** | | | |
| 0231000 | (a) *solanacea* | | | |
| 0231010 | Tomatoes | | | |
| 0231020 | Sweet peppers/bell peppers | | | |
| 0231030 | Aubergines/eggplants | | | |
| 0231040 | Okra/lady's fingers | | | |
| 0231990 | Others | | | |
| 0232000 | (b) *cucurbits with edible peel* | | | |
| 0232010 | Cucumbers | | | |
| 0232020 | Gherkins | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0232030 | Courgettes | | | |
| 0232990 | Others | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | |
| 0233010 | Melons | | | |
| 0233020 | Pumpkins | | | |
| 0233030 | Watermelons | | | |
| 0233990 | Others | | | |
| 0234000 | (d) *sweet corn* | | | |
| 0239000 | (e) *other fruiting vegetables* | | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | | |
| 0241000 | (a) *flowering brassica* | | | |
| 0241010 | Broccoli | | | |
| 0241020 | Cauliflowers | | | |
| 0241990 | Others | | | |
| 0242000 | (b) *head brassica* | | | |
| 0242010 | Brussels sprouts | | | |
| 0242020 | Head cabbages | | | |
| 0242990 | Others | | | |
| 0243000 | (c) *leafy brassica* | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | |
| 0243020 | Kales | | | |
| 0243990 | Others | | | |
| 0244000 | (d) *kohlrabies* | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | |
| 0251000 | (a) *lettuces and salad plants* | | | |
| 0251010 | Lamb's lettuces/corn salads | | | |
| 0251020 | Lettuces | | | |
| 0251030 | Escaroles/broad-leaved endives | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | |
| 0251050 | Land cresses | | | |
| 0251060 | Roman rocket/rucola | | | |
| 0251070 | Red mustards | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | |
| 0251990 | Others | | | |
| 0252000 | (b) *spinaches and similar leaves* | | | |
| 0252010 | Spinaches | | | |
| 0252020 | Purslanes | | | |
| 0252030 | Chards/beet leaves | | | |
| 0252990 | Others | | | |
| 0253000 | (c) *grape leaves and similar species* | | | |
| 0254000 | (d) *watercresses* | | | |
| 0255000 | (e) *witloofs/Belgian endives* | | | |
| 0256000 | (f) *herbs and edible flowers* | | | |
| 0256010 | Chervil | | | |
| 0256020 | Chives | | | |
| 0256030 | Celery leaves | | | |
| 0256040 | Parsley | | | |
| 0256050 | Sage | | | |
| 0256060 | Rosemary | | | |
| 0256070 | Thyme | | | |
| 0256080 | Basil and edible flowers | | | |
| 0256090 | Laurel/bay leave | | | |
| 0256100 | Tarragon | | | |
| 0256990 | Others | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0260000 | **Legume vegetables** | | | |
| 0260010 | Beans (with pods) | | | |
| 0260020 | Beans (without pods) | | | |
| 0260030 | Peas (with pods) | | | |
| 0260040 | Peas (without pods) | | | |
| 0260050 | Lentils | | | |
| 0260990 | Others | | | |
| 0270000 | **Stem vegetables** | | | |
| 0270010 | Asparagus | | | |
| 0270020 | Cardoons | | | |
| 0270030 | Celeries | | | |
| 0270040 | Florence fennels | | | |
| 0270050 | Globe artichokes | | | |
| 0270060 | Leeks | | | |
| 0270070 | Rhubarbs | | | |
| 0270080 | Bamboo shoots | | | |
| 0270090 | Palm hearts | | | |
| 0270990 | Others | | | |
| 0280000 | **Fungi, mosses and lichens** | | | |
| 0280010 | Cultivated fungi | | | |
| 0280020 | Wild fungi | | | |
| 0280990 | Mosses and lichens | | | |
| 0290000 | **Algae and prokaryotes organisms** | | | |
| 0300000 | **PULSES** | **0,01** (*) | **0,01** (*) | 0,01 (*) |
| 0300010 | Beans | | | |
| 0300020 | Lentils | | | |
| 0300030 | Peas | | | |
| 0300040 | Lupins/lupini beans | | | |
| 0300990 | Others | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | **0,01** (*) | 0,01 (*) |
| 0401000 | **Oilseeds** | | | |
| 0401010 | Linseeds | | | |
| 0401020 | Peanuts/groundnuts | | | |
| 0401030 | Poppy seeds | | | |
| 0401040 | Sesame seeds | | | |
| 0401050 | Sunflower seeds | | | |
| 0401060 | Rapeseeds/canola seeds | | | |
| 0401070 | Soyabeans | | | |
| 0401080 | Mustard seeds | | | |
| 0401090 | Cotton seeds | | | |
| 0401100 | Pumpkin seeds | | | |
| 0401110 | Safflower seeds | | | |
| 0401120 | Borage seeds | | | |
| 0401130 | Gold of pleasure seeds | | | |
| 0401140 | Hemp seeds | | | |
| 0401150 | Castor beans | | | |
| 0401990 | Others | | | |
| 0402000 | **Oil fruits** | | | |
| 0402010 | Olives for oil production | | | |
| 0402020 | Oil palms kernels | | | |
| 0402030 | Oil palms fruits | | | |
| 0402040 | Kapok | | | |
| 0402990 | Others | | | |
| 0500000 | **CEREALS** | **0,01** (*) | **0,01** (*) | 0,01 (*) |
| 0500010 | Barley | | | |
| 0500020 | Buckwheat and other pseudo-cereals | | | |
| 0500030 | Maize/corn | | | |
| 0500040 | Common millet/proso millet | | | |
| 0500050 | Oat | | | |
| 0500060 | Rice | | | |
| 0500070 | Rye | | | |
| 0500080 | Sorghum | | | |
| 0500090 | Wheat | | | |
| 0500990 | Others | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0610000 | **Teas** | | | |
| 0620000 | **Coffee beans** | | | |
| 0630000 | **Herbal infusions from** | | | |
| 0631000 | (a) *flowers* | | | |
| 0631010 | Chamomile | | | |
| 0631020 | Hibiscus/roselle | | | |
| 0631030 | Rose | | | |
| 0631040 | Jasmine | | | |
| 0631050 | Lime/linden | | | |
| 0631990 | Others | | | |
| 0632000 | (b) *leaves and herbs* | | | |
| 0632010 | Strawberry | | | |
| 0632020 | Rooibos | | | |
| 0632030 | Mate/maté | | | |
| 0632990 | Others | | | |
| 0633000 | (c) *roots* | | | |
| 0633010 | Valerian | | | |
| 0633020 | Ginseng | | | |
| 0633990 | Others | | | |
| 0639000 | (d) *any other parts of the plant* | | | |
| 0640000 | **Cocoa beans** | | | |
| 0650000 | **Carobs/Saint John's breads** | | | |
| 0700000 | **HOPS** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0800000 | **SPICES** | | | |
| 0810000 | **Seed spices** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0810010 | Anise/aniseed | | | |
| 0810020 | Black caraway/black cumin | | | |
| 0810030 | Celery | | | |
| 0810040 | Coriander | | | |
| 0810050 | Cumin | | | |
| 0810060 | Dill | | | |
| 0810070 | Fennel | | | |
| 0810080 | Fenugreek | | | |
| 0810090 | Nutmeg | | | |
| 0810990 | Others | | | |
| 0820000 | **Fruit spices** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0820010 | Allspice/pimento | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | |
| 0820030 | Caraway | | | |
| 0820040 | Cardamom | | | |
| 0820050 | Juniper berry | | | |
| 0820060 | Peppercorn (black, green and white) | | | |
| 0820070 | Vanilla | | | |
| 0820080 | Tamarind | | | |
| 0820990 | Others | | | |
| 0830000 | **Bark spices** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0830010 | Cinnamon | | | |
| 0830990 | Others | | | |
| 0840000 | **Root and rhizome spices** | | | |
| 0840010 | Liquorice | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0840020 | Ginger | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0840030 | Turmeric/curcuma | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0840040 | Horseradish | (+) | (+) | **(+)** |
| 0840990 | Others | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0850000 | **Bud spices** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0850010 | Cloves | | | |
| 0850020 | Capers | | | |
| 0850990 | Others | | | |
| 0860000 | **Flower pistil spices** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0860010 | Saffron | | | |
| 0860990 | Others | | | |
| 0870000 | **Aril spices** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0870010 | Mace | | | |
| 0870990 | Others | | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) | 0,01 (*) |
| 0900010 | Sugar beet roots | | | |
| 0900020 | Sugar canes | | | |
| 0900030 | Chicory roots | | | |
| 0900990 | Others | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 1010000 | **Tissues from** | | | |
| 1011000 | (a) *swine* | | | |
| 1011010 | Muscle | | | |
| 1011020 | Fat tissue | | | |
| 1011030 | Liver | | | |
| 1011040 | Kidney | | | |
| 1011050 | Edible offals (other than liver and kidney) | | | |
| 1011990 | Others | | | |
| 1012000 | (b) *bovine* | | | |
| 1012010 | Muscle | | | |
| 1012020 | Fat tissue | | | |
| 1012030 | Liver | | | |
| 1012040 | Kidney | | | |
| 1012050 | Edible offals (other than liver and kidney) | | | |
| 1012990 | Others | | | |
| 1013000 | (c) *sheep* | | | |
| 1013010 | Muscle | | | |
| 1013020 | Fat tissue | | | |
| 1013030 | Liver | | | |
| 1013040 | Kidney | | | |
| 1013050 | Edible offals (other than liver and kidney) | | | |
| 1013990 | Others | | | |
| 1014000 | (d) *goat* | | | |
| 1014010 | Muscle | | | |
| 1014020 | Fat tissue | | | |
| 1014030 | Liver | | | |
| 1014040 | Kidney | | | |
| 1014050 | Edible offals (other than liver and kidney) | | | |
| 1014990 | Others | | | |
| 1015000 | (e) *equine* | | | |
| 1015010 | Muscle | | | |
| 1015020 | Fat tissue | | | |
| 1015030 | Liver | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1015040 | Kidney | | | |
| 1015050 | Edible offals (other than liver and kidney) | | | |
| 1015990 | Others | | | |
| 1016000 | (f) *poultry* | | | |
| 1016010 | Muscle | | | |
| 1016020 | Fat tissue | | | |
| 1016030 | Liver | | | |
| 1016040 | Kidney | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | |
| 1016990 | Others | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | |
| 1017010 | Muscle | | | |
| 1017020 | Fat tissue | | | |
| 1017030 | Liver | | | |
| 1017040 | Kidney | | | |
| 1017050 | Edible offals (other than liver and kidney) | | | |
| 1017990 | Others | | | |
| 1020000 | **Milk** | | | |
| 1020010 | Cattle | | | |
| 1020020 | Sheep | | | |
| 1020030 | Goat | | | |
| 1020040 | Horse | | | |
| 1020990 | Others | | | |
| 1030000 | **Birds eggs** | | | |
| 1030010 | Chicken | | | |
| 1030020 | Duck | | | |
| 1030030 | Geese | | | |
| 1030040 | Quail | | | |
| 1030990 | Others | | | |

▼**M121**

| (1) | (2) | (3) | (4) | (5) |
|---|---|---|---|---|
| 1040000 | **Honey and other apiculture products** | | | |
| 1050000 | **Amphibians and Reptiles** | | | |
| 1060000 | **Terrestrial invertebrate animals** | | | |
| 1070000 | **Wild terrestrial vertebrate animals** | | | |

▼**M140**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Cyclaniliprole |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger (10) | **0,05** (*) |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |
| 1016000 | (f) *poultry* | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M140**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M137**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Diphenylamine | Oxadixyl |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,05** (*) | 0,01 (*) |
| 0110000 | **Citrus fruits** | | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruits with** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others (2) | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | 0,05 (*) | **0,01** (*) |
| 0210000 | **Root and tuber vegetables** | | |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | | |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | | |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | | |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | | |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | | |
| 0254000 | (d) *watercresses* | | |
| 0255000 | (e) *witloofs/Belgian endives* | | |
| 0256000 | (f) *herbs and edible flowers* | | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼M137

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | | |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | | |
| 0300000 | **PULSES** | 0,05 (*) | 0,01 (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼M137

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,05 (*) | 0,02 (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | 0,05 (*) | 0,01 (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudocereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others (2) | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | 0,02 (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | 0,05 (*) | 0,02 (*) |
| 0800000 | **SPICES** | 0,05 (*) | |
| 0810000 | **Seed spices** | | 0,02 (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | | 0,02 (*) |
| 0820010 | Allspice/pimento | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | | 0,02 (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | | 0,02 (*) |
| 0840020 | Ginger (10) | | 0,02 (*) |
| 0840030 | Turmeric/curcuma | | 0,02 (*) |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | | 0,02 (*) |
| 0850000 | **Bud spices** | | 0,02 (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | | 0,02 (*) |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | | 0,02 (*) |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | 0,05 (*) | 0,01 (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | 0,05 (*) | 0,01 (*) |
| 1010000 | **Commodities from** | | |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others (2) | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others (2) | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others (2) | | |
| 1014000 | (d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others (2) | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others (2) | | |
| 1016000 | (f) *poultry* | | |

▼M137

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others (2) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others (2) | | |
| 1020000 | **Milk** | | |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | | |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |
| 1040000 | **Honey and other apiculture products (7)** | | |
| 1050000 | **Amphibians and Reptiles** | | |
| 1060000 | **Terrestrial invertebrate animals** | | |
| 1070000 | **Wild terrestrial vertebrate animals** | | |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |

▼**M137**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼**M139**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Iprodione (R) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | 0,05 (*) |
| 0800000 | **SPICES** | **0,05** (*) |
| 0810000 | **Seed spices** | |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | |
| 0820010 | Allspice/pimento | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | |
| 0850000 | **Bud spices** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M139**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M141**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Linuron |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | **0,05** (*) |
| 0810000 | **Seed spices** | |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | |
| 0820010 | Allspice/pimento | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | |
| 0850000 | **Bud spices** | |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M141**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M143**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromadiolone |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0,01** (*) |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,01** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,01** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,01** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,01** (*) |
| 0820010 | Allspice/pimento | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,01** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,01** (*) |
| 0840020 | Ginger (10) | **0,01** (*) |
| 0840030 | Turmeric/curcuma | **0,01** (*) |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,01** (*) |
| 0850000 | **Bud spices** | **0,01** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,01** (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,01** (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **0,01** (*) |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | |
| 1050000 | **Amphibians and Reptiles** | |
| 1060000 | **Terrestrial invertebrate animals** | |
| 1070000 | **Wild terrestrial vertebrate animals** | |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M143**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M144**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Fenbutatin oxide (F) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | **0,01** (*) |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | **0,02** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | **0,01** (*) |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | **0,01** (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | **0,01** (*) |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | **0,01** (*) |
| 0161020 | Figs | **0,01** (*) |
| 0161030 | Table olives | **0,02** (*) |
| 0161040 | Kumquats | **0,01** (*) |
| 0161050 | Carambolas | **0,01** (*) |
| 0161060 | Kaki/Japanese persimmons | **0,01** (*) |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | **0,01** (*) |
| 0161990 | Others (2) | **0,01** (*) |
| 0162000 | (b) *inedible peel, small* | **0,01** (*) |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | **0,02** (*) |
| 0163020 | Bananas | **0,01** (*) |
| 0163030 | Mangoes | **0,01** (*) |
| 0163040 | Papayas | **0,01** (*) |
| 0163050 | Granate apples/pomegranates | **0,01** (*) |
| 0163060 | Cherimoyas | **0,01** (*) |
| 0163070 | Guavas | **0,01** (*) |
| 0163080 | Pineapples | **0,01** (*) |
| 0163090 | Breadfruits | **0,01** (*) |
| 0163100 | Durians | **0,01** (*) |
| 0163110 | Soursops/guanabanas | **0,01** (*) |
| 0163990 | Others (2) | **0,01** (*) |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,02** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger (10) | **0,05** (*) |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | **0,02** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | **0,02** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,02** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,02** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,02** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,02** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M144**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M145**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Buprofezin (F) | Diflubenzuron (F) (R) | Ethoxysulfuron | Ioxynil (sum of ioxynil and its salts, expressed as ioxynil) | Molinate | Picoxystrobin (F) | Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydropyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim) |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | **0,01** (*) | | **0,01** (*) | | 0,01 (*) | 0,1 (*) |
| 0110000 | **Citrus fruits** | | | 0,01 (*) | | 0,01 (*) | | |
| 0110010 | Grapefruits | | | | | | | |
| 0110020 | Oranges | | | | | | | |
| 0110030 | Lemons | | | | | | | |
| 0110040 | Limes | | | | | | | |
| 0110050 | Mandarins | | | | | | | |
| 0110990 | Others (2) | | | | | | | |
| 0120000 | **Tree nuts** | | | 0,02 (*) | | 0,02 (*) | | |
| 0120010 | Almonds | | | | | | | |
| 0120020 | Brazil nuts | | | | | | | |
| 0120030 | Cashew nuts | | | | | | | |
| 0120040 | Chestnuts | | | | | | | |
| 0120050 | Coconuts | | | | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | | | | |
| 0120070 | Macadamias | | | | | | | |
| 0120080 | Pecans | | | | | | | |
| 0120090 | Pine nut kernels | | | | | | | |
| 0120100 | Pistachios | | | | | | | |
| 0120110 | Walnuts | | | | | | | |
| 0120990 | Others (2) | | | | | | | |
| 0130000 | **Pome fruits** | | | 0,01 (*) | | 0,01 (*) | | |
| 0130010 | Apples | | | | | | | |
| 0130020 | Pears | | | | | | | |
| 0130030 | Quinces | | | | | | | |
| 0130040 | Medlars | | | | | | | |
| 0130050 | Loquats/Japanese medlars | | | | | | | |
| 0130990 | Others (2) | | | | | | | |
| 0140000 | **Stone fruits** | | | 0,01 (*) | | 0,01 (*) | | |
| 0140010 | Apricots | | | | | | | |
| 0140020 | Cherries (sweet) | | | | | | | |
| 0140030 | Peaches | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0140040 | Plums | | | | | | | |
| 0140990 | Others (2) | | | | | | | |
| 0150000 | **Berries and small fruits** | | | 0,01 (*) | | 0,01 (*) | | |
| 0151000 | (a) *grapes* | | | | | | | |
| 0151010 | Table grapes | | | | | | | |
| 0151020 | Wine grapes | | | | | | | |
| 0152000 | (b) *strawberries* | | | | | | | |
| 0153000 | (c) *cane fruits* | | | | | | | |
| 0153010 | Blackberries | | | | | | | |
| 0153020 | Dewberries | | | | | | | |
| 0153030 | Raspberries (red and yellow) | | | | | | | |
| 0153990 | Others (2) | | | | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | | | | |
| 0154010 | Blueberries | | | | | | | |
| 0154020 | Cranberries | | | | | | | |
| 0154030 | Currants (black, red and white) | | | | | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | | | | |
| 0154050 | Rose hips | | | | | | | |
| 0154060 | Mulberries (black and white) | | | | | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | | | | | |
| 0154080 | Elderberries | | | | | | | |
| 0154990 | Others (2) | | | | | | | |
| 0160000 | **Miscellaneous fruits with** | | | 0,01 (*) | | 0,01 (*) | | |
| 0161000 | (a) *edible peel* | | | | | | | |
| 0161010 | Dates | | | | | | | |
| 0161020 | Figs | | | | | | | |
| 0161030 | Table olives | | | | | | | |
| 0161040 | Kumquats | | | | | | | |
| 0161050 | Carambolas | | | | | | | |
| 0161060 | Kaki/Japanese persimmons | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | | | | | |
| 0161990 | Others (2) | | | | | | | |
| 0162000 | (b) *inedible peel, small* | | | | | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | | | | |
| 0162020 | Litchis/lychees | | | | | | | |
| 0162030 | Passionfruits/ maracujas | | | | | | | |
| 0162040 | Prickly pears/cactus fruits | | | | | | | |
| 0162050 | Star apples/cainitos | | | | | | | |
| 0162060 | American persimmons/ Virginia kaki | | | | | | | |
| 0162990 | Others (2) | | | | | | | |
| 0163000 | (c) *inedible peel, large* | | | | | | | |
| 0163010 | Avocados | | | | | | | |
| 0163020 | Bananas | | | | | | | |
| 0163030 | Mangoes | | | | | | | |
| 0163040 | Papayas | | | | | | | |
| 0163050 | Granate apples/ pomegranates | | | | | | | |
| 0163060 | Cherimoyas | | | | | | | |
| 0163070 | Guavas | | | | | | | |
| 0163080 | Pineapples | | | | | | | |
| 0163090 | Breadfruits | | | | | | | |
| 0163100 | Durians | | | | | | | |
| 0163110 | Soursops/ guanabanas | | | | | | | |
| 0163990 | Others (2) | | | | | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | | | | **0,1** (*) |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0211000 | (a) *potatoes* | | | | | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | | | | |
| 0212010 | Cassava roots/ manioc | | | | | | | |
| 0212020 | Sweet potatoes | | | | | | | |
| 0212030 | Yams | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | | | | |
| 0212990 | Others (2) | | | | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | | | | |
| 0213010 | Beetroots | | | | | | | |
| 0213020 | Carrots | | | | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | | | | |
| 0213040 | Horseradishes | | | | | | | |
| 0213050 | Jerusalem artichokes | | | | | | | |
| 0213060 | Parsnips | | | | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | | | | | | |
| 0213080 | Radishes | | | | | | | |
| 0213090 | Salsifies | | | | | | | |
| 0213100 | Swedes/rutabagas | | | | | | | |
| 0213110 | Turnips | | | | | | | |
| 0213990 | Others (2) | | | | | | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | |
| 0220010 | Garlic | | | | | | | |
| 0220020 | Onions | | | | | | | |
| 0220030 | Shallots | | | | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | | | | |
| 0220990 | Others (2) | | | | | | | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | | | | |
| 0231010 | Tomatoes | | | | | | | |
| 0231020 | Sweet peppers/bell peppers | | | | | | | |
| 0231030 | Aubergines/ eggplants | | | | | | | |
| 0231040 | Okra/lady's fingers | | | | | | | |
| 0231990 | Others (2) | | | | | | | |
| 0232000 | (b) *cucurbits with edible peel* | | | | | | | |
| 0232010 | Cucumbers | | | | | | | |
| 0232020 | Gherkins | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | | | | |
| 0232990 | Others (2) | | | | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | | | | | |
| 0233010 | Melons | | | | | | | |
| 0233020 | Pumpkins | | | | | | | |
| 0233030 | Watermelons | | | | | | | |
| 0233990 | Others (2) | | | | | | | |
| 0234000 | (d) *sweet corn* | | | | | | | |
| 0239000 | (e) *other fruiting vegetables* | | | | | | | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0241000 | (a) *flowering brassica* | | | | | | | |
| 0241010 | Broccoli | | | | | | | |
| 0241020 | Cauliflowers | | | | | | | |
| 0241990 | Others (2) | | | | | | | |
| 0242000 | (b) *head brassica* | | | | | | | |
| 0242010 | Brussels sprouts | | | | | | | |
| 0242020 | Head cabbages | | | | | | | |
| 0242990 | Others (2) | | | | | | | |
| 0243000 | (c) *leafy brassica* | | | | | | | |
| 0243010 | Chinese cabbages/ pe-tsai | | | | | | | |
| 0243020 | Kales | | | | | | | |
| 0243990 | Others (2) | | | | | | | |
| 0244000 | (d) *kohlrabies* | | | | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | | | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0251010 | Lamb's lettuces/ corn salads | | | | | | | |
| 0251020 | Lettuces | | | | | | | |
| 0251030 | Escaroles/broad-leaved endives | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | | | | | |
| 0251050 | Land cresses | | | | | | | |
| 0251060 | Roman rocket/ rucola | | | | | | | |
| 0251070 | Red mustards | | | | | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | | | | | |
| 0251990 | Others (2) | | | | | | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0252010 | Spinaches | | | | | | | |
| 0252020 | Purslanes | | | | | | | |
| 0252030 | Chards/beet leaves | | | | | | | |
| 0252990 | Others (2) | | | | | | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0254000 | (d) *watercresses* | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | **0,02** (*) | 0,02 (*) | **0,02** (*) | 0,02 (*) | 0,02 (*) | |
| 0256010 | Chervil | | | | | | | |
| 0256020 | Chives | | | | | | | |
| 0256030 | Celery leaves | | | | | | | |
| 0256040 | Parsley | | | | | | | |
| 0256050 | Sage | | | | | | | |
| 0256060 | Rosemary | | | | | | | |
| 0256070 | Thyme | | | | | | | |
| 0256080 | Basil and edible flowers | | | | | | | |
| 0256090 | Laurel/bay leaves | | | | | | | |
| 0256100 | Tarragon | | | | | | | |
| 0256990 | Others (2) | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0260010 | Beans (with pods) | | | | | | | |
| 0260020 | Beans (without pods) | | | | | | | |
| 0260030 | Peas (with pods) | | | | | | | |
| 0260040 | Peas (without pods) | | | | | | | |
| 0260050 | Lentils | | | | | | | |
| 0260990 | Others (2) | | | | | | | |
| 0270000 | **Stem vegetables** | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | |
| 0270010 | Asparagus | | | | | | | |
| 0270020 | Cardoons | | | | | | | |
| 0270030 | Celeries | | | | | | | |
| 0270040 | Florence fennels | | | | | | | |
| 0270050 | Globe artichokes | | | | | | | |
| 0270060 | Leeks | | | | | | | |
| 0270070 | Rhubarbs | | | | | | | |
| 0270080 | Bamboo shoots | | | | | | | |
| 0270090 | Palm hearts | | | | | | | |
| 0270990 | Others (2) | | | | | | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0280010 | Cultivated fungi | | | | | | | |
| 0280020 | Wild fungi | | | | | | | |
| 0280990 | Mosses and lichens | | | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | |
| 0300000 | **PULSES** | **0,01** (*) | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,1** (*) |
| 0300010 | Beans | | | | | | | |
| 0300020 | Lentils | | | | | | | |
| 0300030 | Peas | | | | | | | |
| 0300040 | Lupins/lupini beans | | | | | | | |
| 0300990 | Others (2) | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | **0,01** (*) | 0,02 (*) | **0,01** (*) | 0,02 (*) | **0,01** (*) | **0,1** (*) |
| 0401000 | **Oilseeds** | | | | | | | |
| 0401010 | Linseeds | | | | | | | |
| 0401020 | Peanuts/groundnuts | | | | | | | |
| 0401030 | Poppy seeds | | | | | | | |
| 0401040 | Sesame seeds | | | | | | | |
| 0401050 | Sunflower seeds | | | | | | | |
| 0401060 | Rapeseeds/canola seeds | | | | | | | |
| 0401070 | Soyabeans | | | | | | | |
| 0401080 | Mustard seeds | | | | | | | |
| 0401090 | Cotton seeds | | | | | | | |
| 0401100 | Pumpkin seeds | | | | | | | |
| 0401110 | Safflower seeds | | | | | | | |
| 0401120 | Borage seeds | | | | | | | |
| 0401130 | Gold of pleasure seeds | | | | | | | |
| 0401140 | Hemp seeds | | | | | | | |
| 0401150 | Castor beans | | | | | | | |
| 0401990 | Others (2) | | | | | | | |
| 0402000 | **Oil fruits** | | | | | | | |
| 0402010 | Olives for oil production | | | | | | | |
| 0402020 | Oil palms kernels | | | | | | | |
| 0402030 | Oil palms fruits | | | | | | | |
| 0402040 | Kapok | | | | | | | |
| 0402990 | Others (2) | | | | | | | |
| 0500000 | **CEREALS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | 0,1 (*) |
| 0500010 | Barley | | | | | | | |
| 0500020 | Buckwheat and other pseudo-cereals | | | | | | | |
| 0500030 | Maize/corn | | | | | | | |
| 0500040 | Common millet/proso millet | | | | | | | |
| 0500050 | Oat | | | | | | | |
| 0500060 | Rice | | | | | | | |
| 0500070 | Rye | | | | | | | |
| 0500080 | Sorghum | | | | | | | |
| 0500090 | Wheat | | | | | | | |
| 0500990 | Others (2) | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0610000 | **Teas** | | | | | | | |
| 0620000 | **Coffee beans** | | | | | | | |
| 0630000 | **Herbal infusions from** | | | | | | | |
| 0631000 | (a) *flowers* | | | | | | | |
| 0631010 | Chamomile | | | | | | | |
| 0631020 | Hibiscus/roselle | | | | | | | |
| 0631030 | Rose | | | | | | | |
| 0631040 | Jasmine | | | | | | | |
| 0631050 | Lime/linden | | | | | | | |
| 0631990 | Others (2) | | | | | | | |
| 0632000 | (b) *leaves and herbs* | | | | | | | |
| 0632010 | Strawberry | | | | | | | |
| 0632020 | Rooibos | | | | | | | |
| 0632030 | Mate/maté | | | | | | | |
| 0632990 | Others (2) | | | | | | | |
| 0633000 | (c) *roots* | | | | | | | |
| 0633010 | Valerian | | | | | | | |
| 0633020 | Ginseng | | | | | | | |
| 0633990 | Others (2) | | | | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | | | | |
| 0640000 | **Cocoa beans** | | | | | | | |
| 0650000 | **Carobs/Saint John's breads** | | | | | | | |
| 0700000 | **HOPS** | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0800000 | **SPICES** | | | | | | | |
| 0810000 | **Seed spices** | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0810010 | Anise/aniseed | | | | | | | |
| 0810020 | Black caraway/black cumin | | | | | | | |
| 0810030 | Celery | | | | | | | |
| 0810040 | Coriander | | | | | | | |
| 0810050 | Cumin | | | | | | | |
| 0810060 | Dill | | | | | | | |
| 0810070 | Fennel | | | | | | | |
| 0810080 | Fenugreek | | | | | | | |
| 0810090 | Nutmeg | | | | | | | |
| 0810990 | Others (2) | | | | | | | |
| 0820000 | **Fruit spices** | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0820010 | Allspice/pimento | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | | | | |
| 0820030 | Caraway | | | | | | | |
| 0820040 | Cardamom | | | | | | | |
| 0820050 | Juniper berry | | | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | | | |
| 0820070 | Vanilla | | | | | | | |
| 0820080 | Tamarind | | | | | | | |
| 0820990 | Others (2) | | | | | | | |
| 0830000 | **Bark spices** | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0830010 | Cinnamon | | | | | | | |
| 0830990 | Others (2) | | | | | | | |
| 0840000 | **Root and rhizome spices** | | | | | | | |
| 0840010 | Liquorice | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0840020 | Ginger (10) | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0840030 | Turmeric/curcuma | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0840040 | Horseradish (11) | | | | | | | |
| 0840990 | Others (2) | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0850000 | **Bud spices** | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0850010 | Cloves | | | | | | | |
| 0850020 | Capers | | | | | | | |
| 0850990 | Others (2) | | | | | | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0860010 | Saffron | | | | | | | |
| 0860990 | Others (2) | | | | | | | |
| 0870000 | **Aril spices** | 0,05 (*) | **0,05** (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) |
| 0870010 | Mace | | | | | | | |
| 0870990 | Others (2) | | | | | | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) | 0,1 (*) |
| 0900010 | Sugar beet roots | | | | | | | |
| 0900020 | Sugar canes | | | | | | | |
| 0900030 | Chicory roots | | | | | | | |
| 0900990 | Others (2) | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | | | | |
| 1010000 | **Commodities from** | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | **0,1** (*) |
| 1011000 | (a) *swine* | | | | | | | |
| 1011010 | Muscle | | | | | | | |
| 1011020 | Fat | | | | | | | |
| 1011030 | Liver | | | | | | | |
| 1011040 | Kidney | | | | | | | |
| 1011050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1011990 | Others (2) | | | | | | | |
| 1012000 | (b) *bovine* | | | | | | | |
| 1012010 | Muscle | | | | | | | |
| 1012020 | Fat | | | | | | | |
| 1012030 | Liver | | | | | | | |
| 1012040 | Kidney | | | | | | | |
| 1012050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1012990 | Others (2) | | | | | | | |
| 1013000 | (c) *sheep* | | | | | | | |
| 1013010 | Muscle | | | | | | | |
| 1013020 | Fat | | | | | | | |
| 1013030 | Liver | | | | | | | |
| 1013040 | Kidney | | | | | | | |
| 1013050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1013990 | Others (2) | | | | | | | |
| 1014000 | (d) *goat* | | | | | | | |
| 1014010 | Muscle | | | | | | | |
| 1014020 | Fat | | | | | | | |
| 1014030 | Liver | | | | | | | |
| 1014040 | Kidney | | | | | | | |
| 1014050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1014990 | Others (2) | | | | | | | |
| 1015000 | (e) *equine* | | | | | | | |
| 1015010 | Muscle | | | | | | | |
| 1015020 | Fat | | | | | | | |
| 1015030 | Liver | | | | | | | |
| 1015040 | Kidney | | | | | | | |
| 1015050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1015990 | Others (2) | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1016000 | (f) *poultry* | | | | | | | |
| 1016010 | Muscle | | | | | | | |
| 1016020 | Fat | | | | | | | |
| 1016030 | Liver | | | | | | | |
| 1016040 | Kidney | | | | | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1016990 | Others (2) | | | | | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | | | | |
| 1017010 | Muscle | | | | | | | |
| 1017020 | Fat | | | | | | | |
| 1017030 | Liver | | | | | | | |
| 1017040 | Kidney | | | | | | | |
| 1017050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1017990 | Others (2) | | | | | | | |
| 1020000 | **Milk** | **0,01** (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | 0,01 | 0,02 (*) |
| 1020010 | Cattle | | | | | | | |
| 1020020 | Sheep | | | | | | | |
| 1020030 | Goat | | | | | | | |
| 1020040 | Horse | | | | | | | |
| 1020990 | Others (2) | | | | | | | |
| 1030000 | **Birds eggs** | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,1 (*) |
| 1030010 | Chicken | | | | | | | |
| 1030020 | Duck | | | | | | | |
| 1030030 | Geese | | | | | | | |
| 1030040 | Quail | | | | | | | |
| 1030990 | Others (2) | | | | | | | |
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | **0,1** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,1 (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,1 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) | 0,1 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | | | |

▼**M145**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | | | |

▼**M150**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | 2,5-dichlorobenzoic acid methylester (sum of 2,5-dichlorobenzoic acid and its ester expressed as 2,5-dichlorobenzoic acid methylester) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruits with** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0,01** (*) |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables (excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,01** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,01** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,01** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,01** (*) |
| 0820010 | Allspice/pimento | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,01** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,01** (*) |
| 0840020 | Ginger (10) | **0,01** (*) |
| 0840030 | Turmeric/curcuma | **0,01** (*) |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,01** (*) |
| 0850000 | **Bud spices** | **0,01** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,01** (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,01** (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **0,01** (*) |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | |
| 1050000 | **Amphibians and Reptiles** | |
| 1060000 | **Terrestrial invertebrate animals** | |
| 1070000 | **Wild terrestrial vertebrate animals** | |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | **0,01** (*) |

▼**M150**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | **0,01** (*) |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | **0,01** (*) |

▼**M155**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Amitrole | Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F) | Flupyrsulfuron-methyl | Imazosulfuron | Isoproturon | Orthosulfamuron | Triasulfuron |
|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | 0,005 (*) | 0,02 (*) | | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0110000 | **Citrus fruits** | **0,01** (*) | | | 0,01 (*) | | | |
| 0110010 | Grapefruits | | | | | | | |
| 0110020 | Oranges | | | | | | | |
| 0110030 | Lemons | | | | | | | |
| 0110040 | Limes | | | | | | | |
| 0110050 | Mandarins | | | | | | | |
| 0110990 | Others (2) | | | | | | | |
| 0120000 | **Tree nuts** | 0,02 (*) | | | 0,02 (*) | | | |
| 0120010 | Almonds | | | | | | | |
| 0120020 | Brazil nuts | | | | | | | |
| 0120030 | Cashew nuts | | | | | | | |
| 0120040 | Chestnuts | | | | | | | |
| 0120050 | Coconuts | | | | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | | | | |
| 0120070 | Macadamias | | | | | | | |
| 0120080 | Pecans | | | | | | | |
| 0120090 | Pine nut kernels | | | | | | | |
| 0120100 | Pistachios | | | | | | | |
| 0120110 | Walnuts | | | | | | | |
| 0120990 | Others (2) | | | | | | | |
| 0130000 | **Pome fruits** | **0,01** (*) | | | 0,01 (*) | | | |
| 0130010 | Apples | | | | | | | |
| 0130020 | Pears | | | | | | | |
| 0130030 | Quinces | | | | | | | |
| 0130040 | Medlars | | | | | | | |
| 0130050 | Loquats/Japanese medlars | | | | | | | |
| 0130990 | Others (2) | | | | | | | |
| 0140000 | **Stone fruits** | **0,01** (*) | | | 0,01 (*) | | | |
| 0140010 | Apricots | | | | | | | |
| 0140020 | Cherries (sweet) | | | | | | | |
| 0140030 | Peaches | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0140040 | Plums | | | | | | | |
| 0140990 | Others (2) | | | | | | | |
| 0150000 | **Berries and small fruits** | **0,01** (*) | | | 0,01 (*) | | | |
| 0151000 | (a) *grapes* | | | | | | | |
| 0151010 | Table grapes | | | | | | | |
| 0151020 | Wine grapes | | | | | | | |
| 0152000 | (b) *strawberries* | | | | | | | |
| 0153000 | (c) *cane fruits* | | | | | | | |
| 0153010 | Blackberries | | | | | | | |
| 0153020 | Dewberries | | | | | | | |
| 0153030 | Raspberries (red and yellow) | | | | | | | |
| 0153990 | Others (2) | | | | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | | | | |
| 0154010 | Blueberries | | | | | | | |
| 0154020 | Cranberries | | | | | | | |
| 0154030 | Currants (black, red and white) | | | | | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | | | | |
| 0154050 | Rose hips | | | | | | | |
| 0154060 | Mulberries (black and white) | | | | | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | | | | | |
| 0154080 | Elderberries | | | | | | | |
| 0154990 | Others (2) | | | | | | | |
| 0160000 | **Miscellaneous fruitswith** | | | | 0,01 (*) | | | |
| 0161000 | (a) *edible peel* | | | | | | | |
| 0161010 | Dates | 0,01 (*) | | | | | | |
| 0161020 | Figs | 0,01 (*) | | | | | | |
| 0161030 | Table olives | **0,02** (*) | | | | | | |
| 0161040 | Kumquats | 0,01 (*) | | | | | | |
| 0161050 | Carambolas | 0,01 (*) | | | | | | |
| 0161060 | Kaki/Japanese persimmons | 0,01 (*) | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | 0,01 (*) | | | | | | |
| 0161990 | Others (2) | 0,01 (*) | | | | | | |
| 0162000 | (b) *inedible peel, small* | 0,01 (*) | | | | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | | | | |
| 0162020 | Litchis/lychees | | | | | | | |
| 0162030 | Passionfruits/ maracujas | | | | | | | |
| 0162040 | Prickly pears/ cactus fruits | | | | | | | |
| 0162050 | Star apples/ cainitos | | | | | | | |
| 0162060 | American persimmons/ Virginia kaki | | | | | | | |
| 0162990 | Others (2) | | | | | | | |
| 0163000 | (c) *inedible peel, large* | 0,01 (*) | | | | | | |
| 0163010 | Avocados | | | | | | | |
| 0163020 | Bananas | | | | | | | |
| 0163030 | Mangoes | | | | | | | |
| 0163040 | Papayas | | | | | | | |
| 0163050 | Granate apples/ pomegranates | | | | | | | |
| 0163060 | Cherimoyas | | | | | | | |
| 0163070 | Guavas | | | | | | | |
| 0163080 | Pineapples | | | | | | | |
| 0163090 | Breadfruits | | | | | | | |
| 0163100 | Durians | | | | | | | |
| 0163110 | Soursops/ guanabanas | | | | | | | |
| 0163990 | Others (2) | | | | | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | **0,005** (*) | | | | | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0211000 | (a) *potatoes* | | | | | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | | | | |
| 0212010 | Cassava roots/ manioc | | | | | | | |
| 0212020 | Sweet potatoes | | | | | | | |
| 0212030 | Yams | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | | | | |
| 0212990 | Others (2) | | | | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | | | | |
| 0213010 | Beetroots | | | | | | | |
| 0213020 | Carrots | | | | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | | | | |
| 0213040 | Horseradishes | | | | | | | |
| 0213050 | Jerusalem artichokes | | | | | | | |
| 0213060 | Parsnips | | | | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | | | | | | |
| 0213080 | Radishes | | | | | | | |
| 0213090 | Salsifies | | | | | | | |
| 0213100 | Swedes/rutabagas | | | | | | | |
| 0213110 | Turnips | | | | | | | |
| 0213990 | Others (2) | | | | | | | |
| 0220000 | **Bulb vegetables** | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0220010 | Garlic | | | | | | | |
| 0220020 | Onions | | | | | | | |
| 0220030 | Shallots | | | | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | | | | |
| 0220990 | Others (2) | | | | | | | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | | | | |
| 0231010 | Tomatoes | | | | | | | |
| 0231020 | Sweet peppers/bell peppers | | | | | | | |
| 0231030 | Aubergines/ eggplants | | | | | | | |
| 0231040 | Okra/lady's fingers | | | | | | | |
| 0231990 | Others (2) | | | | | | | |
| 0232000 | (b) *cucurbits with edible peel* | | | | | | | |
| 0232010 | Cucumbers | | | | | | | |
| 0232020 | Gherkins | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | | | | |
| 0232990 | Others (2) | | | | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | | | | | |
| 0233010 | Melons | | | | | | | |
| 0233020 | Pumpkins | | | | | | | |
| 0233030 | Watermelons | | | | | | | |
| 0233990 | Others (2) | | | | | | | |
| 0234000 | (d) *sweet corn* | | | | | | | |
| 0239000 | (e) *other fruiting vegetables* | | | | | | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | | | | | | |
| 0241010 | Broccoli | | | | | | | |
| 0241020 | Cauliflowers | | | | | | | |
| 0241990 | Others (2) | | | | | | | |
| 0242000 | (b) *head brassica* | | | | | | | |
| 0242010 | Brussels sprouts | | | | | | | |
| 0242020 | Head cabbages | | | | | | | |
| 0242990 | Others (2) | | | | | | | |
| 0243000 | (c) *leafy brassica* | | | | | | | |
| 0243010 | Chinese cabbages/ pe-tsai | | | | | | | |
| 0243020 | Kales | | | | | | | |
| 0243990 | Others (2) | | | | | | | |
| 0244000 | (d) *kohlrabies* | | | | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | | | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0251010 | Lamb's lettuces/ corn salads | | | | | | | |
| 0251020 | Lettuces | | | | | | | |
| 0251030 | Escaroles/broad-leaved endives | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | | | | | |
| 0251050 | Land cresses | | | | | | | |
| 0251060 | Roman rocket/ rucola | | | | | | | |
| 0251070 | Red mustards | | | | | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | | | | | |
| 0251990 | Others (2) | | | | | | | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0252010 | Spinaches | | | | | | | |
| 0252020 | Purslanes | | | | | | | |
| 0252030 | Chards/beet leaves | | | | | | | |
| 0252990 | Others (2) | | | | | | | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | 0,02 (*) | | 0,05 (*) | 0,02 (*) | **0,02** (*) | **0,02** (*) | **0,02** (*) |
| 0256010 | Chervil | | | | | | | |
| 0256020 | Chives | | | | | | | |
| 0256030 | Celery leaves | | | | | | | |
| 0256040 | Parsley | | | | | | | |
| 0256050 | Sage | | | | | | | |
| 0256060 | Rosemary | | | | | | | |
| 0256070 | Thyme | | | | | | | |
| 0256080 | Basil and edible flowers | | | | | | | |
| 0256090 | Laurel/bay leaves | | | | | | | |
| 0256100 | Tarragon | | | | | | | |
| 0256990 | Others (2) | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0260010 | Beans (with pods) | | | | | | | |
| 0260020 | Beans (without pods) | | | | | | | |
| 0260030 | Peas (with pods) | | | | | | | |
| 0260040 | Peas (without pods) | | | | | | | |
| 0260050 | Lentils | | | | | | | |
| 0260990 | Others (2) | | | | | | | |
| 0270000 | **Stem vegetables** | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0270010 | Asparagus | | | | | | | |
| 0270020 | Cardoons | | | | | | | |
| 0270030 | Celeries | | | | | | | |
| 0270040 | Florence fennels | | | | | | | |
| 0270050 | Globe artichokes | | | | | | | |
| 0270060 | Leeks | | | | | | | |
| 0270070 | Rhubarbs | | | | | | | |
| 0270080 | Bamboo shoots | | | | | | | |
| 0270090 | Palm hearts | | | | | | | |
| 0270990 | Others (2) | | | | | | | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0280010 | Cultivated fungi | | | | | | | |
| 0280020 | Wild fungi | | | | | | | |
| 0280990 | Mosses and lichens | | | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) | | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0300000 | **PULSES** | 0,01 (*) | 0,005 (*) | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0300010 | Beans | | | | | | | |
| 0300020 | Lentils | | | | | | | |
| 0300030 | Peas | | | | | | | |
| 0300040 | Lupins/lupini beans | | | | | | | |
| 0300990 | Others (2) | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,02** (*) | 0,005 (*) | 0,02 (*) | 0,02 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0401000 | **Oilseeds** | | | | | | | |
| 0401010 | Linseeds | | | | | | | |
| 0401020 | Peanuts/groundnuts | | | | | | | |
| 0401030 | Poppy seeds | | | | | | | |
| 0401040 | Sesame seeds | | | | | | | |
| 0401050 | Sunflower seeds | | | | | | | |
| 0401060 | Rapeseeds/canola seeds | | | | | | | |
| 0401070 | Soyabeans | | | | | | | |
| 0401080 | Mustard seeds | | | | | | | |
| 0401090 | Cotton seeds | | | | | | | |
| 0401100 | Pumpkin seeds | | | | | | | |
| 0401110 | Safflower seeds | | | | | | | |
| 0401120 | Borage seeds | | | | | | | |
| 0401130 | Gold of pleasure seeds | | | | | | | |
| 0401140 | Hemp seeds | | | | | | | |
| 0401150 | Castor beans | | | | | | | |
| 0401990 | Others (2) | | | | | | | |
| 0402000 | **Oil fruits** | | | | | | | |
| 0402010 | Olives for oil production | | | | | | | |
| 0402020 | Oil palms kernels | | | | | | | |
| 0402030 | Oil palms fruits | | | | | | | |
| 0402040 | Kapok | | | | | | | |
| 0402990 | Others (2) | | | | | | | |
| 0500000 | **CEREALS** | 0,01 (*) | 0,005 (*) | 0,02 (*) | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0500010 | Barley | | | | | | | |
| 0500020 | Buckwheat and other pseudo-cereals | | | | | | | |
| 0500030 | Maize/corn | | | | | | | |
| 0500040 | Common millet/proso millet | | | | | | | |
| 0500050 | Oat | | | | | | | |
| 0500060 | Rice | | | | | | | |
| 0500070 | Rye | | | | | | | |
| 0500080 | Sorghum | | | | | | | |
| 0500090 | Wheat | | | | | | | |
| 0500990 | Others (2) | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0610000 | **Teas** | | | | | | | |
| 0620000 | **Coffee beans** | | | | | | | |
| 0630000 | **Herbal infusions from** | | | | | | | |
| 0631000 | (a) *flowers* | | | | | | | |
| 0631010 | Chamomile | | | | | | | |
| 0631020 | Hibiscus/roselle | | | | | | | |
| 0631030 | Rose | | | | | | | |
| 0631040 | Jasmine | | | | | | | |
| 0631050 | Lime/linden | | | | | | | |
| 0631990 | Others (2) | | | | | | | |
| 0632000 | (b) *leaves and herbs* | | | | | | | |
| 0632010 | Strawberry | | | | | | | |
| 0632020 | Rooibos | | | | | | | |
| 0632030 | Mate/maté | | | | | | | |
| 0632990 | Others (2) | | | | | | | |
| 0633000 | (c) *roots* | | | | | | | |
| 0633010 | Valerian | | | | | | | |
| 0633020 | Ginseng | | | | | | | |
| 0633990 | Others (2) | | | | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | | | | |
| 0640000 | **Cocoa beans** | | | | | | | |
| 0650000 | **Carobs/Saint John's breads** | | | | | | | |
| 0700000 | **HOPS** | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0800000 | **SPICES** | | | | | | | |
| 0810000 | **Seed spices** | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0810010 | Anise/aniseed | | | | | | | |
| 0810020 | Black caraway/black cumin | | | | | | | |
| 0810030 | Celery | | | | | | | |
| 0810040 | Coriander | | | | | | | |
| 0810050 | Cumin | | | | | | | |
| 0810060 | Dill | | | | | | | |
| 0810070 | Fennel | | | | | | | |
| 0810080 | Fenugreek | | | | | | | |
| 0810090 | Nutmeg | | | | | | | |
| 0810990 | Others (2) | | | | | | | |
| 0820000 | **Fruit spices** | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0820010 | Allspice/pimento | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | | | | |
| 0820030 | Caraway | | | | | | | |
| 0820040 | Cardamom | | | | | | | |
| 0820050 | Juniper berry | | | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | | | |
| 0820070 | Vanilla | | | | | | | |
| 0820080 | Tamarind | | | | | | | |
| 0820990 | Others (2) | | | | | | | |
| 0830000 | **Bark spices** | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0830010 | Cinnamon | | | | | | | |
| 0830990 | Others (2) | | | | | | | |
| 0840000 | **Root and rhizome spices** | | | | | | | |
| 0840010 | Liquorice | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0840020 | Ginger (10) | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0840030 | Turmeric/curcuma | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0840040 | Horseradish (11) | | | | | | | |
| 0840990 | Others (2) | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0850000 | **Bud spices** | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0850010 | Cloves | | | | | | | |
| 0850020 | Capers | | | | | | | |
| 0850990 | Others (2) | | | | | | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0860010 | Saffron | | | | | | | |
| 0860990 | Others (2) | | | | | | | |
| 0870000 | **Aril spices** | 0,05 (*) | 0,005 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | **0,05** (*) |
| 0870010 | Mace | | | | | | | |
| 0870990 | Others (2) | | | | | | | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) | 0,005 (*) | 0,02 (*) | 0,01 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 0900010 | Sugar beet roots | | | | | | | |
| 0900020 | Sugar canes | | | | | | | |
| 0900030 | Chicory roots | | | | | | | |
| 0900990 | Others (2) | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS** | | **0,005** (*) | | | | | |
| 1010000 | **Commodities from** | 0,01 (*) | | 0,02 (*) | 0,02 (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) |
| 1011000 | (a) *swine* | | | | | | | |
| 1011010 | Muscle | | | | | | | |
| 1011020 | Fat | | | | | | | |
| 1011030 | Liver | | | | | | | |
| 1011040 | Kidney | | | | | | | |
| 1011050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1011990 | Others (2) | | | | | | | |
| 1012000 | (b) *bovine* | | | | | | | |
| 1012010 | Muscle | | | | | | | |
| 1012020 | Fat | | | | | | | |
| 1012030 | Liver | | | | | | | |
| 1012040 | Kidney | | | | | | | |
| 1012050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1012990 | Others (2) | | | | | | | |
| 1013000 | (c) *sheep* | | | | | | | |
| 1013010 | Muscle | | | | | | | |
| 1013020 | Fat | | | | | | | |
| 1013030 | Liver | | | | | | | |
| 1013040 | Kidney | | | | | | | |
| 1013050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1013990 | Others (2) | | | | | | | |
| 1014000 | d) *goat* | | | | | | | |
| 1014010 | Muscle | | | | | | | |
| 1014020 | Fat | | | | | | | |
| 1014030 | Liver | | | | | | | |
| 1014040 | Kidney | | | | | | | |
| 1014050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1014990 | Others (2) | | | | | | | |
| 1015000 | (e) *equine* | | | | | | | |
| 1015010 | Muscle | | | | | | | |
| 1015020 | Fat | | | | | | | |
| 1015030 | Liver | | | | | | | |
| 1015040 | Kidney | | | | | | | |
| 1015050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1015990 | Others (2) | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1016000 | (f) *poultry* | | | | | | | |
| 1016010 | Muscle | | | | | | | |
| 1016020 | Fat | | | | | | | |
| 1016030 | Liver | | | | | | | |
| 1016040 | Kidney | | | | | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1016990 | Others (2) | | | | | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | | | | |
| 1017010 | Muscle | | | | | | | |
| 1017020 | Fat | | | | | | | |
| 1017030 | Liver | | | | | | | |
| 1017040 | Kidney | | | | | | | |
| 1017050 | Edible offals (other than liver and kidney) | | | | | | | |
| 1017990 | Others (2) | | | | | | | |
| 1020000 | **Milk** | 0,01 (*) | | 0,02 (*) | 0,02 (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) |
| 1020010 | Cattle | | | | | | | |
| 1020020 | Sheep | | | | | | | |
| 1020030 | Goat | | | | | | | |
| 1020040 | Horse | | | | | | | |
| 1020990 | Others (2) | | | | | | | |
| 1030000 | **Birds eggs** | 0,05 (*) | | 0,02 (*) | 0,02 (*) | 0,01 (*) | 0,01 (*) | **0,01** (*) |
| 1030010 | Chicken | | | | | | | |
| 1030020 | Duck | | | | | | | |
| 1030030 | Geese | | | | | | | |
| 1030040 | Quail | | | | | | | |
| 1030990 | Others (2) | | | | | | | |
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) | | 0,05 (*) | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) | | 0,02 (*) | 0,02 (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) | | 0,02 (*) | 0,02 (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) | | 0,02 (*) | 0,02 (*) | **0,01** (*) | 0,01 (*) | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | | | |

▼**M155**

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
|---|---|---|---|---|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | | | |

▼M162

▼C16

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0.01 (*)** | **0.01 (*)** |
| 0110000 | **Citrus fruits** | | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruitswith** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others (2) | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0.01 (*)** | **0.01 (*)** |
| 0210000 | **Root and tuber vegetables** | | |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | | |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | | |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | | |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | | |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | | |
| 0254000 | (d) *watercresses* | | |
| 0255000 | (e) *witloofs/Belgian endives* | | |
| 0256000 | (f) *herbs and edible flowers* | | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | | |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | | |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | | |
| 0300000 | **PULSES** | 0.01 (*) | **0.01 (*)** |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0.01 (*)** | **0.01 (*)** |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | **0.01 (*)** | **0.01 (*)** |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudocereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others (2) | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0.01 (*)** | **0.01 (*)** |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | **0.01 (*)** | **0.01 (*)** |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | **0.01 (*)** | **0.01 (*)** |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | **0.01 (*)** | **0.01 (*)** |
| 0820010 | Allspice/pimento | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | **0.01 (*)** | **0.01 (*)** |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | **0.01 (*)** | **0.01 (*)** |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | **0.01 (*)** | **0.01 (*)** |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | **0.01 (*)** | **0.01 (*)** |
| 0850000 | **Bud spices** | **0.01 (*)** | **0.01 (*)** |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | **0.01 (*)** | **0.01 (*)** |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | **0.01 (*)** | **0.01 (*)** |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | **0.01 (*)** | 0.01 (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **0.01 (*)** | **0.01 (*)** |
| 1010000 | **Commodities from** | | |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others (2) | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others (2) | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others (2) | | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others (2) | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others (2) | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others (2) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others (2) | | |
| 1020000 | **Milk** | | |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | | |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |
| 1040000 | **Honey and other apiculture products (7)** | | |
| 1050000 | **Amphibians and Reptiles** | | |
| 1060000 | **Terrestrial invertebrate animals** | | |
| 1070000 | **Wild terrestrial vertebrate animals** | | |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |

▼C16

| Code number | Groups and examples of individual products to which the MRLs apply ([a]) | Chlorpyrifos (F) | Chlorpyrifos-methyl (F) (R) |
|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼M165

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Oxadiazon | Repellants: tall oil |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | **0,01** |
| 0110000 | **Citrus fruits** | | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruitswith** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others (2) | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | **0,01** |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) | |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) | |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) | |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) | |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) | |
| 0254000 | (d) *watercresses* | **0,01** (*) | |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) | |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼M165

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) | |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | **0,01** (*) | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) | |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) | |
| 0300000 | **PULSES** | **0,01** (*) | **0,01** |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼M165

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | **0,01** |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | **0,01** (*) | **0,01** |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudocereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others (2) | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | **0,01** |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | 0,05 (*) | **0,01** |
| 0800000 | **SPICES** | | **0,01** |
| 0810000 | **Seed spices** | 0,05 (*) | |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | 0,05 (*) | |
| 0820010 | Allspice/pimento | | |

▼M165

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | 0,05 (*) | |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | 0,05 (*) | |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | 0,05 (*) | |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | 0,05 (*) | |
| 0850000 | **Bud spices** | 0,05 (*) | |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | 0,05 (*) | |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) | **0,01** |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | **0,01** |
| 1010000 | **Commodities from** | **0,01** (*) | |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others (2) | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others (2) | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others (2) | | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others (2) | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others (2) | | |

▼M165

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others (2) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others (2) | | |
| 1020000 | **Milk** | **0,01** (*) | |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | **0,01** (*) | |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |

▼**M165**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼M166

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | **0.01** (*) | **0.01** (*) | **0.02** (*) |
| 0110000 | **Citrus fruits** | | | | | | | | | |
| 0110010 | Grapefruits | | | | | | | | | |
| 0110020 | Oranges | | | | | | | | | |
| 0110030 | Lemons | | | | | | | | | |
| 0110040 | Limes | | | | | | | | | |
| 0110050 | Mandarins | | | | | | | | | |
| 0110990 | Others (2) | | | | | | | | | |
| 0120000 | **Tree nuts** | | | | | | | | | |
| 0120010 | Almonds | | | | | | | | | |
| 0120020 | Brazil nuts | | | | | | | | | |
| 0120030 | Cashew nuts | | | | | | | | | |
| 0120040 | Chestnuts | | | | | | | | | |
| 0120050 | Coconuts | | | | | | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | | | | | | |
| 0120070 | Macadamias | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0120080 | Pecans | | | | | | | | | |
| 0120090 | Pine nut kernels | | | | | | | | | |
| 0120100 | Pistachios | | | | | | | | | |
| 0120110 | Walnuts | | | | | | | | | |
| 0120990 | Others (2) | | | | | | | | | |
| 0130000 | **Pome fruits** | | | | | | | | | |
| 0130010 | Apples | | | | | | | | | |
| 0130020 | Pears | | | | | | | | | |
| 0130030 | Quinces | | | | | | | | | |
| 0130040 | Medlars | | | | | | | | | |
| 0130050 | Loquats/Japanese medlars | | | | | | | | | |
| 0130990 | Others (2) | | | | | | | | | |
| 0140000 | **Stone fruits** | | | | | | | | | |
| 0140010 | Apricots | | | | | | | | | |
| 0140020 | Cherries (sweet) | | | | | | | | | |
| 0140030 | Peaches | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0140040 | Plums | | | | | | | | | |
| 0140990 | Others (2) | | | | | | | | | |
| 0150000 | **Berries and small fruits** | | | | | | | | | |
| 0151000 | (a) *grapes* | | | | | | | | | |
| 0151010 | Table grapes | | | | | | | | | |
| 0151020 | Wine grapes | | | | | | | | | |
| 0152000 | (b) *strawberries* | | | | | | | | | |
| 0153000 | (c) *cane fruits* | | | | | | | | | |
| 0153010 | Blackberries | | | | | | | | | |
| 0153020 | Dewberries | | | | | | | | | |
| 0153030 | Raspberries (red and yellow) | | | | | | | | | |
| 0153990 | Others (2) | | | | | | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | | | | | | |
| 0154010 | Blueberries | | | | | | | | | |
| 0154020 | Cranberries | | | | | | | | | |
| 0154030 | Currants (black, red and white) | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0154040 | Gooseberries (green, red and yellow) | | | | | | | | | |
| 0154050 | Rose hips | | | | | | | | | |
| 0154060 | Mulberries (black and white) | | | | | | | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | | | | | | | |
| 0154080 | Elderberries | | | | | | | | | |
| 0154990 | Others (2) | | | | | | | | | |
| 0160000 | **Miscellaneous fruitswith** | | | | | | | | | |
| 0161000 | (a) *edible peel* | | | | | | | | | |
| 0161010 | Dates | | | | | | | | | |
| 0161020 | Figs | | | | | | | | | |
| 0161030 | Table olives | | | | | | | | | |
| 0161040 | Kumquats | | | | | | | | | |
| 0161050 | Carambolas | | | | | | | | | |
| 0161060 | Kaki/Japanese persimmons | | | | | | | | | |
| 0161070 | Jambuls/jambolans | | | | | | | | | |
| 0161990 | Others (2) | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0162000 | (b) *inedible peel, small* | | | | | | | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | | | | | | |
| 0162020 | Litchis/lychees | | | | | | | | | |
| 0162030 | Passionfruits/maracujas | | | | | | | | | |
| 0162040 | Prickly pears/cactus fruits | | | | | | | | | |
| 0162050 | Star apples/cainitos | | | | | | | | | |
| 0162060 | American persimmons/Virginia kaki | | | | | | | | | |
| 0162990 | Others (2) | | | | | | | | | |
| 0163000 | (c) *inedible peel, large* | | | | | | | | | |
| 0163010 | Avocados | | | | | | | | | |
| 0163020 | Bananas | | | | | | | | | |
| 0163030 | Mangoes | | | | | | | | | |
| 0163040 | Papayas | | | | | | | | | |
| 0163050 | Granate apples/pomegranates | | | | | | | | | |
| 0163060 | Cherimoyas | | | | | | | | | |
| 0163070 | Guavas | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0163080 | Pineapples | | | | | | | | | |
| 0163090 | Breadfruits | | | | | | | | | |
| 0163100 | Durians | | | | | | | | | |
| 0163110 | Soursops/guanabanas | | | | | | | | | |
| 0163990 | Others (2) | | | | | | | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | | | | | | |
| 0210000 | **Root and tuber vegetables** | | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | **0.01** (*) | 0.01 (*) | 0.02 (*) |
| 0211000 | (a) *potatoes* | | | | | | | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | | | | | | |
| 0212010 | Cassava roots/manioc | | | | | | | | | |
| 0212020 | Sweet potatoes | | | | | | | | | |
| 0212030 | Yams | | | | | | | | | |
| 0212040 | Arrowroots | | | | | | | | | |
| 0212990 | Others (2) | | | | | | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | | | | | | |
| 0213010 | Beetroots | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0213020 | Carrots | | | | | | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | | | | | | |
| 0213040 | Horseradishes | | | | | | | | | |
| 0213050 | Jerusalem artichokes | | | | | | | | | |
| 0213060 | Parsnips | | | | | | | | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | | | | | | | | |
| 0213080 | Radishes | | | | | | | | | |
| 0213090 | Salsifies | | | | | | | | | |
| 0213100 | Swedes/rutabagas | | | | | | | | | |
| 0213110 | Turnips | | | | | | | | | |
| 0213990 | Others (2) | | | | | | | | | |
| 0220000 | **Bulb vegetables** | | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | **0.01** (*) | 0.01 (*) | 0.02 (*) |
| 0220010 | Garlic | | | | | | | | | |
| 0220020 | Onions | | | | | | | | | |
| 0220030 | Shallots | | | | | | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0220990 | Others (2) | | | | | | | | | |
| 0230000 | **Fruiting vegetables** | | **0.01** (*) | 0.01 (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | 0.01 (*) | **0.01** (*) | **0.02** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | | | | | | |
| 0231010 | Tomatoes | | | | | | | | | |
| 0231020 | Sweet peppers/bell peppers | | | | | | | | | |
| 0231030 | Aubergines/eggplants | | | | | | | | | |
| 0231040 | Okra/lady's fingers | | | | | | | | | |
| 0231990 | Others (2) | | | | | | | | | |
| 0232000 | (b) *cucurbits with edible peel* | | | | | | | | | |
| 0232010 | Cucumbers | | | | | | | | | |
| 0232020 | Gherkins | | | | | | | | | |
| 0232030 | Courgettes | | | | | | | | | |
| 0232990 | Others (2) | | | | | | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | | | | | | | |
| 0233010 | Melons | | | | | | | | | |
| 0233020 | Pumpkins | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0233030 | Watermelons | | | | | | | | | |
| 0233990 | Others (2) | | | | | | | | | |
| 0234000 | (d) *sweet corn* | | | | | | | | | |
| 0239000 | (e) *other fruiting vegetables* | | | | | | | | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | **0.02** (*) |
| 0241000 | (a) *flowering brassica* | | | | | | | | | |
| 0241010 | Broccoli | | | | | | | | | |
| 0241020 | Cauliflowers | | | | | | | | | |
| 0241990 | Others (2) | | | | | | | | | |
| 0242000 | (b) *head brassica* | | | | | | | | | |
| 0242010 | Brussels sprouts | | | | | | | | | |
| 0242020 | Head cabbages | | | | | | | | | |
| 0242990 | Others (2) | | | | | | | | | |
| 0243000 | (c) *leafy brassica* | | | | | | | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | | | | | | | |
| 0243020 | Kales | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0243990 | Others (2) | | | | | | | | | |
| 0244000 | (d) *kohlrabies* | | | | | | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | | | | | | |
| 0251000 | (a) *lettuces and salad plants* | | 0.01 (*) | 0.01 (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | **0.02** (*) |
| 0251010 | Lamb's lettuces/corn salads | | | | | | | | | |
| 0251020 | Lettuces | | | | | | | | | |
| 0251030 | Escaroles/broad-leaved endives | | | | | | | | | |
| 0251040 | Cresses and other sprouts and shoots | | | | | | | | | |
| 0251050 | Land cresses | | | | | | | | | |
| 0251060 | Roman rocket/rucola | | | | | | | | | |
| 0251070 | Red mustards | | | | | | | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | | | | | | | |
| 0251990 | Others (2) | | | | | | | | | |
| 0252000 | (b) *spinaches and similar leaves* | | 0.01 (*) | 0.01 (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | **0.02** (*) |
| 0252010 | Spinaches | | | | | | | | | |
| 0252020 | Purslanes | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0252030 | Chards/beet leaves | | | | | | | | | |
| 0252990 | Others (2) | | | | | | | | | |
| 0253000 | (c) *grape leaves and similar species* | | 0.01 (*) | 0.01 (*) | **0.01** (*) | 0.01 (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | 0.02 (*) |
| 0254000 | (d) *watercresses* | | 0.01 (*) | 0.01 (*) | **0.01** (*) | 0.01 (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | 0.02 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | | 0.01 (*) | 0.01 (*) | **0.01** (*) | | **0.03** (*) | 0.01 (*) | 0.01 (*) | 0.02 (*) |
| 0256000 | (f) *herbs and edible flowers* | | **0.02** (*) | 0.02 (*) | 0.02 (*) | **0.02** (*) | **0.06** (*) | 0.02 (*) | 0.02 (*) | **0.05** (*) |
| 0256010 | Chervil | | | | | | | | | |
| 0256020 | Chives | | | | | | | | | |
| 0256030 | Celery leaves | | | | | | | | | |
| 0256040 | Parsley | | | | | | | | | |
| 0256050 | Sage | | | | | | | | | |
| 0256060 | Rosemary | | | | | | | | | |
| 0256070 | Thyme | | | | | | | | | |
| 0256080 | Basil and edible flowers | | | | | | | | | |
| 0256090 | Laurel/bay leaves | | | | | | | | | |
| 0256100 | Tarragon | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0256990 | Others (2) | | | | | | | | | |
| 0260000 | **Legume vegetables** | | **0.01** (*) | 0.01 (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | **0.02** (*) |
| 0260010 | Beans (with pods) | | | | | | | | | |
| 0260020 | Beans (without pods) | | | | | | | | | |
| 0260030 | Peas (with pods) | | | | | | | | | |
| 0260040 | Peas (without pods) | | | | | | | | | |
| 0260050 | Lentils | | | | | | | | | |
| 0260990 | Others (2) | | | | | | | | | |
| 0270000 | **Stem vegetables** | | **0.01** (*) | 0.01 (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | **0.02** (*) |
| 0270010 | Asparagus | | | | | | | | | |
| 0270020 | Cardoons | | | | | | | | | |
| 0270030 | Celeries | | | | | | | | | |
| 0270040 | Florence fennels | | | | | | | | | |
| 0270050 | Globe artichokes | | | | | | | | | |
| 0270060 | Leeks | | | | | | | | | |
| 0270070 | Rhubarbs | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0270080 | Bamboo shoots | | | | | | | | | |
| 0270090 | Palm hearts | | | | | | | | | |
| 0270990 | Others (2) | | | | | | | | | |
| 0280000 | **Fungi, mosses and lichens** | | **0.01** (*) | 0.01 (*) | **0.01** (*) | 0.01 (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | 0.02 (*) |
| 0280010 | Cultivated fungi | | | | | | | | | |
| 0280020 | Wild fungi | | | | | | | | | |
| 0280990 | Mosses and lichens | | | | | | | | | |
| 0290000 | **Algae and prokaryotes organisms** | | 0.01 (*) | 0.01 (*) | **0.01** (*) | 0.01 (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | 0.02 (*) |
| 0300000 | **PULSES** | | **0.01** (*) | 0.01 (*) | **0.01** (*) | 0.01 (*) | **0.03** (*) | 0.01 (*) | 0.01 (*) | 0.05 (*) |
| 0300010 | Beans | | | | | | | | | |
| 0300020 | Lentils | | | | | | | | | |
| 0300030 | Peas | | | | | | | | | |
| 0300040 | Lupins/lupini beans | | | | | | | | | |
| 0300990 | Others (2) | | | | | | | | | |
| 0400000 | **OILSEEDS AND OIL FRUITS** | | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.03** (*) | **0.01** (*) | **0.01** (*) | **0.02** (*) |
| 0401000 | **Oilseeds** | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0401010 | Linseeds | | | | | | | | | |
| 0401020 | Peanuts/groundnuts | | | | | | | | | |
| 0401030 | Poppy seeds | | | | | | | | | |
| 0401040 | Sesame seeds | | | | | | | | | |
| 0401050 | Sunflower seeds | | | | | | | | | |
| 0401060 | Rapeseeds/canola seeds | | | | | | | | | |
| 0401070 | Soyabeans | | | | | | | | | |
| 0401080 | Mustard seeds | | | | | | | | | |
| 0401090 | Cotton seeds | | | | | | | | | |
| 0401100 | Pumpkin seeds | | | | | | | | | |
| 0401110 | Safflower seeds | | | | | | | | | |
| 0401120 | Borage seeds | | | | | | | | | |
| 0401130 | Gold of pleasure seeds | | | | | | | | | |
| 0401140 | Hemp seeds | | | | | | | | | |
| 0401150 | Castor beans | | | | | | | | | |
| 0401990 | Others (2) | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0402000 | **Oil fruits** | | | | | | | | | |
| 0402010 | Olives for oil production | | | | | | | | | |
| 0402020 | Oil palms kernels | | | | | | | | | |
| 0402030 | Oil palms fruits | | | | | | | | | |
| 0402040 | Kapok | | | | | | | | | |
| 0402990 | Others (2) | | | | | | | | | |
| 0500000 | **CEREALS** | **0.01** (*) | **0.01** (*) | **0.01** (*) | **0.01** (*) | 0.01 (*) | **0.03** (*) | **0.01** (*) | **0.01** (*) | 0.05 (*) |
| 0500010 | Barley | | | | | | | | | |
| 0500020 | Buckwheat and other pseudocereals | | | | | | | | | |
| 0500030 | Maize/corn | | | | | | | | | |
| 0500040 | Common millet/proso millet | | | | | | | | | |
| 0500050 | Oat | | | | | | | | | |
| 0500060 | Rice | | | | | | | | | |
| 0500070 | Rye | | | | | | | | | |
| 0500080 | Sorghum | | | | | | | | | |
| 0500090 | Wheat | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0500990 | Others (2) | | | | | | | | | |
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | | 0.05 (*) | **0.05** (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | **0.05** (*) | **0.1** (*) |
| 0610000 | **Teas** | | | | | | | | | |
| 0620000 | **Coffee beans** | | | | | | | | | |
| 0630000 | **Herbal infusions from** | | | | | | | | | |
| 0631000 | (a) *flowers* | | | | | | | | | |
| 0631010 | Chamomile | | | | | | | | | |
| 0631020 | Hibiscus/roselle | | | | | | | | | |
| 0631030 | Rose | | | | | | | | | |
| 0631040 | Jasmine | | | | | | | | | |
| 0631050 | Lime/linden | | | | | | | | | |
| 0631990 | Others (2) | | | | | | | | | |
| 0632000 | (b) *leaves and herbs* | | | | | | | | | |
| 0632010 | Strawberry | | | | | | | | | |
| 0632020 | Rooibos | | | | | | | | | |
| 0632030 | Mate/maté | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0632990 | Others (2) | | | | | | | | | |
| 0633000 | (c) *roots* | | | | | | | | | |
| 0633010 | Valerian | | | | | | | | | |
| 0633020 | Ginseng | | | | | | | | | |
| 0633990 | Others (2) | | | | | | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | | | | | | |
| 0640000 | **Cocoa beans** | | | | | | | | | |
| 0650000 | **Carobs/Saint John's breads** | | | | | | | | | |
| 0700000 | **HOPS** | | **0.05** (*) | 0.05 (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | **0.1** (*) |
| 0800000 | **SPICES** | | | | | | | | | |
| 0810000 | **Seed spices** | | 0.05 (*) | **0.05** (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0810010 | Anise/aniseed | | | | | | | | | |
| 0810020 | Black caraway/black cumin | | | | | | | | | |
| 0810030 | Celery | | | | | | | | | |
| 0810040 | Coriander | | | | | | | | | |
| 0810050 | Cumin | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0810060 | Dill | | | | | | | | | |
| 0810070 | Fennel | | | | | | | | | |
| 0810080 | Fenugreek | | | | | | | | | |
| 0810090 | Nutmeg | | | | | | | | | |
| 0810990 | Others (2) | | | | | | | | | |
| 0820000 | **Fruit spices** | | 0.05 (*) | **0.05** (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0820010 | Allspice/pimento | | | | | | | | | |
| 0820020 | Sichuan pepper | | | | | | | | | |
| 0820030 | Caraway | | | | | | | | | |
| 0820040 | Cardamom | | | | | | | | | |
| 0820050 | Juniper berry | | | | | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | | | | | |
| 0820070 | Vanilla | | | | | | | | | |
| 0820080 | Tamarind | | | | | | | | | |
| 0820990 | Others (2) | | | | | | | | | |
| 0830000 | **Bark spices** | | 0.05 (*) | 0.05 (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0830010 | Cinnamon | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0830990 | Others (2) | | | | | | | | | |
| 0840000 | **Root and rhizome spices** | | | | | | | | | |
| 0840010 | Liquorice | | 0.05 (*) | **0.05** (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0840020 | Ginger (10) | | | | | | | | | |
| 0840030 | Turmeric/curcuma | | 0.05 (*) | **0.05** (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0840040 | Horseradish (11) | | | | | | | | | |
| 0840990 | Others (2) | | 0.05 (*) | **0.05** (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0850000 | **Bud spices** | | 0.05 (*) | 0.05 (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0850010 | Cloves | | | | | | | | | |
| 0850020 | Capers | | | | | | | | | |
| 0850990 | Others (2) | | | | | | | | | |
| 0860000 | **Flower pistil spices** | | 0.05 (*) | 0.05 (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0860010 | Saffron | | | | | | | | | |
| 0860990 | Others (2) | | | | | | | | | |
| 0870000 | **Aril spices** | | 0.05 (*) | 0.05 (*) | 0.02 (*) | 0.05 (*) | 0.1 (*) | 0.05 (*) | 0.05 (*) | 0.1 (*) |
| 0870010 | Mace | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 0870990 | Others (2) | | | | | | | | | |
| 0900000 | **SUGAR PLANTS** | | 0.01 (*) | **0.01** (*) | **0.01** (*) | 0.01 (*) | **0.03** (*) | **0.01** (*) | **0.01** (*) | 0.02 (*) |
| 0900010 | Sugar beet roots | | | | | | | | | |
| 0900020 | Sugar canes | | | | | | | | | |
| 0900030 | Chicory roots | | | | | | | | | |
| 0900990 | Others (2) | | | | | | | | | |
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | **0.01** (*) | | | | **0.01** (*) | | |
| 1010000 | **Commodities from** | | **0.01** (*) | | 0.01 (*) | 0.01 (*) | **0.03** (*) | | **0.01** (*) | 0.01 (*) |
| 1011000 | (a) *swine* | | | | | | | | | |
| 1011010 | Muscle | | | | | | | | | |
| 1011020 | Fat | | | | | | | | | |
| 1011030 | Liver | | | | | | | | | |
| 1011040 | Kidney | | | | | | | | | |
| 1011050 | Edible offals (other than liver and kidney) | | | | | | | | | |
| 1011990 | Others (2) | | | | | | | | | |
| 1012000 | (b) *bovine* | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1012010 | Muscle | | | | | | | | | |
| 1012020 | Fat | | | | | | | | | |
| 1012030 | Liver | | | | | | | | | |
| 1012040 | Kidney | | | | | | | | | |
| 1012050 | Edible offals (other than liver and kidney) | | | | | | | | | |
| 1012990 | Others (2) | | | | | | | | | |
| 1013000 | (c) *sheep* | | | | | | | | | |
| 1013010 | Muscle | | | | | | | | | |
| 1013020 | Fat | | | | | | | | | |
| 1013030 | Liver | | | | | | | | | |
| 1013040 | Kidney | | | | | | | | | |
| 1013050 | Edible offals (other than liver and kidney) | | | | | | | | | |
| 1013990 | Others (2) | | | | | | | | | |
| 1014000 | d) *goat* | | | | | | | | | |
| 1014010 | Muscle | | | | | | | | | |
| 1014020 | Fat | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1014030 | Liver | | | | | | | | | |
| 1014040 | Kidney | | | | | | | | | |
| 1014050 | Edible offals (other than liver and kidney) | | | | | | | | | |
| 1014990 | Others (2) | | | | | | | | | |
| 1015000 | (e) *equine* | | | | | | | | | |
| 1015010 | Muscle | | | | | | | | | |
| 1015020 | Fat | | | | | | | | | |
| 1015030 | Liver | | | | | | | | | |
| 1015040 | Kidney | | | | | | | | | |
| 1015050 | Edible offals (other than liver and kidney) | | | | | | | | | |
| 1015990 | Others (2) | | | | | | | | | |
| 1016000 | (f) *poultry* | | | | | | | | | |
| 1016010 | Muscle | | | | | | | | | |
| 1016020 | Fat | | | | | | | | | |
| 1016030 | Liver | | | | | | | | | |
| 1016040 | Kidney | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1016050 | Edible offals (other than liver and kidney) | | | | | | | | | |
| 1016990 | Others (2) | | | | | | | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | | | | | | |
| 1017010 | Muscle | | | | | | | | | |
| 1017020 | Fat | | | | | | | | | |
| 1017030 | Liver | | | | | | | | | |
| 1017040 | Kidney | | | | | | | | | |
| 1017050 | Edible offals (other than liver and kidney) | | | | | | | | | |
| 1017990 | Others (2) | | | | | | | | | |
| 1020000 | **Milk** | | **0.01** (*) | | 0.01 (*) | 0.01 (*) | **0.03** (*) | | 0.01 (*) | **0.01** (*) |
| 1020010 | Cattle | | | | | | | | | |
| 1020020 | Sheep | | | | | | | | | |
| 1020030 | Goat | | | | | | | | | |
| 1020040 | Horse | | | | | | | | | |
| 1020990 | Others (2) | | | | | | | | | |
| 1030000 | **Birds eggs** | | **0.01** (*) | | 0.01 (*) | 0.01 (*) | **0.03** (*) | | **0.01** (*) | 0.01 (*) |
| 1030010 | Chicken | | | | | | | | | |

▼M166

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Carbon tetrachloride | Chlorothalonil (R) | Dimethoate | Ethoprophos | Fenamidone | Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) | Omethoate | Propiconazole (sum of isomers) (F) | Pymetrozine (R) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1030020 | Duck | | | | | | | | | |
| 1030030 | Geese | | | | | | | | | |
| 1030040 | Quail | | | | | | | | | |
| 1030990 | Others (2) | | | | | | | | | |
| 1040000 | **Honey and other apiculture products (7)** | | 0.05 (*) | | **0.05** (*) | 0.05 (*) | **0.05** (*) | | 0.05 (*) | 0.05 (*) |
| 1050000 | **Amphibians and Reptiles** | | 0.01 (*) | | **0.01** (*) | 0.01 (*) | **0.03** (*) | | 0.01 (*) | 0.01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | | 0.01 (*) | | **0.01** (*) | 0.01 (*) | **0.03** (*) | | 0.01 (*) | 0.01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | | 0.01 (*) | | **0.01** (*) | 0.01 (*) | **0.03** (*) | | 0.01 (*) | 0.01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | | | | | | |
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | | | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | | | | | | |

▼**M184**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propineb and its reaction products that are cleaved to propane-1,2-diamine (PDA), expressed as PDA (R) |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | 0,05 (*) |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | **0,2** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | 0,05 (*) |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | 0,05 (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | 0,05 (*) |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruitswith** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | 0,05 (*) |
| 0161020 | Figs | 0,05 (*) |
| 0161030 | Table olives | **0,2** (*) |
| 0161040 | Kumquats | 0,05 (*) |
| 0161050 | Carambolas | 0,05 (*) |
| 0161060 | Kaki/Japanese persimmons | 0,05 (*) |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | 0,05 (*) |
| 0161990 | Others (2) | 0,05 (*) |
| 0162000 | (b) *inedible peel, small* | 0,05 (*) |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | 0,2 (*) |
| 0163020 | Bananas | 0,05 (*) |
| 0163030 | Mangoes | 0,05 (*) |
| 0163040 | Papayas | 0,05 (*) |
| 0163050 | Granate apples/pomegranates | 0,05 (*) |
| 0163060 | Cherimoyas | 0,05 (*) |
| 0163070 | Guavas | 0,05 (*) |
| 0163080 | Pineapples | 0,05 (*) |
| 0163090 | Breadfruits | 0,05 (*) |
| 0163100 | Durians | 0,05 (*) |
| 0163110 | Soursops/guanabanas | 0,05 (*) |
| 0163990 | Others (2) | 0,05 (*) |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,05** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | 0,05 (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | **0,05** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | 0,05 (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,05** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | 0,05 (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | 0,05 (*) |
| 0254000 | (d) *watercresses* | 0,05 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,05 (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,1** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼M184

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | 0,05 (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | 0,05 (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | 0,05 (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | |
| 0300000 | **PULSES** | 0,05 (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼M184

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,2** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | 0,05 (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼M184

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,1 (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,1** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | 0,1 (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | 0,1 (*) |
| 0820010 | Allspice/pimento | |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | 0,1 (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | 0,1 (*) |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | 0,1 (*) |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | 0,1 (*) |
| 0850000 | **Bud spices** | **0,1** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | 0,1 (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | 0,1 (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,05** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | **0,01** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M184**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M200**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | | **0,05** (*) |
| 0110000 | **Citrus fruits** | **0,005** (*) | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | **0,01** (*) | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | **0,005** (*) | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | **0,005** (*) | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | **0,005** (*) | |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruits with** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | **0,005** (*) | |
| 0161020 | Figs | **0,005** (*) | |
| 0161030 | Table olives | **0,01** (*) | |
| 0161040 | Kumquats | **0,005** (*) | |
| 0161050 | Carambolas | **0,005** (*) | |
| 0161060 | Kaki/Japanese persimmons | **0,005** (*) | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | **0,005** (*) | |
| 0161990 | Others (2) | **0,005** (*) | |
| 0162000 | (b) *inedible peel, small* | **0,005** (*) | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | **0,01** (*) | |
| 0163020 | Bananas | **0,005** (*) | |
| 0163030 | Mangoes | **0,005** (*) | |
| 0163040 | Papayas | **0,005** (*) | |
| 0163050 | Granate apples/pomegranates | **0,005** (*) | |
| 0163060 | Cherimoyas | **0,005** (*) | |
| 0163070 | Guavas | **0,005** (*) | |
| 0163080 | Pineapples | **0,005** (*) | |
| 0163090 | Breadfruits | **0,005** (*) | |
| 0163100 | Durians | **0,005** (*) | |
| 0163110 | Soursops/guanabanas | **0,005** (*) | |
| 0163990 | Others (2) | **0,005** (*) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | **0,05** (*) |
| 0210000 | **Root and tuber vegetables** | **0,005** (*) | |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | **0,005** (*) | |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | **0,005** (*) | |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,005** (*) | |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | **0,005** (*) | |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,005** (*) | |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | **0,005** (*) | |
| 0254000 | (d) *watercresses* | **0,005** (*) | |
| 0255000 | (e) *witloofs/Belgian endives* | **0,005** (*) | |
| 0256000 | (f) *herbs and edible flowers* | **0,01** (*) | |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,005** (*) | |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | **0,005** (*) | |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | **0,005** (*) | |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,005** (*) | |
| 0300000 | **PULSES** | **0,005** (*) | **0,05** (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | **0,05** (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | **0,005** (*) | **0,05** (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudocereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others (2) | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,01** (*) | **0,05** (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | **0,01** (*) | **0,05** (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | **0,01** (*) | **0,05** (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | **0,01** (*) | **0,05** (*) |
| 0820010 | Allspice/pimento | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | **0,01** (*) | **0,05** (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | **0,01** (*) | **0,05** (*) |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | **0,01** (*) | **0,05** (*) |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | **0,01** (*) | **0,05** (*) |
| 0850000 | **Bud spices** | **0,01** (*) | **0,05** (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | **0,01** (*) | **0,05** (*) |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | **0,01** (*) | **0,05** (*) |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | **0,005** (*) | **0,05** (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | **0,01** (*) | **0,01** (*) |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | | |
| 1011020 | Fat | | |
| 1011030 | Liver | | |
| 1011040 | Kidney | | |
| 1011050 | Edible offals (other than liver and kidney) | | |
| 1011990 | Others (2) | | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | | |
| 1012020 | Fat | | |
| 1012030 | Liver | | |
| 1012040 | Kidney | | |
| 1012050 | Edible offals (other than liver and kidney) | | |
| 1012990 | Others (2) | | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | | |
| 1013020 | Fat | | |
| 1013030 | Liver | | |
| 1013040 | Kidney | | |
| 1013050 | Edible offals (other than liver and kidney) | | |
| 1013990 | Others (2) | | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | | |
| 1014020 | Fat | | |
| 1014030 | Liver | | |
| 1014040 | Kidney | | |
| 1014050 | Edible offals (other than liver and kidney) | | |
| 1014990 | Others (2) | | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | | |
| 1015020 | Fat | | |
| 1015030 | Liver | | |
| 1015040 | Kidney | | |
| 1015050 | Edible offals (other than liver and kidney) | | |
| 1015990 | Others (2) | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | | |
| 1016020 | Fat | | |
| 1016030 | Liver | | |
| 1016040 | Kidney | | |
| 1016050 | Edible offals (other than liver and kidney) | | |
| 1016990 | Others (2) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | | |
| 1017020 | Fat | | |
| 1017030 | Liver | | |
| 1017040 | Kidney | | |
| 1017050 | Edible offals (other than liver and kidney) | | |
| 1017990 | Others (2) | | |
| 1020000 | **Milk** | **0,01** (*) | **0,01** (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | **0,01** (*) | **0,01** (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |

▼**M200**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Propoxur | Thiram (expressed as thiram) |
|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼**M203**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0110000 | **Citrus fruits** | | | | |
| 0110010 | Grapefruits | | | | |
| 0110020 | Oranges | | | | |
| 0110030 | Lemons | | | | |
| 0110040 | Limes | | | | |
| 0110050 | Mandarins | | | | |
| 0110990 | Others (2) | | | | |
| 0120000 | **Tree nuts** | | | | |
| 0120010 | Almonds | | | | |
| 0120020 | Brazil nuts | | | | |
| 0120030 | Cashew nuts | | | | |
| 0120040 | Chestnuts | | | | |
| 0120050 | Coconuts | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | |
| 0120070 | Macadamias | | | | |
| 0120080 | Pecans | | | | |
| 0120090 | Pine nut kernels | | | | |
| 0120100 | Pistachios | | | | |
| 0120110 | Walnuts | | | | |
| 0120990 | Others (2) | | | | |
| 0130000 | **Pome fruits** | | | | |
| 0130010 | Apples | | | | |
| 0130020 | Pears | | | | |
| 0130030 | Quinces | | | | |
| 0130040 | Medlars | | | | |
| 0130050 | Loquats/Japanese medlars | | | | |
| 0130990 | Others (2) | | | | |
| 0140000 | **Stone fruits** | | | | |
| 0140010 | Apricots | | | | |
| 0140020 | Cherries (sweet) | | | | |
| 0140030 | Peaches | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0140040 | Plums | | | | |
| 0140990 | Others (2) | | | | |
| 0150000 | **Berries and small fruits** | | | | |
| 0151000 | (a) *grapes* | | | | |
| 0151010 | Table grapes | | | | |
| 0151020 | Wine grapes | | | | |
| 0152000 | (b) *strawberries* | | | | |
| 0153000 | (c) *cane fruits* | | | | |
| 0153010 | Blackberries | | | | |
| 0153020 | Dewberries | | | | |
| 0153030 | Raspberries (red and yellow) | | | | |
| 0153990 | Others (2) | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | |
| 0154010 | Blueberries | | | | |
| 0154020 | Cranberries | | | | |
| 0154030 | Currants (black, red and white) | | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | |
| 0154050 | Rose hips | | | | |
| 0154060 | Mulberries (black and white) | | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | | |
| 0154080 | Elderberries | | | | |
| 0154990 | Others (2) | | | | |
| 0160000 | **Miscellaneous fruitswith** | | | | |
| 0161000 | (a) *edible peel* | | | | |
| 0161010 | Dates | | | | |
| 0161020 | Figs | | | | |
| 0161030 | Table olives | | | | |
| 0161040 | Kumquats | | | | |
| 0161050 | Carambolas | | | | |
| 0161060 | Kaki/Japanese persimmons | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0161070 | Jambuls/jambolans | | | | |
| 0161990 | Others (2) | | | | |
| 0162000 | (b) *inedible peel, small* | | | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | |
| 0162020 | Litchis/lychees | | | | |
| 0162030 | Passionfruits/ maracujas | | | | |
| 0162040 | Prickly pears/cactus fruits | | | | |
| 0162050 | Star apples/cainitos | | | | |
| 0162060 | American persimmons/ Virginia kaki | | | | |
| 0162990 | Others (2) | | | | |
| 0163000 | (c) *inedible peel, large* | | | | |
| 0163010 | Avocados | | | | |
| 0163020 | Bananas | | | | |
| 0163030 | Mangoes | | | | |
| 0163040 | Papayas | | | | |
| 0163050 | Granate apples/ pomegranates | | | | |
| 0163060 | Cherimoyas | | | | |
| 0163070 | Guavas | | | | |
| 0163080 | Pineapples | | | | |
| 0163090 | Breadfruits | | | | |
| 0163100 | Durians | | | | |
| 0163110 | Soursops/ guanabanas | | | | |
| 0163990 | Others (2) | | | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0211000 | (a) *potatoes* | | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | |
| 0212010 | Cassava roots/ manioc | | | | |
| 0212020 | Sweet potatoes | | | | |
| 0212030 | Yams | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | |
| 0212990 | Others (2) | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | |
| 0213010 | Beetroots | | | | |
| 0213020 | Carrots | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | |
| 0213040 | Horseradishes | | | | |
| 0213050 | Jerusalem artichokes | | | | |
| 0213060 | Parsnips | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | | | |
| 0213080 | Radishes | | | | |
| 0213090 | Salsifies | | | | |
| 0213100 | Swedes/rutabagas | | | | |
| 0213110 | Turnips | | | | |
| 0213990 | Others (2) | | | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0220010 | Garlic | | | | |
| 0220020 | Onions | | | | |
| 0220030 | Shallots | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | |
| 0220990 | Others (2) | | | | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | |
| 0231010 | Tomatoes | | | | |
| 0231020 | Sweet peppers/bell peppers | | | | |
| 0231030 | Aubergines/ eggplants | | | | |
| 0231040 | Okra/lady's fingers | | | | |
| 0231990 | Others (2) | | | | |
| 0232000 | (b) *cucurbits with edible peel* | | | | |
| 0232010 | Cucumbers | | | | |
| 0232020 | Gherkins | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | |
| 0232990 | Others (2) | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | | |
| 0233010 | Melons | | | | |
| 0233020 | Pumpkins | | | | |
| 0233030 | Watermelons | | | | |
| 0233990 | Others (2) | | | | |
| 0234000 | (d) *sweet corn* | | | | |
| 0239000 | (e) *other fruiting vegetables* | | | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | | | | |
| 0241010 | Broccoli | | | | |
| 0241020 | Cauliflowers | | | | |
| 0241990 | Others (2) | | | | |
| 0242000 | (b) *head brassica* | | | | |
| 0242010 | Brussels sprouts | | | | |
| 0242020 | Head cabbages | | | | |
| 0242990 | Others (2) | | | | |
| 0243000 | (c) *leafy brassica* | | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | | |
| 0243020 | Kales | | | | |
| 0243990 | Others (2) | | | | |
| 0244000 | (d) *kohlrabies* | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | | | | |
| 0251020 | Lettuces | | | | |
| 0251030 | Escaroles/broad-leaved endives | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | | |
| 0251050 | Land cresses | | | | |
| 0251060 | Roman rocket/ rucola | | | | |
| 0251070 | Red mustards | | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | | |
| 0251990 | Others (2) | | | | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0252010 | Spinaches | | | | |
| 0252020 | Purslanes | | | | |
| 0252030 | Chards/beet leaves | | | | |
| 0252990 | Others (2) | | | | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | **0,02** (*) | **0,02** (*) | 0,02 (*) |
| 0256010 | Chervil | | | | |
| 0256020 | Chives | | | | |
| 0256030 | Celery leaves | | | | |
| 0256040 | Parsley | | | | |
| 0256050 | Sage | | | | |
| 0256060 | Rosemary | | | | |
| 0256070 | Thyme | | | | |
| 0256080 | Basil and edible flowers | | | | |
| 0256090 | Laurel/bay leaves | | | | |
| 0256100 | Tarragon | | | | |
| 0256990 | Others (2) | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0260010 | Beans (with pods) | | | | |
| 0260020 | Beans (without pods) | | | | |
| 0260030 | Peas (with pods) | | | | |
| 0260040 | Peas (without pods) | | | | |
| 0260050 | Lentils | | | | |
| 0260990 | Others (2) | | | | |
| 0270000 | **Stem vegetables** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0270010 | Asparagus | | | | |
| 0270020 | Cardoons | | | | |
| 0270030 | Celeries | | | | |
| 0270040 | Florence fennels | | | | |
| 0270050 | Globe artichokes | | | | |
| 0270060 | Leeks | | | | |
| 0270070 | Rhubarbs | | | | |
| 0270080 | Bamboo shoots | | | | |
| 0270090 | Palm hearts | | | | |
| 0270990 | Others (2) | | | | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0280010 | Cultivated fungi | | | | |
| 0280020 | Wild fungi | | | | |
| 0280990 | Mosses and lichens | | | | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0300000 | **PULSES** | 0,01 (*) | **0,01** (*) | **0,01** (*) | 0,02 (*) |
| 0300010 | Beans | | | | |
| 0300020 | Lentils | | | | |
| 0300030 | Peas | | | | |
| 0300040 | Lupins/lupini beans | | | | |
| 0300990 | Others (2) | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0401000 | **Oilseeds** | | | | |
| 0401010 | Linseeds | | | | |
| 0401020 | Peanuts/groundnuts | | | | |
| 0401030 | Poppy seeds | | | | |
| 0401040 | Sesame seeds | | | | |
| 0401050 | Sunflower seeds | | | | |
| 0401060 | Rapeseeds/canola seeds | | | | |
| 0401070 | Soyabeans | | | | |
| 0401080 | Mustard seeds | | | | |
| 0401090 | Cotton seeds | | | | |
| 0401100 | Pumpkin seeds | | | | |
| 0401110 | Safflower seeds | | | | |
| 0401120 | Borage seeds | | | | |
| 0401130 | Gold of pleasure seeds | | | | |
| 0401140 | Hemp seeds | | | | |
| 0401150 | Castor beans | | | | |
| 0401990 | Others (2) | | | | |
| 0402000 | **Oil fruits** | | | | |
| 0402010 | Olives for oil production | | | | |
| 0402020 | Oil palms kernels | | | | |
| 0402030 | Oil palms fruits | | | | |
| 0402040 | Kapok | | | | |
| 0402990 | Others (2) | | | | |
| 0500000 | **CEREALS** | **0,01** (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0500010 | Barley | | | | |
| 0500020 | Buckwheat and other pseudo-cereals | | | | |
| 0500030 | Maize/corn | | | | |
| 0500040 | Common millet/proso millet | | | | |
| 0500050 | Oat | | | | |
| 0500060 | Rice | | | | |
| 0500070 | Rye | | | | |
| 0500080 | Sorghum | | | | |
| 0500090 | Wheat | | | | |
| 0500990 | Others (2) | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) |
| 0610000 | **Teas** | | | | |
| 0620000 | **Coffee beans** | | | | |
| 0630000 | **Herbal infusions from** | | | | |
| 0631000 | (a) *flowers* | | | | |
| 0631010 | Chamomile | | | | |
| 0631020 | Hibiscus/roselle | | | | |
| 0631030 | Rose | | | | |
| 0631040 | Jasmine | | | | |
| 0631050 | Lime/linden | | | | |
| 0631990 | Others (2) | | | | |
| 0632000 | (b) *leaves and herbs* | | | | |
| 0632010 | Strawberry | | | | |
| 0632020 | Rooibos | | | | |
| 0632030 | Mate/maté | | | | |
| 0632990 | Others (2) | | | | |
| 0633000 | (c) *roots* | | | | |
| 0633010 | Valerian | | | | |
| 0633020 | Ginseng | | | | |
| 0633990 | Others (2) | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | |
| 0640000 | **Cocoa beans** | | | | |
| 0650000 | **Carobs/Saint John's breads** | | | | |
| 0700000 | **HOPS** | 0,05 (*) (+) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0800000 | **SPICES** | | | | |
| 0810000 | **Seed spices** | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0810010 | Anise/aniseed | | | | |
| 0810020 | Black caraway/black cumin | | | | |
| 0810030 | Celery | | | | |
| 0810040 | Coriander | | | | |
| 0810050 | Cumin | | | | |
| 0810060 | Dill | | | | |
| 0810070 | Fennel | | | | |
| 0810080 | Fenugreek | | | | |
| 0810090 | Nutmeg | | | | |
| 0810990 | Others (2) | | | | |
| 0820000 | **Fruit spices** | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0820010 | Allspice/pimento | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | |
| 0820030 | Caraway | | | | |
| 0820040 | Cardamom | | | | |
| 0820050 | Juniper berry | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | |
| 0820070 | Vanilla | | | | |
| 0820080 | Tamarind | | | | |
| 0820990 | Others (2) | | | | |
| 0830000 | **Bark spices** | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0830010 | Cinnamon | | | | |
| 0830990 | Others (2) | | | | |
| 0840000 | **Root and rhizome spices** | | | | |
| 0840010 | Liquorice | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0840020 | Ginger (10) | | | | |
| 0840030 | Turmeric/curcuma | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0840040 | Horseradish (11) | | | | |
| 0840990 | Others (2) | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0850010 | Cloves | | | | |
| 0850020 | Capers | | | | |
| 0850990 | Others (2) | | | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0860010 | Saffron | | | | |
| 0860990 | Others (2) | | | | |
| 0870000 | **Aril spices** | 0,05 (*) | 0,05 (*) | **0,05** (*) | 0,05 (*) |
| 0870010 | Mace | | | | |
| 0870990 | Others (2) | | | | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) | **0,01** (*) | **0,01** (*) | **0,01** (*) |
| 0900010 | Sugar beet roots | | | | |
| 0900020 | Sugar canes | | | | |
| 0900030 | Chicory roots | | | | |
| 0900990 | Others (2) | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | |
| 1010000 | **Commodities from** | **0,05** (*) | 0,01 (*) | **0,01** (*) | |
| 1011000 | (a) *swine* | | | | 0,02 (*) |
| 1011010 | Muscle | | | | |
| 1011020 | Fat | | | | |
| 1011030 | Liver | | | | |
| 1011040 | Kidney | | | | |
| 1011050 | Edible offals (other than liver and kidney) | | | | |
| 1011990 | Others (2) | | | | |
| 1012000 | (b) *bovine* | | | | 0,02 (*) |
| 1012010 | Muscle | | | | |
| 1012020 | Fat | | | | |
| 1012030 | Liver | | | | |
| 1012040 | Kidney | | | | |
| 1012050 | Edible offals (other than liver and kidney) | | | | |
| 1012990 | Others (2) | | | | |
| 1013000 | (c) *sheep* | | | | 0,02 (*) |
| 1013010 | Muscle | | | | |
| 1013020 | Fat | | | | |
| 1013030 | Liver | | | | |
| 1013040 | Kidney | | | | |
| 1013050 | Edible offals (other than liver and kidney) | | | | |
| 1013990 | Others (2) | | | | |
| 1014000 | d) *goat* | | | | 0,02 (*) |
| 1014010 | Muscle | | | | |
| 1014020 | Fat | | | | |
| 1014030 | Liver | | | | |
| 1014040 | Kidney | | | | |
| 1014050 | Edible offals (other than liver and kidney) | | | | |
| 1014990 | Others (2) | | | | |
| 1015000 | (e) *equine* | | | | 0,01 (*) |
| 1015010 | Muscle | | | | |
| 1015020 | Fat | | | | |
| 1015030 | Liver | | | | |
| 1015040 | Kidney | | | | |
| 1015050 | Edible offals (other than liver and kidney) | | | | |
| 1015990 | Others (2) | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 1016000 | (f) *poultry* | | | | 0,02 (*) |
| 1016010 | Muscle | | | | |
| 1016020 | Fat | | | | |
| 1016030 | Liver | | | | |
| 1016040 | Kidney | | | | |
| 1016050 | Edible offals (other than liver and kidney) | | | | |
| 1016990 | Others (2) | | | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | 0,01 (*) |
| 1017010 | Muscle | | | | |
| 1017020 | Fat | | | | |
| 1017030 | Liver | | | | |
| 1017040 | Kidney | | | | |
| 1017050 | Edible offals (other than liver and kidney) | | | | |
| 1017990 | Others (2) | | | | |
| 1020000 | **Milk** | 0,01 (*) | 0,01 (*) | 0,002 (*) | 0,005 (*) |
| 1020010 | Cattle | | | | |
| 1020020 | Sheep | | | | |
| 1020030 | Goat | | | | |
| 1020040 | Horse | | | | |
| 1020990 | Others (2) | | | | |
| 1030000 | **Birds eggs** | 0,05 (*) | 0,01 (*) | **0,01** (*) | 0,01 (*) |
| 1030010 | Chicken | | | | |
| 1030020 | Duck | | | | |
| 1030030 | Geese | | | | |
| 1030040 | Quail | | | | |
| 1030990 | Others (2) | | | | |
| 1040000 | **Honey and other apiculture products (7)** | 0,05 (*) | **0,05** (*) | 0,05 (*) | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | 0,05 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,05 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,05 (*) | **0,01** (*) | 0,01 (*) | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | |

▼**M203**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromoxynil and its salts, expressed as bromoxynil | Chlorsulfuron | Epoxiconazole (F) | Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) |
|---|---|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | |

▼M205

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Topramezone (BAS 670H) | Triflumizole: Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethyl-phenyl)-n-propoxyaceta-midine), expressed as Trif-lumizole (R) (F) |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,005** (*) | 0,02 (*) |
| 0110000 | **Citrus fruits** | | |
| 0110010 | Grapefruits | | |
| 0110020 | Oranges | | |
| 0110030 | Lemons | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins | | |
| 0110990 | Others (2) | | |
| 0120000 | **Tree nuts** | | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts/cobnuts | | |
| 0120070 | Macadamias | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nut kernels | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |
| 0120990 | Others (2) | | |
| 0130000 | **Pome fruits** | | |
| 0130010 | Apples | | |
| 0130020 | Pears | | |
| 0130030 | Quinces | | |
| 0130040 | Medlars | | |
| 0130050 | Loquats/Japanese medlars | | |
| 0130990 | Others (2) | | |
| 0140000 | **Stone fruits** | | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (sweet) | | |
| 0140030 | Peaches | | |

▼**M205**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0140040 | Plums | | |
| 0140990 | Others (2) | | |
| 0150000 | **Berries and small fruits** | | |
| 0151000 | (a) *grapes* | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) *strawberries* | | |
| 0153000 | (c) *cane fruits* | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries | | |
| 0153030 | Raspberries (red and yellow) | | |
| 0153990 | Others (2) | | |
| 0154000 | (d) *other small fruits and berries* | | |
| 0154010 | Blueberries | | |
| 0154020 | Cranberries | | |
| 0154030 | Currants (black, red and white) | | |
| 0154040 | Gooseberries (green, red and yellow) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (black and white) | | |
| 0154070 | Azaroles/Mediterranean medlars | | |
| 0154080 | Elderberries | | |
| 0154990 | Others (2) | | |
| 0160000 | **Miscellaneous fruits with** | | |
| 0161000 | (a) *edible peel* | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats | | |
| 0161050 | Carambolas | | |
| 0161060 | Kaki/Japanese persimmons | | |

▼**M205**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0161070 | Jambuls/jambolans | | |
| 0161990 | Others (2) | | |
| 0162000 | (b) *inedible peel, small* | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | |
| 0162020 | Litchis/lychees | | |
| 0162030 | Passionfruits/maracujas | | |
| 0162040 | Prickly pears/cactus fruits | | |
| 0162050 | Star apples/cainitos | | |
| 0162060 | American persimmons/Virginia kaki | | |
| 0162990 | Others (2) | | |
| 0163000 | (c) *inedible peel, large* | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas | | |
| 0163030 | Mangoes | | |
| 0163040 | Papayas | | |
| 0163050 | Granate apples/pomegranates | | |
| 0163060 | Cherimoyas | | |
| 0163070 | Guavas | | |
| 0163080 | Pineapples | | |
| 0163090 | Breadfruits | | |
| 0163100 | Durians | | |
| 0163110 | Soursops/guanabanas | | |
| 0163990 | Others (2) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | |
| 0210000 | **Root and tuber vegetables** | **0,005** (*) | 0,02 (*) |
| 0211000 | (a) *potatoes* | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | |
| 0212010 | Cassava roots/manioc | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams | | |

▼**M205**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0212040 | Arrowroots | | |
| 0212990 | Others (2) | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | |
| 0213010 | Beetroots | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriacs/turnip rooted celeries | | |
| 0213040 | Horseradishes | | |
| 0213050 | Jerusalem artichokes | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley roots/Hamburg roots parsley | | |
| 0213080 | Radishes | | |
| 0213090 | Salsifies | | |
| 0213100 | Swedes/rutabagas | | |
| 0213110 | Turnips | | |
| 0213990 | Others (2) | | |
| 0220000 | **Bulb vegetables** | **0,005** (*) | 0,02 (*) |
| 0220010 | Garlic | | |
| 0220020 | Onions | | |
| 0220030 | Shallots | | |
| 0220040 | Spring onions/green onions and Welsh onions | | |
| 0220990 | Others (2) | | |
| 0230000 | **Fruiting vegetables** | **0,005** (*) | **0,02** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | |
| 0231010 | Tomatoes | | |
| 0231020 | Sweet peppers/bell peppers | | |
| 0231030 | Aubergines/eggplants | | |
| 0231040 | Okra/lady's fingers | | |
| 0231990 | Others (2) | | |
| 0232000 | (b) *cucurbits with edible peel* | | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |

▼**M205**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0232030 | Courgettes | | |
| 0232990 | Others (2) | | |
| 0233000 | (c) *cucurbits with inedible peel* | | |
| 0233010 | Melons | | |
| 0233020 | Pumpkins | | |
| 0233030 | Watermelons | | |
| 0233990 | Others (2) | | |
| 0234000 | (d) *sweet corn* | | |
| 0239000 | (e) *other fruiting vegetables* | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,005** (*) | 0,02 (*) |
| 0241000 | (a) *flowering brassica* | | |
| 0241010 | Broccoli | | |
| 0241020 | Cauliflowers | | |
| 0241990 | Others (2) | | |
| 0242000 | (b) *head brassica* | | |
| 0242010 | Brussels sprouts | | |
| 0242020 | Head cabbages | | |
| 0242990 | Others (2) | | |
| 0243000 | (c) *leafy brassica* | | |
| 0243010 | Chinese cabbages/pe-tsai | | |
| 0243020 | Kales | | |
| 0243990 | Others (2) | | |
| 0244000 | (d) *kohlrabies* | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | |
| 0251000 | (a) *lettuces and salad plants* | **0,005** (*) | 0,02 (*) |
| 0251010 | Lamb's lettuces/corn salads | | |
| 0251020 | Lettuces | | |
| 0251030 | Escaroles/broad-leaved endives | | |

▼**M205**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | |
| 0251050 | Land cresses | | |
| 0251060 | Roman rocket/rucola | | |
| 0251070 | Red mustards | | |
| 0251080 | Baby leaf crops (including brassica species) | | |
| 0251990 | Others (2) | | |
| 0252000 | (b) *spinaches and similar leaves* | **0,005** (*) | 0,02 (*) |
| 0252010 | Spinaches | | |
| 0252020 | Purslanes | | |
| 0252030 | Chards/beet leaves | | |
| 0252990 | Others (2) | | |
| 0253000 | (c) *grape leaves and similar species* | **0,005** (*) | 0,02 (*) |
| 0254000 | (d) *watercresses* | **0,005** (*) | 0,02 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,005** (*) | 0,02 (*) |
| 0256000 | (f) *herbs and edible flowers* | 0,01 (*) | 0,05 (*) |
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves | | |
| 0256040 | Parsley | | |
| 0256050 | Sage | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme | | |
| 0256080 | Basil and edible flowers | | |
| 0256090 | Laurel/bay leaves | | |
| 0256100 | Tarragon | | |
| 0256990 | Others (2) | | |

▼M205

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0260000 | **Legume vegetables** | **0,005** (*) | 0,02 (*) |
| 0260010 | Beans (with pods) | | |
| 0260020 | Beans (without pods) | | |
| 0260030 | Peas (with pods) | | |
| 0260040 | Peas (without pods) | | |
| 0260050 | Lentils | | |
| 0260990 | Others (2) | | |
| 0270000 | **Stem vegetables** | **0,005** (*) | 0,02 (*) |
| 0270010 | Asparagus | | |
| 0270020 | Cardoons | | |
| 0270030 | Celeries | | |
| 0270040 | Florence fennels | | |
| 0270050 | Globe artichokes | | |
| 0270060 | Leeks | | |
| 0270070 | Rhubarbs | | |
| 0270080 | Bamboo shoots | | |
| 0270090 | Palm hearts | | |
| 0270990 | Others (2) | | |
| 0280000 | **Fungi, mosses and lichens** | **0,005** (*) | 0,02 (*) |
| 0280010 | Cultivated fungi | | |
| 0280020 | Wild fungi | | |
| 0280990 | Mosses and lichens | | |
| 0290000 | **Algae and prokaryotes organisms** | **0,005** (*) | 0,02 (*) |
| 0300000 | **PULSES** | 0,01 (*) | 0,02 (*) |
| 0300010 | Beans | | |
| 0300020 | Lentils | | |
| 0300030 | Peas | | |
| 0300040 | Lupins/lupini beans | | |
| 0300990 | Others (2) | | |

▼M205

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,005** (*) | 0,02 (*) |
| 0401000 | **Oilseeds** | | |
| 0401010 | Linseeds | | |
| 0401020 | Peanuts/groundnuts | | |
| 0401030 | Poppy seeds | | |
| 0401040 | Sesame seeds | | |
| 0401050 | Sunflower seeds | | |
| 0401060 | Rapeseeds/canola seeds | | |
| 0401070 | Soyabeans | | |
| 0401080 | Mustard seeds | | |
| 0401090 | Cotton seeds | | |
| 0401100 | Pumpkin seeds | | |
| 0401110 | Safflower seeds | | |
| 0401120 | Borage seeds | | |
| 0401130 | Gold of pleasure seeds | | |
| 0401140 | Hemp seeds | | |
| 0401150 | Castor beans | | |
| 0401990 | Others (2) | | |
| 0402000 | **Oil fruits** | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Oil palms kernels | | |
| 0402030 | Oil palms fruits | | |
| 0402040 | Kapok | | |
| 0402990 | Others (2) | | |
| 0500000 | **CEREALS** | 0,01 (*) | 0,02 (*) |
| 0500010 | Barley | | |
| 0500020 | Buckwheat and other pseudocereals | | |
| 0500030 | Maize/corn | | |
| 0500040 | Common millet/proso millet | | |
| 0500050 | Oat | | |
| 0500060 | Rice | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat | | |
| 0500990 | Others (2) | | |

▼M205

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,02 (*) | 0,1 (*) |
| 0610000 | **Teas** | | |
| 0620000 | **Coffee beans** | | |
| 0630000 | **Herbal infusions from** | | |
| 0631000 | (a) *flowers* | | |
| 0631010 | Chamomile | | |
| 0631020 | Hibiscus/roselle | | |
| 0631030 | Rose | | |
| 0631040 | Jasmine | | |
| 0631050 | Lime/linden | | |
| 0631990 | Others (2) | | |
| 0632000 | (b) *leaves and herbs* | | |
| 0632010 | Strawberry | | |
| 0632020 | Rooibos | | |
| 0632030 | Mate/maté | | |
| 0632990 | Others (2) | | |
| 0633000 | (c) *roots* | | |
| 0633010 | Valerian | | |
| 0633020 | Ginseng | | |
| 0633990 | Others (2) | | |
| 0639000 | (d) *any other parts of the plant* | | |
| 0640000 | **Cocoa beans** | | |
| 0650000 | **Carobs/Saint John's breads** | | |
| 0700000 | **HOPS** | 0,02 (*) | 0,1 (*) |
| 0800000 | **SPICES** | | |
| 0810000 | **Seed spices** | 0,02 (*) | 0,1 (*) |
| 0810010 | Anise/aniseed | | |
| 0810020 | Black caraway/black cumin | | |
| 0810030 | Celery | | |
| 0810040 | Coriander | | |
| 0810050 | Cumin | | |
| 0810060 | Dill | | |
| 0810070 | Fennel | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |
| 0810990 | Others (2) | | |
| 0820000 | **Fruit spices** | 0,02 (*) | 0,1 (*) |
| 0820010 | Allspice/pimento | | |

▼M205

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 0820020 | Sichuan pepper | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berry | | |
| 0820060 | Peppercorn (black, green and white) | | |
| 0820070 | Vanilla | | |
| 0820080 | Tamarind | | |
| 0820990 | Others (2) | | |
| 0830000 | **Bark spices** | 0,02 (*) | 0,1 (*) |
| 0830010 | Cinnamon | | |
| 0830990 | Others (2) | | |
| 0840000 | **Root and rhizome spices** | | |
| 0840010 | Liquorice | 0,02 (*) | 0,1 (*) |
| 0840020 | Ginger (10) | | |
| 0840030 | Turmeric/curcuma | 0,02 (*) | 0,1 (*) |
| 0840040 | Horseradish (11) | | |
| 0840990 | Others (2) | 0,02 (*) | 0,1 (*) |
| 0850000 | **Bud spices** | 0,02 (*) | 0,1 (*) |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others (2) | | |
| 0860000 | **Flower pistil spices** | 0,02 (*) | 0,1 (*) |
| 0860010 | Saffron | | |
| 0860990 | Others (2) | | |
| 0870000 | **Aril spices** | 0,02 (*) | 0,1 (*) |
| 0870010 | Mace | | |
| 0870990 | Others (2) | | |
| 0900000 | **SUGAR PLANTS** | **0,005** (*) | 0,02 (*) |
| 0900010 | Sugar beet roots | | |
| 0900020 | Sugar canes | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others (2) | | |

▼**M205**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | |
| 1010000 | **Commodities from** | | 0,01 (*) |
| 1011000 | (a) *swine* | | |
| 1011010 | Muscle | 0,01 (*) | |
| 1011020 | Fat | **0,01** (*) | |
| 1011030 | Liver | **0,005** (*) | |
| 1011040 | Kidney | **0,01** (*) | |
| 1011050 | Edible offals (other than liver and kidney) | **0,01** (*) | |
| 1011990 | Others (2) | **0,01** (*) | |
| 1012000 | (b) *bovine* | | |
| 1012010 | Muscle | 0,01 (*) | |
| 1012020 | Fat | **0,01** (*) | |
| 1012030 | Liver | **0,005** (*) | |
| 1012040 | Kidney | **0,01** (*) | |
| 1012050 | Edible offals (other than liver and kidney) | **0,01** (*) | |
| 1012990 | Others (2) | **0,01** (*) | |
| 1013000 | (c) *sheep* | | |
| 1013010 | Muscle | 0,01 (*) | |
| 1013020 | Fat | **0,01** (*) | |
| 1013030 | Liver | **0,005** (*) | |
| 1013040 | Kidney | **0,01** (*) | |
| 1013050 | Edible offals (other than liver and kidney) | **0,01** (*) | |
| 1013990 | Others (2) | **0,01** (*) | |
| 1014000 | d) *goat* | | |
| 1014010 | Muscle | 0,01 (*) | |
| 1014020 | Fat | **0,01** (*) | |
| 1014030 | Liver | **0,005** (*) | |
| 1014040 | Kidney | **0,01** (*) | |
| 1014050 | Edible offals (other than liver and kidney) | **0,01** (*) | |
| 1014990 | Others (2) | **0,01** (*) | |
| 1015000 | (e) *equine* | | |
| 1015010 | Muscle | 0,01 (*) | |
| 1015020 | Fat | **0,01** (*) | |
| 1015030 | Liver | **0,005** (*) | |
| 1015040 | Kidney | **0,01** (*) | |
| 1015050 | Edible offals (other than liver and kidney) | **0,01** (*) | |
| 1015990 | Others (2) | **0,01** (*) | |

▼**M205**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1016000 | (f) *poultry* | | |
| 1016010 | Muscle | 0,01 (*) | |
| 1016020 | Fat | **0,01** (*) | |
| 1016030 | Liver | **0,005** (*) | |
| 1016040 | Kidney | **0,01** (*) | |
| 1016050 | Edible offals (other than liver and kidney) | **0,01** (*) | |
| 1016990 | Others (2) | **0,01** (*) | |
| 1017000 | (g) *other farmed terrestrial animals* | | |
| 1017010 | Muscle | 0,01 (*) | |
| 1017020 | Fat | **0,01** (*) | |
| 1017030 | Liver | **0,005** (*) | |
| 1017040 | Kidney | **0,01** (*) | |
| 1017050 | Edible offals (other than liver and kidney) | **0,01** (*) | |
| 1017990 | Others (2) | **0,01** (*) | |
| 1020000 | **Milk** | **0,002** (*) | 0,01 (*) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others (2) | | |
| 1030000 | **Birds eggs** | 0,01 (*) | 0,01 (*) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Geese | | |
| 1030040 | Quail | | |
| 1030990 | Others (2) | | |
| 1040000 | **Honey and other apiculture products (7)** | 0,01 (*) | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISHPRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | |

▼**M205**

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | |

▼**M209**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Sodium aluminium silicate |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01 (*)** |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M209**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruitswith** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M209**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | **0,01 (*)** |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M209**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M209**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M209**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | |
| 0254000 | (d) *watercresses* | |
| 0255000 | (e) *witloofs/Belgian endives* | |
| 0256000 | (f) *herbs and edible flowers* | |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼M209

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | |
| 0300000 | **PULSES** | **0,01 (*)** |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼M209

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01 (*)** |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01 (*)** |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼M209

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,01 (*)** |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,01 (*)** |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,01 (*)** |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,01 (*)** |
| 0820010 | Allspice/pimento | |

▼M209

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,01 (*)** |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,01 (*)** |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | **0,01 (*)** |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,01 (*)** |
| 0850000 | **Bud spices** | **0,01 (*)** |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,01 (*)** |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,01 (*)** |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01 (*)** |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M209**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | **0,01 (*)** |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |

▼M209

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | |
| 1050000 | **Amphibians and Reptiles** | |
| 1060000 | **Terrestrial invertebrate animals** | |
| 1070000 | **Wild terrestrial vertebrate animals** | |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M209**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼**M213**

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Phosmet |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | **0,01** (*) |
| 0110020 | Oranges | **0,005** (*) |
| 0110030 | Lemons | **0,01** (*) |
| 0110040 | Limes | **0,01** (*) |
| 0110050 | Mandarins | **0,01** (*) |
| 0110990 | Others (2) | **0,01** (*) |
| 0120000 | **Tree nuts** | **0,01** (*) |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | **0,005** (*) |
| 0130020 | Pears | **0,005** (*) |
| 0130030 | Quinces | **0,01** (*) |
| 0130040 | Medlars | **0,01** (*) |
| 0130050 | Loquats/Japanese medlars | **0,01** (*) |
| 0130990 | Others (2) | **0,01** (*) |
| 0140000 | **Stone fruits** | **0,01** (*) |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | **0,01** (*) |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruitswith** | |
| 0161000 | (a) *edible peel* | **0,01** (*) |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | **0,01** (*) |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | **0,01** (*) |
| 0163020 | Bananas | **0,01** (*) |
| 0163030 | Mangoes | **0,01** (*) |
| 0163040 | Papayas | **0,01** (*) |
| 0163050 | Granate apples/pomegranates | **0,01** (*) |
| 0163060 | Cherimoyas | **0,01** (*) |
| 0163070 | Guavas | **0,01** (*) |
| 0163080 | Pineapples | **0,005** (*) |
| 0163090 | Breadfruits | **0,01** (*) |
| 0163100 | Durians | **0,01** (*) |
| 0163110 | Soursops/guanabanas | **0,01** (*) |
| 0163990 | Others (2) | **0,01** (*) |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | |
| 0211000 | (a) *potatoes* | **0,005** (*) |
| 0212000 | (b) *tropical root and tuber vegetables* | **0,01** (*) |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | **0,01** (*) |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | |
| 0231000 | (a) *Solanaceae and Malvaceae* | **0,01** (*) |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | **0,01** (*) |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | **0,005** (*) |
| 0233020 | Pumpkins | **0,01** (*) |
| 0233030 | Watermelons | **0,005** (*) |
| 0233990 | Others (2) | **0,01** (*) |
| 0234000 | (d) *sweet corn* | **0,01** (*) |
| 0239000 | (e) *other fruiting vegetables* | **0,01** (*) |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼M213

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼M213

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼M213

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | |
| 0610000 | **Teas** | **0,01** (*) |
| 0620000 | **Coffee beans** | **0,05** (*) |
| 0630000 | **Herbal infusions from** | **0,05** (*) |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | **0,05** (*) |
| 0650000 | **Carobs/Saint John's breads** | **0,05** (*) |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | |
| 0900010 | Sugar beet roots | **0,005** (*) |
| 0900020 | Sugar canes | **0,01** (*) |
| 0900030 | Chicory roots | **0,01** (*) |
| 0900990 | Others (2) | **0,01** (*) |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | **0,01** (*) |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | |
| 1011020 | Fat | |
| 1011030 | Liver | |
| 1011040 | Kidney | |
| 1011050 | Edible offals (other than liver and kidney) | |
| 1011990 | Others (2) | |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | |
| 1012020 | Fat | |
| 1012030 | Liver | |
| 1012040 | Kidney | |
| 1012050 | Edible offals (other than liver and kidney) | |
| 1012990 | Others (2) | |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | |
| 1013020 | Fat | |
| 1013030 | Liver | |
| 1013040 | Kidney | |
| 1013050 | Edible offals (other than liver and kidney) | |
| 1013990 | Others (2) | |
| 1014000 | (d) *goat* | |
| 1014010 | Muscle | |
| 1014020 | Fat | |
| 1014030 | Liver | |
| 1014040 | Kidney | |
| 1014050 | Edible offals (other than liver and kidney) | |
| 1014990 | Others (2) | |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | |
| 1015020 | Fat | |
| 1015030 | Liver | |
| 1015040 | Kidney | |
| 1015050 | Edible offals (other than liver and kidney) | |
| 1015990 | Others (2) | |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | |
| 1016020 | Fat | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others (2) | |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | |
| 1017020 | Fat | |
| 1017030 | Liver | |
| 1017040 | Kidney | |
| 1017050 | Edible offals (other than liver and kidney) | |
| 1017990 | Others (2) | |
| 1020000 | **Milk** | |
| 1020010 | Cattle | **0,005** (*) |
| 1020020 | Sheep | **0,01** (*) |
| 1020030 | Goat | **0,01** (*) |
| 1020040 | Horse | **0,01** (*) |
| 1020990 | Others (2) | **0,01** (*) |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M213**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼M210

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | ►C22 Novaluron (sum of constituent isomers) (F) ◄ |
|---|---|---|
| (1) | (2) | (3) |
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) |
| 0110000 | **Citrus fruits** | |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others (2) | |
| 0120000 | **Tree nuts** | |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |
| 0120990 | Others (2) | |
| 0130000 | **Pome fruits** | |
| 0130010 | Apples | |
| 0130020 | Pears | |
| 0130030 | Quinces | |
| 0130040 | Medlars | |
| 0130050 | Loquats/Japanese medlars | |
| 0130990 | Others (2) | |
| 0140000 | **Stone fruits** | |
| 0140010 | Apricots | |
| 0140020 | Cherries (sweet) | |
| 0140030 | Peaches | |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 0140040 | Plums | |
| 0140990 | Others (2) | |
| 0150000 | **Berries and small fruits** | |
| 0151000 | (a) *grapes* | |
| 0151010 | Table grapes | |
| 0151020 | Wine grapes | |
| 0152000 | (b) *strawberries* | |
| 0153000 | (c) *cane fruits* | |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others (2) | |
| 0154000 | (d) *other small fruits and berries* | |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others (2) | |
| 0160000 | **Miscellaneous fruitswith** | |
| 0161000 | (a) *edible peel* | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others (2) | |
| 0162000 | (b) *inedible peel, small* | |
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/Virginia kaki | |
| 0162990 | Others (2) | |
| 0163000 | (c) *inedible peel, large* | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others (2) | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | |
| 0210000 | **Root and tuber vegetables** | **0,01** (*) |
| 0211000 | (a) *potatoes* | |
| 0212000 | (b) *tropical root and tuber vegetables* | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 0212040 | Arrowroots | |
| 0212990 | Others (2) | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others (2) | |
| 0220000 | **Bulb vegetables** | **0,01** (*) |
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others (2) | |
| 0230000 | **Fruiting vegetables** | **0,01** (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | |
| 0231010 | Tomatoes | |
| 0231020 | Sweet peppers/bell peppers | |
| 0231030 | Aubergines/eggplants | |
| 0231040 | Okra/lady's fingers | |
| 0231990 | Others (2) | |
| 0232000 | (b) *cucurbits with edible peel* | |
| 0232010 | Cucumbers | |
| 0232020 | Gherkins | |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 0232030 | Courgettes | |
| 0232990 | Others (2) | |
| 0233000 | (c) *cucurbits with inedible peel* | |
| 0233010 | Melons | |
| 0233020 | Pumpkins | |
| 0233030 | Watermelons | |
| 0233990 | Others (2) | |
| 0234000 | (d) *sweet corn* | |
| 0239000 | (e) *other fruiting vegetables* | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | **0,01** (*) |
| 0241000 | (a) *flowering brassica* | |
| 0241010 | Broccoli | |
| 0241020 | Cauliflowers | |
| 0241990 | Others (2) | |
| 0242000 | (b) *head brassica* | |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others (2) | |
| 0243000 | (c) *leafy brassica* | |
| 0243010 | Chinese cabbages/pe-tsai | |
| 0243020 | Kales | |
| 0243990 | Others (2) | |
| 0244000 | (d) *kohlrabies* | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | |
| 0251000 | (a) *lettuces and salad plants* | **0,01** (*) |
| 0251010 | Lamb's lettuces/corn salads | |
| 0251020 | Lettuces | |
| 0251030 | Escaroles/broad-leaved endives | |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | |
| 0251050 | Land cresses | |
| 0251060 | Roman rocket/rucola | |
| 0251070 | Red mustards | |
| 0251080 | Baby leaf crops (including brassica species) | |
| 0251990 | Others (2) | |
| 0252000 | (b) *spinaches and similar leaves* | **0,01** (*) |
| 0252010 | Spinaches | |
| 0252020 | Purslanes | |
| 0252030 | Chards/beet leaves | |
| 0252990 | Others (2) | |
| 0253000 | (c) *grape leaves and similar species* | **0,01** (*) |
| 0254000 | (d) *watercresses* | **0,01** (*) |
| 0255000 | (e) *witloofs/Belgian endives* | **0,01** (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) |
| 0256010 | Chervil | |
| 0256020 | Chives | |
| 0256030 | Celery leaves | |
| 0256040 | Parsley | |
| 0256050 | Sage | |
| 0256060 | Rosemary | |
| 0256070 | Thyme | |
| 0256080 | Basil and edible flowers | |
| 0256090 | Laurel/bay leaves | |
| 0256100 | Tarragon | |
| 0256990 | Others (2) | |

▼M210

| (1) | (2) | (3) |
|---|---|---|
| 0260000 | **Legume vegetables** | **0,01** (*) |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others (2) | |
| 0270000 | **Stem vegetables** | **0,01** (*) |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others (2) | |
| 0280000 | **Fungi, mosses and lichens** | **0,01** (*) |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | **Algae and prokaryotes organisms** | **0,01** (*) |
| 0300000 | **PULSES** | **0,01** (*) |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others (2) | |

▼M210

| (1) | (2) | (3) |
|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) |
| 0401000 | **Oilseeds** | |
| 0401010 | Linseeds | |
| 0401020 | Peanuts/groundnuts | |
| 0401030 | Poppy seeds | |
| 0401040 | Sesame seeds | |
| 0401050 | Sunflower seeds | |
| 0401060 | Rapeseeds/canola seeds | |
| 0401070 | Soyabeans | |
| 0401080 | Mustard seeds | |
| 0401090 | Cotton seeds | |
| 0401100 | Pumpkin seeds | |
| 0401110 | Safflower seeds | |
| 0401120 | Borage seeds | |
| 0401130 | Gold of pleasure seeds | |
| 0401140 | Hemp seeds | |
| 0401150 | Castor beans | |
| 0401990 | Others (2) | |
| 0402000 | **Oil fruits** | |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others (2) | |
| 0500000 | **CEREALS** | **0,01** (*) |
| 0500010 | Barley | |
| 0500020 | Buckwheat and other pseudocereals | |
| 0500030 | Maize/corn | |
| 0500040 | Common millet/proso millet | |
| 0500050 | Oat | |
| 0500060 | Rice | |
| 0500070 | Rye | |
| 0500080 | Sorghum | |
| 0500090 | Wheat | |
| 0500990 | Others (2) | |

▼M210

| (1) | (2) | (3) |
|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | **0,05** (*) |
| 0610000 | **Teas** | |
| 0620000 | **Coffee beans** | |
| 0630000 | **Herbal infusions from** | |
| 0631000 | (a) *flowers* | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others (2) | |
| 0632000 | (b) *leaves and herbs* | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others (2) | |
| 0633000 | (c) *roots* | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others (2) | |
| 0639000 | (d) *any other parts of the plant* | |
| 0640000 | **Cocoa beans** | |
| 0650000 | **Carobs/Saint John's breads** | |
| 0700000 | **HOPS** | **0,05** (*) |
| 0800000 | **SPICES** | |
| 0810000 | **Seed spices** | **0,05** (*) |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others (2) | |
| 0820000 | **Fruit spices** | **0,05** (*) |
| 0820010 | Allspice/pimento | |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |
| 0820080 | Tamarind | |
| 0820990 | Others (2) | |
| 0830000 | **Bark spices** | **0,05** (*) |
| 0830010 | Cinnamon | |
| 0830990 | Others (2) | |
| 0840000 | **Root and rhizome spices** | |
| 0840010 | Liquorice | **0,05** (*) |
| 0840020 | Ginger (10) | |
| 0840030 | Turmeric/curcuma | **0,05** (*) |
| 0840040 | Horseradish (11) | |
| 0840990 | Others (2) | **0,05** (*) |
| 0850000 | **Bud spices** | **0,05** (*) |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others (2) | |
| 0860000 | **Flower pistil spices** | **0,05** (*) |
| 0860010 | Saffron | |
| 0860990 | Others (2) | |
| 0870000 | **Aril spices** | **0,05** (*) |
| 0870010 | Mace | |
| 0870990 | Others (2) | |
| 0900000 | **SUGAR PLANTS** | **0,01** (*) |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others (2) | |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | |
| 1010000 | **Commodities from** | |
| 1011000 | (a) *swine* | |
| 1011010 | Muscle | **0,02** (*) |
| 1011020 | Fat | **0,1** (*) |
| 1011030 | Liver | **0,05** (*) |
| 1011040 | Kidney | **0,05** (*) |
| 1011050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1011990 | Others (2) | **0,1** (*) |
| 1012000 | (b) *bovine* | |
| 1012010 | Muscle | **0,02** (*) |
| 1012020 | Fat | **0,1** (*) |
| 1012030 | Liver | **0,05** (*) |
| 1012040 | Kidney | **0,05** (*) |
| 1012050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1012990 | Others (2) | **0,1** (*) |
| 1013000 | (c) *sheep* | |
| 1013010 | Muscle | **0,02** (*) |
| 1013020 | Fat | **0,1** (*) |
| 1013030 | Liver | **0,05** (*) |
| 1013040 | Kidney | **0,05** (*) |
| 1013050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1013990 | Others (2) | **0,1** (*) |
| 1014000 | d) *goat* | |
| 1014010 | Muscle | **0,02** (*) |
| 1014020 | Fat | **0,1** (*) |
| 1014030 | Liver | **0,05** (*) |
| 1014040 | Kidney | **0,05** (*) |
| 1014050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1014990 | Others (2) | **0,1** (*) |
| 1015000 | (e) *equine* | |
| 1015010 | Muscle | **0,02** (*) |
| 1015020 | Fat | **0,1** (*) |
| 1015030 | Liver | **0,05** (*) |
| 1015040 | Kidney | **0,05** (*) |
| 1015050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1015990 | Others (2) | **0,1** (*) |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 1016000 | (f) *poultry* | |
| 1016010 | Muscle | **0,02** (*) |
| 1016020 | Fat | **0,1** (*) |
| 1016030 | Liver | **0,05** (*) |
| 1016040 | Kidney | **0,05** (*) |
| 1016050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1016990 | Others (2) | **0,1** (*) |
| 1017000 | (g) *other farmed terrestrial animals* | |
| 1017010 | Muscle | **0,02** (*) |
| 1017020 | Fat | **0,1** (*) |
| 1017030 | Liver | **0,05** (*) |
| 1017040 | Kidney | **0,05** (*) |
| 1017050 | Edible offals (other than liver and kidney) | **0,05** (*) |
| 1017990 | Others (2) | **0,1** (*) |
| 1020000 | **Milk** | **0,02** (*) |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others (2) | |
| 1030000 | **Birds eggs** | **0,01** (*) |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others (2) | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) |
| 1050000 | **Amphibians and Reptiles** | **0,01** (*) |
| 1060000 | **Terrestrial invertebrate animals** | **0,01** (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | **0,01** (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | |

▼**M210**

| (1) | (2) | (3) |
|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | |

▼M212

**Pesticide residues and maximum residue levels (mg/kg)**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0100000 | **FRUITS, FRESH or FROZEN; TREE NUTS** | **0,01** (*) | | **0,01** (*) | 0,01 (*) |
| 0110000 | **Citrus fruits** | | **0,03** (*) | | |
| 0110010 | Grapefruits | | | | |
| 0110020 | Oranges | | | | |
| 0110030 | Lemons | | | | |
| 0110040 | Limes | | | | |
| 0110050 | Mandarins | | | | |
| 0110990 | Others (2) | | | | |
| 0120000 | **Tree nuts** | | **0,04** (*) | | |
| 0120010 | Almonds | | | | |
| 0120020 | Brazil nuts | | | | |
| 0120030 | Cashew nuts | | | | |
| 0120040 | Chestnuts | | | | |
| 0120050 | Coconuts | | | | |
| 0120060 | Hazelnuts/cobnuts | | | | |
| 0120070 | Macadamias | | | | |
| 0120080 | Pecans | | | | |
| 0120090 | Pine nut kernels | | | | |
| 0120100 | Pistachios | | | | |
| 0120110 | Walnuts | | | | |
| 0120990 | Others (2) | | | | |
| 0130000 | **Pome fruits** | | **0,03** (*) | | |
| 0130010 | Apples | | | | |
| 0130020 | Pears | | | | |
| 0130030 | Quinces | | | | |
| 0130040 | Medlars | | | | |
| 0130050 | Loquats/Japanese medlars | | | | |
| 0130990 | Others (2) | | | | |
| 0140000 | **Stone fruits** | | **0,03** (*) | | |
| 0140010 | Apricots | | | | |
| 0140020 | Cherries (sweet) | | | | |
| 0140030 | Peaches | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0140040 | Plums | | | | |
| 0140990 | Others (2) | | | | |
| 0150000 | **Berries and small fruits** | | **0,03** (*) | | |
| 0151000 | (a) *grapes* | | | | |
| 0151010 | Table grapes | | | | |
| 0151020 | Wine grapes | | | | |
| 0152000 | (b) *strawberries* | | | | |
| 0153000 | (c) *cane fruits* | | | | |
| 0153010 | Blackberries | | | | |
| 0153020 | Dewberries | | | | |
| 0153030 | Raspberries (red and yellow) | | | | |
| 0153990 | Others (2) | | | | |
| 0154000 | (d) *other small fruits and berries* | | | | |
| 0154010 | Blueberries | | | | |
| 0154020 | Cranberries | | | | |
| 0154030 | Currants (black, red and white) | | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | |
| 0154050 | Rose hips | | | | |
| 0154060 | Mulberries (black and white) | | | | |
| 0154070 | Azaroles/Mediterranean medlars | | | | |
| 0154080 | Elderberries | | | | |
| 0154990 | Others (2) | | | | |
| 0160000 | **Miscellaneous fruitswith** | | | | |
| 0161000 | (a) *edible peel* | | | | |
| 0161010 | Dates | | **0,03** (*) | | |
| 0161020 | Figs | | **0,03** (*) | | |
| 0161030 | Table olives | | **0,04** (*) | | |
| 0161040 | Kumquats | | **0,03** (*) | | |
| 0161050 | Carambolas | | **0,03** (*) | | |
| 0161060 | Kaki/Japanese persimmons | | **0,03** (*) | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0161070 | Jambuls/ jambolans | | **0,03** (*) | | |
| 0161990 | Others (2) | | **0,03** (*) | | |
| 0162000 | (b) *inedible peel, small* | | **0,03** (*) | | |
| 0162010 | Kiwi fruits (green, red, yellow) | | | | |
| 0162020 | Litchis/lychees | | | | |
| 0162030 | Passionfruits/ maracujas | | | | |
| 0162040 | Prickly pears/ cactus fruits | | | | |
| 0162050 | Star apples/ cainitos | | | | |
| 0162060 | American persimmons/ Virginia kaki | | | | |
| 0162990 | Others (2) | | | | |
| 0163000 | (c) *inedible peel, large* | | | | |
| 0163010 | Avocados | | **0,04** (*) | | |
| 0163020 | Bananas | | **0,03** (*) | | |
| 0163030 | Mangoes | | **0,03** (*) | | |
| 0163040 | Papayas | | **0,03** (*) | | |
| 0163050 | Granate apples/ pomegranates | | **0,03** (*) | | |
| 0163060 | Cherimoyas | | **0,03** (*) | | |
| 0163070 | Guavas | | **0,03** (*) | | |
| 0163080 | Pineapples | | **0,03** (*) | | |
| 0163090 | Breadfruits | | **0,03** (*) | | |
| 0163100 | Durians | | **0,03** (*) | | |
| 0163110 | Soursops/ guanabanas | | **0,03** (*) | | |
| 0163990 | Others (2) | | **0,03** (*) | | |
| 0200000 | **VEGETABLES, FRESH or FROZEN** | | | | |
| 0210000 | **Root and tuber vegetables** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0211000 | (a) *potatoes* | | | | |
| 0212000 | (b) *tropical root and tuber vegetables* | | | | |
| 0212010 | Cassava roots/ manioc | | | | |
| 0212020 | Sweet potatoes | | | | |
| 0212030 | Yams | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0212040 | Arrowroots | | | | |
| 0212990 | Others (2) | | | | |
| 0213000 | (c) *other root and tuber vegetables except sugar beets* | | | | |
| 0213010 | Beetroots | | | | |
| 0213020 | Carrots | | | | |
| 0213030 | Celeriacs/turnip rooted celeries | | | | |
| 0213040 | Horseradishes | | | | |
| 0213050 | Jerusalem artichokes | | | | |
| 0213060 | Parsnips | | | | |
| 0213070 | Parsley roots/ Hamburg roots parsley | | | | |
| 0213080 | Radishes | | | | |
| 0213090 | Salsifies | | | | |
| 0213100 | Swedes/rutabagas | | | | |
| 0213110 | Turnips | | | | |
| 0213990 | Others (2) | | | | |
| 0220000 | **Bulb vegetables** | **0,01** (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0220010 | Garlic | | | | |
| 0220020 | Onions | | | | |
| 0220030 | Shallots | | | | |
| 0220040 | Spring onions/green onions and Welsh onions | | | | |
| 0220990 | Others (2) | | | | |
| 0230000 | **Fruiting vegetables** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0231000 | (a) *Solanaceae and Malvaceae* | | | | |
| 0231010 | Tomatoes | | | | |
| 0231020 | Sweet peppers/ bell peppers | | | | |
| 0231030 | Aubergines/ eggplants | | | | |
| 0231040 | Okra/lady's fingers | | | | |
| 0231990 | Others (2) | | | | |
| 0232000 | (b) *cucurbits with edible peel* | | | | |
| 0232010 | Cucumbers | | | | |
| 0232020 | Gherkins | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0232030 | Courgettes | | | | |
| 0232990 | Others (2) | | | | |
| 0233000 | (c) *cucurbits with inedible peel* | | | | |
| 0233010 | Melons | | | | |
| 0233020 | Pumpkins | | | | |
| 0233030 | Watermelons | | | | |
| 0233990 | Others (2) | | | | |
| 0234000 | (d) *sweet corn* | | | | |
| 0239000 | (e) *other fruiting vegetables* | | | | |
| 0240000 | **Brassica vegetables(excluding brassica roots and brassica baby leaf crops)** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0241000 | (a) *flowering brassica* | | | | |
| 0241010 | Broccoli | | | | |
| 0241020 | Cauliflowers | | | | |
| 0241990 | Others (2) | | | | |
| 0242000 | (b) *head brassica* | | | | |
| 0242010 | Brussels sprouts | | | | |
| 0242020 | Head cabbages | | | | |
| 0242990 | Others (2) | | | | |
| 0243000 | (c) *leafy brassica* | | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | | |
| 0243020 | Kales | | | | |
| 0243990 | Others (2) | | | | |
| 0244000 | (d) *kohlrabies* | | | | |
| 0250000 | **Leaf vegetables, herbs and edible flowers** | | | | |
| 0251000 | (a) *lettuces and salad plants* | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0251010 | Lamb's lettuces/corn salads | | | | |
| 0251020 | Lettuces | | | | |
| 0251030 | Escaroles/broad-leaved endives | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0251040 | Cresses and other sprouts and shoots | | | | |
| 0251050 | Land cresses | | | | |
| 0251060 | Roman rocket/rucola | | | | |
| 0251070 | Red mustards | | | | |
| 0251080 | Baby leaf crops (including brassica species) | | | | |
| 0251990 | Others (2) | | | | |
| 0252000 | (b) *spinaches and similar leaves* | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0252010 | Spinaches | | | | |
| 0252020 | Purslanes | | | | |
| 0252030 | Chards/beet leaves | | | | |
| 0252990 | Others (2) | | | | |
| 0253000 | (c) *grape leaves and similar species* | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0254000 | (d) *watercresses* | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0255000 | (e) *witloofs/Belgian endives* | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0256000 | (f) *herbs and edible flowers* | **0,02** (*) | **0,1** (*) | **0,02** (*) | 0,02 (*) |
| 0256010 | Chervil | | | | |
| 0256020 | Chives | | | | |
| 0256030 | Celery leaves | | | | |
| 0256040 | Parsley | | | | |
| 0256050 | Sage | | | | |
| 0256060 | Rosemary | | | | |
| 0256070 | Thyme | | | | |
| 0256080 | Basil and edible flowers | | | | |
| 0256090 | Laurel/bay leaves | | | | |
| 0256100 | Tarragon | | | | |
| 0256990 | Others (2) | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0260000 | **Legume vegetables** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0260010 | Beans (with pods) | | | | |
| 0260020 | Beans (without pods) | | | | |
| 0260030 | Peas (with pods) | | | | |
| 0260040 | Peas (without pods) | | | | |
| 0260050 | Lentils | | | | |
| 0260990 | Others (2) | | | | |
| 0270000 | **Stem vegetables** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0270010 | Asparagus | | | | |
| 0270020 | Cardoons | | | | |
| 0270030 | Celeries | | | | |
| 0270040 | Florence fennels | | | | |
| 0270050 | Globe artichokes | | | | |
| 0270060 | Leeks | | | | |
| 0270070 | Rhubarbs | | | | |
| 0270080 | Bamboo shoots | | | | |
| 0270090 | Palm hearts | | | | |
| 0270990 | Others (2) | | | | |
| 0280000 | **Fungi, mosses and lichens** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0280010 | Cultivated fungi | | | | |
| 0280020 | Wild fungi | | | | |
| 0280990 | Mosses and lichens | | | | |
| 0290000 | **Algae and prokaryotes organisms** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0300000 | **PULSES** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0300010 | Beans | | | | |
| 0300020 | Lentils | | | | |
| 0300030 | Peas | | | | |
| 0300040 | Lupins/lupini beans | | | | |
| 0300990 | Others (2) | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0400000 | **OILSEEDS AND OIL FRUITS** | **0,01** (*) | **0,04** (*) | **0,01** (*) | 0,01 (*) |
| 0401000 | **Oilseeds** | | | | |
| 0401010 | Linseeds | | | | |
| 0401020 | Peanuts/groundnuts | | | | |
| 0401030 | Poppy seeds | | | | |
| 0401040 | Sesame seeds | | | | |
| 0401050 | Sunflower seeds | | | | |
| 0401060 | Rapeseeds/canola seeds | | | | |
| 0401070 | Soyabeans | | | | |
| 0401080 | Mustard seeds | | | | |
| 0401090 | Cotton seeds | | | | |
| 0401100 | Pumpkin seeds | | | | |
| 0401110 | Safflower seeds | | | | |
| 0401120 | Borage seeds | | | | |
| 0401130 | Gold of pleasure seeds | | | | |
| 0401140 | Hemp seeds | | | | |
| 0401150 | Castor beans | | | | |
| 0401990 | Others (2) | | | | |
| 0402000 | **Oil fruits** | | | | |
| 0402010 | Olives for oil production | | | | |
| 0402020 | Oil palms kernels | | | | |
| 0402030 | Oil palms fruits | | | | |
| 0402040 | Kapok | | | | |
| 0402990 | Others (2) | | | | |
| 0500000 | **CEREALS** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0500010 | Barley | | | | |
| 0500020 | Buckwheat and other pseudo-cereals | | | | |
| 0500030 | Maize/corn | | | | |
| 0500040 | Common millet/proso millet | | | | |
| 0500050 | Oat | | | | |
| 0500060 | Rice | | | | |
| 0500070 | Rye | | | | |
| 0500080 | Sorghum | | | | |
| 0500090 | Wheat | | | | |
| 0500990 | Others (2) | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0600000 | **TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS** | 0,05 (*) | **0,1** (*) | 0,05 (*) | 0,05 (*) |
| 0610000 | **Teas** | | | | |
| 0620000 | **Coffee beans** | | | | |
| 0630000 | **Herbal infusions from** | | | | |
| 0631000 | (a) *flowers* | | | | |
| 0631010 | Chamomile | | | | |
| 0631020 | Hibiscus/roselle | | | | |
| 0631030 | Rose | | | | |
| 0631040 | Jasmine | | | | |
| 0631050 | Lime/linden | | | | |
| 0631990 | Others (2) | | | | |
| 0632000 | (b) *leaves and herbs* | | | | |
| 0632010 | Strawberry | | | | |
| 0632020 | Rooibos | | | | |
| 0632030 | Mate/maté | | | | |
| 0632990 | Others (2) | | | | |
| 0633000 | (c) *roots* | | | | |
| 0633010 | Valerian | | | | |
| 0633020 | Ginseng | | | | |
| 0633990 | Others (2) | | | | |
| 0639000 | (d) *any other parts of the plant* | | | | |
| 0640000 | **Cocoa beans** | | | | |
| 0650000 | **Carobs/Saint John's breads** | | | | |
| 0700000 | **HOPS** | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) |
| 0800000 | **SPICES** | | | | |
| 0810000 | **Seed spices** | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) |
| 0810010 | Anise/aniseed | | | | |
| 0810020 | Black caraway/black cumin | | | | |
| 0810030 | Celery | | | | |
| 0810040 | Coriander | | | | |
| 0810050 | Cumin | | | | |
| 0810060 | Dill | | | | |
| 0810070 | Fennel | | | | |
| 0810080 | Fenugreek | | | | |
| 0810090 | Nutmeg | | | | |
| 0810990 | Others (2) | | | | |
| 0820000 | **Fruit spices** | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) |
| 0820010 | Allspice/pimento | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 0820020 | Sichuan pepper | | | | |
| 0820030 | Caraway | | | | |
| 0820040 | Cardamom | | | | |
| 0820050 | Juniper berry | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | |
| 0820070 | Vanilla | | | | |
| 0820080 | Tamarind | | | | |
| 0820990 | Others (2) | | | | |
| 0830000 | **Bark spices** | 0,05 (*) | **0,1** (*) | 0,05 (*) | 0,05 (*) |
| 0830010 | Cinnamon | | | | |
| 0830990 | Others (2) | | | | |
| 0840000 | **Root and rhizome spices** | | | | |
| 0840010 | Liquorice | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) |
| 0840020 | Ginger (10) | | | | |
| 0840030 | Turmeric/curcuma | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) |
| 0840040 | Horseradish (11) | | | | |
| 0840990 | Others (2) | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) |
| 0850000 | **Bud spices** | 0,05 (*) | **0,1** (*) | 0,05 (*) | 0,05 (*) |
| 0850010 | Cloves | | | | |
| 0850020 | Capers | | | | |
| 0850990 | Others (2) | | | | |
| 0860000 | **Flower pistil spices** | 0,05 (*) | **0,1** (*) | 0,05 (*) | 0,05 (*) |
| 0860010 | Saffron | | | | |
| 0860990 | Others (2) | | | | |
| 0870000 | **Aril spices** | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) |
| 0870010 | Mace | | | | |
| 0870990 | Others (2) | | | | |
| 0900000 | **SUGAR PLANTS** | 0,01 (*) | **0,03** (*) | **0,01** (*) | 0,01 (*) |
| 0900010 | Sugar beet roots | | | | |
| 0900020 | Sugar canes | | | | |
| 0900030 | Chicory roots | | | | |
| 0900990 | Others (2) | | | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 1000000 | **PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS** | | | | |
| 1010000 | **Commodities from** | 0,01 (*) | | **0,01** (*) | 0,01 (*) |
| 1011000 | (a) *swine* | | | | |
| 1011010 | Muscle | | **0,03** (*) | | |
| 1011020 | Fat | | **0,02** (*) | | |
| 1011030 | Liver | | 0,2 (*) | | |
| 1011040 | Kidney | | **0,1** (*) | | |
| 1011050 | Edible offals (other than liver and kidney) | | **0,2** (*) | | |
| 1011990 | Others (2) | | **0,02** (*) | | |
| 1012000 | (b) *bovine* | | | | |
| 1012010 | Muscle | | **0,03** (*) | | |
| 1012020 | Fat | | **0,02** (*) | | |
| 1012030 | Liver | | **0,2** (*) | | |
| 1012040 | Kidney | | **0,1** (*) | | |
| 1012050 | Edible offals (other than liver and kidney) | | **0,2** (*) | | |
| 1012990 | Others (2) | | **0,02** (*) | | |
| 1013000 | (c) *sheep* | | | | |
| 1013010 | Muscle | | **0,03** (*) | | |
| 1013020 | Fat | | **0,02** (*) | | |
| 1013030 | Liver | | **0,2** (*) | | |
| 1013040 | Kidney | | **0,1** (*) | | |
| 1013050 | Edible offals (other than liver and kidney) | | **0,2** (*) | | |
| 1013990 | Others (2) | | **0,02** (*) | | |
| 1014000 | (d) *goat* | | | | |
| 1014010 | Muscle | | **0,03** (*) | | |
| 1014020 | Fat | | **0,02** (*) | | |
| 1014030 | Liver | | **0,2** (*) | | |
| 1014040 | Kidney | | **0,1** (*) | | |
| 1014050 | Edible offals (other than liver and kidney) | | **0,2** (*) | | |
| 1014990 | Others (2) | | **0,02** (*) | | |
| 1015000 | (e) *equine* | | | | |
| 1015010 | Muscle | | **0,03** (*) | | |
| 1015020 | Fat | | **0,02** (*) | | |
| 1015030 | Liver | | **0,2** (*) | | |
| 1015040 | Kidney | | **0,1** (*) | | |
| 1015050 | Edible offals (other than liver and kidney) | | **0,2** (*) | | |
| 1015990 | Others (2) | | **0,02** (*) | | |

▼**M212**

| Code number | Groups and examples of individual products to which the MRLs apply [a] | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 1016000 | (f) *poultry* | | | | |
| 1016010 | Muscle | | **0,03** (*) | | |
| 1016020 | Fat | | **0,02** (*) | | |
| 1016030 | Liver | | **0,2** (*) | | |
| 1016040 | Kidney | | **0,1** (*) | | |
| 1016050 | Edible offals (other than liver and kidney) | | **0,2** (*) | | |
| 1016990 | Others (2) | | **0,02** (*) | | |
| 1017000 | (g) *other farmed terrestrial animals* | | | | |
| 1017010 | Muscle | | **0,03** (*) | | |
| 1017020 | Fat | | **0,02** (*) | | |
| 1017030 | Liver | | **0,2** (*) | | |
| 1017040 | Kidney | | **0,1** (*) | | |
| 1017050 | Edible offals (other than liver and kidney) | | **0,02** (*) | | |
| 1017990 | Others (2) | | **0,02** (*) | | |
| 1020000 | **Milk** | 0,01 (*) | **0,1** (*) | **0,01** (*) | 0,01 (*) |
| 1020010 | Cattle | | | | |
| 1020020 | Sheep | | | | |
| 1020030 | Goat | | | | |
| 1020040 | Horse | | | | |
| 1020990 | Others (2) | | | | |
| 1030000 | **Birds eggs** | 0,01 (*) | **0,1** (*) | **0,01** (*) | 0,01 (*) |
| 1030010 | Chicken | | | | |
| 1030020 | Duck | | | | |
| 1030030 | Geese | | | | |
| 1030040 | Quail | | | | |
| 1030990 | Others (2) | | | | |
| 1040000 | **Honey and other apiculture products (7)** | **0,05** (*) | **0,05** (*) | **0,05** (*) | 0,05 (*) |
| 1050000 | **Amphibians and Reptiles** | 0,01 (*) | **0,1** (*) | **0,01** (*) | 0,01 (*) |
| 1060000 | **Terrestrial invertebrate animals** | 0,01 (*) | **0,1** (*) | **0,01** (*) | 0,01 (*) |
| 1070000 | **Wild terrestrial vertebrate animals** | 0,01 (*) | **0,1** (*) | **0,01** (*) | 0,01 (*) |
| 1100000 | **PRODUCTS OF ANIMAL ORIGIN - FISH, FISH-PRODUCTS AND ANY OTHER MARINE AND FRESHWATER FOOD PRODUCTS (8)** | | | | |

▼M212

| Code number | Groups and examples of individual products to which the MRLs apply (a) | Bromopropylate (F) | Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R) | Imazaquin | Tralkoxydim (sum of the constituent isomers of tralkoxydim) |
|---|---|---|---|---|---|
| 1200000 | **PRODUCTS OR PART OF PRODUCTS EXCLUSIVELY USED FOR ANIMAL FEED PRODUCTION (8)** | | | | |
| 1300000 | **PROCESSED FOOD PRODUCTS (9)** | | | | |

▼M32

(a) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(*) Limit of analytical determination

►M41 (**) Pesticide-code combination for which the MRL as set in Annex III part A applies ◄

(F) = Fat soluble

▼M114

**Tolylfluanid (Sum of tolylfluanid and dimethylaminosulfotoluidide expressed as tolylfluanid) (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Tolylfluanid — code 1000000 except 1040000: Dimethylaminosulfotoluidide

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼M42

**Clomazone**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0232010** **Cucumbers**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0233010** **Melons (Kiwano)**

**0244000** **(d) Kohlrabi**

**Diuron**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0130000** **(iii) Pome fruit**

**0130010** **Apples (Crab apple)**

**0130020** **Pears (Oriental pear)**

**0130030** **Quinces**

**0130040** **Medlar**

**0130050** **Loquat**

**0130990** **Others**

**0151020** **Wine grapes**

**Metconazole (sum of isomers) (F)**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

**0233010** **Melons (Kiwano)**

▼M42

**Prosulfocarb**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) Strawberries** |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0213020** | **Carrots** |
| **0213030** | **Celeriac** |
| **0213040** | **Horseradish (Angelica roots, lovage roots, gentiana roots,)** |
| **0213060** | **Parsnips** |
| **0213070** | **Parsley root** |
| **0213090** | **Salsify (Scorzonera, Spanish salsify (Spanish oysterplant))** |

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0256000** | **(f) Herbs** |
| **0256010** | **Chervil** |
| **0256020** | **Chives** |
| **0256030** | **Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)** |
| **0256040** | **Parsley** |
| **0256050** | **Sage (Winter savory, summer savory,)** |
| **0256060** | **Rosemary** |
| **0256070** | **Thyme (Marjoram, oregano)** |
| **0256080** | **Basil (Balm leaves, mint, peppermint)** |
| **0256090** | **Bay leaves (laurel)** |
| **0256100** | **Tarragon (Hyssop)** |
| **0256990** | **Others (Edible flowers)** |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0270030** | **Celery** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0810000** | **(i) Seeds** |
| **0810010** | **Anise** |
| **0810020** | **Black caraway** |
| **0810030** | **Celery seed (Lovage seed)** |
| **0810040** | **Coriander seed** |
| **0810050** | **Cumin seed** |
| **0810060** | **Dill seed** |
| **0810070** | **Fennel seed** |
| **0810080** | **Fenugreek** |
| **0810090** | **Nutmeg** |
| **0810990** | **Others** |
| **0820000** | **(ii) Fruits and berries** |
| **0820010** | **Allspice** |

▼M42

| | |
|---|---|
| **0820020** | **Anise pepper (Japan pepper)** |
| **0820030** | **Caraway** |
| **0820040** | **Cardamom** |
| **0820050** | **Juniper berries** |
| **0820060** | **Pepper, black and white (Long pepper, pink pepper)** |
| **0820070** | **Vanilla pods** |
| **0820080** | **Tamarind** |
| **0820990** | **Others** |

**Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)**

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0152000** | **(b) Strawberries** |
| **0154000** | **(d) Other small fruit & berries** |
| **0154010** | **Blueberries (Bilberries)** |
| **0154020** | **Cranberries (Cowberries (red bilberries))** |
| **0154030** | **Currants (red, black and white)** |
| **0154040** | **Gooseberries (Including hybrids with other ribes species)** |
| **0154050** | **Rose hips** |
| **0154060** | **Mulberries (arbutus berry)** |
| **0154070** | **Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))** |
| **0154080** | **Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries)** |
| **0154990** | **Others** |
| **0232000** | **(b) Cucurbits - edible peel** |
| **0232010** | **Cucumbers** |
| **0232020** | **Gherkins** |
| **0232030** | **Courgettes (Summer squash, marrow (patisson))** |
| **0232990** | **Others** |
| **0241000** | **(a) Flowering brassica** |
| **0241010** | **Broccoli (Calabrese, Chinese broccoli, broccoli raab)** |
| **0241020** | **Cauliflower** |
| **0241990** | **Others** |
| **0242010** | **Brussels sprouts** |
| **0242020** | **Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)** |
| **0242990** | **Others** |
| **0243000** | **(c) Leafy brassica** |
| **0243010** | **Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),)** |
| **0243020** | **Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage)** |
| **0243990** | **Others** |
| **0244000** | **(d) Kohlrabi** |
| **0256030** | **Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cisely and other Apiacea leaves)** |
| **0270060** | **Leek** |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

| | |
|---|---|
| **0300010** | **Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)** |
| **0300020** | **Lentils** |
| **0300030** | **Peas (Chickpeas, field peas, chickling vetch)** |

▼M77

**Vinclozolin**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M50

**Thiobencarb (4-chlorobenzyl methyl sulfone expressed as thiobencarb) ►M52 (A) ◄**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M52

(A) The European Union reference laboratories identified the reference standard for 4-chlorobenzyl methyl sulfone as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standard referred to in the first sentence by 22 March 2015, or, if that reference standard is not commercially available by that date, the unavailability of it.

▼M51

**Butralin**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M114

**Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine (UDHM), expressed as daminozide)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M59

**Quinoclamine**

(+) **The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.**

| | |
|---|---|
| 0840040 | Horseradish |

**Warfarin**

(+) **The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.**

| | |
|---|---|
| 084004 | Horseradish |

**Ethoxyquin (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| 0840040 | Horseradish |

▼M59

**Flusilazole (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Flusilazole — code 1000000 except 1040000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

▼M64

**Procymidone (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Procymidone — code 1000000: Vinclozolin, iprodione, procymidone, sum of compounds and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5 dichloroaniline

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

▼M66

**Asulam**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

**Cyanamide including salts expressed as cyanamide**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

**Propisochlor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

▼M68

**Anthraquinone (F)**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040 Horseradish**

▼M68

**Propanil**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M71

**Bone oil**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Carbon monoxide**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Dodemorph**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Paraffin oil (CAS 64742-54-7)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Petroleum oil (CAS 92062-35-6)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M73

**Trifluralin**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**1,3-Dichloropropene**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M79

**Oxadiargyl**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M74

**2-naphthyloxyacetic acid**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Acetochlor**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Chloropicrin**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Flurprimidole**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M77

**2,4,5-T (sum of 2,4,5-T, its salts and esters, expressed as 2,4,5-T) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Barban (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Bromophos-ethyl (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M77

**Camphechlor (Toxaphene) (F) (R)**

(*) Indicates lower limit of analytical determination

(R) = The residue definition differs for the following combinations pesticide-code number:

Camphechlor — code 1000000 except 1040000: Sum of the three indicator compounds Parlar No 26, 50 and 62, where:

Parlar No 26 = 2-endo,3-exo,5-endo,6-exo,8,8,10,10-octachlorobornane

Parlar No 50 = 2-endo,3-exo,5-endo,6-exo,8,8,9,10,10-nonachlorobornane

Parlar No 62 = 2,2,5,5,8,9,9,10,10,-nonachlorobornane

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Chlorbufam (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Chloroxuron (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Chlozolinate (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Di-allate (sum of isomers) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

**Dinoseb (sum of dinoseb, its salts, dinoseb-acetate and binapacryl, expressed as dinoseb)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

**0840040** **Horseradish**

▼M77

**Dinoterb (sum of dinoterb, its salts and esters, expressed as dinoterb)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Dioxathion (sum of isomers) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**DNOC**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Fentin (fentin including its salts, expressed as triphenyltin cation) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Flucycloxuron (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers)) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Formothion**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M77

**Mecarbam**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Methacrifos**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Monolinuron**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Phenothrin (phenothrin including other mixtures of constituent isomers (sum of isomers)) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Propham**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Pyrazophos (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Quinalphos (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers)) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M77

**Tecnazene (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M83

**Guazatine (guazatine acetate, sum of components)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M91

**Indolylacetic acid**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Indolylbutyric acid**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M100

**2-amino-4-methoxy-6-(trifluormethyl)-1,3,5-triazine (AMTT), resulting from the use of tritosulfuron (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Tritosulfuron**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M107

**Thiodicarb**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M120

**Tricyclazole**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M110

**Cinidon-ethyl**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M117

**Triadimefon (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M119

**Bitertanol (sum of isomers) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M121

**Hexachlorocyclohexane (HCH), alpha-isomer (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Hexachlorocyclohexane (HCH), beta-isomer (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

**Lindane (Gamma-isomer of hexachlorocyclohexane (HCH)) (F)**

(+) The applicable maximum residue level for horseradish (Armoracia rusticana) in the spice group (code 0840040) is the one set for horseradish (Armoracia rusticana) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|---|---|
| **0840040** | **Horseradish** |

▼M139

**Iprodione (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Iprodione - code 1000000 except 1040000: Sum of iprodione and all metabolites containing the 3,5-dichloroaniline moiety, expressed as iprodione.

▼M145

**Diflubenzuron (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Diflubenzuron - code 1000000: Sum of Diflubenzuron and 4 –chlorophenylurea expressed as Diflubenzuron.

▼M162

▼C16

**Chlorpyrifos-methyl (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number: Chlorpyrifos-methyl - code 500000: sum of chlorpyrifos-methyl and desmethyl chlorpyrifos-methyl.

▼M166

**Chlorothalonil (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Chlorothalonil - codes 1000000 to 1070000, except 1040000: 2,5,6-trichloro-4-hydroxyphtalonitrile (SDS-3701)

**Pymetrozine (R)**

(R) = The residue definition differs for the following combinations pesticide-code number: Pymetrozine - code 1020000: pymetrozine, 6-hydroxymethylpymetrozine and its phosphate conjugate, expressed as pymetrozine

▼M184

**Propineb and its reaction products that are cleaved to propane-1,2-diamine (PDA), expressed as PDA (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Propineb - code 1000000 except 1020000 and 1040000: Propylenethiurea (PTU), free

Propineb - code 1020000: Propylenethiurea (PTU) free and conjugated

As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case-by-case basis when the specific quantification of propineb, ziram and/or thiram is required.

▼M200

**Thiram (expressed as thiram)**

(O) As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

▼M203

**Bromoxynil and its salts, expressed as bromoxynil**

The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 29 October 2016, or, if that information is not submitted by that date, the lack of it.

**0700000 HOPS**

**Epoxiconazole (F)**

(F) Fat soluble

▼**M205**

**Triflumizole: Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamidine), expressed as Triflumizole (R) (F)**

(R) The residue definition differs for the following combinations pesticide-code number: triflumizole - code 100000 , except 1040000 : triflumizole (F)

(F) Fat soluble

▼**M210**

**Novaluron (sum of constituent isomers) (F)**

(F) Fat soluble

▼**M212**

**Bromopropylate (F)**

(F) Fat soluble

**Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (R)**

(R) The residue definition differs for the following combinations pesticide-code number: Chloridazon - code 1000000 except 1040000: Chloridazon (chloridazon-desphenyl, expressed as chloridazon)

▼**M3**

*ANNEX VII*

**Active substance/product combinations, as referred to in Article 18(3)**

| Active substance | Product in Annex I (Code number) |
|---|---|
| Hydrogen phosphide | Fruit (0100000), Vegetables (0200000), Pulses (0300000), Oilseeds and oil fruits (0400000), Cereals (0500000), Tea, coffee, herbal infusions and cocoa (0600000), Spices (0800000). |
| Aluminiumphosphide | Fruit (0100000), Vegetables (0200000), Pulses (0300000), Oilseeds and oil fruits (0400000), Cereals (0500000), Tea, coffee, herbal infusions and cocoa (0600000), Spices (0800000). |
| Magnesiumphosphide | Fruit (0100000), Vegetables (0200000), Pulses (0300000), Oilseeds and oil fruits (0400000), Cereals (0500000), Tea, coffee, herbal infusions and cocoa (0600000), Spices (0800000). |
| Sulfurylfluoride | Fruit (0100000), Cereals (0500000). |