REGOLAMENTO (CEE) N. 3709/85 DEL CONSIGLIO

del 10 dicembre 1985

che modifica il regolamento (CEE) n. 2870/82 relativo alle restrizioni all'esportazione di taluni prodotti siderurgici verso gli Stati Uniti d'America

IL CONSIGLIO DELLE COMUNITÀ EUROPEE,

visto il trattato che istituisce la Comunità economica europea, in particolare l'articolo 113,

vista la proposta della Commissione,

considerando che la Comunità ha concluso con gli Stati Uniti d'America l'accordo [1] che proroga fino al 30 settembre 1989 e modifica l'accordo del 21 ottobre 1982 approvato con il regolamento (CEE) n. 2869/82 [2];

considerando che occorre pertanto modificare il regolamento (CEE) n. 2870/82 [3],

HA ADOTTATO IL PRESENTE REGOLAMENTO:

Articolo 1

Il regolamento (CEE) n. 2870/82 è così modificato:

1) il testo dell'articolo 1, paragrafo 1, primo comma è sostituito dal testo seguente:

«1. Sono imposte restrizioni comunitarie per il periodo dal 1° gennaio 1986 al 30 settembre 1989 alle esportazioni dalla Comunità verso gli Stati Uniti d'America (detti qui di seguito "Stati Uniti") dei prodotti siderurgici originari della Comunità, di cui all'allegato I, effettuate a decorrere dal 1° gennaio 1986»;

2) il testo dell'articolo 2, paragrafo 1 è sostituito dal testo seguente:

«1. La Commissione calcola i massimali comunitari di esportazione per categoria di prodotto per gli anni 1986, 1987 e 1988, nonché per i primi nove mesi del 1989, applicando i seguenti coefficienti al consumo apparente degli Stati Uniti a norma dell'articolo 5 dell'accordo:

Categoria di prodotti	*Coefficiente (in %)*
Lamiere laminate a freddo	5,35
Lamiere grosse	5,53
Profilati e putrelle	10,25
Barre laminate a caldo	2,48
Lamiere rivestite	3,40
Latta	2,394
Rotaie	8,90
Banda nera	11,78
Lamiere e nastri magnetici	4,74
Acciaio non stagnato	4,04
Nastri laminati a freddo	3,69
Barre rifinite a freddo e altre	5,44
Profilati inferiori a 3"	2,41
Elementi per la costruzione di strade ferrate, ruote e assi	1,63
Lamiere grosse di acciaio inossidabile	4,93
Lamiere e nastri di acciaio inossidabile	3,99

Inoltre, per le categorie sottoindicate, i massimali comunitari di esportazione sono i seguenti:

	(in tonnellate)
Vergelle tonde, rettangolari e altre	166 108
Prodotti trafilati	12 294
Vergella inossidabile	6 169
Trefoli	34 368
Cavi	5 171
Altri acciai speciali	11 708
Profilati e putrelle fabbricati	16 547
Barre di acciaio inossidabile	4 990
Vergella inossidabile	4 990
Acciaio legato per utensili	8 165

I suddetti quantitativi comprendono anche i prodotti delle categorie corrispondenti di cui all'articolo 2 della decisione n. 2872/82/CECA [1] della Commissione, modificata da ultimo dalla decisione n. 3713/85/CECA [2] della Commissione.

I massimali sono ridotti proporzionalmente per il periodo che copre i primi nove mesi del 1989 e, qualora l'accordo non venga applicato dal 1° gennaio 1986, per i prodotti di cui all'articolo 2, lettera b) dell'accordo.

(1) GU n. L 307 dell'1. 11. 1982, pag. 27.
(2) GU n. L 355 del 31. 12. 1985, pag. 155»;

3) il testo dell'articolo 2, paragrafo 3 è sostituito dal testo seguente:

«3. Questi massimali possono inoltre essere rettificati secondo la procedura di cui all'articolo 8:

(1) GU n. L 307 dell'1. 11. 1982, pag. 13.
(2) GU n. L 307 dell'1. 11. 1982, pag. 1.
(3) GU n. L 307 dell'1. 11. 1982, pag. 3.

— in caso di utilizzazioni anticipate o di riporti di licenze, comprese le licenze rilasciate in applicazione dell'accordo complementare del 6 agosto 1985 (1),

— per consentire trasferimenti tra i prodotti di cui al presente regolamento e quelli di cui al regolamento (CEE) n. 60/85 (2),

— per supplementi di quote in caso di penuria,

— per tener conto di eventuali scarti nei mesi di novembre e dicembre 1985 rispetto alla struttura stagionale degli scambi,

alle condizioni stabilite dall'accordo.

---

(1) GU n. L 215 del 12. 8. 1985, pag. 2.

(2) GU n. L 9 del 10. 1. 1985, pag. 13»;

4) il testo dell'articolo 3, paragrafo 1 è sostituito dal testo seguente:

«1. La Commissione ripartisce conformemente all'allegato III i massimali quantitativi di esportazione della Comunità fissati e calcolati secondo il metodo definito all'articolo 2 per gli anni 1986, 1987, 1988 e per i primi nove mesi del 1989»;

5) all'articolo 4, tra il primo e il secondo comma è inserito il comma seguente:

«Questa riserva è inoltre costituita dalla parte dei massimali comunitari di esportazione indicati all'allegato III»;

6) all'articolo 5, paragrafo 1, primo comma, le date «1° novembre 1982» e «31 dicembre 1985» sono sostituite rispettivamente da «1° gennaio 1986» e «30 settembre 1989»;

7) all'articolo 5, paragrafo 1, secondo comma, i termini «per il 1984 e per il 1985» sono sostituiti da «per gli anni 1986, 1987, 1988 e per i primi nove mesi del 1989»;

8) il testo dell'articolo 5, paragrafo 1, terzo comma è sostituito dal testo seguente:

«3. Fatto salvo il secondo comma, gli stati membri possono rilasciare nuove licenze rispettivamente nel corso degli anni 1986, 1987, 1988 e dei primi nove mesi del 1989, a titolo dell'aliquota non utilizzata delle licenze rilasciate e restituite alle loro autorità competenti negli anni 1986, 1987, 1988 e nei primi nove mesi del 1989»;

9) il testo dell'articolo 5, paragrafo 2, secondo trattino è sostituito dal testo seguente:

«— il rispetto delle correnti tradizionali d'esportazione delle imprese, tenendo conto dei criteri di riduzione fissati dal presente regolamento e, se del caso, della situazione delle nuove imprese siderurgiche.»

10) gli allegati I e III sono sostituiti rispettivamente dagli allegati I e III figuranti nell'allegato del presente regolamento.

Articolo 2

Il presente regolamento entra in vigore il 1° gennaio 1986.

Tuttavia, esso è applicabile alle esportazioni delle categorie «lamiere e nastri di acciaio inossidabile, lamiere grosse di acciaio inossidabile, barre di acciaio inossidabile, vergella di acciaio inossidabile e acciaio legato per utensili», a decorrere dal primo giorno del mese successivo al mese durante il quale vengono soddisfatte le condizioni di cui all'articolo 2, lettera b) dell'accordo.

La Commissione informa gli stati membri che le suddette condizioni sono state soddisfatte.

Questa informazione viene pubblicata nella *Gazzetta ufficiale delle Comunità europee.*

Il presente regolamento è obbligatorio in tutti i suoi elementi e direttamente applicabile in ciascuno degli stati membri.

Fatto a Bruxelles, addì 10 dicembre 1985.

Per il Consiglio

Il Presidente

M. FISCHBACH

ANNEX

ANNEX I

This Annex lists, for information purposes, the products which come under the ECSC Treaty and are covered by Article 1 (1) of Decision No 2872/82/ECSC.

Imports by category

Product	NIMEXE code (*)	TS USA number (*)
Hot-rolled sheet and strip — Carbon	73.08-01 (2, 191) 03 (2, 191) 05 (191) 07 (191) 21 (2, 191) 25 (191) 29 (191) 41 (2, 191) 45 (191) 49 (191) 73.09-00 (2, 191) 73.10-11 (5, 6, 60, 191) 15 (1, 82, 191) 17 (5, 6, 60, 191) 42 (5, 6, 60, 191) 49 (1, 7, 82, 191, 193) 73.12-11 (2, 191) 19 (2, 191) 40 (2, 7, 82, 191) 51 (5, 7, 60, 191) 59 (5, 7, 60, 191) 61 (5, 7, 60, 191) 63 (5, 7, 60, 191) 65 (5, 7, 60, 191) 71 (5, 60, 191) 81 (5, 7, 60, 191, 193) 85 (5, 7, 60, 191, 193) 87 (5, 7, 60, 191, 193) 88 (2, 7, 82, 191) 89 (2, 7, 82, 191, 193) 73.13-11 (2, 7, 191) 16 (2, 7, 191) 17 (2, 191) 19 (2, 191) 21 (191) 23 (191) 26 (191) 32 (191) 34 (191) 36 (191) 50 (2, 7, 191) 62 (2, 7, 50, 191) 88 (2, 7, 191) 89 (2, 7, 38, 191) 73.62-10 (2, 191) 30 (2, 191) 73.63-21 (5, 6, 60, 191) 29 (1, 82, 191) 72 (5, 6, 60, 191) 79 (1, 7, 82, 191) 73.64-20 (2, 191) 72 (5, 7, 60, 191, 193) 79 (2, 7, 82, 191, 193)	607.6610 607.6710 607.6720 607.6730 607.6740 607.8342 608.1920 608.2120 608.2320

(*) These numbers are subject to revision when the United States or the EEC adopts modifications to the applicable import or export nomenclature. Subject to technical adjustments to be agreed upon by experts of both parties.

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip *(cont'd)*		
— Carbon *(cont'd)*	73.65-21 (2, 191)	
	23 (191)	
	25 (191)	
	70 (2, 7, 38, 191)	
	73.72-11 (2, 191)	
	13 (2, 191)	
	19 (2, 191)	
	73.73-23 (5, 6, 60, 191)	
	24 (5, 6, 60, 191)	
	25 (5, 6, 60, 191)	
	26 (5, 6, 60, 191)	
	29 (5, 6, 60, 191)	
	73.72-33 (2, 191)	
	39 (2, 191)	
	73.73-33 (1, 82, 191)	
	34 (1, 82, 191)	
	35 (1, 82, 191)	
	36 (1, 82, 191)	
	39 (1, 82, 191)	
	72 (5, 6, 60, 191)	
	83 (1, 7, 82, 191, 193)	
	89 (1, 7, 82, 191, 193)	
	73.74-21 (2, 191)	
	23 (2, 191)	
	29 (2, 191)	
	72 (5, 60, 191)	
	83 (2, 7, 82, 191, 193)	
	89 (2, 7, 82, 191, 193)	
	73.75-11 (2, 7, 191)	
	19 (2, 7, 191)	
	23 (2, 191)	
	24 (2, 191)	
	29 (2, 191)	
	33 (191)	
	34 (191)	
	39 (191)	
	43 (191)	
	44 (191)	
	49 (191)	
	73 (2, 7, 38, 191)	
	79 (2, 7, 38, 191)	
— Alloy	73.08-01 (4, 5, 45, 68, 190, 209)	607.8100
	03 (4, 5, 45, 68, 190, 209)	608.3820 (7)
	05 (4, 45, 68, 190, 209)	608.5520 (7)
	07 (4, 45, 68, 190, 209)	608.6720 (7)
	21 (4, 5, 45, 68, 190, 209)	
	25 (4, 45, 68, 190, 209)	
	29 (4, 45, 68, 190, 209)	
	41 (4, 5, 45, 68, 190, 198, 209)	
	45 (4, 45, 68, 190, 198, 209)	
	49 (4, 45, 68, 190, 198, 209)	
	73.10-11 (4, 5, 6, 60, 68, 190, 199, 205)	
	15 (4, 5, 6, 60, 68, 190, 199, 205)	
	17 (4, 5, 6, 60, 68, 190, 199, 205)	
	42 (4, 5, 6, 60, 68, 190, 199, 205)	
	49 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.12-11 (4, 68, 190, 198, 200, 205, 209)	
	19 (4, 68, 190, 198, 200, 205, 209)	
	40 (4, 68, 190, 198, 200, 205, 209)	
	59 (4, 68, 190, 198, 200, 205, 209)	
	61 (4, 68, 190, 198, 200, 205, 209)	
	63 (4, 68, 190, 198, 200, 205, 209)	
	65 (4, 68, 190, 198, 200, 205, 209)	
	71 (4, 68, 190, 198, 200, 205, 209)	

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip *(cont'd)* — Alloy *(cont'd)*	73.12-81 (4, 68, 190, 193, 198, 200, 205, 209) 85 (4, 68, 190, 193, 198, 200, 205, 209) 87 (4, 68, 190, 193, 198, 200, 205, 209) 88 (4, 68, 190, 198, 200, 205, 209) 89 (4, 68, 190, 193, 198, 200, 205, 209) 73.13-11 (4, 5, 45, 68, 190, 209) 16 (4, 5, 45, 68, 190, 209) 17 (4, 5, 45, 68, 190, 209) 19 (4, 5, 45, 68, 190, 209) 21 (4, 68, 190, 209) 23 (4, 68, 190, 209) 26 (4, 68, 190, 209) 32 (4, 68, 190, 209) 34 (4, 68, 190, 209) 36 (4, 68, 190, 209) 50 (4, 5, 68, 190, 209) 88 (4, 5, 7, 68, 190, 209) 89 (4, 5, 7, 38, 68, 190, 209) 73.62-10 (4, 68, 190, 198, 209) 73.63-21 (4, 5, 6, 60, 68, 190, 199, 205) 29 (4, 5, 6, 60, 68, 190, 199, 205) 72 (4, 5, 6, 60, 68, 190, 199, 205) 79 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 73.64-20 (4, 68, 190, 198, 200, 205, 209) 79 (4, 7, 68, 190, 193, 198, 200, 205, 209) 73.65-21 (4, 5, 45, 68, 198, 209) 23 (4, 5, 45, 68, 190, 209) 25 (4, 5, 45, 68, 190, 209) 70 (4, 5, 7, 38, 45, 68, 190, 209) 73.72-11 (4, 68, 190, 198, 209) 13 (4, 68, 190, 198, 209) 19 (4, 68, 190, 198, 209) 73.73-23 (4, 5, 6, 60, 68, 190, 199, 205) 24 (4, 5, 6, 60, 68, 190, 199, 205) 25 (4, 5, 6, 60, 68, 190, 199, 205) 26 (4, 5, 6, 60, 68, 190, 199, 205) 29 (4, 5, 6, 60, 68, 190, 199, 205) 33 (4, 5, 6, 60, 68, 190, 199, 205) 34 (4, 5, 6, 60, 68, 190, 199, 205) 35 (4, 5, 6, 60, 68, 190, 199, 205) 36 (4, 5, 6, 60, 68, 190, 199, 205) 39 (4, 5, 6, 60, 68, 190, 199, 205) 72 (4, 5, 6, 60, 68, 190, 199, 205) 83 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 89 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 73.74-21 (4, 68, 190, 198, 200, 205, 209) 23 (4, 68, 190, 198, 200, 205, 209) 29 (4, 68, 190, 198, 200, 205, 209) 72 (4, 68, 190, 198, 200, 205, 209) 83 (4, 7, 68, 190, 193, 198, 200, 205, 209) 89 (4, 7, 68, 190, 193, 198, 200, 205, 209) 73.75-11 (4, 5, 7, 45, 68, 190, 209) 19 (4, 5, 7, 45, 68, 190, 209) 23 (4, 5, 45, 68, 190, 209) 24 (4, 5, 45, 68, 190, 209) 29 (4, 5, 45, 68, 190, 209) 33 (4, 5, 45, 68, 190, 209) 34 (4, 5, 45, 68, 190, 209) 39 (4, 5, 45, 68, 190, 209) 43 (4, 5, 45, 68, 190, 209) 44 (4, 5, 45, 68, 190, 209) 49 (4, 5, 45, 68, 190, 209) 73 (4, 5, 7, 38, 45, 68, 190, 209) 79 (4, 5, 7, 38, 45, 68, 190, 209)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet	73.08-01 (87, 191, 202)	607.8320
	03 (87, 191, 202)	607.8350
	05 (191, 202)	607.8355
	07 (191, 202)	707.8360
	21 (87, 191, 202)	
	25 (191, 202)	
	29 (191, 202)	
	41 (87, 191, 202)	
	45 (191, 202)	
	49 (191, 202)	
	73.09-00 (87, 191)	
	73.10-15 (6, 87, 191)	
	17 (6, 87, 191)	
	30 (6, 87, 191)	
	49 (6, 87, 191)	
	73.12-11 (87, 191)	
	19 (87, 191)	
	21 (8, 191, 206)	
	25 (8, 191, 206)	
	29 (8, 191, 206)	
	40 (84, 87, 191)	
	88 (84, 87, 191, 202)	
	89 (84, 87, 191, 202)	
	73.13-11 (84, 87, 191, 206)	
	16 (84, 87, 191, 206)	
	17 (87, 191)	
	19 (87, 191)	
	41 (191)	
	43 (191)	
	45 (191)	
	47 (191)	
	49 (191, 206)	
	50 (84, 87, 191)	
	62 (50, 84, 87, 191)	
	88 (84, 87, 191, 202)	
	89 (84, 87, 191, 202)	
	73.62-10 (87, 191, 202)	
	30 (87, 191)	
	73.63-29 (6, 87, 191)	
	50 (6, 87, 191)	
	79 (6, 87, 191)	
	73.64-20 (87, 191)	
	50 (8, 191, 206)	
	79 (84, 87, 191, 202)	
	73.65-21 (87, 191)	
	53 (191)	
	55 (191, 206)	
	70 (84, 87, 191, 202)	
	73.72-11 (87, 191, 202)	
	13 (87, 191, 202)	
	19 (87, 191, 202)	
	33 (87, 191)	
	39 (87, 191)	
	73.73-33 (6, 87, 191)	
	34 (6, 87, 191)	
	35 (6, 87, 191)	
	36 (6, 87, 191)	
	39 (6, 87, 191)	
	53 (6, 87, 191)	
	54 (6, 87, 191)	
	55 (6, 87, 191)	
	59 (6, 87, 191)	
	83 (6, 87, 191)	
	89 (6, 87, 191)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet *(cont'd)*	73.74-21 (87, 191) 23 (87, 191) 29 (87, 191) 51 (8, 191, 206) 52 (8, 191, 206) 53 (8, 191, 206) 54 (8, 191, 206) 59 (8, 191, 206) 83 (84, 87, 191, 202) 89 (84, 87, 191, 202) 73.75-11 (84, 87, 191, 202, 206) 19 (84, 87, 191, 202, 206) 23 (87, 191) 24 (87, 191) 29 (87, 191) 53 (191) 54 (191) 59 (191) 63 (191, 206) 64 (191, 206) 69 (191, 206) 73 (84, 87, 191, 202) 79 (84, 87, 191, 202)	
Alloy cold-rolled sheet	73.08-01 (4, 5, 9, 68, 143, 190, 199) 03 (4, 5, 9, 68, 143, 190, 199) 05 (4, 9, 68, 143, 190, 199) 07 (4, 9, 68, 143, 190, 199) 21 (4, 5, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 29 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199) 45 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 73.12-11 (4, 5, 8, 9, 68, 143, 190, 199) 19 (4, 5, 8, 9, 68, 143, 190, 199) 21 (4, 5, 8, 9, 68, 143, 190, 199, 206) 25 (4, 5, 8, 9, 68, 143, 190, 199, 206) 29 (4, 5, 8, 9, 68, 143, 190, 199, 206) 40 (4, 5, 8, 9, 68, 143, 190, 199) 88 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 38, 68, 143, 190, 199) 73.13-11 (4, 5, 9, 68, 143, 190, 199) 16 (4, 5, 9, 68, 143, 190, 199) 17 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 21 (4, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 26 (4, 9, 68, 143, 190, 199) 32 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 36 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199, 206) 43 (4, 9, 68, 143, 190, 199, 206) 45 (4, 9, 68, 143, 190, 199, 206) 47 (4, 9, 68, 143, 190, 199, 206) 49 (4, 9, 68, 143, 190, 199, 206) 50 (4, 5, 9, 68, 143, 190, 199) 62 (4, 5, 9, 50, 68, 143, 199, 190) 88 (4, 5, 9, 68, 143, 190, 199) 89 (4, 5, 9, 38, 68, 143, 190, 199) 73.62-10 (4, 5, 9, 68, 143, 190, 199) 73.64-20 (4, 5, 8, 9, 68, 143, 190, 199) 50 (4, 5, 8, 9, 68, 190, 199, 206) 79 (4, 5, 8, 9, 38, 68, 143, 190, 199, 203)	

Product	NIMEXE code	TS USA number
Alloy cold-rolled sheet *(cont'd)*	73.65-21 (4, 5, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 55 (4, 9, 68, 190, 199, 206) 70 (4, 5, 9, 38, 68, 143, 190, 199) 73.72-11 (4, 5, 9, 68, 143, 190, 199) 13 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 73.74-21 (4, 5, 8, 9, 68, 143, 190, 199) 23 (4, 5, 8, 9, 68, 143, 190, 199) 29 (4, 5, 8, 9, 68, 143, 190, 199) 51 (4, 5, 8, 9, 68, 190, 199, 206) 52 (4, 5, 8, 9, 68, 190, 199, 206) 53 (4, 5, 8, 9, 68, 190, 199, 206) 54 (4, 5, 8, 9, 68, 190, 199, 206) 59 (4, 5, 8, 9, 68, 190, 199, 206) 83 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 68, 143, 190, 199) 73.75-11 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 23 (4, 5, 9, 68, 143, 190, 199) 24 (4, 5, 9, 68, 143, 190, 199) 29 (4, 5, 9, 68, 143, 190, 199) 33 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 39 (4, 9, 68, 143, 190, 199) 43 (4, 9, 68, 143, 190, 199) 44 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 54 (4, 5, 9, 68, 190, 199) 59 (4, 5, 9, 68, 190, 199) 63 (4, 9, 68, 190, 199, 206) 64 (4, 9, 68, 190, 199, 206) 69 (4, 9, 68, 190, 199, 206) 73 (4, 5, 9, 38, 68, 143, 190, 199) 79 (4, 5, 9, 38, 68, 143, 190, 199)	
Carbon plate (including coated, plated and clad plate, and clad sheet)	73.09-00 (12, 13, 45, 191) 73.10-17 (6, 12, 13, 45, 191) 42 (6, 44) 45 (6, 44) 49 (6, 40, 191, 193) 73.12-11 (12, 13, 14, 15, 45, 191) 19 (12, 13, 14, 45, 191) 40 (7, 12, 13, 14, 45, 191) 51 (13, 15, 191) 59 (13, 15, 191) 61 (13, 15, 191) 63 (13, 15, 191) 65 (13, 15, 191) 71 (44) 75 (44) 81 (13, 15, 191, 193) 85 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (13, 15, 191) 89 (40, 191, 193) 73.13-11 (7, 13, 14, 45, 191) 16 (7, 13, 14, 45, 191) 17 (13, 14, 45, 191) 19 (13, 14, 45, 191) 50 (7, 13, 14, 45, 191) 62 (7, 13, 14, 45, 50, 191)	607.6620 (19) 607.6625 607.9400 608.0710 608.1100

Product	NIMEXE code	TS USA number
Carbon plate (including coated, plated and clad plate, and clad sheet) *(cont'd)*	73.13-64 (13, 15, 191) 65 (13, 15, 191) 67 (13, 15, 191) 68 (13, 15, 191) 72 (13, 15, 191) 74 (13, 15, 191) 78 (44) 79 84 (13, 15, 191, 193) 86 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (7, 13, 14, 45, 191) 89 (40, 191, 193) 73.62-30 (12, 45, 191) 73.63-29 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 79 (6, 40, 191, 193) 73.64-20 (12, 13, 14, 45, 191) 72 (44) 75 (44) 79 (40, 191, 193) 73.65-21 (13, 14, 45, 191) 70 (40, 44, 193, 211) 73.72-33 (12, 13, 14, 45, 191) 39 (12, 13, 14, 45, 191) 73.73-33 (6, 12, 13, 45, 191) 34 (6, 12, 13, 45, 191) 35 (6, 12, 13, 45, 191) 36 (6, 12, 13, 45, 191) 39 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 83 (6, 40, 191, 193) 89 (6, 40, 191, 193) 73.74-21 (12, 13, 14, 45, 191) 23 (12, 13, 14, 45, 191) 29 (12, 13, 14, 45, 191) 72 (44) 74 (44) 83 (40, 191, 193) 89 (40, 191, 193) 73.75-11 (7, 13, 14, 45, 191) 19 (7, 13, 14, 45, 191) 23 (13, 14, 45, 191) 24 (13, 14, 45, 191) 29 (13, 14, 45, 191) 73 (40, 191, 193) 79 (40, 191, 193)	
Alloy plate (including coated plate)	73.08-01 (4, 13, 68, 190) 03 (4, 13, 68, 190) 21 (4, 13, 68, 190) 41 (4, 13, 68, 190) 73.09-00 (4, 12, 20, 68, 190) 73.10-15 (4, 6, 12, 13, 68, 190) 17 (4, 6, 12, 13, 68, 190) 30 (4, 6, 8, 13, 68, 190) 49 (6, 13, 15, 190, 193, 212) 73.12-11 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 21 (4, 8, 13, 68, 190) 25 (4, 8, 13, 68, 190) 29 (4, 8, 13, 68, 190) 40 (4, 13, 15, 68, 190) 51 (13, 15, 190)	607.7803 (19) 607.7806 607.9100 608.1420

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) *(cont'd)*	73.12-59 (13, 15, 190) 61 (13, 15, 190) 63 (13, 15, 190) 65 (13, 15, 190) 81 (13, 15, 190, 193) 85 (13, 15, 190, 193) 87 (13, 15, 190, 193) 88 (4, 13, 15, 68, 190) 89 (13, 15, 190, 193, 212) 73.13-11 (4, 13, 68, 190) 16 (4, 13, 68, 190) 17 (4, 13, 68, 190) 19 (4, 13, 68, 190) 41 (4, 13, 68, 190) 50 (4, 13, 68, 190) 62 (4, 13, 50, 68, 190) 64 (13, 190) 65 (13, 190) 67 (13, 190) 68 (13, 190) 72 (13, 190) 74 (13, 190) 84 (13, 190, 193) 86 (13, 190, 193) 87 (13, 190, 193) 88 (4, 13, 68, 190) 89 (13, 190, 193, 212) 73.62-10 (4, 13, 68, 190) 30 (4, 12, 20, 68, 190) 73.63-29 (4, 6, 12, 13, 68, 190) 50 (4, 6, 8, 13, 68, 190) 79 (6, 13, 15, 190, 193, 212) 73.64-20 (4, 12, 13, 68, 190) 50 (4, 8, 13, 68, 190) 79 (13, 15, 190, 212) 73.65-21 (4, 13, 68, 190) 70 (13, 20, 190, 212) 73.72-11 (4, 12, 13, 68, 190) 13 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 33 (4, 12, 13, 20, 68, 190) 39 (4, 12, 13, 20, 68, 190) 73.73-33 (4, 6, 12, 13, 68, 190) 34 (4, 6, 12, 13, 68, 190) 35 (4, 6, 12, 13, 68, 190) 36 (4, 6, 12, 13, 68, 190) 39 (4, 6, 12, 13, 68, 190) 53 (4, 6, 8, 13, 68, 190) 54 (4, 6, 8, 13, 68, 190) 55 (4, 6, 8, 13, 68, 190) 59 (4, 6, 8, 13, 68, 190) 83 (6, 13, 15, 190, 193, 212) 89 (6, 13, 15, 190, 193, 212) 73.74-21 (4, 12, 13, 68, 190) 23 (4, 12, 13, 68, 190) 29 (4, 12, 13, 68, 190) 51 (4, 8, 13, 68, 190) 52 (4, 8, 13, 68, 190) 53 (4, 8, 13, 68, 190) 54 (4, 8, 13, 68, 190) 59 (4, 13, 68, 190) 83 (13, 15, 190, 193, 212) 89 (13, 15, 190, 193, 212)	

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) *(cont'd)*	73.75-11 (4, 13, 68, 190) 19 (4, 13, 68, 190) 23 (4, 13, 68, 190) 24 (4, 13, 68, 190) 29 (4, 13, 68, 190) 53 (4, 13, 68, 190) 54 (4, 13, 68, 190) 59 (4, 13, 68, 190) 73 (13, 20, 190, 193, 212) 79 (13, 20, 190, 193, 212)	
Carbon structural shapes	73.11-11 (21, 152, 191) 12 (152, 191) 14 (152, 191) 16 (152, 191) 19 (21, 152, 191) 20 (21, 152, 191) 31 (21, 112, 152, 191) 39 (21, 112, 152, 191) 41 (21, 152, 191) 43 (21, 112, 152, 191) 49 (21, 112, 152, 191) 73.16-11 (21, 112, 152, 191) 73.63-10 (21, 152, 191) 29 (21, 152, 191) 50 (21, 112, 152, 191) 72 (21, 152, 191) 74 (21, 112, 152, 191) 79 (21, 112, 152, 191) 73.73-13 (21, 152, 191) 14 (21, 152, 191) 19 (21, 152, 191) 33 (21, 152, 191) 34 (21, 152, 191) 35 (21, 152, 191) 36 (21, 152, 191) 39 (21, 152, 191) 43 (21, 112, 152, 191) 49 (21, 112, 152, 191) 53 (21, 112, 152, 191) 54 (21, 112, 152, 191) 55 (21, 112, 152, 191) 59 (21, 112, 152, 191) 72 (21, 152, 191) 74 (21, 112, 152, 191) 83 (21, 112, 152, 191) 89 (21, 112, 152, 191)	609.8005 609.8015 609.8035 609.8041 609.8045
Alloy and stainless structural shapes	73.11-11 (152, 190) 12 (152, 190) 14 (152, 190) 16 (152, 190) 19 (152, 190) 20 (152, 190) 31 (112, 152, 190) 39 (112, 152, 190) 41 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 73.16-11 (112, 152, 190) 73.63-10 (152, 190) 29 (152, 190) 50 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 79 (112, 152, 190)	609.8205 609.8210 609.8215 609.8220 609.8225 609.8230 609.8235 609.8240

Product	NIMEXE code	TS USA number
Alloy and stainless structural shapes *(cont'd)*	73.73-13 (152, 190) 14 (152, 190) 19 (152, 190) 33 (152, 190) 34 (152, 190) 35 (152, 190) 36 (152, 190) 39 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 53 (112, 152, 190) 54 (112, 152, 190) 55 (112, 152, 190) 59 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 83 (112, 152, 190) 89 (112, 152, 190)	
Carbon wire rod	73.10-11 (25, 191) 15 (25, 191) 73.63-21 (25, 191) 29 (25, 191) 73.73-23 (25, 191) 24 (25, 191) 25 (25, 191) 26 (25, 191) 29 (25, 191) 33 (25, 191) 34 (25, 191) 35 (25, 191) 36 (25, 191) 39 (25, 191)	607.1400 607.1700 607.2200 607.2300
Carbon hot-rolled bar	73.07-12 (191, 220) 15 (191, 220) 73.09-00 (32, 97, 191) 73.10-11 (29a, 29b, 29d, 191) 15 (29a, 29b, 29d, 191) 17 (29a, 29b, 29d, 191) 20 (29a, 191) 42 (29a, 29b, 191) 49 (29a, 29b, 31, 97, 191) 73.12-11 (29b, 191) 19 (29b, 191) 40 (29b, 31, 191) 71 (29b, 191) 88 (29b, 191) 89 (29b, 97, 191) 73.61-10 (191, 220, 231) 50 (191, 220, 231) 73.62-30 (32, 97, 191) 73.63-10 (29a, 191) 21 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 79 (29a, 29b, 29d, 31, 97, 191) 73.64-20 (29b, 191) 72 (29b, 191) 79 (29b, 97, 191) 73.71-13 (191, 220, 231) 14 (191, 220, 231) 19 (191, 220, 231)	606.8310 606.8330 606.8350

Product	NIMEXE code	TS USA number
Carbon hot-rolled bar *(cont'd)*	73.71-53 (191, 220, 231) 54 (191, 220, 231) 55 (191, 220, 231) 56 (191, 220, 231) 59 (191, 220, 231) 73.72-33 (32, 97, 191) 39 (32, 97, 191) 73.73-13 (29a, 191) 14 (29a, 191) 19 (29a, 191) 23 (29a, 29b, 29d, 191) 24 (29a, 29b, 29d, 191) 25 (29a, 29b, 29d, 191) 26 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 191) 33 (29a, 29b, 29d, 72, 191) 34 (29a, 29b, 29d, 72, 191) 35 (29a, 29b, 29d, 72, 191) 36 (29a, 29b, 29d, 72, 191) 39 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 83 (29a, 29b, 29d, 31, 97, 191) 89 (29a, 29b, 29d, 31, 97, 191) 73.74-21 (29b, 191) 23 (29b, 191) 29 (29b, 191) 72 (29b, 191) 83 (29b, 97, 191) 89 (29b, 97, 191)	
Alloy hot-rolled bar	73.07-12 (4, 68, 190, 220) 15 (4, 68, 190, 220) 73.09-00 (4, 32, 68, 190) 73.10-11 (4, 29a, 29b, 29d, 68, 190) 15 (4, 29a, 29b, 29d, 68, 190) 17 (4, 29a, 29b, 29d, 68, 190) 20 (4, 29a, 29d, 68, 190) 42 (4, 29a, 29b, 68, 190) 49 (4, 29a, 29b, 29d, 31, 68, 190) 73.12-11 (4, 29b, 68, 190) 19 (4, 29b, 68, 190) 40 (4, 29b, 68, 190) 51 (4, 29b, 68, 190) 59 (4, 29b, 68, 190) 61 (4, 29b, 68, 190) 63 (4, 29b, 68, 190) 65 (4, 29b, 68, 190) 71 (4, 29b, 68, 190) 77 (4, 29b, 68, 190) 81 (4, 29b, 68, 190) 85 (4, 29b, 68, 190) 87 (4, 29b, 68, 190) 88 (4, 29b, 68, 190) 89 (4, 29b, 68, 190) 73.61-10 (4, 68, 190, 220, 231) 50 (4, 68, 190, 220, 231) 73.62-30 (4, 32, 68, 190) 73.63-10 (4, 29a, 29d, 68, 190) 21 (4, 29a, 29b, 29d, 68, 190) 29 (4, 29a, 29b, 29d, 68, 72, 190) 72 (4, 29a, 29b, 29d, 68, 190) 79 (4, 29a, 29b, 29d, 31, 68, 190) 73.64-20 (4, 29b, 68, 190) 72 (4, 29b, 68, 190) 79 (4, 29b, 68, 190)	606.9700

Product	NIMEXE code	TS USA number
Alloy hot-rolled bar *(cont'd)*	73.71-13 (4, 68, 190, 220, 231)	
	14 (4, 68, 190, 220, 231)	
	19 (4, 68, 190, 220, 231)	
	53 (4, 68, 190, 220, 231)	
	54 (4, 68, 190, 220, 231)	
	55 (4, 68, 190, 220, 231)	
	56 (4, 68, 190, 220, 231)	
	59 (4, 68, 190, 220, 231)	
	73.72-33 (4, 32, 68, 190)	
	39 (4, 32, 68, 190)	
	73.73-13 (4, 29a, 29b, 68, 190)	
	14 (4, 29a, 29b, 68, 190)	
	19 (4, 29a, 29b, 68, 190)	
	23 (4, 29a, 29b, 29d, 68, 190)	
	24 (4, 29a, 29b, 29d, 68, 190)	
	25 (4, 29a, 29b, 29d, 68, 190)	
	26 (4, 29a, 29b, 29d, 68, 190)	
	29 (4, 29a, 29b, 29d, 68, 190)	
	33 (4, 29a, 29b, 29d, 68, 72, 190)	
	34 (4, 29a, 29b, 29d, 68, 72, 190)	
	35 (4, 29a, 29b, 29d, 68, 72, 190)	
	36 (4, 29a, 29b, 29d, 68, 72, 190)	
	39 (4, 29a, 29b, 29d, 68, 72, 190)	
	72 (4, 29a, 29b, 29d, 68, 190)	
	83 (4, 29a, 29b, 29d, 31, 68, 190)	
	89 (4, 29a, 29b, 29d, 31, 68, 190)	
	73.74-21 (4, 29b, 68, 190)	
	23 (4, 29b, 68, 190)	
	29 (4, 29b, 68, 190)	
	72 (4, 29b, 68, 190)	
	83 (4, 29b, 68, 190)	
	89 (4, 29b, 68, 190)	
Carbon coated sheet	73.12-61 (5, 8, 191)	608.0730
	63 (5, 8, 191)	608.1310
	65 (5, 8, 102, 191)	608.1320
	81 (5, 8, 191, 193)	608.1330
	85 (5, 8, 191, 193)	608.1340
	87 (5, 8, 191, 193)	608.1350
	89 (5, 8, 35, 80, 102, 191, 193)	
	73.13-67 (5, 191)	
	68 (5, 191)	
	72 (5, 191)	
	74 (5, 102, 191)	
	84 (5, 191, 193)	
	86 (5, 191, 193)	
	87 (5, 191, 193)	
	89 (5, 35, 80, 102, 191, 193)	
	73.64-79 (5, 8, 35, 80, 102, 191, 193)	
	73.65-70 (5, 20, 35, 80, 102, 191, 193)	
	73.74-83 (5, 8, 35, 80, 102, 191, 193)	
	89 (5, 8, 35, 80, 102, 191, 193)	
	73.75-73 (5, 20, 35, 80, 102, 191, 193)	
	79 (5, 20, 35, 80, 102, 191, 193)	
Alloy and stainless coated sheet (including terne plate)	73.12-61 (5, 8, 190)	608.0100
	63 (5, 8, 190)	608.1440
	65 (5, 8, 190, 227)	
	81 (5, 8, 190, 193)	
	85 (5, 8, 190, 193)	
	87 (5, 8, 190, 193)	
	89 (5, 8, 35, 80, 190, 193, 227)	
	73.13-67 (5, 190)	
	68 (5, 190)	
	72 (5, 190)	

Product	NIMEXE code	TS USA number
Alloy and stainless coated sheet (including terne plate) *(cont'd)*	73.13-74 (5, 190, 227)	
	84 (5, 190, 193)	
	86 (5, 190, 193)	
	87 (5, 190, 193)	
	89 (5, 35, 80, 190, 193, 227)	
	73.64-79 (5, 8, 35, 80, 190, 193, 227)	
	73.65-70 (5, 20, 35, 80, 190, 193, 227)	
	73.74-83 (5, 8, 35, 80, 190, 193, 227)	
	89 (5, 8, 35, 80, 190, 193, 227)	
	73.75-73 (5, 20, 35, 80, 190, 193, 227)	
	79 (5, 20, 35, 80, 190, 193, 227)	
Tin plate	73.12-51 (5, 79)	607.9600
	59 (5, 79)	607.9700
	89 (5, 79)	607.9900
	73.13-64 (5, 79)	
	65 (5, 79)	
	76 (5, 79)	
	89 (5, 79)	
	73.64-79 (5, 79)	
	73.65-70 (5, 79)	
	73.74-83 (5, 79)	
	89 (5, 79)	
	73.75-73 (5, 79)	
	79 (5, 79)	
Rails	73.16-14	610.2010
	16	610.2025
	17	610.2030
	20	610.2100
Sheet piling	73.11-50	609.9600
		609.9800
Alloy wire rod	73.10-11 (4, 25, 68, 190)	607.4100
	15 (4, 25, 68, 190)	607.5900
	73.63-21 (4, 25, 68, 190)	
	29 (4, 25, 68, 190)	
	73.73-23 (4, 25, 68, 190)	
	24 (4, 25, 68, 190)	
	25 (4, 25, 68, 190)	
	26 (4, 25, 68, 190)	
	29 (4, 25, 68, 190)	
	33 (4, 25, 68, 190)	
	34 (4, 25, 68, 190)	
	35 (4, 25, 68, 190)	
	36 (4, 25, 68, 190)	
	39 (4, 25, 68, 190)	
Round, flat and other wire	73.10-30 (75, 147, 213, 214, 216)	609.2000 (184)
	45 (75, 147, 213, 214, 216)	609.2100
	49 (75, 147, 213, 214, 216)	609.2200
	73.12-21 (75, 147, 213, 214)	609.2500
	25 (75, 147, 213, 214)	609.2800
	29 (75, 147, 213, 214)	609.3040
	40 (75, 147, 213, 214)	609.3340 (184)
	51 (75, 147, 214)	609.3500
	59 (75, 147, 214)	609.3600
	61 (75, 147, 214)	609.3700
	63 (75, 147, 214)	609.4010
	65 (75, 147, 214)	609.4040
	75 (75, 147, 213, 214)	609.4055
	77 (75, 147, 214)	609.4065
	81 (75, 147, 214)	609.4120
	85 (75, 147, 214)	609.4125

Product	NIMEXE code	TS USA number
Round, flat and other wire *(cont'd)*	73.12-87 (75, 147, 214)	609.4165
	88 (75, 147, 213, 214)	609.4315
	89 (75, 147, 213, 214)	609.4365
	73.14-01 (3, 147, 213, 214, 216)	609.4530
	11 (3, 147, 213, 214, 216)	609.4560
	13 (3, 147, 213, 214, 216)	609.7000
	15 (3, 147, 213, 214, 216)	609.7200
	19 (3, 147, 213, 214, 216)	609.7500
	21 (75, 147, 213, 214, 216)	609.7600
	41 (75, 147, 213, 214, 216)	642.9600
	43 (75, 147, 213, 214, 216)	642.9700
	45 (75, 147, 213, 214, 216)	
	49 (75, 147, 213, 214, 216)	
	81 (75, 147, 213, 214, 216)	
	91 (75, 147, 213, 214, 216)	
	99 (75, 147, 213, 214, 216)	
	73.63-50 (75, 147, 213, 214, 216)	
	74 (75, 147, 213, 214, 216)	
	79 (75, 147, 213, 214, 216)	
	73.64-50 (75, 147, 213, 214)	
	75 (75, 147, 213, 214)	
	79 (75, 147, 213, 214)	
	73.66-40 (75, 147, 213, 214, 216)	
	81 (75, 147, 213, 214, 216)	
	86 (75, 147, 213, 214, 216)	
	89 (75, 147, 213, 214, 216)	
	73.73-53 (75, 147, 213, 214, 216)	
	54 (75, 147, 213, 214, 216)	
	55 (75, 147, 213, 214, 216)	
	59 (75, 147, 213, 214, 216)	
	74 (75, 147, 213, 214, 216)	
	83 (75, 147, 213, 214, 216)	
	89 (75, 147, 213, 214, 216)	
	73.74-51 (75, 147, 213, 214)	
	52 (75, 147, 213, 214)	
	53 (75, 147, 213, 214)	
	54 (75, 147, 213, 214)	
	59 (75, 147, 213, 214)	
	74 (75, 147, 213, 214)	
	83 (75, 147, 213, 214)	
	89 (75, 147, 213, 214)	
	73.76-13 (75, 147, 213, 214, 216)	
	14 (75, 147, 213, 214, 216)	
	15 (75, 147, 213, 214, 216)	
	16 (75, 147, 213, 214, 216)	
	19 (75, 147, 213, 214, 216)	
Wire products	73.10-30 (148)	642.0200
	45 (148)	642.3510
	49 (148)	642.3530
	73.12-21 (148)	642.3570
	25 (148)	642.9000
	29 (148)	642.9100
	40 (148)	646.2500
	51 (148)	646.2622
	59 (148)	646.2624
	61 (148)	646.2626
	63 (148)	646.2628
	65 (148)	646.2642
	75 (148)	646.2644
	77 (148)	646.2646
	81 (148)	646.2648
	85 (148)	646.3040
	87 (148)	646.3200
	88 (148)	646.3600 (122)

Product	NIMEXE code	TS USA number
Wire products *(cont'd)*	73.12-89 (148)	
	73.14-01 (148)	
	11 (148)	
	13 (148)	
	15 (148)	
	19 (148)	
	21 (148)	
	41 (148)	
	43 (148)	
	45 (148)	
	49 (148)	
	81 (148)	
	91 (148)	
	99 (148)	
	73.26-00	
	73.27-20 (28)	
	31 (28)	
	41 (28)	
	91 (28)	
	73.31-92 (121)	
	96 (121)	
	97 (121)	
	98 (121)	
	73.63-50 (148)	
	74 (148)	
	79 (148)	
	50 (148)	
	75 (148)	
	79 (148)	
	73.66-40 (148)	
	81 (148)	
	86 (148)	
	89 (148)	
	73.73-53 (148)	
	54 (148)	
	55 (148)	
	59 (148)	
	74 (148)	
	83 (148)	
	89 (148)	
	73.74-51 (148)	
	52 (148)	
	53 (148)	
	54 (148)	
	59 (148)	
	74 (148)	
	83 (148)	
	89 (148)	
	73.76-13 (148)	
	14 (148)	
	15 (148)	
	16 (148)	
	19 (148)	
Black plate	73.12-21 (186)	607.6200
	25 (186)	607.6400
	29 (186)	
	88 (186)	
	89 (186)	
	73.13-11 (186)	
	16 (186)	
	49 (186)	
	50 (186)	
	88 (186)	
	89 (186)	

Product	NIMEXE code	TS USA number
Black plate *(cont'd)*	73.64-50 (186) 79 (186) 73.65-55 (186) 70 (186) 73.74-51 (186) 52 (186) 53 (186) 54 (186) 59 (186) 83 (186) 89 (186) 73.75-11 (186) 19 (186) 63 (186) 64 (186) 69 (186) 73 (186) 79 (186)	
Electrical sheet and strip	73.08-01 (51, 124) 03 (51, 124) 05 (51, 124) 07 (51, 124) 21 (51, 124) 25 (51, 124) 29 (51, 124) 41 (51, 124) 45 (51, 124) 49 (51, 124) 73.10-11 (6, 51, 124) 15 (6, 51, 124) 17 (6, 51, 124) 42 (6, 51, 124) 49 (6, 51, 124) 73.12-11 (51, 124) 19 (51, 124) 25 (51, 124, 206) 29 (51, 124, 206) 40 (51, 124) 88 (51, 124) 89 (51, 124, 207) 73.13-11 (51, 124, 206) 16 (51, 124, 206) 17 (51, 124) 19 (51, 124) 21 (51, 124) 23 (51, 124) 26 (51, 124) 32 (51, 124) 34 (51, 124) 36 (51, 124) 41 (51, 124) 43 (51, 124) 45 (51, 124) 47 (51, 124) 49 (51, 124, 206) 50 (51, 124) 62 (50, 51, 124, 207) 88 (51, 124) 89 (51, 124, 207) 73.62-10 (51, 124) 73.63-21 (6, 51, 124) 29 (6, 51, 124) 72 (6, 51, 124) 79 (6, 51, 124)	607.9205 607.9210 608.3900

Product	NIMEXE code	TS USA number
Electrical sheet and strip *(cont'd)*	73.64-20 (51, 124) 50 (51, 124, 206) 79 (51, 124, 207) 73.65-21 (51, 124) 23 (51, 124) 25 (51, 124) 53 (51, 124) 55 (51, 124, 206) 70 (51, 124, 207) 73.72-11 (51, 124) 19 (51, 124) 73.73-23 (6, 51, 124) 24 (6, 51, 124) 25 (6, 51, 124) 26 (6, 51, 124) 29 (6, 51, 124) 33 (6, 51, 124) 34 (6, 51, 124) 35 (6, 51, 124) 36 (6, 51, 124) 39 (6, 51, 124) 72 (6, 51, 124) 83 (6, 51, 124) 89 (6, 51, 124) 73.74-21 (51, 124) 29 (51, 124) 51 (51, 124, 206) 52 (51, 124, 206) 53 (51, 124, 206) 54 (51, 124, 206) 59 (51, 124, 206) 74 (51, 124, 207) 83 (51, 124, 207) 89 (51, 124, 207) 73.75-89 (51, 124, 207) 11 (51, 124, 206) 19 (51, 124, 206) 29 (51, 124) 39 (51, 124) 49 (51, 124) 59 (51, 124) 69 (51, 124, 206) 73 (51, 124, 207) 79 (51, 124, 207)	
Tin-free steel	73.10-49 (163) 73.12-77 (76) 81 (163) 85 (163) 87 (163) 89 (163) 73.13-82 84 (163) 86 (163) 87 (163) 89 (163) 92 (163) 73.63-79 (163) 73.64-79 (163) 73.65-70 (163) 81 (163) 73.73-83 (163) 89 (163) 73.74-83 (163) 89 (163)	609.1710 609.1790

Product	NIMEXE code	TS USA number
Tin-free steel *(cont'd)*	73.75-73 (163) 79 (163) 83 (163) 84 (163) 89 (163)	
Cold-rolled strip	73.10-30 (4, 5, 6, 59, 199, 205) 45 (4, 5, 6, 59, 199, 205) 49 (4, 5, 6, 59, 193, 199, 205) 73.12-21 (4, 5, 59, 60, 199, 205) 25 (4, 5, 59, 60, 199, 205) 29 (4, 5, 59, 60, 199, 205) 40 (4, 5, 59, 60, 199, 205) 51 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 61 (4, 5, 59, 60, 199, 205) 63 (4, 5, 59, 60, 199, 205) 65 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 81 (4, 5, 59, 60, 193, 199, 205) 85 (4, 5, 59, 60, 193, 199, 205) 87 (4, 5, 59, 60, 193, 199, 205) 88 (4, 5, 59, 60, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205) 73.63-50 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 79 (4, 5, 6, 59, 193, 199, 205) 73.64-50 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 79 (4, 5, 59, 60, 193, 199, 205) 73.73-53 (4, 5, 6, 59, 199, 205) 54 (4, 5, 6, 59, 199, 205) 55 (4, 5, 6, 59, 199, 205) 59 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 83 (4, 5, 6, 59, 193, 199, 205) 89 (4, 5, 6, 59, 193, 199, 205) 73.74-51 (4, 5, 59, 60, 199, 205) 52 (4, 5, 59, 60, 199, 205) 53 (4, 5, 59, 60, 199, 205) 54 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 74 (4, 5, 59, 60, 199, 205) 83 (4, 5, 59, 60, 193, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205)	608.1940 608.2145 (184) 608.2150 (184) 608.2340 608.3820 (33) 608.5520 (33, 184) 608.6720 (33)
Cold-finished and other bar — Not cold formed	73.09-00 (32, 35, 191) 73.10-49 (29a, 29b, 188, 191) 73.12-51 (29b, 188, 191) 59 (29b, 188, 191) 61 (29b, 188, 191) 63 (29b, 188, 191) 65 (29b, 188, 191) 77 (29b, 188, 191) 81 (29b, 188, 191) 85 (29b, 188, 191) 87 (29b, 188, 191) 89 (29b, 188, 191) 73.62-30 (32, 35, 191) 73.63-79 (29a, 29b, 188, 191) 73.64-79 (29b, 188, 191) 73.72-33 (32, 35, 191) 39 (32, 35, 191)	606.8600

Product	NIMEXE code	TS USA number
Cold-finished and other bar — Not cold formed *(cont'd)*	73.73-83 (29a, 29b, 188, 191) 89 (29a, 29b, 188, 191) 73.74-83 (29b, 188, 191) 89 (29b, 188, 191)	
— Cold formed	73.10-30 (4, 29a, 29c, 68, 76) 45 (4, 29a, 29c, 68, 76) 49 (4, 29a, 29c, 34, 68, 76) 73.12-21 (4, 29c, 68, 76) 25 (4, 29c, 68, 76) 29 (4, 29c, 68, 76) 40 (4, 29c, 68, 76) 51 (4, 29c, 68, 76) 59 (4, 29c, 68, 76) 61 (4, 29c, 68, 76) 63 (4, 29c, 68, 76) 65 (4, 29c, 68, 76) 75 (4, 29c, 68, 76) 77 (4, 29c, 68, 76) 81 (4, 29c, 68, 76) 85 (4, 29c, 68, 76) 87 (4, 29c, 68, 76) 88 (4, 29c, 68, 76) 89 (4, 29c, 68, 76) 73.14-01 (4, 14, 68) 11 (4, 14, 68) 13 (4, 14, 68) 15 (4, 14, 68) 19 (4, 14, 68) 21 (4, 68, 76) 41 (4, 68, 76) 43 (4, 68, 76) 45 (4, 68, 76) 49 (4, 68, 76) 81 (4, 68, 76) 91 (4, 68, 76) 99 (4, 68, 76) 73.63-50 (4, 29a, 29c, 68, 76) 74 (4, 29a, 29c, 68, 76) 79 (4, 29a, 29c, 34, 68, 76) 73.64-50 (4, 29c, 68, 76) 75 (4, 29c, 68, 76) 79 (4, 29c, 68, 76) 73.66-40 (4, 68, 76) 81 (4, 68, 76) 86 (4, 68, 76) 89 (4, 68, 76) 73.73-53 (4, 29a, 29c, 68, 76) 54 (4, 29a, 29c, 68, 76) 55 (4, 29a, 29c, 68, 76) 59 (4, 29a, 29c, 68, 76) 74 (4, 29a, 29c, 68, 76) 83 (4, 29a, 29c, 34, 68, 76) 89 (4, 29a, 29c, 34, 68, 76) 73.74-51 (4, 29c, 68, 76) 52 (4, 29c, 68, 76) 53 (4, 29c, 68, 76) 54 (4, 29c, 68, 76) 59 (4, 29c, 68, 76) 74 (4, 29c, 68, 76) 83 (4, 29c, 68, 76) 89 (4, 29c, 68, 76) 73.76-13 (4, 68, 76) 14 (4, 68, 76)	606.8805 606.8815 606.9900

Product	NIMEXE code	TS USA number
Cold-finished and other bar *(cont'd)*	73.76-15 (4, 68, 76)	
	16 (4, 68, 76)	
	19 (4, 68, 76)	
— Cold formed		
— Hollow drill steel	73.10-18 (187)	607.0500
	73.63-29 (187)	607.0700
	50 (187)	607.0900
	72 (187)	
	74 (187)	
	79 (187)	
	73.73-13 (187)	
	14 (187)	
	19 (187)	
	33 (187)	
	34 (187)	
	35 (187)	
	39 (187)	
	53 (187)	
	54 (187)	
	55 (187)	
	59 (187)	
	72 (187)	
	74 (187)	
	83 (187)	
	89 (187)	
Bar shapes under 3 inches	73.11-11 (77, 191)	609.8050
	19 (77, 191)	609.8070
	20 (77, 191)	609.8090
	31 (77, 191)	
	39 (77, 191)	
	41 (77, 191)	
	43 (77, 191)	
	49 (77, 191)	
	73.16-11 (77, 191)	
	73.63-10 (77, 191)	
	29 (77, 191)	
	50 (77, 191)	
	72 (77, 191)	
	74 (77, 191)	
	79 (77, 191)	
	73.73-13 (77, 191)	
	14 (77, 191)	
	19 (77, 191)	
	33 (77, 191)	
	34 (77, 191)	
	35 (77, 191)	
	36 (77, 191)	
	39 (77, 191)	
	43 (77, 191)	
	49 (77, 191)	
	53 (77, 191)	
	54 (77, 191)	
	55 (77, 191)	
	59 (77, 191)	
	72 (77, 191)	
	74 (77, 191)	
	83 (77, 191)	
	89 (77, 191)	
Concrete reinforcing bars	73.10-12	606.7900
	14	606.8100

Product	NIMEXE code	TS USA number
Concrete reinforcing bars *(cont'd)*	73.63-29 (71)	
	73.73-33 (71)	
	34 (71)	
	35 (71)	
	36 (71)	
	39 (71)	
Rail products	73.16-40 (151)	610.2500
	51 (151)	610.2600
	95 (151)	646.3020
	99 (151)	690.2500
	73.31-97 (26)	690.3000
	98 (26)	
	86.09-51	
	59	
Stainless wire	73.10-30 (75, 147, 215)	609.3020
	45 (75, 147, 215)	609.3320
	49 (75, 147, 215)	609.4502
	73.12-21 (57, 75, 147, 215)	609.4504
	25 (57, 75, 147, 215)	609.4542
	29 (57, 75, 147, 215)	609.4544
	40 (57, 75, 147, 215)	
	75 (57, 75, 147, 215)	
	88 (57, 75, 147, 215)	
	89 (57, 75, 147, 215)	
	73.14-01 (3, 147, 215)	
	11 (3, 147, 215)	
	13 (3, 147, 215)	
	15 (3, 147, 215)	
	19 (3, 147, 215)	
	21 (75, 147, 215)	
	41 (75, 147, 215)	
	43 (75, 147, 215)	
	45 (75, 147, 215)	
	49 (75, 147, 215)	
	81 (75, 147, 215)	
	91 (75, 147, 215)	
	99 (75, 147, 215)	
	73.63-50 (75, 147, 215)	
	74 (75, 147, 215)	
	79 (75, 147, 215)	
	73.64-50 (57, 75, 147, 215)	
	75 (57, 75, 147, 215)	
	79 (57, 75, 147, 215)	
	73.66-40 (75, 147, 215)	
	81 (75, 147, 215)	
	86 (75, 147, 215)	
	89 (75, 147, 215)	
	73.73-53 (75, 147, 215)	
	54 (75, 147, 215)	
	55 (75, 147, 215)	
	59 (75, 147, 215)	
	74 (75, 147, 215)	
	83 (75, 147, 215)	
	89 (75, 147, 215)	
	73.74-51 (57, 75, 147, 215)	
	52 (57, 75, 147, 215)	
	53 (57, 75, 147, 215)	
	54 (57, 75, 147, 215)	
	59 (57, 75, 147, 215)	
	74 (57, 75, 147, 215)	
	83 (57, 75, 147, 215)	
	89 (57, 75, 147, 215)	

Product	NIMEXE code	TS USA number
Stainless wire *(cont'd)*	73.76-13 (75, 147, 215)	
	14 (75, 147, 215)	
	15 (75, 147, 215)	
	16 (75, 147, 215)	
	19 (75, 147, 215)	
Wire strand	73.25-11 (103)	642.0800
	21 (103)	642.1105
	31 (103)	642.1120
	35 (103)	642.1142
	39 (103)	642.1144
	51 (103)	642.1146
	55 (103)	
	59 (103)	
	98 (103)	
Wire rope	73.25-11 (104)	642.1200
	21 (104)	642.1400
	31 (104)	642.1610
	35 (104)	642.1650
	39 (104)	
	51 (104)	
	55 (104)	
	59 (104)	
	98 (104)	
Other speciality steel	73.07-12 (201, 220)	606.9105
	15 (201, 220)	606.9110
	73.08-01 (201, 204)	607.3200
	03 (201, 204)	607.4800
	05 (201, 204)	607.6900
	07 (201, 204)	607.8600
	21 (201, 204)	607.9315
	25 (201, 204)	608.3100
	29 (201, 204)	608.3810
	41 (201, 204)	608.4700
	45 (201, 204)	608.5510
	49 (201, 204)	608.5900
	73.09-00 (201)	608.6710
	73.10-11 (201)	
	15 (201, 204)	
	17 (201, 204)	
	20 (201, 204)	
	30 (76, 201, 204)	
	42 (201, 204)	
	45 (76, 201, 204)	
	49 (76, 193, 201, 204)	
	73.12-11 (201, 204)	
	19 (201, 204)	
	21 (76, 201, 204)	
	25 (76, 201, 204)	
	29 (76, 201, 204)	
	40 (76, 201, 204)	
	59 (76, 201, 204, 234)	
	61 (76, 201, 204, 234)	
	63 (76, 201, 204, 234)	
	65 (76, 201, 204, 234)	
	71 (201, 204, 234)	
	75 (76, 201, 204, 234)	
	77 (29b, 29c, 76, 201)	
	81 (76, 193, 201, 204, 234)	
	85 (76, 193, 201, 204, 234)	
	87 (76, 193, 201, 204, 234)	
	88 (76, 201, 204)	
	89 (76, 193, 201, 204, 234)	

Product	NIMEXE code	TS USA number
Other speciality steel *(cont'd)*	73.13-11 (201, 204) 16 (201, 204) 17 (201, 204) 19 (201, 204) 21 (201, 204) 23 (201, 204) 26 (201, 204) 32 (201, 204) 34 (201, 204) 36 (201, 204) 41 (201, 204) 43 (201, 204) 45 (201, 204) 47 (201, 204) 49 (201, 204) 50 (201, 204) 62 (50, 201, 204) 88 (201, 204) 89 (38, 201, 204) 73.14-01 (14, 201) 11 (14, 201) 13 (14, 201) 15 (14, 201) 19 (14, 201) 21 (76, 201) 41 (76, 201) 43 (76, 201) 45 (76, 201) 49 (76, 201) 81 (76, 201) 91 (76, 201) 99 (76, 201) 73.61-10 (201, 220, 231) 50 (201, 220, 231) 73.62-10 (201, 204) 30 (201) 73.63-10 (201) 21 (201, 204) 29 (201, 204) 50 (76, 201, 204) 72 (201, 204) 74 (76, 201, 204) 79 (76, 193, 201, 204) 73.64-20 (201, 204) 50 (76, 201, 204) 72 (201, 204, 234) 75 (76, 201, 204, 234) 79 (76, 193, 201, 204, 234) 73.65-21 (201, 204) 23 (201, 204) 25 (201, 204) 53 (201, 204) 55 (201, 204) 70 (38, 201, 204) 73.66-40 (76, 201) 81 (76, 201) 86 (76, 201) 89 (76, 201) 73.71-13 (201, 220, 231) 14 (201, 220, 231) 19 (201, 220, 231) 53 (201, 220, 231) 54 (201, 220, 231) 55 (201, 220, 231) 56 (201, 220, 231) 59 (201, 220, 231)	

Product	NIMEXE code	TS USA number
Other speciality steel *(cont'd)*	73.72-11 (201, 204) 13 (201, 204) 19 (201, 204) 33 (201) 39 (201) 73.73-13 (201) 14 (201) 19 (201) 23 (201, 204) 24 (201, 204) 25 (201, 204) 26 (201, 204) 29 (201, 204) 33 (201, 204) 34 (201, 204) 35 (201, 204) 36 (201, 204) 39 (201, 204) 53 (76, 201, 204) 54 (76, 201, 204) 55 (76, 201, 204) 59 (76, 201, 204) 72 (201, 204, 234) 74 (76, 201, 204, 234) 83 (76, 193, 201, 204, 234) 89 (76, 193, 201, 204, 234) 73.74-21 (201, 204) 23 (201, 204) 29 (201, 204) 51 (76, 201, 204) 52 (76, 201, 204) 53 (76, 201, 204) 54 (76, 201, 204) 59 (76, 201, 204) 72 (201, 204, 234) 74 (76, 201, 204, 234) 83 (76, 193, 201, 204, 234) 89 (76, 193, 201, 204, 234) 73.75-11 (201, 204) 19 (201, 204) 23 (201, 204) 24 (201, 204) 29 (201, 204) 33 (201, 204) 34 (201, 204) 39 (201, 204) 43 (201, 204) 44 (201, 204) 49 (201, 204) 53 (201, 204) 54 (201, 204) 59 (201, 204) 63 (201, 204) 64 (201, 204) 69 (201, 204) 73 (38, 201, 204) 79 (38, 201, 204) 73.76-13 (76, 201) 14 (76, 201) 15 (76, 201) 16 (76, 201) 19 (76, 201)	
Fabricated structurals	73.11-11 (172) 12 (172)	609.8400 609.8600

Product	NIMEXE code	TS USA number
Fabricated structurals *(cont'd)*	73.11-14 (172)	609.8800
	16 (172)	609.9000
	19 (172)	652.9400
	20 (172)	652.9600
	31 (172)	653.0000
	39 (172)	
	41 (172)	
	43 (172)	
	49 (172)	
	73.21-10 (109)	
	20 (109)	
	40 (109)	
	50 (109)	
	60	
	70 (109)	
	99 (109)	
	73.63-10 (172)	
	29 (172)	
	50 (172)	
	72 (172)	
	74 (172)	
	79 (172)	
	73.73-13 (172)	
	14 (172)	
	19 (172)	
	33 (172)	
	34 (172)	
	35 (172)	
	36 (172)	
	39 (172)	
	43 (172)	
	49 (172)	
	53 (172)	
	54 (172)	
	55 (172)	
	59 (172)	
	72 (172)	
	74 (172)	
	83 (172)	
	89 (172)	
Stainless steel sheet and strip	73.08-01 (5, 54, 55, 56, 61)	607.7610 (54, 55, 56)
	03 (5, 54, 55, 56, 61)	607.9010 (54, 55, 56)
	05 (54, 55, 56, 61)	607.9020 (54, 55, 56)
	07 (54, 55, 56, 61)	608.2900 (54, 55, 58)
	21 (5, 54, 55, 56, 61)	608.4300 (54, 55, 58)
	25 (54, 55, 56, 61)	608.5700 (54, 55)
	29 (54, 55, 56, 61)	
	41 (5, 54, 55, 56, 61)	
	45 (54, 55, 56, 61)	
	49 (54, 55, 56, 61)	
	73.10-11 (6, 54, 55, 57, 58, 61, 226)	
	15 (6, 54, 55, 57, 58, 61, 226)	
	17 (6, 54, 55, 57, 58, 61, 226)	
	30 (6, 54, 55, 57, 58, 61, 226)	
	42 (6, 54, 55, 57, 58, 61, 226)	
	45 (6, 54, 55, 57, 58, 61, 226)	
	49 (6, 54, 55, 57, 58, 61, 226)	
	73.12-11 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	19 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	21 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	25 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	29 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	40 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	51 (54, 55, 57, 58, 61, 226)	

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip *(cont'd)*	73.12-59 (54, 55, 57, 58, 61, 226) 61 (54, 55, 57, 58, 61, 226) 63 (54, 55, 57, 58, 61, 226) 65 (54, 55, 57, 58, 61, 226) 71 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 81 (54, 55, 57, 58, 61, 193, 226) 85 (54, 55, 57, 58, 61, 193, 226) 87 (54, 55, 57, 58, 61, 193, 226) 88 (5, 8, 54, 55, 56, 57, 58, 61, 226) 89 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226) 73.13-11 (5, 54, 55, 56, 61) 16 (5, 54, 55, 56, 61) 17 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 21 (54, 55, 56, 61) 23 (54, 55, 56, 61) 26 (54, 55, 56, 61) 32 (54, 55, 56, 61) 34 (54, 55, 56, 61) 36 (54, 55, 56, 61) 41 (5, 54, 55, 56, 61) 43 (54, 55, 56, 61) 45 (54, 55, 56, 61) 47 (54, 55, 56, 61) 49 (54, 55, 56, 61) 50 (5, 54, 55, 56, 61) 62 (5, 50, 54, 55, 56, 61) 88 (5, 54, 55, 56, 61) 89 (5, 54, 55, 56, 61, 119) 73.62-10 (5, 54, 55, 56, 61) 73.63-21 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 50 (6, 54, 55, 57, 58, 61, 226) 72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 79 (6, 54, 55, 57, 58, 61, 193, 226) 73.64-20 (5, 8, 54, 55, 56, 57, 58, 61, 226) 50 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 79 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226) 73.65-21 (5, 54, 55, 56, 61) 23 (54, 55, 56, 61) 25 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 55 (54, 55, 56, 61) 70 (5, 54, 55, 56, 61, 119) 73.72-11 (5, 54, 55, 56, 61) 13 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 73.73-23 (6, 54, 55, 57, 58, 61, 226) 24 (6, 54, 55, 57, 58, 61, 226) 25 (6, 54, 55, 57, 58, 61, 226) 26 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 33 (6, 54, 55, 57, 58, 61, 226) 34 (6, 54, 55, 57, 58, 61, 226) 35 (6, 54, 55, 57, 58, 61, 226) 36 (6, 54, 55, 57, 58, 61, 226) 39 (6, 54, 55, 57, 58, 61, 226) 53 (6, 54, 55, 57, 58, 61, 226) 54 (6, 54, 55, 57, 58, 61, 226) 55 (6, 54, 55, 57, 58, 61, 226) 59 (6, 54, 55, 57, 58, 61, 226)	

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip *(cont'd)*	73.73-72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 83 (6, 54, 55, 57, 58, 61, 193, 226) 89 (6, 54, 55, 57, 58, 61, 193, 226) 73.74-21 (5, 8, 54, 55, 56, 57, 58, 61, 226) 23 (5, 8, 54, 55, 56, 57, 58, 61, 226) 29 (5, 8, 54, 55, 56, 57, 58, 61, 226) 51 (5, 8, 54, 55, 56, 57, 58, 61, 226) 52 (5, 8, 54, 55, 56, 57, 58, 61, 226) 53 (5, 8, 54, 55, 56, 57, 58, 61, 226) 54 (5, 8, 54, 55, 56, 57, 58, 61, 226) 59 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 74 (54, 55, 57, 58, 61, 226) 83 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 89 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 73.75-11 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 23 (5, 54, 55, 56, 61) 24 (5, 54, 55, 56, 61) 29 (5, 54, 55, 56, 61) 33 (54, 55, 56, 61) 34 (54, 55, 56, 61) 39 (54, 55, 56, 61) 43 (54, 55, 56, 61) 44 (54, 55, 56, 61) 49 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 54 (5, 54, 55, 56, 61) 59 (5, 54, 55, 56, 61) 63 (54, 55, 56, 61) 64 (54, 55, 56, 61) 69 (54, 55, 56, 61) 73 (5, 54, 55, 56, 61, 119) 79 (5, 54, 55, 56, 61, 119)	
Stainless plate	73.08-01 (13, 54, 55, 61) 03 (13, 54, 55, 61) 21 (13, 54, 55, 61) 41 (13, 54, 55, 61) 73.09-00 (12, 54, 55, 61) 73.10-15 (6, 12, 13, 54, 55, 61) 17 (6, 12, 13, 54, 55, 61) 30 (6, 8, 13, 54, 55, 61) 49 (6, 13, 15, 38, 54, 55, 61) 73.12-11 (12, 13, 54, 55, 61) 19 (12, 13, 54, 55, 61) 21 (8, 13, 54, 55, 61) 25 (8, 13, 54, 55, 61) 29 (8, 13, 54, 55, 61) 40 (13, 15, 54, 55, 61) 88 (13, 15, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61) 73.13-11 (13, 54, 55, 61) 16 (13, 54, 55, 61) 17 (13, 54, 55, 61) 19 (13, 54, 55, 61) 41 (13, 54, 55, 61) 50 (13, 54, 55, 61) 62 (13, 50, 54, 55, 61) 88 (13, 54, 55, 61) 89 (13, 38, 54, 55, 61) 73.62-10 (13, 54, 55, 61) 30 (12, 54, 55, 61)	607.7603 (19, 54, 55) 607.7606 (54, 55) 607.9005 (54, 55)

Product	NIMEXE code	TS USA number
Stainless plate *(cont'd)*	73.63-29 (6, 12, 13, 54, 55, 61) 50 (6, 8, 13, 54, 55, 61) 79 (6, 13, 15, 38, 54, 55, 61) 73.64-20 (12, 13, 54, 55, 61) 50 (8, 13, 54, 55, 61) 79 (13, 15, 38, 54, 55, 61) 73.65-21 (13, 54, 55, 61) 53 (13, 54, 55, 61) 70 (13, 38, 54, 55, 61) 73.72-11 (13, 54, 55, 61) 13 (13, 54, 55, 61) 19 (13, 54, 55, 61) 33 (12, 54, 55, 61) 39 (12, 54, 55, 61) 73.73-33 (6, 12, 13, 54, 55, 61) 34 (6, 12, 13, 54, 55, 61) 35 (6, 12, 13, 54, 55, 61) 36 (6, 12, 13, 54, 55, 61) 39 (6, 12, 13, 54, 55, 61) 53 (6, 8, 13, 54, 55, 61) 54 (6, 8, 13, 54, 55, 61) 59 (6, 8, 13, 54, 55, 61) 83 (6, 13, 15, 38, 54, 55, 61) 89 (6, 13, 15, 38, 54, 55, 61) 73.74-21 (12, 13, 54, 55, 61) 23 (12, 13, 54, 55, 61) 29 (12, 13, 54, 55, 61) 51 (8, 13, 54, 55, 61) 52 (8, 13, 54, 55, 61) 53 (8, 13, 54, 55, 61) 54 (8, 13, 54, 55, 61) 59 (8, 13, 54, 55, 61) 83 (13, 15, 38, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61) 73.75-11 (13, 54, 55, 61) 19 (13, 54, 55, 61) 23 (13, 54, 55, 61) 24 (13, 54, 55, 61) 29 (13, 54, 55, 61) 53 (13, 54, 55, 61) 54 (13, 54, 55, 61) 59 (13, 54, 55, 61) 73 (13, 38, 54, 55, 61) 79 (13, 38, 54, 55, 61)	
Stainless bar	73.07-12 (61, 220) 15 (61, 220) 73.09-00 (32, 61) 73.10-11 (29a, 29b, 29d, 61) 15 (29a, 29b, 29d, 61) 17 (29a, 29b, 29d, 61) 20 (29a, 29d, 61) 30 (29a, 29c, 61, 76) 42 (29a, 29b, 61) 45 (29a, 29c, 61, 76) 49 (29a, 29b, 29c, 29d, 61, 76) 73.12-11 (29b, 61) 19 (29b, 61) 21 (29c, 61, 76) 25 (29c, 61, 76) 29 (29c, 61, 76) 40 (29b, 29c, 61, 76) 51 (29b, 29c, 61, 76) 59 (29b, 29c, 61, 76)	606.9005 606.9015 606.9020

Product	NIMEXE code	TS USA number
Stainless bar *(cont'd)*	73.12-61 (29b, 29c, 61, 76) 63 (29b, 29c, 61, 76) 65 (29b, 29c, 61, 76) 71 (29b, 61) 75 (29c, 61, 76) 77 (29b, 29c, 61, 76) 81 (29b, 29c, 61, 76) 85 (29b, 29c, 61, 76) 87 (29b, 29c, 61, 76) 88 (29b, 29c, 61, 76) 89 (29b, 29c, 61, 76) 73.14-01 (14, 61) 11 (14, 61) 13 (14, 61) 15 (14, 61) 19 (14, 61) 21 (61, 76) 41 (61, 76) 43 (61, 76) 45 (61, 76) 49 (61, 76) 81 (61, 76) 91 (61, 76) 99 (61, 76) 73.61-10 (61, 220, 231) 50 (61, 220, 231) 73.62-30 (32, 61) 73.63-10 (29a, 29d, 61) 21 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 50 (29c, 61, 76) 72 (29a, 29b, 29d, 61) 74 (29c, 61, 76) 79 (29a, 29b, 29c, 29d, 61, 76) 73.64-20 (29b, 61) 50 (29c, 61, 76) 72 (29b, 61) 75 (29c, 61, 76) 79 (29b, 29c, 61, 76) 73.66-40 (61, 76) 81 (61, 76) 86 (61, 76) 89 (61, 76) 73.71-13 (61, 220, 231) 14 (61, 220, 231) 19 (61, 220, 231) 73.72-33 (32, 61) 39 (32, 61) 73.73-13 (29a, 29d, 61) 14 (29a, 29d, 61) 19 (29a, 29d, 61) 23 (29a, 29b, 29d, 61) 24 (29a, 29b, 29d, 61) 25 (29a, 29b, 29d, 61) 26 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 33 (29a, 29b, 29d, 61) 34 (29a, 29b, 29d, 61) 35 (29a, 29b, 29d, 61) 36 (29a, 29b, 29d, 61) 39 (29a, 29b, 29d, 61) 53 (29a, 29c, 61, 76) 54 (29a, 29c, 61, 76) 55 (29a, 29c, 61, 76) 59 (29a, 29c, 61, 76)	

Product	NIMEXE code	TS USA number
Stainless bar *(cont'd)*	73.73-72 (29a, 29b, 29d, 61)	
	74 (29a, 29c, 61, 76)	
	83 (29a, 29b, 29c, 29d, 61, 76)	
	89 (29a, 29b, 29c, 29d, 61, 76)	
	73.74-21 (29b, 61)	
	23 (29b, 61)	
	29 (29b, 61)	
	51 (29c, 61, 76)	
	52 (29c, 61, 76)	
	53 (29c, 61, 76)	
	54 (29c, 61, 76)	
	59 (29c, 61, 76)	
	72 (29b, 61)	
	74 (29c, 61, 76)	
	83 (29b, 29c, 61, 76)	
	73.76-13 (61, 76)	
	14 (61, 76)	
	15 (61, 76)	
	16 (61, 76)	
	19 (61, 76)	
Stainless steel wire rod	73.10-11 (25, 61)	607.2600
	15 (25, 61)	607.4300
	73.63-21 (25, 61)	
	29 (25, 61)	
	73.73-23 (25, 61)	
	24 (25, 61)	
	25 (25, 61)	
	26 (25, 61)	
	29 (25, 61)	
	33 (25, 61)	
	34 (25, 61)	
	35 (25, 61)	
	36 (25, 61)	
	39 (25, 61)	
Alloy tool steel	73.07-12 (203, 220)	606.9300
	15 (203, 220)	606.9400
	73.08-01 (203)	606.9505
	03 (203)	606.9512
	05 (203)	606.9514
	07 (203)	606.9520
	21 (203)	606.9525
	25 (203)	606.9535
	29 (203)	606.9542
	41 (203)	606.9544
	45 (203)	606.9546
	49 (203)	606.9548
	73.09-00 (203)	607.2800
	73.10-11 (203)	607.3405
	15 (203)	607.3420
	17 (203)	607.4600
	20 (203)	607.5405
	30 (203, 233)	607.5420
	42 (203)	607.7205
	45 (203, 233)	607.7210 (19)
	49 (193, 203, 233)	607.7220
	73.12-11 (203)	607.7225
	19 (203)	607.8805
	21 (76, 203)	607.8820
	25 (76, 203)	608.3405
	29 (76, 203)	608.3420
	40 (76, 203)	608.4905
	51 (76, 203, 234)	608.4020

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.12-59 (76, 203, 234)	608.6405
	61 (76, 203, 234)	608.6420
	63 (76, 203, 234)	609.4520
	65 (76, 203, 234)	609.4550
	71 (203, 234)	
	75 (76, 203, 234)	
	77 (29b, 29c, 76, 203)	
	81 (76, 193, 203, 234)	
	85 (76, 193, 203, 234)	
	87 (76, 193, 203, 234)	
	88 (76, 203)	
	89 (76, 193, 203, 234)	
	73.13-11 (203)	
	16 (203)	
	17 (203)	
	19 (203)	
	21 (203)	
	23 (203)	
	26 (203)	
	32 (203)	
	34 (203)	
	36 (203)	
	41 (203)	
	43 (203)	
	45 (203)	
	47 (203)	
	49 (203)	
	50 (203)	
	62 (50, 203)	
	88 (203)	
	89 (38, 203)	
	73.14-01 (233)	
	11 (233)	
	13 (233)	
	15 (233)	
	19 (233)	
	21 (233)	
	41 (233)	
	43 (233)	
	45 (233)	
	49 (233)	
	81 (233)	
	91 (233)	
	99 (233)	
	73.61-10 (203, 220, 231)	
	50 (203, 220, 231)	
	73.62-10 (203)	
	30 (203)	
	73.63-10 (203)	
	21 (203)	
	29 (203)	
	50 (203, 233)	
	72 (203)	
	74 (203, 233)	
	79 (193, 203, 233)	
	73.64-20 (203)	
	50 (76, 203)	
	72 (203, 234)	
	75 (76, 203, 234)	
	79 (76, 193, 203, 234)	
	73.65-21 (203)	
	23 (203)	
	25 (203)	
	53 (203)	
	55 (203)	
	70 (38, 203)	

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.66-40 (233) 81 (233) 86 (233) 89 (233) 73.71-13 (203, 220, 231) 14 (203, 220, 231) 19 (203, 220, 231) 53 (203, 220, 231) 54 (203, 220, 231) 55 (203, 220, 231) 56 (203, 220, 231) 59 (203, 220, 231) 73.72-11 (203) 13 (203) 19 (203) 33 (203) 39 (203) 73.73-13 (203) 14 (203) 19 (203) 23 (203) 24 (203) 25 (203) 26 (203) 29 (203) 33 (203) 34 (203) 35 (203) 36 (203) 39 (203) 53 (203, 233) 54 (203, 233) 55 (203, 233) 59 (203, 233) 72 (203) 74 (203, 233) 83 (193, 203, 233) 89 (193, 203, 233) 73.74-21 (203) 23 (203) 29 (203) 51 (76, 203) 52 (76, 203) 53 (76, 203) 54 (76, 203) 59 (76, 203) 72 (203, 234) 74 (76, 203, 234) 83 (76, 193, 203, 234) 89 (76, 193, 203, 234) 73.75-11 (203) 19 (203) 23 (203) 24 (203) 29 (203) 33 (203) 34 (203) 39 (203) 43 (203) 44 (203) 49 (203) 53 (203) 54 (203) 59 (203)	

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.75-63 (203) 64 (203) 69 (203) 73 (38, 203) 79 (38, 203) 73.76-13 (233) 14 (233) 15 (233) 16 (233) 19 (233)	

Footnotes

(1) Covered if of rectangular section. If 3/16 inch or over in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.

(2) If 3/16 inch or more in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.

(3) Covered if in coil.

(4) Excluding 'tool steel', 'high-speed-tool steel', 'tool steel of the type described in headnote 2 (H) (vii)', and 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (H), (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.

(5) Covered if less than 3/16 inch in thickness.

(6) Covered if of rectangular section.

(7) Covered if hot-rolled.

(8) Covered if over 12 inches in width.

(12) Covered if over 8 inches in width.

(13) Covered if 3/16 inch or more in thickness.

(14) Covered if not in coil.

(15) Covered if hot-rolled and over 8 inches in width or if cold-rolled and over 12 inches in width.

(17) Covered if semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.

(19) Excluding semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.

(20) Excluded if clad.

(21) Covered if structural shape having a maximum cross-sectional dimension of 3 inches or more.

(25) Covered if hot rolled, semi-finished, of approximately circular section, in coil and not under 0,20 inch nor over 0,74 inch in diameter.

(26) Covered if railway track spikes.

(28) Covered if galvanized wire fencing 'wholly of round iron or teel wire measuring not over 0,20 inch and not under 0,075 inch in diameter, whether or not such wire is covered with plastic'. Excluded if welded galvanized wire fencing other than chain link fencing.

(29a) Covered if cross-section in the form of circles, segments of circles, ovals, triangles, rectangles, hexagons, or octagons.

(29b) Covered if of rectangular section, hot-rolled, 3/16 inch or more in thickness and 8 inches or less in width.

(29c) Covered if of rectangular section, cold-rolled, 3/16 inch or more in thickness and 12 inches or less in width.

(29d) If of approximately circular section and hot-rolled, excluded if in coils, not unter 0,20 inch in diameter and not over 0,74 inch in diameter.

(31) Excluded if cold-formed or cold-finished.

(32) Covered if 8 inches or less in width.

(33) Covered if cold-rolled.

(34) Covered if cold-formed or cold-finished.

(35) Covered if coated or plated with metal.

(38) Excluded if coated, plated or clad with metal.

(40) If plated or coated with metal and 3/16 inch or more in thickness, covered if over 8 inches in width when hot-rolled and if over 12 inches in width when cold-rolled. If not plated or coated with metal covered if not in coils, if 3/16 inch or more in thickness, not pickled and over 8 inches in width and hot-rolled.

(44) Covered if clad, and either less than 3/16 inch in thickness and over 12 inches in width; or 3/16 inch or more in thickness, over 8 inches in width and hot-rolled or if over 12 inches in width and cold-rolled.

(45) Excluded if pickled.

(50) Excluded if silvered, gilded or platinum plated.

(51) Covered if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated.

(54) Excluding cladding grade 434 stainless steel certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel clad aluminium automobile trim.

(55) Excluding grade 253 MA and 254 SMO stainless steel.

(56) Excluding stainless steel sheet over 71 inches in width.

(57) Excluding 'razor blade steel', i.e., stainless steel strip or flat wire not over 0,01 inch in thickness and not over 0,9 inch in width, containing by weight not less than 0,6 % and not over 0,75 % carbon, and containing by weight not less than 11,5 % and not over 14,7 % chromium, certified at the time of entry to be used in the manufacture of razor blades.

(58) Excluding stainless steel strip not over 0,05 inch in thickness certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel flapper valves for compressors.

(59) Covered if over 0,5 inch in width and cold-rolled.

(60) Covered if 12 inches or under in width.

(61) Covered if containing by weight less than 1 % carbon and over 11,5 % chromium.

(68) Covered if containing by weight 11,5 % or less chromium or 1 % or more carbon.

(71) Covered if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.

(72) Excluded if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.

(75) Covered if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.

(76) Excluded if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.

(77) Covered if structural shape having a maximum cross-sectional dimension of less than 3 inches. Excluded if drilled, punched or otherwise advanced. If cold-formed, excluded if weighing 0,29 pound or less per linear foot.

(79) Covered if coated or plated with tin and greater than 12 inches in width.

(80) Excluded if coated or plated with tin.

(82) Covered if hot-rolled and either less than 3/16 inch in thickness and 12 inches or under in width, or less than 3/16 inch in thickness, over 12 inches in width and not coated, plated or clad with metal.

(84) Covered if cold-rolled, less than 3/16 inch in thickness, over 12 inches in width and not coated, plated or clad with metal.

(87) Covered if cold-rolled, 3/16 inch or over in thickness, over 12 inches in width and not coated, plated or clad with metal. Also covered if over 3/16 inch in thickness, hot-rolled and pickled, over 8 inches in width and not coated, plated or clad with metal.

(97) Excluded if coated or plated with metal.

(102) Excluded if coated or plated with a lead-tin alloy.

(103) Covered if wire strand, i.e., a plurality of round or shaped wires helically laid in one or more layers.

(104) Covered if other than wire strand.

(109) Excluded if door and window frames. Also excluded if columns, pillars, posts, beams, girders, and similar structural units made in part of stainless steel, or of cast-iron.

(112) Excluded if cold-formed and weighing not over 0,29 pound per linear foot.

(119) Excluded if coated, plated or clad with metal and over 12 inches in width.

(121) Excluded if thumb tacks; drive pins, studs and other fasteners suitable for use in power-actuated hand tools; staples in strip form; corrugated fasteners, glaziers point, hook nails and ring nails; or railway track spikes. Also excluded if cut nails or if coated or plated with precious metals.

(122) Covered if made from wire of iron or steel with heads of ferrous or non-ferrous metals.

(124) Covered if pickled or cold-rolled and over 12 inches in width and less than 3/16 inch in thickness. Also covered if not over 12 inches in width and over 0,01 inch, but not over 0,05 inch, in thickness. Also, if cold-rolled, product must be over 0,5 inch in width.

(143) Covered if pickled or cold-rolled.

(147) Excluded if bale ties with or without buckles or fastenings.

(148) Covered if bale ties with or without buckles or fastenings.

(151) Covered if tie plates and joint bars as defined in schedule 6, part 2, subpart B, 3 (l) and (m) of the Tariff Schedules of the United States Annotated.

(152) Excluded if drilled, punched or otherwise advanced.

(163) Covered if plates, sheets or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with chromium oxide or with chromium and chromium oxide or with other base metal other than tin, lead, or zinc.

(172) Covered either if cold-formed and weighing not over 0,29 pound per linear foot or if drilled, punched or otherwise advanced.

(184) Excluded if band-saw steel defined as follows: (a) 'metal cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:

carbon: not less than 1,18 and not more than 1,32 %;
chromium: not less than 0,15 and not more than 0,32 %;
manganese: not less than 0,10 and not more than 0,40 %;

certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,55 %;
silicon: not less than 0,20 nor more than 0,35 %;
nickel: not less than 1,60 nor more than 2,70 %;
chromium: none, or not more than 0,50 %;
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %;

or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,50 %;
silicon: not less than 0,20 nor more than 0,35 %;
chromium: none, or not more than 0,50 %; and
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %,

certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.

(186) Covered if 'black plate', as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

(187) Covered if 'hollow drill steel' as defined in schedule 6, part 2, subpart B, 3 (e) of the Tariff Schedules of the United States Annotated.

(188) Covered if hot-rolled and coated or plated with metal.

(189) Covered if current-conducting third rails.

(190) Covered if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(191) Excluded if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(193) Excluded if plates, sheets, or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with base metal other than tin, lead or zinc.

(198) Covered if under 3/16 inch in thickness and hot-rolled, and if either over 12 inches in width and not pickled and not coated, plated or clad with metal or if 12 inches or under in width.

(199) Excluded if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated.

(200) Excluded if 'heat-resisting steel' as described in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated and 12 inches or under in width.

(201) Covered if 'tool steel of the type described in headnote 2 (h) (vii)' in schedule 6, part 2, subpart B of the Tariff Schedules of the United States Annotated.

(202) Covered if less than 3/16 inch in thickness, over 12 inches in width, pickled or cold-rolled and either painted or varnished.

(203) Covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.

(204) Covered if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated, less than 3/16 inch in thickness, and either over 12 inches in width, pickled or cold-rolled and not coated, plated or clad with metal, or 12 inches or under in width.

(205) Excluded if strip as defined in schedule 6, part 2, subpart B, 3 (h) and if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated and over 0,01 inch but not over 0,05 inch in thickness.

(206) Excluded if 'black plate' as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

(207) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) of the Tariff Schedules of the United States Annotated, excluded if coated, plated or clad with metal.

(209) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) and 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated, covered if hot-rolled and not pickled.

(211) If not clad with metal, excluded if 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(212) If not coated or plated with metal, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) or 'tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.

(213) It flat wire and not coated or plated with metal or if round wire, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.

(214) If milliners' wire or other wire covered with textile or other material not wholly of metal, covered whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(215) If flat wire and not coated or plated with metal or if round wire, covered if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.

(216) Excluded if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated.

(220) Excluded if ingots, blooms, billets, or sheet bars as defined in schedule 6, part 2, subpart B, 3 (a), (b) and (c) of the Tariff Schedules of the United States Annotated.

(226) Covered if cold-rolled and over 0,5 inch and 12 inches or under in width or if hot-rolled and 12 inches or under in width.

(227) Whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated covered if coated or plated with a lead-tin alloy.

(228) If 'tool steel of the type described in headnote 2 (h) (vii)' of the Tariff Schedules of the United States Annotated, covered if under 3/16 inch in thickness, over 12 inches in width and either pickled or cold-rolled or if 3/16 inch or more in thickness and either over 8 inches in width, pickled and hot-rolled or over 12 inches in width and cold-rolled. Excluded if coated, plated or clad with metal.

(231) Excluded if slabs as defined in schedule 6, part 2, subpart B, 3 (c) of the Tariff Schedules of the United States Annotated.

(232) Covered if band-saw steel defined as follows: (a) 'metal-cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:

carbon: not less than 1,18 and not more than 1,32 %;
chromium: not less than 0,15 and not more than 0,32 %;
manganese: not less than 0,10 and not more than 0,40 %;

certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,55 %;
silicon: not less than 0,20 nor more than 0,35 %;
nickel: not less than 1,60 nor more than 2,70 %;
chromium: none, or not more than 0,50 %;
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %;

or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,50 %;
silicon: not less than 0,20 nor more than 0,35 %;
chromium: none, or not more than 0,50 %; and
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %,

certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.

(233) If 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated, covered only if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated. If not wire, covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.

(234) Excluded if coated, plated or clad with metal, under 3/16 inch in thickness and over 12 inches in width. Also excluded if coated, plated or clad with metal, 3/16 inch or more in thickness and either over 8 inches in width and hot-rolled or over 12 inches in width and cold-rolled.

ALLEGATO III

Ripartizione tra gli stati membri

	D	F	I	NL	B	LUX	UK	GR	DK	IRL	Riserva
Lamiere laminate a freddo	42,80	15,51	9,55	15,74	8,73	0,27	2,30	5,10	—	—	—
Lamiere grosse	22,52	3,61	10,35	0,90	47,21	—	13,65	—	1,76	—	—
Profilati e putrelle	22,42	11,06	0,64	—	24,72	17,71	23,45	—	—	—	—
Barre laminate a caldo	8,47	13,60	3,35	0,29	5,34	19,35	49,60	—	—	—	—
Lamiere rivestite	57,17	23,22	8,67	4,13	3,86	0,43	2,52	—	—	—	—
Latta	48,76	35,24	—	11,63	3,62	—	0,75	—	—	—	—
Rotaie	58,54	14,36	—	—	—	20,77	6,33	—	—	—	—
Vergelle tonde, rettangolari e altre	14,82	27,15	4,03	1,15	39,39		12,41	—	0,09	—	0,96
Prodotti trafilati	4,80	6,85	2,26	5,18	60,85		9,84	—	9,22	—	1,00
Banda nera	11,60	10,64	—	16,54	30,66	—	0,16	29,40	—	—	1,00
Lamiere e nastri magnetici	47,12	1,02	45,65	—	1,22	—	3,99	—	—	—	1,00
Acciaio non stagnato	77,92	18,71	—	0,88	0,98	—	0,51	—	—	—	1,00
Nastri laminati a freddo	66,44	8,08	0,50	0,17	5,11	—	10,96	7,87	—	—	0,87
Barre rifinite a caldo e altre	8,13	53,23	4,52	0,10	0,76	—	32,32	—	—	—	0,94
Profilati inferiori a 3"	12,43	1,99	1,24	1,37	54,95	19,56	7,58	—	—	—	0,88

	D	F	I	NL	B	LUX	UK	GR	DK	IRL	Riserva
Elementi per la costruzione di strade ferrate	10,57	75,83	4,25	0,13	0,76	0,79	6,67	—	—	—	1,00
Vergella inossidabile	7,00	23,18	29,80	0,51	20,28		19,23	—	—	—	—
Profilati e putrelle fabbricati	11,62	4,32	40,51	3,27	—	17,44	19,62	—	3,22	—	—
Trefoli	12,49	15,55	39,95	13,88	7,06		11,06	—	0,01	—	—
Cavi	25,23	27,50	11,44	9,80	5,24		19,35	—	1,44	—	—
Altri acciai speciali	12,91	33,86	49,86	0,15	0,94	—	2,28	—	—	—	—
Lamiere grosse in acciaio inossidabile	55,90	3,88	0,77	0,03	9,63	—	29,79	—	—	—	—
Lamiere e nastri in acciaio inossidabile	25,26	55,23	7,33	0,03	5,03	—	7,12	—	—	—	—
Barre in acciaio inossidabile	20,45	41,46	20,46	0,08	0,19	—	17,18	—	0,18	—	—
Vergella in acciaio inossidabile	15,53	46,23	26,65	0,04	11,18	—	0,29	—	0,08	—	—
Acciai legati per utensili	64,02	9,32	14,21	0,54	0,46	—	10,95	—	—	—	—