385R3709

31. 12. 85 Jornal Oficial das Comunidades Europeias Nº L 355/55

REGULAMENTO (CEE) Nº 3709/85 DO CONSELHO

de 10 de Dezembro de 1985

que altera o Regulamento (CEE) nº 2870/82 relativo às restrições à exportação de certos produtos siderúrgicos para os Estados Unidos da América

O CONSELHO DAS COMUNIDADES EUROPEIAS,

Tendo em conta o Tratado que institui a Comunidade Económica Europeia e, nomeadamente, o seu artigo 113º,

Tendo em conta a proposta da Comissão,

Considerando que a Comunidade concluiu com os Estados Unidos da América um Convénio que altera e prorroga até 30 de Setembro de 1989 o período de vigência do Convénio de 21 de Outubro de 1982 (1), aprovado pelo Regulamento nº 2869/82 (2);

Considerando ser conveniente alterar em consequência o Regulamento (CEE) nº 2870/82 (3),

ADOPTOU O PRESENTE REGULAMENTO:

Artigo 1º

O Regulamento (CEE) nº 2870/82 é alterado do seguinte modo.

1. O primeiro parágrafo do nº 1 do artigo 1º passa a ter a seguinte redacção:

«1. São impostas restrições comunitária, para o período de 1 de Janeiro de 1986 a 30 Setembro de 1989, às exportações da Comunidade para os Estados Unidos da América (a seguir denominados «Estados Unidos» dos produtos siderúrgicos originários da Comunidade enumerados no Anexo I que se realizem depois de 1 de Janeiro de 1986».

2. O nº do artigo 2º passa a ter a seguinte redacção:

«1. A Comissão calcula os limites máximos comunitários de exportação por categoria de produtos para o período inicial, bem como para os anos de 1986, 1987 e 1988, bem como para os nove primeiros meses de 1989, aplicando os coeficientes seguintes ao consumo aparente dos Estados Unidos da América na acepção do artigo 5º do Convénio.

Categoria de produtos	*Coeficientes (em %)*
Chapa laminada a frio	5,35
Chapa	5,53
Perfis e vigas	10,25
Barras laminadas a quente	2,48
Chapa revistida	3,40
Folha-de-flandres	2,394
Carris	8,90
Ferro negro	11,78
Chapa e arco magnéticos	4,74
Tin free steel	4,04
Arco lamindo a frio	3,69
Barras completamente acabadas a frio e outras barras	5,44
Perfis de menos de três polegadas	2,41
Elementos de vias férreas, rodas e eixos	1,63
Chapas de aço inoxidável	4,93
Chapa e arco de aço inoxidável	3,99
Para além disso, em relação às categorias abaixo descritas, os limites máximos comunitários de exportação são os seguintes:	*(em toneladas métricas)*
Fios redondos, planos e outros	166 108
Produtos trefilados	12 294
Fio inoxidável	6 169
Cabos entrançados	34 368
Cabos	5 171
Outros aços especiais	11 708
Perfis e vigas fabricados	16 547
Barras de aço inoxidável	4 990
Fio-máquina inoxidável	4 990
Aço ligado para ferramentas	8 165

Estas quantidades incluem igualmente os produtos das categorias correspondentes referidas no artigo 2º da Decisão nº 2872/82/CECA da Comissão (1), com a última redacção que lhe foi dada pela Decisão nº 3713/85/CECA (2) da Comissão.

Os limites máximos serão reduzidos proporcionalmente em relação ao período relativo aos nove primeiros meses de 1989 e, no caso de o Convénio não se aplicar a partir de 1 de Janeiro de 1986, em relação aos produtos referidos na alínea b) do artigo 2º do Convénio.

(1) JO nº L 307 de 1. 11. 1982, p. 13.
(2) JO nº L 307 de 1. 11. 1982, p. 1.
(3) JO nº L 307 de 1. 11. 1982, p. 3.

(1) JO nº L 307 de 1. 11. 1982, p. 27.
(2) JO nº L de 31. 12. 1985, p. 155.»

3. O nº do artigo 2º passa a ter a seguiente redacção:

«3. Estes limites máximos podem, além disso, ser ajustados pela Comissão de acordo com o procedimento previsto no artigo 8º:

— em caso de utilizações antecipadas ou reportes de licenças, incluindo as licenças emitidas em aplicação do Convénio Complementar de 6 de Agosto de 1985 (1),

— para permitir transferências entre os produtos abrangidos pelo presente regulamento e os abrangidos pelo Regulamento (CEE) nº 60/85 (2),

— para suplementos de quotas, em caso de penúria,

— para ter em conta eventuais desvios, ocorridos durante os meses de Agosto, de Setembro e de Outubro de 1982, em relação à estrutura sazonal do comércio,

nas condições previstas no Convénio.

(1) JO nº L 215 de 12. 8. 1985, p. 2.
(2) JO nº L 9 de 10. 1. 1985, p. 13.»

4. O nº 1 do artigo 3º passa a ter a seguinte redacção:

«1. A Comissão reparte os limites máximos quantitativos de exportação Comunidade estabelecidos e calculados de acordo com o método definido no artigo 2º para os anos de 1986, 1987, 1988 e para o período relativo aos nove primeiros meses de 1989 em conformidade com o Anexo III.»

5. No artigo 4º, entre o primeiro e segundo parágrafos, é aditado o parágrafo seguinte:

«Esta reserva é ainda constituída pela parte dos limites máximos comunitários de exportação referidos no Anexo III.»

6. No primeiro parágrafo do nº 1 do artigo 5º, as datas de «1 de Novembro de 1982» e de «31 de Dezembro de 1985» são substituídas por, respectivamente, «1 de Janeiro de 1986» e «30 de Setembro de 1989».

7. No segundo parágrafo do nº 1 do artigo 5º, os anos de «1984 e 1985» são substituídos por «1986, 1987, 1988 e os primeiros nove meses de 1989».

8. O terceiro parágrafo do nº 1 do artigo 5º passa a ter a seguinte redação:

«Sem prejuízo do disposto no segundo parágrafo, os Estados-membros podem emitir novas licenças, respectivamente, durante os anos de 1986, 1987, 1988 e os nove primeiros meses de 1989, a título da fracção não utilizada das licenças emitidas e restituídas às suas autoridades competentes, durante os anos de 1986, 1987, 1988 e durante os primeiros nove meses de 1989.»

9. O segundo travessão do nº 2 do artigo 5º passa a ter a seguinte redacção:

«— o respeito das correntes tradicionais de exportação das empresas, tendo em conta os princípios de limitação estabelecidos no presente regulamento e, eventualmente, a situação das novas empresas produtoras de aço.»

10. Os Anexos I e III são substituídos respectivamente pelos Anexos I e III do presente regulamento.

Artigo 2º

O presente regulamento entra em vigor em 1 de Janeiro de 1986.

Todavia, o presente regulamento só é aplicável às exportações das categorias «chapa e arco de aço inoxidável, chapa de aço inoxidável, barras de aço inoxidável, fio-máquina de aço inoxidável e aço ligado para ferramenta», a partir do primeiro dia do mês seguinte ao mês durante o qual foram realizadas as condições previstas na alínea b) do artigo 2º do Convénio.

A Comissão informará os Estados-membros da realização das referidas condições.

Esta informação será publicada no *Jornal Oficial das Comunidades Europeias.*

O presente regulamento é obrigatório em todos os seus elementos e directamente aplicável em todos os Estados-membros.

Feito em Bruxelas em 10 de Dezembro de 1985.

Pelo Conselho

O Presidente

M. FISCHBACH

ANNEX

ANNEX I

This Annex lists, for information purposes, the products which come under the ECSC Treaty and are covered by Article 1 (1) of Decision No 2872/82/ECSC.

Imports by category

Product	NIMEXE code (*)	TS USA number (*)
Hot-rolled sheet and strip	73.08-01 (2, 191)	607.6610
— Carbon	03 (2, 191)	607.6710
	05 (191)	607.6720
	07 (191)	607.6730
	21 (2, 191)	607.6740
	25 (191)	607.8342
	29 (191)	608.1920
	41 (2, 191)	608.2120
	45 (191)	608.2320
	49 (191)	
	73.09-00 (2, 191)	
	73.10-11 (5, 6, 60, 191)	
	15 (1, 82, 191)	
	17 (5, 6, 60, 191)	
	42 (5, 6, 60, 191)	
	49 (1, 7, 82, 191, 193)	
	73.12-11 (2, 191)	
	19 (2, 191)	
	40 (2, 7, 82, 191)	
	51 (5, 7, 60, 191)	
	59 (5, 7, 60, 191)	
	61 (5, 7, 60, 191)	
	63 (5, 7, 60, 191)	
	65 (5, 7, 60, 191)	
	71 (5, 60, 191)	
	81 (5, 7, 60, 191, 193)	
	85 (5, 7, 60, 191, 193)	
	87 (5, 7, 60, 191, 193)	
	88 (2, 7, 82, 191)	
	89 (2, 7, 82, 191, 193)	
	73.13-11 (2, 7, 191)	
	16 (2, 7, 191)	
	17 (2, 191)	
	19 (2, 191)	
	21 (191)	
	23 (191)	
	26 (191)	
	32 (191)	
	34 (191)	
	36 (191)	
	50 (2, 7, 191)	
	62 (2, 7, 50, 191)	
	88 (2, 7, 191)	
	89 (2, 7, 38, 191)	
	73.62-10 (2, 191)	
	30 (2, 191)	
	73.63-21 (5, 6, 60, 191)	
	29 (1, 82, 191)	
	72 (5, 6, 60, 191)	
	79 (1, 7, 82, 191)	
	73.64-20 (2, 191)	
	72 (5, 7, 60, 191, 193)	
	79 (2, 7, 82, 191, 193)	

(*) These numbers are subject to revision when the United States or the EEC adopts modifications to the applicable import or export nomenclature. Subject to technical adjustments to be agreed upon by experts of both parties.

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip *(cont'd)*		
— Carbon *(cont'd)*	73.65-21 (2, 191)	
	23 (191)	
	25 (191)	
	70 (2, 7, 38, 191)	
	73.72-11 (2, 191)	
	13 (2, 191)	
	19 (2, 191)	
	73.73-23 (5, 6, 60, 191)	
	24 (5, 6, 60, 191)	
	25 (5, 6, 60, 191)	
	26 (5, 6, 60, 191)	
	29 (5, 6, 60, 191)	
	73.72-33 (2, 191)	
	39 (2, 191)	
	73.73-33 (1, 82, 191)	
	34 (1, 82, 191)	
	35 (1, 82, 191)	
	36 (1, 82, 191)	
	39 (1, 82, 191)	
	72 (5, 6, 60, 191)	
	83 (1, 7, 82, 191, 193)	
	89 (1, 7, 82, 191, 193)	
	73.74-21 (2, 191)	
	23 (2, 191)	
	29 (2, 191)	
	72 (5, 60, 191)	
	83 (2, 7, 82, 191, 193)	
	89 (2, 7, 82, 191, 193)	
	73.75-11 (2, 7, 191)	
	19 (2, 7, 191)	
	23 (2, 191)	
	24 (2, 191)	
	29 (2, 191)	
	33 (191)	
	34 (191)	
	39 (191)	
	43 (191)	
	44 (191)	
	49 (191)	
	73 (2, 7, 38, 191)	
	79 (2, 7, 38, 191)	
— Alloy	73.08-01 (4, 5, 45, 68, 190, 209)	607.8100
	03 (4, 5, 45, 68, 190, 209)	608.3820 (7)
	05 (4, 45, 68, 190, 209)	608.5520 (7)
	07 (4, 45, 68, 190, 209)	608.6720 (7)
	21 (4, 5, 45, 68, 190, 209)	
	25 (4, 45, 68, 190, 209)	
	29 (4, 45, 68, 190, 209)	
	41 (4, 5, 45, 68, 190, 198, 209)	
	45 (4, 45, 68, 190, 198, 209)	
	49 (4, 45, 68, 190, 198, 209)	
	73.10-11 (4, 5, 6, 60, 68, 190, 199, 205)	
	15 (4, 5, 6, 60, 68, 190, 199, 205)	
	17 (4, 5, 6, 60, 68, 190, 199, 205)	
	42 (4, 5, 6, 60, 68, 190, 199, 205)	
	49 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.12-11 (4, 68, 190, 198, 200, 205, 209)	
	19 (4, 68, 190, 198, 200, 205, 209)	
	40 (4, 68, 190, 198, 200, 205, 209)	
	59 (4, 68, 190, 198, 200, 205, 209)	
	61 (4, 68, 190, 198, 200, 205, 209)	
	63 (4, 68, 190, 198, 200, 205, 209)	
	65 (4, 68, 190, 198, 200, 205, 209)	
	71 (4, 68, 190, 198, 200, 205, 209)	

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip *(cont'd)*		
— Alloy *(cont'd)*	73.12-81 (4, 68, 190, 193, 198, 200, 205, 209)	
	85 (4, 68, 190, 193, 198, 200, 205, 209)	
	87 (4, 68, 190, 193, 198, 200, 205, 209)	
	88 (4, 68, 190, 198, 200, 205, 209)	
	89 (4, 68, 190, 193, 198, 200, 205, 209)	
	73.13-11 (4, 5, 45, 68, 190, 209)	
	16 (4, 5, 45, 68, 190, 209)	
	17 (4, 5, 45, 68, 190, 209)	
	19 (4, 5, 45, 68, 190, 209)	
	21 (4, 68, 190, 209)	
	23 (4, 68, 190, 209)	
	26 (4, 68, 190, 209)	
	32 (4, 68, 190, 209)	
	34 (4, 68, 190, 209)	
	36 (4, 68, 190, 209)	
	50 (4, 5, 68, 190, 209)	
	88 (4, 5, 7, 68, 190, 209)	
	89 (4, 5, 7, 38, 68, 190, 209)	
	73.62-10 (4, 68, 190, 198, 209)	
	73.63-21 (4, 5, 6, 60, 68, 190, 199, 205)	
	29 (4, 5, 6, 60, 68, 190, 199, 205)	
	72 (4, 5, 6, 60, 68, 190, 199, 205)	
	79 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.64-20 (4, 68, 190, 198, 200, 205, 209)	
	79 (4, 7, 68, 190, 193, 198, 200, 205, 209)	
	73.65-21 (4, 5, 45, 68, 198, 209)	
	23 (4, 5, 45, 68, 190, 209)	
	25 (4, 5, 45, 68, 190, 209)	
	70 (4, 5, 7, 38, 45, 68, 190, 209)	
	73.72-11 (4, 68, 190, 198, 209)	
	13 (4, 68, 190, 198, 209)	
	19 (4, 68, 190, 198, 209)	
	73.73-23 (4, 5, 6, 60, 68, 190, 199, 205)	
	24 (4, 5, 6, 60, 68, 190, 199, 205)	
	25 (4, 5, 6, 60, 68, 190, 199, 205)	
	26 (4, 5, 6, 60, 68, 190, 199, 205)	
	29 (4, 5, 6, 60, 68, 190, 199, 205)	
	33 (4, 5, 6, 60, 68, 190, 199, 205)	
	34 (4, 5, 6, 60, 68, 190, 199, 205)	
	35 (4, 5, 6, 60, 68, 190, 199, 205)	
	36 (4, 5, 6, 60, 68, 190, 199, 205)	
	39 (4, 5, 6, 60, 68, 190, 199, 205)	
	72 (4, 5, 6, 60, 68, 190, 199, 205)	
	83 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	89 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.74-21 (4, 68, 190, 198, 200, 205, 209)	
	23 (4, 68, 190, 198, 200, 205, 209)	
	29 (4, 68, 190, 198, 200, 205, 209)	
	72 (4, 68, 190, 198, 200, 205, 209)	
	83 (4, 7, 68, 190, 193, 198, 200, 205, 209)	
	89 (4, 7, 68, 190, 193, 198, 200, 205, 209)	
	73.75-11 (4, 5, 7, 45, 68, 190, 209)	
	19 (4, 5, 7, 45, 68, 190, 209)	
	23 (4, 5, 45, 68, 190, 209)	
	24 (4, 5, 45, 68, 190, 209)	
	29 (4, 5, 45, 68, 190, 209)	
	33 (4, 5, 45, 68, 190, 209)	
	34 (4, 5, 45, 68, 190, 209)	
	39 (4, 5, 45, 68, 190, 209)	
	43 (4, 5, 45, 68, 190, 209)	
	44 (4, 5, 45, 68, 190, 209)	
	49 (4, 5, 45, 68, 190, 209)	
	73 (4, 5, 7, 38, 45, 68, 190, 209)	
	79 (4, 5, 7, 38, 45, 68, 190, 209)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet	73.08-01 (87, 191, 202)	607.8320
	03 (87, 191, 202)	607.8350
	05 (191, 202)	607.8355
	07 (191, 202)	707.8360
	21 (87, 191, 202)	
	25 (191, 202)	
	29 (191, 202)	
	41 (87, 191, 202)	
	45 (191, 202)	
	49 (191, 202)	
	73.09-00 (87, 191)	
	73.10-15 (6, 87, 191)	
	17 (6, 87, 191)	
	30 (6, 87, 191)	
	49 (6, 87, 191)	
	73.12-11 (87, 191)	
	19 (87, 191)	
	21 (8, 191, 206)	
	25 (8, 191, 206)	
	29 (8, 191, 206)	
	40 (84, 87, 191)	
	88 (84, 87, 191, 202)	
	89 (84, 87, 191, 202)	
	73.13-11 (84, 87, 191, 206)	
	16 (84, 87, 191, 206)	
	17 (87, 191)	
	19 (87, 191)	
	41 (191)	
	43 (191)	
	45 (191)	
	47 (191)	
	49 (191, 206)	
	50 (84, 87, 191)	
	62 (50, 84, 87, 191)	
	88 (84, 87, 191, 202)	
	89 (84, 87, 191, 202)	
	73.62-10 (87, 191, 202)	
	30 (87, 191)	
	73.63-29 (6, 87, 191)	
	50 (6, 87, 191)	
	79 (6, 87, 191)	
	73.64-20 (87, 191)	
	50 (8, 191, 206)	
	79 (84, 87, 191, 202)	
	73.65-21 (87, 191)	
	53 (191)	
	55 (191, 206)	
	70 (84, 87, 191, 202)	
	73.72-11 (87, 191, 202)	
	13 (87, 191, 202)	
	19 (87, 191, 202)	
	33 (87, 191)	
	39 (87, 191)	
	73.73-33 (6, 87, 191)	
	34 (6, 87, 191)	
	35 (6, 87, 191)	
	36 (6, 87, 191)	
	39 (6, 87, 191)	
	53 (6, 87, 191)	
	54 (6, 87, 191)	
	55 (6, 87, 191)	
	59 (6, 87, 191)	
	83 (6, 87, 191)	
	89 (6, 87, 191)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet *(cont'd)*	73.74-21 (87, 191) 23 (87, 191) 29 (87, 191) 51 (8, 191, 206) 52 (8, 191, 206) 53 (8, 191, 206) 54 (8, 191, 206) 59 (8, 191, 206) 83 (84, 87, 191, 202) 89 (84, 87, 191, 202) 73.75-11 (84, 87, 191, 202, 206) 19 (84, 87, 191, 202, 206) 23 (87, 191) 24 (87, 191) 29 (87, 191) 53 (191) 54 (191) 59 (191) 63 (191, 206) 64 (191, 206) 69 (191, 206) 73 (84, 87, 191, 202) 79 (84, 87, 191, 202)	
Alloy cold-rolled sheet	73.08-01 (4, 5, 9, 68, 143, 190, 199) 03 (4, 5, 9, 68, 143, 190, 199) 05 (4, 9, 68, 143, 190, 199) 07 (4, 9, 68, 143, 190, 199) 21 (4, 5, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 29 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199) 45 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 73.12-11 (4, 5, 8, 9, 68, 143, 190, 199) 19 (4, 5, 8, 9, 68, 143, 190, 199) 21 (4, 5, 8, 9, 68, 143, 190, 199, 206) 25 (4, 5, 8, 9, 68, 143, 190, 199, 206) 29 (4, 5, 8, 9, 68, 143, 190, 199, 206) 40 (4, 5, 8, 9, 68, 143, 190, 199) 88 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 38, 68, 143, 190, 199) 73.13-11 (4, 5, 9, 68, 143, 190, 199) 16 (4, 5, 9, 68, 143, 190, 199) 17 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 21 (4, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 26 (4, 9, 68, 143, 190, 199) 32 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 36 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199, 206) 43 (4, 9, 68, 143, 190, 199, 206) 45 (4, 9, 68, 143, 190, 199, 206) 47 (4, 9, 68, 143, 190, 199, 206) 49 (4, 9, 68, 143, 190, 199, 206) 50 (4, 5, 9, 68, 143, 190, 199) 62 (4, 5, 9, 50, 68, 143, 199, 190) 88 (4, 5, 9, 68, 143, 190, 199) 89 (4, 5, 9, 38, 68, 143, 190, 199) 73.62-10 (4, 5, 9, 68, 143, 190, 199) 73.64-20 (4, 5, 8, 9, 68, 143, 190, 199) 50 (4, 5, 8, 9, 68, 190, 199, 206) 79 (4, 5, 8, 9, 38, 68, 143, 190, 199, 203)	

Product	NIMEXE code	TS USA number
Alloy cold-rolled sheet *(cont'd)*	73.65-21 (4, 5, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 55 (4, 9, 68, 190, 199, 206) 70 (4, 5, 9, 38, 68, 143, 190, 199) 73.72-11 (4, 5, 9, 68, 143, 190, 199) 13 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 73.74-21 (4, 5, 8, 9, 68, 143, 190, 199) 23 (4, 5, 8, 9, 68, 143, 190, 199) 29 (4, 5, 8, 9, 68, 143, 190, 199) 51 (4, 5, 8, 9, 68, 190, 199, 206) 52 (4, 5, 8, 9, 68, 190, 199, 206) 53 (4, 5, 8, 9, 68, 190, 199, 206) 54 (4, 5, 8, 9, 68, 190, 199, 206) 59 (4, 5, 8, 9, 68, 190, 199, 206) 83 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 68, 143, 190, 199) 73.75-11 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 23 (4, 5, 9, 68, 143, 190, 199) 24 (4, 5, 9, 68, 143, 190, 199) 29 (4, 5, 9, 68, 143, 190, 199) 33 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 39 (4, 9, 68, 143, 190, 199) 43 (4, 9, 68, 143, 190, 199) 44 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 54 (4, 5, 9, 68, 190, 199) 59 (4, 5, 9, 68, 190, 199) 63 (4, 9, 68, 190, 199, 206) 64 (4, 9, 68, 190, 199, 206) 69 (4, 9, 68, 190, 199, 206) 73 (4, 5, 9, 38, 68, 143, 190, 199) 79 (4, 5, 9, 38, 68, 143, 190, 199)	
Carbon plate (including coated, plated and clad plate, and clad sheet)	73.09-00 (12, 13, 45, 191) 73.10-17 (6, 12, 13, 45, 191) 42 (6, 44) 45 (6, 44) 49 (6, 40, 191, 193) 73.12-11 (12, 13, 14, 15, 45, 191) 19 (12, 13, 14, 45, 191) 40 (7, 12, 13, 14, 45, 191) 51 (13, 15, 191) 59 (13, 15, 191) 61 (13, 15, 191) 63 (13, 15, 191) 65 (13, 15, 191) 71 (44) 75 (44) 81 (13, 15, 191, 193) 85 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (13, 15, 191) 89 (40, 191, 193) 73.13-11 (7, 13, 14, 45, 191) 16 (7, 13, 14, 45, 191) 17 (13, 14, 45, 191) 19 (13, 14, 45, 191) 50 (7, 13, 14, 45, 191) 62 (7, 13, 14, 45, 50, 191)	607.6620 (19) 607.6625 607.9400 608.0710 608.1100

Product	NIMEXE code	TS USA number
Carbon plate (including coated, plated and clad plate, and clad sheet) *(cont'd)*	73.13-64 (13, 15, 191) 65 (13, 15, 191) 67 (13, 15, 191) 68 (13, 15, 191) 72 (13, 15, 191) 74 (13, 15, 191) 78 (44) 79 84 (13, 15, 191, 193) 86 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (7, 13, 14, 45, 191) 89 (40, 191, 193) 73.62-30 (12, 45, 191) 73.63-29 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 79 (6, 40, 191, 193) 73.64-20 (12, 13, 14, 45, 191) 72 (44) 75 (44) 79 (40, 191, 193) 73.65-21 (13, 14, 45, 191) 70 (40, 44, 193, 211) 73.72-33 (12, 13, 14, 45, 191) 39 (12, 13, 14, 45, 191) 73.73-33 (6, 12, 13, 45, 191) 34 (6, 12, 13, 45, 191) 35 (6, 12, 13, 45, 191) 36 (6, 12, 13, 45, 191) 39 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 83 (6, 40, 191, 193) 89 (6, 40, 191, 193) 73.74-21 (12, 13, 14, 45, 191) 23 (12, 13, 14, 45, 191) 29 (12, 13, 14, 45, 191) 72 (44) 74 (44) 83 (40, 191, 193) 89 (40, 191, 193) 73.75-11 (7, 13, 14, 45, 191) 19 (7, 13, 14, 45, 191) 23 (13, 14, 45, 191) 24 (13, 14, 45, 191) 29 (13, 14, 45, 191) 73 (40, 191, 193) 79 (40, 191, 193)	
Alloy plate (including coated plate)	73.08-01 (4, 13, 68, 190) 03 (4, 13, 68, 190) 21 (4, 13, 68, 190) 41 (4, 13, 68, 190) 73.09-00 (4, 12, 20, 68, 190) 73.10-15 (4, 6, 12, 13, 68, 190) 17 (4, 6, 12, 13, 68, 190) 30 (4, 6, 8, 13, 68, 190) 49 (6, 13, 15, 190, 193, 212) 73.12-11 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 21 (4, 8, 13, 68, 190) 25 (4, 8, 13, 68, 190) 29 (4, 8, 13, 68, 190) 40 (4, 13, 15, 68, 190) 51 (13, 15, 190)	607.7803 (19) 607.7806 607.9100 608.1420

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) *(cont'd)*	73.12-59 (13, 15, 190) 61 (13, 15, 190) 63 (13, 15, 190) 65 (13, 15, 190) 81 (13, 15, 190, 193) 85 (13, 15, 190, 193) 87 (13, 15, 190, 193) 88 (4, 13, 15, 68, 190) 89 (13, 15, 190, 193, 212) 73.13-11 (4, 13, 68, 190) 16 (4, 13, 68, 190) 17 (4, 13, 68, 190) 19 (4, 13, 68, 190) 41 (4, 13, 68, 190) 50 (4, 13, 68, 190) 62 (4, 13, 50, 68, 190) 64 (13, 190) 65 (13, 190) 67 (13, 190) 68 (13, 190) 72 (13, 190) 74 (13, 190) 84 (13, 190, 193) 86 (13, 190, 193) 87 (13, 190, 193) 88 (4, 13, 68, 190) 89 (13, 190, 193, 212) 73.62-10 (4, 13, 68, 190) 30 (4, 12, 20, 68, 190) 73.63-29 (4, 6, 12, 13, 68, 190) 50 (4, 6, 8, 13, 68, 190) 79 (6, 13, 15, 190, 193, 212) 73.64-20 (4, 12, 13, 68, 190) 50 (4, 8, 13, 68, 190) 79 (13, 15, 190, 212) 73.65-21 (4, 13, 68, 190) 70 (13, 20, 190, 212) 73.72-11 (4, 12, 13, 68, 190) 13 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 33 (4, 12, 13, 20, 68, 190) 39 (4, 12, 13, 20, 68, 190) 73.73-33 (4, 6, 12, 13, 68, 190) 34 (4, 6, 12, 13, 68, 190) 35 (4, 6, 12, 13, 68, 190) 36 (4, 6, 12, 13, 68, 190) 39 (4, 6, 12, 13, 68, 190) 53 (4, 6, 8, 13, 68, 190) 54 (4, 6, 8, 13, 68, 190) 55 (4, 6, 8, 13, 68, 190) 59 (4, 6, 8, 13, 68, 190) 83 (6, 13, 15, 190, 193, 212) 89 (6, 13, 15, 190, 193, 212) 73.74-21 (4, 12, 13, 68, 190) 23 (4, 12, 13, 68, 190) 29 (4, 12, 13, 68, 190) 51 (4, 8, 13, 68, 190) 52 (4, 8, 13, 68, 190) 53 (4, 8, 13, 68, 190) 54 (4, 8, 13, 68, 190) 59 (4, 13, 68, 190) 83 (13, 15, 190, 193, 212) 89 (13, 15, 190, 193, 212)	

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) *(cont'd)*	73.75-11 (4, 13, 68, 190)	
	19 (4, 13, 68, 190)	
	23 (4, 13, 68, 190)	
	24 (4, 13, 68, 190)	
	29 (4, 13, 68, 190)	
	53 (4, 13, 68, 190)	
	54 (4, 13, 68, 190)	
	59 (4, 13, 68, 190)	
	73 (13, 20, 190, 193, 212)	
	79 (13, 20, 190, 193, 212)	
Carbon structural shapes	73.11-11 (21, 152, 191)	609.8005
	12 (152, 191)	609.8015
	14 (152, 191)	609.8035
	16 (152, 191)	609.8041
	19 (21, 152, 191)	609.8045
	20 (21, 152, 191)	
	31 (21, 112, 152, 191)	
	39 (21, 112, 152, 191)	
	41 (21, 152, 191)	
	43 (21, 112, 152, 191)	
	49 (21, 112, 152, 191)	
	73.16-11 (21, 112, 152, 191)	
	73.63-10 (21, 152, 191)	
	29 (21, 152, 191)	
	50 (21, 112, 152, 191)	
	72 (21, 152, 191)	
	74 (21, 112, 152, 191)	
	79 (21, 112, 152, 191)	
	73.73-13 (21, 152, 191)	
	14 (21, 152, 191)	
	19 (21, 152, 191)	
	33 (21, 152, 191)	
	34 (21, 152, 191)	
	35 (21, 152, 191)	
	36 (21, 152, 191)	
	39 (21, 152, 191)	
	43 (21, 112, 152, 191)	
	49 (21, 112, 152, 191)	
	53 (21, 112, 152, 191)	
	54 (21, 112, 152, 191)	
	55 (21, 112, 152, 191)	
	59 (21, 112, 152, 191)	
	72 (21, 152, 191)	
	74 (21, 112, 152, 191)	
	83 (21, 112, 152, 191)	
	89 (21, 112, 152, 191)	
Alloy and stainless structural shapes	73.11-11 (152, 190)	609.8205
	12 (152, 190)	609.8210
	14 (152, 190)	609.8215
	16 (152, 190)	609.8220
	19 (152, 190)	609.8225
	20 (152, 190)	609.8230
	31 (112, 152, 190)	609.8235
	39 (112, 152, 190)	609.8240
	41 (152, 190)	
	43 (112, 152, 190)	
	49 (112, 152, 190)	
	73.16-11 (112, 152, 190)	
	73.63-10 (152, 190)	
	29 (152, 190)	
	50 (112, 152, 190)	
	72 (152, 190)	
	74 (112, 152, 190)	
	79 (112, 152, 190)	

Product	NIMEXE code	TS USA number
Alloy and stainless structural shapes *(cont'd)*	73.73-13 (152, 190) 14 (152, 190) 19 (152, 190) 33 (152, 190) 34 (152, 190) 35 (152, 190) 36 (152, 190) 39 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 53 (112, 152, 190) 54 (112, 152, 190) 55 (112, 152, 190) 59 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 83 (112, 152, 190) 89 (112, 152, 190)	
Carbon wire rod	73.10-11 (25, 191) 15 (25, 191) 73.63-21 (25, 191) 29 (25, 191) 73.73-23 (25, 191) 24 (25, 191) 25 (25, 191) 26 (25, 191) 29 (25, 191) 33 (25, 191) 34 (25, 191) 35 (25, 191) 36 (25, 191) 39 (25, 191)	607.1400 607.1700 607.2200 607.2300
Carbon hot-rolled bar	73.07-12 (191, 220) 15 (191, 220) 73.09-00 (32, 97, 191) 73.10-11 (29a, 29b, 29d, 191) 15 (29a, 29b, 29d, 191) 17 (29a, 29b, 29d, 191) 20 (29a, 191) 42 (29a, 29b, 191) 49 (29a, 29b, 31, 97, 191) 73.12-11 (29b, 191) 19 (29b, 191) 40 (29b, 31, 191) 71 (29b, 191) 88 (29b, 191) 89 (29b, 97, 191) 73.61-10 (191, 220, 231) 50 (191, 220, 231) 73.62-30 (32, 97, 191) 73.63-10 (29a, 191) 21 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 79 (29a, 29b, 29d, 31, 97, 191) 73.64-20 (29b, 191) 72 (29b, 191) 79 (29b, 97, 191) 73.71-13 (191, 220, 231) 14 (191, 220, 231) 19 (191, 220, 231)	606.8310 606.8330 606.8350

Product	NIMEXE code	TS USA number
Carbon hot-rolled bar *(cont'd)*	73.71-53 (191, 220, 231) 54 (191, 220, 231) 55 (191, 220, 231) 56 (191, 220, 231) 59 (191, 220, 231) 73.72-33 (32, 97, 191) 39 (32, 97, 191) 73.73-13 (29a, 191) 14 (29a, 191) 19 (29a, 191) 23 (29a, 29b, 29d, 191) 24 (29a, 29b, 29d, 191) 25 (29a, 29b, 29d, 191) 26 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 191) 33 (29a, 29b, 29d, 72, 191) 34 (29a, 29b, 29d, 72, 191) 35 (29a, 29b, 29d, 72, 191) 36 (29a, 29b, 29d, 72, 191) 39 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 83 (29a, 29b, 29d, 31, 97, 191) 89 (29a, 29b, 29d, 31, 97, 191) 73.74-21 (29b, 191) 23 (29b, 191) 29 (29b, 191) 72 (29b, 191) 83 (29b, 97, 191) 89 (29b, 97, 191)	
Alloy hot-rolled bar	73.07-12 (4, 68, 190, 220) 15 (4, 68, 190, 220) 73.09-00 (4, 32, 68, 190) 73.10-11 (4, 29a, 29b, 29d, 68, 190) 15 (4, 29a, 29b, 29d, 68, 190) 17 (4, 29a, 29b, 29d, 68, 190) 20 (4, 29a, 29d, 68, 190) 42 (4, 29a, 29b, 68, 190) 49 (4, 29a, 29b, 29d, 31, 68, 190) 73.12-11 (4, 29b, 68, 190) 19 (4, 29b, 68, 190) 40 (4, 29b, 68, 190) 51 (4, 29b, 68, 190) 59 (4, 29b, 68, 190) 61 (4, 29b, 68, 190) 63 (4, 29b, 68, 190) 65 (4, 29b, 68, 190) 71 (4, 29b, 68, 190) 77 (4, 29b, 68, 190) 81 (4, 29b, 68, 190) 85 (4, 29b, 68, 190) 87 (4, 29b, 68, 190) 88 (4, 29b, 68, 190) 89 (4, 29b, 68, 190) 73.61-10 (4, 68, 190, 220, 231) 50 (4, 68, 190, 220, 231) 73.62-30 (4, 32, 68, 190) 73.63-10 (4, 29a, 29d, 68, 190) 21 (4, 29a, 29b, 29d, 68, 190) 29 (4, 29a, 29b, 29d, 68, 72, 190) 72 (4, 29a, 29b, 29d, 68, 190) 79 (4, 29a, 29b, 29d, 31, 68, 190) 73.64-20 (4, 29b, 68, 190) 72 (4, 29b, 68, 190) 79 (4, 29b, 68, 190)	606.9700

Product	NIMEXE code	TS USA number
Alloy hot-rolled bar *(cont'd)*	73.71-13 (4, 68, 190, 220, 231) 14 (4, 68, 190, 220, 231) 19 (4, 68, 190, 220, 231) 53 (4, 68, 190, 220, 231) 54 (4, 68, 190, 220, 231) 55 (4, 68, 190, 220, 231) 56 (4, 68, 190, 220, 231) 59 (4, 68, 190, 220, 231) 73.72-33 (4, 32, 68, 190) 39 (4, 32, 68, 190) 73.73-13 (4, 29a, 29b, 68, 190) 14 (4, 29a, 29b, 68, 190) 19 (4, 29a, 29b, 68, 190) 23 (4, 29a, 29b, 29d, 68, 190) 24 (4, 29a, 29b, 29d, 68, 190) 25 (4, 29a, 29b, 29d, 68, 190) 26 (4, 29a, 29b, 29d, 68, 190) 29 (4, 29a, 29b, 29d, 68, 190) 33 (4, 29a, 29b, 29d, 68, 72, 190) 34 (4, 29a, 29b, 29d, 68, 72, 190) 35 (4, 29a, 29b, 29d, 68, 72, 190) 36 (4, 29a, 29b, 29d, 68, 72, 190) 39 (4, 29a, 29b, 29d, 68, 72, 190) 72 (4, 29a, 29b, 29d, 68, 190) 83 (4, 29a, 29b, 29d, 31, 68, 190) 89 (4, 29a, 29b, 29d, 31, 68, 190) 73.74-21 (4, 29b, 68, 190) 23 (4, 29b, 68, 190) 29 (4, 29b, 68, 190) 72 (4, 29b, 68, 190) 83 (4, 29b, 68, 190) 89 (4, 29b, 68, 190)	
Carbon coated sheet	73.12-61 (5, 8, 191) 63 (5, 8, 191) 65 (5, 8, 102, 191) 81 (5, 8, 191, 193) 85 (5, 8, 191, 193) 87 (5, 8, 191, 193) 89 (5, 8, 35, 80, 102, 191, 193) 73.13-67 (5, 191) 68 (5, 191) 72 (5, 191) 74 (5, 102, 191) 84 (5, 191, 193) 86 (5, 191, 193) 87 (5, 191, 193) 89 (5, 35, 80, 102, 191, 193) 73.64-79 (5, 8, 35, 80, 102, 191, 193) 73.65-70 (5, 20, 35, 80, 102, 191, 193) 73.74-83 (5, 8, 35, 80, 102, 191, 193) 89 (5, 8, 35, 80, 102, 191, 193) 73.75-73 (5, 20, 35, 80, 102, 191, 193) 79 (5, 20, 35, 80, 102, 191, 193)	608.0730 608.1310 608.1320 608.1330 608.1340 608.1350
Alloy and stainless coated sheet (including terne plate)	73.12-61 (5, 8, 190) 63 (5, 8, 190) 65 (5, 8, 190, 227) 81 (5, 8, 190, 193) 85 (5, 8, 190, 193) 87 (5, 8, 190, 193) 89 (5, 8, 35, 80, 190, 193, 227) 73.13-67 (5, 190) 68 (5, 190) 72 (5, 190)	608.0100 608.1440

Product	NIMEXE code	TS USA number
Alloy and stainless coated sheet (including terne plate) *(cont'd)*	73.13-74 (5, 190, 227)	
	84 (5, 190, 193)	
	86 (5, 190, 193)	
	87 (5, 190, 193)	
	89 (5, 35, 80, 190, 193, 227)	
	73.64-79 (5, 8, 35, 80, 190, 193, 227)	
	73.65-70 (5, 20, 35, 80, 190, 193, 227)	
	73.74-83 (5, 8, 35, 80, 190, 193, 227)	
	89 (5, 8, 35, 80, 190, 193, 227)	
	73.75-73 (5, 20, 35, 80, 190, 193, 227)	
	79 (5, 20, 35, 80, 190, 193, 227)	
Tin plate	73.12-51 (5, 79)	607.9600
	59 (5, 79)	607.9700
	89 (5, 79)	607.9900
	73.13-64 (5, 79)	
	65 (5, 79)	
	76 (5, 79)	
	89 (5, 79)	
	73.64-79 (5, 79)	
	73.65-70 (5, 79)	
	73.74-83 (5, 79)	
	89 (5, 79)	
	73.75-73 (5, 79)	
	79 (5, 79)	
Rails	73.16-14	610.2010
	16	610.2025
	17	610.2030
	20	610.2100
Sheet piling	73.11-50	609.9600
		609.9800
Alloy wire rod	73.10-11 (4, 25, 68, 190)	607.4100
	15 (4, 25, 68, 190)	607.5900
	73.63-21 (4, 25, 68, 190)	
	29 (4, 25, 68, 190)	
	73.73-23 (4, 25, 68, 190)	
	24 (4, 25, 68, 190)	
	25 (4, 25, 68, 190)	
	26 (4, 25, 68, 190)	
	29 (4, 25, 68, 190)	
	33 (4, 25, 68, 190)	
	34 (4, 25, 68, 190)	
	35 (4, 25, 68, 190)	
	36 (4, 25, 68, 190)	
	39 (4, 25, 68, 190)	
Round, flat and other wire	73.10-30 (75, 147, 213, 214, 216)	609.2000 (184)
	45 (75, 147, 213, 214, 216)	609.2100
	49 (75, 147, 213, 214, 216)	609.2200
	73.12-21 (75, 147, 213, 214)	609.2500
	25 (75, 147, 213, 214)	609.2800
	29 (75, 147, 213, 214)	609.3040
	40 (75, 147, 213, 214)	609.3340 (184)
	51 (75, 147, 214)	609.3500
	59 (75, 147, 214)	609.3600
	61 (75, 147, 214)	609.3700
	63 (75, 147, 214)	609.4010
	65 (75, 147, 214)	609.4040
	75 (75, 147, 213, 214)	609.4055
	77 (75, 147, 214)	609.4065
	81 (75, 147, 214)	609.4120
	85 (75, 147, 214)	609.4125

Product	NIMEXE code	TS USA number
Round, flat and other wire *(cont'd)*	73.12-87 (75, 147, 214)	609.4165
	88 (75, 147, 213, 214)	609.4315
	89 (75, 147, 213, 214)	609.4365
	73.14-01 (3, 147, 213, 214, 216)	609.4530
	11 (3, 147, 213, 214, 216)	609.4560
	13 (3, 147, 213, 214, 216)	609.7000
	15 (3, 147, 213, 214, 216)	609.7200
	19 (3, 147, 213, 214, 216)	609.7500
	21 (75, 147, 213, 214, 216)	609.7600
	41 (75, 147, 213, 214, 216)	642.9600
	43 (75, 147, 213, 214, 216)	642.9700
	45 (75, 147, 213, 214, 216)	
	49 (75, 147, 213, 214, 216)	
	81 (75, 147, 213, 214, 216)	
	91 (75, 147, 213, 214, 216)	
	99 (75, 147, 213, 214, 216)	
	73.63-50 (75, 147, 213, 214, 216)	
	74 (75, 147, 213, 214, 216)	
	79 (75, 147, 213, 214, 216)	
	73.64-50 (75, 147, 213, 214)	
	75 (75, 147, 213, 214)	
	79 (75, 147, 213, 214)	
	73.66-40 (75, 147, 213, 214, 216)	
	81 (75, 147, 213, 214, 216)	
	86 (75, 147, 213, 214, 216)	
	89 (75, 147, 213, 214, 216)	
	73.73-53 (75, 147, 213, 214, 216)	
	54 (75, 147, 213, 214, 216)	
	55 (75, 147, 213, 214, 216)	
	59 (75, 147, 213, 214, 216)	
	74 (75, 147, 213, 214, 216)	
	83 (75, 147, 213, 214, 216)	
	89 (75, 147, 213, 214, 216)	
	73.74-51 (75, 147, 213, 214)	
	52 (75, 147, 213, 214)	
	53 (75, 147, 213, 214)	
	54 (75, 147, 213, 214)	
	59 (75, 147, 213, 214)	
	74 (75, 147, 213, 214)	
	83 (75, 147, 213, 214)	
	89 (75, 147, 213, 214)	
	73.76-13 (75, 147, 213, 214, 216)	
	14 (75, 147, 213, 214, 216)	
	15 (75, 147, 213, 214, 216)	
	16 (75, 147, 213, 214, 216)	
	19 (75, 147, 213, 214, 216)	
Wire products	73.10-30 (148)	642.0200
	45 (148)	642.3510
	49 (148)	642.3530
	73.12-21 (148)	642.3570
	25 (148)	642.9000
	29 (148)	642.9100
	40 (148)	646.2500
	51 (148)	646.2622
	59 (148)	646.2624
	61 (148)	646.2626
	63 (148)	646.2628
	65 (148)	646.2642
	75 (148)	646.2644
	77 (148)	646.2646
	81 (148)	646.2648
	85 (148)	646.3040
	87 (148)	646.3200
	88 (148)	646.3600 (122)

Product	NIMEXE code	TS USA number
Wire products *(cont'd)*	73.12-89 (148)	
	73.14-01 (148)	
	11 (148)	
	13 (148)	
	15 (148)	
	19 (148)	
	21 (148)	
	41 (148)	
	43 (148)	
	45 (148)	
	49 (148)	
	81 (148)	
	91 (148)	
	99 (148)	
	73.26-00	
	73.27-20 (28)	
	31 (28)	
	41 (28)	
	91 (28)	
	73.31-92 (121)	
	96 (121)	
	97 (121)	
	98 (121)	
	73.63-50 (148)	
	74 (148)	
	79 (148)	
	50 (148)	
	75 (148)	
	79 (148)	
	73.66-40 (148)	
	81 (148)	
	86 (148)	
	89 (148)	
	73.73-53 (148)	
	54 (148)	
	55 (148)	
	59 (148)	
	74 (148)	
	83 (148)	
	89 (148)	
	73.74-51 (148)	
	52 (148)	
	53 (148)	
	54 (148)	
	59 (148)	
	74 (148)	
	83 (148)	
	89 (148)	
	73.76-13 (148)	
	14 (148)	
	15 (148)	
	16 (148)	
	19 (148)	
Black plate	73.12-21 (186)	607.6200
	25 (186)	607.6400
	29 (186)	
	88 (186)	
	89 (186)	
	73.13-11 (186)	
	16 (186)	
	49 (186)	
	50 (186)	
	88 (186)	
	89 (186)	

Product	NIMEXE code	TS USA number
Black plate *(cont'd)*	73.64-50 (186) 79 (186) 73.65-55 (186) 70 (186) 73.74-51 (186) 52 (186) 53 (186) 54 (186) 59 (186) 83 (186) 89 (186) 73.75-11 (186) 19 (186) 63 (186) 64 (186) 69 (186) 73 (186) 79 (186)	
Electrical sheet and strip	73.08-01 (51, 124) 03 (51, 124) 05 (51, 124) 07 (51, 124) 21 (51, 124) 25 (51, 124) 29 (51, 124) 41 (51, 124) 45 (51, 124) 49 (51, 124) 73.10-11 (6, 51, 124) 15 (6, 51, 124) 17 (6, 51, 124) 42 (6, 51, 124) 49 (6, 51, 124) 73.12-11 (51, 124) 19 (51, 124) 25 (51, 124, 206) 29 (51, 124, 206) 40 (51, 124) 88 (51, 124) 89 (51, 124, 207) 73.13-11 (51, 124, 206) 16 (51, 124, 206) 17 (51, 124) 19 (51, 124) 21 (51, 124) 23 (51, 124) 26 (51, 124) 32 (51, 124) 34 (51, 124) 36 (51, 124) 41 (51, 124) 43 (51, 124) 45 (51, 124) 47 (51, 124) 49 (51, 124, 206) 50 (51, 124) 62 (50, 51, 124, 207) 88 (51, 124) 89 (51, 124, 207) 73.62-10 (51, 124) 73.63-21 (6, 51, 124) 29 (6, 51, 124) 72 (6, 51, 124) 79 (6, 51, 124)	607.9205 607.9210 608.3900

Product	NIMEXE code	TS USA number
Electrical sheet and strip *(cont'd)*	73.64-20 (51, 124) 50 (51, 124, 206) 79 (51, 124, 207) 73.65-21 (51, 124) 23 (51, 124) 25 (51, 124) 53 (51, 124) 55 (51, 124, 206) 70 (51, 124, 207) 73.72-11 (51, 124) 19 (51, 124) 73.73-23 (6, 51, 124) 24 (6, 51, 124) 25 (6, 51, 124) 26 (6, 51, 124) 29 (6, 51, 124) 33 (6, 51, 124) 34 (6, 51, 124) 35 (6, 51, 124) 36 (6, 51, 124) 39 (6, 51, 124) 72 (6, 51, 124) 83 (6, 51, 124) 89 (6, 51, 124) 73.74-21 (51, 124) 29 (51, 124) 51 (51, 124, 206) 52 (51, 124, 206) 53 (51, 124, 206) 54 (51, 124, 206) 59 (51, 124, 206) 74 (51, 124, 207) 83 (51, 124, 207) 89 (51, 124, 207) 73.75-89 (51, 124, 207) 11 (51, 124, 206) 19 (51, 124, 206) 29 (51, 124) 39 (51, 124) 49 (51, 124) 59 (51, 124) 69 (51, 124, 206) 73 (51, 124, 207) 79 (51, 124, 207)	
Tin-free steel	73.10-49 (163) 73.12-77 (76) 81 (163) 85 (163) 87 (163) 89 (163) 73.13-82 84 (163) 86 (163) 87 (163) 89 (163) 92 (163) 73.63-79 (163) 73.64-79 (163) 73.65-70 (163) 81 (163) 73.73-83 (163) 89 (163) 73.74-83 (163) 89 (163)	609.1710 609.1790

Product	NIMEXE code	TS USA number
Tin-free steel *(cont'd)*	73.75-73 (163) 79 (163) 83 (163) 84 (163) 89 (163)	
Cold-rolled strip	73.10-30 (4, 5, 6, 59, 199, 205) 45 (4, 5, 6, 59, 199, 205) 49 (4, 5, 6, 59, 193, 199, 205) 73.12-21 (4, 5, 59, 60, 199, 205) 25 (4, 5, 59, 60, 199, 205) 29 (4, 5, 59, 60, 199, 205) 40 (4, 5, 59, 60, 199, 205) 51 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 61 (4, 5, 59, 60, 199, 205) 63 (4, 5, 59, 60, 199, 205) 65 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 81 (4, 5, 59, 60, 193, 199, 205) 85 (4, 5, 59, 60, 193, 199, 205) 87 (4, 5, 59, 60, 193, 199, 205) 88 (4, 5, 59, 60, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205) 73.63-50 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 79 (4, 5, 6, 59, 193, 199, 205) 73.64-50 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 79 (4, 5, 59, 60, 193, 199, 205) 73.73-53 (4, 5, 6, 59, 199, 205) 54 (4, 5, 6, 59, 199, 205) 55 (4, 5, 6, 59, 199, 205) 59 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 83 (4, 5, 6, 59, 193, 199, 205) 89 (4, 5, 6, 59, 193, 199, 205) 73.74-51 (4, 5, 59, 60, 199, 205) 52 (4, 5, 59, 60, 199, 205) 53 (4, 5, 59, 60, 199, 205) 54 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 74 (4, 5, 59, 60, 199, 205) 83 (4, 5, 59, 60, 193, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205)	608.1940 608.2145 (184) 608.2150 (184) 608.2340 608.3820 (33) 608.5520 (33, 184) 608.6720 (33)
Cold-finished and other bar — Not cold formed	73.09-00 (32, 35, 191) 73.10-49 (29a, 29b, 188, 191) 73.12-51 (29b, 188, 191) 59 (29b, 188, 191) 61 (29b, 188, 191) 63 (29b, 188, 191) 65 (29b, 188, 191) 77 (29b, 188, 191) 81 (29b, 188, 191) 85 (29b, 188, 191) 87 (29b, 188, 191) 89 (29b, 188, 191) 73.62-30 (32, 35, 191) 73.63-79 (29a, 29b, 188, 191) 73.64-79 (29b, 188, 191) 73.72-33 (32, 35, 191) 39 (32, 35, 191)	606.8600

Product	NIMEXE code	TS USA number
Cold-finished and other bar — Not cold formed *(cont'd)*	73.73-83 (29a, 29b, 188, 191) 89 (29a, 29b, 188, 191) 73.74-83 (29b, 188, 191) 89 (29b, 188, 191)	
— Cold formed	73.10-30 (4, 29a, 29c, 68, 76) 45 (4, 29a, 29c, 68, 76) 49 (4, 29a, 29c, 34, 68, 76) 73.12-21 (4, 29c, 68, 76) 25 (4, 29c, 68, 76) 29 (4, 29c, 68, 76) 40 (4, 29c, 68, 76) 51 (4, 29c, 68, 76) 59 (4, 29c, 68, 76) 61 (4, 29c, 68, 76) 63 (4, 29c, 68, 76) 65 (4, 29c, 68, 76) 75 (4, 29c, 68, 76) 77 (4, 29c, 68, 76) 81 (4, 29c, 68, 76) 85 (4, 29c, 68, 76) 87 (4, 29c, 68, 76) 88 (4, 29c, 68, 76) 89 (4, 29c, 68, 76) 73.14-01 (4, 14, 68) 11 (4, 14, 68) 13 (4, 14, 68) 15 (4, 14, 68) 19 (4, 14, 68) 21 (4, 68, 76) 41 (4, 68, 76) 43 (4, 68, 76) 45 (4, 68, 76) 49 (4, 68, 76) 81 (4, 68, 76) 91 (4, 68, 76) 99 (4, 68, 76) 73.63-50 (4, 29a, 29c, 68, 76) 74 (4, 29a, 29c, 68, 76) 79 (4, 29a, 29c, 34, 68, 76) 73.64-50 (4, 29c, 68, 76) 75 (4, 29c, 68, 76) 79 (4, 29c, 68, 76) 73.66-40 (4, 68, 76) 81 (4, 68, 76) 86 (4, 68, 76) 89 (4, 68, 76) 73.73-53 (4, 29a, 29c, 68, 76) 54 (4, 29a, 29c, 68, 76) 55 (4, 29a, 29c, 68, 76) 59 (4, 29a, 29c, 68, 76) 74 (4, 29a, 29c, 68, 76) 83 (4, 29a, 29c, 34, 68, 76) 89 (4, 29a, 29c, 34, 68, 76) 73.74-51 (4, 29c, 68, 76) 52 (4, 29c, 68, 76) 53 (4, 29c, 68, 76) 54 (4, 29c, 68, 76) 59 (4, 29c, 68, 76) 74 (4, 29c, 68, 76) 83 (4, 29c, 68, 76) 89 (4, 29c, 68, 76) 73.76-13 (4, 68, 76) 14 (4, 68, 76)	606.8805 606.8815 606.9900

Product	NIMEXE code	TS USA number
Cold-finished and other bar *(cont'd)*	73.76-15 (4, 68, 76)	
	16 (4, 68, 76)	
	19 (4, 68, 76)	
— Cold formed		
— Hollow drill steel	73.10-18 (187)	607.0500
	73.63-29 (187)	607.0700
	50 (187)	607.0900
	72 (187)	
	74 (187)	
	79 (187)	
	73.73-13 (187)	
	14 (187)	
	19 (187)	
	33 (187)	
	34 (187)	
	35 (187)	
	39 (187)	
	53 (187)	
	54 (187)	
	55 (187)	
	59 (187)	
	72 (187)	
	74 (187)	
	83 (187)	
	89 (187)	
Bar shapes under 3 inches	73.11-11 (77, 191)	609.8050
	19 (77, 191)	609.8070
	20 (77, 191)	609.8090
	31 (77, 191)	
	39 (77, 191)	
	41 (77, 191)	
	43 (77, 191)	
	49 (77, 191)	
	73.16-11 (77, 191)	
	73.63-10 (77, 191)	
	29 (77, 191)	
	50 (77, 191)	
	72 (77, 191)	
	74 (77, 191)	
	79 (77, 191)	
	73.73-13 (77, 191)	
	14 (77, 191)	
	19 (77, 191)	
	33 (77, 191)	
	34 (77, 191)	
	35 (77, 191)	
	36 (77, 191)	
	39 (77, 191)	
	43 (77, 191)	
	49 (77, 191)	
	53 (77, 191)	
	54 (77, 191)	
	55 (77, 191)	
	59 (77, 191)	
	72 (77, 191)	
	74 (77, 191)	
	83 (77, 191)	
	89 (77, 191)	
Concrete reinforcing bars	73.10-12	606.7900
	14	606.8100

Product	NIMEXE code	TS USA number
Concrete reinforcing bars *(cont'd)*	73.63-29 (71) 73.73-33 (71) 34 (71) 35 (71) 36 (71) 39 (71)	
Rail products	73.16-40 (151) 51 (151) 95 (151) 99 (151) 73.31-97 (26) 98 (26) 86.09-51 59	610.2500 610.2600 646.3020 690.2500 690.3000
Stainless wire	73.10-30 (75, 147, 215) 45 (75, 147, 215) 49 (75, 147, 215) 73.12-21 (57, 75, 147, 215) 25 (57, 75, 147, 215) 29 (57, 75, 147, 215) 40 (57, 75, 147, 215) 75 (57, 75, 147, 215) 88 (57, 75, 147, 215) 89 (57, 75, 147, 215) 73.14-01 (3, 147, 215) 11 (3, 147, 215) 13 (3, 147, 215) 15 (3, 147, 215) 19 (3, 147, 215) 21 (75, 147, 215) 41 (75, 147, 215) 43 (75, 147, 215) 45 (75, 147, 215) 49 (75, 147, 215) 81 (75, 147, 215) 91 (75, 147, 215) 99 (75, 147, 215) 73.63-50 (75, 147, 215) 74 (75, 147, 215) 79 (75, 147, 215) 73.64-50 (57, 75, 147, 215) 75 (57, 75, 147, 215) 79 (57, 75, 147, 215) 73.66-40 (75, 147, 215) 81 (75, 147, 215) 86 (75, 147, 215) 89 (75, 147, 215) 73.73-53 (75, 147, 215) 54 (75, 147, 215) 55 (75, 147, 215) 59 (75, 147, 215) 74 (75, 147, 215) 83 (75, 147, 215) 89 (75, 147, 215) 73.74-51 (57, 75, 147, 215) 52 (57, 75, 147, 215) 53 (57, 75, 147, 215) 54 (57, 75, 147, 215) 59 (57, 75, 147, 215) 74 (57, 75, 147, 215) 83 (57, 75, 147, 215) 89 (57, 75, 147, 215)	609.3020 609.3320 609.4502 609.4504 609.4542 609.4544

Product	NIMEXE code	TS USA number
Stainless wire *(cont'd)*	73.76-13 (75, 147, 215)	
	14 (75, 147, 215)	
	15 (75, 147, 215)	
	16 (75, 147, 215)	
	19 (75, 147, 215)	
Wire strand	73.25-11 (103)	642.0800
	21 (103)	642.1105
	31 (103)	642.1120
	35 (103)	642.1142
	39 (103)	642.1144
	51 (103)	642.1146
	55 (103)	
	59 (103)	
	98 (103)	
Wire rope	73.25-11 (104)	642.1200
	21 (104)	642.1400
	31 (104)	642.1610
	35 (104)	642.1650
	39 (104)	
	51 (104)	
	55 (104)	
	59 (104)	
	98 (104)	
Other speciality steel	73.07-12 (201, 220)	606.9105
	15 (201, 220)	606.9110
	73.08-01 (201, 204)	607.3200
	03 (201, 204)	607.4800
	05 (201, 204)	607.6900
	07 (201, 204)	607.8600
	21 (201, 204)	607.9315
	25 (201, 204)	608.3100
	29 (201, 204)	608.3810
	41 (201, 204)	608.4700
	45 (201, 204)	608.5510
	49 (201, 204)	608.5900
	73.09-00 (201)	608.6710
	73.10-11 (201)	
	15 (201, 204)	
	17 (201, 204)	
	20 (201, 204)	
	30 (76, 201, 204)	
	42 (201, 204)	
	45 (76, 201, 204)	
	49 (76, 193, 201, 204)	
	73.12-11 (201, 204)	
	19 (201, 204)	
	21 (76, 201, 204)	
	25 (76, 201, 204)	
	29 (76, 201, 204)	
	40 (76, 201, 204)	
	59 (76, 201, 204, 234)	
	61 (76, 201, 204, 234)	
	63 (76, 201, 204, 234)	
	65 (76, 201, 204, 234)	
	71 (201, 204, 234)	
	75 (76, 201, 204, 234)	
	77 (29b, 29c, 76, 201)	
	81 (76, 193, 201, 204, 234)	
	85 (76, 193, 201, 204, 234)	
	87 (76, 193, 201, 204, 234)	
	88 (76, 201, 204)	
	89 (76, 193, 201, 204, 234)	

Product	NIMEXE code	TS USA number
Other speciality steel *(cont'd)*	73.13-11 (201, 204) 16 (201, 204) 17 (201, 204) 19 (201, 204) 21 (201, 204) 23 (201, 204) 26 (201, 204) 32 (201, 204) 34 (201, 204) 36 (201, 204) 41 (201, 204) 43 (201, 204) 45 (201, 204) 47 (201, 204) 49 (201, 204) 50 (201, 204) 62 (50, 201, 204) 88 (201, 204) 89 (38, 201, 204) 73.14-01 (14, 201) 11 (14, 201) 13 (14, 201) 15 (14, 201) 19 (14, 201) 21 (76, 201) 41 (76, 201) 43 (76, 201) 45 (76, 201) 49 (76, 201) 81 (76, 201) 91 (76, 201) 99 (76, 201) 73.61-10 (201, 220, 231) 50 (201, 220, 231) 73.62-10 (201, 204) 30 (201) 73.63-10 (201) 21 (201, 204) 29 (201, 204) 50 (76, 201, 204) 72 (201, 204) 74 (76, 201, 204) 79 (76, 193, 201, 204) 73.64-20 (201, 204) 50 (76, 201, 204) 72 (201, 204, 234) 75 (76, 201, 204, 234) 79 (76, 193, 201, 204, 234) 73.65-21 (201, 204) 23 (201, 204) 25 (201, 204) 53 (201, 204) 55 (201, 204) 70 (38, 201, 204) 73.66-40 (76, 201) 81 (76, 201) 86 (76, 201) 89 (76, 201) 73.71-13 (201, 220, 231) 14 (201, 220, 231) 19 (201, 220, 231) 53 (201, 220, 231) 54 (201, 220, 231) 55 (201, 220, 231) 56 (201, 220, 231) 59 (201, 220, 231)	

Product	NIMEXE code	TS USA number
Other speciality steel *(cont'd)*	73.72-11 (201, 204)	
	13 (201, 204)	
	19 (201, 204)	
	33 (201)	
	39 (201)	
	73.73-13 (201)	
	14 (201)	
	19 (201)	
	23 (201, 204)	
	24 (201, 204)	
	25 (201, 204)	
	26 (201, 204)	
	29 (201, 204)	
	33 (201, 204)	
	34 (201, 204)	
	35 (201, 204)	
	36 (201, 204)	
	39 (201, 204)	
	53 (76, 201, 204)	
	54 (76, 201, 204)	
	55 (76, 201, 204)	
	59 (76, 201, 204)	
	72 (201, 204, 234)	
	74 (76, 201, 204, 234)	
	83 (76, 193, 201, 204, 234)	
	89 (76, 193, 201, 204, 234)	
	73.74-21 (201, 204)	
	23 (201, 204)	
	29 (201, 204)	
	51 (76, 201, 204)	
	52 (76, 201, 204)	
	53 (76, 201, 204)	
	54 (76, 201, 204)	
	59 (76, 201, 204)	
	72 (201, 204, 234)	
	74 (76, 201, 204, 234)	
	83 (76, 193, 201, 204, 234)	
	89 (76, 193, 201, 204, 234)	
	73.75-11 (201, 204)	
	19 (201, 204)	
	23 (201, 204)	
	24 (201, 204)	
	29 (201, 204)	
	33 (201, 204)	
	34 (201, 204)	
	39 (201, 204)	
	43 (201, 204)	
	44 (201, 204)	
	49 (201, 204)	
	53 (201, 204)	
	54 (201, 204)	
	59 (201, 204)	
	63 (201, 204)	
	64 (201, 204)	
	69 (201, 204)	
	73 (38, 201, 204)	
	79 (38, 201, 204)	
	73.76-13 (76, 201)	
	14 (76, 201)	
	15 (76, 201)	
	16 (76, 201)	
	19 (76, 201)	
Fabricated structurals	73.11-11 (172)	609.8400
	12 (172)	609.8600

Product	NIMEXE code	TS USA number
Fabricated structurals *(cont'd)*	73.11-14 (172)	609.8800
	16 (172)	609.9000
	19 (172)	652.9400
	20 (172)	652.9600
	31 (172)	653.0000
	39 (172)	
	41 (172)	
	43 (172)	
	49 (172)	
	73.21-10 (109)	
	20 (109)	
	40 (109)	
	50 (109)	
	60	
	70 (109)	
	99 (109)	
	73.63-10 (172)	
	29 (172)	
	50 (172)	
	72 (172)	
	74 (172)	
	79 (172)	
	73.73-13 (172)	
	14 (172)	
	19 (172)	
	33 (172)	
	34 (172)	
	35 (172)	
	36 (172)	
	39 (172)	
	43 (172)	
	49 (172)	
	53 (172)	
	54 (172)	
	55 (172)	
	59 (172)	
	72 (172)	
	74 (172)	
	83 (172)	
	89 (172)	
Stainless steel sheet and strip	73.08-01 (5, 54, 55, 56, 61)	607.7610 (54, 55, 56)
	03 (5, 54, 55, 56, 61)	607.9010 (54, 55, 56)
	05 (54, 55, 56, 61)	607.9020 (54, 55, 56)
	07 (54, 55, 56, 61)	608.2900 (54, 55, 58)
	21 (5, 54, 55, 56, 61)	608.4300 (54, 55, 58)
	25 (54, 55, 56, 61)	608.5700 (54, 55)
	29 (54, 55, 56, 61)	
	41 (5, 54, 55, 56, 61)	
	45 (54, 55, 56, 61)	
	49 (54, 55, 56, 61)	
	73.10-11 (6, 54, 55, 57, 58, 61, 226)	
	15 (6, 54, 55, 57, 58, 61, 226)	
	17 (6, 54, 55, 57, 58, 61, 226)	
	30 (6, 54, 55, 57, 58, 61, 226)	
	42 (6, 54, 55, 57, 58, 61, 226)	
	45 (6, 54, 55, 57, 58, 61; 226)	
	49 (6, 54, 55, 57, 58, 61, 226)	
	73.12-11 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	19 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	21 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	25 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	29 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	40 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	51 (54, 55, 57, 58, 61, 226)	

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip *(cont'd)*	73.12-59 (54, 55, 57, 58, 61, 226) 61 (54, 55, 57, 58, 61, 226) 63 (54, 55, 57, 58, 61, 226) 65 (54, 55, 57, 58, 61, 226) 71 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 81 (54, 55, 57, 58, 61, 193, 226) 85 (54, 55, 57, 58, 61, 193, 226) 87 (54, 55, 57, 58, 61, 193, 226) 88 (5, 8, 54, 55, 56, 57, 58, 61, 226) 89 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226) 73.13-11 (5, 54, 55, 56, 61) 16 (5, 54, 55, 56, 61) 17 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 21 (54, 55, 56, 61) 23 (54, 55, 56, 61) 26 (54, 55, 56, 61) 32 (54, 55, 56, 61) 34 (54, 55, 56, 61) 36 (54, 55, 56, 61) 41 (5, 54, 55, 56, 61) 43 (54, 55, 56, 61) 45 (54, 55, 56, 61) 47 (54, 55, 56, 61) 49 (54, 55, 56, 61) 50 (5, 54, 55, 56, 61) 62 (5, 50, 54, 55, 56, 61) 88 (5, 54, 55, 56, 61) 89 (5, 54, 55, 56, 61, 119) 73.62-10 (5, 54, 55, 56, 61) 73.63-21 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 50 (6, 54, 55, 57, 58, 61, 226) 72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 79 (6, 54, 55, 57, 58, 61, 193, 226) 73.64-20 (5, 8, 54, 55, 56, 57, 58, 61, 226) 50 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 79 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226) 73.65-21 (5, 54, 55, 56, 61) 23 (54, 55, 56, 61) 25 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 55 (54, 55, 56, 61) 70 (5, 54, 55, 56, 61, 119) 73.72-11 (5, 54, 55, 56, 61) 13 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 73.73-23 (6, 54, 55, 57, 58, 61, 226) 24 (6, 54, 55, 57, 58, 61, 226) 25 (6, 54, 55, 57, 58, 61, 226) 26 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 33 (6, 54, 55, 57, 58, 61, 226) 34 (6, 54, 55, 57, 58, 61, 226) 35 (6, 54, 55, 57, 58, 61, 226) 36 (6, 54, 55, 57, 58, 61, 226) 39 (6, 54, 55, 57, 58, 61, 226) 53 (6, 54, 55, 57, 58, 61, 226) 54 (6, 54, 55, 57, 58, 61, 226) 55 (6, 54, 55, 57, 58, 61, 226) 59 (6, 54, 55, 57, 58, 61, 226)	

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip *(cont'd)*	73.73-72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 83 (6, 54, 55, 57, 58, 61, 193, 226) 89 (6, 54, 55, 57, 58, 61, 193, 226) 73.74-21 (5, 8, 54, 55, 56, 57, 58, 61, 226) 23 (5, 8, 54, 55, 56, 57, 58, 61, 226) 29 (5, 8, 54, 55, 56, 57, 58, 61, 226) 51 (5, 8, 54, 55, 56, 57, 58, 61, 226) 52 (5, 8, 54, 55, 56, 57, 58, 61, 226) 53 (5, 8, 54, 55, 56, 57, 58, 61, 226) 54 (5, 8, 54, 55, 56, 57, 58, 61, 226) 59 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 74 (54, 55, 57, 58, 61, 226) 83 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 89 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 73.75-11 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 23 (5, 54, 55, 56, 61) 24 (5, 54, 55, 56, 61) 29 (5, 54, 55, 56, 61) 33 (54, 55, 56, 61) 34 (54, 55, 56, 61) 39 (54, 55, 56, 61) 43 (54, 55, 56, 61) 44 (54, 55, 56, 61) 49 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 54 (5, 54, 55, 56, 61) 59 (5, 54, 55, 56, 61) 63 (54, 55, 56, 61) 64 (54, 55, 56, 61) 69 (54, 55, 56, 61) 73 (5, 54, 55, 56, 61, 119) 79 (5, 54, 55, 56, 61, 119)	
Stainless plate	73.08-01 (13, 54, 55, 61) 03 (13, 54, 55, 61) 21 (13, 54, 55, 61) 41 (13, 54, 55, 61) 73.09-00 (12, 54, 55, 61) 73.10-15 (6, 12, 13, 54, 55, 61) 17 (6, 12, 13, 54, 55, 61) 30 (6, 8, 13, 54, 55, 61) 49 (6, 13, 15, 38, 54, 55, 61) 73.12-11 (12, 13, 54, 55, 61) 19 (12, 13, 54, 55, 61) 21 (8, 13, 54, 55, 61) 25 (8, 13, 54, 55, 61) 29 (8, 13, 54, 55, 61) 40 (13, 15, 54, 55, 61) 88 (13, 15, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61) 73.13-11 (13, 54, 55, 61) 16 (13, 54, 55, 61) 17 (13, 54, 55, 61) 19 (13, 54, 55, 61) 41 (13, 54, 55, 61) 50 (13, 54, 55, 61) 62 (13, 50, 54, 55, 61) 88 (13, 54, 55, 61) 89 (13, 38, 54, 55, 61) 73.62-10 (13, 54, 55, 61) 30 (12, 54, 55, 61)	607.7603 (19, 54, 55) 607.7606 (54, 55) 607.9005 (54, 55)

Product	NIMEXE code	TS USA number
Stainless plate *(cont'd)*	73.63-29 (6, 12, 13, 54, 55, 61)	
	50 (6, 8, 13, 54, 55, 61)	
	79 (6, 13, 15, 38, 54, 55, 61)	
	73.64-20 (12, 13, 54, 55, 61)	
	50 (8, 13, 54, 55, 61)	
	79 (13, 15, 38, 54, 55, 61)	
	73.65-21 (13, 54, 55, 61)	
	53 (13, 54, 55, 61)	
	70 (13, 38, 54, 55, 61)	
	73.72-11 (13, 54, 55, 61)	
	13 (13, 54, 55, 61)	
	19 (13, 54, 55, 61)	
	33 (12, 54, 55, 61)	
	39 (12, 54, 55, 61)	
	73.73-33 (6, 12, 13, 54, 55, 61)	
	34 (6, 12, 13, 54, 55, 61)	
	35 (6, 12, 13, 54, 55, 61)	
	36 (6, 12, 13, 54, 55, 61)	
	39 (6, 12, 13, 54, 55, 61)	
	53 (6, 8, 13, 54, 55, 61)	
	54 (6, 8, 13, 54, 55, 61)	
	59 (6, 8, 13, 54, 55, 61)	
	83 (6, 13, 15, 38, 54, 55, 61)	
	89 (6, 13, 15, 38, 54, 55, 61)	
	73.74-21 (12, 13, 54, 55, 61)	
	23 (12, 13, 54, 55, 61)	
	29 (12, 13, 54, 55, 61)	
	51 (8, 13, 54, 55, 61)	
	52 (8, 13, 54, 55, 61)	
	53 (8, 13, 54, 55, 61)	
	54 (8, 13, 54, 55, 61)	
	59 (8, 13, 54, 55, 61)	
	83 (13, 15, 38, 54, 55, 61)	
	89 (13, 15, 38, 54, 55, 61)	
	73.75-11 (13, 54, 55, 61)	
	19 (13, 54, 55, 61)	
	23 (13, 54, 55, 61)	
	24 (13, 54, 55, 61)	
	29 (13, 54, 55, 61)	
	53 (13, 54, 55, 61)	
	54 (13, 54, 55, 61)	
	59 (13, 54, 55, 61)	
	73 (13, 38, 54, 55, 61)	
	79 (13, 38, 54, 55, 61)	
Stainless bar	73.07-12 (61, 220)	606.9005
	15 (61, 220)	606.9015
	73.09-00 (32, 61)	606.9020
	73.10-11 (29a, 29b, 29d, 61)	
	15 (29a, 29b, 29d, 61)	
	17 (29a, 29b, 29d, 61)	
	20 (29a, 29d, 61)	
	30 (29a, 29c, 61, 76)	
	42 (29a, 29b, 61)	
	45 (29a, 29c, 61, 76)	
	49 (29a, 29b, 29c, 29d, 61, 76)	
	73.12-11 (29b, 61)	
	19 (29b, 61)	
	21 (29c, 61, 76)	
	25 (29c, 61, 76)	
	29 (29c, 61, 76)	
	40 (29b, 29c, 61, 76)	
	51 (29b, 29c, 61, 76)	
	59 (29b, 29c, 61, 76)	

Product	NIMEXE code	TS USA number
Stainless bar *(cont'd)*	73.12-61 (29b, 29c, 61, 76) 63 (29b, 29c, 61, 76) 65 (29b, 29c, 61, 76) 71 (29b, 61) 75 (29c, 61, 76) 77 (29b, 29c, 61, 76) 81 (29b, 29c, 61, 76) 85 (29b, 29c, 61, 76) 87 (29b, 29c, 61, 76) 88 (29b, 29c, 61, 76) 89 (29b, 29c, 61, 76) 73.14-01 (14, 61) 11 (14, 61) 13 (14, 61) 15 (14, 61) 19 (14, 61) 21 (61, 76) 41 (61, 76) 43 (61, 76) 45 (61, 76) 49 (61, 76) 81 (61, 76) 91 (61, 76) 99 (61, 76) 73.61-10 (61, 220, 231) 50 (61, 220, 231) 73.62-30 (32, 61) 73.63-10 (29a, 29d, 61) 21 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 50 (29c, 61, 76) 72 (29a, 29b, 29d, 61) 74 (29c, 61, 76) 79 (29a, 29b, 29c, 29d, 61; 76) 73.64-20 (29b, 61) 50 (29c, 61, 76) 72 (29b, 61) 75 (29c, 61, 76) 79 (29b, 29c, 61, 76) 73.66-40 (61, 76) 81 (61, 76) 86 (61, 76) 89 (61, 76) 73.71-13 (61, 220, 231) 14 (61, 220, 231) 19 (61, 220, 231) 73.72-33 (32, 61) 39 (32, 61) 73.73-13 (29a, 29d, 61) 14 (29a, 29d, 61) 19 (29a, 29d, 61) 23 (29a, 29b, 29d, 61) 24 (29a, 29b, 29d, 61) 25 (29a, 29b, 29d, 61) 26 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 33 (29a, 29b, 29d, 61) 34 (29a, 29b, 29d, 61) 35 (29a, 29b, 29d, 61) 36 (29a, 29b, 29d, 61) 39 (29a, 29b, 29d, 61) 53 (29a, 29c, 61, 76) 54 (29a, 29c, 61, 76) 55 (29a, 29c, 61, 76) 59 (29a, 29c, 61, 76)	

Product	NIMEXE code	TS USA number
Stainless bar *(cont'd)*	73.73-72 (29a, 29b, 29d, 61)	
	74 (29a, 29c, 61, 76)	
	83 (29a, 29b, 29c, 29d, 61, 76)	
	89 (29a, 29b, 29c, 29d, 61, 76)	
	73.74-21 (29b, 61)	
	23 (29b, 61)	
	29 (29b, 61)	
	51 (29c, 61, 76)	
	52 (29c, 61, 76)	
	53 (29c, 61, 76)	
	54 (29c, 61, 76)	
	59 (29c, 61, 76)	
	72 (29b, 61)	
	74 (29c, 61, 76)	
	83 (29b, 29c, 61, 76)	
	73.76-13 (61, 76)	
	14 (61, 76)	
	15 (61, 76)	
	16 (61, 76)	
	19 (61, 76)	
Stainless steel wire rod	73.10-11 (25, 61)	607.2600
	15 (25, 61)	607.4300
	73.63-21 (25, 61)	
	29 (25, 61)	
	73.73-23 (25, 61)	
	24 (25, 61)	
	25 (25, 61)	
	26 (25, 61)	
	29 (25, 61)	
	33 (25, 61)	
	34 (25, 61)	
	35 (25, 61)	
	36 (25, 61)	
	39 (25, 61)	
Alloy tool steel	73.07-12 (203, 220)	606.9300
	15 (203, 220)	606.9400
	73.08-01 (203)	606.9505
	03 (203)	606.9512
	05 (203)	606.9514
	07 (203)	606.9520
	21 (203)	606.9525
	25 (203)	606.9535
	29 (203)	606.9542
	41 (203)	606.9544
	45 (203)	606.9546
	49 (203)	606.9548
	73.09-00 (203)	607.2800
	73.10-11 (203)	607.3405
	15 (203)	607.3420
	17 (203)	607.4600
	20 (203)	607.5405
	30 (203, 233)	607.5420
	42 (203)	607.7205
	45 (203, 233)	607.7210 (19)
	49 (193, 203, 233)	607.7220
	73.12-11 (203)	607.7225
	19 (203)	607.8805
	21 (76, 203)	607.8820
	25 (76, 203)	608.3405
	29 (76, 203)	608.3420
	40 (76, 203)	608.4905
	51 (76, 203, 234)	608.4020

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.12-59 (76, 203, 234)	608.6405
	61 (76, 203, 234)	608.6420
	63 (76, 203, 234)	609.4520
	65 (76, 203, 234)	609.4550
	71 (203, 234)	
	75 (76, 203, 234)	
	77 (29b, 29c, 76, 203)	
	81 (76, 193, 203, 234)	
	85 (76, 193, 203, 234)	
	87 (76, 193, 203, 234)	
	88 (76, 203)	
	89 (76, 193, 203, 234)	
	73.13-11 (203)	
	16 (203)	
	17 (203)	
	19 (203)	
	21 (203)	
	23 (203)	
	26 (203)	
	32 (203)	
	34 (203)	
	36 (203)	
	41 (203)	
	43 (203)	
	45 (203)	
	47 (203)	
	49 (203)	
	50 (203)	
	62 (50, 203)	
	88 (203)	
	89 (38, 203)	
	73.14-01 (233)	
	11 (233)	
	13 (233)	
	15 (233)	
	19 (233)	
	21 (233)	
	41 (233)	
	43 (233)	
	45 (233)	
	49 (233)	
	81 (233)	
	91 (233)	
	99 (233)	
	73.61-10 (203, 220, 231)	
	50 (203, 220, 231)	
	73.62-10 (203)	
	30 (203)	
	73.63-10 (203)	
	21 (203)	
	29 (203)	
	50 (203, 233)	
	72 (203)	
	74 (203, 233)	
	79 (193, 203, 233)	
	73.64-20 (203)	
	50 (76, 203)	
	72 (203, 234)	
	75 (76, 203, 234)	
	79 (76, 193, 203, 234)	
	73.65-21 (203)	
	23 (203)	
	25 (203)	
	53 (203)	
	55 (203)	
	70 (38, 203)	

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.66-40 (233) 81 (233) 86 (233) 89 (233) 73.71-13 (203, 220, 231) 14 (203, 220, 231) 19 (203, 220, 231) 53 (203, 220, 231) 54 (203, 220, 231) 55 (203, 220, 231) 56 (203, 220, 231) 59 (203, 220, 231) 73.72-11 (203) 13 (203) 19 (203) 33 (203) 39 (203) 73.73-13 (203) 14 (203) 19 (203) 23 (203) 24 (203) 25 (203) 26 (203) 29 (203) 33 (203) 34 (203) 35 (203) 36 (203) 39 (203) 53 (203, 233) 54 (203, 233) 55 (203, 233) 59 (203, 233) 72 (203) 74 (203, 233) 83 (193, 203, 233) 89 (193, 203, 233) 73.74-21 (203) 23 (203) 29 (203) 51 (76, 203) 52 (76, 203) 53 (76, 203) 54 (76, 203) 59 (76, 203) 72 (203, 234) 74 (76, 203, 234) 83 (76, 193, 203, 234) 89 (76, 193, 203, 234) 73.75-11 (203) 19 (203) 23 (203) 24 (203) 29 (203) 33 (203) 34 (203) 39 (203) 43 (203) 44 (203) 49 (203) 53 (203) 54 (203) 59 (203)	

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.75-63 (203) 64 (203) 69 (203) 73 (38, 203) 79 (38, 203) 73.76-13 (233) 14 (233) 15 (233) 16 (233) 19 (233)	

Footnotes

(1) Covered if of rectangular section. If 3/16 inch or over in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.

(2) If 3/16 inch or more in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.

(3) Covered if in coil.

(4) Excluding 'tool steel', 'high-speed-tool steel', 'tool steel of the type described in headnote 2 (H) (vii)', and 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (H), (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.

(5) Covered if less than 3/16 inch in thickness.

(6) Covered if of rectangular section.

(7) Covered if hot-rolled.

(8) Covered if over 12 inches in width.

(12) Covered if over 8 inches in width.

(13) Covered if 3/16 inch or more in thickness.

(14) Covered if not in coil.

(15) Covered if hot-rolled and over 8 inches in width or if cold-rolled and over 12 inches in width.

(17) Covered if semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.

(19) Excluding semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.

(20) Excluded if clad.

(21) Covered if structural shape having a maximum cross-sectional dimension of 3 inches or more.

(25) Covered if hot rolled, semi-finished, of approximately circular section, in coil and not under 0,20 inch nor over 0,74 inch in diameter.

(26) Covered if railway track spikes.

(28) Covered if galvanized wire fencing 'wholly of round iron or teel wire measuring not over 0,20 inch and not under 0,075 inch in diameter, whether or not such wire is covered with plastic'. Excluded if welded galvanized wire fencing other than chain link fencing.

(29a) Covered if cross-section in the form of circles, segments of circles, ovals, triangles, rectangles, hexagons, or octagons.

(29b) Covered if of rectangular section, hot-rolled, 3/16 inch or more in thickness and 8 inches or less in width.

(29c) Covered if of rectangular section, cold-rolled, 3/16 inch or more in thickness and 12 inches or less in width.

(29d) If of approximately circular section and hot-rolled, excluded if in coils, not unter 0,20 inch in diameter and not over 0,74 inch in diameter.

(31) Excluded if cold-formed or cold-finished.

(32) Covered if 8 inches or less in width.

(33) Covered if cold-rolled.

(34) Covered if cold-formed or cold-finished.

(35) Covered if coated or plated with metal.

(38) Excluded if coated, plated or clad with metal.

(40) If plated or coated with metal and 3/16 inch or more in thickness, covered if over 8 inches in width when hot-rolled and if over 12 inches in width when cold-rolled. If not plated or coated with metal covered if not in coils, if 3/16 inch or more in thickness, not pickled and over 8 inches in width and hot-rolled.

(44) Covered if clad, and either less than 3/16 inch in thickness and over 12 inches in width; or 3/16 inch or more in thickness, over 8 inches in width and hot-rolled or if over 12 inches in width and cold-rolled.

(45) Excluded if pickled.

(50) Excluded if silvered, gilded or platinum plated.

(51) Covered if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated.

(54) Excluding cladding grade 434 stainless steel certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel clad aluminium automobile trim.

(55) Excluding grade 253 MA and 254 SMO stainless steel.

(56) Excluding stainless steel sheet over 71 inches in width.

(57) Excluding 'razor blade steel', i.e., stainless steel strip or flat wire not over 0,01 inch in thickness and not over 0,9 inch in width, containing by weight not less than 0,6 % and not over 0,75 % carbon, and containing by weight not less than 11,5 % and not over 14,7 % chromium, certified at the time of entry to be used in the manufacture of razor blades.

(58) Excluding stainless steel strip not over 0,05 inch in thickness certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel flapper valves for compressors.

(59) Covered if over 0,5 inch in width and cold-rolled.

(60) Covered if 12 inches or under in width.

(61) Covered if containing by weight less than 1 % carbon and over 11,5 % chromium.

(68) Covered if containing by weight 11,5 % or less chromium or 1 % or more carbon.

(71) Covered if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.

(72) Excluded if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.

(75) Covered if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.

(76) Excluded if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.

(77) Covered if structural shape having a maximum cross-sectional dimension of less than 3 inches. Excluded if drilled, punched or otherwise advanced. If cold-formed, excluded if weighing 0,29 pound or less per linear foot.

(79) Covered if coated or plated with tin and greater than 12 inches in width.

(80) Excluded if coated or plated with tin.

(82) Covered if hot-rolled and either less than 3/16 inch in thickness and 12 inches or under in width, or less than 3/16 inch in thickness, over 12 inches in width and not coated, plated or clad with metal.

(84) Covered if cold-rolled, less than 3/16 inch in thickness, over 12 inches in width and not coated, plated or clad with metal.

(87) Covered if cold-rolled, 3/16 inch or over in thickness, over 12 inches in width and not coated, plated or clad with metal. Also covered if over 3/16 inch in thickness, hot-rolled and pickled, over 8 inches in width and not coated, plated or clad with metal.

(97) Excluded if coated or plated with metal.

(102) Excluded if coated or plated with a lead-tin alloy.

(103) Covered if wire strand, i.e., a plurality of round or shaped wires helically laid in one or more layers.

(104) Covered if other than wire strand.

(109) Excluded if door and window frames. Also excluded if columns, pillars, posts, beams, girders, and similar structural units made in part of stainless steel, or of cast-iron.

(112) Excluded if cold-formed and weighing not over 0,29 pound per linear foot.

(119) Excluded if coated, plated or clad with metal and over 12 inches in width.

(121) Excluded if thumb tacks; drive pins, studs and other fasteners suitable for use in power-actuated hand tools; staples in strip form; corrugated fasteners, glaziers point, hook nails and ring nails; or railway track spikes. Also excluded if cut nails or if coated or plated with precious metals.

(122) Covered if made from wire of iron or steel with heads of ferrous or non-ferrous metals.

(124) Covered if pickled or cold-rolled and over 12 inches in width and less than 3/16 inch in thickness. Also covered if not over 12 inches in width and over 0,01 inch, but not over 0,05 inch, in thickness. Also, if cold-rolled, product must be over 0,5 inch in width.

(143) Covered if pickled or cold-rolled.

(147) Excluded if bale ties with or without buckles or fastenings.

(148) Covered if bale ties with or without buckles or fastenings.

(151) Covered if tie plates and joint bars as defined in schedule 6, part 2, subpart B, 3 (l) and (m) of the Tariff Schedules of the United States Annotated.

(152) Excluded if drilled, punched or otherwise advanced.

(163) Covered if plates, sheets or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with chromium oxide or with chromium and chromium oxide or with other base metal other than tin, lead, or zinc.

(172) Covered either if cold-formed and weighing not over 0,29 pound per linear foot or if drilled, punched or otherwise advanced.

(184) Excluded if band-saw steel defined as follows: (a) 'metal cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:

carbon: not less than 1,18 and not more than 1,32 %;
chromium: not less than 0,15 and not more than 0,32 %;
manganese: not less than 0,10 and not more than 0,40 %;

certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,55 %;
silicon: not less than 0,20 nor more than 0,35 %;
nickel: not less than 1,60 nor more than 2,70 %;
chromium: none, or not more than 0,50 %;
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %;

or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,50 %;
silicon: not less than 0,20 nor more than 0,35 %;
chromium: none, or not more than 0,50 %; and
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %,

certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.

(186) Covered if 'black plate', as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

(187) Covered if 'hollow drill steel' as defined in schedule 6, part 2, subpart B, 3 (e) of the Tariff Schedules of the United States Annotated.

(188) Covered if hot-rolled and coated or plated with metal.

(189) Covered if current-conducting third rails.

(190) Covered if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(191) Excluded if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(193) Excluded if plates, sheets, or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with base metal other than tin, lead or zinc.

(198) Covered if under 3/16 inch in thickness and hot-rolled, and if either over 12 inches in width and not pickled and not coated, plated or clad with metal or if 12 inches or under in width.

(199) Excluded if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated.

(200) Excluded if 'heat-resisting steel' as described in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated and 12 inches or under in width.

(201) Covered if 'tool steel of the type described in headnote 2 (h) (vii)' in schedule 6, part 2, subpart B of the Tariff Schedules of the United States Annotated.

(202) Covered if less than 3/16 inch in thickness, over 12 inches in width, pickled or cold-rolled and either painted or varnished.

(203) Covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.

(204) Covered if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated, less than 3/16 inch in thickness, and either over 12 inches in width, pickled or cold-rolled and not coated, plated or clad with metal, or 12 inches or under in width.

(205) Excluded if strip as defined in schedule 6, part 2, subpart B, 3 (h) and if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated and over 0,01 inch but not over 0,05 inch in thickness.

(206) Excluded if 'black plate' as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

(207) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) of the Tariff Schedules of the United States Annotated, excluded if coated, plated or clad with metal.

(209) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) and 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated, covered if hot-rolled and not pickled.

(211) If not clad with metal, excluded if 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(212) If not coated or plated with metal, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) or 'tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.

(213) It flat wire and not coated or plated with metal or if round wire, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.

(214) If milliners' wire or other wire covered with textile or other material not wholly of metal, covered whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(215) If flat wire and not coated or plated with metal or if round wire, covered if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.

(216) Excluded if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated.

(220) Excluded if ingots, blooms, billets, or sheet bars as defined in schedule 6, part 2, subpart B, 3 (a), (b) and (c) of the Tariff Schedules of the United States Annotated.

(226) Covered if cold-rolled and over 0,5 inch and 12 inches or under in width or if hot-rolled and 12 inches or under in width.

(227) Whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated covered if coated or plated with a lead-tin alloy.

(228) If 'tool steel of the type described in headnote 2 (h) (vii)' of the Tariff Schedules of the United States Annotated, covered if under 3/16 inch in thickness, over 12 inches in width and either pickled or cold-rolled or if 3/16 inch or more in thickness and either over 8 inches in width, pickled and hot-rolled or over 12 inches in width and cold-rolled. Excluded if coated, plated or clad with metal.

(231) Excluded if slabs as defined in schedule 6, part 2, subpart B, 3 (c) of the Tariff Schedules of the United States Annotated.

(232) Covered if band-saw steel defined as follows: (a) 'metal-cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:

carbon: not less than 1,18 and not more than 1,32 %;

chromium: not less than 0,15 and not more than 0,32 %;

manganese: not less than 0,10 and not more than 0,40 %;

certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;

manganese: not less than 0,30 nor more than 0,55 %;

silicon: not less than 0,20 nor more than 0,35 %;

nickel: not less than 1,60 nor more than 2,70 %;

chromium: none, or not more than 0,50 %;

phosphorus: none, or not more than 0,03 %; and

sulphur: none, or not more than 0,15 %;

or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;

manganese: not less than 0,30 nor more than 0,50 %;

silicon: not less than 0,20 nor more than 0,35 %;

chromium: none, or not more than 0,50 %; and

phosphorus: none, or not more than 0,03 %; and

sulphur: none, or not more than 0,15 %,

certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.

(233) If 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated, covered only if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated. If not wire, covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.

(234) Excluded if coated, plated or clad with metal, under 3/16 inch in thickness and over 12 inches in width. Also excluded if coated, plated or clad with metal, 3/16 inch or more in thickness and either over 8 inches in width and hot-rolled or over 12 inches in width and cold-rolled.

ANEXO III

Repartição entre os Estados-membros

	D	F	I	NL	B	L	UK	GR	DK	IRL	Reserva
Chapa lamida a frio	42,80	15,51	9,55	15,74	8,73	0,27	2,30	5.10	—	—	—
Chapa resistente	22,52	3,61	10,35	0,90	47,21	—	13,65	—	1,76	—	—
Perfis e vigas	22,42	11,06	0,64	—	24,72	17,71	23,45	—	—	—	—
Barras laminadas a quente	8,47	13,60	3,35	0,29	5,34	19,35	49,60	—	—	—	—
Chapa revestida	57,17	23,22	8,67	4,13	3,86	0,43	2,52	—	—	—	—
Folha-de-flandres	48,76	35,24	—	11,63	3,62	—	0,75	—	—	—	—
Carris	58,54	14,36	—	—	—	20,77	6,33	—	—	—	—
Fios redondos, planos e outros	14,82	27,15	4,03	1,15	39,39		12,41	—	0,09	—	0,96
Produtos trefilados	4,80	6,85	2,26	5,18	60,85		9,84	—	9,22	—	1,00
Ferro negro	11,60	10,64	—	16,54	30,66	—	0,16	29,40	—	—	1,00
Chapa e arco magnético	47,12	1,02	45,65	—	1,22	—	3,99	—	—	—	1,00
Tin-free steel	77,92	18,71	—	0,88	0,98	—	0,51	—	—	—	1,00
Arco laminado a frio	66,44	8,08	0,50	0,17	5,11	—	10,96	7,87	—	—	0,87
Barras completamente acabadas a frio e outras barras	8,13	53,23	4,52	0,10	0,76	—	32,32	—	—	—	0,94
Perfis de menos de três polegadas	12,43	1,99	1,24	1,37	54,95	19,56	7,58	—	—	—	0,88

	D	F	I	NL	B	L	UK	GR	DK	IRL	Reserva
Elementos de vias férreas, rodas e eixos	10,57	75,83	4,25	0,13	0,76	0,79	6,67	—	—	—	1,00
Fio inoxidável	7,00	23,18	29,80	0,51	20,28		19,23				
Perfis e vigas fabricados	11,62	4,32	40,51	3,27	—	17,44	19,62		3,22		
Cabos entrançados	12,49	15,55	39,95	13,88	7,06		11,06	—	0,01		
Cabos	25,23	27,50	11,44	9,80	5,24		19,35		1,44		
Outros aços especiais	12,91	33,86	49,86	0,15	0,94	—	2,28				
Chapas de aço inoxidável	55,90	3,88	0,77	0,03	9,63	—	29,79				
Chapa e arco de aço inoxidável	25,26	55,23	7,33	0,03	5,03	—	7,12				
Barras de aço inoxidável	20,45	41,46	20,46	0,08	0,19	—	17,18		0,18		
Fio-máquina de aço inoxidável	15,53	46,23	26,65	0,04	11,18	—	0,29		0,08		
Ligas de aço para ferramentas	64,02	9,32	14,21	0,54	0,46		10,95				