II

(Acts whose publication is not obligatory)

COUNCIL

DECISION OF THE REPRESENTATIVES OF THE GOVERNMENTS OF THE MEMBER STATES, MEETING WITHIN THE COUNCIL

of 19 December 1988

establishing ceilings and Community supervision for imports of certain goods falling under the ECSC Treaty originating in Yugoslavia (1989)

(88/653/ECSC)

THE REPRESENTATIVES OF THE GOVERNMENTS OF THE MEMBER STATES OF THE EUROPEAN COAL AND STEEL COMMUNITY, MEETING WITHIN THE COUNCIL,

In agreement with the Commission,

HAVE DECIDED AS FOLLOWS:

Article 1

1. From 1 January to 31 December 1989 imports into the Community of certain products originating in Yugoslavia and indicated in Article 3 of the Agreement between the Member States of the European Coal and Steel Community, of the one part, and the Socialist Federal Republic of Yugoslavia, of the other part [1], shall be subject to annual ceilings and to Community supervision in the Community.

2. In application of the provisions of Article 16 of the Agreement, the contracting parties will begin negotiations towards concluding an additional Protocol to the Agreement determining the future regime of their commerce. Pending the conclusion of the Protocol in question, the system provided for by Article 3 of the Agreement should be extended for 1989.

3. Within the limits of these tariff ceilings, the Kingdom of Spain and the Portuguese Republic shall apply customs duties calculated according to Decision 87/603/ECSC of the Representatives of the Governments of the Member States, meeting within the Council, and of the Commission of 21 December 1987 laying down the arrangements for Spain's and Portugal's trade with Yugoslavia in products falling under the ECSC Treaty and amending Decisions 86/69/ECSC and 87/456/ECSC [2].

The description of the goods referred to in the preceding subparagraph, their CN codes and the levels of the indicative ceilings are given in the Annex hereto.

4. Amounts shall be set off against the ceilings as and when the goods are entered with customs authorities for free circulation and accompanied by a movement certificate conforming to the rules contained in Protocol 3 to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia [3].

Goods shall be set off against the ceilings only if the movement certificate has been submitted before the date on which customs duties are re-established.

The reaching of a ceiling shall be determined at Community level on the basis of imports set off against it in the manner defined in the preceding subparagraphs.

The Member States shall periodically inform the Commission of imports effected in accordance with the above rules; such information shall be supplied under the conditions laid down in paragraph 6.

5. As soon as the ceilings are reached at Community level, Member States may at any time, at the request of any one of them or of the Commission, and in respect of the whole of the Community, re-establish the levying of the customs duties applicable to third countries.

(1) OJ No L 41, 14. 2. 1983, p. 113.

(2) OJ No L 389, 31. 12. 1987, p. 61.

(3) OJ No L 41, 14. 2. 1983, p. 2.

Within the framework of the foregoing provisions, the Commission shall coordinate the procedures for re-establishing the customs duties applicable to third countries, in particular by notifying the date common to the whole of the Community and directly applicable in each Member State. The notification shall be published in the *Official Journal of the European Communities*.

6. Member States shall forward to the Commission, not later than the 15th day of each month, statements of the amounts set off during the preceding month. They shall, if the Commission so requests, make up such statements for periods of 10 days and forward them within five clear days of expiry of the preceding 10-day period.

Article 2

Member States and the Commission shall cooperate closely to ensure that this Decision is complied with.

Article 3

Member States shall take all measures necessary to implement this Decision.

Done at Brussels, 19 December 1988.

The President

Th. PANGALOS

ANNEX

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0010		Pig iron and spiegeleisen in pigs, blocks or other primary forms:	25 495
		– Non-alloy pig iron containing by weight 0,5 % or less of phosphorus:	
		– – Containing by weight not less than 0,4 % of manganese:	
	7201 10 11	– – – Containing by weight 1 % or less of silicon	
	7201 10 19	– – – Containing by weight more than 1 % of silicon	
	7201 10 30	– – Containing by weight not less than 0,1 % but less than 0,4 % of manganese	
	7201 10 90	– – Containing by weight less than 0,1 % of manganese	
	7201 20 00	– Non-alloy pig iron containing by weight more than 0,5 % of phosphorus	
		– Alloy pig iron:	
	7201 30 10	– – Containing by weight not less than 0,3 % but not more than 1 % of titanium and not less than 0,5 % but not more than 1 % of vanadium	
	7201 30 90	– – Other	
	7201 40 00	– Spiegeleisen	
		Ferro-alloys:	
		– Other:	
		– – Other:	
		– – – Ferro-phosphorus:	
	7202 99 11	– – – – Containing by weight more than 3 % but less than 15 % of phosphorus	
		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms:	
	7203 90 00	– Other	
06.0020		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:	37 012
		– In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7208 11 00	– – Of a thickness exceeding 10 mm	
		– – Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
	7208 12 10	– – – Intended for re-rolling (1)	
		– – – Other:	
	7208 12 91	– – – – With patterns in relief	
	7208 12 99	– – – – Other	
		– – Of a thickness of 3 mm or more but less than 4,75 mm:	
	7208 13 10	– – – Intended for re-rolling (1)	
		– – – Other:	
	7208 13 91	– – – – With patterns in relief	
	7208 13 99	– – – – Other	
		– – Of a thickness of less than 3 mm:	
	7208 14 10	– – – Intended for re-rolling (1)	
	7208 14 90	– – – Other	
		– Other, in coils, not further worked than hot-rolled:	
		– – Of a thickness exceeding 10 mm:	
	7208 21 10	– – – With patterns in relief	

(1) Entry within this code is subject to conditions laid down in the relevant Community provisions.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0020 *(cont'd)*	7208 21 90	– – – Other	37 012 *(cont'd)*
		– – Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
	7208 22 10	– – – Intended for re-rolling (1)	
		– – – Other:	
	7208 22 91	– – – – With patterns in relief	
	7208 22 99	– – – – Other	
		– – Of a thickness of 3 mm or more but less than 4,75 mm:	
	7208 23 10	– – – Intended for re-rolling (1)	
		– – – Other:	
	7208 23 91	– – – – With patterns in relief	
	7208 23 99	– – – – Other	
		– – Of a thickness of less than 3 mm:	
	7208 24 10	– – – Intended for re-rolling (1)	
	7208 24 90	– – – Other	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		– Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 10	– – – Of a width exceeding 500 mm:	
		– (2)	
		– – Other:	
	ex 7211 19 10	– – – Of a width exceeding 500 mm:	
		– (2)	
		– Other, not further worked than hot-rolled:	
		– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	– – – Of a width exceeding 500 mm:	
		– (2)	
		– – Other:	
	ex 7211 29 10	– – – Of a width exceeding 500 mm:	
		– (2)	
06.0030		Semi-finished products of iron or non-alloy steel:	24 388
		– Containing by weight less than 0,25 % of carbon:	
		– – Other:	
		– – – Of circular or polygonal cross-section:	
		– – – – Rolled or obtained by continuous casting:	
	7207 19 15	– – – – – Other	
		– Containing by weight 0,25 % or more of carbon:	
		– – Or circular or polygonal cross-section:	
		– – – Rolled or obtained by continuous casting:	
		– – – – Other:	
	7207 20 55	– – – – – Containing by weight 0,25 % or more but less than 0,6 % of carbon	
		Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel:	
	7213 10 00	– Containing indentations, ribs, grooves or other deformations produced during the rolling process	
	7213 31 00 7213 39 00	– Other, containing by weight less than 0,25 % of carbon	
	7213 41 00 7213 49 00	– Other, containing by weight 0,25 % or more but less than 0,6 % of carbon	

(1) Entry within this code is subject to conditions laid down in the relevant Community provisions.
(2) Flat-rolled products of a weight of 500 kg or more.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0030 *(cont'd)*		Other bars and rods of other alloy steel, not further worked than forged hot-rolled, hot-drawn or hot-extruded but including those twisted after rolling:	24 388 (cont'd)
	7214 20 00	– Containing indentations, ribs, grooves, or other deformations produced during the rolling process or twisted after rolling	
	7214 40 10 7214 40 91 7214 40 99	– Other, containing by weight less than 0,25 % of carbon	
	7214 50 10 7214 50 91 7214 50 99	– Other, containing by weight 0,25 % or more but less than 0,6 % of carbon	
		Other bars and rods of iron or non-alloy steel:	
		– Other:	
	7215 90 10	– – Hot-rolled, hot-drawn or extruded not further worked than clad	
		Other bars and rods of other alloy steel, angles, shapes and sections of other alloy steel:	
		– Hollow drill bars and rods:	
	7228 80 90	– – Of non-alloy steel	
06.0040		Semi-finished products of iron or non-alloy steel:	3 479
		– Containing by weight less than 0,25 % of carbon:	
		– – Other:	
		– – – Blanks for angles, shapes and sections:	
	7207 19 31	– – – Rolled or obtained by continuous casting	
		– Containing by weight 0,25 % or more of carbon:	
		– – Blanks for angles, shapes and sections:	
	7207 20 71	– – – Rolled or obtained by continuous casting	
		Angles, shapes and sections of iron of non-alloy steel:	
	7216 10 00	– U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	
	7216 21 00 7216 22 00	– L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm	
	7216 31 00 7216 32 00 7216 33 00	– U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more	
	7216 40 10 7216 40 90	– L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	
	7216 50 10 7216 50 90	– Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	
		– Other:	
	7216 90 10	– – Hot-rolled, hot-drawn or extruded, not further worked than clad:	
		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements, welded angles, shapes and sections, of iron or steel	
	7301 10 00	– Sheet piling	
06.0050		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated	7 192
		– Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		– – Other, of a thickness of 4,75 mm or more:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0050 *(cont'd)*	ex 7211 12 90	– – – Of a width not exceeding 500 mm: – (1)	7 192 *(cont'd)*
		– – Other:	
		– – – Of a width not exceeding 500 mm:	
	ex 7211 19 91	– – – – Of a thickness of 3 mm or more but less than 4,75 mm: – (2)	
	7211 19 99	– – – – Of a thickness of less than 3 mm: – (1)	
		– Other, not further worked than hot-rolled:	
		– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 90	– – – Of a width not exceeding 500 mm: – (1)	
		– Other, not further worked than hot-rolled:	
		– – Other:	
		– – – Of a width not exceeding 500 mm (ECSC):	
	ex 7211 29 91	– – – – Of a thickness of 3 mm or more but less than 4,75 mm: – (1)	
	ex 7211 29 99	– – – – Of a thickness of less than 3 mm: – (1)	
		– Clad:	
		– – Of a width exceeding 500 mm:	
		– – – Not further worked than surface-treated:	
	ex 7212 60 91	– – – – Hot-rolled, not further worked than clad: – (1)	
06.0060		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:	44 608
		– Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7208 32 10 7208 32 30 7208 32 51 7208 32 59 7208 32 91 7208 32 99	– – Other, of a thickness exceeding 10 mm	
	7208 33 10 7208 33 91 7208 33 99	– – Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 34 10 7208 34 90	– – Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 35 10 7208 35 91 7208 35 93 7208 35 99	– – Other, of a thickness of less than 3 mm	
		– – Other, not in coils, not further worked than hot-rolled	
	7208 42 10 7208 42 30 7208 42 51 7208 42 59 7208 42 91 7208 42 99	– – Other, of a thickness exceeding 10 mm	
	7208 43 10 7208 43 91 7208 43 99	– – Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 44 10 7208 44 90	– – Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 45 10 7208 45 91 7208 45 93 7208 45 99	– – Other, of a thickness of less than 3 mm	
		– Other:	
	7208 90 10	– – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	

(1) Other than products of steel containing, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 *(cont'd)*		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced) not clad, plated or coated:	
		– In coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 12 10 7209 12 90	– – Of a thickness exceeding 1 mm but less than 3 mm	
	7209 13 10 7209 13 90	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 14 10 7209 14 90	– – Of a thickness of less than 0,5 mm – Other, in coils not further worked than cold-rolled (cold reduced):	
	7209 22 10 7209 22 90	– – Of a thickness exceeding 1 mm but less than 3 mm	
	7209 23 10 7209 23 90	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 24 10 7209 24 91 7209 24 99	– – Of a thickness of less than 0,5 mm	
		– Not in coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 32 10 7209 32 90	– – Of a thickness exceeding 1 mm but less than 3 mm	
	7209 33 10 7209 33 90	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 34 10 7209 34 90	– – Of a thickness of less than 0,5 mm	
		– Other, not in coils, not further worked than cold-rolled (cold-reduced):	
	7209 42 10 7209 42 90	– – Of a thickness exceeding 1 mm but not exceeding 3 mm	44 608 *(cont'd)*
	7209 43 10 7209 43 90	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 44 10 7209 44 90	– – Of a thickness of less than 0,5 mm	
		– Other:	
	7209 90 10	– – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:	
		– Plated or coated with tin:	
		– – Of a thickness of 0,5 mm or more:	
	7210 11 10	– – – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– – Of a thickness of less than 0,5 mm:	
	7210 12 11 7210 12 19	– – – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– Plated or coated with lead, including terne-plate:	
	7210 20 10	– – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– Electrolytically plated or coated with zinc:	
		– – Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7210 31 10	– – – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– – Other:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 *(cont'd)*	7210 39 10	– – – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– Otherwise plated or coated with zinc:	
		– – Corrugated:	
	7210 41 10	– – – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– – Other:	
	7210 49 10	– – – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– Plated or coated with chromium oxides or with chromium and chromium oxides:	
	7210 50 10	– – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– Plated or coated with aluminium:	
		– – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square):	
	7210 60 11	– – – Plated or coated with aluminium-zinc alloys	
	7210 60 19	– – – Other	
		– Painted, varnished or plastic coated:	
	7210 70 11 7210 70 19	– – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		– Other:	
		– – Other:	
	7210 90 31 7210 90 33 7210 90 35 7210 90 39	– – – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		– Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	44 608 *(cont'd)*
		– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 10	– – – Of a width exceeding 500 mm:	
		– (1)	
		– – Other:	
	ex 7211 19 10	– – – Of a width exceeding 500 mm:	
		– (1)	
		– Other, not further worked than hot-rolled:	
		– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	– – – Of a width exceeding 500 mm:	
		– (1)	
		– – Other:	
	ex 7211 29 10	– – – Of a width exceeding 500 mm:	
		– (1)	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		– Not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7211 30 10	– – Of a width exceeding 500 mm	
		– Other, not further worked than cold-rolled (cold-reduced):	
		– – Containing by weight less than 0,25 % of carbon:	
	7211 41 10	– – – Of a width exceeding 500 mm	
		– – Other:	
	7211 49 10	– – – Of a width exceeding 500 mm	
		– Other:	
		– – Of a width exceeding 500 mm:	

(1) Not including flat-rolled products of a weight of 500 kg or more.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 *(cont'd)*	7211 90 11	– – – Not further worked than surface-treated	44 608 *(cont'd)*
		Flat-rolled products of iron or non-alloy steel, of a width of less than 500 mm, clad, plated or coated:	
		– Plated or coated with tin:	
	7212 10 10	– – Tinplate, not further worked than surface-treated	
		– Electrolytically plated or coated with zinc:	
		– – Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7212 21 11	– – – Of a width exceeding 500 mm:	
		– – – – not further worked than surface-treated	
		– – Other:	
		– – – Of a width exceeding 500 mm:	
	7212 29 11	– – – – Not further worked than surface-treated	
		– Otherwise plated or coated with zinc:	
		– – Of a width exceeding 500 mm:	
	7212 30 11	– – – Not further worked than surface-treated	
		– Painted, varnished or plastic coated:	
	7212 40 10	– – Tin plate, not further worked than varnished	
		– – Other:	
		– – – Of a width exceeding 500 mm:	
	7212 40 91	– – – – Not further worked than surface-treated	
		– Otherwise plated or coated:	
		– – Of a width exceeding 500 mm:	
		– – – Lead-coated:	
	7212 50 31	– – – – Not further worked than surface-treated	
		– – – Other:	
	7212 50 51	– – – – Not further worked than surface-treated	
		– Clad:	
		– – Of a width exceeding 500 mm:	
	7212 60 11	– – – Not further worked than surface-treated	
06.0070		Ferrous waste and scrap; remelting scrap ingots of iron or steel:	24 300
		– Remelting scrap ingots:	
	7204 50 90	– – Other	
		Iron and non-alloy steel in ingots or other primary forms (excluding iron of code 7203)	
	7206 10 00	– Ingots (ECSC)	
		Semi-finished products of iron or non-alloy steel	
		– Containing by weight less than 0,25 % of carbon:	
		– – Of rectangular (including square) cross-section, the width measuring less than twice the thickness:	
		– – – Rolled or obtained by continuous casting:	
	7207 11 11	– – – – Free-cutting steel	
		– – Other:	
		– – – Of circular or polygonal cross-section:	
		– – – – Rolled or obtained by continuous casting:	
	7207 19 11	– – – – – Of free-cutting steel	
		– Containing by weight 0,25 % or more of carbon:	
		– – Of rectangular (including square) cross-section, the width measuring less than twice the thickness:	
		– – – Rolled or obtained by continuous casting:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0070 *(cont'd)*	7207 20 11	– – – – Free-cutting steel	24 300 *(cont'd)*
		– – – – Other, containing by weight:	
	7207 20 17	– – – – – 0,6 % or more of carbon	
		– – Of circular or polygonal cross-section:	
		– – – Rolled or obtained by continuous casting:	
	7207 20 51	– – – – Free-cutting steel	
		– – – – Other:	
	7207 20 57	– – – – – Containing by weight 0,6 % of carbon	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		– Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 90	– – – Of a width not exceeding 500 mm – (1)	
		– – Other:	
		– – – Of a width not exceeding 500 mm:	
	ex 7211 19 91	– – – – Of a thickness of 3 mm or more but less than 4,75 mm – (1)	
	ex 7211 19 99	– – – – Of a thickness of less than 3 mm – (1)	
		– Other, not further worked than hot-rolled:	
		– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 90	– – – Of a width not exceeding 500 mm – (1)	
		– – Other:	
		– – – Of a width not exceeding 500 mm:	
	ex 7211 29 91	– – – – Of a thickness of 3 mm or more but less than 4,75 mm – (1)	
	ex 7211 29 99	– – – – Of a thickness of less than 3 mm – (1)	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:	
		– Clad:	
		– – Of a width exceeding 500 mm:	
		– – – Not further worked than surface-treated:	
	ex 7212 60 91	– – – – Hot-rolled, not further worked than clad – (1)	
		Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel	
	7213 20 00	– Of free-cutting steel	
		– Other, containing by weight 0,6 % or more of carbon	
	7213 50 00	– Other, containing by weight 0,6 % or more of carbon	
	7214 30 00	– Of free-cutting steel	
	7214 60 00	– Other, containing by weight 0,6 % or more of carbon	
		Stainless steel in ingots or other primary forms, semi-finished products of stainless steel	
	7218 10 00	– Ingots and other primary forms	
		– Other:	
		– – Of rectangular (including square) cross-section:	
	7218 90 11 7218 90 13 7218 90 15 7218 90 19	– – – Rolled or obtained by continuous casting	
		– – Other:	
	7218 90 50	– – – Rolled or obtained by continuous casting	

(1) Of steel containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 *(cont'd)*		Flat-rolled products of stainless steel, of a width of 600 mm or more:	
	7219 11 10 7219 11 90	– Not further worked than hot-rolled in coils	
	7219 12 10 7219 12 90	– Not further worked than hot-rolled, not in coils	
	7219 13 10 7219 13 90	– Not further worked than cold-rolled (cold-reduced):	
	7219 14 10 7219 14 90 7219 21 10 7219 21 90 7219 22 10 7219 22 90 7219 23 10 7219 23 90 7219 24 10 7219 24 90 7219 33 10 7219 33 90	– – Of a thickness exceeding 1 mm but less than 3 mm	
	7219 34 10 7219 34 90	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7219 35 10 7219 35 90	– – Of a thickness of less than 0,5 mm	
		– Other:	
	7219 90 11 7219 90 19	– – Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)	
		Flat-rolled products of stainless steel, of a width of less than 600 mm:	
	7220 11 00 7220 12 00	– Not further worked than hot-rolled	
	7227 (all numbers)	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel	24 300 *(cont'd)*
		Other bars and rods of other alloy steel; angles, shapes and sections of other alloy steel, hollow drill bars and rods, of alloy or non-alloy steel:	
	7228 10 10	– Bars and rods, or alloy or non-alloy steel:	
		– – Not further worked than hot-rolled, hot-drawn or extruded	
		– – Other:	
	7228 10 91	– – – Hot-rolled, hot-drawn or extruded not further worked than clad	
		– Bars and rods, of silico-manganese steel:	
	7228 20 11 7228 20 19	– – Not further worked than hot-rolled, hot-drawn or extruded	
		– – Other:	
	7228 20 31	– – – Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228 30 10 7228 30 90	– Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	
		– Other bars and rods:	
	7228 60 10	– – Hot-rolled, hot-drawn or extruded not further worked than clad	
		– Angles, shapes and sections:	
	7228 70 10	– – Not further worked than hot-rolled hot-drawn or extruded	
		– Not further worked than cold-rolled (cold-reduced):	
	7220 20 10	– – Of a width exceeding 500 mm	
		– Other:	
		– – Of a width exceeding 500 mm:	
	7220 90 11	– – – Not further worked, than surface-treated, including cladding	
		– – Of a width not exceeding 500 mm:	
		– – – Not further worked than surface-treated, including cladding:	

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 *(cont'd)*	7220 90 31	– – – – Hot-rolled, not further worked than clad	
		Other bars, and rods of stainless steel; shapes and sections of stainless steel:	
	7222 10 11 7222 10 19 7222 10 91 7222 10 99	– Bars and rods, not further worked than hot-rolled, hot-drawn or extruded	
		– Other bars and rods:	
	7222 30 10	– – Hot-rolled, hot-drawn or extruded not further worked than clad	
		– Angles, shapes and sections:	
	7222 40 11 7222 40 19	– – Not further worked than hot-rolled hot-drawn or extruded	
		– – Other:	
	7222 40 30	– – – Hot-rolled, hot-drawn or extruded not further worked than clad	
		Other alloy steel in ingots or other primary forms, semi-finished products of other alloy steel:	
	7224 10 00	– Ingots and other primary forms:	
		– Other:	
		– – Of rectangular (including square) cross-section:	
	7224 90 11	– – – Hot-rolled or obtained by continous casting	
		– – Other:	
	7224 90 30	– – – Hot-rolled or obtained by continuous casting	
		Flat-rolled products of other alloy steel, of a width of 600 mm or more	
	7225 10 10 7225 10 91 7225 10 99	– Of silicon-electrical steel	24 300 *(cont'd)*
		– Of high speed steel:	
	7225 20 11	– – Not further worked than hot-rolled	
	7225 20 19 7225 20 30	– – Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)	
	7225 30 00	– Other, not further worked than hot-rolled, in coils	
	7225 40 10 7225 40 30 7225 40 50 7225 40 70 7225 40 90	– Other, not futher worked than hot-rolled, not in coils	
		– Other:	
	7225 90 10	– – Not further worked than surface-treated including cladding or simply cut into shapes other than rectangular (including square)	
		Flat-rolled products or other alloy steel, of a width of less than 600 mm	
		– Of silicon-electrical steel	
	7226 10 10	– – Not further worked than hot-rolled	
		– – Other:	
	7226 10 30	– – – Of a width exceeding 500 mm	
		– Of high-speed steel	
	7226 20 10	– – Not further worked than hot-rolled	
		– – Not further worked than cold-rolled (cold reduced)	
	7226 20 31	– – – Of a width exceeding 500 mm	
		– – Other:	
		– – – Of a width exceeding 500 mm	

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 *(cont'd)*	7226 20 51	– – – – Not further worked than surface treated, including cladding	24 300 *(cont'd)*
		– – – Of a width not exceeding 500 mm:	
		– – – – Not further worked than surface-treated including cladding:	
	7226 20 71	– – – – – Hot-rolled, not further worked than clad	
		– Other:	
	7226 91 00	– – Not further worked than hot-rolled	
		– – Not further worked than cold-rolled (cold-reduced):	
	7226 92 10	– – – Of a width exceeding 500 mm	
		– – Other:	
		– – – Of a width exceeding 500 mm:	
	7226 99 11	– – – – Not further worked than surface-treated, including cladding	
		– – – Of a width not exceeding 500 mm:	
		– – – – Not further worked than surface-treated, including cladding:	
	7226 99 31	– – – – – Hot-rolled, not further worked than clad	
		– – Other:	
	7228 70 31	– – – Hot-rolled, hot-drawn or extruded not further worked than clad	
		– Hollow drill bars and rods:	
	7228 80 10	– – Of alloy steel	