This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

►B

COMMISSION IMPLEMENTING REGULATION (EU) No 1263/2011

of 5 December 2011

concerning the authorisation of *Lactobacillus buchneri* (DSM 16774), *Lactobacillus buchneri* (DSM 12856), *Lactobacillus paracasei* (DSM 16245), *Lactobacillus paracasei* (DSM 16773), *Lactobacillus plantarum* (DSM 12836), *Lactobacillus plantarum* (DSM 12837), *Lactobacillus brevis* (DSM 12835), *Lactobacillus rhamnosus* (NCIMB 30121), *Lactococcus lactis* (DSM 11037), *Lactococcus lactis* (NCIMB 30160), *Pediococcus acidilactici* (DSM 16243) and *Pediococcus pentosaceus* (DSM 12834) as feed additives for all animal species

(Text with EEA relevance)

(OJ L 322, 6.12.2011, p. 3)

Amended by:

		Official Journal		
		No	page	date
►M1	Commission Implementing Regulation (EU) 2020/1092 of 24 July 2020	L 241	10	27.7.2020
►M2	Commission Implementing Regulation (EU) 2021/426 of 10 March 2021	L 84	18	11.3.2021

▼B

COMMISSION IMPLEMENTING REGULATION (EU) No 1263/2011

of 5 December 2011

concerning the authorisation of *Lactobacillus buchneri* (DSM 16774), *Lactobacillus buchneri* (DSM 12856), *Lactobacillus paracasei* (DSM 16245), *Lactobacillus paracasei* (DSM 16773), *Lactobacillus plantarum* (DSM 12836), *Lactobacillus plantarum* (DSM 12837), *Lactobacillus brevis* (DSM 12835), *Lactobacillus rhamnosus* (NCIMB 30121), *Lactococcus lactis* (DSM 11037), *Lactococcus lactis* (NCIMB 30160), *Pediococcus acidilactici* (DSM 16243) and *Pediococcus pentosaceus* (DSM 12834) as feed additives for all animal species

(Text with EEA relevance)

Article 1

The micro-organisms specified in the Annex belonging to the additive category ‘technological additives’ and to the functional group ‘silage additives’, are authorised as additives in animal nutrition subject to the conditions laid down in that Annex.

Article 2

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation is binding in its entirety and directly applicable in all Member States.

▼B

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of fresh material			
Category of technological additives. Functional group: silage additives.									
1k2074	—	*Lactobacillus buchneri* (DSM 16774)	Additive composition: Preparation of *Lactobacillus buchneri* (DSM 16774) containing a minimum of 5×10^{11} CFU/g additive Characterisation of the active substance: *Lactobacillus buchneri* (DSM 16774) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15787) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021
1k2075	—	*Lactobacillus buchneri* (DSM 12856)	Additive composition: Preparation of *Lactobacillus buchneri* (DSM 12856) containing a minimum of 5×10^{11} CFU/g additive Characterisation of the active substance: *Lactobacillus buchneri* (DSM 12856) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15787) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of fresh material			
1k2076	—	*Lactobacillus paracasei* (DSM 16245)	Additive composition: Preparation of *Lactobacillus paracasei* (DSM 16245) containing a minimum of 5×10^{11} CFU/g additive Characterisation of the active substance: *Lactobacillus paracasei* (DSM 16245) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15787) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021
1k2077	—	*Lactobacillus paracasei* (DSM 16773)	Additive composition: Preparation of *Lactobacillus paracasei* (DSM 16773) containing a minimum of 4×10^{11} CFU/g additive Characterisation of the active substance: *Lactobacillus paracasei* (DSM 16773) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15787) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of fresh material			
1k2078	—	*Lactobacillus plantarum* (DSM 12836)	Additive composition: Preparation of *Lactobacillus plantarum* (DSM 12836) containing a minimum of 5×10^{11} CFU/g additive Characterisation of the active substance: *Lactobacillus plantarum* (DSM 12836) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15787) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021
1k2079	—	*Lactobacillus plantarum* (DSM 12837)	Additive composition: Preparation of *Lactobacillus plantarum* (DSM 12837) containing a minimum of 5×10^{11} CFU/g additive Characterisation of the active substance: *Lactobacillus plantarum* (DSM 12837) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15787) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of fresh material			
1k20710	—	*Lactobacillus brevis* (DSM 12835)	Additive composition: Preparation of *Lactobacillus brevis* (DSM 12835) containing a minimum of 5×10^{11} CFU/g additive Characterisation of the active substance: *Lactobacillus brevis* (DSM 12835) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15787) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021
1k20711	—	*Lactobacillus rhamnosus* (NCIMB 30121)	Additive composition: Preparation of *Lactobacillus rhamnosus* (NCIMB 30121) containing a minimum of 4×10^{11} CFU/g additive Characterisation of the active substance: *Lactobacillus rhamnosus* (NCIMB 30121) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15787) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of fresh material			
1k2081	—	*Lactococcus lactis* (DSM 11037)	Additive composition: Preparation of *Lactococcus lactis* (DSM 11037) containing a minimum of 5×10^{10} CFU/g additive Characterisation of the active substance: *Lactococcus lactis* (DSM 11037) Analytical method (1) Enumeration: pour plate method using MSR agar (ISO 15214) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—		—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021
▼M1 1k2082	—	*Lactococcus lactis* (NCIMB 30160)	Additive composition: Preparation of *Lactococcus lactis* (NCIMB 30160) containing a minimum of 4×10^{11} CFU/g additive One of the following cryoprotectants: ascorbic acid, lactose, mannitol, monosodium glutamate, sodium citrate, whey powder or polyethylene glycol (PEG 4000) *Characterisation of the active substance:* *Lactococcus lactis* (NCIMB 30160) *Analytical method* (2): Enumeration: pour plate method using MSR agar (ISO 15214) Identification: Pulsed-Field Gel Electrophoresis (PFGE)	All animal species	—	—	—	1. In the directions for use of the additive and premixtures, the storage conditions shall be indicated. 2. Minimum content of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. If used as a cryoprotectant, polyethylene glycol (PEG 4000) shall be used up to a maximum concentration of 0,025 mg/kg silage. 4. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from its use. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection.	►M2 26.12.2021 ◄

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of fresh material			
1k2102	—	*Pediococcus acidilactici* (DSM 16243)	Additive composition: Preparation of *Pediococcus acidilactici* (DSM 16243) containing a minimum of 5×10^{11} CFU/g additive Characterisation of the active substance: *Pediococcus acidilactici* (DSM 16243) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15786) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—	—	—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021
1k2103	—	*Pediococcus pentosaceus* (DSM 12834)	Additive composition: Preparation of *Pediococcus pentosaceus* (DSM 12834) containing a minimum of 4×10^{11} CFU/g additive Characterisation of the active substance: *Pediococcus pentosaceus* (DSM 12834) Analytical method (1) Enumeration: spread plate method using MSR agar (EN 15786) Identification: Pulsed-Field Gel Electrophoresis (PFGE).	All animal species	—	—	—	1. In the directions for use of the additive and premixture, indicate the storage temperature and storage life. 2. Minimum dose of the additive when used without combination with other micro-organisms as silage additives: 1×10^8 CFU/kg fresh material. 3. For safety: it is recommended to use breathing protection and gloves during handling.	26.12.2021

(1) Details of the analytical methods are available at the following address of the Reference Laboratory: http://irmm.jrc.ec.europa.eu/EURLs/EURL_feed_additives/Pages/index.aspx
►M1 (2) Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports ◄