2025/2263

26.11.2025

KOMISJONI RAKENDUSMÄÄRUS (EL) 2025/2263,

12. november 2025,

millega muudetakse rakendusmäärust (EL) 2015/2378 seoses tüüpvormide ja elektrooniliste vormidega, mida tuleb kasutada kohustuslikus automaatses teabevahetuses avaldatavate krüptovarade kohta, iga-aastase hinnangu edastamisel ja selliste statistiliste andmete loendi jaoks, mille liikmesriigid peavad esitama vastavalt nõukogu direktiivile 2011/16/EL

EUROOPA KOMISJON,

võttes arvesse Euroopa Liidu toimimise lepingut,

võttes arvesse nõukogu 15. veebruari 2011. aasta direktiivi 2011/16/EL maksustamisalase halduskoostöö kohta ja direktiivi 77/799/EMÜ kehtetuks tunnistamise kohta, ([1]) eriti selle artikli 8ad lõikeid 4 ja 9, artikli 20 lõike 5 punkti c ning artikli 23 lõikeid 3 ja 4,

ning arvestades järgmist:

(1) Nõukogu direktiiviga (EL) 2023/2226 ([2]) muudeti direktiivi 2011/16/EL, et näha ette aruandekohustuslike krüptovarateenuse osutajate esitatava teabe kohustuslik automaatne vahetamine.

(2) Vastavalt direktiivi 2011/16/EL artikli 8ad lõikele 4 on vaja kehtestada praktiline korraldus, et hõlbustada kõnealuse artikli lõikes 3 osutatud teabe edastamist. Eelkõige tuleks direktiivi 2011/16/EL artikli 8ad lõike 6 kohase automaatse teabevahetuse korral teave edastada elektroonilise tüüpvormiga.

(3) Direktiivi 2011/16/EL artikli 8ad lõike 9 kohaselt on vaja sätestada praktiline korraldus, mis on vajalik selliste krüptovaraettevõtjate registreerimiseks ja identifitseerimiseks, kes on aruandekohustuslikud krüptovarateenuse osutajad, et liikmesriikidel oleks olemas asjakohane teave krüptovaraettevõtja kohta, kelle suhtes kehtib nende liikmesriigis aruandluskohustus.

(4) Tagamaks, et liikmesriigid esitavad krüptovaraettevõtjate kohta sama teavet, on vaja kehtestada tüüpvorm, mida tuleb kasutada krüptovaraettevõtjaid käsitleva teabe edastamiseks krüptovaraettevõtjate registrile.

(5) Komisjoni rakendusmääruse (EL) 2015/2378 ([3]) artiklit 2c ja X lisa tuleks ajakohastada uue teabega, et kajastada direktiivi 2011/16/EL praegusi muudatusi.

(6) Rakendusmäärust (EL) 2015/2378 tuleks seepärast vastavalt muuta.

(7) Koskõlas Euroopa Parlamendi ja nõukogu määruse (EL) 2018/1725 ([4]) artikli 42 lõikega 1 konsulteeriti Euroopa Andmekaitseinspektoriga.

(8) Sidususe ja õiguskindluse huvides tuleks käesoleva määruse jõustumise kuupäev viia kooskõlla direktiivi (EL) 2023/2226 artikli 2 lõike 1 teises lõigus sätestatud kohaldamiskuupäevaga.

([1]) ELT L 64, 11.3.2011, lk 1, ELI: http://data.europa.eu/eli/dir/2011/16/oj.
([2]) Nõukogu 17. oktoobri 2023. aasta direktiiv (EL) 2023/2226, millega muudetakse direktiivi 2011/16/EL maksustamisalase halduskoostöö kohta (ELT L, 2023/2226, 24.10.2023, ELI: http://data.europa.eu/eli/dir/2023/2226/oj).
([3]) Komisjoni 15. detsembri 2015. aasta rakendusmäärus (EL) 2015/2378, milles sätestatakse nõukogu direktiivi 2011/16/EL (maksustamisalase halduskoostöö kohta) teatavate sätete üksikasjalikud rakenduseeskirjad ning millega tunnistatakse kehtetuks rakendusmäärus (EL) nr 1156/2012 (ELT L 332, 18.12.2015, lk 19, ELI: http://data.europa.eu/eli/reg_impl/2015/2378/oj).
([4]) Euroopa Parlamendi ja nõukogu 23. oktoobri 2018. aasta määrus (EL) 2018/1725, mis käsitleb füüsiliste isikute kaitset isikuandmete töötlemisel liidu institutsioonides, organites ja asutustes ning isikuandmete vaba liikumist, ning millega tunnistatakse kehtetuks määrus (EÜ) nr 45/2001 ja otsus nr 1247/2002/EÜ (ELT L 295, 21.11.2018, lk 39, ELI: http://data.europa.eu/eli/reg/2018/1725/oj).

(9) Käesoleva määrusega ettenähtud meetmed on kooskõlas maksustamisalase halduskoostöö komitee arvamusega,

ON VASTU VÕTNUD KÄESOLEVA MÄÄRUSE:

Artikkel 1

Rakendusmäärust (EL) 2015/2378 muudetakse järgmiselt:

1) artiklisse 2 lisatakse lõige 5:

„5. Direktiivi 2011/16/EL artikli 8ad lõike 6 kohaseks kohustuslikuks automaatseks teabevahetuseks kasutatav elektrooniline vorm peab vastama käesoleva määruse XVIII lisale.“;

2) artikli 2c lõige 2 asendatakse järgmisega:

„2. Liikmesriigid edastavad komisjonile igal aastal enne 1. maid elektrooniliselt oma iga-aastase hinnangu, kasutades lõikes 1 osutatud vormi. Hinnang hõlmab eelmist kalendriaastat.“;

3) lisatakse artikkel 2g:

„*Artikkel 2g*

Krüptovaraettevõtjaid käsitleva teabe edastamise tüüpvormid, sealhulgas keeleline korraldus, ning krüptovaraettevõtjate registrist kustutatud teabe säilitamise aeg

1. Vorm, mida kasutatakse krüptovaraettevõtjaid käsitleva teabe edastamiseks krüptovaraettevõtjate registrile vastavalt direktiivi 2011/16/EL artikli 8ad lõikele 9, peab vastama käesoleva määruse XIX lisas esitatud vormile.

2. Direktiivi 2011/16/EL artikli 8ad lõike 9 kohaselt krüptovaraettevõtjate registrisse kantavad põhielemendid on kõnealuse direktiivi VI lisa V jao F jaotise punktis 2 ning käesoleva määruse XIX lisas loetletud teave. Krüptovaraettevõtjate registri loomine ja isikuandmete töötlemine krüptovaraettevõtjate registris komisjoni poolt liikmesriikide pädevate asutuste nimel vastab määrustele (EL) 2016/679 ja (EL) 2018/1725. Liikmesriikide pädevaid asutusi käsitatakse vastutavate töötlejatena ja komisjoni käsitatakse volitatud töötlejana kooskõlas määrusega (EL) 2016/679.

3. Artikli 8ad lõike 7 kohase individuaalse identifitseerimisnumbri vorming on sätestatud käesoleva määruse XIX lisas.

4. Direktiivi 2011/16/EL VI lisa V jao F jaotise punkti 5 alapunkti d kohaselt keskregistrist kustutatud teabe säilitamise aeg on sätestatud käesoleva määruse XIX lisas.

5. Eeskirjad, mis käsitlevad ühekordse registreerimise järgse liikmesriigi muutmist ja aruandva krüptovarateenuse osutajaga seotud teabe edastamist uuele ühekordse registreerimise järgsele liikmesriigile, on sätestatud käesoleva määruse XIX lisas.“;

4) VIII lisa asendatakse käesoleva määruse I lisa tekstiga;

5) X lisa muudetakse vastavalt käesoleva määruse II lisale;

6) käesoleva määruse III lisas esitatud tekst lisatakse XVIII lisana;

7) käesoleva määruse IV lisas esitatud tekst lisatakse XIX lisana.

Artikkel 2

Käesolev määrus jõustub kahekümnendal päeval pärast selle avaldamist *Euroopa Liidu Teatajas*.

Seda kohaldatakse alates 1. jaanuarist 2026.

Käesolev määrus on tervikuna siduv ja vahetult kohaldatav kõikides liikmesriikides.

Brüssel, 12. november 2025

Komisjoni nimel
president
Ursula VON DER LEYEN

I LISA

„VIII LISA

Artiklis 2c osutatud vorm

Direktiivi 2011/16/EL artikli 23 lõike 3 kohane hinnangu vorm hõlmab järgmist teavet:

a) küsimustikule vastuseid andva liikmesriigi tunnus;

b) üldine teave automaatse teabevahetuse korraldamise ja ressursside kohta, sealhulgas halduskulud ning muud asjakohased arendus- ja rakenduskulud; korduvate operatsioonide halduskulud; muud asjakohased kulud maksukohustuse täitmiseks;

c) kohtuvaidlused ja -menetlused;

d) teabe kättesaadavus liikmesriigis, sealhulgas sellise haldusprotsessi kirjeldus, millega tagatakse andmete, sh identifitseerimiselementide kogumine, ja andmete õigeaegsus;

e) teabevahetuse tõhusus vastuvõtva liikmesriigina, sealhulgas saadud teabe töötlemine, vastavusse viimise määr kokku ja edukalt tuvastatud teadete protsent;

f) saadud teabe kvaliteet, sealhulgas asjaomaste maksumaksjate/isikute identifitseerimine ning lähetava liikmesriigi esitatud kehtivate maksukohustuslasena registreerimise numbrite protsent;

g) saadud teabe kasutamine, sealhulgas kasutuskategooriad, maksuvaldkond, muu tulenenud halduskoostöö;

h) hinnang teabe kasutamise tulemuste kohta, sealhulgas määratud maksude suurenemine ja/või korrigeeritud maksubaasi suurenemine ning maksuuurimistes kasutatud aruannete protsent;

i) selle jälgimine, kas on saadetud kahepoolset tagasisidet vastavalt direktiivi 2011/16/EL artikli 14 lõikele 2;

j) direktiivi toimimisega seotud konkreetsete projektidega seotud järelmeetmete järelevalve, rakendamine ja tulemused ning

k) muu punktidega a–j seotud asjakohane teave või probleemid, millega liikmesriigid on kokku puutunud.“

II LISA

Rakendusmääruse (EL) 2015/2378 X lisas lisatakse loetellu järgmine taane:

„— muu kui hoiustamiskonto kaudu saadud dividendide puhul: statistilised andmed sõnumi ja saaja, sõnumi ja maksja, saaja ja suhte, maksja ja suhte, saaja ja sissetuleku kohta“.

III LISA

„XVIII LISA

Artikli 2 lõikes 5 osutatud elektrooniline vorm

Direktiivi 2011/16/EL artikli 8ad lõike 6 kohaseks kohustuslikuks automaatseks teabevahetuseks kasutatav elektrooniline vorm vastab järgmisele hierarhilisele struktuurile ning sisaldab järgmiseid elemente ja tunnuseid ([1]):

CARF XML

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:carf="urn:oecd:ties:carf:v1" xmlns:xsd="http://www.w3.org/2001/
XMLSchema" xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:iso="urn:oecd:ties:
isocarftypes:v1" targetNamespace="urn:oecd:ties:carf:v1" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="1.3">

<xsd:import namespace="urn:oecd:ties:isocarftypes:v1" schemaLocation="isocarf
types_v1.1.xsd"/>

<xsd:import namespace="urn:oecd:ties:carfstf:v5" schemaLocation="oecdcarf
types_v5.0.xsd"/>

  <!--++++++++++++++++++++++++ Reusable Simple types
  ++++++++++++++++++++++++++++++++++++++ -->

  <!-- Message type definitions -->

  <xsd:simpleType name="MessageType_EnumType">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Message type defines the type of reporting
      </xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">

      <xsd:enumeration value="CARF"/>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--Transfer Type - 401 to 404-->

  <xsd:simpleType name="ExchangeType_EnumType">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">
```

([1]) Elektroonilises vormis peavad olema kuvatud ainult elemendid ja tunnused, mida konkreetse juhtumi puhul kohaldatakse seoses direktiivi 2011/16/EL VI lisa II ja III jaos ette nähtud hoolsusmeetmete ja aruandlusnõuete eeskirjadega.

```
      <xsd:enumeration value="CARF401">
        <xsd:annotation>
          <xsd:documentation>Staking</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF402">
        <xsd:annotation>
          <xsd:documentation>Crypto Loan</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF403">
        <xsd:annotation>
          <xsd:documentation>Wrapping</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF404">
        <xsd:annotation>
          <xsd:documentation>Collateral</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
  <!--Transfer Type - 501 to 507-->
  <xsd:simpleType name="TransferType_EnumType">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="CARF501">
        <xsd:annotation>
          <xsd:documentation>Airdrop</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
```

```
<xsd:enumeration value="CARF502">
  <xsd:annotation>
    <xsd:documentation>Staking income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF503">
  <xsd:annotation>
    <xsd:documentation>Mining income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF504">
  <xsd:annotation>
    <xsd:documentation>Crypto loan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF505">
  <xsd:annotation>
    <xsd:documentation>Transfer from another RCASP</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF506">
  <xsd:annotation>
    <xsd:documentation>Sale of goods or services</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF507">
  <xsd:annotation>
    <xsd:documentation>Collateral</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF508">
  <xsd:annotation>
    <xsd:documentation>Other</xsd:documentation>
  </xsd:annotation>
```

```
    </xsd:enumeration>

    <xsd:enumeration value="CARF509">

      <xsd:annotation>

        <xsd:documentation>Unknown (to be selected as the default value where the
        Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
        </xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Account Number Type - 601 to 604-->

<xsd:simpleType name="TransferOutType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Account Number Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF601">

      <xsd:annotation>

        <xsd:documentation>Transfer to another RCASP</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF602">

      <xsd:annotation>

        <xsd:documentation>Crypto Loan</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF603">

      <xsd:annotation>

        <xsd:documentation>Purchase of goods or services, to be used in respect of
        transactions other than those already reported as Reportable Retail Payment
        Transactions</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF604">
```

```
      <xsd:annotation>
        <xsd:documentation>Collateral</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF605">
      <xsd:annotation>
        <xsd:documentation>Other</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF606">
      <xsd:annotation>
        <xsd:documentation>Unknown (to be selected as the default value where the
        Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
        </xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MessageTypeIndic - 701 to 703 -->
<xsd:simpleType name="CarfMessageTypeIndic_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The MessageTypeIndic defines the type of
    message sent</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF701">
      <xsd:annotation>
        <xsd:documentation>The message contains new information</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF702">
      <xsd:annotation>
```

```
        <xsd:documentation>The message contains corrections/deletions for
        previously sent information. When the MesseageTypeIndic is CARF702, the
        DocTypeIndic can contain either Corrections (OECD2) or Deletions (OECD3) or
        both, but new data (OECD1) cannot be contained. Note that OECD0 can be included
        for RCASP's DocTypeIndic.</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF703">

      <xsd:annotation>

        <xsd:documentation>The message advises there is no data to report</xsd:
        documentation>

      </xsd:annotation>

    </xsd:enumeration>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Controlling Person Type - 801 to 813 -->

<xsd:simpleType name="CarfCtrlgPersonType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Controlling Person Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF801">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - ownership</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF802">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - other means</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF803">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - senior managing official</xsd:
        documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF804">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - settlor</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF805">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - trustee</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF806">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - protector</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF807">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - beneficiary</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF808">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - other</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF809">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - other - settlor-equivalent</
    xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
```

```
      <xsd:enumeration value="CARF810">
        <xsd:annotation>
          <xsd:documentation>CP of legal arrangement - other - trustee-equivalent</
          xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF811">
        <xsd:annotation>
          <xsd:documentation>CP of legal arrangement - other - protector-equivalent</
          xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF812">
        <xsd:annotation>
          <xsd:documentation>CP of legal arrangement - other - beneficiary-
          equivalent</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF813">
        <xsd:annotation>
          <xsd:documentation>CP of legal arrangement - other - other-equivalent</xsd:
          documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
  <!--CARF Nexus Type - 901 to 907 -->
  <xsd:simpleType name="Nexus_EnumType">
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="CARF901">
        <xsd:annotation>
          <xsd:documentation>Tax Residence</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF902">
        <xsd:annotation>
```

```
        <xsd:documentation>Incorporation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF903">
      <xsd:annotation>
        <xsd:documentation>Management</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF904">
      <xsd:annotation>
        <xsd:documentation>Place of Business</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF905">
      <xsd:annotation>
        <xsd:documentation>Branch</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF906">
      <xsd:annotation>
        <xsd:documentation>Authorisation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF907">
      <xsd:annotation>
        <xsd:documentation>Remote Services</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--CARF Alt Valuation Type - 1001 to 1004 -->
<xsd:simpleType name="AltValuation_EnumType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF1001">
```

```
      <xsd:annotation>
        <xsd:documentation>Book value</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1002">
      <xsd:annotation>
        <xsd:documentation>Third-party value</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1003">
      <xsd:annotation>
        <xsd:documentation>Recent RCASP valuation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1004">
      <xsd:annotation>
        <xsd:documentation>Reasonable estimate by RCASP</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<xsd:simpleType name="TwoDigFract_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Data type for any kind of numeric data with two
    decimal fraction digits, especially monetary amounts.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:decimal">
    <xsd:fractionDigits value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
  <xsd:simpleType name="SixDigFract_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Data type for any kind of numeric data with six
      decimal fraction digits, especially monetary amounts.

      </xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:decimal">

      <xsd:fractionDigits value="6"/>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--++++++++++++++++++ Reusable Complex types
  ++++++++++++++++++++++++++++++++++++ -->

  <!-- Message specification: Data identifying and describing the message as a
  whole -->

  <xsd:complexType name="RCASP_Type">

    <xsd:sequence>

<xsd:element name="RCASP_ID">

      <xsd:complexType>

        <xsd:choice>

          <xsd:element name="Individual" type="carf:PersonParty_Type"/>

          <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

        </xsd:choice>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="Nexus" type="carf:Nexus_EnumType" minOccurs="0"/>

<xsd:element name="OtherNexus" minOccurs="0">

      <xsd:complexType>

        <xsd:attribute name="Nexus" type="carf:Nexus_EnumType" use="required"/>

        <xsd:attribute name="ResCountryCode" type="iso:CountryCode_Type"
        use="required"/>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
```

```
    </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <xsd:complexType name="CryptoUsers_Type">
    <xsd:sequence>
<xsd:element name="UserID">
      <xsd:complexType>
        <xsd:choice>
          <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>
          <xsd:element name="Individual" type="carf:PersonParty_Type"/>
        </xsd:choice>
      </xsd:complexType>
    </xsd:element>
<xsd:element name="ControllingPerson" type="carf:ControllingPerson_Type"
minOccurs="0" maxOccurs="unbounded"/>
<xsd:element name="RelevantTransactions" type="carf:RelevantTransactions_Type"
maxOccurs="unbounded"/>
<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
   </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <xsd:complexType name="RelevantTransactions_Type">
    <xsd:sequence>
<xsd:element name="CryptoAsset" type="stf:StringMin1Max200_Type"/>
    <xsd:choice>
      <xsd:element name="CryptoToCryptoIn" minOccurs="0" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
            minOccurs="0"/>
            <xsd:element name="NumberofTransactions" type="xsd:integer"/>
            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
            <xsd:element name="NumberofUnits" type="xsd:decimal"/>
```

```
    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoToCryptoOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatIn" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
```

```
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="CryptoTransferIn" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TransferType" type="carf:TransferType_EnumType"/>
      <xsd:element name="NumberofTransactions" type="xsd:integer"/>
      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
      minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="CryptoTransferOut" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TransferType" type="carf:TransferOutTy
      pe_EnumType"/>
      <xsd:element name="NumberofTransactions" type="xsd:integer"/>
      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
      minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="TransferWallet" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
```

```
            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

            <xsd:element name="NumberofUnits" type="xsd:decimal"/>

            <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
            minOccurs="0"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

      <xsd:element name="RRPT" minOccurs="0" maxOccurs="unbounded">

        <xsd:annotation>

          <xsd:documentation>Reportable Retail Payment Transactions (Relevant Crypto
          Assets)</xsd:documentation>

        </xsd:annotation>

        <xsd:complexType>

          <xsd:sequence>

            <xsd:element name="NumberofTransactions" type="xsd:integer"/>

            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

            <xsd:element name="NumberofUnits" type="xsd:decimal"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

    </xsd:choice>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="ControllingPerson_Type">

  <xsd:sequence>

<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="CtrlgPersonType" type="carf:CarfCtrlgPersonType_EnumType"
maxOccurs="unbounded"/>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="Identity_Type">

  <xsd:choice>
```

```
<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

   </xsd:choice>

  </xsd:complexType>

  <!--Message specification: Data identifying and describing the message as a whole-->

  <xsd:complexType name="MessageSpec_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Information in the message header identifies
      the Tax Administration that is sending the message. It specifies when the message
      was created, what period (normally a year) the report is for, and the nature of the
      report (original, corrected, supplemental, etc).</xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="SendingEntityIN" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="TransmittingCountry" type="iso:CountryCode_Type"/>

<xsd:element name="ReceivingCountry" type="iso:CountryCode_Type"/>

     <!-- modified for CARF -->

<xsd:element name="MessageType" type="carf:MessageType_EnumType"/>

<xsd:element name="Warning" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="Contact" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="MessageRefId" type="stf:StringMin1Max170_Type"/>

<xsd:element name="MessageTypeIndic" type="carf:CarfMessageTypeIndic_EnumType"/>

<xsd:element name="ReportingPeriod" type="xsd:date"/>

<xsd:element name="Timestamp" type="xsd:dateTime"/>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- The Name of a Party, given in fixed Form-->

  <xsd:complexType name="NamePerson_Type">
```

```
    <xsd:annotation>

      <xsd:documentation xml:lang="en">The user must spread the data about the name of a
      party over up to six elements. The container element for this will be 'NameFix'.
      </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="PrecedingTitle" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="Title" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="FirstName">

      <xsd:complexType>

        <xsd:simpleContent>

          <xsd:extension base="stf:StringMin1Max200_Type">

            <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

              <xsd:annotation>

                <xsd:documentation xml:lang="en">Defines the name type of FirstName.
                Example: Given Name, Forename, Christian Name, Father's Name, etc. In
                some countries, FirstName could be a Family Name or a SurName. Use this
                attribute to define the type for this name.

                </xsd:documentation>

              </xsd:annotation>

            </xsd:attribute>

          </xsd:extension>

        </xsd:simpleContent>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="MiddleName" minOccurs="0" maxOccurs="unbounded">

      <xsd:complexType>

        <xsd:simpleContent>

          <xsd:extension base="stf:StringMin1Max200_Type">

            <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

              <xsd:annotation>

                <xsd:documentation xml:lang="en">Defines the name type of Middle Name.
                Example: First name, middle name, maiden name, father's name, given
                name, etc.

                </xsd:documentation>
```

```
            </xsd:annotation>
          </xsd:attribute>
        </xsd:extension>
      </xsd:simpleContent>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="NamePrefix" minOccurs="0">
    <xsd:complexType>
      <xsd:simpleContent>
        <xsd:extension base="stf:StringMin1Max200_Type">
          <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">
            <xsd:annotation>
              <xsd:documentation xml:lang="en">Defines the type of name associated
              with the NamePrefix. For example the type of name is LastName and this
              prefix is the prefix for this last name.
            </xsd:documentation>
            </xsd:annotation>
          </xsd:attribute>
        </xsd:extension>
      </xsd:simpleContent>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="LastName">
    <xsd:complexType>
      <xsd:simpleContent>
        <xsd:extension base="stf:StringMin1Max200_Type">
          <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">
            <xsd:annotation>
              <xsd:documentation xml:lang="en">Defines the name type of LastName.
              Example: Father's name, Family name, Sur Name, Mother's Name, etc. In
              some countries, LastName could be the given name or first name.
              </xsd:documentation>
            </xsd:annotation>
          </xsd:attribute>
        </xsd:extension>
```

```
        </xsd:simpleContent>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="GenerationIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0" maxOccurs="unbounded"/>

<xsd:element name="Suffix" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="GeneralSuffix" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

   </xsd:sequence>

   <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
   use="optional"/>

  </xsd:complexType>

  <!-- -->

  <!-- Collection of all Data describing a person as a Party -->

  <xsd:complexType name="PersonParty_Type">

    <xsd:sequence>

<xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>

<xsd:element name="TIN" type="carf:TIN_Type" maxOccurs="unbounded"/>

<xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">

      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>

      </xsd:annotation>

    </xsd:element>

<xsd:element name="Name" type="carf:NamePerson_Type" maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

<xsd:element name="Nationality" type="iso:CountryCode_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="BirthInfo">

      <xsd:annotation>

        <xsd:documentation>.</xsd:documentation>

      </xsd:annotation>

      <xsd:complexType>

        <xsd:sequence>
```

```
            <xsd:element name="BirthDate" type="xsd:date"/>

            <xsd:element name="BirthPlace" type="carf:BirthPlace_Type"
            minOccurs="0"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!--General Type for Monetary Amounts -->

  <xsd:complexType name="MonAmnt_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">This data type is to be used whenever monetary
      amounts are to be communicated. Such amounts shall be given in with full amounts and
      two decimals. The code for the currency in which the value is expressed has to be
      taken from the ISO codelist 4217 and added in attribute currCode.
```

</xsd:documentation>

```
    </xsd:annotation>

    <xsd:simpleContent>

      <xsd:extension base="xsd:decimal">

        <xsd:attribute name="currCode" type="iso:currCode_Type" use="required"/>

      </xsd:extension>

    </xsd:simpleContent>

  </xsd:complexType>

  <!-- -->

  <!-- Organisation Identification Number -->

  <xsd:complexType name="OrganisationIN_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">This is the identification number/
      identification code for the Entity in question. As the identifier may be not
      strictly numeric, it is just defined as a string of characters. Attribute
      'issuedBy' is required to designate the issuer of the identifier. Attribute
      'INType' defines the type of identification number. </xsd:documentation>

    </xsd:annotation>

    <xsd:simpleContent>

      <xsd:extension base="stf:StringMin1Max200_Type">
```

```
      <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Country code of issuing country,
          indicating country of Residence (to taxes and other)</xsd:documentation>
        </xsd:annotation>
      </xsd:attribute>
      <xsd:attribute name="INType" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Identification Number Type</xsd:
          documentation>
        </xsd:annotation>
        <xsd:simpleType>
          <xsd:restriction base="stf:StringMin1Max200_Type">
            <xsd:enumeration value="LEI"/>
            <xsd:enumeration value="EIN"/>
            <xsd:enumeration value="BRN"/>
            <xsd:enumeration value="Other"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<!-- -->
<!-- Individual Identification Number -->
<xsd:complexType name="IndividualIN_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This is the identification number/
    identification code for the Entity in question. As the identifier may be not
    strictly numeric, it is just defined as a string of characters. Attribute
    'issuedBy' is required to designate the issuer of the identifier. Attribute
    'INType' defines the type of identification number. </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="stf:StringMin1Max200_Type">
```

```
      <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Country code of issuing country,
          indicating country of Residence (to taxes and other)</xsd:documentation>
        </xsd:annotation>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<!-- -->
<!-- Collection of all Data describing an organisation as party-->
<xsd:complexType name="OrganisationParty_Type">
  <xsd:sequence>
<xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>
<xsd:element name="TIN" maxOccurs="unbounded">
      <xsd:complexType>
        <xsd:simpleContent>
          <xsd:restriction base="carf:TIN_Type">
            <xsd:minLength value="1"/>
            <xsd:attribute name="issuedBy" type="iso:CountryCode_Type"
            use="optional"/>
            <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>
          </xsd:restriction>
        </xsd:simpleContent>
      </xsd:complexType>
    </xsd:element>
<xsd:element name="IN" type="carf:OrganisationIN_Type" minOccurs="0"
maxOccurs="unbounded">
      <xsd:annotation>
        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>
      </xsd:annotation>
    </xsd:element>
<xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">
```

```
      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>

      </xsd:annotation>

    </xsd:element>

<xsd:element name="Name" type="carf:NameOrganisation_Type"
maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

   </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- Address Fix -->

  <xsd:complexType name="AddressFix_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">

    </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="Street" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="BuildingIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="SuiteIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="FloorIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="DistrictName" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="POB" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="PostCode" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="City" type="stf:StringMin1Max200_Type"/>

<xsd:element name="CountrySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

   </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- The Address of a Party, given in fixed or free Form, possibly in both Forms -->
```

```
  <xsd:complexType name="Address_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">
    </xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
<xsd:element name="CountryCode" type="iso:CountryCode_Type"/>
      <xsd:sequence>
        <xsd:element name="AddressFix" type="carf:AddressFix_Type"/>
        <xsd:element name="AdditionalAddressInfo" type="stf:StringMin1Max4000_Type"
        minOccurs="0"/>
      </xsd:sequence>
    </xsd:sequence>
    <xsd:attribute name="legalAddressType" type="stf:OECDLegalAddressTy
    pe_EnumType" use="optional"/>
  </xsd:complexType>
  <!-- -->
  <!-- Organisation name -->
  <xsd:complexType name="NameOrganisation_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Name of organisation</xsd:documentation>
    </xsd:annotation>
    <xsd:simpleContent>
      <xsd:extension base="stf:StringMin1Max200_Type">
        <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
        use="optional"/>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!-- TIN -->
  <xsd:complexType name="TIN_Type">
    <xsd:simpleContent>
      <xsd:extension base="stf:StringMin0Max200_Type">
        <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional"/>
```

```
      <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>
     </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!--The place of birth -->
  <xsd:complexType name="BirthPlace_Type">
    <xsd:annotation>
      <xsd:documentation>This element provides information about the place of birth.
      This element must be filled in at least with the city and the country of birth
      (either the current jurisdiction identified by 2-characters country code or a
      former jurisdiction identified by a name).</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
<xsd:element name="City" type="stf:StringMin1Max200_Type"/>
<xsd:element name="CitySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>
<xsd:element name="CountryInfo">
      <xsd:complexType>
        <xsd:choice>
          <xsd:element name="CountryCode" type="iso:CountryCode_Type"/>
          <xsd:element name="FormerCountryName" type="stf:StringMin1Max200_Type"/>
        </xsd:choice>
      </xsd:complexType>
     </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <!-- CARF Body Type - CARF Report -->
  <xsd:complexType name="CARFBody_Type">
    <xsd:sequence>
<xsd:element name="RCASP" type="carf:RCASP_Type"/>
<xsd:element name="CryptoUsers" type="carf:CryptoUsers_Type" minOccurs="0"
maxOccurs="unbounded"/>
    </xsd:sequence>
```

```
  </xsd:complexType>

  <!--++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++ Schema element
  ++++++++++++++++++++++++++++++++++++++++++ -->

  <!-- CarfOECD File Message structure -->

  <!-- -->

  <!-- CARF Message structure -->

<xsd:element name="CARF_OECD">

   <xsd:complexType>

    <xsd:sequence>

     <xsd:element name="MessageSpec" type="carf:MessageSpec_Type"/>

     <xsd:element name="CARFBody" type="carf:CARFBody_Type" minOccurs="0"
     maxOccurs="unbounded"/>

    </xsd:sequence>

    <xsd:attribute name="version" type="stf:StringMin1Max10_Type">

     <xsd:annotation>

      <xsd:documentation xml:lang="en">CARF Version</xsd:documentation>

     </xsd:annotation>

    </xsd:attribute>

   </xsd:complexType>

  </xsd:element>

</xsd:schema>
```

ISO CARF TYPES

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:iso="urn:oecd:ties:isocarftypes:v1" xmlns:xsd="http://www.w3.
org/2001/XMLSchema" targetNamespace="urn:oecd:ties:isocarftypes:v1" elementForm
Default="qualified" attributeFormDefault="unqualified" version="1.1">

  <xsd:simpleType name="CountryCode_Type">

   <xsd:annotation>

    <xsd:documentation xml:lang="en">ISO-3166 Alpha 2 country codes</xsd:
    documentation>

   </xsd:annotation>

   <xsd:restriction base="xsd:string">

    <xsd:enumeration value="AF">

     <xsd:annotation>
```

```
    <xsd:documentation>AFGHANISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AX">
  <xsd:annotation>
    <xsd:documentation>ALAND ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AL">
  <xsd:annotation>
    <xsd:documentation>ALBANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>AMERICAN SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AD">
  <xsd:annotation>
    <xsd:documentation>ANDORRA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AO">
  <xsd:annotation>
    <xsd:documentation>ANGOLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AI">
  <xsd:annotation>
```

```
    <xsd:documentation>ANGUILLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AQ">
  <xsd:annotation>
    <xsd:documentation>ANTARCTICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AG">
  <xsd:annotation>
    <xsd:documentation>ANTIGUA AND BARBUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>ARGENTINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>ARMENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AW">
  <xsd:annotation>
    <xsd:documentation>ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AU">
  <xsd:annotation>
    <xsd:documentation>AUSTRALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AT">
```

```
  <xsd:annotation>
    <xsd:documentation>AUSTRIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BD">
  <xsd:annotation>
    <xsd:documentation>BANGLADESH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BB">
  <xsd:annotation>
    <xsd:documentation>BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BY">
  <xsd:annotation>
    <xsd:documentation>BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
```

```
      <xsd:annotation>
        <xsd:documentation>BELGIUM</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="BZ">
      <xsd:annotation>
        <xsd:documentation>BELIZE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="BJ">
      <xsd:annotation>
        <xsd:documentation>BENIN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="BM">
      <xsd:annotation>
        <xsd:documentation>BERMUDA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="BT">
      <xsd:annotation>
        <xsd:documentation>BHUTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="BO">
      <xsd:annotation>
        <xsd:documentation>BOLIVIA, PLURINATIONAL STATE OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="BQ">
      <xsd:annotation>
        <xsd:documentation>BONAIRE, SINT EUSTATIUS AND SABA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>BOSNIA AND HERZEGOVINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BW">
  <xsd:annotation>
    <xsd:documentation>BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BV">
  <xsd:annotation>
    <xsd:documentation>BOUVET ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>BRITISH INDIAN OCEAN TERRITORY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>BULGARIA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BF">
  <xsd:annotation>
    <xsd:documentation>BURKINA FASO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KH">
  <xsd:annotation>
    <xsd:documentation>CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CM">
  <xsd:annotation>
    <xsd:documentation>CAMEROON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>CANADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>CAYMAN ISLANDS</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CF">
  <xsd:annotation>
    <xsd:documentation>CENTRAL AFRICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TD">
  <xsd:annotation>
    <xsd:documentation>CHAD</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CL">
  <xsd:annotation>
    <xsd:documentation>CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CN">
  <xsd:annotation>
    <xsd:documentation>CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CX">
  <xsd:annotation>
    <xsd:documentation>CHRISTMAS ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CC">
  <xsd:annotation>
    <xsd:documentation>COCOS (KEELING) ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
```

```
    <xsd:documentation>COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CG">
  <xsd:annotation>
    <xsd:documentation>CONGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CD">
  <xsd:annotation>
    <xsd:documentation>CONGO, THE DEMOCRATIC REPUBLIC OF THE</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CK">
  <xsd:annotation>
    <xsd:documentation>COOK ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CI">
  <xsd:annotation>
    <xsd:documentation>COTE D'IVOIRE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
```

```
  <xsd:annotation>
    <xsd:documentation>CROATIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
    <xsd:documentation>CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CW">
  <xsd:annotation>
    <xsd:documentation>CURACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>CYPRUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZ">
  <xsd:annotation>
    <xsd:documentation>CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DK">
  <xsd:annotation>
    <xsd:documentation>DENMARK</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJ">
  <xsd:annotation>
    <xsd:documentation>DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DM">
```

```
      <xsd:annotation>
        <xsd:documentation>DOMINICA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="DO">
      <xsd:annotation>
        <xsd:documentation>DOMINICAN REPUBLIC</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="EC">
      <xsd:annotation>
        <xsd:documentation>ECUADOR</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="EG">
      <xsd:annotation>
        <xsd:documentation>EGYPT</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="SV">
      <xsd:annotation>
        <xsd:documentation>EL SALVADOR</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="GQ">
      <xsd:annotation>
        <xsd:documentation>EQUATORIAL GUINEA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ER">
      <xsd:annotation>
        <xsd:documentation>ERITREA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>ESTONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FK">
  <xsd:annotation>
    <xsd:documentation>FALKLAND ISLANDS (MALVINAS)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>FAROE ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>FINLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>FRANCE</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GF">
  <xsd:annotation>
    <xsd:documentation>FRENCH GUIANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PF">
  <xsd:annotation>
    <xsd:documentation>FRENCH POLYNESIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TF">
  <xsd:annotation>
    <xsd:documentation>FRENCH SOUTHERN TERRITORIES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>GABON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GM">
  <xsd:annotation>
    <xsd:documentation>GAMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GE">
  <xsd:annotation>
    <xsd:documentation>GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>GERMANY</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GH">
  <xsd:annotation>
    <xsd:documentation>GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GI">
  <xsd:annotation>
    <xsd:documentation>GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GR">
  <xsd:annotation>
    <xsd:documentation>GREECE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>GREENLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>GRENADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GP">
  <xsd:annotation>
    <xsd:documentation>GUADELOUPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>GUAM</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GT">
  <xsd:annotation>
    <xsd:documentation>GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GG">
  <xsd:annotation>
    <xsd:documentation>GUERNSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GW">
  <xsd:annotation>
    <xsd:documentation>GUINEA-BISSAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GY">
  <xsd:annotation>
    <xsd:documentation>GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>HAITI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HM">
  <xsd:annotation>
```

```
    <xsd:documentation>HEARD ISLAND AND MCDONALD ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VA">
  <xsd:annotation>
    <xsd:documentation>HOLY SEE (VATICAN CITY STATE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HN">
  <xsd:annotation>
    <xsd:documentation>HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HK">
  <xsd:annotation>
    <xsd:documentation>HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>HUNGARY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IN">
  <xsd:annotation>
    <xsd:documentation>INDIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
```

```
      <xsd:annotation>
        <xsd:documentation>INDONESIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IR">
      <xsd:annotation>
        <xsd:documentation>IRAN, ISLAMIC REPUBLIC OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IQ">
      <xsd:annotation>
        <xsd:documentation>IRAQ</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IE">
      <xsd:annotation>
        <xsd:documentation>IRELAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IM">
      <xsd:annotation>
        <xsd:documentation>ISLE OF MAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IL">
      <xsd:annotation>
        <xsd:documentation>ISRAEL</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IT">
      <xsd:annotation>
        <xsd:documentation>ITALY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="JM">
  <xsd:annotation>
    <xsd:documentation>JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JP">
  <xsd:annotation>
    <xsd:documentation>JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JE">
  <xsd:annotation>
    <xsd:documentation>JERSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JO">
  <xsd:annotation>
    <xsd:documentation>JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZ">
  <xsd:annotation>
    <xsd:documentation>KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KE">
  <xsd:annotation>
    <xsd:documentation>KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
  <xsd:annotation>
    <xsd:documentation>KIRIBATI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="KP">
  <xsd:annotation>
    <xsd:documentation>KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>LATVIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>LEBANON</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LS">
  <xsd:annotation>
    <xsd:documentation>LESOTHO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LR">
  <xsd:annotation>
    <xsd:documentation>LIBERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LY">
  <xsd:annotation>
    <xsd:documentation>LIBYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>LIECHTENSTEIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>LITHUANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>LUXEMBOURG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MO">
  <xsd:annotation>
    <xsd:documentation>MACAO</xsd:documentation>
```

```
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MK">
      <xsd:annotation>
        <xsd:documentation>NORTH MACEDONIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MG">
      <xsd:annotation>
        <xsd:documentation>MADAGASCAR</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MW">
      <xsd:annotation>
        <xsd:documentation>MALAWI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MY">
      <xsd:annotation>
        <xsd:documentation>MALAYSIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MV">
      <xsd:annotation>
        <xsd:documentation>MALDIVES</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ML">
      <xsd:annotation>
        <xsd:documentation>MALI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MT">
      <xsd:annotation>
        <xsd:documentation>MALTA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>MARSHALL ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MQ">
  <xsd:annotation>
    <xsd:documentation>MARTINIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MU">
  <xsd:annotation>
    <xsd:documentation>MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YT">
  <xsd:annotation>
    <xsd:documentation>MAYOTTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MX">
  <xsd:annotation>
    <xsd:documentation>MEXICO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FM">
  <xsd:annotation>
```

```
    <xsd:documentation>MICRONESIA, FEDERATED STATES OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MD">
  <xsd:annotation>
    <xsd:documentation>MOLDOVA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MC">
  <xsd:annotation>
    <xsd:documentation>MONACO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ME">
  <xsd:annotation>
    <xsd:documentation>MONTENEGRO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>MONTSERRAT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MA">
  <xsd:annotation>
    <xsd:documentation>MOROCCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MZ">
```

```
  <xsd:annotation>
    <xsd:documentation>MOZAMBIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MM">
  <xsd:annotation>
    <xsd:documentation>MYANMAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>NAMIBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>NAURU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NP">
  <xsd:annotation>
    <xsd:documentation>NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>NETHERLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NC">
  <xsd:annotation>
    <xsd:documentation>NEW CALEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZ">
```

```
      <xsd:annotation>
        <xsd:documentation>NEW ZEALAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NI">
      <xsd:annotation>
        <xsd:documentation>NICARAGUA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NE">
      <xsd:annotation>
        <xsd:documentation>NIGER</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NG">
      <xsd:annotation>
        <xsd:documentation>NIGERIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NU">
      <xsd:annotation>
        <xsd:documentation>NIUE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NF">
      <xsd:annotation>
        <xsd:documentation>NORFOLK ISLAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MP">
      <xsd:annotation>
        <xsd:documentation>NORTHERN MARIANA ISLANDS</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="NO">
  <xsd:annotation>
    <xsd:documentation>NORWAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PK">
  <xsd:annotation>
    <xsd:documentation>PAKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PW">
  <xsd:annotation>
    <xsd:documentation>PALAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>PALESTINE, STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PG">
  <xsd:annotation>
    <xsd:documentation>PAPUA NEW GUINEA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PY">
  <xsd:annotation>
    <xsd:documentation>PARAGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PE">
  <xsd:annotation>
    <xsd:documentation>PERU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PH">
  <xsd:annotation>
    <xsd:documentation>PHILIPPINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PN">
  <xsd:annotation>
    <xsd:documentation>PITCAIRN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>POLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>PORTUGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PR">
  <xsd:annotation>
    <xsd:documentation>PUERTO RICO</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="QA">
  <xsd:annotation>
    <xsd:documentation>QATAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RE">
  <xsd:annotation>
    <xsd:documentation>REUNION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RW">
  <xsd:annotation>
    <xsd:documentation>RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BL">
  <xsd:annotation>
    <xsd:documentation>SAINT BARTHELEMY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SH">
  <xsd:annotation>
    <xsd:documentation>SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA</xsd:
    documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>SAINT KITTS AND NEVIS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LC">
  <xsd:annotation>
    <xsd:documentation>SAINT LUCIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MF">
  <xsd:annotation>
    <xsd:documentation>SAINT MARTIN (FRENCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PM">
  <xsd:annotation>
    <xsd:documentation>SAINT PIERRE AND MIQUELON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VC">
  <xsd:annotation>
    <xsd:documentation>SAINT VINCENT AND THE GRENADINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WS">
  <xsd:annotation>
    <xsd:documentation>SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
```

```
  <xsd:annotation>
    <xsd:documentation>SAN MARINO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>SENEGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RS">
  <xsd:annotation>
    <xsd:documentation>SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SX">
  <xsd:annotation>
    <xsd:documentation>SINT MAARTEN (DUTCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>SLOVAKIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>SLOVENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SB">
  <xsd:annotation>
    <xsd:documentation>SOLOMON ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZA">
  <xsd:annotation>
    <xsd:documentation>SOUTH AFRICA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GS">
  <xsd:annotation>
    <xsd:documentation>SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>SOUTH SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ES">
  <xsd:annotation>
    <xsd:documentation>SPAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LK">
  <xsd:annotation>
    <xsd:documentation>SRI LANKA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>SURINAME</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SJ">
  <xsd:annotation>
    <xsd:documentation>SVALBARD AND JAN MAYEN</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZ">
  <xsd:annotation>
    <xsd:documentation>ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>SWITZERLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SY">
  <xsd:annotation>
    <xsd:documentation>SYRIAN ARAB REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TW">
  <xsd:annotation>
    <xsd:documentation>TAIWAN, PROVINCE OF CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJ">
  <xsd:annotation>
    <xsd:documentation>TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZ">
  <xsd:annotation>
```

```
    <xsd:documentation>TANZANIA, UNITED REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
    <xsd:documentation>TIMOR-LESTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>TOGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
  <xsd:annotation>
    <xsd:documentation>TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>TRINIDAD AND TOBAGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
```

```
      <xsd:annotation>
        <xsd:documentation>TUNISIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TR">
      <xsd:annotation>
        <xsd:documentation>TURKEY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TM">
      <xsd:annotation>
        <xsd:documentation>TURKMENISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TC">
      <xsd:annotation>
        <xsd:documentation>TURKS AND CAICOS ISLANDS</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TV">
      <xsd:annotation>
        <xsd:documentation>TUVALU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UG">
      <xsd:annotation>
        <xsd:documentation>UGANDA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UA">
      <xsd:annotation>
        <xsd:documentation>UKRAINE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>UNITED ARAB EMIRATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GB">
  <xsd:annotation>
    <xsd:documentation>UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="US">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UM">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES MINOR OUTLYING ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UY">
  <xsd:annotation>
    <xsd:documentation>URUGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UZ">
  <xsd:annotation>
    <xsd:documentation>UZBEKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VU">
  <xsd:annotation>
    <xsd:documentation>VANUATU</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VE">
  <xsd:annotation>
    <xsd:documentation>VENEZUELA, BOLIVARIAN REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VN">
  <xsd:annotation>
    <xsd:documentation>VIET NAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VG">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS, BRITISH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS, U.S.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WF">
  <xsd:annotation>
    <xsd:documentation>WALLIS AND FUTUNA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EH">
  <xsd:annotation>
    <xsd:documentation>WESTERN SAHARA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YE">
```

```
      <xsd:annotation>
        <xsd:documentation>YEMEN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZM">
      <xsd:annotation>
        <xsd:documentation>ZAMBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZW">
      <xsd:annotation>
        <xsd:documentation>ZIMBABWE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="XK">
      <xsd:annotation>
        <xsd:documentation>KOSOVO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- ISO 4217 alpha 3 Currency Code
```

The following disclaimer refers to all uses of the ISO currency code list in the CARF schema: For practical reasons, the list is based on the ISO 4217 Alpha 3 currency list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
-->
  <xsd:simpleType name="currCode_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">
      The appropriate currency code from the ISO 4217 three-byte alpha version for the
      currency in which a monetary amount is expressed.
      </xsd:documentation>
    </xsd:annotation>
```

```
<xsd:restriction base="xsd:string">
  <xsd:enumeration value="AED">
    <xsd:annotation>
      <xsd:documentation>UAE Dirham: UNITED ARAB EMIRATES</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="AFN">
    <xsd:annotation>
      <xsd:documentation>Afghani: AFGHANISTAN</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="ALL">
    <xsd:annotation>
      <xsd:documentation>Lek: ALBANIA</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="AMD">
    <xsd:annotation>
      <xsd:documentation>Armenian Dram: ARMENIA </xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="ANG">
    <xsd:annotation>
      <xsd:documentation>Netherlands Antillean Guilder: CURACAO; SINT MAARTEN
      (DUTCH PART)</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="AOA">
    <xsd:annotation>
      <xsd:documentation>Kwanza: ANGOLA</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="ARS">
    <xsd:annotation>
```

```
    <xsd:documentation>Argentine Peso: ARGENTINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AUD">
  <xsd:annotation>
    <xsd:documentation>Australian Dollar: AUSTRALIA; CHRISTMAS ISLAND; COCOS
    (KEELING) ISLANDS; HEARD ISLAND AND McDONALD ISLANDS; KIRIBATI; NAURU; NORFOLK
    ISLAND; TUVALU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AWG">
  <xsd:annotation>
    <xsd:documentation>Aruban Florin: ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZN">
  <xsd:annotation>
    <xsd:documentation>Azerbaijan Manat: AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BAM">
  <xsd:annotation>
    <xsd:documentation>Convertible Mark: BOSNIA AND HERZEGOVINA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BBD">
  <xsd:annotation>
    <xsd:documentation>Barbados Dollar: BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BDT">
  <xsd:annotation>
    <xsd:documentation>Taka: BANGLADESH</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BGN">
  <xsd:annotation>
    <xsd:documentation>Bulgarian Lev: BULGARIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BHD">
  <xsd:annotation>
    <xsd:documentation>Bahraini Dinar: BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BIF">
  <xsd:annotation>
    <xsd:documentation>Burundi Franc: BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BMD">
  <xsd:annotation>
    <xsd:documentation>Bermudian Dollar: BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BND">
  <xsd:annotation>
    <xsd:documentation>Brunei Dollar: BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BOB">
  <xsd:annotation>
    <xsd:documentation>Boliviano: BOLIVIA, PLURINATIONAL STATE OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BOV">
  <xsd:annotation>
    <xsd:documentation>Mvdol: BOLIVIA, PLURINATIONAL STATE OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BRL">
  <xsd:annotation>
    <xsd:documentation>Brazilian Real: BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BSD">
  <xsd:annotation>
    <xsd:documentation>Bahamian Dollar: BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BTN">
  <xsd:annotation>
    <xsd:documentation>Ngultrum: BHUTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BWP">
  <xsd:annotation>
    <xsd:documentation>Pula: BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BYN">
  <xsd:annotation>
    <xsd:documentation>Belarusian Ruble: BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BYR">
  <xsd:annotation>
```

```
    <xsd:documentation>Historic use: Belarussian Ruble: BELARUS</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="BZD">

  <xsd:annotation>

    <xsd:documentation>Belize Dollar: BELIZE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CAD">

  <xsd:annotation>

    <xsd:documentation>Canadian Dollar: CANADA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CDF">

  <xsd:annotation>

    <xsd:documentation>Congolese Franc: CONGO, THE DEMOCRATIC REPUBLIC OF</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHE">

  <xsd:annotation>

    <xsd:documentation>WIR Euro: SWITZERLAND</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHF">

  <xsd:annotation>

    <xsd:documentation>Swiss Franc: LIECHTENSTEIN; SWITZERLAND</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHW">

  <xsd:annotation>

    <xsd:documentation>WIR Franc: SWITZERLAND</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CLF">
  <xsd:annotation>
    <xsd:documentation>Unidad de Fomento: CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CLP">
  <xsd:annotation>
    <xsd:documentation>Chilean Peso: CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CNY">
  <xsd:annotation>
    <xsd:documentation>Yuan Renminbi: CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="COP">
  <xsd:annotation>
    <xsd:documentation>Colombian Peso: COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="COU">
  <xsd:annotation>
    <xsd:documentation>Unidad de Valor Real: COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CRC">
  <xsd:annotation>
    <xsd:documentation>Costa Rican Colon: COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="CUC">
  <xsd:annotation>
    <xsd:documentation>Peso Convertible: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CUP">
  <xsd:annotation>
    <xsd:documentation>Cuban Peso: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CVE">
  <xsd:annotation>
    <xsd:documentation>Cabo Verde Escudo: CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZK">
  <xsd:annotation>
    <xsd:documentation>Czech Koruna: CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJF">
  <xsd:annotation>
    <xsd:documentation>Djibouti Franc: DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DKK">
  <xsd:annotation>
    <xsd:documentation>Danish Krone: DENMARK; FAROE ISLANDS; GREENLAND</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DOP">
  <xsd:annotation>
```

```
    <xsd:documentation>Dominican Peso: DOMINICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZD">
  <xsd:annotation>
    <xsd:documentation>Algerian Dinar: ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EGP">
  <xsd:annotation>
    <xsd:documentation>Egyptian Pound: EGYPT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ERN">
  <xsd:annotation>
    <xsd:documentation>Nakfa: ERITREA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ETB">
  <xsd:annotation>
    <xsd:documentation>Ethiopian Birr: ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EUR">
  <xsd:annotation>
    <xsd:documentation>Euro: ALAND ISLANDS; ANDORRA; AUSTRIA; BELGIUM; CYPRUS;
    ESTONIA; EUROPEAN UNION; FINLAND; FRANCE; FRENCH GUIANA; FRENCH SOUTHERN
    TERRITORIES; GERMANY; GREECE; GUADELOUPE; HOLY SEE (VATICAN CITY STATE);
    IRELAND; ITALY; LATVIA; LITHUANIA; LUXEMBOURG; MALTA; MARTINIQUE; MAYOTTE;
    MONACO; MONTENEGRO; NETHERLANDS; PORTUGAL; REUNION; SAINT BARTHELEMY; SAINT
    MARTIN (FRENCH PART); SAINT PIERRE AND MIQUELON; SAN MARINO; SLOVAKIA;
    SLOVENIA; SPAIN; Vatican City State (HOLY SEE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJD">
```

```
  <xsd:annotation>
    <xsd:documentation>Fiji Dollar: FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FKP">
  <xsd:annotation>
    <xsd:documentation>Falkland Islands Pound: FALKLAND ISLANDS (MALVINAS)
    </xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GBP">
  <xsd:annotation>
    <xsd:documentation>Pound Sterling: GUERNSEY; ISLE OF MAN; JERSEY; UNITED
    KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GEL">
  <xsd:annotation>
    <xsd:documentation>Lari: GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GHS">
  <xsd:annotation>
    <xsd:documentation>Ghana Cedi: GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GIP">
  <xsd:annotation>
    <xsd:documentation>Gibraltar Pound: GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GMD">
  <xsd:annotation>
    <xsd:documentation>Dalasi: GAMBIA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GNF">
  <xsd:annotation>
    <xsd:documentation>Guinean Franc: GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GTQ">
  <xsd:annotation>
    <xsd:documentation>Quetzal: GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GYD">
  <xsd:annotation>
    <xsd:documentation>Guyana Dollar: GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HKD">
  <xsd:annotation>
    <xsd:documentation>Hong Kong Dollar: HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HNL">
  <xsd:annotation>
    <xsd:documentation>Lempira: HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HRK">
  <xsd:annotation>
    <xsd:documentation>Kuna: CROATIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HTG">
```

```
      <xsd:annotation>
        <xsd:documentation>Gourde: HAITI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="HUF">
      <xsd:annotation>
        <xsd:documentation>Forint: HUNGARY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IDR">
      <xsd:annotation>
        <xsd:documentation>Rupiah: INDONESIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ILS">
      <xsd:annotation>
        <xsd:documentation>New Israeli Sheqel: ISRAEL</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="INR">
      <xsd:annotation>
        <xsd:documentation>Indian Rupee: BHUTAN; INDIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IQD">
      <xsd:annotation>
        <xsd:documentation>Iraqi Dinar: IRAQ</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IRR">
      <xsd:annotation>
        <xsd:documentation>Iranian Rial: IRAN, ISLAMIC REPUBLIC OF</xsd:
        documentation>
      </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="ISK">
  <xsd:annotation>
    <xsd:documentation>Iceland Krona: ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JMD">
  <xsd:annotation>
    <xsd:documentation>Jamaican Dollar: JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JOD">
  <xsd:annotation>
    <xsd:documentation>Jordanian Dinar: JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JPY">
  <xsd:annotation>
    <xsd:documentation>Yen: JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KES">
  <xsd:annotation>
    <xsd:documentation>Kenyan Shilling: KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KGS">
  <xsd:annotation>
    <xsd:documentation>Som: KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KHR">
  <xsd:annotation>
```

```
    <xsd:documentation>Riel: CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KMF">
  <xsd:annotation>
    <xsd:documentation>Comorian Franc : COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KPW">
  <xsd:annotation>
    <xsd:documentation>North Korean Won: KOREA, DEMOCRATIC PEOPLE'S REPUBLIC
    OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KRW">
  <xsd:annotation>
    <xsd:documentation>Won: KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KWD">
  <xsd:annotation>
    <xsd:documentation>Kuwaiti Dinar: KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KYD">
  <xsd:annotation>
    <xsd:documentation>Cayman Islands Dollar: CAYMAN ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZT">
  <xsd:annotation>
    <xsd:documentation>Tenge: KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="LAK">

  <xsd:annotation>

    <xsd:documentation>Lao Kip: LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LBP">

  <xsd:annotation>

    <xsd:documentation>Lebanese Pound: LEBANON</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LKR">

  <xsd:annotation>

    <xsd:documentation>Sri Lanka Rupee: SRI LANKA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LRD">

  <xsd:annotation>

    <xsd:documentation>Liberian Dollar: LIBERIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LSL">

  <xsd:annotation>

    <xsd:documentation>Loti: LESOTHO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LTL">

  <xsd:annotation>

    <xsd:documentation>Historic use: Lithuanian Litas: LITHUANIA</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LVL">
```

```
      <xsd:annotation>
        <xsd:documentation>Historic use: Latvian Lats: LATVIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="LYD">
      <xsd:annotation>
        <xsd:documentation>Libyan Dinar: LIBYA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MAD">
      <xsd:annotation>
        <xsd:documentation>Moroccan Dirham: MOROCCO; WESTERN SAHARA</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MDL">
      <xsd:annotation>
        <xsd:documentation>Moldovan Leu: MOLDOVA, REPUBLIC OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MGA">
      <xsd:annotation>
        <xsd:documentation>Malagasy Ariary: MADAGASCAR</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MKD">
      <xsd:annotation>
        <xsd:documentation>Denar: MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MMK">
      <xsd:annotation>
        <xsd:documentation>Kyat: MYANMAR</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MNT">
  <xsd:annotation>
    <xsd:documentation>Tugrik: MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MOP">
  <xsd:annotation>
    <xsd:documentation>Pataca: MACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRO">
  <xsd:annotation>
    <xsd:documentation>Historic use: Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRU">
  <xsd:annotation>
    <xsd:documentation>Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MUR">
  <xsd:annotation>
    <xsd:documentation>Mauritius Rupee: MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MVR">
  <xsd:annotation>
    <xsd:documentation>Rufiyaa: MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MWK">
```

```
      <xsd:annotation>
        <xsd:documentation>Malawi Kwacha: MALAWI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MXN">
      <xsd:annotation>
        <xsd:documentation>Mexican Peso: MEXICO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MXV">
      <xsd:annotation>
        <xsd:documentation>Mexican Unidad de Inversion (UDI): MEXICO</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MYR">
      <xsd:annotation>
        <xsd:documentation>Malaysian Ringgit: MALAYSIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MZN">
      <xsd:annotation>
        <xsd:documentation>Mozambique Metical: MOZAMBIQUE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NAD">
      <xsd:annotation>
        <xsd:documentation>Namibia Dollar: NAMIBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NGN">
      <xsd:annotation>
        <xsd:documentation>Naira: NIGERIA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NIO">
  <xsd:annotation>
    <xsd:documentation>Cordoba Oro: NICARAGUA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NOK">
  <xsd:annotation>
    <xsd:documentation>Norwegian Krone: BOUVET ISLAND; NORWAY; SVALBARD AND JAN
    MAYEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NPR">
  <xsd:annotation>
    <xsd:documentation>Nepalese Rupee: NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZD">
  <xsd:annotation>
    <xsd:documentation>New Zealand Dollar: COOK ISLANDS; NEW ZEALAND; NIUE;
    PITCAIRN; TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OMR">
  <xsd:annotation>
    <xsd:documentation>Rial Omani: OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PAB">
  <xsd:annotation>
    <xsd:documentation>Balboa: PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PEN">
```

```
      <xsd:annotation>
        <xsd:documentation>Sol: PERU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PGK">
      <xsd:annotation>
        <xsd:documentation>Kina: PAPUA NEW GUINEA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PHP">
      <xsd:annotation>
        <xsd:documentation>Philippine Peso: PHILIPPINES</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PKR">
      <xsd:annotation>
        <xsd:documentation>Pakistan Rupee: PAKISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PLN">
      <xsd:annotation>
        <xsd:documentation>Zloty: POLAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PYG">
      <xsd:annotation>
        <xsd:documentation>Guarani: PARAGUAY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="QAR">
      <xsd:annotation>
        <xsd:documentation>Qatari Rial: QATAR</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RON">
  <xsd:annotation>
    <xsd:documentation>Romanian Leu: ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RSD">
  <xsd:annotation>
    <xsd:documentation>Serbian Dinar: SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RUB">
  <xsd:annotation>
    <xsd:documentation>Russian Ruble: RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RWF">
  <xsd:annotation>
    <xsd:documentation>Rwanda Franc: RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SAR">
  <xsd:annotation>
    <xsd:documentation>Saudi Riyal: SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SBD">
  <xsd:annotation>
    <xsd:documentation>Solomon Islands Dollar: SOLOMON ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SCR">
  <xsd:annotation>
    <xsd:documentation>Seychelles Rupee: SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SDG">
  <xsd:annotation>
    <xsd:documentation>Sudanese Pound: SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SEK">
  <xsd:annotation>
    <xsd:documentation>Swedish Krona: SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SGD">
  <xsd:annotation>
    <xsd:documentation>Singapore Dollar: SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SHP">
  <xsd:annotation>
    <xsd:documentation>Saint Helena Pound: SAINT HELENA, ASCENSION AND TRISTAN DA
    CUNHA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SLL">
  <xsd:annotation>
    <xsd:documentation>Leone: SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SOS">
  <xsd:annotation>
```

```
    <xsd:documentation>Somali Shilling: SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SRD">
  <xsd:annotation>
    <xsd:documentation>Surinam Dollar: SURINAME</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SSP">
  <xsd:annotation>
    <xsd:documentation>South Sudanese Pound: SOUTH SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STD">
  <xsd:annotation>
    <xsd:documentation>Historic use: Dobra: SAO TOME AND PRINCIPE</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STN">
  <xsd:annotation>
    <xsd:documentation>Dobra: SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SVC">
  <xsd:annotation>
    <xsd:documentation>El Salvador Colon: EL SALVADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SYP">
  <xsd:annotation>
    <xsd:documentation>Syrian Pound: SYRIAN ARAB REPUBLIC</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZL">
  <xsd:annotation>
    <xsd:documentation>Lilangeni: ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="THB">
  <xsd:annotation>
    <xsd:documentation>Baht: THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJS">
  <xsd:annotation>
    <xsd:documentation>Somoni: TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TMT">
  <xsd:annotation>
    <xsd:documentation>Turkmenistan New Manat: TURKMENISTAN</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TND">
  <xsd:annotation>
    <xsd:documentation>Tunisian Dinar: TUNISIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TOP">
  <xsd:annotation>
    <xsd:documentation>Pa'anga: TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TRY">
```

```
  <xsd:annotation>
    <xsd:documentation>Turkish Lira: TURKEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TTD">
  <xsd:annotation>
    <xsd:documentation>Trinidad and Tobago Dollar: TRINIDAD AND TOBAGO</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TWD">
  <xsd:annotation>
    <xsd:documentation>New Taiwan Dollar: TAIWAN, PROVINCE OF CHINA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZS">
  <xsd:annotation>
    <xsd:documentation>Tanzanian Shilling: TANZANIA, UNITED REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UAH">
  <xsd:annotation>
    <xsd:documentation>Hryvnia: UKRAINE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UGX">
  <xsd:annotation>
    <xsd:documentation>Uganda Shilling: UGANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="USD">
  <xsd:annotation>
```

```
    <xsd:documentation>US Dollar: AMERICAN SAMOA; BONAIRE; SINT EUSTATIUS AND
    SABA; BRITISH INDIAN OCEAN TERRITORY; ECUADOR; EL SALVADOR; GUAM; HAITI;
    MARSHALL ISLANDS; MICRONESIA, FEDERATED STATES OF; NORTHERN MARIANA ISLANDS;
    PALAU; PANAMA; PUERTO RICO; TIMOR-LESTE; TURKS AND CAICOS ISLANDS; UNITED
    STATES; UNITED STATES MINOR OUTLYING ISLANDS; VIRGIN ISLANDS (BRITISH); VIRGIN
    ISLANDS (US)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="USN">

  <xsd:annotation>

    <xsd:documentation>US Dollar (Next day): UNITED STATES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="USS">

  <xsd:annotation>

    <xsd:documentation>Historic use: US Dollar (Same day): UNITED STATES</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYI">

  <xsd:annotation>

    <xsd:documentation>Uruguay Peso en Unidades Indexadas (UI): URUGUAY</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYU">

  <xsd:annotation>

    <xsd:documentation>Peso Uruguayo: URUGUAY</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYW">

  <xsd:annotation>

    <xsd:documentation>Unidad Previsional: URUGUAY</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UZS">
```

```
      <xsd:annotation>
        <xsd:documentation>Uzbekistan Sum: UZBEKISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VEF">
      <xsd:annotation>
        <xsd:documentation>Historic use: Bolivar: VENEZUELA, BOLIVARIAN REPUBLIC
        OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VES">
      <xsd:annotation>
        <xsd:documentation>Bolívar Soberano: VENEZUELA, BOLIVARIAN REPUBLIC OF</
        xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VND">
      <xsd:annotation>
        <xsd:documentation>Dong: VIET NAM</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VUV">
      <xsd:annotation>
        <xsd:documentation>Vatu: VANUATU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="WST">
      <xsd:annotation>
        <xsd:documentation>Tala: SAMOA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="XAF">
      <xsd:annotation>
        <xsd:documentation>CFA Franc BEAC: CAMEROON; CENTRAL AFRICAN REPUBLIC; CHAD;
        CONGO; EQUATORIAL GUINEA; GABON</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAG">
  <xsd:annotation>
    <xsd:documentation>Silver: ZZ11_Silver</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAU">
  <xsd:annotation>
    <xsd:documentation>Gold: ZZ08_Gold</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBA">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Composite Unit (EURCO):
    ZZ01_Bond Markets Unit European_EURCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBB">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Monetary Unit (E.M.U.-6):
    ZZ02_Bond Markets Unit European_EMU-6</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBC">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Unit of Account 9 (E.U.A.-9):
    ZZ03_Bond Markets Unit European_EUA-9</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBD">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Unit of Account 17 (E.U.A.-17):
    ZZ04_Bond Markets Unit European_EUA-17</xsd:documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XCD">

  <xsd:annotation>

    <xsd:documentation>East Caribbean Dollar: ANGUILLA; ANTIGUA AND BARBUDA;
    DOMINICA; GRENADA; MONTSERRAT; SAINT KITTS AND NEVIS; SAINT LUCIA; SAINT
    VINCENT AND THE GRENADINES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XDR">

  <xsd:annotation>

    <xsd:documentation>SDR (Special Drawing Right): INTERNATIONAL MONETARY FUND
    (IMF)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XFU">

  <xsd:annotation>

    <xsd:documentation>Historic use: UIC-Franc: ZZ05_UIC-Franc</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XOF">

  <xsd:annotation>

    <xsd:documentation>CFA Franc BCEAO: BENIN; BURKINA FASO; COTE D'IVOIRE;
    GUINEA-BISSAU; MALI; NIGER; SENEGAL; TOGO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPD">

  <xsd:annotation>

    <xsd:documentation>Palladium: ZZ09_Palladium</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPF">

  <xsd:annotation>

    <xsd:documentation>CFP Franc: FRENCH POLYNESIA; NEW CALEDONIA; WALLIS AND
    FUTUNA</xsd:documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPT">

  <xsd:annotation>

    <xsd:documentation>Platinum: ZZ10_Platinum</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XSU">

  <xsd:annotation>

    <xsd:documentation>Sucre: SISTEMA UNITARIO DE COMPENSACION REGIONAL DE PAGOS
    "SUCRE"</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XUA">

  <xsd:annotation>

    <xsd:documentation>ADB Unit of Account: MEMBER COUNTRIES OF THE AFRICAN
    DEVELOPMENT BANK GROUP</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XXX">

  <xsd:annotation>

    <xsd:documentation>The codes assigned for transactions where no currency is
    involved: ZZ07_No_Currency</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="YER">

  <xsd:annotation>

    <xsd:documentation>Yemeni Rial: YEMEN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ZAR">

  <xsd:annotation>

    <xsd:documentation>Rand: LESOTHO; NAMIBIA; SOUTH AFRICA</xsd:
    documentation>

  </xsd:annotation>
```

```
    </xsd:enumeration>
    <xsd:enumeration value="ZMW">
      <xsd:annotation>
        <xsd:documentation>Zambian Kwacha: ZAMBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZWL">
      <xsd:annotation>
        <xsd:documentation>Zimbabwe Dollar: ZIMBABWE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- Language codes - ISO 639 - Part 1 (ISO 639-1:2002)
```

The following disclaimer refers to all uses of the ISO language code list in the CBC schema: For practical reasons, the list is based on the ISO 639-1 language list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
-->
  <xsd:simpleType name="LanguageCode_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">ISO 639 - Part 1 Language codes</xsd:
      documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="AA">
        <xsd:annotation>
          <xsd:documentation>Afar</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="AB">
        <xsd:annotation>
          <xsd:documentation>Abkhazian</xsd:documentation>
        </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AF">
  <xsd:annotation>
    <xsd:documentation>Afrikaans</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AK">
  <xsd:annotation>
    <xsd:documentation>Akan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SQ">
  <xsd:annotation>
    <xsd:documentation>Albanian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>Amharic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>Arabic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AN">
  <xsd:annotation>
    <xsd:documentation>Aragonese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HY">
  <xsd:annotation>
    <xsd:documentation>Armenian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>Assamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AV">
  <xsd:annotation>
    <xsd:documentation>Avaric</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>Avestan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AY">
  <xsd:annotation>
    <xsd:documentation>Aymara</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>Azerbaijani</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>Bashkir</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>Bambara</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="EU">
  <xsd:annotation>
    <xsd:documentation>Basque</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
  <xsd:annotation>
    <xsd:documentation>Belarusian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>Bengali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>Bihari languages</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>Bislama</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>Bosnian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>Breton</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>Bulgarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>Burmese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>Catalan; Valencian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>Chamorro</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CE">
  <xsd:annotation>
    <xsd:documentation>Chechen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZH">
  <xsd:annotation>
    <xsd:documentation>Chinese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
```

```
    <xsd:documentation>Church Slavic; Old Slavonic; Church Slavonic; Old
    Bulgarian; Old Church Slavonic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>Chuvash</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>Cornish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
    <xsd:documentation>Corsican</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>Cree</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CS">
  <xsd:annotation>
    <xsd:documentation>Czech</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DA">
  <xsd:annotation>
    <xsd:documentation>Danish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DV">
```

```
  <xsd:annotation>
    <xsd:documentation>Divehi; Dhivehi; Maldivian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>Dutch; Flemish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>Dzongkha</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EN">
  <xsd:annotation>
    <xsd:documentation>English</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EO">
  <xsd:annotation>
    <xsd:documentation>Esperanto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>Estonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>Ewe</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>Faroese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>Fijian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>Finnish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>French</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FY">
  <xsd:annotation>
    <xsd:documentation>Western Frisian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FF">
  <xsd:annotation>
    <xsd:documentation>Fulah</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KA">
  <xsd:annotation>
    <xsd:documentation>Georgian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>German</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>Gaelic; Scottish Gaelic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>Irish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>Galician</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GV">
  <xsd:annotation>
    <xsd:documentation>Manx</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EL">
  <xsd:annotation>
    <xsd:documentation>Greek</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>Guarani</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>Gujarati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>Haitian; Haitian Creole</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HA">
  <xsd:annotation>
    <xsd:documentation>Hausa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HE">
  <xsd:annotation>
    <xsd:documentation>Hebrew</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HZ">
  <xsd:annotation>
    <xsd:documentation>Herero</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HI">
  <xsd:annotation>
    <xsd:documentation>Hindi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HO">
  <xsd:annotation>
    <xsd:documentation>Hiri Motu</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
  <xsd:annotation>
    <xsd:documentation>Croatian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>Hungarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IG">
  <xsd:annotation>
    <xsd:documentation>Igbo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>Icelandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>Ido</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="II">
  <xsd:annotation>
    <xsd:documentation>Sichuan Yi; Nuosu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IU">
  <xsd:annotation>
    <xsd:documentation>Inuktitut</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>Interlingue; Occidental</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IA">
  <xsd:annotation>
    <xsd:documentation>Interlingua (International Auxiliary Language
    Association)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
  <xsd:annotation>
    <xsd:documentation>Indonesian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IK">
  <xsd:annotation>
    <xsd:documentation>Inupiaq</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>Italian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JV">
  <xsd:annotation>
    <xsd:documentation>Javanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JA">
  <xsd:annotation>
```

```
    <xsd:documentation>Japanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KL">
  <xsd:annotation>
    <xsd:documentation>Kalaallisut; Greenlandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>Kannada</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KS">
  <xsd:annotation>
    <xsd:documentation>Kashmiri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>Kanuri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KK">
  <xsd:annotation>
    <xsd:documentation>Kazakh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>Central Khmer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
```

```
      <xsd:annotation>
        <xsd:documentation>Kikuyu; Gikuyu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="RW">
      <xsd:annotation>
        <xsd:documentation>Kinyarwanda</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KY">
      <xsd:annotation>
        <xsd:documentation>Kirghiz; Kyrgyz</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KV">
      <xsd:annotation>
        <xsd:documentation>Komi</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KG">
      <xsd:annotation>
        <xsd:documentation>Kongo</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KO">
      <xsd:annotation>
        <xsd:documentation>Korean</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KJ">
      <xsd:annotation>
        <xsd:documentation>Kuanyama; Kwanyama</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="KU">
  <xsd:annotation>
    <xsd:documentation>Kurdish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LO">
  <xsd:annotation>
    <xsd:documentation>Lao</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>Latin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>Latvian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>Limburgan; Limburger; Limburgish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LN">
  <xsd:annotation>
    <xsd:documentation>Lingala</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>Lithuanian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>Luxembourgish; Letzeburgesch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>Luba-Katanga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LG">
  <xsd:annotation>
    <xsd:documentation>Ganda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>Macedonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>Marshallese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>Malayalam</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MI">
  <xsd:annotation>
    <xsd:documentation>Maori</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>Marathi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>Malay</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>Malagasy</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>Maltese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>Mongolian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>Nauru</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NV">
  <xsd:annotation>
    <xsd:documentation>Navajo; Navaho</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>Ndebele, South; South Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ND">
  <xsd:annotation>
    <xsd:documentation>Ndebele, North; North Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NG">
  <xsd:annotation>
    <xsd:documentation>Ndonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NE">
  <xsd:annotation>
    <xsd:documentation>Nepali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NN">
  <xsd:annotation>
    <xsd:documentation>Norwegian Nynorsk; Nynorsk, Norwegian</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NB">
  <xsd:annotation>
    <xsd:documentation>Bokmål, Norwegian; Norwegian Bokmål</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NO">
```

```
  <xsd:annotation>
    <xsd:documentation>Norwegian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NY">
  <xsd:annotation>
    <xsd:documentation>Chichewa; Chewa; Nyanja</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OC">
  <xsd:annotation>
    <xsd:documentation>Occitan; Provençal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OJ">
  <xsd:annotation>
    <xsd:documentation>Ojibwa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OR">
  <xsd:annotation>
    <xsd:documentation>Oriya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>Oromo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OS">
  <xsd:annotation>
    <xsd:documentation>Ossetian; Ossetic</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>Panjabi; Punjabi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FA">
  <xsd:annotation>
    <xsd:documentation>Persian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PI">
  <xsd:annotation>
    <xsd:documentation>Pali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>Polish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>Portuguese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>Pushto; Pashto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QU">
  <xsd:annotation>
    <xsd:documentation>Quechua</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="RM">
  <xsd:annotation>
    <xsd:documentation>Romansh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>Romanian; Moldavian; Moldovan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RN">
  <xsd:annotation>
    <xsd:documentation>Rundi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>Russian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>Sango</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>Sanskrit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>Sinhala; Sinhalese</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>Slovak</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>Slovenian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>Northern Sami</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
  <xsd:annotation>
    <xsd:documentation>Samoan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>Shona</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>Sindhi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>Somali</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>Sotho, Southern</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ES">
  <xsd:annotation>
    <xsd:documentation>Spanish; Castilian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>Sardinian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>Serbian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>Swati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SU">
  <xsd:annotation>
    <xsd:documentation>Sundanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SW">
  <xsd:annotation>
```

```
    <xsd:documentation>Swahili</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>Swedish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TY">
  <xsd:annotation>
    <xsd:documentation>Tahitian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TA">
  <xsd:annotation>
    <xsd:documentation>Tamil</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>Tatar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TE">
  <xsd:annotation>
    <xsd:documentation>Telugu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>Tajik</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
```

```
    <xsd:documentation>Tagalog</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>Thai</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>Tibetan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TI">
  <xsd:annotation>
    <xsd:documentation>Tigrinya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>Tonga (Tonga Islands)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
  <xsd:annotation>
    <xsd:documentation>Tswana</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TS">
  <xsd:annotation>
    <xsd:documentation>Tsonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
```

```
      <xsd:annotation>
        <xsd:documentation>Turkmen</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TR">
      <xsd:annotation>
        <xsd:documentation>Turkish</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TW">
      <xsd:annotation>
        <xsd:documentation>Twi</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UG">
      <xsd:annotation>
        <xsd:documentation>Uighur; Uyghur</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UK">
      <xsd:annotation>
        <xsd:documentation>Ukrainian</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UR">
      <xsd:annotation>
        <xsd:documentation>Urdu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UZ">
      <xsd:annotation>
        <xsd:documentation>Uzbek</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VE">
```

```
  <xsd:annotation>
    <xsd:documentation>Venda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>Vietnamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VO">
  <xsd:annotation>
    <xsd:documentation>Volapük</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>Welsh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WA">
  <xsd:annotation>
    <xsd:documentation>Walloon</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WO">
  <xsd:annotation>
    <xsd:documentation>Wolof</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XH">
  <xsd:annotation>
    <xsd:documentation>Xhosa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YI">
```

```
      <xsd:annotation>
        <xsd:documentation>Yiddish</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="YO">
      <xsd:annotation>
        <xsd:documentation>Yoruba</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZA">
      <xsd:annotation>
        <xsd:documentation>Zhuang; Chuang</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZU">
      <xsd:annotation>
        <xsd:documentation>Zulu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MS codes -->
<xsd:simpleType name="MSCountryCode_Type">
  <xsd:annotation>
    <xsd:documentation>List of the MS code.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="AT"/>
    <xsd:enumeration value="BE"/>
    <xsd:enumeration value="BG"/>
    <xsd:enumeration value="CY"/>
    <xsd:enumeration value="CZ"/>
    <xsd:enumeration value="DK"/>
```

```
      <xsd:enumeration value="EE"/>
      <xsd:enumeration value="FI"/>
      <xsd:enumeration value="FR"/>
      <xsd:enumeration value="DE"/>
      <xsd:enumeration value="GR"/>
      <xsd:enumeration value="HU"/>
      <xsd:enumeration value="HR"/>
      <xsd:enumeration value="IE"/>
      <xsd:enumeration value="IT"/>
      <xsd:enumeration value="LV"/>
      <xsd:enumeration value="LT"/>
      <xsd:enumeration value="LU"/>
      <xsd:enumeration value="MT"/>
      <xsd:enumeration value="NL"/>
      <xsd:enumeration value="PL"/>
      <xsd:enumeration value="PT"/>
      <xsd:enumeration value="RO"/>
      <xsd:enumeration value="SK"/>
      <xsd:enumeration value="SI"/>
      <xsd:enumeration value="ES"/>
      <xsd:enumeration value="SE"/>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
</xsd:schema>
```

OECD CARF TYPES

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:xsd="http://www.w3.org/
2001/XMLSchema" targetNamespace="urn:oecd:ties:carfstf:v5" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="5.0">

  <!-- -->

  <!--++++++++++++++++++++++++ String length types
  ++++++++++++++++++++++++++++++++++++ -->

  <!-- -->

  <!-- Defines a string with minimum length 0 and maximum length of 200 -->
```

```
<xsd:simpleType name="StringMin0Max200_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 0 and maximum length of
    200.</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="0"/>
    <xsd:maxLength value="200"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 10 -->
<xsd:simpleType name="StringMin1Max10_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    10</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 170 -->
<xsd:simpleType name="StringMin1Max170_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    170</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="170"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
<!-- Defines a string with minimum length 1 and maximum length of 200 -->

<xsd:simpleType name="StringMin1Max200_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    200</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="200"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Defines a string with minimum length 1 and maximum length of 400 -->

<xsd:simpleType name="StringMin1Max400_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    400</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="400"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Defines a string with minimum length 1 and maximum length of 4000 -->

<xsd:simpleType name="StringMin1Max4000_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    4000</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="4000"/>

  </xsd:restriction>

</xsd:simpleType>
```

```
<!-- -->

<!-- -->

<!-- -->

<!--++++++++++++++++++++++++ Reusable Simple types
++++++++++++++++++++++++++++++++++++++ -->

<!-- Document type indicators types -->

<xsd:simpleType name="OECDDocTypeIndic_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">This element specifies the type of data being
    submitted.</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="OECD0">

      <xsd:annotation>

        <xsd:documentation>Resend Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD1">

      <xsd:annotation>

        <xsd:documentation>New Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD2">

      <xsd:annotation>

        <xsd:documentation>Corrected Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD3">

      <xsd:annotation>

        <xsd:documentation>Deletion of Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD10">

      <xsd:annotation>

        <xsd:documentation>Resend Test Data</xsd:documentation>

      </xsd:annotation>
```

```
    </xsd:enumeration>
    <xsd:enumeration value="OECD11">
      <xsd:annotation>
        <xsd:documentation>New Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD12">
      <xsd:annotation>
        <xsd:documentation>Corrected Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD13">
      <xsd:annotation>
        <xsd:documentation>Deletion of Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Kind of Name -->
<xsd:simpleType name="OECDNameType_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">
      It is possible for stf documents to contain several names for the same party. This
      is a qualifier to indicate the type of a particular name. Such types include
      nicknames ('nick'), names under which a party does business ('dba' a short name
      for the entity, or a name that is used for public acquaintance instead of the
      official business name) etc.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="OECD201">
      <xsd:annotation>
        <xsd:documentation>SMFAliasOrOther</xsd:documentation>
      </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="OECD202">
  <xsd:annotation>
    <xsd:documentation>indiv (individual)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD203">
  <xsd:annotation>
    <xsd:documentation>alias (alias)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD204">
  <xsd:annotation>
    <xsd:documentation>nick (nickname)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD205">
  <xsd:annotation>
    <xsd:documentation>aka (also known as)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD206">
  <xsd:annotation>
    <xsd:documentation>dba (doing business as)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD207">
  <xsd:annotation>
    <xsd:documentation>legal (legal name)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD208">
  <xsd:annotation>
```

```
      <xsd:documentation>atbirth (name at birth)</xsd:documentation>
    </xsd:annotation>
   </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Type of the address considered from a legal point of view -->
<xsd:simpleType name="OECDLegalAddressType_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This is a datatype for an attribute to an
    address. It serves to indicate the legal character of that address (residential,
    business etc.)</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:enumeration value="OECD301">
      <xsd:annotation>
        <xsd:documentation>residentialOrBusiness</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD302">
      <xsd:annotation>
        <xsd:documentation>residential</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD303">
      <xsd:annotation>
        <xsd:documentation>business</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD304">
      <xsd:annotation>
        <xsd:documentation>registeredOffice</xsd:documentation>
      </xsd:annotation>
```

```
      </xsd:enumeration>

      <xsd:enumeration value="OECD305">

        <xsd:annotation>

          <xsd:documentation>unspecified</xsd:documentation>

        </xsd:annotation>

      </xsd:enumeration>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--++++++++++++++++++ Reusable Complex types
  ++++++++++++++++++++++++++++++++++++ -->

  <!-- -->

  <!-- Document specification: Data identifying and describing the document -->

  <xsd:complexType name="DocSpec_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Document specification: Data identifying and
      describing the document, where 'document' here means the part of a message that is to
      transmit the data about a single block of carf information. </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="DocTypeIndic" type="stf:OECDDocTypeIndic_EnumType"/>

<xsd:element name="DocRefId" type="stf:StringMin1Max200_Type">

        <xsd:annotation>

          <xsd:documentation xml:lang="en">Sender's unique identifier of this document
          </xsd:documentation>

        </xsd:annotation>

      </xsd:element>

<xsd:element name="CorrMessageRefId" type="stf:StringMin1Max170_Type"
minOccurs="0">

        <xsd:annotation>

          <xsd:documentation xml:lang="en">Reference id of the message of the document
          referred to if this is a correction</xsd:documentation>

        </xsd:annotation>

      </xsd:element>

<xsd:element name="CorrDocRefId" type="stf:StringMin1Max200_Type" minOccurs="0">
```

```
        <xsd:annotation>

          <xsd:documentation xml:lang="en">Reference id of the document referred to if
          this is correction</xsd:documentation>

        </xsd:annotation>

      </xsd:element>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

</xsd:schema>"
```

IV LISA

„XIX LISA

Artikli 2g lõigetes 1 ja 2 osutatud vorm

Vorm, mida kasutatakse teabe edastamiseks krüptovaraettevõtja kohta, kes on direktiivi 2011/16/EL VI lisa IV jao B jaotise punktis 3 määratletud aruandekohustuslik krüptovarateenuse osutaja, sisaldab lisaks direktiivi 2011/16/EL VI lisa V jao F jaotise punktis 2 loetletud komponentidele järgmisi välju:

— ühekordse registreerimise järgne liikmesriik kooskõlas direktiivi 2011/16/EL artikli 8ad lõikega 7;

Artikli 2g lõikes 3 osutatud individuaalse identifitseerimisnumbri vorming

Individuaalne identifitseerimisnumber koosneb kümnest kümnekohalisest vormingust struktuuriga CCXXXXXXXX, milles: CC tähistab identifitseerimisnumbri välja andnud liikmesriigi ISO riigikoodi ja XXXXXXXX on kordumatu tähtnumbriliste märkide jada, mille on loonud ja määranud krüptovaraettevõtjale kas liikmesriik või krüptovaraettevõtjate register. Kui liikmesriik ei määra individuaalset identifitseerimisnumbrit, annab selle krüptovaraettevõtjate register.

Artikli 2g lõikes 4 osutatud krüptovaraettevõtjate registrist kustutatud teatava teabe säilitamise aeg

Kui kooskõlas direktiivi 2011/16/EL VI lisa V jao F jaotise punktiga 7 tühistatakse sellise krüptovaraettevõtja registreering, kes on direktiivi 2011/16/EL VI lisa IV jao B jaotise punktis 3 määratletud aruandekohustuslik krüptovarateenuse osutaja, kustutab ühekordse registreerimise järgne liikmesriik krüptovaraettevõtja krüptovaraettevõtjate registrist. Kustutatud teavet säilitatakse krüptovaraettevõtjate registris kuni 12 kuud alates kustutamise kuupäevast.

Artikli 2g lõikes 5 osutatud ühekordse registreerimise järgse liikmesriigi muutmine krüptovaraettevõtjate registris

Kui direktiivi 2011/16/EL VI lisa V jao F jaotise punkti 3 kohase teabe muutmisega kaasneb ühekordse registreerimise järgse liikmesriigi muutmine, algatab senine ühekordse registreerimise järgne liikmesriik registreeritud aruandekohustusliku krüptovarateenuse osutaja teabe edastamise uuele ühekordse registreerimise järgsele liikmesriigile. Uuest ühekordse registreerimise järgsest liikmesriigist saab ühekordse registreerimise järgne liikmesriik, kellele tuleb esitada direktiivi 2011/16/EL kohane teave. See liikmesriik on aruandva krüptovarateenuse osutaja jaoks uus kontaktpunkt teabe ajakohastamiseks kooskõlas direktiivi 2011/16/EL VI lisa V jao F jaotise punktiga 3 ja käesoleva määrusega.

Aruandekohustuslikule krüptovarateenuse osutajale tema esmakordsel ühekordsel registreerimisel antud individuaalne identifitseerimisnumber jääb kogu protsessi vältel samaks.

See protsess ei vabasta aruandekohustuslikku krüptovarateenuse osutajat kohustusest järgida uues ühekordse registreerimise järgses liikmesriigis riigisiseseid registreerimisnõudeid.”