Euroopan unionin
virallinen lehti

FI
L-sarja

2025/2263

26.11.2025

KOMISSION TÄYTÄNTÖÖNPANOASETUS (EU) 2025/2263,

annettu 12 päivänä marraskuuta 2025,

täytäntöönpanoasetuksen (EU) 2015/2378 muuttamisesta siltä osin kuin on kyse raportoitavia kryptovaroja koskevassa pakollisessa automaattisessa tietojenvaihdossa käytettävistä vakiomuotoisista lomakkeista ja tiedonsiirtoformaateista, vuosittaisen arvioinnin toimittamisesta sekä niiden tilastotietojen luettelosta, jotka jäsenvaltioiden on neuvoston direktiivin 2011/16/EU nojalla annettava

EUROOPAN KOMISSIO, joka

ottaa huomioon Euroopan unionin toiminnasta tehdyn sopimuksen,

ottaa huomioon hallinnollisesta yhteistyöstä verotuksen alalla ja direktiivin 77/799/ETY kumoamisesta 15 päivänä helmikuuta 2011 annetun neuvoston direktiivin 2011/16/EU ([1]) ja erityisesti sen 8 ad artiklan 4 ja 9 kohdan, 20 artiklan 5 kohdan c alakohdan ja 23 artiklan 3 ja 4 kohdan,

sekä katsoo seuraavaa:

(1) Neuvoston direktiivillä (EU) 2023/2226 ([2]) muutettiin direktiiviä 2011/16/EU niin, että siinä säädetään Raportoivien kryptovarapalvelun tarjoajien ilmoittamien tietojen pakollisesta automaattisesta tietojenvaihdosta.

(2) Direktiivin 2011/16/EU 8 ad artiklan 4 kohdan mukaan on tarpeen vahvistaa käytännön järjestelyt, joilla helpotetaan artiklan 3 kohdassa tarkoitettujen tietojen toimittamista. Erityisesti direktiivin 2011/16/EU 8 ad artiklan 6 kohdan mukaisessa automaattisessa tietojenvaihdossa olisi käytettävä vakiomuotoista tiedonsiirtoformaattia.

(3) Direktiivin 2011/16/EU 8 ad artiklan 9 kohdan mukaan on tarpeen vahvistaa Kryptovaraoperaattorien, jotka ovat Raportoivia kryptovarapalvelun tarjoajia, rekisteröinnin ja tunnistamisen kannalta tarpeelliset käytännön järjestelyt, jotta jäsenvaltioilla olisi käytettävissään asiaankuuluvat tiedot siitä Kryptovaraoperaattorista, joka on raportointivelvollinen kyseisessä jäsenvaltiossa.

(4) Sen varmistamiseksi, että jäsenvaltiot ilmoittavat Kryptovaraoperaattoreista samat tiedot, on tarpeen vahvistaa vakiomuotoinen lomake, jota käytetään Kryptovaraoperaattoreita koskevien tietojen ilmoittamiseen Kryptovaraoperaattorien rekisteriin.

(5) Komission täytäntöönpanoasetuksen (EU) 2015/2378 ([3]) 2 c artikla ja liite X olisi päivitettävä uusilla tiedoilla direktiivin 2011/16/EU viimeisimpien muutosten huomioon ottamiseksi.

(6) Sen vuoksi täytäntöönpanoasetusta (EU) 2015/2378 olisi muutettava.

(7) Euroopan tietosuojavaltuutettua on kuultu Euroopan parlamentin ja neuvoston asetuksen (EU) 2018/1725 ([4]) 42 artiklan 1 kohdan mukaisesti.

(8) Johdonmukaisuuden ja oikeusvarmuuden vuoksi tämän asetuksen voimaantulopäivä olisi yhdenmukaistettava direktiivin (EU) 2023/2226 2 artiklan 1 kohdan toisessa alakohdassa säädetyn soveltamispäivän kanssa.

([1]) EUVL L 64, 11.3.2011, s. 1, ELI: http://data.europa.eu/eli/dir/2011/16/oj.

([2]) Neuvoston direktiivi (EU) 2023/2226, annettu 17 päivänä lokakuuta 2023, hallinnollisesta yhteistyöstä verotuksen alalla annetun direktiivin 2011/16/EU muuttamisesta (EUVL L, 2023/2226, 24.10.2023, ELI: http://data.europa.eu/eli/dir/2023/2226/oj).

([3]) Komission täytäntöönpanoasetus (EU) 2015/2378, annettu 15 päivänä joulukuuta 2015, hallinnollisesta yhteistyöstä verotuksen alalla annetun neuvoston direktiivin 2011/16/EU tiettyjen säännösten täytäntöönpanoa koskevien yksityiskohtaisten sääntöjen vahvistamisesta ja täytäntöönpanoasetuksen (EU) N:o 1156/2012 kumoamisesta (EUVL L 332, 18.12.2015, s. 19, ELI: http://data.europa.eu/eli/reg_impl/2015/2378/oj).

([4]) Euroopan parlamentin ja neuvoston asetus (EU) 2018/1725, annettu 23 päivänä lokakuuta 2018, luonnollisten henkilöiden suojelusta unionin toimielinten, elinten ja laitosten suorittamassa henkilötietojen käsittelyssä ja näiden tietojen vapaasta liikkuvuudesta sekä asetuksen (EY) N:o 45/2001 ja päätöksen N:o 1247/2002/EY kumoamisesta (EUVL L 295, 21.11.2018, s. 39, ELI: http://data.europa.eu/eli/reg/2018/1725/oj.

(9) Tässä asetuksessa säädetyt toimenpiteet ovat hallinnollista veroyhteistyötä käsittelevän komitean lausunnon mukaiset,

ON HYVÄKSYNYT TÄMÄN ASETUKSEN:

1 artikla

Muutetaan täytäntöönpanoasetus (EU) 2015/2378 seuraavasti:

1) Lisätään 2 artiklaan 5 kohta seuraavasti:

”5. Direktiivin 2011/16/EU 8 ad artiklan 6 kohdan mukaisessa pakollisessa automaattisessa tietojenvaihdossa käytettävän tiedonsiirtoformaatin on oltava tämän asetuksen liitteen XVIII mukainen.”

2) Korvataan 2 c artiklan 2 kohta seuraavasti:

”2. Jäsenvaltioiden on ennen kunkin vuoden toukokuun 1 päivää toimitettava vuosittainen arviointi komissiolle sähköisesti käyttäen 1 kohdassa tarkoitettua lomaketta. Arvioinnin on katettava edellinen kalenterivuosi.”

3) Lisätään 2 g artikla seuraavasti:

”*2 g artikla*

Kryptovaraoperaattoreita koskevien tietojen toimittamisessa käytettävät vakiomuotoiset lomakkeet, mukaan lukien kielijärjestelyt, ja Kryptovaraoperaattorien rekisteristä poistettujen tietojen säilytysaika

1. Lomakkeen, jota käytetään direktiivin 2011/16/EU 8 ad artiklan 9 kohdan nojalla Kryptovaraoperaattoreita koskevien tietojen toimittamiseen Kryptovaraoperaattorien rekisteriin, on oltava muodoltaan tämän asetuksen liitteen XIX mukainen.

2. Direktiivin 2011/16/EU liitteessä VI olevan V jakson F kohdan 2 alakohdassa ja tämän asetuksen liitteessä XIX luetellut tiedot ovat niitä pääkohtia, jotka on kirjattava direktiivin 2011/16/EU 8 ad artiklan 9 kohdassa säädettyyn Kryptovaraoperaattorien rekisteriin. Kun komissio perustaa Kryptovaraoperaattorien rekisterin ja käsittelee henkilötietoja Kryptovaraoperaattorien rekisterissä jäsenvaltioiden toimivaltaisten viranomaisten puolesta, noudatetaan asetuksia (EU) 2016/679 ja (EU) 2018/1725. Jäsenvaltioiden toimivaltaisia viranomaisia pidetään rekisterinpitäjinä, ja komissiota pidetään asetuksen (EU) 2016/679 mukaisena henkilötietojen käsittelijänä.

3. Jäljempänä olevan 8 ad artiklan 7 kohdan mukaisen yksilöllisen tunnistenumeron muoto vahvistetaan tämän asetuksen liitteessä XIX.

4. Kryptovaraoperaattorien rekisteristä direktiivin 2011/16/EU liitteessä VI olevan V jakson F kohdan 5 alakohdan d alakohdan nojalla poistettujen tietojen säilytysaika vahvistetaan tämän asetuksen liitteessä XIX.

5. Säännöt, jotka koskevat kertarekisteröinnin tehneen jäsenvaltion vaihtumista ja Raportoivaa kryptovara-palvelun tarjoajaa koskevien tietojen siirtämistä uudelle kertarekisteröinnin tehneelle jäsenvaltiolle, vahvistetaan tämän asetuksen liitteessä XIX.”

4) Korvataan liite VIII tämän asetuksen liitteen I tekstillä.

5) Muutetaan liite X tämän asetuksen liitteen II mukaisesti.

6) Lisätään tämän asetuksen liitteessä III oleva teksti liitteeksi XVIII.

7) Lisätään tämän asetuksen liitteessä IV oleva teksti liitteeksi XIX.

2 artikla

Tämä asetus tulee voimaan kahdentenakymmenentenä päivänä sen jälkeen, kun se on julkaistu *Euroopan unionin virallisessa lehdessä*.

Sitä sovelletaan 1 päivästä tammikuuta 2026.

Tämä asetus on kaikilta osiltaan velvoittava, ja sitä sovelletaan sellaisenaan kaikissa jäsenvaltioissa.

Tehty Brysselissä 12 päivänä marraskuuta 2025.

Komission puolesta
Puheenjohtaja
Ursula VON DER LEYEN

LIITE I

”LIITE VIII

2 c artiklassa tarkoitettu lomake

Direktiivin 2011/16/EU 23 artiklan 3 kohdan mukaiseen tietojen toimittamiseen käytettävässä lomakkeessa on seuraavat tiedot:

a) kyselyyn vastaava jäsenvaltio

b) yleiset tiedot automaattisen tietojenvaihdon organisaatiosta ja resursseista, mukaan lukien kehittämisen ja toteuttamisen hallinnolliset ja muut asiaankuuluvat kustannukset; toistuvien toimintojen hallinnolliset kustannukset; verosäännösten noudattamiseen liittyvien toimintojen muut kustannukset

c) oikeustoimet ja oikeudenkäynnit

d) tietojen saatavuus jäsenvaltiossa, mukaan luettuna kuvaus hallinnointiprosessista, jolla varmistetaan tietojen, myös tunnistetietojen, keruu sekä lähetettävien tietojen ajantasaisuus

e) tietojenvaihdon tehokkuus vastaanottavan jäsenvaltion kannalta, mukaan lukien vastaanotettujen tietojen käsittely, kokonaisvastaavuusprosentti sekä onnistuneesti tunnistettujen raporttien prosenttiosuus

f) saatujen tietojen laatu, mukaan luettuna asiaankuuluvien verovelvollisten ja muiden osapuolten tunnistaminen sekä lähettävän jäsenvaltion toimittamien voimassa olevien verotunnisteiden prosenttiosuus

g) saatujen tietojen käyttö, mukaan lukien käyttökategoriat, verotuksen osa-alue sekä käytön synnyttämä muu hallinnollinen yhteistyö

h) tietojen käytön tulosten arviointi, mukaan lukien määrätyn veron lisäys ja/tai oikaistun veropohjan kasvu sekä verotarkastuksissa käytettyjen raporttien prosenttiosuus

i) sen seuranta, onko direktiivin 2011/16/EU 14 artiklan 2 kohdassa tarkoitetut kahdenväliset vuotuiset palautteet lähetetty

j) direktiivin toimivuuden kannalta merkityksellisiin hankkeisiin liittyvien jatkotoimien seuranta, täytäntöönpano ja tulokset sekä

k) Muut kohtiin a–j liittyvät asiaankuuluvat tiedot tai jäsenvaltioiden kohtaamat ongelmat.”

LIITE II

Lisätään täytäntöönpanoasetuksen (EU) 2015/2378 liitteessä X olevaan luetteloon luetelmakohta seuraavasti:

”- Muulle kuin säilytystilille maksettujen osinkotulojen tapauksessa: tilastotiedot sanomasta ja tulonsaajasta, sanomasta ja maksajasta, tulonsaajasta ja työsuhteesta, maksajasta ja työsuhteesta, tulonsaajasta ja tulosta”.

LIITE III

”LIITE XVIII

2 artiklan 5 kohdassa tarkoitettu tiedonsiirtoformaatti

Seuraavassa esitetään direktiivin 2011/16/EU 8 ad artiklan 6 kohdan mukaisessa pakollisessa automaattisessa tietojenvaihdossa käytettävän tiedonsiirtoformaatin puurakenne ja sen sisältämät tiedot ja ominaisuudet ([1]):

CARF XML

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:carf="urn:oecd:ties:carf:v1" xmlns:xsd="http://www.w3.org/2001/
XMLSchema" xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:iso="urn:oecd:ties:
isocarftypes:v1" targetNamespace="urn:oecd:ties:carf:v1" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="1.3">

<xsd:import namespace="urn:oecd:ties:isocarftypes:v1" schemaLocation="isocarf
types_v1.1.xsd"/>

<xsd:import namespace="urn:oecd:ties:carfstf:v5" schemaLocation="oecdcarf
types_v5.0.xsd"/>

  <!--++++++++++++++++++++++++ Reusable Simple types ++++++++++++++++++++++++++++++
  ++++++++ -->

  <!-- Message type definitions -->

  <xsd:simpleType name="MessageType_EnumType">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Message type defines the type of reporting
      </xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">

      <xsd:enumeration value="CARF"/>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--Transfer Type - 401 to 404-->

  <xsd:simpleType name="ExchangeType_EnumType">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">
```

([1]) Tiedonsiirtoformaattiin tarvitsee kuitenkin sisällyttää kussakin tapauksessa vain tosiasiallisesti sovellettavat tiedot ja ominaisuudet neuvoston direktiivin 2011/16/EU liitteessä VI olevassa II ja III jaksossa olevien huolellisuus- ja tietojenvaihtosääntöjen mukaisesti.

```
      <xsd:enumeration value="CARF401">
        <xsd:annotation>
          <xsd:documentation>Staking</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF402">
        <xsd:annotation>
          <xsd:documentation>Crypto Loan</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF403">
        <xsd:annotation>
          <xsd:documentation>Wrapping</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF404">
        <xsd:annotation>
          <xsd:documentation>Collateral</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
  <!--Transfer Type - 501 to 507-->
  <xsd:simpleType name="TransferType_EnumType">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="CARF501">
        <xsd:annotation>
          <xsd:documentation>Airdrop</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
```

```
<xsd:enumeration value="CARF502">
  <xsd:annotation>
    <xsd:documentation>Staking income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF503">
  <xsd:annotation>
    <xsd:documentation>Mining income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF504">
  <xsd:annotation>
    <xsd:documentation>Crypto loan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF505">
  <xsd:annotation>
    <xsd:documentation>Transfer from another RCASP</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF506">
  <xsd:annotation>
    <xsd:documentation>Sale of goods or services</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF507">
  <xsd:annotation>
    <xsd:documentation>Collateral</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF508">
  <xsd:annotation>
    <xsd:documentation>Other</xsd:documentation>
  </xsd:annotation>
```

```
    </xsd:enumeration>

    <xsd:enumeration value="CARF509">

      <xsd:annotation>

        <xsd:documentation>Unknown (to be selected as the default value where the
        Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
        </xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Account Number Type - 601 to 604-->

<xsd:simpleType name="TransferOutType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Account Number Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF601">

      <xsd:annotation>

        <xsd:documentation>Transfer to another RCASP</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF602">

      <xsd:annotation>

        <xsd:documentation>Crypto Loan</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF603">

      <xsd:annotation>

        <xsd:documentation>Purchase of goods or services, to be used in respect of
        transactions other than those already reported as Reportable Retail Payment
        Transactions</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF604">
```

```
      <xsd:annotation>
        <xsd:documentation>Collateral</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF605">
      <xsd:annotation>
        <xsd:documentation>Other</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF606">
      <xsd:annotation>
        <xsd:documentation>Unknown (to be selected as the default value where the
        Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
        </xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MessageTypeIndic - 701 to 703 -->
<xsd:simpleType name="CarfMessageTypeIndic_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The MessageTypeIndic defines the type of
    message sent</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF701">
      <xsd:annotation>
        <xsd:documentation>The message contains new information</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF702">
      <xsd:annotation>
```

```
        <xsd:documentation>The message contains corrections/deletions for
        previously sent information. When the MesseageTypeIndic is CARF702, the
        DocTypeIndic can contain either Corrections (OECD2) or Deletions (OECD3) or
        both, but new data (OECD1) cannot be contained. Note that OECD0 can be included
        for RCASP's DocTypeIndic.</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF703">

      <xsd:annotation>

        <xsd:documentation>The message advises there is no data to report</xsd:
        documentation>

      </xsd:annotation>

    </xsd:enumeration>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Controlling Person Type - 801 to 813 -->

<xsd:simpleType name="CarfCtrlgPersonType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Controlling Person Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF801">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - ownership</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF802">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - other means</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF803">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - senior managing official</xsd:
        documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF804">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - settlor</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF805">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - trustee</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF806">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - protector</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF807">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - beneficiary</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF808">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - other</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF809">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - other - settlor-equivalent</
    xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
```

```
    <xsd:enumeration value="CARF810">
      <xsd:annotation>
        <xsd:documentation>CP of legal arrangement - other - trustee-equivalent</
        xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF811">
      <xsd:annotation>
        <xsd:documentation>CP of legal arrangement - other - protector-equivalent</
        xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF812">
      <xsd:annotation>
        <xsd:documentation>CP of legal arrangement - other - beneficiary-
        equivalent</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF813">
      <xsd:annotation>
        <xsd:documentation>CP of legal arrangement - other - other-equivalent</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--CARF Nexus Type - 901 to 907 -->
<xsd:simpleType name="Nexus_EnumType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF901">
      <xsd:annotation>
        <xsd:documentation>Tax Residence</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF902">
      <xsd:annotation>
```

```
        <xsd:documentation>Incorporation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF903">
      <xsd:annotation>
        <xsd:documentation>Management</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF904">
      <xsd:annotation>
        <xsd:documentation>Place of Business</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF905">
      <xsd:annotation>
        <xsd:documentation>Branch</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF906">
      <xsd:annotation>
        <xsd:documentation>Authorisation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF907">
      <xsd:annotation>
        <xsd:documentation>Remote Services</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--CARF Alt Valuation Type - 1001 to 1004 -->
<xsd:simpleType name="AltValuation_EnumType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF1001">
```

```
      <xsd:annotation>
        <xsd:documentation>Book value</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1002">
      <xsd:annotation>
        <xsd:documentation>Third-party value</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1003">
      <xsd:annotation>
        <xsd:documentation>Recent RCASP valuation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1004">
      <xsd:annotation>
        <xsd:documentation>Reasonable estimate by RCASP</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<xsd:simpleType name="TwoDigFract_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Data type for any kind of numeric data with two
    decimal fraction digits, especially monetary amounts.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:decimal">
    <xsd:fractionDigits value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
  <xsd:simpleType name="SixDigFract_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Data type for any kind of numeric data with six
      decimal fraction digits, especially monetary amounts.

      </xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:decimal">

      <xsd:fractionDigits value="6"/>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--++++++++++++++++++ Reusable Complex types ++++++++++++++++++++++++++++++++
  +++ -->

  <!-- Message specification: Data identifying and describing the message as a
  whole -->

  <xsd:complexType name="RCASP_Type">

    <xsd:sequence>

<xsd:element name="RCASP_ID">

      <xsd:complexType>

        <xsd:choice>

          <xsd:element name="Individual" type="carf:PersonParty_Type"/>

          <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

        </xsd:choice>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="Nexus" type="carf:Nexus_EnumType" minOccurs="0"/>

<xsd:element name="OtherNexus" minOccurs="0">

      <xsd:complexType>

        <xsd:attribute name="Nexus" type="carf:Nexus_EnumType" use="required"/>

        <xsd:attribute name="ResCountryCode" type="iso:CountryCode_Type"
        use="required"/>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
```

```
    </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <xsd:complexType name="CryptoUsers_Type">
    <xsd:sequence>
<xsd:element name="UserID">
      <xsd:complexType>
        <xsd:choice>
          <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>
          <xsd:element name="Individual" type="carf:PersonParty_Type"/>
        </xsd:choice>
      </xsd:complexType>
    </xsd:element>
<xsd:element name="ControllingPerson" type="carf:ControllingPerson_Type"
minOccurs="0" maxOccurs="unbounded"/>
<xsd:element name="RelevantTransactions" type="carf:RelevantTransactions_Type"
maxOccurs="unbounded"/>
<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
   </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <xsd:complexType name="RelevantTransactions_Type">
    <xsd:sequence>
<xsd:element name="CryptoAsset" type="stf:StringMin1Max200_Type"/>
    <xsd:choice>
      <xsd:element name="CryptoToCryptoIn" minOccurs="0" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
            minOccurs="0"/>
            <xsd:element name="NumberofTransactions" type="xsd:integer"/>
            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
            <xsd:element name="NumberofUnits" type="xsd:decimal"/>
```

```
    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoToCryptoOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatIn" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
```

```
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="CryptoTransferIn" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TransferType" type="carf:TransferType_EnumType"/>
      <xsd:element name="NumberofTransactions" type="xsd:integer"/>
      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
      minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="CryptoTransferOut" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TransferType" type="carf:TransferOutTy
      pe_EnumType"/>
      <xsd:element name="NumberofTransactions" type="xsd:integer"/>
      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
      minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="TransferWallet" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
```

```
            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

            <xsd:element name="NumberofUnits" type="xsd:decimal"/>

            <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
            minOccurs="0"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

      <xsd:element name="RRPT" minOccurs="0" maxOccurs="unbounded">

        <xsd:annotation>

          <xsd:documentation>Reportable Retail Payment Transactions (Relevant Crypto
          Assets)</xsd:documentation>

        </xsd:annotation>

        <xsd:complexType>

          <xsd:sequence>

            <xsd:element name="NumberofTransactions" type="xsd:integer"/>

            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

            <xsd:element name="NumberofUnits" type="xsd:decimal"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

    </xsd:choice>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="ControllingPerson_Type">

  <xsd:sequence>

<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="CtrlgPersonType" type="carf:CarfCtrlgPersonType_EnumType"
maxOccurs="unbounded"/>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="Identity_Type">

  <xsd:choice>
```

```
<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

   </xsd:choice>

  </xsd:complexType>

  <!--Message specification: Data identifying and describing the message as a whole-->

  <xsd:complexType name="MessageSpec_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Information in the message header identifies
      the Tax Administration that is sending the message. It specifies when the message
      was created, what period (normally a year) the report is for, and the nature of the
      report (original, corrected, supplemental, etc).</xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="SendingEntityIN" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="TransmittingCountry" type="iso:CountryCode_Type"/>

<xsd:element name="ReceivingCountry" type="iso:CountryCode_Type"/>

     <!-- modified for CARF -->

<xsd:element name="MessageType" type="carf:MessageType_EnumType"/>

<xsd:element name="Warning" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="Contact" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="MessageRefId" type="stf:StringMin1Max170_Type"/>

<xsd:element name="MessageTypeIndic" type="carf:CarfMessageTypeIndic_EnumType"/>

<xsd:element name="ReportingPeriod" type="xsd:date"/>

<xsd:element name="Timestamp" type="xsd:dateTime"/>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- The Name of a Party, given in fixed Form-->

  <xsd:complexType name="NamePerson_Type">
```

```
    <xsd:annotation>

      <xsd:documentation xml:lang="en">The user must spread the data about the name of a
      party over up to six elements. The container element for this will be 'NameFix'.
      </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="PrecedingTitle" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="Title" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="FirstName">

      <xsd:complexType>

        <xsd:simpleContent>

          <xsd:extension base="stf:StringMin1Max200_Type">

            <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

              <xsd:annotation>

                <xsd:documentation xml:lang="en">Defines the name type of FirstName.
                Example: Given Name, Forename, Christian Name, Father's Name, etc. In
                some countries, FirstName could be a Family Name or a SurName. Use this
                attribute to define the type for this name.

                </xsd:documentation>

              </xsd:annotation>

            </xsd:attribute>

          </xsd:extension>

        </xsd:simpleContent>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="MiddleName" minOccurs="0" maxOccurs="unbounded">

      <xsd:complexType>

        <xsd:simpleContent>

          <xsd:extension base="stf:StringMin1Max200_Type">

            <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

              <xsd:annotation>

                <xsd:documentation xml:lang="en">Defines the name type of Middle Name.
                Example: First name, middle name, maiden name, father's name, given
                name, etc.

                </xsd:documentation>
```

```
            </xsd:annotation>

          </xsd:attribute>

        </xsd:extension>

      </xsd:simpleContent>

    </xsd:complexType>

  </xsd:element>

<xsd:element name="NamePrefix" minOccurs="0">

    <xsd:complexType>

      <xsd:simpleContent>

        <xsd:extension base="stf:StringMin1Max200_Type">

          <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

            <xsd:annotation>

              <xsd:documentation xml:lang="en">Defines the type of name associated
              with the NamePrefix. For example the type of name is LastName and this
              prefix is the prefix for this last name.

            </xsd:documentation>

            </xsd:annotation>

          </xsd:attribute>

        </xsd:extension>

      </xsd:simpleContent>

    </xsd:complexType>

  </xsd:element>

<xsd:element name="LastName">

    <xsd:complexType>

      <xsd:simpleContent>

        <xsd:extension base="stf:StringMin1Max200_Type">

          <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

            <xsd:annotation>

              <xsd:documentation xml:lang="en">Defines the name type of LastName.
              Example: Father's name, Family name, Sur Name, Mother's Name, etc. In
              some countries, LastName could be the given name or first name.

              </xsd:documentation>

            </xsd:annotation>

          </xsd:attribute>

        </xsd:extension>
```

```
        </xsd:simpleContent>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="GenerationIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0" maxOccurs="unbounded"/>

<xsd:element name="Suffix" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="GeneralSuffix" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

   </xsd:sequence>

   <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
   use="optional"/>

  </xsd:complexType>

  <!-- -->

  <!-- Collection of all Data describing a person as a Party -->

  <xsd:complexType name="PersonParty_Type">

    <xsd:sequence>

<xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>

<xsd:element name="TIN" type="carf:TIN_Type" maxOccurs="unbounded"/>

<xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">

      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>

      </xsd:annotation>

    </xsd:element>

<xsd:element name="Name" type="carf:NamePerson_Type" maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

<xsd:element name="Nationality" type="iso:CountryCode_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="BirthInfo">

      <xsd:annotation>

        <xsd:documentation>.</xsd:documentation>

      </xsd:annotation>

      <xsd:complexType>

        <xsd:sequence>
```

```
            <xsd:element name="BirthDate" type="xsd:date"/>

            <xsd:element name="BirthPlace" type="carf:BirthPlace_Type"
            minOccurs="0"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!--General Type for Monetary Amounts -->

  <xsd:complexType name="MonAmnt_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">This data type is to be used whenever monetary
      amounts are to be communicated. Such amounts shall be given in with full amounts and
      two decimals. The code for the currency in which the value is expressed has to be
      taken from the ISO codelist 4217 and added in attribute currCode.

</xsd:documentation>

    </xsd:annotation>

    <xsd:simpleContent>

      <xsd:extension base="xsd:decimal">

        <xsd:attribute name="currCode" type="iso:currCode_Type" use="required"/>

      </xsd:extension>

    </xsd:simpleContent>

  </xsd:complexType>

  <!-- -->

  <!-- Organisation Identification Number -->

  <xsd:complexType name="OrganisationIN_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">This is the identification number/
      identification code for the Entity in question. As the identifier may be not
      strictly numeric, it is just defined as a string of characters. Attribute
      'issuedBy' is required to designate the issuer of the identifier. Attribute
      'INType' defines the type of identification number. </xsd:documentation>

    </xsd:annotation>

    <xsd:simpleContent>

      <xsd:extension base="stf:StringMin1Max200_Type">
```

```
      <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Country code of issuing country,
          indicating country of Residence (to taxes and other)</xsd:documentation>
        </xsd:annotation>
      </xsd:attribute>
      <xsd:attribute name="INType" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Identification Number Type</xsd:
          documentation>
        </xsd:annotation>
        <xsd:simpleType>
          <xsd:restriction base="stf:StringMin1Max200_Type">
            <xsd:enumeration value="LEI"/>
            <xsd:enumeration value="EIN"/>
            <xsd:enumeration value="BRN"/>
            <xsd:enumeration value="Other"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<!-- -->
<!-- Individual Identification Number -->
<xsd:complexType name="IndividualIN_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This is the identification number/
    identification code for the Entity in question. As the identifier may be not
    strictly numeric, it is just defined as a string of characters. Attribute
    'issuedBy' is required to designate the issuer of the identifier. Attribute
    'INType' defines the type of identification number. </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="stf:StringMin1Max200_Type">
```

```
        <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
          <xsd:annotation>
            <xsd:documentation xml:lang="en">Country code of issuing country,
            indicating country of Residence (to taxes and other)</xsd:documentation>
          </xsd:annotation>
        </xsd:attribute>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!-- Collection of all Data describing an organisation as party-->
  <xsd:complexType name="OrganisationParty_Type">
    <xsd:sequence>
<xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>
<xsd:element name="TIN" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:restriction base="carf:TIN_Type">
              <xsd:minLength value="1"/>
              <xsd:attribute name="issuedBy" type="iso:CountryCode_Type"
              use="optional"/>
              <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>
            </xsd:restriction>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
<xsd:element name="IN" type="carf:OrganisationIN_Type" minOccurs="0"
maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
          documentation>
        </xsd:annotation>
      </xsd:element>
<xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">
```

```
      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>

      </xsd:annotation>

    </xsd:element>

<xsd:element name="Name" type="carf:NameOrganisation_Type"
maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

   </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- Address Fix -->

  <xsd:complexType name="AddressFix_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">

    </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="Street" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="BuildingIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="SuiteIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="FloorIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="DistrictName" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="POB" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="PostCode" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="City" type="stf:StringMin1Max200_Type"/>

<xsd:element name="CountrySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

   </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- The Address of a Party, given in fixed or free Form, possibly in both Forms -->
```

```
  <xsd:complexType name="Address_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">
    </xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
<xsd:element name="CountryCode" type="iso:CountryCode_Type"/>
      <xsd:sequence>
        <xsd:element name="AddressFix" type="carf:AddressFix_Type"/>
        <xsd:element name="AdditionalAddressInfo" type="stf:StringMin1Max4000_Type"
        minOccurs="0"/>
      </xsd:sequence>
    </xsd:sequence>
    <xsd:attribute name="legalAddressType" type="stf:OECDLegalAddressTy
    pe_EnumType" use="optional"/>
  </xsd:complexType>
  <!-- -->
  <!-- Organisation name -->
  <xsd:complexType name="NameOrganisation_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Name of organisation</xsd:documentation>
    </xsd:annotation>
    <xsd:simpleContent>
      <xsd:extension base="stf:StringMin1Max200_Type">
        <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
        use="optional"/>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!-- TIN -->
  <xsd:complexType name="TIN_Type">
    <xsd:simpleContent>
      <xsd:extension base="stf:StringMin0Max200_Type">
        <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional"/>
```

```
      <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>
     </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!--The place of birth -->
  <xsd:complexType name="BirthPlace_Type">
    <xsd:annotation>
      <xsd:documentation>This element provides information about the place of birth.
      This element must be filled in at least with the city and the country of birth
      (either the current jurisdiction identified by 2-characters country code or a
      former jurisdiction identified by a name).</xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
<xsd:element name="City" type="stf:StringMin1Max200_Type"/>
<xsd:element name="CitySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>
<xsd:element name="CountryInfo">
      <xsd:complexType>
        <xsd:choice>
          <xsd:element name="CountryCode" type="iso:CountryCode_Type"/>
          <xsd:element name="FormerCountryName" type="stf:StringMin1Max200_Type"/>
        </xsd:choice>
      </xsd:complexType>
     </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <!-- CARF Body Type - CARF Report -->
  <xsd:complexType name="CARFBody_Type">
    <xsd:sequence>
<xsd:element name="RCASP" type="carf:RCASP_Type"/>
<xsd:element name="CryptoUsers" type="carf:CryptoUsers_Type" minOccurs="0"
maxOccurs="unbounded"/>
    </xsd:sequence>
```

```
  </xsd:complexType>

  <!--++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++ Schema element +++
  ++++++++++++++++++++++++++++++++++++++ -->

  <!-- CarfOECD File Message structure -->

  <!-- -->

  <!-- CARF Message structure -->

<xsd:element name="CARF_OECD">

   <xsd:complexType>

    <xsd:sequence>

     <xsd:element name="MessageSpec" type="carf:MessageSpec_Type"/>

     <xsd:element name="CARFBody" type="carf:CARFBody_Type" minOccurs="0"
     maxOccurs="unbounded"/>

    </xsd:sequence>

    <xsd:attribute name="version" type="stf:StringMin1Max10_Type">

     <xsd:annotation>

      <xsd:documentation xml:lang="en">CARF Version</xsd:documentation>

     </xsd:annotation>

    </xsd:attribute>

   </xsd:complexType>

  </xsd:element>

</xsd:schema>
```

ISO CARF TYPES

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:iso="urn:oecd:ties:isocarftypes:v1" xmlns:xsd="http://www.w3.
org/2001/XMLSchema" targetNamespace="urn:oecd:ties:isocarftypes:v1" elementForm
Default="qualified" attributeFormDefault="unqualified" version="1.1">

  <xsd:simpleType name="CountryCode_Type">

   <xsd:annotation>

    <xsd:documentation xml:lang="en">ISO-3166 Alpha 2 country codes</xsd:
    documentation>

   </xsd:annotation>

   <xsd:restriction base="xsd:string">

    <xsd:enumeration value="AF">

     <xsd:annotation>
```

```
    <xsd:documentation>AFGHANISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AX">
  <xsd:annotation>
    <xsd:documentation>ALAND ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AL">
  <xsd:annotation>
    <xsd:documentation>ALBANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>AMERICAN SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AD">
  <xsd:annotation>
    <xsd:documentation>ANDORRA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AO">
  <xsd:annotation>
    <xsd:documentation>ANGOLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AI">
  <xsd:annotation>
```

```
    <xsd:documentation>ANGUILLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AQ">
  <xsd:annotation>
    <xsd:documentation>ANTARCTICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AG">
  <xsd:annotation>
    <xsd:documentation>ANTIGUA AND BARBUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>ARGENTINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>ARMENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AW">
  <xsd:annotation>
    <xsd:documentation>ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AU">
  <xsd:annotation>
    <xsd:documentation>AUSTRALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AT">
```

```
  <xsd:annotation>
    <xsd:documentation>AUSTRIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BD">
  <xsd:annotation>
    <xsd:documentation>BANGLADESH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BB">
  <xsd:annotation>
    <xsd:documentation>BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BY">
  <xsd:annotation>
    <xsd:documentation>BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
```

```
  <xsd:annotation>
    <xsd:documentation>BELGIUM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BZ">
  <xsd:annotation>
    <xsd:documentation>BELIZE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BJ">
  <xsd:annotation>
    <xsd:documentation>BENIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BT">
  <xsd:annotation>
    <xsd:documentation>BHUTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>BOLIVIA, PLURINATIONAL STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BQ">
  <xsd:annotation>
    <xsd:documentation>BONAIRE, SINT EUSTATIUS AND SABA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>BOSNIA AND HERZEGOVINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BW">
  <xsd:annotation>
    <xsd:documentation>BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BV">
  <xsd:annotation>
    <xsd:documentation>BOUVET ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>BRITISH INDIAN OCEAN TERRITORY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>BULGARIA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BF">
  <xsd:annotation>
    <xsd:documentation>BURKINA FASO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KH">
  <xsd:annotation>
    <xsd:documentation>CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CM">
  <xsd:annotation>
    <xsd:documentation>CAMEROON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>CANADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>CAYMAN ISLANDS</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CF">
  <xsd:annotation>
    <xsd:documentation>CENTRAL AFRICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TD">
  <xsd:annotation>
    <xsd:documentation>CHAD</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CL">
  <xsd:annotation>
    <xsd:documentation>CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CN">
  <xsd:annotation>
    <xsd:documentation>CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CX">
  <xsd:annotation>
    <xsd:documentation>CHRISTMAS ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CC">
  <xsd:annotation>
    <xsd:documentation>COCOS (KEELING) ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
```

```
    <xsd:documentation>COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CG">
  <xsd:annotation>
    <xsd:documentation>CONGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CD">
  <xsd:annotation>
    <xsd:documentation>CONGO, THE DEMOCRATIC REPUBLIC OF THE</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CK">
  <xsd:annotation>
    <xsd:documentation>COOK ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CI">
  <xsd:annotation>
    <xsd:documentation>COTE D'IVOIRE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
```

```
  <xsd:annotation>
    <xsd:documentation>CROATIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
    <xsd:documentation>CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CW">
  <xsd:annotation>
    <xsd:documentation>CURACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>CYPRUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZ">
  <xsd:annotation>
    <xsd:documentation>CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DK">
  <xsd:annotation>
    <xsd:documentation>DENMARK</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJ">
  <xsd:annotation>
    <xsd:documentation>DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DM">
```

```
  <xsd:annotation>
    <xsd:documentation>DOMINICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DO">
  <xsd:annotation>
    <xsd:documentation>DOMINICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EC">
  <xsd:annotation>
    <xsd:documentation>ECUADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EG">
  <xsd:annotation>
    <xsd:documentation>EGYPT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>EL SALVADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GQ">
  <xsd:annotation>
    <xsd:documentation>EQUATORIAL GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ER">
  <xsd:annotation>
    <xsd:documentation>ERITREA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>ESTONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FK">
  <xsd:annotation>
    <xsd:documentation>FALKLAND ISLANDS (MALVINAS)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>FAROE ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>FINLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>FRANCE</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GF">
  <xsd:annotation>
    <xsd:documentation>FRENCH GUIANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PF">
  <xsd:annotation>
    <xsd:documentation>FRENCH POLYNESIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TF">
  <xsd:annotation>
    <xsd:documentation>FRENCH SOUTHERN TERRITORIES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>GABON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GM">
  <xsd:annotation>
    <xsd:documentation>GAMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GE">
  <xsd:annotation>
    <xsd:documentation>GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>GERMANY</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GH">
  <xsd:annotation>
    <xsd:documentation>GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GI">
  <xsd:annotation>
    <xsd:documentation>GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GR">
  <xsd:annotation>
    <xsd:documentation>GREECE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>GREENLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>GRENADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GP">
  <xsd:annotation>
    <xsd:documentation>GUADELOUPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>GUAM</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GT">
  <xsd:annotation>
    <xsd:documentation>GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GG">
  <xsd:annotation>
    <xsd:documentation>GUERNSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GW">
  <xsd:annotation>
    <xsd:documentation>GUINEA-BISSAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GY">
  <xsd:annotation>
    <xsd:documentation>GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>HAITI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HM">
  <xsd:annotation>
```

```
    <xsd:documentation>HEARD ISLAND AND MCDONALD ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VA">
  <xsd:annotation>
    <xsd:documentation>HOLY SEE (VATICAN CITY STATE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HN">
  <xsd:annotation>
    <xsd:documentation>HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HK">
  <xsd:annotation>
    <xsd:documentation>HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>HUNGARY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IN">
  <xsd:annotation>
    <xsd:documentation>INDIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
```

```
  <xsd:annotation>
    <xsd:documentation>INDONESIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IR">
  <xsd:annotation>
    <xsd:documentation>IRAN, ISLAMIC REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IQ">
  <xsd:annotation>
    <xsd:documentation>IRAQ</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>IRELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IM">
  <xsd:annotation>
    <xsd:documentation>ISLE OF MAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IL">
  <xsd:annotation>
    <xsd:documentation>ISRAEL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>ITALY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="JM">
  <xsd:annotation>
    <xsd:documentation>JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JP">
  <xsd:annotation>
    <xsd:documentation>JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JE">
  <xsd:annotation>
    <xsd:documentation>JERSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JO">
  <xsd:annotation>
    <xsd:documentation>JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZ">
  <xsd:annotation>
    <xsd:documentation>KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KE">
  <xsd:annotation>
    <xsd:documentation>KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
  <xsd:annotation>
    <xsd:documentation>KIRIBATI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="KP">
  <xsd:annotation>
    <xsd:documentation>KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>LATVIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>LEBANON</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LS">
  <xsd:annotation>
    <xsd:documentation>LESOTHO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LR">
  <xsd:annotation>
    <xsd:documentation>LIBERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LY">
  <xsd:annotation>
    <xsd:documentation>LIBYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>LIECHTENSTEIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>LITHUANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>LUXEMBOURG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MO">
  <xsd:annotation>
    <xsd:documentation>MACAO</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>NORTH MACEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>MADAGASCAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MW">
  <xsd:annotation>
    <xsd:documentation>MALAWI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>MALAYSIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MV">
  <xsd:annotation>
    <xsd:documentation>MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>MALI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>MALTA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>MARSHALL ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MQ">
  <xsd:annotation>
    <xsd:documentation>MARTINIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MU">
  <xsd:annotation>
    <xsd:documentation>MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YT">
  <xsd:annotation>
    <xsd:documentation>MAYOTTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MX">
  <xsd:annotation>
    <xsd:documentation>MEXICO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FM">
  <xsd:annotation>
```

```
    <xsd:documentation>MICRONESIA, FEDERATED STATES OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MD">
  <xsd:annotation>
    <xsd:documentation>MOLDOVA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MC">
  <xsd:annotation>
    <xsd:documentation>MONACO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ME">
  <xsd:annotation>
    <xsd:documentation>MONTENEGRO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>MONTSERRAT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MA">
  <xsd:annotation>
    <xsd:documentation>MOROCCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MZ">
```

```
  <xsd:annotation>
    <xsd:documentation>MOZAMBIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MM">
  <xsd:annotation>
    <xsd:documentation>MYANMAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>NAMIBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>NAURU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NP">
  <xsd:annotation>
    <xsd:documentation>NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>NETHERLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NC">
  <xsd:annotation>
    <xsd:documentation>NEW CALEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZ">
```

```
    <xsd:annotation>
      <xsd:documentation>NEW ZEALAND</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="NI">
    <xsd:annotation>
      <xsd:documentation>NICARAGUA</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="NE">
    <xsd:annotation>
      <xsd:documentation>NIGER</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="NG">
    <xsd:annotation>
      <xsd:documentation>NIGERIA</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="NU">
    <xsd:annotation>
      <xsd:documentation>NIUE</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="NF">
    <xsd:annotation>
      <xsd:documentation>NORFOLK ISLAND</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="MP">
    <xsd:annotation>
      <xsd:documentation>NORTHERN MARIANA ISLANDS</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
```

```
<xsd:enumeration value="NO">
  <xsd:annotation>
    <xsd:documentation>NORWAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PK">
  <xsd:annotation>
    <xsd:documentation>PAKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PW">
  <xsd:annotation>
    <xsd:documentation>PALAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>PALESTINE, STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PG">
  <xsd:annotation>
    <xsd:documentation>PAPUA NEW GUINEA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PY">
  <xsd:annotation>
    <xsd:documentation>PARAGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PE">
  <xsd:annotation>
    <xsd:documentation>PERU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PH">
  <xsd:annotation>
    <xsd:documentation>PHILIPPINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PN">
  <xsd:annotation>
    <xsd:documentation>PITCAIRN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>POLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>PORTUGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PR">
  <xsd:annotation>
    <xsd:documentation>PUERTO RICO</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="QA">
  <xsd:annotation>
    <xsd:documentation>QATAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RE">
  <xsd:annotation>
    <xsd:documentation>REUNION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RW">
  <xsd:annotation>
    <xsd:documentation>RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BL">
  <xsd:annotation>
    <xsd:documentation>SAINT BARTHELEMY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SH">
  <xsd:annotation>
    <xsd:documentation>SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA</xsd:
    documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>SAINT KITTS AND NEVIS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LC">
  <xsd:annotation>
    <xsd:documentation>SAINT LUCIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MF">
  <xsd:annotation>
    <xsd:documentation>SAINT MARTIN (FRENCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PM">
  <xsd:annotation>
    <xsd:documentation>SAINT PIERRE AND MIQUELON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VC">
  <xsd:annotation>
    <xsd:documentation>SAINT VINCENT AND THE GRENADINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WS">
  <xsd:annotation>
    <xsd:documentation>SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
```

```
  <xsd:annotation>
    <xsd:documentation>SAN MARINO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>SENEGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RS">
  <xsd:annotation>
    <xsd:documentation>SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SX">
  <xsd:annotation>
    <xsd:documentation>SINT MAARTEN (DUTCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>SLOVAKIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>SLOVENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SB">
  <xsd:annotation>
    <xsd:documentation>SOLOMON ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZA">
  <xsd:annotation>
    <xsd:documentation>SOUTH AFRICA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GS">
  <xsd:annotation>
    <xsd:documentation>SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>SOUTH SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ES">
  <xsd:annotation>
    <xsd:documentation>SPAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LK">
  <xsd:annotation>
    <xsd:documentation>SRI LANKA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>SURINAME</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SJ">
  <xsd:annotation>
    <xsd:documentation>SVALBARD AND JAN MAYEN</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZ">
  <xsd:annotation>
    <xsd:documentation>ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>SWITZERLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SY">
  <xsd:annotation>
    <xsd:documentation>SYRIAN ARAB REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TW">
  <xsd:annotation>
    <xsd:documentation>TAIWAN, PROVINCE OF CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJ">
  <xsd:annotation>
    <xsd:documentation>TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZ">
  <xsd:annotation>
```

```
    <xsd:documentation>TANZANIA, UNITED REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
    <xsd:documentation>TIMOR-LESTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>TOGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
  <xsd:annotation>
    <xsd:documentation>TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>TRINIDAD AND TOBAGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
```

```
      <xsd:annotation>
        <xsd:documentation>TUNISIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TR">
      <xsd:annotation>
        <xsd:documentation>TURKEY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TM">
      <xsd:annotation>
        <xsd:documentation>TURKMENISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TC">
      <xsd:annotation>
        <xsd:documentation>TURKS AND CAICOS ISLANDS</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TV">
      <xsd:annotation>
        <xsd:documentation>TUVALU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UG">
      <xsd:annotation>
        <xsd:documentation>UGANDA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UA">
      <xsd:annotation>
        <xsd:documentation>UKRAINE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>UNITED ARAB EMIRATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GB">
  <xsd:annotation>
    <xsd:documentation>UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="US">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UM">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES MINOR OUTLYING ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UY">
  <xsd:annotation>
    <xsd:documentation>URUGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UZ">
  <xsd:annotation>
    <xsd:documentation>UZBEKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VU">
  <xsd:annotation>
    <xsd:documentation>VANUATU</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VE">
  <xsd:annotation>
    <xsd:documentation>VENEZUELA, BOLIVARIAN REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VN">
  <xsd:annotation>
    <xsd:documentation>VIET NAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VG">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS, BRITISH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS, U.S.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WF">
  <xsd:annotation>
    <xsd:documentation>WALLIS AND FUTUNA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EH">
  <xsd:annotation>
    <xsd:documentation>WESTERN SAHARA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YE">
```

```
      <xsd:annotation>
        <xsd:documentation>YEMEN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZM">
      <xsd:annotation>
        <xsd:documentation>ZAMBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZW">
      <xsd:annotation>
        <xsd:documentation>ZIMBABWE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="XK">
      <xsd:annotation>
        <xsd:documentation>KOSOVO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- ISO 4217 alpha 3 Currency Code
```

The following disclaimer refers to all uses of the ISO currency code list in the CARF schema: For practical reasons, the list is based on the ISO 4217 Alpha 3 currency list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
-->
  <xsd:simpleType name="currCode_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">
      The appropriate currency code from the ISO 4217 three-byte alpha version for the
      currency in which a monetary amount is expressed.
      </xsd:documentation>
    </xsd:annotation>
```

```
<xsd:restriction base="xsd:string">
 <xsd:enumeration value="AED">
  <xsd:annotation>
   <xsd:documentation>UAE Dirham: UNITED ARAB EMIRATES</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="AFN">
  <xsd:annotation>
   <xsd:documentation>Afghani: AFGHANISTAN</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="ALL">
  <xsd:annotation>
   <xsd:documentation>Lek: ALBANIA</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="AMD">
  <xsd:annotation>
   <xsd:documentation>Armenian Dram: ARMENIA </xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="ANG">
  <xsd:annotation>
   <xsd:documentation>Netherlands Antillean Guilder: CURACAO; SINT MAARTEN
   (DUTCH PART)</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="AOA">
  <xsd:annotation>
   <xsd:documentation>Kwanza: ANGOLA</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="ARS">
  <xsd:annotation>
```

```
    <xsd:documentation>Argentine Peso: ARGENTINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AUD">
  <xsd:annotation>
    <xsd:documentation>Australian Dollar: AUSTRALIA; CHRISTMAS ISLAND; COCOS
    (KEELING) ISLANDS; HEARD ISLAND AND McDONALD ISLANDS; KIRIBATI; NAURU; NORFOLK
    ISLAND; TUVALU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AWG">
  <xsd:annotation>
    <xsd:documentation>Aruban Florin: ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZN">
  <xsd:annotation>
    <xsd:documentation>Azerbaijan Manat: AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BAM">
  <xsd:annotation>
    <xsd:documentation>Convertible Mark: BOSNIA AND HERZEGOVINA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BBD">
  <xsd:annotation>
    <xsd:documentation>Barbados Dollar: BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BDT">
  <xsd:annotation>
    <xsd:documentation>Taka: BANGLADESH</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BGN">
  <xsd:annotation>
    <xsd:documentation>Bulgarian Lev: BULGARIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BHD">
  <xsd:annotation>
    <xsd:documentation>Bahraini Dinar: BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BIF">
  <xsd:annotation>
    <xsd:documentation>Burundi Franc: BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BMD">
  <xsd:annotation>
    <xsd:documentation>Bermudian Dollar: BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BND">
  <xsd:annotation>
    <xsd:documentation>Brunei Dollar: BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BOB">
  <xsd:annotation>
    <xsd:documentation>Boliviano: BOLIVIA, PLURINATIONAL STATE OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BOV">
  <xsd:annotation>
    <xsd:documentation>Mvdol: BOLIVIA, PLURINATIONAL STATE OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BRL">
  <xsd:annotation>
    <xsd:documentation>Brazilian Real: BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BSD">
  <xsd:annotation>
    <xsd:documentation>Bahamian Dollar: BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BTN">
  <xsd:annotation>
    <xsd:documentation>Ngultrum: BHUTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BWP">
  <xsd:annotation>
    <xsd:documentation>Pula: BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BYN">
  <xsd:annotation>
    <xsd:documentation>Belarusian Ruble: BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BYR">
  <xsd:annotation>
```

```
    <xsd:documentation>Historic use: Belarussian Ruble: BELARUS</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="BZD">

  <xsd:annotation>

    <xsd:documentation>Belize Dollar: BELIZE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CAD">

  <xsd:annotation>

    <xsd:documentation>Canadian Dollar: CANADA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CDF">

  <xsd:annotation>

    <xsd:documentation>Congolese Franc: CONGO, THE DEMOCRATIC REPUBLIC OF</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHE">

  <xsd:annotation>

    <xsd:documentation>WIR Euro: SWITZERLAND</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHF">

  <xsd:annotation>

    <xsd:documentation>Swiss Franc: LIECHTENSTEIN; SWITZERLAND</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHW">

  <xsd:annotation>

    <xsd:documentation>WIR Franc: SWITZERLAND</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CLF">
  <xsd:annotation>
    <xsd:documentation>Unidad de Fomento: CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CLP">
  <xsd:annotation>
    <xsd:documentation>Chilean Peso: CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CNY">
  <xsd:annotation>
    <xsd:documentation>Yuan Renminbi: CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="COP">
  <xsd:annotation>
    <xsd:documentation>Colombian Peso: COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="COU">
  <xsd:annotation>
    <xsd:documentation>Unidad de Valor Real: COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CRC">
  <xsd:annotation>
    <xsd:documentation>Costa Rican Colon: COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="CUC">
  <xsd:annotation>
    <xsd:documentation>Peso Convertible: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CUP">
  <xsd:annotation>
    <xsd:documentation>Cuban Peso: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CVE">
  <xsd:annotation>
    <xsd:documentation>Cabo Verde Escudo: CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZK">
  <xsd:annotation>
    <xsd:documentation>Czech Koruna: CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJF">
  <xsd:annotation>
    <xsd:documentation>Djibouti Franc: DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DKK">
  <xsd:annotation>
    <xsd:documentation>Danish Krone: DENMARK; FAROE ISLANDS; GREENLAND</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DOP">
  <xsd:annotation>
```

```
    <xsd:documentation>Dominican Peso: DOMINICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZD">
  <xsd:annotation>
    <xsd:documentation>Algerian Dinar: ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EGP">
  <xsd:annotation>
    <xsd:documentation>Egyptian Pound: EGYPT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ERN">
  <xsd:annotation>
    <xsd:documentation>Nakfa: ERITREA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ETB">
  <xsd:annotation>
    <xsd:documentation>Ethiopian Birr: ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EUR">
  <xsd:annotation>
    <xsd:documentation>Euro: ALAND ISLANDS; ANDORRA; AUSTRIA; BELGIUM; CYPRUS;
    ESTONIA; EUROPEAN UNION; FINLAND; FRANCE; FRENCH GUIANA; FRENCH SOUTHERN
    TERRITORIES; GERMANY; GREECE; GUADELOUPE; HOLY SEE (VATICAN CITY STATE);
    IRELAND; ITALY; LATVIA; LITHUANIA; LUXEMBOURG; MALTA; MARTINIQUE; MAYOTTE;
    MONACO; MONTENEGRO; NETHERLANDS; PORTUGAL; REUNION; SAINT BARTHELEMY; SAINT
    MARTIN (FRENCH PART); SAINT PIERRE AND MIQUELON; SAN MARINO; SLOVAKIA;
    SLOVENIA; SPAIN; Vatican City State (HOLY SEE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJD">
```

```
  <xsd:annotation>
    <xsd:documentation>Fiji Dollar: FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FKP">
  <xsd:annotation>
    <xsd:documentation>Falkland Islands Pound: FALKLAND ISLANDS (MALVINAS)
    </xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GBP">
  <xsd:annotation>
    <xsd:documentation>Pound Sterling: GUERNSEY; ISLE OF MAN; JERSEY; UNITED
    KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GEL">
  <xsd:annotation>
    <xsd:documentation>Lari: GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GHS">
  <xsd:annotation>
    <xsd:documentation>Ghana Cedi: GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GIP">
  <xsd:annotation>
    <xsd:documentation>Gibraltar Pound: GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GMD">
  <xsd:annotation>
    <xsd:documentation>Dalasi: GAMBIA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GNF">
  <xsd:annotation>
    <xsd:documentation>Guinean Franc: GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GTQ">
  <xsd:annotation>
    <xsd:documentation>Quetzal: GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GYD">
  <xsd:annotation>
    <xsd:documentation>Guyana Dollar: GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HKD">
  <xsd:annotation>
    <xsd:documentation>Hong Kong Dollar: HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HNL">
  <xsd:annotation>
    <xsd:documentation>Lempira: HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HRK">
  <xsd:annotation>
    <xsd:documentation>Kuna: CROATIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HTG">
```

```
      <xsd:annotation>
        <xsd:documentation>Gourde: HAITI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="HUF">
      <xsd:annotation>
        <xsd:documentation>Forint: HUNGARY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IDR">
      <xsd:annotation>
        <xsd:documentation>Rupiah: INDONESIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ILS">
      <xsd:annotation>
        <xsd:documentation>New Israeli Sheqel: ISRAEL</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="INR">
      <xsd:annotation>
        <xsd:documentation>Indian Rupee: BHUTAN; INDIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IQD">
      <xsd:annotation>
        <xsd:documentation>Iraqi Dinar: IRAQ</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IRR">
      <xsd:annotation>
        <xsd:documentation>Iranian Rial: IRAN, ISLAMIC REPUBLIC OF</xsd:
        documentation>
      </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="ISK">
  <xsd:annotation>
    <xsd:documentation>Iceland Krona: ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JMD">
  <xsd:annotation>
    <xsd:documentation>Jamaican Dollar: JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JOD">
  <xsd:annotation>
    <xsd:documentation>Jordanian Dinar: JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JPY">
  <xsd:annotation>
    <xsd:documentation>Yen: JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KES">
  <xsd:annotation>
    <xsd:documentation>Kenyan Shilling: KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KGS">
  <xsd:annotation>
    <xsd:documentation>Som: KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KHR">
  <xsd:annotation>
```

```
    <xsd:documentation>Riel: CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KMF">
  <xsd:annotation>
    <xsd:documentation>Comorian Franc : COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KPW">
  <xsd:annotation>
    <xsd:documentation>North Korean Won: KOREA, DEMOCRATIC PEOPLE'S REPUBLIC
    OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KRW">
  <xsd:annotation>
    <xsd:documentation>Won: KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KWD">
  <xsd:annotation>
    <xsd:documentation>Kuwaiti Dinar: KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KYD">
  <xsd:annotation>
    <xsd:documentation>Cayman Islands Dollar: CAYMAN ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZT">
  <xsd:annotation>
    <xsd:documentation>Tenge: KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="LAK">

  <xsd:annotation>

    <xsd:documentation>Lao Kip: LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LBP">

  <xsd:annotation>

    <xsd:documentation>Lebanese Pound: LEBANON</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LKR">

  <xsd:annotation>

    <xsd:documentation>Sri Lanka Rupee: SRI LANKA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LRD">

  <xsd:annotation>

    <xsd:documentation>Liberian Dollar: LIBERIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LSL">

  <xsd:annotation>

    <xsd:documentation>Loti: LESOTHO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LTL">

  <xsd:annotation>

    <xsd:documentation>Historic use: Lithuanian Litas: LITHUANIA</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LVL">
```

```
      <xsd:annotation>
        <xsd:documentation>Historic use: Latvian Lats: LATVIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="LYD">
      <xsd:annotation>
        <xsd:documentation>Libyan Dinar: LIBYA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MAD">
      <xsd:annotation>
        <xsd:documentation>Moroccan Dirham: MOROCCO; WESTERN SAHARA</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MDL">
      <xsd:annotation>
        <xsd:documentation>Moldovan Leu: MOLDOVA, REPUBLIC OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MGA">
      <xsd:annotation>
        <xsd:documentation>Malagasy Ariary: MADAGASCAR</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MKD">
      <xsd:annotation>
        <xsd:documentation>Denar: MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MMK">
      <xsd:annotation>
        <xsd:documentation>Kyat: MYANMAR</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MNT">
  <xsd:annotation>
    <xsd:documentation>Tugrik: MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MOP">
  <xsd:annotation>
    <xsd:documentation>Pataca: MACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRO">
  <xsd:annotation>
    <xsd:documentation>Historic use: Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRU">
  <xsd:annotation>
    <xsd:documentation>Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MUR">
  <xsd:annotation>
    <xsd:documentation>Mauritius Rupee: MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MVR">
  <xsd:annotation>
    <xsd:documentation>Rufiyaa: MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MWK">
```

```
      <xsd:annotation>
        <xsd:documentation>Malawi Kwacha: MALAWI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MXN">
      <xsd:annotation>
        <xsd:documentation>Mexican Peso: MEXICO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MXV">
      <xsd:annotation>
        <xsd:documentation>Mexican Unidad de Inversion (UDI): MEXICO</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MYR">
      <xsd:annotation>
        <xsd:documentation>Malaysian Ringgit: MALAYSIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MZN">
      <xsd:annotation>
        <xsd:documentation>Mozambique Metical: MOZAMBIQUE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NAD">
      <xsd:annotation>
        <xsd:documentation>Namibia Dollar: NAMIBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NGN">
      <xsd:annotation>
        <xsd:documentation>Naira: NIGERIA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NIO">
  <xsd:annotation>
    <xsd:documentation>Cordoba Oro: NICARAGUA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NOK">
  <xsd:annotation>
    <xsd:documentation>Norwegian Krone: BOUVET ISLAND; NORWAY; SVALBARD AND JAN
    MAYEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NPR">
  <xsd:annotation>
    <xsd:documentation>Nepalese Rupee: NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZD">
  <xsd:annotation>
    <xsd:documentation>New Zealand Dollar: COOK ISLANDS; NEW ZEALAND; NIUE;
    PITCAIRN; TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OMR">
  <xsd:annotation>
    <xsd:documentation>Rial Omani: OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PAB">
  <xsd:annotation>
    <xsd:documentation>Balboa: PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PEN">
```

```
      <xsd:annotation>
        <xsd:documentation>Sol: PERU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PGK">
      <xsd:annotation>
        <xsd:documentation>Kina: PAPUA NEW GUINEA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PHP">
      <xsd:annotation>
        <xsd:documentation>Philippine Peso: PHILIPPINES</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PKR">
      <xsd:annotation>
        <xsd:documentation>Pakistan Rupee: PAKISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PLN">
      <xsd:annotation>
        <xsd:documentation>Zloty: POLAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PYG">
      <xsd:annotation>
        <xsd:documentation>Guarani: PARAGUAY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="QAR">
      <xsd:annotation>
        <xsd:documentation>Qatari Rial: QATAR</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RON">
  <xsd:annotation>
    <xsd:documentation>Romanian Leu: ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RSD">
  <xsd:annotation>
    <xsd:documentation>Serbian Dinar: SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RUB">
  <xsd:annotation>
    <xsd:documentation>Russian Ruble: RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RWF">
  <xsd:annotation>
    <xsd:documentation>Rwanda Franc: RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SAR">
  <xsd:annotation>
    <xsd:documentation>Saudi Riyal: SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SBD">
  <xsd:annotation>
    <xsd:documentation>Solomon Islands Dollar: SOLOMON ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SCR">
  <xsd:annotation>
    <xsd:documentation>Seychelles Rupee: SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SDG">
  <xsd:annotation>
    <xsd:documentation>Sudanese Pound: SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SEK">
  <xsd:annotation>
    <xsd:documentation>Swedish Krona: SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SGD">
  <xsd:annotation>
    <xsd:documentation>Singapore Dollar: SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SHP">
  <xsd:annotation>
    <xsd:documentation>Saint Helena Pound: SAINT HELENA, ASCENSION AND TRISTAN DA
    CUNHA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SLL">
  <xsd:annotation>
    <xsd:documentation>Leone: SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SOS">
  <xsd:annotation>
```

```
    <xsd:documentation>Somali Shilling: SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SRD">
  <xsd:annotation>
    <xsd:documentation>Surinam Dollar: SURINAME</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SSP">
  <xsd:annotation>
    <xsd:documentation>South Sudanese Pound: SOUTH SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STD">
  <xsd:annotation>
    <xsd:documentation>Historic use: Dobra: SAO TOME AND PRINCIPE</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STN">
  <xsd:annotation>
    <xsd:documentation>Dobra: SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SVC">
  <xsd:annotation>
    <xsd:documentation>El Salvador Colon: EL SALVADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SYP">
  <xsd:annotation>
    <xsd:documentation>Syrian Pound: SYRIAN ARAB REPUBLIC</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZL">
  <xsd:annotation>
    <xsd:documentation>Lilangeni: ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="THB">
  <xsd:annotation>
    <xsd:documentation>Baht: THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJS">
  <xsd:annotation>
    <xsd:documentation>Somoni: TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TMT">
  <xsd:annotation>
    <xsd:documentation>Turkmenistan New Manat: TURKMENISTAN</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TND">
  <xsd:annotation>
    <xsd:documentation>Tunisian Dinar: TUNISIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TOP">
  <xsd:annotation>
    <xsd:documentation>Pa'anga: TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TRY">
```

```
  <xsd:annotation>
    <xsd:documentation>Turkish Lira: TURKEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TTD">
  <xsd:annotation>
    <xsd:documentation>Trinidad and Tobago Dollar: TRINIDAD AND TOBAGO</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TWD">
  <xsd:annotation>
    <xsd:documentation>New Taiwan Dollar: TAIWAN, PROVINCE OF CHINA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZS">
  <xsd:annotation>
    <xsd:documentation>Tanzanian Shilling: TANZANIA, UNITED REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UAH">
  <xsd:annotation>
    <xsd:documentation>Hryvnia: UKRAINE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UGX">
  <xsd:annotation>
    <xsd:documentation>Uganda Shilling: UGANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="USD">
  <xsd:annotation>
```

```
    <xsd:documentation>US Dollar: AMERICAN SAMOA; BONAIRE; SINT EUSTATIUS AND
    SABA; BRITISH INDIAN OCEAN TERRITORY; ECUADOR; EL SALVADOR; GUAM; HAITI;
    MARSHALL ISLANDS; MICRONESIA, FEDERATED STATES OF; NORTHERN MARIANA ISLANDS;
    PALAU; PANAMA; PUERTO RICO; TIMOR-LESTE; TURKS AND CAICOS ISLANDS; UNITED
    STATES; UNITED STATES MINOR OUTLYING ISLANDS; VIRGIN ISLANDS (BRITISH); VIRGIN
    ISLANDS (US)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="USN">

  <xsd:annotation>

    <xsd:documentation>US Dollar (Next day): UNITED STATES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="USS">

  <xsd:annotation>

    <xsd:documentation>Historic use: US Dollar (Same day): UNITED STATES</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYI">

  <xsd:annotation>

    <xsd:documentation>Uruguay Peso en Unidades Indexadas (UI): URUGUAY</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYU">

  <xsd:annotation>

    <xsd:documentation>Peso Uruguayo: URUGUAY</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UYW">

  <xsd:annotation>

    <xsd:documentation>Unidad Previsional: URUGUAY</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="UZS">
```

```
      <xsd:annotation>
        <xsd:documentation>Uzbekistan Sum: UZBEKISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VEF">
      <xsd:annotation>
        <xsd:documentation>Historic use: Bolivar: VENEZUELA, BOLIVARIAN REPUBLIC
        OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VES">
      <xsd:annotation>
        <xsd:documentation>Bolívar Soberano: VENEZUELA, BOLIVARIAN REPUBLIC OF</
        xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VND">
      <xsd:annotation>
        <xsd:documentation>Dong: VIET NAM</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VUV">
      <xsd:annotation>
        <xsd:documentation>Vatu: VANUATU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="WST">
      <xsd:annotation>
        <xsd:documentation>Tala: SAMOA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="XAF">
      <xsd:annotation>
        <xsd:documentation>CFA Franc BEAC: CAMEROON; CENTRAL AFRICAN REPUBLIC; CHAD;
        CONGO; EQUATORIAL GUINEA; GABON</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAG">
  <xsd:annotation>
    <xsd:documentation>Silver: ZZ11_Silver</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAU">
  <xsd:annotation>
    <xsd:documentation>Gold: ZZ08_Gold</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBA">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Composite Unit (EURCO):
    ZZ01_Bond Markets Unit European_EURCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBB">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Monetary Unit (E.M.U.-6):
    ZZ02_Bond Markets Unit European_EMU-6</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBC">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Unit of Account 9 (E.U.A.-9):
    ZZ03_Bond Markets Unit European_EUA-9</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBD">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Unit of Account 17 (E.U.A.-17):
    ZZ04_Bond Markets Unit European_EUA-17</xsd:documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XCD">

  <xsd:annotation>

    <xsd:documentation>East Caribbean Dollar: ANGUILLA; ANTIGUA AND BARBUDA;
    DOMINICA; GRENADA; MONTSERRAT; SAINT KITTS AND NEVIS; SAINT LUCIA; SAINT
    VINCENT AND THE GRENADINES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XDR">

  <xsd:annotation>

    <xsd:documentation>SDR (Special Drawing Right): INTERNATIONAL MONETARY FUND
    (IMF)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XFU">

  <xsd:annotation>

    <xsd:documentation>Historic use: UIC-Franc: ZZ05_UIC-Franc</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XOF">

  <xsd:annotation>

    <xsd:documentation>CFA Franc BCEAO: BENIN; BURKINA FASO; COTE D'IVOIRE;
    GUINEA-BISSAU; MALI; NIGER; SENEGAL; TOGO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPD">

  <xsd:annotation>

    <xsd:documentation>Palladium: ZZ09_Palladium</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPF">

  <xsd:annotation>

    <xsd:documentation>CFP Franc: FRENCH POLYNESIA; NEW CALEDONIA; WALLIS AND
    FUTUNA</xsd:documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPT">

  <xsd:annotation>

    <xsd:documentation>Platinum: ZZ10_Platinum</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XSU">

  <xsd:annotation>

    <xsd:documentation>Sucre: SISTEMA UNITARIO DE COMPENSACION REGIONAL DE PAGOS
    "SUCRE"</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XUA">

  <xsd:annotation>

    <xsd:documentation>ADB Unit of Account: MEMBER COUNTRIES OF THE AFRICAN
    DEVELOPMENT BANK GROUP</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XXX">

  <xsd:annotation>

    <xsd:documentation>The codes assigned for transactions where no currency is
    involved: ZZ07_No_Currency</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="YER">

  <xsd:annotation>

    <xsd:documentation>Yemeni Rial: YEMEN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ZAR">

  <xsd:annotation>

    <xsd:documentation>Rand: LESOTHO; NAMIBIA; SOUTH AFRICA</xsd:
    documentation>

  </xsd:annotation>
```

```
      </xsd:enumeration>
      <xsd:enumeration value="ZMW">
        <xsd:annotation>
          <xsd:documentation>Zambian Kwacha: ZAMBIA</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="ZWL">
        <xsd:annotation>
          <xsd:documentation>Zimbabwe Dollar: ZIMBABWE</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- Language codes - ISO 639 - Part 1 (ISO 639-1:2002)
```

The following disclaimer refers to all uses of the ISO language code list in the CBC schema: For practical reasons, the list is based on the ISO 639-1 language list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
  -->
  <xsd:simpleType name="LanguageCode_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">ISO 639 - Part 1 Language codes</xsd:
      documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="AA">
        <xsd:annotation>
          <xsd:documentation>Afar</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="AB">
        <xsd:annotation>
          <xsd:documentation>Abkhazian</xsd:documentation>
        </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AF">
  <xsd:annotation>
    <xsd:documentation>Afrikaans</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AK">
  <xsd:annotation>
    <xsd:documentation>Akan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SQ">
  <xsd:annotation>
    <xsd:documentation>Albanian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>Amharic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>Arabic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AN">
  <xsd:annotation>
    <xsd:documentation>Aragonese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HY">
  <xsd:annotation>
    <xsd:documentation>Armenian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>Assamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AV">
  <xsd:annotation>
    <xsd:documentation>Avaric</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>Avestan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AY">
  <xsd:annotation>
    <xsd:documentation>Aymara</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>Azerbaijani</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>Bashkir</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>Bambara</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="EU">
  <xsd:annotation>
    <xsd:documentation>Basque</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
  <xsd:annotation>
    <xsd:documentation>Belarusian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>Bengali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>Bihari languages</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>Bislama</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>Bosnian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>Breton</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>Bulgarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>Burmese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>Catalan; Valencian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>Chamorro</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CE">
  <xsd:annotation>
    <xsd:documentation>Chechen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZH">
  <xsd:annotation>
    <xsd:documentation>Chinese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
```

```
    <xsd:documentation>Church Slavic; Old Slavonic; Church Slavonic; Old
    Bulgarian; Old Church Slavonic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>Chuvash</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>Cornish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
    <xsd:documentation>Corsican</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>Cree</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CS">
  <xsd:annotation>
    <xsd:documentation>Czech</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DA">
  <xsd:annotation>
    <xsd:documentation>Danish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DV">
```

```
  <xsd:annotation>
    <xsd:documentation>Divehi; Dhivehi; Maldivian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>Dutch; Flemish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>Dzongkha</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EN">
  <xsd:annotation>
    <xsd:documentation>English</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EO">
  <xsd:annotation>
    <xsd:documentation>Esperanto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>Estonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>Ewe</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>Faroese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>Fijian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>Finnish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>French</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FY">
  <xsd:annotation>
    <xsd:documentation>Western Frisian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FF">
  <xsd:annotation>
    <xsd:documentation>Fulah</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KA">
  <xsd:annotation>
    <xsd:documentation>Georgian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>German</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>Gaelic; Scottish Gaelic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>Irish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>Galician</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GV">
  <xsd:annotation>
    <xsd:documentation>Manx</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EL">
  <xsd:annotation>
    <xsd:documentation>Greek</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>Guarani</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>Gujarati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>Haitian; Haitian Creole</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HA">
  <xsd:annotation>
    <xsd:documentation>Hausa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HE">
  <xsd:annotation>
    <xsd:documentation>Hebrew</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HZ">
  <xsd:annotation>
    <xsd:documentation>Herero</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HI">
  <xsd:annotation>
    <xsd:documentation>Hindi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HO">
  <xsd:annotation>
    <xsd:documentation>Hiri Motu</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
  <xsd:annotation>
    <xsd:documentation>Croatian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>Hungarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IG">
  <xsd:annotation>
    <xsd:documentation>Igbo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>Icelandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>Ido</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="II">
  <xsd:annotation>
    <xsd:documentation>Sichuan Yi; Nuosu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IU">
  <xsd:annotation>
    <xsd:documentation>Inuktitut</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>Interlingue; Occidental</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IA">
  <xsd:annotation>
    <xsd:documentation>Interlingua (International Auxiliary Language
    Association)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
  <xsd:annotation>
    <xsd:documentation>Indonesian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IK">
  <xsd:annotation>
    <xsd:documentation>Inupiaq</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>Italian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JV">
  <xsd:annotation>
    <xsd:documentation>Javanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JA">
  <xsd:annotation>
```

```
    <xsd:documentation>Japanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KL">
  <xsd:annotation>
    <xsd:documentation>Kalaallisut; Greenlandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>Kannada</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KS">
  <xsd:annotation>
    <xsd:documentation>Kashmiri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>Kanuri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KK">
  <xsd:annotation>
    <xsd:documentation>Kazakh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>Central Khmer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
```

```
  <xsd:annotation>
    <xsd:documentation>Kikuyu; Gikuyu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RW">
  <xsd:annotation>
    <xsd:documentation>Kinyarwanda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>Kirghiz; Kyrgyz</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KV">
  <xsd:annotation>
    <xsd:documentation>Komi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>Kongo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KO">
  <xsd:annotation>
    <xsd:documentation>Korean</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KJ">
  <xsd:annotation>
    <xsd:documentation>Kuanyama; Kwanyama</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="KU">
  <xsd:annotation>
    <xsd:documentation>Kurdish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LO">
  <xsd:annotation>
    <xsd:documentation>Lao</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>Latin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>Latvian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>Limburgan; Limburger; Limburgish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LN">
  <xsd:annotation>
    <xsd:documentation>Lingala</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>Lithuanian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>Luxembourgish; Letzeburgesch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>Luba-Katanga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LG">
  <xsd:annotation>
    <xsd:documentation>Ganda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>Macedonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>Marshallese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>Malayalam</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MI">
  <xsd:annotation>
    <xsd:documentation>Maori</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>Marathi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>Malay</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>Malagasy</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>Maltese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>Mongolian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>Nauru</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NV">
  <xsd:annotation>
    <xsd:documentation>Navajo; Navaho</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>Ndebele, South; South Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ND">
  <xsd:annotation>
    <xsd:documentation>Ndebele, North; North Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NG">
  <xsd:annotation>
    <xsd:documentation>Ndonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NE">
  <xsd:annotation>
    <xsd:documentation>Nepali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NN">
  <xsd:annotation>
    <xsd:documentation>Norwegian Nynorsk; Nynorsk, Norwegian</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NB">
  <xsd:annotation>
    <xsd:documentation>Bokmål, Norwegian; Norwegian Bokmål</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NO">
```

```
  <xsd:annotation>
    <xsd:documentation>Norwegian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NY">
  <xsd:annotation>
    <xsd:documentation>Chichewa; Chewa; Nyanja</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OC">
  <xsd:annotation>
    <xsd:documentation>Occitan; Provençal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OJ">
  <xsd:annotation>
    <xsd:documentation>Ojibwa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OR">
  <xsd:annotation>
    <xsd:documentation>Oriya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>Oromo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OS">
  <xsd:annotation>
    <xsd:documentation>Ossetian; Ossetic</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>Panjabi; Punjabi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FA">
  <xsd:annotation>
    <xsd:documentation>Persian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PI">
  <xsd:annotation>
    <xsd:documentation>Pali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>Polish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>Portuguese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>Pushto; Pashto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QU">
  <xsd:annotation>
    <xsd:documentation>Quechua</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="RM">
  <xsd:annotation>
    <xsd:documentation>Romansh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>Romanian; Moldavian; Moldovan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RN">
  <xsd:annotation>
    <xsd:documentation>Rundi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>Russian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>Sango</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>Sanskrit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>Sinhala; Sinhalese</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>Slovak</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>Slovenian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>Northern Sami</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
  <xsd:annotation>
    <xsd:documentation>Samoan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>Shona</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>Sindhi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>Somali</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>Sotho, Southern</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ES">
  <xsd:annotation>
    <xsd:documentation>Spanish; Castilian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>Sardinian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>Serbian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>Swati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SU">
  <xsd:annotation>
    <xsd:documentation>Sundanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SW">
  <xsd:annotation>
```

```
    <xsd:documentation>Swahili</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>Swedish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TY">
  <xsd:annotation>
    <xsd:documentation>Tahitian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TA">
  <xsd:annotation>
    <xsd:documentation>Tamil</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>Tatar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TE">
  <xsd:annotation>
    <xsd:documentation>Telugu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>Tajik</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
```

```
    <xsd:documentation>Tagalog</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>Thai</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>Tibetan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TI">
  <xsd:annotation>
    <xsd:documentation>Tigrinya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>Tonga (Tonga Islands)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
  <xsd:annotation>
    <xsd:documentation>Tswana</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TS">
  <xsd:annotation>
    <xsd:documentation>Tsonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
```

```
      <xsd:annotation>
        <xsd:documentation>Turkmen</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TR">
      <xsd:annotation>
        <xsd:documentation>Turkish</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TW">
      <xsd:annotation>
        <xsd:documentation>Twi</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UG">
      <xsd:annotation>
        <xsd:documentation>Uighur; Uyghur</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UK">
      <xsd:annotation>
        <xsd:documentation>Ukrainian</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UR">
      <xsd:annotation>
        <xsd:documentation>Urdu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UZ">
      <xsd:annotation>
        <xsd:documentation>Uzbek</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VE">
```

```
  <xsd:annotation>
    <xsd:documentation>Venda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>Vietnamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VO">
  <xsd:annotation>
    <xsd:documentation>Volapük</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>Welsh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WA">
  <xsd:annotation>
    <xsd:documentation>Walloon</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WO">
  <xsd:annotation>
    <xsd:documentation>Wolof</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XH">
  <xsd:annotation>
    <xsd:documentation>Xhosa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YI">
```

```
      <xsd:annotation>
        <xsd:documentation>Yiddish</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="YO">
      <xsd:annotation>
        <xsd:documentation>Yoruba</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZA">
      <xsd:annotation>
        <xsd:documentation>Zhuang; Chuang</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZU">
      <xsd:annotation>
        <xsd:documentation>Zulu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MS codes -->
<xsd:simpleType name="MSCountryCode_Type">
  <xsd:annotation>
    <xsd:documentation>List of the MS code.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="AT"/>
    <xsd:enumeration value="BE"/>
    <xsd:enumeration value="BG"/>
    <xsd:enumeration value="CY"/>
    <xsd:enumeration value="CZ"/>
    <xsd:enumeration value="DK"/>
```

```
      <xsd:enumeration value="EE"/>
      <xsd:enumeration value="FI"/>
      <xsd:enumeration value="FR"/>
      <xsd:enumeration value="DE"/>
      <xsd:enumeration value="GR"/>
      <xsd:enumeration value="HU"/>
      <xsd:enumeration value="HR"/>
      <xsd:enumeration value="IE"/>
      <xsd:enumeration value="IT"/>
      <xsd:enumeration value="LV"/>
      <xsd:enumeration value="LT"/>
      <xsd:enumeration value="LU"/>
      <xsd:enumeration value="MT"/>
      <xsd:enumeration value="NL"/>
      <xsd:enumeration value="PL"/>
      <xsd:enumeration value="PT"/>
      <xsd:enumeration value="RO"/>
      <xsd:enumeration value="SK"/>
      <xsd:enumeration value="SI"/>
      <xsd:enumeration value="ES"/>
      <xsd:enumeration value="SE"/>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
</xsd:schema>
```

OECD CARF TYPES

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:xsd="http://www.w3.org/
2001/XMLSchema" targetNamespace="urn:oecd:ties:carfstf:v5" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="5.0">

  <!-- -->

  <!--++++++++++++++++++++++++ String length types ++++++++++++++++++++++++++++++
  ++++++ -->

  <!-- -->

  <!-- Defines a string with minimum length 0 and maximum length of 200 -->
```

```
<xsd:simpleType name="StringMin0Max200_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 0 and maximum length of
    200.</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="0"/>
    <xsd:maxLength value="200"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 10 -->
<xsd:simpleType name="StringMin1Max10_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    10</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 170 -->
<xsd:simpleType name="StringMin1Max170_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    170</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="170"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
<!-- Defines a string with minimum length 1 and maximum length of 200 -->

<xsd:simpleType name="StringMin1Max200_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    200</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="200"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Defines a string with minimum length 1 and maximum length of 400 -->

<xsd:simpleType name="StringMin1Max400_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    400</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="400"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Defines a string with minimum length 1 and maximum length of 4000 -->

<xsd:simpleType name="StringMin1Max4000_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    4000</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="4000"/>

  </xsd:restriction>

</xsd:simpleType>
```

```
<!-- -->

<!-- -->

<!-- -->

<!--++++++++++++++++++++++++ Reusable Simple types ++++++++++++++++++++++++++++++
++++++++ -->

<!-- Document type indicators types -->

<xsd:simpleType name="OECDDocTypeIndic_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">This element specifies the type of data being
    submitted.</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="OECD0">

      <xsd:annotation>

        <xsd:documentation>Resend Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD1">

      <xsd:annotation>

        <xsd:documentation>New Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD2">

      <xsd:annotation>

        <xsd:documentation>Corrected Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD3">

      <xsd:annotation>

        <xsd:documentation>Deletion of Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD10">

      <xsd:annotation>

        <xsd:documentation>Resend Test Data</xsd:documentation>

      </xsd:annotation>
```

```
    </xsd:enumeration>
    <xsd:enumeration value="OECD11">
      <xsd:annotation>
        <xsd:documentation>New Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD12">
      <xsd:annotation>
        <xsd:documentation>Corrected Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD13">
      <xsd:annotation>
        <xsd:documentation>Deletion of Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Kind of Name -->
<xsd:simpleType name="OECDNameType_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">
      It is possible for stf documents to contain several names for the same party. This
      is a qualifier to indicate the type of a particular name. Such types include
      nicknames ('nick'), names under which a party does business ('dba' a short name
      for the entity, or a name that is used for public acquaintance instead of the
      official business name) etc.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="OECD201">
      <xsd:annotation>
        <xsd:documentation>SMFAliasOrOther</xsd:documentation>
      </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="OECD202">
  <xsd:annotation>
    <xsd:documentation>indiv (individual)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD203">
  <xsd:annotation>
    <xsd:documentation>alias (alias)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD204">
  <xsd:annotation>
    <xsd:documentation>nick (nickname)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD205">
  <xsd:annotation>
    <xsd:documentation>aka (also known as)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD206">
  <xsd:annotation>
    <xsd:documentation>dba (doing business as)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD207">
  <xsd:annotation>
    <xsd:documentation>legal (legal name)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD208">
  <xsd:annotation>
```

```
      <xsd:documentation>atbirth (name at birth)</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
 </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Type of the address considered from a legal point of view -->
<xsd:simpleType name="OECDLegalAddressType_EnumType">
 <xsd:annotation>
  <xsd:documentation xml:lang="en">This is a datatype for an attribute to an
  address. It serves to indicate the legal character of that address (residential,
  business etc.)</xsd:documentation>
 </xsd:annotation>
 <xsd:restriction base="xsd:token">
  <xsd:enumeration value="OECD301">
   <xsd:annotation>
    <xsd:documentation>residentialOrBusiness</xsd:documentation>
   </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="OECD302">
   <xsd:annotation>
    <xsd:documentation>residential</xsd:documentation>
   </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="OECD303">
   <xsd:annotation>
    <xsd:documentation>business</xsd:documentation>
   </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="OECD304">
   <xsd:annotation>
    <xsd:documentation>registeredOffice</xsd:documentation>
   </xsd:annotation>
```

```
      </xsd:enumeration>

      <xsd:enumeration value="OECD305">

        <xsd:annotation>

          <xsd:documentation>unspecified</xsd:documentation>

        </xsd:annotation>

      </xsd:enumeration>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--++++++++++++++++++ Reusable Complex types ++++++++++++++++++++++++++++++++
  +++ -->

  <!-- -->

  <!-- Document specification: Data identifying and describing the document -->

  <xsd:complexType name="DocSpec_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Document specification: Data identifying and
      describing the document, where 'document' here means the part of a message that is to
      transmit the data about a single block of carf information. </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="DocTypeIndic" type="stf:OECDDocTypeIndic_EnumType"/>

<xsd:element name="DocRefId" type="stf:StringMin1Max200_Type">

        <xsd:annotation>

          <xsd:documentation xml:lang="en">Sender's unique identifier of this document
          </xsd:documentation>

        </xsd:annotation>

      </xsd:element>

<xsd:element name="CorrMessageRefId" type="stf:StringMin1Max170_Type"
minOccurs="0">

        <xsd:annotation>

          <xsd:documentation xml:lang="en">Reference id of the message of the document
          referred to if this is a correction</xsd:documentation>

        </xsd:annotation>

      </xsd:element>

<xsd:element name="CorrDocRefId" type="stf:StringMin1Max200_Type" minOccurs="0">
```

```
        <xsd:annotation>

          <xsd:documentation xml:lang="en">Reference id of the document referred to if
          this is correction</xsd:documentation>

        </xsd:annotation>

      </xsd:element>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

</xsd:schema>”
```

LIITE IV

”LIITE XIX

2 g artiklan 1 ja 2 kohdassa tarkoitettu lomake

Lomake, jota on käytettävä tietojen ilmoittamiseen Kryptovaraoperaattorista, joka on direktiivin 2011/16/EU liitteessä VI olevan IV jakson B kohdan 3 alakohdassa määritelty Raportoiva kryptovarapalvelun tarjoaja, sisältää direktiivin 2011/16/EU liitteessä VI olevan V jakson F kohdan 2 alakohdassa lueteltujen osien lisäksi seuraavat kentät:

— Direktiivin 2011/16/EU 8 ad artiklan 7 kohdan mukainen kertarekisteröinnin tehnyt jäsenvaltio;

2 g artiklan 3 kohdassa tarkoitetun yksilöllisen tunnistenumeron muoto

Yksilöllinen tunnistenumero muodostuu 10 merkistä muodossa CCXXXXXXXX, jossa CC on sen jäsenvaltion ISO-maakoodi, jossa tunnistenumero on annettu, ja XXXXXXXX on jäsenvaltion tai Kryptovaraoperaattorien rekisterin luoma ja Kryptovaraoperaattorille annettu ainutkertainen aakkosnumeerinen merkkijono. Kryptovaraoperaattorien rekisteri antaa yksilöllisen tunnistenumeron, kun jäsenvaltio ei ole antanut sitä.

2 g artiklan 4 kohdassa tarkoitettu Kryptovaraoperaattorien rekisteristä poistettujen tiettyjen tietojen säilytysaika

Jos Kryptovaraoperaattorin, joka on direktiivin 2011/16/EU liitteessä VI olevan IV jakson B kohdan 3 alakohdassa määritelty Raportoiva kryptovarapalvelun tarjoaja, rekisteröinti perutaan direktiivin 2011/16/EU liitteessä VI olevan V jakson F kohdan 7 alakohdan mukaisesti, kertarekisteröinnin tehneen jäsenvaltion on poistettava Kryptovaraoperaattori Kryptovaraoperaattorien rekisteristä. Kryptovaraoperaattorien rekisteri saa säilyttää poistettuja tietoja enintään 12 kuukauden ajan poistamispäivästä.

2 g artiklan 5 kohdassa tarkoitettu kertarekisteröinnin tehneen jäsenvaltion vaihtuminen Kryptovaraoperaattorien rekisterissä

Jos direktiivin 2011/16/EU liitteessä VI olevan V jakson F kohdan 3 alakohdan mukaiseen tietojen muutokseen liittyy kertarekisteröinnin tehneen jäsenvaltion vaihtuminen, nykyinen kertarekisteröinnin tehnyt jäsenvaltio käynnistää rekisteröityä Raportoivaa kryptovarapalvelun tarjoajaa koskevien tietojen siirron uudelle kertarekisteröinnin tehneelle jäsenvaltiolle. Uudesta kertarekisteröinnin tehneestä jäsenvaltiosta tulee se kertarekisteröinnin tehnyt jäsenvaltio, jossa direktiivin 2011/16/EU mukaiset tiedot raportoidaan. Tästä jäsenvaltiosta tulee Raportoivan kryptovarapalvelun tarjoajan uusi yhteyspiste kaikkea tietojen päivittämistä varten direktiivin 2011/16/EU liitteessä VI olevan V jakson F kohdan 3 alakohdan ja tämän asetuksen mukaisesti.

Raportoivalle kryptovarapalvelun tarjoajalle sen ensimmäisen kertarekisteröinnin yhteydessä annettu yksilöllinen tunnistenumero säilyy samana koko menettelyn ajan.

Tämä menettely ei vapauta Raportoivaa kryptovarapalvelun tarjoajaa velvollisuudesta noudattaa uuden kertarekisteröinnin tehneen jäsenvaltion kansallisia rekisteröintivaatimuksia.”