Europos Sąjungos
oficialusis leidinys

LT
L serija

2025/2263

2025 11 26

KOMISIJOS ĮGYVENDINIMO REGLAMENTAS (ES) 2025/2263

2025 m. lapkričio 12 d.

kuriuo dėl privalomų automatinių informacijos apie praneštiną kriptoturtą mainų, metinio įvertinimo pateikimo ir valstybių narių pagal Tarybos direktyvą 2011/16/ES pateiktinų statistinių duomenų sąrašo standartinių formų ir kompiuterinių formatų iš dalies keičiamas Įgyvendinimo reglamentas (ES) 2015/2378

EUROPOS KOMISIJA,

atsižvelgdama į Sutartį dėl Europos Sąjungos veikimo,

atsižvelgdama į 2011 m. vasario 15 d. Tarybos direktyvą 2011/16/ES dėl administracinio bendradarbiavimo apmokestinimo srityje ir panaikinančią Direktyvą 77/799/EEB ([1]), ypač į jos 8ad straipsnio 4 ir 9 dalis, 20 straipsnio 5 dalies c punktą ir 23 straipsnio 3 ir 4 dalis,

kadangi:

(1) Tarybos direktyva (ES) 2023/2226 ([2]) buvo iš dalies pakeista Direktyva 2011/16/ES, kad būtų numatyti privalomi automatiniai informacijos, kurią turi teikti duomenis teikiantys kriptoturto paslaugų teikėjai, mainai;

(2) pagal Direktyvos 2011/16/ES 8ad straipsnio 4 dalį reikia nustatyti praktines nuostatas, kurios palengvintų to straipsnio 3 dalyje nurodytos informacijos perdavimą. Visų pirma, automatiniai informacijos mainai pagal Direktyvos 2011/16/ES 8ad straipsnio 6 dalį turėtų būti vykdomi naudojant standartinį kompiuterinį formatą;

(3) pagal Direktyvos 2011/16/ES 8ad straipsnio 9 dalį reikia nustatyti kriptoturto operatoriams, kurie yra duomenis teikiantys kriptoturto paslaugų teikėjai, registruoti ir identifikuoti būtinas praktines nuostatas, kad valstybės narės turėtų reikiamą informaciją apie kriptoturto operatorių, kuris privalo teikti duomenis valstybėje narėje;

(4) siekiant užtikrinti, kad valstybės narės apie kriptoturto operatorius teiktų tą pačią informaciją, būtina nustatyti standartinę formą, naudotiną perduodant informaciją apie kriptoturto operatorius kriptoturto operatorių registrui;

(5) Komisijos įgyvendinimo reglamento (ES) 2015/2378 ([3]) 2c straipsnis ir X priedas turėtų būti atnaujinti įtraukiant naują informaciją, kad būtų atsižvelgta į dabartinius Direktyvos 2011/16/ES pakeitimus;

(6) todėl Įgyvendinimo reglamentas (ES) 2015/2378 turėtų būti atitinkamai iš dalies pakeistas;

(7) pagal Europos Parlamento ir Tarybos reglamento (ES) 2018/1725 ([4]) 42 straipsnio 1 dalį konsultuotasi su Europos duomenų apsaugos priežiūros pareigūnu;

(8) siekiant nuoseklumo ir teisinio tikrumo, šio reglamento įsigaliojimo data turėtų būti suderinta su Direktyvos (ES) 2023/2226 2 straipsnio 1 dalies antroje pastraipoje nurodyta taikymo data.

([1]) OL L 64, 2011 3 11, p. 1, ELI, ELI: http://data.europa.eu/eli/dir/2011/16/oj.

([2]) 2023 m. spalio 17 d. Tarybos direktyva (ES) 2023/2226, kuria iš dalies keičiama Direktyva 2011/16/ES dėl administracinio bendradarbiavimo apmokestinimo srityje, (OL L, 2023/2226, 2023 10 24, ELI: http://data.europa.eu/eli/dir/2023/2226/oj).

([3]) 2015 m. gruodžio 15 d. Komisijos įgyvendinimo reglamentas (ES) 2015/2378, kuriuo nustatomos išsamios tam tikrų Tarybos direktyvos 2011/16/ES dėl administracinio bendradarbiavimo apmokestinimo srityje nuostatų įgyvendinimo taisyklės ir panaikinamas Įgyvendinimo reglamentas (ES) Nr. 1156/2012, (OL L 332, 2015 12 18, p. 19, ELI: http://data.europa.eu/eli/reg_impl/2015/2378/oj).

([4]) 2018 m. spalio 23 d. Europos Parlamento ir Tarybos reglamentas (ES) 2018/1725 dėl fizinių asmenų apsaugos Sąjungos institucijoms, organams, tarnyboms ir agentūroms tvarkant asmens duomenis ir dėl laisvo tokių duomenų judėjimo, kuriuo panaikinamas Reglamentas (EB) Nr. 45/2001 ir Sprendimas Nr. 1247/2002/EB, (OL L 295, 2018 11 21, p. 39, ELI: http://data.europa.eu/eli/reg/2018/1725/oj).

(9) Šiame reglamente nustatytos priemonės atitinka Administracinio bendradarbiavimo apmokestinimo srityje komiteto nuomonę,

PRIĖMĖ ŠĮ REGLAMENTĄ:

1 straipsnis

Įgyvendinimo reglamentas (ES) 2015/2378 iš dalies keičiamas taip:

1) 2 straipsnis papildomas 5 dalimi:

„5. Privalomiems automatiniams informacijos mainams pagal Direktyvos 2011/16/ES 8ad straipsnio 6 dalį naudotinas kompiuterinis formatas turi atitikti šio reglamento XVIII priedo nuostatas.“;

2) 2c straipsnio 2 dalis pakeičiama taip:

„2. Valstybės narės, naudodamos 1 dalyje nurodytą formą, ne vėliau kaip kiekvienų metų gegužės 1 d. metinį įvertinimą elektroninėmis priemonėmis pateikia Komisijai. Įvertinimas apima praėjusių kalendorinių metų laikotarpį.“;

3) įterpiamas 2g straipsnis:

„*2g straipsnis*

Standartinės formos, įskaitant lingvistines nuostatas, skirtos informacijai apie kriptoturto operatorius perduoti, ir iš kriptoturto operatorių registro pašalintos informacijos saugojimo laikotarpis

1. Forma, naudotina perduodant informaciją apie kriptoturto operatorius kriptoturto operatorių registrui pagal Direktyvos 2011/16/ES 8ad straipsnio 9 dalį, turi atitikti šio reglamento XIX priede nustatytą formatą.

2. Pagrindiniai elementai, kurie turi būti įrašomi kriptoturto operatorių registre, kaip nustatyta Direktyvos 2011/16/ES 8ad straipsnio 9 dalyje, yra Direktyvos 2011/16/ES VI priedo V skirsnio F poskirsnio 2 dalyje ir šio reglamento XIX priede nurodyta informacija. Kriptoturto operatorių registro sukūrimas ir asmens duomenų tvarkymas, kurį valstybių narių kompetentingų institucijų vardu atlieka Komisija kriptoturto operatorių registre, atitinka reglamentų (ES) 2016/679 ir (ES) 2018/1725 reikalavimus. Remiantis Reglamentu (ES) 2016/679, valstybių narių kompetentingos institucijos laikomos duomenų valdytojomis, o Komisija laikoma duomenų tvarkytoja;

3. 8ad straipsnio 7 dalyje nurodyto individualaus identifikacinio numerio formatas nustatytas šio reglamento XIX priede.

4. Pagal Direktyvos 2011/16/ES VI priedo V skirsnio F poskirsnio 5 dalies d punktą iš kriptoturto operatorių registro pašalintos informacijos saugojimo laikotarpis nustatytas šio reglamento XIX priede.

5. Taisyklės dėl vienos registracijos valstybės narės pakeitimo ir informacijos, susijusios su duomenis teikiančiu kriptoturto paslaugų teikėju, perdavimo naujajai vienos registracijos valstybei narei nustatytos šio reglamento XIX priede.“;

4) VIII priedas pakeičiamas šio reglamento I priedo tekstu;

5) X priedas iš dalies keičiamas pagal šio reglamento II priedą;

6) šio reglamento III priede pateiktas tekstas pridedamas kaip XVIII priedas;

7) šio reglamento IV priede pateiktas tekstas pridedamas kaip XIX priedas.

2 straipsnis

Šis reglamentas įsigalioja dvidešimtą dieną po jo paskelbimo *Europos Sąjungos oficialiajame leidinyje*.

Jis taikomas nuo 2026 m. sausio 1 d.

Šis reglamentas privalomas visas ir tiesiogiai taikomas visose valstybėse narėse.

Priimta Briuselyje 2025 m. lapkričio 12 d.

Komisijos vardu
Pirmininkė
Ursula VON DER LEYEN

I PRIEDAS

„VIII PRIEDAS

2c straipsnyje nurodyta forma

Pateikimo pagal Direktyvos 2011/16/ES 23 straipsnio 3 dalį formoje nurodoma toliau išvardyta informacija apie:

a) į klausimyną atsakančios valstybės narės tapatybę;

b) automatinių informacijos mainų organizavimą ir išteklius, be kita ko, apie administracines ir kitas susijusias plėtojimo ir vykdymo sąnaudas, pasikartojančių operacijų administracines sąnaudas, kitas susijusias mokestinių prievolių vykdymo operacijų sąnaudas;

c) bylinėjimosi ir teismo procesus;

d) informacijos prieinamumą valstybėje narėje, be kita ko, valdymo proceso, kuriuo užtikrinamas duomenų, įskaitant identifikavimo elementus, rinkimas, aprašymą ir siunčiamos informacijos savalaikiškumą;

e) informacijos mainų veiksmingumą iš priimančiosios valstybės narės perspektyvos, įskaitant gautos informacijos tvarkymą, visiško duomenų atitikimo lygio procentinę dalį ir sėkmingai nustatytų ataskaitų procentinę dalį;

f) gautos informacijos kokybę, be kita ko, apie atitinkamų mokesčių mokėtojų / šalių identifikavimą, siunčiančiosios valstybės narės pateiktų galiojančių mokesčių mokėtojo identifikacinių numerių (TIN) procentinę dalį;

g) gautos informacijos naudojimą, įskaitant naudojimo kategorijas, mokesčių sritį, kitą su mainais susijusį administracinį bendradarbiavimą;

h) informacijos naudojimo rezultatų įvertinimą, be kita ko, didesnį apskaičiuotą mokestį ir (arba) padidėjusią patikslintą mokesčio bazę, mokesčių tyrimams naudojamų ataskaitų procentinę dalį;

i) stebėjimą, ar buvo išsiųsti dvišaliai metiniai atsiliepimai pagal Direktyvos 2011/16/ES 14 straipsnio 2 dalį;

j) direktyvos veikimui svarbių tolesnių veiksmų, susijusių su konkrečiais projektais, stebėjimą, įgyvendinimą ir rezultatus, ir

k) visą kitą svarbią informaciją, susijusią su a-j punktais arba problemomis, su kuriomis susidūrė valstybės narės.“ ;

II PRIEDAS

Įgyvendinimo reglamento (ES) 2015/2378 X priede sąrašas papildomas šia įtrauka:

„— ne pasaugos dividendų atveju: statistinius duomenis apie pranešimą ir gavėją, pranešimą ir mokėtoją, gavėją ir santykį, mokėtoją ir santykį, gavėją ir pajamas“;

III PRIEDAS

„XVIII PRIEDAS

2 straipsnio 5 dalyje nurodytas kompiuterinis formatas

Privalomiems automatiniams informacijos mainams pagal Direktyvos 2011/16/ES 8ad straipsnio 6 dalį naudojami kompiuteriniai formatai atitinka toliau pateikiamą medžio struktūrą ir apima šiuos elementus ir atributus ([1]):

CARF XML

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:carf="urn:oecd:ties:carf:v1" xmlns:xsd="http://www.w3.org/2001/
XMLSchema" xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:iso="urn:oecd:ties:
isocarftypes:v1" targetNamespace="urn:oecd:ties:carf:v1" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="1.3">

<xsd:import namespace="urn:oecd:ties:isocarftypes:v1" schemaLocation="isocarf
types_v1.1.xsd"/>

<xsd:import namespace="urn:oecd:ties:carfstf:v5" schemaLocation="oecdcarf
types_v5.0.xsd"/>

  <!--++++++++++++++++++++++++ Reusable Simple types ++++++++++++++++++++++++++++++
  ++++++++ -->

  <!-- Message type definitions -->

  <xsd:simpleType name="MessageType_EnumType">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Message type defines the type of reporting
      </xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">

      <xsd:enumeration value="CARF"/>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--Transfer Type - 401 to 404-->

  <xsd:simpleType name="ExchangeType_EnumType">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">
```

([1]) Tačiau tam tikru atveju naudojamame kompiuteriniame formate turi būti pateikti tik tuo konkrečiu atveju naudojami faktiškai taikytini elementai ir atributai, susiję su Tarybos direktyvos 2011/16/ES VI priedo II ir III skirsniuose išdėstytomis išsamaus patikrinimo ir duomenų teikimo taisyklėmis.

```
      <xsd:enumeration value="CARF401">
        <xsd:annotation>
          <xsd:documentation>Staking</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF402">
        <xsd:annotation>
          <xsd:documentation>Crypto Loan</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF403">
        <xsd:annotation>
          <xsd:documentation>Wrapping</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF404">
        <xsd:annotation>
          <xsd:documentation>Collateral</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
  <!--Transfer Type - 501 to 507-->
  <xsd:simpleType name="TransferType_EnumType">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="CARF501">
        <xsd:annotation>
          <xsd:documentation>Airdrop</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
```

```
<xsd:enumeration value="CARF502">
  <xsd:annotation>
    <xsd:documentation>Staking income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF503">
  <xsd:annotation>
    <xsd:documentation>Mining income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF504">
  <xsd:annotation>
    <xsd:documentation>Crypto loan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF505">
  <xsd:annotation>
    <xsd:documentation>Transfer from another RCASP</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF506">
  <xsd:annotation>
    <xsd:documentation>Sale of goods or services</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF507">
  <xsd:annotation>
    <xsd:documentation>Collateral</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF508">
  <xsd:annotation>
    <xsd:documentation>Other</xsd:documentation>
  </xsd:annotation>
```

```
    </xsd:enumeration>

    <xsd:enumeration value="CARF509">

      <xsd:annotation>

        <xsd:documentation>Unknown (to be selected as the default value where the
        Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
        </xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Account Number Type - 601 to 604-->

<xsd:simpleType name="TransferOutType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Account Number Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF601">

      <xsd:annotation>

        <xsd:documentation>Transfer to another RCASP</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF602">

      <xsd:annotation>

        <xsd:documentation>Crypto Loan</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF603">

      <xsd:annotation>

        <xsd:documentation>Purchase of goods or services, to be used in respect of
        transactions other than those already reported as Reportable Retail Payment
        Transactions</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF604">
```

```
      <xsd:annotation>
        <xsd:documentation>Collateral</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF605">
      <xsd:annotation>
        <xsd:documentation>Other</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF606">
      <xsd:annotation>
        <xsd:documentation>Unknown (to be selected as the default value where the
        Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
        </xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MessageTypeIndic - 701 to 703 -->
<xsd:simpleType name="CarfMessageTypeIndic_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The MessageTypeIndic defines the type of
    message sent</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF701">
      <xsd:annotation>
        <xsd:documentation>The message contains new information</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF702">
      <xsd:annotation>
```

```
        <xsd:documentation>The message contains corrections/deletions for
        previously sent information. When the MesseageTypeIndic is CARF702, the
        DocTypeIndic can contain either Corrections (OECD2) or Deletions (OECD3) or
        both, but new data (OECD1) cannot be contained. Note that OECD0 can be included
        for RCASP's DocTypeIndic.</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF703">

      <xsd:annotation>

        <xsd:documentation>The message advises there is no data to report</xsd:
        documentation>

      </xsd:annotation>

    </xsd:enumeration>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Controlling Person Type - 801 to 813 -->

<xsd:simpleType name="CarfCtrlgPersonType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Controlling Person Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF801">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - ownership</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF802">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - other means</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF803">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - senior managing official</xsd:
        documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF804">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - settlor</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF805">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - trustee</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF806">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - protector</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF807">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - beneficiary</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF808">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - other</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF809">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - other - settlor-equivalent</
    xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
```

```
      <xsd:enumeration value="CARF810">
        <xsd:annotation>
          <xsd:documentation>CP of legal arrangement - other - trustee-equivalent</
          xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF811">
        <xsd:annotation>
          <xsd:documentation>CP of legal arrangement - other - protector-equivalent</
          xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF812">
        <xsd:annotation>
          <xsd:documentation>CP of legal arrangement - other - beneficiary-
          equivalent</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF813">
        <xsd:annotation>
          <xsd:documentation>CP of legal arrangement - other - other-equivalent</xsd:
          documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
  <!--CARF Nexus Type - 901 to 907 -->
  <xsd:simpleType name="Nexus_EnumType">
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="CARF901">
        <xsd:annotation>
          <xsd:documentation>Tax Residence</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF902">
        <xsd:annotation>
```

```
        <xsd:documentation>Incorporation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF903">
      <xsd:annotation>
        <xsd:documentation>Management</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF904">
      <xsd:annotation>
        <xsd:documentation>Place of Business</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF905">
      <xsd:annotation>
        <xsd:documentation>Branch</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF906">
      <xsd:annotation>
        <xsd:documentation>Authorisation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF907">
      <xsd:annotation>
        <xsd:documentation>Remote Services</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--CARF Alt Valuation Type - 1001 to 1004 -->
<xsd:simpleType name="AltValuation_EnumType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF1001">
```

```
      <xsd:annotation>
        <xsd:documentation>Book value</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1002">
      <xsd:annotation>
        <xsd:documentation>Third-party value</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1003">
      <xsd:annotation>
        <xsd:documentation>Recent RCASP valuation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1004">
      <xsd:annotation>
        <xsd:documentation>Reasonable estimate by RCASP</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<xsd:simpleType name="TwoDigFract_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Data type for any kind of numeric data with two
    decimal fraction digits, especially monetary amounts.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:decimal">
    <xsd:fractionDigits value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
  <xsd:simpleType name="SixDigFract_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Data type for any kind of numeric data with six
      decimal fraction digits, especially monetary amounts.

      </xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:decimal">

      <xsd:fractionDigits value="6"/>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--++++++++++++++++++ Reusable Complex types ++++++++++++++++++++++++++++++++
  +++ -->

  <!-- Message specification: Data identifying and describing the message as a
  whole -->

  <xsd:complexType name="RCASP_Type">

    <xsd:sequence>

<xsd:element name="RCASP_ID">

      <xsd:complexType>

        <xsd:choice>

          <xsd:element name="Individual" type="carf:PersonParty_Type"/>

          <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

        </xsd:choice>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="Nexus" type="carf:Nexus_EnumType" minOccurs="0"/>

<xsd:element name="OtherNexus" minOccurs="0">

      <xsd:complexType>

        <xsd:attribute name="Nexus" type="carf:Nexus_EnumType" use="required"/>

        <xsd:attribute name="ResCountryCode" type="iso:CountryCode_Type"
        use="required"/>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
```

```
    </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <xsd:complexType name="CryptoUsers_Type">
    <xsd:sequence>
<xsd:element name="UserID">
      <xsd:complexType>
        <xsd:choice>
          <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>
          <xsd:element name="Individual" type="carf:PersonParty_Type"/>
        </xsd:choice>
      </xsd:complexType>
    </xsd:element>
<xsd:element name="ControllingPerson" type="carf:ControllingPerson_Type"
minOccurs="0" maxOccurs="unbounded"/>
<xsd:element name="RelevantTransactions" type="carf:RelevantTransactions_Type"
maxOccurs="unbounded"/>
<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
   </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <xsd:complexType name="RelevantTransactions_Type">
    <xsd:sequence>
<xsd:element name="CryptoAsset" type="stf:StringMin1Max200_Type"/>
    <xsd:choice>
      <xsd:element name="CryptoToCryptoIn" minOccurs="0" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
            minOccurs="0"/>
            <xsd:element name="NumberofTransactions" type="xsd:integer"/>
            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
            <xsd:element name="NumberofUnits" type="xsd:decimal"/>
```

```
    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoToCryptoOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatIn" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
```

```
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="CryptoTransferIn" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TransferType" type="carf:TransferType_EnumType"/>
      <xsd:element name="NumberofTransactions" type="xsd:integer"/>
      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
      minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="CryptoTransferOut" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TransferType" type="carf:TransferOutTy
      pe_EnumType"/>
      <xsd:element name="NumberofTransactions" type="xsd:integer"/>
      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
      minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="TransferWallet" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
```

```
            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

            <xsd:element name="NumberofUnits" type="xsd:decimal"/>

            <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
            minOccurs="0"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

      <xsd:element name="RRPT" minOccurs="0" maxOccurs="unbounded">

        <xsd:annotation>

          <xsd:documentation>Reportable Retail Payment Transactions (Relevant Crypto
          Assets)</xsd:documentation>

        </xsd:annotation>

        <xsd:complexType>

          <xsd:sequence>

            <xsd:element name="NumberofTransactions" type="xsd:integer"/>

            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

            <xsd:element name="NumberofUnits" type="xsd:decimal"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

    </xsd:choice>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="ControllingPerson_Type">

  <xsd:sequence>

<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="CtrlgPersonType" type="carf:CarfCtrlgPersonType_EnumType"
maxOccurs="unbounded"/>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="Identity_Type">

  <xsd:choice>
```

```
<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

   </xsd:choice>

  </xsd:complexType>

  <!--Message specification: Data identifying and describing the message as a whole-->

  <xsd:complexType name="MessageSpec_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Information in the message header identifies
      the Tax Administration that is sending the message. It specifies when the message
      was created, what period (normally a year) the report is for, and the nature of the
      report (original, corrected, supplemental, etc).</xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="SendingEntityIN" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="TransmittingCountry" type="iso:CountryCode_Type"/>

<xsd:element name="ReceivingCountry" type="iso:CountryCode_Type"/>

     <!-- modified for CARF -->

<xsd:element name="MessageType" type="carf:MessageType_EnumType"/>

<xsd:element name="Warning" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="Contact" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="MessageRefId" type="stf:StringMin1Max170_Type"/>

<xsd:element name="MessageTypeIndic" type="carf:CarfMessageTypeIndic_EnumType"/>

<xsd:element name="ReportingPeriod" type="xsd:date"/>

<xsd:element name="Timestamp" type="xsd:dateTime"/>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- The Name of a Party, given in fixed Form-->

  <xsd:complexType name="NamePerson_Type">
```

```
    <xsd:annotation>

      <xsd:documentation xml:lang="en">The user must spread the data about the name of a
      party over up to six elements. The container element for this will be 'NameFix'.
      </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="PrecedingTitle" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="Title" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="FirstName">

      <xsd:complexType>

        <xsd:simpleContent>

          <xsd:extension base="stf:StringMin1Max200_Type">

            <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

              <xsd:annotation>

                <xsd:documentation xml:lang="en">Defines the name type of FirstName.
                Example: Given Name, Forename, Christian Name, Father's Name, etc. In
                some countries, FirstName could be a Family Name or a SurName. Use this
                attribute to define the type for this name.

                </xsd:documentation>

              </xsd:annotation>

            </xsd:attribute>

          </xsd:extension>

        </xsd:simpleContent>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="MiddleName" minOccurs="0" maxOccurs="unbounded">

      <xsd:complexType>

        <xsd:simpleContent>

          <xsd:extension base="stf:StringMin1Max200_Type">

            <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

              <xsd:annotation>

                <xsd:documentation xml:lang="en">Defines the name type of Middle Name.
                Example: First name, middle name, maiden name, father's name, given
                name, etc.

                </xsd:documentation>
```

```
            </xsd:annotation>
          </xsd:attribute>
        </xsd:extension>
      </xsd:simpleContent>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="NamePrefix" minOccurs="0">
    <xsd:complexType>
      <xsd:simpleContent>
        <xsd:extension base="stf:StringMin1Max200_Type">
          <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">
            <xsd:annotation>
              <xsd:documentation xml:lang="en">Defines the type of name associated
              with the NamePrefix. For example the type of name is LastName and this
              prefix is the prefix for this last name.
            </xsd:documentation>
            </xsd:annotation>
          </xsd:attribute>
        </xsd:extension>
      </xsd:simpleContent>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="LastName">
    <xsd:complexType>
      <xsd:simpleContent>
        <xsd:extension base="stf:StringMin1Max200_Type">
          <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">
            <xsd:annotation>
              <xsd:documentation xml:lang="en">Defines the name type of LastName.
              Example: Father's name, Family name, Sur Name, Mother's Name, etc. In
              some countries, LastName could be the given name or first name.
              </xsd:documentation>
            </xsd:annotation>
          </xsd:attribute>
        </xsd:extension>
```

```
        </xsd:simpleContent>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="GenerationIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0" maxOccurs="unbounded"/>

<xsd:element name="Suffix" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="GeneralSuffix" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

   </xsd:sequence>

   <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
   use="optional"/>

  </xsd:complexType>

  <!-- -->

  <!-- Collection of all Data describing a person as a Party -->

  <xsd:complexType name="PersonParty_Type">

    <xsd:sequence>

<xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>

<xsd:element name="TIN" type="carf:TIN_Type" maxOccurs="unbounded"/>

<xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">

      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>

      </xsd:annotation>

    </xsd:element>

<xsd:element name="Name" type="carf:NamePerson_Type" maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

<xsd:element name="Nationality" type="iso:CountryCode_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="BirthInfo">

      <xsd:annotation>

        <xsd:documentation>.</xsd:documentation>

      </xsd:annotation>

      <xsd:complexType>

        <xsd:sequence>
```

```
            <xsd:element name="BirthDate" type="xsd:date"/>

            <xsd:element name="BirthPlace" type="carf:BirthPlace_Type"
            minOccurs="0"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!--General Type for Monetary Amounts -->

  <xsd:complexType name="MonAmnt_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">This data type is to be used whenever monetary
      amounts are to be communicated. Such amounts shall be given in with full amounts and
      two decimals. The code for the currency in which the value is expressed has to be
      taken from the ISO codelist 4217 and added in attribute currCode.
```

</xsd:documentation>

```
    </xsd:annotation>

    <xsd:simpleContent>

      <xsd:extension base="xsd:decimal">

        <xsd:attribute name="currCode" type="iso:currCode_Type" use="required"/>

      </xsd:extension>

    </xsd:simpleContent>

  </xsd:complexType>

  <!-- -->

  <!-- Organisation Identification Number -->

  <xsd:complexType name="OrganisationIN_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">This is the identification number/
      identification code for the Entity in question. As the identifier may be not
      strictly numeric, it is just defined as a string of characters. Attribute
      'issuedBy' is required to designate the issuer of the identifier. Attribute
      'INType' defines the type of identification number. </xsd:documentation>

    </xsd:annotation>

    <xsd:simpleContent>

      <xsd:extension base="stf:StringMin1Max200_Type">
```

```
      <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Country code of issuing country,
          indicating country of Residence (to taxes and other)</xsd:documentation>
        </xsd:annotation>
      </xsd:attribute>
      <xsd:attribute name="INType" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Identification Number Type</xsd:
          documentation>
        </xsd:annotation>
        <xsd:simpleType>
          <xsd:restriction base="stf:StringMin1Max200_Type">
            <xsd:enumeration value="LEI"/>
            <xsd:enumeration value="EIN"/>
            <xsd:enumeration value="BRN"/>
            <xsd:enumeration value="Other"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<!-- -->
<!-- Individual Identification Number -->
<xsd:complexType name="IndividualIN_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This is the identification number/
    identification code for the Entity in question. As the identifier may be not
    strictly numeric, it is just defined as a string of characters. Attribute
    'issuedBy' is required to designate the issuer of the identifier. Attribute
    'INType' defines the type of identification number. </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="stf:StringMin1Max200_Type">
```

```
        <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
          <xsd:annotation>
            <xsd:documentation xml:lang="en">Country code of issuing country,
            indicating country of Residence (to taxes and other)</xsd:documentation>
          </xsd:annotation>
        </xsd:attribute>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!-- Collection of all Data describing an organisation as party-->
  <xsd:complexType name="OrganisationParty_Type">
    <xsd:sequence>
<xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>
<xsd:element name="TIN" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:restriction base="carf:TIN_Type">
              <xsd:minLength value="1"/>
              <xsd:attribute name="issuedBy" type="iso:CountryCode_Type"
              use="optional"/>
              <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>
            </xsd:restriction>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
<xsd:element name="IN" type="carf:OrganisationIN_Type" minOccurs="0"
maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
          documentation>
        </xsd:annotation>
      </xsd:element>
<xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">
```

```
      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>

      </xsd:annotation>

    </xsd:element>

<xsd:element name="Name" type="carf:NameOrganisation_Type"
maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

   </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- Address Fix -->

  <xsd:complexType name="AddressFix_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">

    </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="Street" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="BuildingIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="SuiteIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="FloorIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="DistrictName" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="POB" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="PostCode" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="City" type="stf:StringMin1Max200_Type"/>

<xsd:element name="CountrySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

   </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- The Address of a Party, given in fixed or free Form, possibly in both Forms -->
```

```
  <xsd:complexType name="Address_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">
    </xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
<xsd:element name="CountryCode" type="iso:CountryCode_Type"/>
      <xsd:sequence>
        <xsd:element name="AddressFix" type="carf:AddressFix_Type"/>
        <xsd:element name="AdditionalAddressInfo" type="stf:StringMin1Max4000_Type"
        minOccurs="0"/>
      </xsd:sequence>
    </xsd:sequence>
    <xsd:attribute name="legalAddressType" type="stf:OECDLegalAddressTy
    pe_EnumType" use="optional"/>
  </xsd:complexType>
  <!-- -->
  <!-- Organisation name -->
  <xsd:complexType name="NameOrganisation_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Name of organisation</xsd:documentation>
    </xsd:annotation>
    <xsd:simpleContent>
      <xsd:extension base="stf:StringMin1Max200_Type">
        <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
        use="optional"/>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!-- TIN -->
  <xsd:complexType name="TIN_Type">
    <xsd:simpleContent>
      <xsd:extension base="stf:StringMin0Max200_Type">
        <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional"/>
```

```
      <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>

    </xsd:extension>

  </xsd:simpleContent>

 </xsd:complexType>

 <!-- -->

 <!--The place of birth -->

 <xsd:complexType name="BirthPlace_Type">

  <xsd:annotation>

   <xsd:documentation>This element provides information about the place of birth.
   This element must be filled in at least with the city and the country of birth
   (either the current jurisdiction identified by 2-characters country code or a
   former jurisdiction identified by a name).</xsd:documentation>

  </xsd:annotation>

  <xsd:sequence>

<xsd:element name="City" type="stf:StringMin1Max200_Type"/>

<xsd:element name="CitySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="CountryInfo">

     <xsd:complexType>

      <xsd:choice>

       <xsd:element name="CountryCode" type="iso:CountryCode_Type"/>

       <xsd:element name="FormerCountryName" type="stf:StringMin1Max200_Type"/>

      </xsd:choice>

     </xsd:complexType>

    </xsd:element>

  </xsd:sequence>

 </xsd:complexType>

 <!-- -->

 <!-- CARF Body Type - CARF Report -->

 <xsd:complexType name="CARFBody_Type">

  <xsd:sequence>

<xsd:element name="RCASP" type="carf:RCASP_Type"/>

<xsd:element name="CryptoUsers" type="carf:CryptoUsers_Type" minOccurs="0"
maxOccurs="unbounded"/>

  </xsd:sequence>
```

```
  </xsd:complexType>

  <!--++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++ Schema element +++
  ++++++++++++++++++++++++++++++++++++++ -->

  <!-- CarfOECD File Message structure -->

  <!-- -->

  <!-- CARF Message structure -->

<xsd:element name="CARF_OECD">

   <xsd:complexType>

    <xsd:sequence>

     <xsd:element name="MessageSpec" type="carf:MessageSpec_Type"/>

     <xsd:element name="CARFBody" type="carf:CARFBody_Type" minOccurs="0"
     maxOccurs="unbounded"/>

    </xsd:sequence>

    <xsd:attribute name="version" type="stf:StringMin1Max10_Type">

     <xsd:annotation>

      <xsd:documentation xml:lang="en">CARF Version</xsd:documentation>

     </xsd:annotation>

    </xsd:attribute>

   </xsd:complexType>

  </xsd:element>

</xsd:schema>
```

ISO CARF TYPES

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:iso="urn:oecd:ties:isocarftypes:v1" xmlns:xsd="http://www.w3.
org/2001/XMLSchema" targetNamespace="urn:oecd:ties:isocarftypes:v1" elementForm
Default="qualified" attributeFormDefault="unqualified" version="1.1">

  <xsd:simpleType name="CountryCode_Type">

   <xsd:annotation>

    <xsd:documentation xml:lang="en">ISO-3166 Alpha 2 country codes</xsd:
    documentation>

   </xsd:annotation>

   <xsd:restriction base="xsd:string">

    <xsd:enumeration value="AF">

     <xsd:annotation>
```

```
    <xsd:documentation>AFGHANISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AX">
  <xsd:annotation>
    <xsd:documentation>ALAND ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AL">
  <xsd:annotation>
    <xsd:documentation>ALBANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>AMERICAN SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AD">
  <xsd:annotation>
    <xsd:documentation>ANDORRA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AO">
  <xsd:annotation>
    <xsd:documentation>ANGOLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AI">
  <xsd:annotation>
```

```
    <xsd:documentation>ANGUILLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AQ">
  <xsd:annotation>
    <xsd:documentation>ANTARCTICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AG">
  <xsd:annotation>
    <xsd:documentation>ANTIGUA AND BARBUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>ARGENTINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>ARMENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AW">
  <xsd:annotation>
    <xsd:documentation>ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AU">
  <xsd:annotation>
    <xsd:documentation>AUSTRALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AT">
```

```
  <xsd:annotation>
    <xsd:documentation>AUSTRIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BD">
  <xsd:annotation>
    <xsd:documentation>BANGLADESH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BB">
  <xsd:annotation>
    <xsd:documentation>BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BY">
  <xsd:annotation>
    <xsd:documentation>BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
```

```
  <xsd:annotation>
    <xsd:documentation>BELGIUM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BZ">
  <xsd:annotation>
    <xsd:documentation>BELIZE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BJ">
  <xsd:annotation>
    <xsd:documentation>BENIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BT">
  <xsd:annotation>
    <xsd:documentation>BHUTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>BOLIVIA, PLURINATIONAL STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BQ">
  <xsd:annotation>
    <xsd:documentation>BONAIRE, SINT EUSTATIUS AND SABA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>BOSNIA AND HERZEGOVINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BW">
  <xsd:annotation>
    <xsd:documentation>BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BV">
  <xsd:annotation>
    <xsd:documentation>BOUVET ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>BRITISH INDIAN OCEAN TERRITORY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>BULGARIA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BF">
  <xsd:annotation>
    <xsd:documentation>BURKINA FASO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KH">
  <xsd:annotation>
    <xsd:documentation>CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CM">
  <xsd:annotation>
    <xsd:documentation>CAMEROON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>CANADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>CAYMAN ISLANDS</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CF">
  <xsd:annotation>
    <xsd:documentation>CENTRAL AFRICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TD">
  <xsd:annotation>
    <xsd:documentation>CHAD</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CL">
  <xsd:annotation>
    <xsd:documentation>CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CN">
  <xsd:annotation>
    <xsd:documentation>CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CX">
  <xsd:annotation>
    <xsd:documentation>CHRISTMAS ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CC">
  <xsd:annotation>
    <xsd:documentation>COCOS (KEELING) ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
```

```
    <xsd:documentation>COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CG">
  <xsd:annotation>
    <xsd:documentation>CONGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CD">
  <xsd:annotation>
    <xsd:documentation>CONGO, THE DEMOCRATIC REPUBLIC OF THE</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CK">
  <xsd:annotation>
    <xsd:documentation>COOK ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CI">
  <xsd:annotation>
    <xsd:documentation>COTE D'IVOIRE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
```

```
      <xsd:annotation>
        <xsd:documentation>CROATIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CU">
      <xsd:annotation>
        <xsd:documentation>CUBA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CW">
      <xsd:annotation>
        <xsd:documentation>CURACAO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CY">
      <xsd:annotation>
        <xsd:documentation>CYPRUS</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CZ">
      <xsd:annotation>
        <xsd:documentation>CZECHIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="DK">
      <xsd:annotation>
        <xsd:documentation>DENMARK</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="DJ">
      <xsd:annotation>
        <xsd:documentation>DJIBOUTI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="DM">
```

```
      <xsd:annotation>
        <xsd:documentation>DOMINICA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="DO">
      <xsd:annotation>
        <xsd:documentation>DOMINICAN REPUBLIC</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="EC">
      <xsd:annotation>
        <xsd:documentation>ECUADOR</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="EG">
      <xsd:annotation>
        <xsd:documentation>EGYPT</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="SV">
      <xsd:annotation>
        <xsd:documentation>EL SALVADOR</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="GQ">
      <xsd:annotation>
        <xsd:documentation>EQUATORIAL GUINEA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ER">
      <xsd:annotation>
        <xsd:documentation>ERITREA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>ESTONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FK">
  <xsd:annotation>
    <xsd:documentation>FALKLAND ISLANDS (MALVINAS)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>FAROE ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>FINLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>FRANCE</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GF">
  <xsd:annotation>
    <xsd:documentation>FRENCH GUIANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PF">
  <xsd:annotation>
    <xsd:documentation>FRENCH POLYNESIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TF">
  <xsd:annotation>
    <xsd:documentation>FRENCH SOUTHERN TERRITORIES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>GABON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GM">
  <xsd:annotation>
    <xsd:documentation>GAMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GE">
  <xsd:annotation>
    <xsd:documentation>GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>GERMANY</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GH">
  <xsd:annotation>
    <xsd:documentation>GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GI">
  <xsd:annotation>
    <xsd:documentation>GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GR">
  <xsd:annotation>
    <xsd:documentation>GREECE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>GREENLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>GRENADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GP">
  <xsd:annotation>
    <xsd:documentation>GUADELOUPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>GUAM</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GT">
  <xsd:annotation>
    <xsd:documentation>GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GG">
  <xsd:annotation>
    <xsd:documentation>GUERNSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GW">
  <xsd:annotation>
    <xsd:documentation>GUINEA-BISSAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GY">
  <xsd:annotation>
    <xsd:documentation>GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>HAITI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HM">
  <xsd:annotation>
```

```
    <xsd:documentation>HEARD ISLAND AND MCDONALD ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VA">
  <xsd:annotation>
    <xsd:documentation>HOLY SEE (VATICAN CITY STATE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HN">
  <xsd:annotation>
    <xsd:documentation>HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HK">
  <xsd:annotation>
    <xsd:documentation>HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>HUNGARY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IN">
  <xsd:annotation>
    <xsd:documentation>INDIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
```

```
      <xsd:annotation>
        <xsd:documentation>INDONESIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IR">
      <xsd:annotation>
        <xsd:documentation>IRAN, ISLAMIC REPUBLIC OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IQ">
      <xsd:annotation>
        <xsd:documentation>IRAQ</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IE">
      <xsd:annotation>
        <xsd:documentation>IRELAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IM">
      <xsd:annotation>
        <xsd:documentation>ISLE OF MAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IL">
      <xsd:annotation>
        <xsd:documentation>ISRAEL</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IT">
      <xsd:annotation>
        <xsd:documentation>ITALY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="JM">
  <xsd:annotation>
    <xsd:documentation>JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JP">
  <xsd:annotation>
    <xsd:documentation>JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JE">
  <xsd:annotation>
    <xsd:documentation>JERSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JO">
  <xsd:annotation>
    <xsd:documentation>JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZ">
  <xsd:annotation>
    <xsd:documentation>KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KE">
  <xsd:annotation>
    <xsd:documentation>KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
  <xsd:annotation>
    <xsd:documentation>KIRIBATI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="KP">
  <xsd:annotation>
    <xsd:documentation>KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>LATVIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>LEBANON</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LS">
  <xsd:annotation>
    <xsd:documentation>LESOTHO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LR">
  <xsd:annotation>
    <xsd:documentation>LIBERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LY">
  <xsd:annotation>
    <xsd:documentation>LIBYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>LIECHTENSTEIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>LITHUANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>LUXEMBOURG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MO">
  <xsd:annotation>
    <xsd:documentation>MACAO</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>NORTH MACEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>MADAGASCAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MW">
  <xsd:annotation>
    <xsd:documentation>MALAWI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>MALAYSIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MV">
  <xsd:annotation>
    <xsd:documentation>MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>MALI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>MALTA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>MARSHALL ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MQ">
  <xsd:annotation>
    <xsd:documentation>MARTINIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MU">
  <xsd:annotation>
    <xsd:documentation>MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YT">
  <xsd:annotation>
    <xsd:documentation>MAYOTTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MX">
  <xsd:annotation>
    <xsd:documentation>MEXICO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FM">
  <xsd:annotation>
```

```
    <xsd:documentation>MICRONESIA, FEDERATED STATES OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MD">
  <xsd:annotation>
    <xsd:documentation>MOLDOVA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MC">
  <xsd:annotation>
    <xsd:documentation>MONACO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ME">
  <xsd:annotation>
    <xsd:documentation>MONTENEGRO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>MONTSERRAT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MA">
  <xsd:annotation>
    <xsd:documentation>MOROCCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MZ">
```

```
  <xsd:annotation>
    <xsd:documentation>MOZAMBIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MM">
  <xsd:annotation>
    <xsd:documentation>MYANMAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>NAMIBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>NAURU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NP">
  <xsd:annotation>
    <xsd:documentation>NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>NETHERLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NC">
  <xsd:annotation>
    <xsd:documentation>NEW CALEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZ">
```

```
      <xsd:annotation>
        <xsd:documentation>NEW ZEALAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NI">
      <xsd:annotation>
        <xsd:documentation>NICARAGUA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NE">
      <xsd:annotation>
        <xsd:documentation>NIGER</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NG">
      <xsd:annotation>
        <xsd:documentation>NIGERIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NU">
      <xsd:annotation>
        <xsd:documentation>NIUE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NF">
      <xsd:annotation>
        <xsd:documentation>NORFOLK ISLAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MP">
      <xsd:annotation>
        <xsd:documentation>NORTHERN MARIANA ISLANDS</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="NO">
  <xsd:annotation>
    <xsd:documentation>NORWAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PK">
  <xsd:annotation>
    <xsd:documentation>PAKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PW">
  <xsd:annotation>
    <xsd:documentation>PALAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>PALESTINE, STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PG">
  <xsd:annotation>
    <xsd:documentation>PAPUA NEW GUINEA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PY">
  <xsd:annotation>
    <xsd:documentation>PARAGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PE">
  <xsd:annotation>
    <xsd:documentation>PERU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PH">
  <xsd:annotation>
    <xsd:documentation>PHILIPPINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PN">
  <xsd:annotation>
    <xsd:documentation>PITCAIRN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>POLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>PORTUGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PR">
  <xsd:annotation>
    <xsd:documentation>PUERTO RICO</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="QA">
  <xsd:annotation>
    <xsd:documentation>QATAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RE">
  <xsd:annotation>
    <xsd:documentation>REUNION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RW">
  <xsd:annotation>
    <xsd:documentation>RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BL">
  <xsd:annotation>
    <xsd:documentation>SAINT BARTHELEMY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SH">
  <xsd:annotation>
    <xsd:documentation>SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA</xsd:
    documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>SAINT KITTS AND NEVIS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LC">
  <xsd:annotation>
    <xsd:documentation>SAINT LUCIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MF">
  <xsd:annotation>
    <xsd:documentation>SAINT MARTIN (FRENCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PM">
  <xsd:annotation>
    <xsd:documentation>SAINT PIERRE AND MIQUELON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VC">
  <xsd:annotation>
    <xsd:documentation>SAINT VINCENT AND THE GRENADINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WS">
  <xsd:annotation>
    <xsd:documentation>SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
```

```
  <xsd:annotation>
    <xsd:documentation>SAN MARINO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>SENEGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RS">
  <xsd:annotation>
    <xsd:documentation>SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SX">
  <xsd:annotation>
    <xsd:documentation>SINT MAARTEN (DUTCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>SLOVAKIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>SLOVENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SB">
  <xsd:annotation>
    <xsd:documentation>SOLOMON ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZA">
  <xsd:annotation>
    <xsd:documentation>SOUTH AFRICA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GS">
  <xsd:annotation>
    <xsd:documentation>SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>SOUTH SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ES">
  <xsd:annotation>
    <xsd:documentation>SPAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LK">
  <xsd:annotation>
    <xsd:documentation>SRI LANKA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>SURINAME</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SJ">
  <xsd:annotation>
    <xsd:documentation>SVALBARD AND JAN MAYEN</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZ">
  <xsd:annotation>
    <xsd:documentation>ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>SWITZERLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SY">
  <xsd:annotation>
    <xsd:documentation>SYRIAN ARAB REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TW">
  <xsd:annotation>
    <xsd:documentation>TAIWAN, PROVINCE OF CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJ">
  <xsd:annotation>
    <xsd:documentation>TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZ">
  <xsd:annotation>
```

```
    <xsd:documentation>TANZANIA, UNITED REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
    <xsd:documentation>TIMOR-LESTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>TOGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
  <xsd:annotation>
    <xsd:documentation>TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>TRINIDAD AND TOBAGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
```

```
      <xsd:annotation>
        <xsd:documentation>TUNISIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TR">
      <xsd:annotation>
        <xsd:documentation>TURKEY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TM">
      <xsd:annotation>
        <xsd:documentation>TURKMENISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TC">
      <xsd:annotation>
        <xsd:documentation>TURKS AND CAICOS ISLANDS</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TV">
      <xsd:annotation>
        <xsd:documentation>TUVALU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UG">
      <xsd:annotation>
        <xsd:documentation>UGANDA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UA">
      <xsd:annotation>
        <xsd:documentation>UKRAINE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>UNITED ARAB EMIRATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GB">
  <xsd:annotation>
    <xsd:documentation>UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="US">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UM">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES MINOR OUTLYING ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UY">
  <xsd:annotation>
    <xsd:documentation>URUGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UZ">
  <xsd:annotation>
    <xsd:documentation>UZBEKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VU">
  <xsd:annotation>
    <xsd:documentation>VANUATU</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VE">
  <xsd:annotation>
    <xsd:documentation>VENEZUELA, BOLIVARIAN REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VN">
  <xsd:annotation>
    <xsd:documentation>VIET NAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VG">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS, BRITISH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>VIRGIN ISLANDS, U.S.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WF">
  <xsd:annotation>
    <xsd:documentation>WALLIS AND FUTUNA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EH">
  <xsd:annotation>
    <xsd:documentation>WESTERN SAHARA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YE">
```

```
      <xsd:annotation>
        <xsd:documentation>YEMEN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZM">
      <xsd:annotation>
        <xsd:documentation>ZAMBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZW">
      <xsd:annotation>
        <xsd:documentation>ZIMBABWE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="XK">
      <xsd:annotation>
        <xsd:documentation>KOSOVO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- ISO 4217 alpha 3 Currency Code
```

The following disclaimer refers to all uses of the ISO currency code list in the CARF schema: For practical reasons, the list is based on the ISO 4217 Alpha 3 currency list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
-->
  <xsd:simpleType name="currCode_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">
      The appropriate currency code from the ISO 4217 three-byte alpha version for the
      currency in which a monetary amount is expressed.
      </xsd:documentation>
    </xsd:annotation>
```

```
<xsd:restriction base="xsd:string">
 <xsd:enumeration value="AED">
  <xsd:annotation>
   <xsd:documentation>UAE Dirham: UNITED ARAB EMIRATES</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="AFN">
  <xsd:annotation>
   <xsd:documentation>Afghani: AFGHANISTAN</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="ALL">
  <xsd:annotation>
   <xsd:documentation>Lek: ALBANIA</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="AMD">
  <xsd:annotation>
   <xsd:documentation>Armenian Dram: ARMENIA </xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="ANG">
  <xsd:annotation>
   <xsd:documentation>Netherlands Antillean Guilder: CURACAO; SINT MAARTEN
   (DUTCH PART)</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="AOA">
  <xsd:annotation>
   <xsd:documentation>Kwanza: ANGOLA</xsd:documentation>
  </xsd:annotation>
 </xsd:enumeration>
 <xsd:enumeration value="ARS">
  <xsd:annotation>
```

```
    <xsd:documentation>Argentine Peso: ARGENTINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AUD">
  <xsd:annotation>
    <xsd:documentation>Australian Dollar: AUSTRALIA; CHRISTMAS ISLAND; COCOS
    (KEELING) ISLANDS; HEARD ISLAND AND McDONALD ISLANDS; KIRIBATI; NAURU; NORFOLK
    ISLAND; TUVALU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AWG">
  <xsd:annotation>
    <xsd:documentation>Aruban Florin: ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZN">
  <xsd:annotation>
    <xsd:documentation>Azerbaijan Manat: AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BAM">
  <xsd:annotation>
    <xsd:documentation>Convertible Mark: BOSNIA AND HERZEGOVINA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BBD">
  <xsd:annotation>
    <xsd:documentation>Barbados Dollar: BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BDT">
  <xsd:annotation>
    <xsd:documentation>Taka: BANGLADESH</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BGN">
  <xsd:annotation>
    <xsd:documentation>Bulgarian Lev: BULGARIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BHD">
  <xsd:annotation>
    <xsd:documentation>Bahraini Dinar: BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BIF">
  <xsd:annotation>
    <xsd:documentation>Burundi Franc: BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BMD">
  <xsd:annotation>
    <xsd:documentation>Bermudian Dollar: BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BND">
  <xsd:annotation>
    <xsd:documentation>Brunei Dollar: BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BOB">
  <xsd:annotation>
    <xsd:documentation>Boliviano: BOLIVIA, PLURINATIONAL STATE OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BOV">
  <xsd:annotation>
    <xsd:documentation>Mvdol: BOLIVIA, PLURINATIONAL STATE OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BRL">
  <xsd:annotation>
    <xsd:documentation>Brazilian Real: BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BSD">
  <xsd:annotation>
    <xsd:documentation>Bahamian Dollar: BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BTN">
  <xsd:annotation>
    <xsd:documentation>Ngultrum: BHUTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BWP">
  <xsd:annotation>
    <xsd:documentation>Pula: BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BYN">
  <xsd:annotation>
    <xsd:documentation>Belarusian Ruble: BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BYR">
  <xsd:annotation>
```

```
      <xsd:documentation>Historic use: Belarussian Ruble: BELARUS</xsd:
      documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="BZD">

    <xsd:annotation>

      <xsd:documentation>Belize Dollar: BELIZE</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="CAD">

    <xsd:annotation>

      <xsd:documentation>Canadian Dollar: CANADA</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="CDF">

    <xsd:annotation>

      <xsd:documentation>Congolese Franc: CONGO, THE DEMOCRATIC REPUBLIC OF</xsd:
      documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="CHE">

    <xsd:annotation>

      <xsd:documentation>WIR Euro: SWITZERLAND</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="CHF">

    <xsd:annotation>

      <xsd:documentation>Swiss Franc: LIECHTENSTEIN; SWITZERLAND</xsd:
      documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="CHW">

    <xsd:annotation>

      <xsd:documentation>WIR Franc: SWITZERLAND</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CLF">
  <xsd:annotation>
    <xsd:documentation>Unidad de Fomento: CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CLP">
  <xsd:annotation>
    <xsd:documentation>Chilean Peso: CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CNY">
  <xsd:annotation>
    <xsd:documentation>Yuan Renminbi: CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="COP">
  <xsd:annotation>
    <xsd:documentation>Colombian Peso: COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="COU">
  <xsd:annotation>
    <xsd:documentation>Unidad de Valor Real: COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CRC">
  <xsd:annotation>
    <xsd:documentation>Costa Rican Colon: COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="CUC">
  <xsd:annotation>
    <xsd:documentation>Peso Convertible: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CUP">
  <xsd:annotation>
    <xsd:documentation>Cuban Peso: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CVE">
  <xsd:annotation>
    <xsd:documentation>Cabo Verde Escudo: CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZK">
  <xsd:annotation>
    <xsd:documentation>Czech Koruna: CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJF">
  <xsd:annotation>
    <xsd:documentation>Djibouti Franc: DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DKK">
  <xsd:annotation>
    <xsd:documentation>Danish Krone: DENMARK; FAROE ISLANDS; GREENLAND</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DOP">
  <xsd:annotation>
```

```
    <xsd:documentation>Dominican Peso: DOMINICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZD">
  <xsd:annotation>
    <xsd:documentation>Algerian Dinar: ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EGP">
  <xsd:annotation>
    <xsd:documentation>Egyptian Pound: EGYPT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ERN">
  <xsd:annotation>
    <xsd:documentation>Nakfa: ERITREA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ETB">
  <xsd:annotation>
    <xsd:documentation>Ethiopian Birr: ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EUR">
  <xsd:annotation>
    <xsd:documentation>Euro: ALAND ISLANDS; ANDORRA; AUSTRIA; BELGIUM; CYPRUS;
    ESTONIA; EUROPEAN UNION; FINLAND; FRANCE; FRENCH GUIANA; FRENCH SOUTHERN
    TERRITORIES; GERMANY; GREECE; GUADELOUPE; HOLY SEE (VATICAN CITY STATE);
    IRELAND; ITALY; LATVIA; LITHUANIA; LUXEMBOURG; MALTA; MARTINIQUE; MAYOTTE;
    MONACO; MONTENEGRO; NETHERLANDS; PORTUGAL; REUNION; SAINT BARTHELEMY; SAINT
    MARTIN (FRENCH PART); SAINT PIERRE AND MIQUELON; SAN MARINO; SLOVAKIA;
    SLOVENIA; SPAIN; Vatican City State (HOLY SEE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJD">
```

```
  <xsd:annotation>
    <xsd:documentation>Fiji Dollar: FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FKP">
  <xsd:annotation>
    <xsd:documentation>Falkland Islands Pound: FALKLAND ISLANDS (MALVINAS)
    </xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GBP">
  <xsd:annotation>
    <xsd:documentation>Pound Sterling: GUERNSEY; ISLE OF MAN; JERSEY; UNITED
    KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GEL">
  <xsd:annotation>
    <xsd:documentation>Lari: GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GHS">
  <xsd:annotation>
    <xsd:documentation>Ghana Cedi: GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GIP">
  <xsd:annotation>
    <xsd:documentation>Gibraltar Pound: GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GMD">
  <xsd:annotation>
    <xsd:documentation>Dalasi: GAMBIA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GNF">
  <xsd:annotation>
    <xsd:documentation>Guinean Franc: GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GTQ">
  <xsd:annotation>
    <xsd:documentation>Quetzal: GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GYD">
  <xsd:annotation>
    <xsd:documentation>Guyana Dollar: GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HKD">
  <xsd:annotation>
    <xsd:documentation>Hong Kong Dollar: HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HNL">
  <xsd:annotation>
    <xsd:documentation>Lempira: HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HRK">
  <xsd:annotation>
    <xsd:documentation>Kuna: CROATIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HTG">
```

```
      <xsd:annotation>
        <xsd:documentation>Gourde: HAITI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="HUF">
      <xsd:annotation>
        <xsd:documentation>Forint: HUNGARY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IDR">
      <xsd:annotation>
        <xsd:documentation>Rupiah: INDONESIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ILS">
      <xsd:annotation>
        <xsd:documentation>New Israeli Sheqel: ISRAEL</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="INR">
      <xsd:annotation>
        <xsd:documentation>Indian Rupee: BHUTAN; INDIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IQD">
      <xsd:annotation>
        <xsd:documentation>Iraqi Dinar: IRAQ</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IRR">
      <xsd:annotation>
        <xsd:documentation>Iranian Rial: IRAN, ISLAMIC REPUBLIC OF</xsd:
        documentation>
      </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="ISK">
  <xsd:annotation>
    <xsd:documentation>Iceland Krona: ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JMD">
  <xsd:annotation>
    <xsd:documentation>Jamaican Dollar: JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JOD">
  <xsd:annotation>
    <xsd:documentation>Jordanian Dinar: JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JPY">
  <xsd:annotation>
    <xsd:documentation>Yen: JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KES">
  <xsd:annotation>
    <xsd:documentation>Kenyan Shilling: KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KGS">
  <xsd:annotation>
    <xsd:documentation>Som: KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KHR">
  <xsd:annotation>
```

```
    <xsd:documentation>Riel: CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KMF">
  <xsd:annotation>
    <xsd:documentation>Comorian Franc : COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KPW">
  <xsd:annotation>
    <xsd:documentation>North Korean Won: KOREA, DEMOCRATIC PEOPLE'S REPUBLIC
    OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KRW">
  <xsd:annotation>
    <xsd:documentation>Won: KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KWD">
  <xsd:annotation>
    <xsd:documentation>Kuwaiti Dinar: KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KYD">
  <xsd:annotation>
    <xsd:documentation>Cayman Islands Dollar: CAYMAN ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZT">
  <xsd:annotation>
    <xsd:documentation>Tenge: KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="LAK">

  <xsd:annotation>

    <xsd:documentation>Lao Kip: LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LBP">

  <xsd:annotation>

    <xsd:documentation>Lebanese Pound: LEBANON</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LKR">

  <xsd:annotation>

    <xsd:documentation>Sri Lanka Rupee: SRI LANKA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LRD">

  <xsd:annotation>

    <xsd:documentation>Liberian Dollar: LIBERIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LSL">

  <xsd:annotation>

    <xsd:documentation>Loti: LESOTHO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LTL">

  <xsd:annotation>

    <xsd:documentation>Historic use: Lithuanian Litas: LITHUANIA</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LVL">
```

```
      <xsd:annotation>
        <xsd:documentation>Historic use: Latvian Lats: LATVIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="LYD">
      <xsd:annotation>
        <xsd:documentation>Libyan Dinar: LIBYA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MAD">
      <xsd:annotation>
        <xsd:documentation>Moroccan Dirham: MOROCCO; WESTERN SAHARA</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MDL">
      <xsd:annotation>
        <xsd:documentation>Moldovan Leu: MOLDOVA, REPUBLIC OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MGA">
      <xsd:annotation>
        <xsd:documentation>Malagasy Ariary: MADAGASCAR</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MKD">
      <xsd:annotation>
        <xsd:documentation>Denar: MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MMK">
      <xsd:annotation>
        <xsd:documentation>Kyat: MYANMAR</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MNT">
  <xsd:annotation>
    <xsd:documentation>Tugrik: MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MOP">
  <xsd:annotation>
    <xsd:documentation>Pataca: MACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRO">
  <xsd:annotation>
    <xsd:documentation>Historic use: Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRU">
  <xsd:annotation>
    <xsd:documentation>Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MUR">
  <xsd:annotation>
    <xsd:documentation>Mauritius Rupee: MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MVR">
  <xsd:annotation>
    <xsd:documentation>Rufiyaa: MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MWK">
```

```
      <xsd:annotation>
        <xsd:documentation>Malawi Kwacha: MALAWI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MXN">
      <xsd:annotation>
        <xsd:documentation>Mexican Peso: MEXICO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MXV">
      <xsd:annotation>
        <xsd:documentation>Mexican Unidad de Inversion (UDI): MEXICO</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MYR">
      <xsd:annotation>
        <xsd:documentation>Malaysian Ringgit: MALAYSIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MZN">
      <xsd:annotation>
        <xsd:documentation>Mozambique Metical: MOZAMBIQUE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NAD">
      <xsd:annotation>
        <xsd:documentation>Namibia Dollar: NAMIBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NGN">
      <xsd:annotation>
        <xsd:documentation>Naira: NIGERIA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NIO">
  <xsd:annotation>
    <xsd:documentation>Cordoba Oro: NICARAGUA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NOK">
  <xsd:annotation>
    <xsd:documentation>Norwegian Krone: BOUVET ISLAND; NORWAY; SVALBARD AND JAN
    MAYEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NPR">
  <xsd:annotation>
    <xsd:documentation>Nepalese Rupee: NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZD">
  <xsd:annotation>
    <xsd:documentation>New Zealand Dollar: COOK ISLANDS; NEW ZEALAND; NIUE;
    PITCAIRN; TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OMR">
  <xsd:annotation>
    <xsd:documentation>Rial Omani: OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PAB">
  <xsd:annotation>
    <xsd:documentation>Balboa: PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PEN">
```

```
      <xsd:annotation>
        <xsd:documentation>Sol: PERU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PGK">
      <xsd:annotation>
        <xsd:documentation>Kina: PAPUA NEW GUINEA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PHP">
      <xsd:annotation>
        <xsd:documentation>Philippine Peso: PHILIPPINES</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PKR">
      <xsd:annotation>
        <xsd:documentation>Pakistan Rupee: PAKISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PLN">
      <xsd:annotation>
        <xsd:documentation>Zloty: POLAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PYG">
      <xsd:annotation>
        <xsd:documentation>Guarani: PARAGUAY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="QAR">
      <xsd:annotation>
        <xsd:documentation>Qatari Rial: QATAR</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RON">
  <xsd:annotation>
    <xsd:documentation>Romanian Leu: ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RSD">
  <xsd:annotation>
    <xsd:documentation>Serbian Dinar: SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RUB">
  <xsd:annotation>
    <xsd:documentation>Russian Ruble: RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RWF">
  <xsd:annotation>
    <xsd:documentation>Rwanda Franc: RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SAR">
  <xsd:annotation>
    <xsd:documentation>Saudi Riyal: SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SBD">
  <xsd:annotation>
    <xsd:documentation>Solomon Islands Dollar: SOLOMON ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SCR">
  <xsd:annotation>
    <xsd:documentation>Seychelles Rupee: SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SDG">
  <xsd:annotation>
    <xsd:documentation>Sudanese Pound: SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SEK">
  <xsd:annotation>
    <xsd:documentation>Swedish Krona: SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SGD">
  <xsd:annotation>
    <xsd:documentation>Singapore Dollar: SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SHP">
  <xsd:annotation>
    <xsd:documentation>Saint Helena Pound: SAINT HELENA, ASCENSION AND TRISTAN DA
    CUNHA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SLL">
  <xsd:annotation>
    <xsd:documentation>Leone: SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SOS">
  <xsd:annotation>
```

```
    <xsd:documentation>Somali Shilling: SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SRD">
  <xsd:annotation>
    <xsd:documentation>Surinam Dollar: SURINAME</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SSP">
  <xsd:annotation>
    <xsd:documentation>South Sudanese Pound: SOUTH SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STD">
  <xsd:annotation>
    <xsd:documentation>Historic use: Dobra: SAO TOME AND PRINCIPE</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STN">
  <xsd:annotation>
    <xsd:documentation>Dobra: SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SVC">
  <xsd:annotation>
    <xsd:documentation>El Salvador Colon: EL SALVADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SYP">
  <xsd:annotation>
    <xsd:documentation>Syrian Pound: SYRIAN ARAB REPUBLIC</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZL">
  <xsd:annotation>
    <xsd:documentation>Lilangeni: ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="THB">
  <xsd:annotation>
    <xsd:documentation>Baht: THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJS">
  <xsd:annotation>
    <xsd:documentation>Somoni: TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TMT">
  <xsd:annotation>
    <xsd:documentation>Turkmenistan New Manat: TURKMENISTAN</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TND">
  <xsd:annotation>
    <xsd:documentation>Tunisian Dinar: TUNISIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TOP">
  <xsd:annotation>
    <xsd:documentation>Pa'anga: TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TRY">
```

```
  <xsd:annotation>
    <xsd:documentation>Turkish Lira: TURKEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TTD">
  <xsd:annotation>
    <xsd:documentation>Trinidad and Tobago Dollar: TRINIDAD AND TOBAGO</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TWD">
  <xsd:annotation>
    <xsd:documentation>New Taiwan Dollar: TAIWAN, PROVINCE OF CHINA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZS">
  <xsd:annotation>
    <xsd:documentation>Tanzanian Shilling: TANZANIA, UNITED REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UAH">
  <xsd:annotation>
    <xsd:documentation>Hryvnia: UKRAINE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UGX">
  <xsd:annotation>
    <xsd:documentation>Uganda Shilling: UGANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="USD">
  <xsd:annotation>
```

```
      <xsd:documentation>US Dollar: AMERICAN SAMOA; BONAIRE; SINT EUSTATIUS AND
      SABA; BRITISH INDIAN OCEAN TERRITORY; ECUADOR; EL SALVADOR; GUAM; HAITI;
      MARSHALL ISLANDS; MICRONESIA, FEDERATED STATES OF; NORTHERN MARIANA ISLANDS;
      PALAU; PANAMA; PUERTO RICO; TIMOR-LESTE; TURKS AND CAICOS ISLANDS; UNITED
      STATES; UNITED STATES MINOR OUTLYING ISLANDS; VIRGIN ISLANDS (BRITISH); VIRGIN
      ISLANDS (US)</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="USN">

    <xsd:annotation>

      <xsd:documentation>US Dollar (Next day): UNITED STATES</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="USS">

    <xsd:annotation>

      <xsd:documentation>Historic use: US Dollar (Same day): UNITED STATES</xsd:
      documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="UYI">

    <xsd:annotation>

      <xsd:documentation>Uruguay Peso en Unidades Indexadas (UI): URUGUAY</xsd:
      documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="UYU">

    <xsd:annotation>

      <xsd:documentation>Peso Uruguayo: URUGUAY</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="UYW">

    <xsd:annotation>

      <xsd:documentation>Unidad Previsional: URUGUAY</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="UZS">
```

```
  <xsd:annotation>
    <xsd:documentation>Uzbekistan Sum: UZBEKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VEF">
  <xsd:annotation>
    <xsd:documentation>Historic use: Bolivar: VENEZUELA, BOLIVARIAN REPUBLIC
    OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VES">
  <xsd:annotation>
    <xsd:documentation>Bolívar Soberano: VENEZUELA, BOLIVARIAN REPUBLIC OF</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VND">
  <xsd:annotation>
    <xsd:documentation>Dong: VIET NAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VUV">
  <xsd:annotation>
    <xsd:documentation>Vatu: VANUATU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WST">
  <xsd:annotation>
    <xsd:documentation>Tala: SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAF">
  <xsd:annotation>
    <xsd:documentation>CFA Franc BEAC: CAMEROON; CENTRAL AFRICAN REPUBLIC; CHAD;
    CONGO; EQUATORIAL GUINEA; GABON</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAG">
  <xsd:annotation>
    <xsd:documentation>Silver: ZZ11_Silver</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAU">
  <xsd:annotation>
    <xsd:documentation>Gold: ZZ08_Gold</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBA">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Composite Unit (EURCO):
    ZZ01_Bond Markets Unit European_EURCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBB">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Monetary Unit (E.M.U.-6):
    ZZ02_Bond Markets Unit European_EMU-6</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBC">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Unit of Account 9 (E.U.A.-9):
    ZZ03_Bond Markets Unit European_EUA-9</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBD">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Unit of Account 17 (E.U.A.-17):
    ZZ04_Bond Markets Unit European_EUA-17</xsd:documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XCD">

  <xsd:annotation>

    <xsd:documentation>East Caribbean Dollar: ANGUILLA; ANTIGUA AND BARBUDA;
    DOMINICA; GRENADA; MONTSERRAT; SAINT KITTS AND NEVIS; SAINT LUCIA; SAINT
    VINCENT AND THE GRENADINES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XDR">

  <xsd:annotation>

    <xsd:documentation>SDR (Special Drawing Right): INTERNATIONAL MONETARY FUND
    (IMF)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XFU">

  <xsd:annotation>

    <xsd:documentation>Historic use: UIC-Franc: ZZ05_UIC-Franc</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XOF">

  <xsd:annotation>

    <xsd:documentation>CFA Franc BCEAO: BENIN; BURKINA FASO; COTE D'IVOIRE;
    GUINEA-BISSAU; MALI; NIGER; SENEGAL; TOGO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPD">

  <xsd:annotation>

    <xsd:documentation>Palladium: ZZ09_Palladium</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPF">

  <xsd:annotation>

    <xsd:documentation>CFP Franc: FRENCH POLYNESIA; NEW CALEDONIA; WALLIS AND
    FUTUNA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XPT">
  <xsd:annotation>
    <xsd:documentation>Platinum: ZZ10_Platinum</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XSU">
  <xsd:annotation>
    <xsd:documentation>Sucre: SISTEMA UNITARIO DE COMPENSACION REGIONAL DE PAGOS
    "SUCRE"</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XUA">
  <xsd:annotation>
    <xsd:documentation>ADB Unit of Account: MEMBER COUNTRIES OF THE AFRICAN
    DEVELOPMENT BANK GROUP</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XXX">
  <xsd:annotation>
    <xsd:documentation>The codes assigned for transactions where no currency is
    involved: ZZ07_No_Currency</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YER">
  <xsd:annotation>
    <xsd:documentation>Yemeni Rial: YEMEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZAR">
  <xsd:annotation>
    <xsd:documentation>Rand: LESOTHO; NAMIBIA; SOUTH AFRICA</xsd:
    documentation>
  </xsd:annotation>
```

```
    </xsd:enumeration>
    <xsd:enumeration value="ZMW">
      <xsd:annotation>
        <xsd:documentation>Zambian Kwacha: ZAMBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZWL">
      <xsd:annotation>
        <xsd:documentation>Zimbabwe Dollar: ZIMBABWE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- Language codes - ISO 639 - Part 1 (ISO 639-1:2002)
```

The following disclaimer refers to all uses of the ISO language code list in the CBC schema: For practical reasons, the list is based on the ISO 639-1 language list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
-->
  <xsd:simpleType name="LanguageCode_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">ISO 639 - Part 1 Language codes</xsd:
      documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="AA">
        <xsd:annotation>
          <xsd:documentation>Afar</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="AB">
        <xsd:annotation>
          <xsd:documentation>Abkhazian</xsd:documentation>
        </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AF">
  <xsd:annotation>
    <xsd:documentation>Afrikaans</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AK">
  <xsd:annotation>
    <xsd:documentation>Akan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SQ">
  <xsd:annotation>
    <xsd:documentation>Albanian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>Amharic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>Arabic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AN">
  <xsd:annotation>
    <xsd:documentation>Aragonese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HY">
  <xsd:annotation>
    <xsd:documentation>Armenian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>Assamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AV">
  <xsd:annotation>
    <xsd:documentation>Avaric</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>Avestan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AY">
  <xsd:annotation>
    <xsd:documentation>Aymara</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>Azerbaijani</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>Bashkir</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>Bambara</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="EU">
  <xsd:annotation>
    <xsd:documentation>Basque</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
  <xsd:annotation>
    <xsd:documentation>Belarusian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>Bengali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>Bihari languages</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>Bislama</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>Bosnian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>Breton</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>Bulgarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>Burmese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>Catalan; Valencian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>Chamorro</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CE">
  <xsd:annotation>
    <xsd:documentation>Chechen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZH">
  <xsd:annotation>
    <xsd:documentation>Chinese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
```

```
    <xsd:documentation>Church Slavic; Old Slavonic; Church Slavonic; Old
    Bulgarian; Old Church Slavonic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>Chuvash</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>Cornish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
    <xsd:documentation>Corsican</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>Cree</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CS">
  <xsd:annotation>
    <xsd:documentation>Czech</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DA">
  <xsd:annotation>
    <xsd:documentation>Danish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DV">
```

```
  <xsd:annotation>
    <xsd:documentation>Divehi; Dhivehi; Maldivian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>Dutch; Flemish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>Dzongkha</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EN">
  <xsd:annotation>
    <xsd:documentation>English</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EO">
  <xsd:annotation>
    <xsd:documentation>Esperanto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>Estonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>Ewe</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>Faroese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>Fijian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>Finnish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>French</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FY">
  <xsd:annotation>
    <xsd:documentation>Western Frisian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FF">
  <xsd:annotation>
    <xsd:documentation>Fulah</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KA">
  <xsd:annotation>
    <xsd:documentation>Georgian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>German</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>Gaelic; Scottish Gaelic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>Irish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>Galician</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GV">
  <xsd:annotation>
    <xsd:documentation>Manx</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EL">
  <xsd:annotation>
    <xsd:documentation>Greek</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>Guarani</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>Gujarati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>Haitian; Haitian Creole</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HA">
  <xsd:annotation>
    <xsd:documentation>Hausa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HE">
  <xsd:annotation>
    <xsd:documentation>Hebrew</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HZ">
  <xsd:annotation>
    <xsd:documentation>Herero</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HI">
  <xsd:annotation>
    <xsd:documentation>Hindi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HO">
  <xsd:annotation>
    <xsd:documentation>Hiri Motu</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
  <xsd:annotation>
    <xsd:documentation>Croatian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>Hungarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IG">
  <xsd:annotation>
    <xsd:documentation>Igbo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>Icelandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>Ido</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="II">
  <xsd:annotation>
    <xsd:documentation>Sichuan Yi; Nuosu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IU">
  <xsd:annotation>
    <xsd:documentation>Inuktitut</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>Interlingue; Occidental</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IA">
  <xsd:annotation>
    <xsd:documentation>Interlingua (International Auxiliary Language
    Association)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
  <xsd:annotation>
    <xsd:documentation>Indonesian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IK">
  <xsd:annotation>
    <xsd:documentation>Inupiaq</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>Italian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JV">
  <xsd:annotation>
    <xsd:documentation>Javanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JA">
  <xsd:annotation>
```

```
    <xsd:documentation>Japanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KL">
  <xsd:annotation>
    <xsd:documentation>Kalaallisut; Greenlandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>Kannada</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KS">
  <xsd:annotation>
    <xsd:documentation>Kashmiri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>Kanuri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KK">
  <xsd:annotation>
    <xsd:documentation>Kazakh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>Central Khmer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
```

```
      <xsd:annotation>
        <xsd:documentation>Kikuyu; Gikuyu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="RW">
      <xsd:annotation>
        <xsd:documentation>Kinyarwanda</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KY">
      <xsd:annotation>
        <xsd:documentation>Kirghiz; Kyrgyz</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KV">
      <xsd:annotation>
        <xsd:documentation>Komi</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KG">
      <xsd:annotation>
        <xsd:documentation>Kongo</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KO">
      <xsd:annotation>
        <xsd:documentation>Korean</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="KJ">
      <xsd:annotation>
        <xsd:documentation>Kuanyama; Kwanyama</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
```

```
<xsd:enumeration value="KU">
  <xsd:annotation>
    <xsd:documentation>Kurdish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LO">
  <xsd:annotation>
    <xsd:documentation>Lao</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>Latin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>Latvian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>Limburgan; Limburger; Limburgish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LN">
  <xsd:annotation>
    <xsd:documentation>Lingala</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>Lithuanian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>Luxembourgish; Letzeburgesch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>Luba-Katanga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LG">
  <xsd:annotation>
    <xsd:documentation>Ganda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>Macedonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>Marshallese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>Malayalam</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MI">
  <xsd:annotation>
    <xsd:documentation>Maori</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>Marathi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>Malay</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>Malagasy</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>Maltese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>Mongolian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>Nauru</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NV">
  <xsd:annotation>
    <xsd:documentation>Navajo; Navaho</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>Ndebele, South; South Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ND">
  <xsd:annotation>
    <xsd:documentation>Ndebele, North; North Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NG">
  <xsd:annotation>
    <xsd:documentation>Ndonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NE">
  <xsd:annotation>
    <xsd:documentation>Nepali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NN">
  <xsd:annotation>
    <xsd:documentation>Norwegian Nynorsk; Nynorsk, Norwegian</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NB">
  <xsd:annotation>
    <xsd:documentation>Bokmål, Norwegian; Norwegian Bokmål</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NO">
```

```
  <xsd:annotation>
    <xsd:documentation>Norwegian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NY">
  <xsd:annotation>
    <xsd:documentation>Chichewa; Chewa; Nyanja</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OC">
  <xsd:annotation>
    <xsd:documentation>Occitan; Provençal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OJ">
  <xsd:annotation>
    <xsd:documentation>Ojibwa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OR">
  <xsd:annotation>
    <xsd:documentation>Oriya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>Oromo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OS">
  <xsd:annotation>
    <xsd:documentation>Ossetian; Ossetic</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>Panjabi; Punjabi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FA">
  <xsd:annotation>
    <xsd:documentation>Persian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PI">
  <xsd:annotation>
    <xsd:documentation>Pali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>Polish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>Portuguese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>Pushto; Pashto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QU">
  <xsd:annotation>
    <xsd:documentation>Quechua</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="RM">
  <xsd:annotation>
    <xsd:documentation>Romansh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>Romanian; Moldavian; Moldovan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RN">
  <xsd:annotation>
    <xsd:documentation>Rundi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>Russian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>Sango</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>Sanskrit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>Sinhala; Sinhalese</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>Slovak</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>Slovenian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>Northern Sami</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
  <xsd:annotation>
    <xsd:documentation>Samoan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>Shona</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>Sindhi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>Somali</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>Sotho, Southern</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ES">
  <xsd:annotation>
    <xsd:documentation>Spanish; Castilian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>Sardinian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>Serbian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>Swati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SU">
  <xsd:annotation>
    <xsd:documentation>Sundanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SW">
  <xsd:annotation>
```

```
    <xsd:documentation>Swahili</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>Swedish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TY">
  <xsd:annotation>
    <xsd:documentation>Tahitian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TA">
  <xsd:annotation>
    <xsd:documentation>Tamil</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>Tatar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TE">
  <xsd:annotation>
    <xsd:documentation>Telugu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>Tajik</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
```

```
    <xsd:documentation>Tagalog</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>Thai</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>Tibetan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TI">
  <xsd:annotation>
    <xsd:documentation>Tigrinya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>Tonga (Tonga Islands)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
  <xsd:annotation>
    <xsd:documentation>Tswana</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TS">
  <xsd:annotation>
    <xsd:documentation>Tsonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
```

```
      <xsd:annotation>
        <xsd:documentation>Turkmen</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TR">
      <xsd:annotation>
        <xsd:documentation>Turkish</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TW">
      <xsd:annotation>
        <xsd:documentation>Twi</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UG">
      <xsd:annotation>
        <xsd:documentation>Uighur; Uyghur</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UK">
      <xsd:annotation>
        <xsd:documentation>Ukrainian</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UR">
      <xsd:annotation>
        <xsd:documentation>Urdu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UZ">
      <xsd:annotation>
        <xsd:documentation>Uzbek</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VE">
```

```
      <xsd:annotation>
        <xsd:documentation>Venda</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VI">
      <xsd:annotation>
        <xsd:documentation>Vietnamese</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VO">
      <xsd:annotation>
        <xsd:documentation>Volapük</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CY">
      <xsd:annotation>
        <xsd:documentation>Welsh</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="WA">
      <xsd:annotation>
        <xsd:documentation>Walloon</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="WO">
      <xsd:annotation>
        <xsd:documentation>Wolof</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="XH">
      <xsd:annotation>
        <xsd:documentation>Xhosa</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="YI">
```

```
      <xsd:annotation>
        <xsd:documentation>Yiddish</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="YO">
      <xsd:annotation>
        <xsd:documentation>Yoruba</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZA">
      <xsd:annotation>
        <xsd:documentation>Zhuang; Chuang</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZU">
      <xsd:annotation>
        <xsd:documentation>Zulu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MS codes -->
<xsd:simpleType name="MSCountryCode_Type">
  <xsd:annotation>
    <xsd:documentation>List of the MS code.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="AT"/>
    <xsd:enumeration value="BE"/>
    <xsd:enumeration value="BG"/>
    <xsd:enumeration value="CY"/>
    <xsd:enumeration value="CZ"/>
    <xsd:enumeration value="DK"/>
```

```
      <xsd:enumeration value="EE"/>
      <xsd:enumeration value="FI"/>
      <xsd:enumeration value="FR"/>
      <xsd:enumeration value="DE"/>
      <xsd:enumeration value="GR"/>
      <xsd:enumeration value="HU"/>
      <xsd:enumeration value="HR"/>
      <xsd:enumeration value="IE"/>
      <xsd:enumeration value="IT"/>
      <xsd:enumeration value="LV"/>
      <xsd:enumeration value="LT"/>
      <xsd:enumeration value="LU"/>
      <xsd:enumeration value="MT"/>
      <xsd:enumeration value="NL"/>
      <xsd:enumeration value="PL"/>
      <xsd:enumeration value="PT"/>
      <xsd:enumeration value="RO"/>
      <xsd:enumeration value="SK"/>
      <xsd:enumeration value="SI"/>
      <xsd:enumeration value="ES"/>
      <xsd:enumeration value="SE"/>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
</xsd:schema>
```

OECD CARF TYPES

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:xsd="http://www.w3.org/
2001/XMLSchema" targetNamespace="urn:oecd:ties:carfstf:v5" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="5.0">

  <!-- -->

  <!--++++++++++++++++++++++++ String length types ++++++++++++++++++++++++++++++
  ++++++ -->

  <!-- -->

  <!-- Defines a string with minimum length 0 and maximum length of 200 -->
```

```
<xsd:simpleType name="StringMin0Max200_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 0 and maximum length of
    200.</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="0"/>
    <xsd:maxLength value="200"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 10 -->
<xsd:simpleType name="StringMin1Max10_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    10</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 170 -->
<xsd:simpleType name="StringMin1Max170_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    170</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="170"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
<!-- Defines a string with minimum length 1 and maximum length of 200 -->

<xsd:simpleType name="StringMin1Max200_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    200</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="200"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Defines a string with minimum length 1 and maximum length of 400 -->

<xsd:simpleType name="StringMin1Max400_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    400</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="400"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Defines a string with minimum length 1 and maximum length of 4000 -->

<xsd:simpleType name="StringMin1Max4000_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    4000</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="4000"/>

  </xsd:restriction>

</xsd:simpleType>
```

```
<!-- -->

<!-- -->

<!-- -->

<!--++++++++++++++++++++++++ Reusable Simple types ++++++++++++++++++++++++++++++
++++++++ -->

<!-- Document type indicators types -->

<xsd:simpleType name="OECDDocTypeIndic_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">This element specifies the type of data being
    submitted.</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="OECD0">

      <xsd:annotation>

        <xsd:documentation>Resend Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD1">

      <xsd:annotation>

        <xsd:documentation>New Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD2">

      <xsd:annotation>

        <xsd:documentation>Corrected Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD3">

      <xsd:annotation>

        <xsd:documentation>Deletion of Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD10">

      <xsd:annotation>

        <xsd:documentation>Resend Test Data</xsd:documentation>

      </xsd:annotation>
```

```
    </xsd:enumeration>
    <xsd:enumeration value="OECD11">
      <xsd:annotation>
        <xsd:documentation>New Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD12">
      <xsd:annotation>
        <xsd:documentation>Corrected Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD13">
      <xsd:annotation>
        <xsd:documentation>Deletion of Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Kind of Name -->
<xsd:simpleType name="OECDNameType_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">
      It is possible for stf documents to contain several names for the same party. This
      is a qualifier to indicate the type of a particular name. Such types include
      nicknames ('nick'), names under which a party does business ('dba' a short name
      for the entity, or a name that is used for public acquaintance instead of the
      official business name) etc.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="OECD201">
      <xsd:annotation>
        <xsd:documentation>SMFAliasOrOther</xsd:documentation>
      </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="OECD202">
  <xsd:annotation>
    <xsd:documentation>indiv (individual)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD203">
  <xsd:annotation>
    <xsd:documentation>alias (alias)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD204">
  <xsd:annotation>
    <xsd:documentation>nick (nickname)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD205">
  <xsd:annotation>
    <xsd:documentation>aka (also known as)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD206">
  <xsd:annotation>
    <xsd:documentation>dba (doing business as)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD207">
  <xsd:annotation>
    <xsd:documentation>legal (legal name)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD208">
  <xsd:annotation>
```

```
        <xsd:documentation>atbirth (name at birth)</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Type of the address considered from a legal point of view -->
<xsd:simpleType name="OECDLegalAddressType_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This is a datatype for an attribute to an
    address. It serves to indicate the legal character of that address (residential,
    business etc.)</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:enumeration value="OECD301">
      <xsd:annotation>
        <xsd:documentation>residentialOrBusiness</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD302">
      <xsd:annotation>
        <xsd:documentation>residential</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD303">
      <xsd:annotation>
        <xsd:documentation>business</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD304">
      <xsd:annotation>
        <xsd:documentation>registeredOffice</xsd:documentation>
      </xsd:annotation>
```

```
      </xsd:enumeration>

      <xsd:enumeration value="OECD305">

        <xsd:annotation>

          <xsd:documentation>unspecified</xsd:documentation>

        </xsd:annotation>

      </xsd:enumeration>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--++++++++++++++++++ Reusable Complex types ++++++++++++++++++++++++++++++++
  +++ -->

  <!-- -->

  <!-- Document specification: Data identifying and describing the document -->

  <xsd:complexType name="DocSpec_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Document specification: Data identifying and
      describing the document, where 'document' here means the part of a message that is to
      transmit the data about a single block of carf information. </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="DocTypeIndic" type="stf:OECDDocTypeIndic_EnumType"/>

<xsd:element name="DocRefId" type="stf:StringMin1Max200_Type">

        <xsd:annotation>

          <xsd:documentation xml:lang="en">Sender's unique identifier of this document
          </xsd:documentation>

        </xsd:annotation>

      </xsd:element>

<xsd:element name="CorrMessageRefId" type="stf:StringMin1Max170_Type"
minOccurs="0">

        <xsd:annotation>

          <xsd:documentation xml:lang="en">Reference id of the message of the document
          referred to if this is a correction</xsd:documentation>

        </xsd:annotation>

      </xsd:element>

<xsd:element name="CorrDocRefId" type="stf:StringMin1Max200_Type" minOccurs="0">
```

```
        <xsd:annotation>

          <xsd:documentation xml:lang="en">Reference id of the document referred to if
          this is correction</xsd:documentation>

        </xsd:annotation>

      </xsd:element>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

</xsd:schema>"
```

IV PRIEDAS

„XIX PRIEDAS

2g straipsnio 1 ir 2 dalyse nurodyta forma

Informacijos apie kriptoturto operatorių, kuris yra duomenis teikiantis kriptoturto paslaugų teikėjas, kaip apibrėžta Direktyvos 2011/16/ES V priedo IV skirsnio B poskirsnio 3 dalyje, perdavimo formoje, be Direktyvos 2011/16/ES VI priedo V skirsnio F poskirsnio 2 dalyje išvardytų komponentų, yra šie laukeliai:

— vienos registracijos valstybė narė pagal Direktyvos 2011/16/ES 8ad straipsnio 7 dalį;

2g straipsnio 3 dalyje nurodytas individualaus identifikacinio numerio formatas

Individualų identifikacinį numerį sudaro 10 skaitmenų CCXXXXXXXX formatu, kur „CC“ – valstybės narės, kurioje suteiktas identifikacinis numeris, ISO šalies kodas, o „XXXXXXXX“ – unikali abėcėlinių-skaitmeninių ženklų seka, kurią sugeneravo ir kriptoturto paslaugų teikėjui priskyrė arba valstybė narė, arba kriptoturto operacijų registras. Kai individualaus identifikacinio numerio nepriskiria valstybė narė, jį suteikia kriptoturto operatorių registras.

2g straipsnio 4 dalyje nurodytas tam tikros iš kriptoturto operatorių registro ištrintos arba pašalintos informacijos saugojimo laikotarpis

Jei kriptoturto operatoriaus, kuris yra duomenis teikiantis kriptoturto paslaugų teikėjas, kaip apibrėžta Direktyvos 2011/16/ES V priedo IV skirsnio B poskirsnio 3 dalyje, registracija panaikinama pagal Direktyvos 2011/16/ES VI priedo V skirsnio F poskirsnio 7 dalį, vienos registracijos valstybė narė pašalina kriptoturto operatorių iš kriptoturto operatorių registro. Pašalinta informacija kriptoturto operatorių registre saugoma ne ilgiau kaip 12 mėnesių nuo pašalinimo dienos.

2g straipsnio 5 dalyje nurodytas vienos registracijos valstybės narės pakeitimas kriptoturto operatorių registre

Jei pasikeitus informacijai pagal Direktyvos 2011/16/ES VI priedo V skirsnio F poskirsnio 3 dalį pasikeičia vienos registracijos valstybė narė, dabartinė vienos registracijos valstybė narė pradeda registruoto duomenis teikiančio kriptoturto paslaugų teikėjo informaciją perduoti naujajai vienos registracijos valstybei narei. Naujoji vienos registracijos valstybė narė tampa vienos registracijos valstybe nare, kuriai turi būti teikiama informacija pagal Direktyvą 2011/16/ES. Ši valstybė narė tampa nauju duomenis teikiančio kriptoturto paslaugų teikėjo kontaktiniu punktu bet kokiai informacijai atnaujinti pagal Direktyvos 2011/16/ES VI priedo V skirsnio F poskirsnio 3 dalį ir šį reglamentą.

Individualus identifikacinis numeris, suteiktas duomenis teikiančiam kriptoturto paslaugų teikėjui per jo pirmąją ir vienintelę registraciją, viso proceso metu išlieka tas pats.

Šis procesas neatleidžia duomenis teikiančio kriptoturto paslaugų teikėjo nuo pareigos laikytis naujojoje vienos registracijos valstybėje narėje taikomų registracijos reikalavimų.“