Publicatieblad
van de Europese Unie

NL
L-serie

2025/2263

26.11.2025

# UITVOERINGSVERORDENING (EU) 2025/2263 VAN DE COMMISSIE

**van 12 november 2025**

**tot wijziging van Uitvoeringsverordening (EU) 2015/2378 wat betreft de standaardformulieren en geautomatiseerde formaten voor de verplichte automatische uitwisseling van inlichtingen over te rapporteren cryptoactiva, de mededeling van de jaarlijkse beoordeling en de lijst van statistische gegevens die door de lidstaten overeenkomstig Richtlijn 2011/16/EU van de Raad moeten worden verstrekt**

DE EUROPESE COMMISSIE,

Gezien het Verdrag betreffende de werking van de Europese Unie,

Gezien Richtlijn 2011/16/EU van de Raad van 15 februari 2011 betreffende de administratieve samenwerking op het gebied van de belastingen en tot intrekking van Richtlijn 77/799/EEG ([1]), en met name artikel 8 bis quinquies, leden 4 en 9, artikel 20, lid 5, punt c), en artikel 23, leden 3 en 4,

Overwegende hetgeen volgt:

(1) Bij Richtlijn (EU) 2023/2226 ([2]) van de Raad is Richtlijn 2011/16/EU gewijzigd om te voorzien in verplichte automatische uitwisseling van inlichtingen die door rapporterende aanbieders van cryptoactivadiensten moeten worden gerapporteerd.

(2) Overeenkomstig artikel 8 bis quinquies, lid 4, van Richtlijn 2011/16/EU moeten de praktische regelingen worden vastgesteld om de verstrekking van de in lid 3 van dat artikel bedoelde inlichtingen te vergemakkelijken. De automatische inlichtingenuitwisseling moet met name overeenkomstig artikel 8 bis quinquies, lid 6, van Richtlijn 2011/16/EU plaatsvinden met behulp van een geautomatiseerd standaardformulier.

(3) Overeenkomstig artikel 8 bis quinquies, lid 9, van Richtlijn 2011/16/EU moeten de praktische regelingen worden vastgesteld die nodig zijn voor de registratie en identificatie van exploitanten van cryptoactiva die rapporterende aanbieders van cryptoactivadiensten zijn, opdat de lidstaten over relevante inlichtingen beschikken over de exploitanten van cryptoactiva die in hun lidstaat aan rapportage zijn onderworpen.

(4) Om ervoor te zorgen dat de lidstaten dezelfde informatie over exploitanten van cryptoactiva rapporteren, moet het standaardformulier worden vastgesteld dat moet worden gebruikt voor de mededeling van inlichtingen over exploitanten van cryptoactiva aan het register van exploitanten van cryptoactiva.

(5) Om rekening te houden met de huidige wijzigingen van Richtlijn 2011/16/EU, moeten artikel 2 quater van Uitvoeringsverordening (EU) 2015/2378 van de Commissie ([3]) en bijlage X daarbij worden bijgewerkt met nieuwe informatie.

(6) Uitvoeringsverordening (EU) 2015/2378 moet derhalve dienovereenkomstig worden gewijzigd.

(7) Overeenkomstig artikel 42, lid 1, van Verordening (EU) 2018/1725 van het Europees Parlement en de Raad ([4]) is de Europese Toezichthouder voor gegevensbescherming geraadpleegd.

(8) Omwille van de samenhang en de rechtszekerheid moet de datum van inwerkingtreding van deze verordening worden afgestemd op de in artikel 2, lid 1, tweede alinea, van Richtlijn (EU) 2023/2226 vastgestelde datum van toepassing.

([1]) PB L 64 van 11.3.2011, blz. 1, ELI: http://data.europa.eu/eli/dir/2011/16/oj.

([2]) Richtlijn (EU) 2023/2226 van de Raad van 17 oktober 2023 tot wijziging van Richtlijn 2011/16/EU betreffende de administratieve samenwerking op het gebied van de belastingen (PB L, 2023/2226, 24.10.2023, ELI: http://data.europa.eu/eli/dir/2023/2226/oj).

([3]) Uitvoeringsverordening (EU) 2015/2378 van de Commissie van 15 december 2015 tot vaststelling van nadere uitvoeringsvoorschriften voor enkele bepalingen van Richtlijn 2011/16/EU van de Raad betreffende de administratieve samenwerking op het gebied van de belastingen en tot intrekking van Uitvoeringsverordening (EU) nr. 1156/2012 (PB L 332 van 18.12.2015, blz. 19, ELI: http://data.europa.eu/eli/reg_impl/2015/2378/oj).

([4]) Verordening (EU) 2018/1725 van het Europees Parlement en de Raad van 23 oktober 2018 betreffende de bescherming van natuurlijke personen in verband met de verwerking van persoonsgegevens door de instellingen, organen en instanties van de Unie en betreffende het vrije verkeer van die gegevens, en tot intrekking van Verordening (EG) nr. 45/2001 en Besluit nr. 1247/2002/EG (PB L 295, 21.11.2018, blz. 39, ELI: http://data.europa.eu/eli/reg/2018/1725/oj).

(9) De in deze verordening vervatte maatregelen zijn in overeenstemming met het advies van het Comité inzake administratieve samenwerking op belastinggebied,

HEEFT DE VOLGENDE VERORDENING VASTGESTELD:

*Artikel 1*

Uitvoeringsverordening (EU) 2015/2378 wordt als volgt gewijzigd:

1) aan artikel 2 wordt het volgende lid 5 toegevoegd:

"5. Het geautomatiseerde formaat dat moet worden gebruikt voor de verplichte automatische uitwisseling van inlichtingen overeenkomstig artikel 8 bis quinquies, lid 6, van Richtlijn 2011/16/EU moet in overeenstemming zijn met bijlage XVIII bij deze verordening.";

2) in artikel 2 quater wordt lid 2 vervangen door:

"2. De lidstaten delen de Commissie jaarlijks vóór 1 mei langs elektronische weg de jaarlijkse beoordeling mee met gebruikmaking van het in lid 1 bedoelde formulier. De beoordeling heeft betrekking op het voorgaande kalenderjaar.";

3) het volgende artikel 2 octies wordt toegevoegd:

"*Artikel 2 octies*

**Standaardformulieren, met inbegrip van de talenregeling, voor de mededeling van inlichtingen over exploitanten van cryptoactiva en bewaartermijn voor inlichtingen die uit het register van exploitanten van cryptoactiva zijn geschrapt**

1. Het formulier dat overeenkomstig artikel 8 bis quinquies, lid 9, van Richtlijn 2011/16/EU voor de verstrekking van inlichtingen over Exploitanten van cryptoactiva aan het register van Exploitanten van cryptoactiva moet worden gebruikt, moet in overeenstemming zijn met het in bijlage XIX bij deze verordening opgenomen formaat.

2. De belangrijkste elementen die moeten worden vastgelegd in het register van Exploitanten van cryptoactiva overeenkomstig artikel 8 bis quinquies, lid 9, van Richtlijn 2011/16/EU, zijn de in deel V, onderdeel F, punt 2, van bijlage VI bij die richtlijn en in bijlage XIX bij deze verordening genoemde inlichtingen. De instelling van het register van Exploitanten van cryptoactiva en de verwerking van persoonsgegevens in dat register van Exploitanten van cryptoactiva door de Commissie namens de bevoegde autoriteiten van de lidstaten moeten voldoen aan Verordeningen (EU) 2016/679 en (EU) 2018/1725. De bevoegde autoriteiten van de lidstaten worden beschouwd als verwerkingsverantwoordelijken en de Commissie wordt beschouwd als een verwerker in de zin van Verordening (EU) 2016/679.

3. Het formaat van het individuele identificatienummer overeenkomstig artikel 8 bis quinquies, lid 7, is vastgesteld in bijlage XIX bij deze verordening.

4. De bewaartermijn voor inlichtingen die overeenkomstig deel V, onderdeel F, punt 5, d), van bijlage VI bij Richtlijn 2011/16/EU uit het register van Exploitanten van cryptoactiva zijn geschrapt, is vastgesteld in bijlage XIX bij deze verordening.

5. De regels betreffende de wijziging van de lidstaat van unieke registratie en de doorgifte van inlichtingen over de Rapporterende aanbieder van cryptoactivadiensten aan de nieuwe lidstaat van unieke registratie zijn vastgesteld in bijlage XIX bij deze verordening.";

4) Bijlage VIII wordt vervangen door de tekst in bijlage I bij deze verordening;

5) Bijlage X wordt gewijzigd overeenkomstig bijlage II bij deze verordening;

6) de tekst die is opgenomen in bijlage III bij deze verordening, wordt toegevoegd als bijlage XVIII;

7) de tekst die is opgenomen in bijlage IV bij deze verordening wordt toegevoegd als bijlage XIX.

*Artikel 2*

Deze verordening treedt in werking op de twintigste dag na die van de bekendmaking ervan in het *Publicatieblad van de Europese Unie*.

Zij is van toepassing met ingang van 1 januari 2026.

Deze verordening is verbindend in al haar onderdelen en is rechtstreeks toepasselijk in elke lidstaat.

Gedaan te Brussel, 12 november 2025.

*Voor de Commissie*
*De voorzitter*
Ursula VON DER LEYEN

*BIJLAGE I*

*"BIJLAGE VIII*

**Formulier als bedoeld in artikel 2 quater**

Het formulier voor de mededeling overeenkomstig artikel 23, lid 3, van Richtlijn 2011/16/EU omvat de volgende informatie:

(a) lidstaat die de vragenlijst invult;

(b) algemene informatie over de organisatie en de middelen voor de automatische uitwisseling van inlichtingen, met inbegrip van administratieve en andere relevante kosten voor ontwikkeling en uitvoering; administratieve kosten voor terugkerende activiteiten; andere relevante kosten voor activiteiten in het kader van belastingnaleving;

(c) geschillen en gerechtelijke procedures;

(d) beschikbaarheid van inlichtingen in de lidstaat, met inbegrip van een beschrijving van de beheerprocedure voor het waarborgen van de gegevensverzameling, inclusief de identificatie-elementen, en informatie over de tijdigheid van de verzonden inlichtingen;

(e) de doeltreffendheid van de uitwisselingen als ontvangende lidstaat, met inbegrip van de verwerking van de ontvangen inlichtingen, het totale matchingspercentage en het percentage met succes geïdentificeerde meldingen;

(f) de kwaliteit van de ontvangen inlichtingen, met inbegrip van de identificatie van de betrokken belastingplichtigen/partijen, het percentage geldige fiscale identificatienummers (FIN's) dat door de verstrekkende lidstaat is verstrekt;

(g) het gebruik van ontvangen inlichtingen, met inbegrip van gebruikscategorieën, belastinggebied, andere geïnitieerde administratieve samenwerking;

(h) raming van de resultaten van het gebruik van inlichtingen, met inbegrip van een verhoging van de vastgestelde belasting en/of verhoging van de gecorrigeerde belastinggrondslag, het percentage van de bij belastingonderzoeken gebruikte meldingen;

(i) toezicht op de verzending van bilaterale jaarlijkse terugmeldingen overeenkomstig artikel 14, lid 2, van Richtlijn 2011/16/EU;

(j) monitoring, uitvoering en resultaten van vervolgmaatregelen met betrekking tot specifieke projecten die relevant zijn voor de werking van de richtlijn, en

(k) andere relevante informatie met betrekking tot de punten a) tot en met j), of problemen waarmee de lidstaten worden geconfronteerd.";

*BIJLAGE II*

In bijlage X bij Uitvoeringsverordening (EU) 2015/2378 wordt het volgende streepje toegevoegd aan de lijst:

"— in geval van dividenden zonder bewaarneming: statistieken over bericht en ontvanger, bericht en betaler, ontvanger en relatie, betaler en relatie, ontvanger en inkomsten";

*BIJLAGE III*

*"BIJLAGE XVIII*

**Het in artikel 2, lid 5, bedoelde geautomatiseerde formaat**

Het geautomatiseerde formaat voor de verplichte automatische uitwisseling van inlichtingen overeenkomstig artikel 8 bis quinquies, lid 6, van Richtlijn 2011/16/EU is opgebouwd volgens de onderstaande boomstructuur en bevat de volgende elementen en kenmerken ([1]):

**CARF XML**

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:carf="urn:oecd:ties:carf:v1" xmlns:xsd="http://www.w3.org/2001/
XMLSchema" xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:iso="urn:oecd:ties:
isocarftypes:v1" targetNamespace="urn:oecd:ties:carf:v1" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="1.3">

<xsd:import namespace="urn:oecd:ties:isocarftypes:v1" schemaLocation="isocarf
types_v1.1.xsd"/>

<xsd:import namespace="urn:oecd:ties:carfstf:v5" schemaLocation="oecdcarf
types_v5.0.xsd"/>

  <!--++++++++++++++++++++++++ Reusable Simple types ++++++++++++++++++++++++++++++
  ++++++++ -->

  <!-- Message type definitions -->

  <xsd:simpleType name="MessageType_EnumType">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Message type defines the type of reporting
      </xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">

      <xsd:enumeration value="CARF"/>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--Transfer Type - 401 to 404-->

  <xsd:simpleType name="ExchangeType_EnumType">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:string">
```

([1]) Alleen de elementen en kenmerken die in een concreet geval daadwerkelijk relevant zijn na toepassing van de voorschriften inzake due diligence en rapportage die zijn opgenomen in de delen II en III van bijlage VI bij Richtlijn 2011/16/EU van de Raad moeten verschijnen in het geautomatiseerde formaat dat in dat geval wordt gebruikt.

```
      <xsd:enumeration value="CARF401">
        <xsd:annotation>
          <xsd:documentation>Staking</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF402">
        <xsd:annotation>
          <xsd:documentation>Crypto Loan</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF403">
        <xsd:annotation>
          <xsd:documentation>Wrapping</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="CARF404">
        <xsd:annotation>
          <xsd:documentation>Collateral</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
  <!--Transfer Type - 501 to 507-->
  <xsd:simpleType name="TransferType_EnumType">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Transfer Type</xsd:documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="CARF501">
        <xsd:annotation>
          <xsd:documentation>Airdrop</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
```

```
<xsd:enumeration value="CARF502">
  <xsd:annotation>
    <xsd:documentation>Staking income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF503">
  <xsd:annotation>
    <xsd:documentation>Mining income</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF504">
  <xsd:annotation>
    <xsd:documentation>Crypto loan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF505">
  <xsd:annotation>
    <xsd:documentation>Transfer from another RCASP</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF506">
  <xsd:annotation>
    <xsd:documentation>Sale of goods or services</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF507">
  <xsd:annotation>
    <xsd:documentation>Collateral</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CARF508">
  <xsd:annotation>
    <xsd:documentation>Other</xsd:documentation>
  </xsd:annotation>
```

```
    </xsd:enumeration>

    <xsd:enumeration value="CARF509">

      <xsd:annotation>

        <xsd:documentation>Unknown (to be selected as the default value where the
        Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
        </xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Account Number Type - 601 to 604-->

<xsd:simpleType name="TransferOutType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Account Number Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF601">

      <xsd:annotation>

        <xsd:documentation>Transfer to another RCASP</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF602">

      <xsd:annotation>

        <xsd:documentation>Crypto Loan</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF603">

      <xsd:annotation>

        <xsd:documentation>Purchase of goods or services, to be used in respect of
        transactions other than those already reported as Reportable Retail Payment
        Transactions</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF604">
```

```
      <xsd:annotation>
        <xsd:documentation>Collateral</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF605">
      <xsd:annotation>
        <xsd:documentation>Other</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF606">
      <xsd:annotation>
        <xsd:documentation>Unknown (to be selected as the default value where the
        Reporting Crypto-Asset Service Provider has no knowledge on the Transfer Type)
        </xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MessageTypeIndic - 701 to 703 -->
<xsd:simpleType name="CarfMessageTypeIndic_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The MessageTypeIndic defines the type of
    message sent</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF701">
      <xsd:annotation>
        <xsd:documentation>The message contains new information</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF702">
      <xsd:annotation>
```

```
        <xsd:documentation>The message contains corrections/deletions for
        previously sent information. When the MesseageTypeIndic is CARF702, the
        DocTypeIndic can contain either Corrections (OECD2) or Deletions (OECD3) or
        both, but new data (OECD1) cannot be contained. Note that OECD0 can be included
        for RCASP's DocTypeIndic.</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF703">

      <xsd:annotation>

        <xsd:documentation>The message advises there is no data to report</xsd:
        documentation>

      </xsd:annotation>

    </xsd:enumeration>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Controlling Person Type - 801 to 813 -->

<xsd:simpleType name="CarfCtrlgPersonType_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">Controlling Person Type</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="CARF801">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - ownership</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF802">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - other means</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="CARF803">

      <xsd:annotation>

        <xsd:documentation>CP of legal person - senior managing official</xsd:
        documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF804">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - settlor</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF805">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - trustee</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF806">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - protector</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF807">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - beneficiary</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF808">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - trust - other</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CARF809">

  <xsd:annotation>

    <xsd:documentation>CP of legal arrangement - other - settlor-equivalent</
    xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>
```

```
    <xsd:enumeration value="CARF810">
      <xsd:annotation>
        <xsd:documentation>CP of legal arrangement - other - trustee-equivalent</
        xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF811">
      <xsd:annotation>
        <xsd:documentation>CP of legal arrangement - other - protector-equivalent</
        xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF812">
      <xsd:annotation>
        <xsd:documentation>CP of legal arrangement - other - beneficiary-
        equivalent</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF813">
      <xsd:annotation>
        <xsd:documentation>CP of legal arrangement - other - other-equivalent</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--CARF Nexus Type - 901 to 907 -->
<xsd:simpleType name="Nexus_EnumType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF901">
      <xsd:annotation>
        <xsd:documentation>Tax Residence</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF902">
      <xsd:annotation>
```

```
        <xsd:documentation>Incorporation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF903">
      <xsd:annotation>
        <xsd:documentation>Management</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF904">
      <xsd:annotation>
        <xsd:documentation>Place of Business</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF905">
      <xsd:annotation>
        <xsd:documentation>Branch</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF906">
      <xsd:annotation>
        <xsd:documentation>Authorisation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF907">
      <xsd:annotation>
        <xsd:documentation>Remote Services</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!--CARF Alt Valuation Type - 1001 to 1004 -->
<xsd:simpleType name="AltValuation_EnumType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="CARF1001">
```

```
      <xsd:annotation>
        <xsd:documentation>Book value</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1002">
      <xsd:annotation>
        <xsd:documentation>Third-party value</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1003">
      <xsd:annotation>
        <xsd:documentation>Recent RCASP valuation</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="CARF1004">
      <xsd:annotation>
        <xsd:documentation>Reasonable estimate by RCASP</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<xsd:simpleType name="TwoDigFract_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Data type for any kind of numeric data with two
    decimal fraction digits, especially monetary amounts.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:decimal">
    <xsd:fractionDigits value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
  <xsd:simpleType name="SixDigFract_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Data type for any kind of numeric data with six
      decimal fraction digits, especially monetary amounts.

      </xsd:documentation>

    </xsd:annotation>

    <xsd:restriction base="xsd:decimal">

      <xsd:fractionDigits value="6"/>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--++++++++++++++++++ Reusable Complex types ++++++++++++++++++++++++++++++++
  +++ -->

  <!-- Message specification: Data identifying and describing the message as a
  whole -->

  <xsd:complexType name="RCASP_Type">

    <xsd:sequence>

<xsd:element name="RCASP_ID">

      <xsd:complexType>

        <xsd:choice>

          <xsd:element name="Individual" type="carf:PersonParty_Type"/>

          <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

        </xsd:choice>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="Nexus" type="carf:Nexus_EnumType" minOccurs="0"/>

<xsd:element name="OtherNexus" minOccurs="0">

      <xsd:complexType>

        <xsd:attribute name="Nexus" type="carf:Nexus_EnumType" use="required"/>

        <xsd:attribute name="ResCountryCode" type="iso:CountryCode_Type"
        use="required"/>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
```

```
    </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <xsd:complexType name="CryptoUsers_Type">
    <xsd:sequence>
<xsd:element name="UserID">
      <xsd:complexType>
        <xsd:choice>
          <xsd:element name="Entity" type="carf:OrganisationParty_Type"/>
          <xsd:element name="Individual" type="carf:PersonParty_Type"/>
        </xsd:choice>
      </xsd:complexType>
    </xsd:element>
<xsd:element name="ControllingPerson" type="carf:ControllingPerson_Type"
minOccurs="0" maxOccurs="unbounded"/>
<xsd:element name="RelevantTransactions" type="carf:RelevantTransactions_Type"
maxOccurs="unbounded"/>
<xsd:element name="DocSpec" type="stf:DocSpec_Type"/>
   </xsd:sequence>
  </xsd:complexType>
  <!-- -->
  <xsd:complexType name="RelevantTransactions_Type">
    <xsd:sequence>
<xsd:element name="CryptoAsset" type="stf:StringMin1Max200_Type"/>
    <xsd:choice>
      <xsd:element name="CryptoToCryptoIn" minOccurs="0" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
            minOccurs="0"/>
            <xsd:element name="NumberofTransactions" type="xsd:integer"/>
            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
            <xsd:element name="NumberofUnits" type="xsd:decimal"/>
```

```
    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoToCryptoOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatIn" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

      <xsd:element name="NumberofUnits" type="xsd:decimal"/>

    </xsd:sequence>

  </xsd:complexType>

</xsd:element>

<xsd:element name="CryptoFiatOut" minOccurs="0" maxOccurs="unbounded">

  <xsd:complexType>

    <xsd:sequence>

      <xsd:element name="ExchangeType" type="carf:ExchangeType_EnumType"
      minOccurs="0"/>

      <xsd:element name="NumberofTransactions" type="xsd:integer"/>

      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
```

```
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="CryptoTransferIn" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TransferType" type="carf:TransferType_EnumType"/>
      <xsd:element name="NumberofTransactions" type="xsd:integer"/>
      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
      minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="CryptoTransferOut" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TransferType" type="carf:TransferOutTy
      pe_EnumType"/>
      <xsd:element name="NumberofTransactions" type="xsd:integer"/>
      <xsd:element name="Amount" type="carf:MonAmnt_Type"/>
      <xsd:element name="NumberofUnits" type="xsd:decimal"/>
      <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
      minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="TransferWallet" minOccurs="0" maxOccurs="unbounded">
  <xsd:complexType>
    <xsd:sequence>
```

```
            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

            <xsd:element name="NumberofUnits" type="xsd:decimal"/>

            <xsd:element name="AltValuation" type="carf:AltValuation_EnumType"
            minOccurs="0"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

      <xsd:element name="RRPT" minOccurs="0" maxOccurs="unbounded">

        <xsd:annotation>

          <xsd:documentation>Reportable Retail Payment Transactions (Relevant Crypto
          Assets)</xsd:documentation>

        </xsd:annotation>

        <xsd:complexType>

          <xsd:sequence>

            <xsd:element name="NumberofTransactions" type="xsd:integer"/>

            <xsd:element name="Amount" type="carf:MonAmnt_Type"/>

            <xsd:element name="NumberofUnits" type="xsd:decimal"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

    </xsd:choice>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="ControllingPerson_Type">

  <xsd:sequence>

<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="CtrlgPersonType" type="carf:CarfCtrlgPersonType_EnumType"
maxOccurs="unbounded"/>

  </xsd:sequence>

</xsd:complexType>

<!-- -->

<xsd:complexType name="Identity_Type">

  <xsd:choice>
```

```
<xsd:element name="Individual" type="carf:PersonParty_Type"/>

<xsd:element name="Entity" type="carf:OrganisationParty_Type"/>

   </xsd:choice>

  </xsd:complexType>

  <!--Message specification: Data identifying and describing the message as a whole-->

  <xsd:complexType name="MessageSpec_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Information in the message header identifies
      the Tax Administration that is sending the message. It specifies when the message
      was created, what period (normally a year) the report is for, and the nature of the
      report (original, corrected, supplemental, etc).</xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="SendingEntityIN" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="TransmittingCountry" type="iso:CountryCode_Type"/>

<xsd:element name="ReceivingCountry" type="iso:CountryCode_Type"/>

     <!-- modified for CARF -->

<xsd:element name="MessageType" type="carf:MessageType_EnumType"/>

<xsd:element name="Warning" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="Contact" type="stf:StringMin1Max4000_Type" minOccurs="0"/>

<xsd:element name="MessageRefId" type="stf:StringMin1Max170_Type"/>

<xsd:element name="MessageTypeIndic" type="carf:CarfMessageTypeIndic_EnumType"/>

<xsd:element name="ReportingPeriod" type="xsd:date"/>

<xsd:element name="Timestamp" type="xsd:dateTime"/>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- The Name of a Party, given in fixed Form-->

  <xsd:complexType name="NamePerson_Type">
```

```
    <xsd:annotation>

      <xsd:documentation xml:lang="en">The user must spread the data about the name of a
      party over up to six elements. The container element for this will be 'NameFix'.
      </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="PrecedingTitle" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="Title" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="FirstName">

      <xsd:complexType>

        <xsd:simpleContent>

          <xsd:extension base="stf:StringMin1Max200_Type">

            <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

              <xsd:annotation>

                <xsd:documentation xml:lang="en">Defines the name type of FirstName.
                Example: Given Name, Forename, Christian Name, Father's Name, etc. In
                some countries, FirstName could be a Family Name or a SurName. Use this
                attribute to define the type for this name.

                </xsd:documentation>

              </xsd:annotation>

            </xsd:attribute>

          </xsd:extension>

        </xsd:simpleContent>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="MiddleName" minOccurs="0" maxOccurs="unbounded">

      <xsd:complexType>

        <xsd:simpleContent>

          <xsd:extension base="stf:StringMin1Max200_Type">

            <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

              <xsd:annotation>

                <xsd:documentation xml:lang="en">Defines the name type of Middle Name.
                Example: First name, middle name, maiden name, father's name, given
                name, etc.

                </xsd:documentation>
```

```
            </xsd:annotation>

          </xsd:attribute>

        </xsd:extension>

      </xsd:simpleContent>

    </xsd:complexType>

  </xsd:element>

<xsd:element name="NamePrefix" minOccurs="0">

    <xsd:complexType>

      <xsd:simpleContent>

        <xsd:extension base="stf:StringMin1Max200_Type">

          <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

            <xsd:annotation>

              <xsd:documentation xml:lang="en">Defines the type of name associated
              with the NamePrefix. For example the type of name is LastName and this
              prefix is the prefix for this last name.

            </xsd:documentation>

            </xsd:annotation>

          </xsd:attribute>

        </xsd:extension>

      </xsd:simpleContent>

    </xsd:complexType>

  </xsd:element>

<xsd:element name="LastName">

    <xsd:complexType>

      <xsd:simpleContent>

        <xsd:extension base="stf:StringMin1Max200_Type">

          <xsd:attribute name="xnlNameType" type="stf:StringMin1Max200_Type">

            <xsd:annotation>

              <xsd:documentation xml:lang="en">Defines the name type of LastName.
              Example: Father's name, Family name, Sur Name, Mother's Name, etc. In
              some countries, LastName could be the given name or first name.

              </xsd:documentation>

            </xsd:annotation>

          </xsd:attribute>

        </xsd:extension>
```

```
        </xsd:simpleContent>

      </xsd:complexType>

    </xsd:element>

<xsd:element name="GenerationIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0" maxOccurs="unbounded"/>

<xsd:element name="Suffix" type="stf:StringMin1Max200_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="GeneralSuffix" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

   </xsd:sequence>

   <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
   use="optional"/>

  </xsd:complexType>

  <!-- -->

  <!-- Collection of all Data describing a person as a Party -->

  <xsd:complexType name="PersonParty_Type">

    <xsd:sequence>

<xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>

<xsd:element name="TIN" type="carf:TIN_Type" maxOccurs="unbounded"/>

<xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">

      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>

      </xsd:annotation>

    </xsd:element>

<xsd:element name="Name" type="carf:NamePerson_Type" maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

<xsd:element name="Nationality" type="iso:CountryCode_Type" minOccurs="0"
maxOccurs="unbounded"/>

<xsd:element name="BirthInfo">

      <xsd:annotation>

        <xsd:documentation>.</xsd:documentation>

      </xsd:annotation>

      <xsd:complexType>

        <xsd:sequence>
```

```
            <xsd:element name="BirthDate" type="xsd:date"/>

            <xsd:element name="BirthPlace" type="carf:BirthPlace_Type"
            minOccurs="0"/>

          </xsd:sequence>

        </xsd:complexType>

      </xsd:element>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!--General Type for Monetary Amounts -->

  <xsd:complexType name="MonAmnt_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">This data type is to be used whenever monetary
      amounts are to be communicated. Such amounts shall be given in with full amounts and
      two decimals. The code for the currency in which the value is expressed has to be
      taken from the ISO codelist 4217 and added in attribute currCode.

</xsd:documentation>

    </xsd:annotation>

    <xsd:simpleContent>

      <xsd:extension base="xsd:decimal">

        <xsd:attribute name="currCode" type="iso:currCode_Type" use="required"/>

      </xsd:extension>

    </xsd:simpleContent>

  </xsd:complexType>

  <!-- -->

  <!-- Organisation Identification Number -->

  <xsd:complexType name="OrganisationIN_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">This is the identification number/
      identification code for the Entity in question. As the identifier may be not
      strictly numeric, it is just defined as a string of characters. Attribute
      'issuedBy' is required to designate the issuer of the identifier. Attribute
      'INType' defines the type of identification number. </xsd:documentation>

    </xsd:annotation>

    <xsd:simpleContent>

      <xsd:extension base="stf:StringMin1Max200_Type">
```

```
      <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Country code of issuing country,
          indicating country of Residence (to taxes and other)</xsd:documentation>
        </xsd:annotation>
      </xsd:attribute>
      <xsd:attribute name="INType" use="optional">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Identification Number Type</xsd:
          documentation>
        </xsd:annotation>
        <xsd:simpleType>
          <xsd:restriction base="stf:StringMin1Max200_Type">
            <xsd:enumeration value="LEI"/>
            <xsd:enumeration value="EIN"/>
            <xsd:enumeration value="BRN"/>
            <xsd:enumeration value="Other"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<!-- -->
<!-- Individual Identification Number -->
<xsd:complexType name="IndividualIN_Type">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This is the identification number/
    identification code for the Entity in question. As the identifier may be not
    strictly numeric, it is just defined as a string of characters. Attribute
    'issuedBy' is required to designate the issuer of the identifier. Attribute
    'INType' defines the type of identification number. </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="stf:StringMin1Max200_Type">
```

```
        <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional">
          <xsd:annotation>
            <xsd:documentation xml:lang="en">Country code of issuing country,
            indicating country of Residence (to taxes and other)</xsd:documentation>
          </xsd:annotation>
        </xsd:attribute>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!-- Collection of all Data describing an organisation as party-->
  <xsd:complexType name="OrganisationParty_Type">
    <xsd:sequence>
<xsd:element name="ResCountryCode" type="iso:CountryCode_Type"
maxOccurs="unbounded"/>
<xsd:element name="TIN" maxOccurs="unbounded">
        <xsd:complexType>
          <xsd:simpleContent>
            <xsd:restriction base="carf:TIN_Type">
              <xsd:minLength value="1"/>
              <xsd:attribute name="issuedBy" type="iso:CountryCode_Type"
              use="optional"/>
              <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>
            </xsd:restriction>
          </xsd:simpleContent>
        </xsd:complexType>
      </xsd:element>
<xsd:element name="IN" type="carf:OrganisationIN_Type" minOccurs="0"
maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
          documentation>
        </xsd:annotation>
      </xsd:element>
<xsd:element name="IIN" type="carf:IndividualIN_Type" minOccurs="0"
maxOccurs="unbounded">
```

```
      <xsd:annotation>

        <xsd:documentation xml:lang="en">Entity Identification Number</xsd:
        documentation>

      </xsd:annotation>

    </xsd:element>

<xsd:element name="Name" type="carf:NameOrganisation_Type"
maxOccurs="unbounded"/>

<xsd:element name="Address" type="carf:Address_Type" maxOccurs="unbounded"/>

   </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- Address Fix -->

  <xsd:complexType name="AddressFix_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">

    </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="Street" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="BuildingIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="SuiteIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="FloorIdentifier" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

<xsd:element name="DistrictName" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="POB" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="PostCode" type="stf:StringMin1Max200_Type" minOccurs="0"/>

<xsd:element name="City" type="stf:StringMin1Max200_Type"/>

<xsd:element name="CountrySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>

   </xsd:sequence>

  </xsd:complexType>

  <!-- -->

  <!-- The Address of a Party, given in fixed or free Form, possibly in both Forms -->
```

```
  <xsd:complexType name="Address_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">
    </xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
<xsd:element name="CountryCode" type="iso:CountryCode_Type"/>
      <xsd:sequence>
        <xsd:element name="AddressFix" type="carf:AddressFix_Type"/>
        <xsd:element name="AdditionalAddressInfo" type="stf:StringMin1Max4000_Type"
        minOccurs="0"/>
      </xsd:sequence>
    </xsd:sequence>
    <xsd:attribute name="legalAddressType" type="stf:OECDLegalAddressTy
    pe_EnumType" use="optional"/>
  </xsd:complexType>
  <!-- -->
  <!-- Organisation name -->
  <xsd:complexType name="NameOrganisation_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Name of organisation</xsd:documentation>
    </xsd:annotation>
    <xsd:simpleContent>
      <xsd:extension base="stf:StringMin1Max200_Type">
        <xsd:attribute name="nameType" type="stf:OECDNameType_EnumType"
        use="optional"/>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <!-- -->
  <!-- TIN -->
  <xsd:complexType name="TIN_Type">
    <xsd:simpleContent>
      <xsd:extension base="stf:StringMin0Max200_Type">
        <xsd:attribute name="issuedBy" type="iso:CountryCode_Type" use="optional"/>
```

```
      <xsd:attribute name="unknown" type="xsd:boolean" use="optional"/>
    </xsd:extension>
  </xsd:simpleContent>
 </xsd:complexType>
 <!-- -->
 <!--The place of birth -->
 <xsd:complexType name="BirthPlace_Type">
  <xsd:annotation>
   <xsd:documentation>This element provides information about the place of birth.
   This element must be filled in at least with the city and the country of birth
   (either the current jurisdiction identified by 2-characters country code or a
   former jurisdiction identified by a name).</xsd:documentation>
  </xsd:annotation>
  <xsd:sequence>
<xsd:element name="City" type="stf:StringMin1Max200_Type"/>
<xsd:element name="CitySubentity" type="stf:StringMin1Max200_Type"
minOccurs="0"/>
<xsd:element name="CountryInfo">
     <xsd:complexType>
      <xsd:choice>
       <xsd:element name="CountryCode" type="iso:CountryCode_Type"/>
       <xsd:element name="FormerCountryName" type="stf:StringMin1Max200_Type"/>
      </xsd:choice>
     </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
 </xsd:complexType>
 <!-- -->
 <!-- CARF Body Type - CARF Report -->
 <xsd:complexType name="CARFBody_Type">
  <xsd:sequence>
<xsd:element name="RCASP" type="carf:RCASP_Type"/>
<xsd:element name="CryptoUsers" type="carf:CryptoUsers_Type" minOccurs="0"
maxOccurs="unbounded"/>
  </xsd:sequence>
```

```
  </xsd:complexType>

  <!--++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++ Schema element +++
  ++++++++++++++++++++++++++++++++++++++ -->

  <!-- CarfOECD File Message structure -->

  <!-- -->

  <!-- CARF Message structure -->

<xsd:element name="CARF_OECD">

   <xsd:complexType>

    <xsd:sequence>

     <xsd:element name="MessageSpec" type="carf:MessageSpec_Type"/>

     <xsd:element name="CARFBody" type="carf:CARFBody_Type" minOccurs="0"
     maxOccurs="unbounded"/>

    </xsd:sequence>

    <xsd:attribute name="version" type="stf:StringMin1Max10_Type">

     <xsd:annotation>

      <xsd:documentation xml:lang="en">CARF Version</xsd:documentation>

     </xsd:annotation>

    </xsd:attribute>

   </xsd:complexType>

  </xsd:element>

</xsd:schema>
```

**ISO CARF TYPES**

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:iso="urn:oecd:ties:isocarftypes:v1" xmlns:xsd="http://www.w3.
org/2001/XMLSchema" targetNamespace="urn:oecd:ties:isocarftypes:v1" elementForm
Default="qualified" attributeFormDefault="unqualified" version="1.1">

  <xsd:simpleType name="CountryCode_Type">

   <xsd:annotation>

    <xsd:documentation xml:lang="en">ISO-3166 Alpha 2 country codes</xsd:
    documentation>

   </xsd:annotation>

   <xsd:restriction base="xsd:string">

    <xsd:enumeration value="AF">

     <xsd:annotation>
```

```
    <xsd:documentation>AFGHANISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AX">
  <xsd:annotation>
    <xsd:documentation>ALAND ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AL">
  <xsd:annotation>
    <xsd:documentation>ALBANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>AMERICAN SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AD">
  <xsd:annotation>
    <xsd:documentation>ANDORRA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AO">
  <xsd:annotation>
    <xsd:documentation>ANGOLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AI">
  <xsd:annotation>
```

```
    <xsd:documentation>ANGUILLA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AQ">
  <xsd:annotation>
    <xsd:documentation>ANTARCTICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AG">
  <xsd:annotation>
    <xsd:documentation>ANTIGUA AND BARBUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>ARGENTINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>ARMENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AW">
  <xsd:annotation>
    <xsd:documentation>ARUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AU">
  <xsd:annotation>
    <xsd:documentation>AUSTRALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AT">
```

```
  <xsd:annotation>
    <xsd:documentation>AUSTRIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>AZERBAIJAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BD">
  <xsd:annotation>
    <xsd:documentation>BANGLADESH</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BB">
  <xsd:annotation>
    <xsd:documentation>BARBADOS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BY">
  <xsd:annotation>
    <xsd:documentation>BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
```

```
  <xsd:annotation>
    <xsd:documentation>BELGIUM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BZ">
  <xsd:annotation>
    <xsd:documentation>BELIZE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BJ">
  <xsd:annotation>
    <xsd:documentation>BENIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BT">
  <xsd:annotation>
    <xsd:documentation>BHUTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>BOLIVIA, PLURINATIONAL STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BQ">
  <xsd:annotation>
    <xsd:documentation>BONAIRE, SINT EUSTATIUS AND SABA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>BOSNIA AND HERZEGOVINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BW">
  <xsd:annotation>
    <xsd:documentation>BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BV">
  <xsd:annotation>
    <xsd:documentation>BOUVET ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>BRITISH INDIAN OCEAN TERRITORY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>BULGARIA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BF">
  <xsd:annotation>
    <xsd:documentation>BURKINA FASO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KH">
  <xsd:annotation>
    <xsd:documentation>CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CM">
  <xsd:annotation>
    <xsd:documentation>CAMEROON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>CANADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>CAYMAN ISLANDS</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CF">
  <xsd:annotation>
    <xsd:documentation>CENTRAL AFRICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TD">
  <xsd:annotation>
    <xsd:documentation>CHAD</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CL">
  <xsd:annotation>
    <xsd:documentation>CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CN">
  <xsd:annotation>
    <xsd:documentation>CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CX">
  <xsd:annotation>
    <xsd:documentation>CHRISTMAS ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CC">
  <xsd:annotation>
    <xsd:documentation>COCOS (KEELING) ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
```

```
    <xsd:documentation>COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CG">
  <xsd:annotation>
    <xsd:documentation>CONGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CD">
  <xsd:annotation>
    <xsd:documentation>CONGO, THE DEMOCRATIC REPUBLIC OF THE</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CK">
  <xsd:annotation>
    <xsd:documentation>COOK ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CI">
  <xsd:annotation>
    <xsd:documentation>COTE D'IVOIRE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
```

```
  <xsd:annotation>
    <xsd:documentation>CROATIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
    <xsd:documentation>CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CW">
  <xsd:annotation>
    <xsd:documentation>CURACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>CYPRUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZ">
  <xsd:annotation>
    <xsd:documentation>CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DK">
  <xsd:annotation>
    <xsd:documentation>DENMARK</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJ">
  <xsd:annotation>
    <xsd:documentation>DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DM">
```

```
  <xsd:annotation>
    <xsd:documentation>DOMINICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DO">
  <xsd:annotation>
    <xsd:documentation>DOMINICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EC">
  <xsd:annotation>
    <xsd:documentation>ECUADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EG">
  <xsd:annotation>
    <xsd:documentation>EGYPT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>EL SALVADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GQ">
  <xsd:annotation>
    <xsd:documentation>EQUATORIAL GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ER">
  <xsd:annotation>
    <xsd:documentation>ERITREA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>ESTONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FK">
  <xsd:annotation>
    <xsd:documentation>FALKLAND ISLANDS (MALVINAS)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>FAROE ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>FINLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>FRANCE</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GF">
  <xsd:annotation>
    <xsd:documentation>FRENCH GUIANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PF">
  <xsd:annotation>
    <xsd:documentation>FRENCH POLYNESIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TF">
  <xsd:annotation>
    <xsd:documentation>FRENCH SOUTHERN TERRITORIES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>GABON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GM">
  <xsd:annotation>
    <xsd:documentation>GAMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GE">
  <xsd:annotation>
    <xsd:documentation>GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>GERMANY</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GH">
  <xsd:annotation>
    <xsd:documentation>GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GI">
  <xsd:annotation>
    <xsd:documentation>GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GR">
  <xsd:annotation>
    <xsd:documentation>GREECE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>GREENLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>GRENADA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GP">
  <xsd:annotation>
    <xsd:documentation>GUADELOUPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>GUAM</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GT">
  <xsd:annotation>
    <xsd:documentation>GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GG">
  <xsd:annotation>
    <xsd:documentation>GUERNSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GW">
  <xsd:annotation>
    <xsd:documentation>GUINEA-BISSAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GY">
  <xsd:annotation>
    <xsd:documentation>GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>HAITI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HM">
  <xsd:annotation>
```

```
    <xsd:documentation>HEARD ISLAND AND MCDONALD ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VA">
  <xsd:annotation>
    <xsd:documentation>HOLY SEE (VATICAN CITY STATE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HN">
  <xsd:annotation>
    <xsd:documentation>HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HK">
  <xsd:annotation>
    <xsd:documentation>HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>HUNGARY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IN">
  <xsd:annotation>
    <xsd:documentation>INDIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
```

```
  <xsd:annotation>
    <xsd:documentation>INDONESIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IR">
  <xsd:annotation>
    <xsd:documentation>IRAN, ISLAMIC REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IQ">
  <xsd:annotation>
    <xsd:documentation>IRAQ</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>IRELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IM">
  <xsd:annotation>
    <xsd:documentation>ISLE OF MAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IL">
  <xsd:annotation>
    <xsd:documentation>ISRAEL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>ITALY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="JM">
  <xsd:annotation>
    <xsd:documentation>JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JP">
  <xsd:annotation>
    <xsd:documentation>JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JE">
  <xsd:annotation>
    <xsd:documentation>JERSEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JO">
  <xsd:annotation>
    <xsd:documentation>JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZ">
  <xsd:annotation>
    <xsd:documentation>KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KE">
  <xsd:annotation>
    <xsd:documentation>KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
  <xsd:annotation>
    <xsd:documentation>KIRIBATI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="KP">
  <xsd:annotation>
    <xsd:documentation>KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>LATVIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>LEBANON</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LS">
  <xsd:annotation>
    <xsd:documentation>LESOTHO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LR">
  <xsd:annotation>
    <xsd:documentation>LIBERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LY">
  <xsd:annotation>
    <xsd:documentation>LIBYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>LIECHTENSTEIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>LITHUANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>LUXEMBOURG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MO">
  <xsd:annotation>
    <xsd:documentation>MACAO</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>NORTH MACEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>MADAGASCAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MW">
  <xsd:annotation>
    <xsd:documentation>MALAWI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>MALAYSIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MV">
  <xsd:annotation>
    <xsd:documentation>MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>MALI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>MALTA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>MARSHALL ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MQ">
  <xsd:annotation>
    <xsd:documentation>MARTINIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MU">
  <xsd:annotation>
    <xsd:documentation>MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YT">
  <xsd:annotation>
    <xsd:documentation>MAYOTTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MX">
  <xsd:annotation>
    <xsd:documentation>MEXICO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FM">
  <xsd:annotation>
```

```
    <xsd:documentation>MICRONESIA, FEDERATED STATES OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MD">
  <xsd:annotation>
    <xsd:documentation>MOLDOVA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MC">
  <xsd:annotation>
    <xsd:documentation>MONACO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ME">
  <xsd:annotation>
    <xsd:documentation>MONTENEGRO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>MONTSERRAT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MA">
  <xsd:annotation>
    <xsd:documentation>MOROCCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MZ">
```

```
  <xsd:annotation>
    <xsd:documentation>MOZAMBIQUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MM">
  <xsd:annotation>
    <xsd:documentation>MYANMAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>NAMIBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>NAURU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NP">
  <xsd:annotation>
    <xsd:documentation>NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>NETHERLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NC">
  <xsd:annotation>
    <xsd:documentation>NEW CALEDONIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZ">
```

```
  <xsd:annotation>
    <xsd:documentation>NEW ZEALAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NI">
  <xsd:annotation>
    <xsd:documentation>NICARAGUA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NE">
  <xsd:annotation>
    <xsd:documentation>NIGER</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NG">
  <xsd:annotation>
    <xsd:documentation>NIGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NU">
  <xsd:annotation>
    <xsd:documentation>NIUE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NF">
  <xsd:annotation>
    <xsd:documentation>NORFOLK ISLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MP">
  <xsd:annotation>
    <xsd:documentation>NORTHERN MARIANA ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="NO">
  <xsd:annotation>
    <xsd:documentation>NORWAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PK">
  <xsd:annotation>
    <xsd:documentation>PAKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PW">
  <xsd:annotation>
    <xsd:documentation>PALAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>PALESTINE, STATE OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PG">
  <xsd:annotation>
    <xsd:documentation>PAPUA NEW GUINEA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PY">
  <xsd:annotation>
    <xsd:documentation>PARAGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PE">
  <xsd:annotation>
    <xsd:documentation>PERU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PH">
  <xsd:annotation>
    <xsd:documentation>PHILIPPINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PN">
  <xsd:annotation>
    <xsd:documentation>PITCAIRN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>POLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>PORTUGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PR">
  <xsd:annotation>
    <xsd:documentation>PUERTO RICO</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="QA">
  <xsd:annotation>
    <xsd:documentation>QATAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RE">
  <xsd:annotation>
    <xsd:documentation>REUNION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RW">
  <xsd:annotation>
    <xsd:documentation>RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BL">
  <xsd:annotation>
    <xsd:documentation>SAINT BARTHELEMY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SH">
  <xsd:annotation>
    <xsd:documentation>SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA</xsd:
    documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>SAINT KITTS AND NEVIS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LC">
  <xsd:annotation>
    <xsd:documentation>SAINT LUCIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MF">
  <xsd:annotation>
    <xsd:documentation>SAINT MARTIN (FRENCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PM">
  <xsd:annotation>
    <xsd:documentation>SAINT PIERRE AND MIQUELON</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VC">
  <xsd:annotation>
    <xsd:documentation>SAINT VINCENT AND THE GRENADINES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WS">
  <xsd:annotation>
    <xsd:documentation>SAMOA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
```

```
  <xsd:annotation>
    <xsd:documentation>SAN MARINO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>SENEGAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RS">
  <xsd:annotation>
    <xsd:documentation>SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SX">
  <xsd:annotation>
    <xsd:documentation>SINT MAARTEN (DUTCH PART)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>SLOVAKIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>SLOVENIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SB">
  <xsd:annotation>
    <xsd:documentation>SOLOMON ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZA">
  <xsd:annotation>
    <xsd:documentation>SOUTH AFRICA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="GS">

  <xsd:annotation>

    <xsd:documentation>SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SS">

  <xsd:annotation>

    <xsd:documentation>SOUTH SUDAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ES">

  <xsd:annotation>

    <xsd:documentation>SPAIN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LK">

  <xsd:annotation>

    <xsd:documentation>SRI LANKA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SD">

  <xsd:annotation>

    <xsd:documentation>SUDAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SR">

  <xsd:annotation>

    <xsd:documentation>SURINAME</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="SJ">

  <xsd:annotation>

    <xsd:documentation>SVALBARD AND JAN MAYEN</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZ">
  <xsd:annotation>
    <xsd:documentation>ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>SWITZERLAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SY">
  <xsd:annotation>
    <xsd:documentation>SYRIAN ARAB REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TW">
  <xsd:annotation>
    <xsd:documentation>TAIWAN, PROVINCE OF CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJ">
  <xsd:annotation>
    <xsd:documentation>TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZ">
  <xsd:annotation>
```

```
    <xsd:documentation>TANZANIA, UNITED REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
    <xsd:documentation>TIMOR-LESTE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>TOGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
  <xsd:annotation>
    <xsd:documentation>TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>TRINIDAD AND TOBAGO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
```

```
  <xsd:annotation>
    <xsd:documentation>TUNISIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TR">
  <xsd:annotation>
    <xsd:documentation>TURKEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TM">
  <xsd:annotation>
    <xsd:documentation>TURKMENISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TC">
  <xsd:annotation>
    <xsd:documentation>TURKS AND CAICOS ISLANDS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TV">
  <xsd:annotation>
    <xsd:documentation>TUVALU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UG">
  <xsd:annotation>
    <xsd:documentation>UGANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UA">
  <xsd:annotation>
    <xsd:documentation>UKRAINE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>UNITED ARAB EMIRATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GB">
  <xsd:annotation>
    <xsd:documentation>UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="US">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UM">
  <xsd:annotation>
    <xsd:documentation>UNITED STATES MINOR OUTLYING ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UY">
  <xsd:annotation>
    <xsd:documentation>URUGUAY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UZ">
  <xsd:annotation>
    <xsd:documentation>UZBEKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VU">
  <xsd:annotation>
    <xsd:documentation>VANUATU</xsd:documentation>
```

```
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VE">
      <xsd:annotation>
        <xsd:documentation>VENEZUELA, BOLIVARIAN REPUBLIC OF</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VN">
      <xsd:annotation>
        <xsd:documentation>VIET NAM</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VG">
      <xsd:annotation>
        <xsd:documentation>VIRGIN ISLANDS, BRITISH</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VI">
      <xsd:annotation>
        <xsd:documentation>VIRGIN ISLANDS, U.S.</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="WF">
      <xsd:annotation>
        <xsd:documentation>WALLIS AND FUTUNA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="EH">
      <xsd:annotation>
        <xsd:documentation>WESTERN SAHARA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="YE">
```

```
      <xsd:annotation>
        <xsd:documentation>YEMEN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZM">
      <xsd:annotation>
        <xsd:documentation>ZAMBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZW">
      <xsd:annotation>
        <xsd:documentation>ZIMBABWE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="XK">
      <xsd:annotation>
        <xsd:documentation>KOSOVO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- ISO 4217 alpha 3 Currency Code
```

The following disclaimer refers to all uses of the ISO currency code list in the CARF schema: For practical reasons, the list is based on the ISO 4217 Alpha 3 currency list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
-->
  <xsd:simpleType name="currCode_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">
      The appropriate currency code from the ISO 4217 three-byte alpha version for the
      currency in which a monetary amount is expressed.
      </xsd:documentation>
    </xsd:annotation>
```

```
<xsd:restriction base="xsd:string">
  <xsd:enumeration value="AED">
    <xsd:annotation>
      <xsd:documentation>UAE Dirham: UNITED ARAB EMIRATES</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="AFN">
    <xsd:annotation>
      <xsd:documentation>Afghani: AFGHANISTAN</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="ALL">
    <xsd:annotation>
      <xsd:documentation>Lek: ALBANIA</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="AMD">
    <xsd:annotation>
      <xsd:documentation>Armenian Dram: ARMENIA </xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="ANG">
    <xsd:annotation>
      <xsd:documentation>Netherlands Antillean Guilder: CURACAO; SINT MAARTEN
      (DUTCH PART)</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="AOA">
    <xsd:annotation>
      <xsd:documentation>Kwanza: ANGOLA</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="ARS">
    <xsd:annotation>
```

```
    <xsd:documentation>Argentine Peso: ARGENTINA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="AUD">

  <xsd:annotation>

    <xsd:documentation>Australian Dollar: AUSTRALIA; CHRISTMAS ISLAND; COCOS
    (KEELING) ISLANDS; HEARD ISLAND AND McDONALD ISLANDS; KIRIBATI; NAURU; NORFOLK
    ISLAND; TUVALU</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="AWG">

  <xsd:annotation>

    <xsd:documentation>Aruban Florin: ARUBA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="AZN">

  <xsd:annotation>

    <xsd:documentation>Azerbaijan Manat: AZERBAIJAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="BAM">

  <xsd:annotation>

    <xsd:documentation>Convertible Mark: BOSNIA AND HERZEGOVINA</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="BBD">

  <xsd:annotation>

    <xsd:documentation>Barbados Dollar: BARBADOS</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="BDT">

  <xsd:annotation>

    <xsd:documentation>Taka: BANGLADESH</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BGN">
  <xsd:annotation>
    <xsd:documentation>Bulgarian Lev: BULGARIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BHD">
  <xsd:annotation>
    <xsd:documentation>Bahraini Dinar: BAHRAIN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BIF">
  <xsd:annotation>
    <xsd:documentation>Burundi Franc: BURUNDI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BMD">
  <xsd:annotation>
    <xsd:documentation>Bermudian Dollar: BERMUDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BND">
  <xsd:annotation>
    <xsd:documentation>Brunei Dollar: BRUNEI DARUSSALAM</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BOB">
  <xsd:annotation>
    <xsd:documentation>Boliviano: BOLIVIA, PLURINATIONAL STATE OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="BOV">
  <xsd:annotation>
    <xsd:documentation>Mvdol: BOLIVIA, PLURINATIONAL STATE OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BRL">
  <xsd:annotation>
    <xsd:documentation>Brazilian Real: BRAZIL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BSD">
  <xsd:annotation>
    <xsd:documentation>Bahamian Dollar: BAHAMAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BTN">
  <xsd:annotation>
    <xsd:documentation>Ngultrum: BHUTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BWP">
  <xsd:annotation>
    <xsd:documentation>Pula: BOTSWANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BYN">
  <xsd:annotation>
    <xsd:documentation>Belarusian Ruble: BELARUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BYR">
  <xsd:annotation>
```

```
    <xsd:documentation>Historic use: Belarussian Ruble: BELARUS</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="BZD">

  <xsd:annotation>

    <xsd:documentation>Belize Dollar: BELIZE</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CAD">

  <xsd:annotation>

    <xsd:documentation>Canadian Dollar: CANADA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CDF">

  <xsd:annotation>

    <xsd:documentation>Congolese Franc: CONGO, THE DEMOCRATIC REPUBLIC OF</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHE">

  <xsd:annotation>

    <xsd:documentation>WIR Euro: SWITZERLAND</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHF">

  <xsd:annotation>

    <xsd:documentation>Swiss Franc: LIECHTENSTEIN; SWITZERLAND</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="CHW">

  <xsd:annotation>

    <xsd:documentation>WIR Franc: SWITZERLAND</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CLF">
  <xsd:annotation>
    <xsd:documentation>Unidad de Fomento: CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CLP">
  <xsd:annotation>
    <xsd:documentation>Chilean Peso: CHILE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CNY">
  <xsd:annotation>
    <xsd:documentation>Yuan Renminbi: CHINA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="COP">
  <xsd:annotation>
    <xsd:documentation>Colombian Peso: COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="COU">
  <xsd:annotation>
    <xsd:documentation>Unidad de Valor Real: COLOMBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CRC">
  <xsd:annotation>
    <xsd:documentation>Costa Rican Colon: COSTA RICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="CUC">
  <xsd:annotation>
    <xsd:documentation>Peso Convertible: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CUP">
  <xsd:annotation>
    <xsd:documentation>Cuban Peso: CUBA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CVE">
  <xsd:annotation>
    <xsd:documentation>Cabo Verde Escudo: CABO VERDE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CZK">
  <xsd:annotation>
    <xsd:documentation>Czech Koruna: CZECHIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DJF">
  <xsd:annotation>
    <xsd:documentation>Djibouti Franc: DJIBOUTI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DKK">
  <xsd:annotation>
    <xsd:documentation>Danish Krone: DENMARK; FAROE ISLANDS; GREENLAND</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DOP">
  <xsd:annotation>
```

```
    <xsd:documentation>Dominican Peso: DOMINICAN REPUBLIC</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZD">
  <xsd:annotation>
    <xsd:documentation>Algerian Dinar: ALGERIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EGP">
  <xsd:annotation>
    <xsd:documentation>Egyptian Pound: EGYPT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ERN">
  <xsd:annotation>
    <xsd:documentation>Nakfa: ERITREA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ETB">
  <xsd:annotation>
    <xsd:documentation>Ethiopian Birr: ETHIOPIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EUR">
  <xsd:annotation>
    <xsd:documentation>Euro: ALAND ISLANDS; ANDORRA; AUSTRIA; BELGIUM; CYPRUS;
    ESTONIA; EUROPEAN UNION; FINLAND; FRANCE; FRENCH GUIANA; FRENCH SOUTHERN
    TERRITORIES; GERMANY; GREECE; GUADELOUPE; HOLY SEE (VATICAN CITY STATE);
    IRELAND; ITALY; LATVIA; LITHUANIA; LUXEMBOURG; MALTA; MARTINIQUE; MAYOTTE;
    MONACO; MONTENEGRO; NETHERLANDS; PORTUGAL; REUNION; SAINT BARTHELEMY; SAINT
    MARTIN (FRENCH PART); SAINT PIERRE AND MIQUELON; SAN MARINO; SLOVAKIA;
    SLOVENIA; SPAIN; Vatican City State (HOLY SEE)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJD">
```

```
  <xsd:annotation>
    <xsd:documentation>Fiji Dollar: FIJI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FKP">
  <xsd:annotation>
    <xsd:documentation>Falkland Islands Pound: FALKLAND ISLANDS (MALVINAS)
    </xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GBP">
  <xsd:annotation>
    <xsd:documentation>Pound Sterling: GUERNSEY; ISLE OF MAN; JERSEY; UNITED
    KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GEL">
  <xsd:annotation>
    <xsd:documentation>Lari: GEORGIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GHS">
  <xsd:annotation>
    <xsd:documentation>Ghana Cedi: GHANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GIP">
  <xsd:annotation>
    <xsd:documentation>Gibraltar Pound: GIBRALTAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GMD">
  <xsd:annotation>
    <xsd:documentation>Dalasi: GAMBIA</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GNF">
  <xsd:annotation>
    <xsd:documentation>Guinean Franc: GUINEA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GTQ">
  <xsd:annotation>
    <xsd:documentation>Quetzal: GUATEMALA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GYD">
  <xsd:annotation>
    <xsd:documentation>Guyana Dollar: GUYANA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HKD">
  <xsd:annotation>
    <xsd:documentation>Hong Kong Dollar: HONG KONG</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HNL">
  <xsd:annotation>
    <xsd:documentation>Lempira: HONDURAS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HRK">
  <xsd:annotation>
    <xsd:documentation>Kuna: CROATIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HTG">
```

```
      <xsd:annotation>
        <xsd:documentation>Gourde: HAITI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="HUF">
      <xsd:annotation>
        <xsd:documentation>Forint: HUNGARY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IDR">
      <xsd:annotation>
        <xsd:documentation>Rupiah: INDONESIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ILS">
      <xsd:annotation>
        <xsd:documentation>New Israeli Sheqel: ISRAEL</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="INR">
      <xsd:annotation>
        <xsd:documentation>Indian Rupee: BHUTAN; INDIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IQD">
      <xsd:annotation>
        <xsd:documentation>Iraqi Dinar: IRAQ</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IRR">
      <xsd:annotation>
        <xsd:documentation>Iranian Rial: IRAN, ISLAMIC REPUBLIC OF</xsd:
        documentation>
      </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="ISK">
  <xsd:annotation>
    <xsd:documentation>Iceland Krona: ICELAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JMD">
  <xsd:annotation>
    <xsd:documentation>Jamaican Dollar: JAMAICA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JOD">
  <xsd:annotation>
    <xsd:documentation>Jordanian Dinar: JORDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JPY">
  <xsd:annotation>
    <xsd:documentation>Yen: JAPAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KES">
  <xsd:annotation>
    <xsd:documentation>Kenyan Shilling: KENYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KGS">
  <xsd:annotation>
    <xsd:documentation>Som: KYRGYZSTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KHR">
  <xsd:annotation>
```

```
    <xsd:documentation>Riel: CAMBODIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KMF">
  <xsd:annotation>
    <xsd:documentation>Comorian Franc : COMOROS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KPW">
  <xsd:annotation>
    <xsd:documentation>North Korean Won: KOREA, DEMOCRATIC PEOPLE'S REPUBLIC
    OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KRW">
  <xsd:annotation>
    <xsd:documentation>Won: KOREA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KWD">
  <xsd:annotation>
    <xsd:documentation>Kuwaiti Dinar: KUWAIT</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KYD">
  <xsd:annotation>
    <xsd:documentation>Cayman Islands Dollar: CAYMAN ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KZT">
  <xsd:annotation>
    <xsd:documentation>Tenge: KAZAKHSTAN</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>

<xsd:enumeration value="LAK">

  <xsd:annotation>

    <xsd:documentation>Lao Kip: LAO PEOPLE'S DEMOCRATIC REPUBLIC</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LBP">

  <xsd:annotation>

    <xsd:documentation>Lebanese Pound: LEBANON</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LKR">

  <xsd:annotation>

    <xsd:documentation>Sri Lanka Rupee: SRI LANKA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LRD">

  <xsd:annotation>

    <xsd:documentation>Liberian Dollar: LIBERIA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LSL">

  <xsd:annotation>

    <xsd:documentation>Loti: LESOTHO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LTL">

  <xsd:annotation>

    <xsd:documentation>Historic use: Lithuanian Litas: LITHUANIA</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="LVL">
```

```
  <xsd:annotation>
    <xsd:documentation>Historic use: Latvian Lats: LATVIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LYD">
  <xsd:annotation>
    <xsd:documentation>Libyan Dinar: LIBYA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MAD">
  <xsd:annotation>
    <xsd:documentation>Moroccan Dirham: MOROCCO; WESTERN SAHARA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MDL">
  <xsd:annotation>
    <xsd:documentation>Moldovan Leu: MOLDOVA, REPUBLIC OF</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MGA">
  <xsd:annotation>
    <xsd:documentation>Malagasy Ariary: MADAGASCAR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MKD">
  <xsd:annotation>
    <xsd:documentation>Denar: MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MMK">
  <xsd:annotation>
    <xsd:documentation>Kyat: MYANMAR</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MNT">
  <xsd:annotation>
    <xsd:documentation>Tugrik: MONGOLIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MOP">
  <xsd:annotation>
    <xsd:documentation>Pataca: MACAO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRO">
  <xsd:annotation>
    <xsd:documentation>Historic use: Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MRU">
  <xsd:annotation>
    <xsd:documentation>Ouguiya: MAURITANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MUR">
  <xsd:annotation>
    <xsd:documentation>Mauritius Rupee: MAURITIUS</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MVR">
  <xsd:annotation>
    <xsd:documentation>Rufiyaa: MALDIVES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MWK">
```

```
      <xsd:annotation>
        <xsd:documentation>Malawi Kwacha: MALAWI</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MXN">
      <xsd:annotation>
        <xsd:documentation>Mexican Peso: MEXICO</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MXV">
      <xsd:annotation>
        <xsd:documentation>Mexican Unidad de Inversion (UDI): MEXICO</xsd:
        documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MYR">
      <xsd:annotation>
        <xsd:documentation>Malaysian Ringgit: MALAYSIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MZN">
      <xsd:annotation>
        <xsd:documentation>Mozambique Metical: MOZAMBIQUE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NAD">
      <xsd:annotation>
        <xsd:documentation>Namibia Dollar: NAMIBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NGN">
      <xsd:annotation>
        <xsd:documentation>Naira: NIGERIA</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NIO">
  <xsd:annotation>
    <xsd:documentation>Cordoba Oro: NICARAGUA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NOK">
  <xsd:annotation>
    <xsd:documentation>Norwegian Krone: BOUVET ISLAND; NORWAY; SVALBARD AND JAN
    MAYEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NPR">
  <xsd:annotation>
    <xsd:documentation>Nepalese Rupee: NEPAL</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NZD">
  <xsd:annotation>
    <xsd:documentation>New Zealand Dollar: COOK ISLANDS; NEW ZEALAND; NIUE;
    PITCAIRN; TOKELAU</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OMR">
  <xsd:annotation>
    <xsd:documentation>Rial Omani: OMAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PAB">
  <xsd:annotation>
    <xsd:documentation>Balboa: PANAMA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PEN">
```

```
      <xsd:annotation>
        <xsd:documentation>Sol: PERU</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PGK">
      <xsd:annotation>
        <xsd:documentation>Kina: PAPUA NEW GUINEA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PHP">
      <xsd:annotation>
        <xsd:documentation>Philippine Peso: PHILIPPINES</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PKR">
      <xsd:annotation>
        <xsd:documentation>Pakistan Rupee: PAKISTAN</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PLN">
      <xsd:annotation>
        <xsd:documentation>Zloty: POLAND</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PYG">
      <xsd:annotation>
        <xsd:documentation>Guarani: PARAGUAY</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="QAR">
      <xsd:annotation>
        <xsd:documentation>Qatari Rial: QATAR</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RON">
  <xsd:annotation>
    <xsd:documentation>Romanian Leu: ROMANIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RSD">
  <xsd:annotation>
    <xsd:documentation>Serbian Dinar: SERBIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RUB">
  <xsd:annotation>
    <xsd:documentation>Russian Ruble: RUSSIAN FEDERATION</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RWF">
  <xsd:annotation>
    <xsd:documentation>Rwanda Franc: RWANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SAR">
  <xsd:annotation>
    <xsd:documentation>Saudi Riyal: SAUDI ARABIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SBD">
  <xsd:annotation>
    <xsd:documentation>Solomon Islands Dollar: SOLOMON ISLANDS</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="SCR">
  <xsd:annotation>
    <xsd:documentation>Seychelles Rupee: SEYCHELLES</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SDG">
  <xsd:annotation>
    <xsd:documentation>Sudanese Pound: SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SEK">
  <xsd:annotation>
    <xsd:documentation>Swedish Krona: SWEDEN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SGD">
  <xsd:annotation>
    <xsd:documentation>Singapore Dollar: SINGAPORE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SHP">
  <xsd:annotation>
    <xsd:documentation>Saint Helena Pound: SAINT HELENA, ASCENSION AND TRISTAN DA
    CUNHA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SLL">
  <xsd:annotation>
    <xsd:documentation>Leone: SIERRA LEONE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SOS">
  <xsd:annotation>
```

```
    <xsd:documentation>Somali Shilling: SOMALIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SRD">
  <xsd:annotation>
    <xsd:documentation>Surinam Dollar: SURINAME</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SSP">
  <xsd:annotation>
    <xsd:documentation>South Sudanese Pound: SOUTH SUDAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STD">
  <xsd:annotation>
    <xsd:documentation>Historic use: Dobra: SAO TOME AND PRINCIPE</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="STN">
  <xsd:annotation>
    <xsd:documentation>Dobra: SAO TOME AND PRINCIPE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SVC">
  <xsd:annotation>
    <xsd:documentation>El Salvador Colon: EL SALVADOR</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SYP">
  <xsd:annotation>
    <xsd:documentation>Syrian Pound: SYRIAN ARAB REPUBLIC</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SZL">
  <xsd:annotation>
    <xsd:documentation>Lilangeni: ESWATINI</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="THB">
  <xsd:annotation>
    <xsd:documentation>Baht: THAILAND</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TJS">
  <xsd:annotation>
    <xsd:documentation>Somoni: TAJIKISTAN</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TMT">
  <xsd:annotation>
    <xsd:documentation>Turkmenistan New Manat: TURKMENISTAN</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TND">
  <xsd:annotation>
    <xsd:documentation>Tunisian Dinar: TUNISIA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TOP">
  <xsd:annotation>
    <xsd:documentation>Pa'anga: TONGA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TRY">
```

```
  <xsd:annotation>
    <xsd:documentation>Turkish Lira: TURKEY</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TTD">
  <xsd:annotation>
    <xsd:documentation>Trinidad and Tobago Dollar: TRINIDAD AND TOBAGO</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TWD">
  <xsd:annotation>
    <xsd:documentation>New Taiwan Dollar: TAIWAN, PROVINCE OF CHINA</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TZS">
  <xsd:annotation>
    <xsd:documentation>Tanzanian Shilling: TANZANIA, UNITED REPUBLIC OF</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UAH">
  <xsd:annotation>
    <xsd:documentation>Hryvnia: UKRAINE</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UGX">
  <xsd:annotation>
    <xsd:documentation>Uganda Shilling: UGANDA</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="USD">
  <xsd:annotation>
```

```
      <xsd:documentation>US Dollar: AMERICAN SAMOA; BONAIRE; SINT EUSTATIUS AND
      SABA; BRITISH INDIAN OCEAN TERRITORY; ECUADOR; EL SALVADOR; GUAM; HAITI;
      MARSHALL ISLANDS; MICRONESIA, FEDERATED STATES OF; NORTHERN MARIANA ISLANDS;
      PALAU; PANAMA; PUERTO RICO; TIMOR-LESTE; TURKS AND CAICOS ISLANDS; UNITED
      STATES; UNITED STATES MINOR OUTLYING ISLANDS; VIRGIN ISLANDS (BRITISH); VIRGIN
      ISLANDS (US)</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="USN">

    <xsd:annotation>

      <xsd:documentation>US Dollar (Next day): UNITED STATES</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="USS">

    <xsd:annotation>

      <xsd:documentation>Historic use: US Dollar (Same day): UNITED STATES</xsd:
      documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="UYI">

    <xsd:annotation>

      <xsd:documentation>Uruguay Peso en Unidades Indexadas (UI): URUGUAY</xsd:
      documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="UYU">

    <xsd:annotation>

      <xsd:documentation>Peso Uruguayo: URUGUAY</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="UYW">

    <xsd:annotation>

      <xsd:documentation>Unidad Previsional: URUGUAY</xsd:documentation>

    </xsd:annotation>

  </xsd:enumeration>

  <xsd:enumeration value="UZS">
```

```
  <xsd:annotation>

    <xsd:documentation>Uzbekistan Sum: UZBEKISTAN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="VEF">

  <xsd:annotation>

    <xsd:documentation>Historic use: Bolivar: VENEZUELA, BOLIVARIAN REPUBLIC
    OF</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="VES">

  <xsd:annotation>

    <xsd:documentation>Bolívar Soberano: VENEZUELA, BOLIVARIAN REPUBLIC OF</
    xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="VND">

  <xsd:annotation>

    <xsd:documentation>Dong: VIET NAM</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="VUV">

  <xsd:annotation>

    <xsd:documentation>Vatu: VANUATU</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="WST">

  <xsd:annotation>

    <xsd:documentation>Tala: SAMOA</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XAF">

  <xsd:annotation>

    <xsd:documentation>CFA Franc BEAC: CAMEROON; CENTRAL AFRICAN REPUBLIC; CHAD;
    CONGO; EQUATORIAL GUINEA; GABON</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAG">
  <xsd:annotation>
    <xsd:documentation>Silver: ZZ11_Silver</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XAU">
  <xsd:annotation>
    <xsd:documentation>Gold: ZZ08_Gold</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBA">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Composite Unit (EURCO):
    ZZ01_Bond Markets Unit European_EURCO</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBB">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Monetary Unit (E.M.U.-6):
    ZZ02_Bond Markets Unit European_EMU-6</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBC">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Unit of Account 9 (E.U.A.-9):
    ZZ03_Bond Markets Unit European_EUA-9</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XBD">
  <xsd:annotation>
    <xsd:documentation>Bond Markets Unit European Unit of Account 17 (E.U.A.-17):
    ZZ04_Bond Markets Unit European_EUA-17</xsd:documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XCD">

  <xsd:annotation>

    <xsd:documentation>East Caribbean Dollar: ANGUILLA; ANTIGUA AND BARBUDA;
    DOMINICA; GRENADA; MONTSERRAT; SAINT KITTS AND NEVIS; SAINT LUCIA; SAINT
    VINCENT AND THE GRENADINES</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XDR">

  <xsd:annotation>

    <xsd:documentation>SDR (Special Drawing Right): INTERNATIONAL MONETARY FUND
    (IMF)</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XFU">

  <xsd:annotation>

    <xsd:documentation>Historic use: UIC-Franc: ZZ05_UIC-Franc</xsd:
    documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XOF">

  <xsd:annotation>

    <xsd:documentation>CFA Franc BCEAO: BENIN; BURKINA FASO; COTE D'IVOIRE;
    GUINEA-BISSAU; MALI; NIGER; SENEGAL; TOGO</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPD">

  <xsd:annotation>

    <xsd:documentation>Palladium: ZZ09_Palladium</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPF">

  <xsd:annotation>

    <xsd:documentation>CFP Franc: FRENCH POLYNESIA; NEW CALEDONIA; WALLIS AND
    FUTUNA</xsd:documentation>
```

```
  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XPT">

  <xsd:annotation>

    <xsd:documentation>Platinum: ZZ10_Platinum</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XSU">

  <xsd:annotation>

    <xsd:documentation>Sucre: SISTEMA UNITARIO DE COMPENSACION REGIONAL DE PAGOS
    "SUCRE"</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XUA">

  <xsd:annotation>

    <xsd:documentation>ADB Unit of Account: MEMBER COUNTRIES OF THE AFRICAN
    DEVELOPMENT BANK GROUP</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="XXX">

  <xsd:annotation>

    <xsd:documentation>The codes assigned for transactions where no currency is
    involved: ZZ07_No_Currency</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="YER">

  <xsd:annotation>

    <xsd:documentation>Yemeni Rial: YEMEN</xsd:documentation>

  </xsd:annotation>

</xsd:enumeration>

<xsd:enumeration value="ZAR">

  <xsd:annotation>

    <xsd:documentation>Rand: LESOTHO; NAMIBIA; SOUTH AFRICA</xsd:
    documentation>

  </xsd:annotation>
```

```
    </xsd:enumeration>
    <xsd:enumeration value="ZMW">
      <xsd:annotation>
        <xsd:documentation>Zambian Kwacha: ZAMBIA</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZWL">
      <xsd:annotation>
        <xsd:documentation>Zimbabwe Dollar: ZIMBABWE</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- Language codes - ISO 639 - Part 1 (ISO 639-1:2002)
```

The following disclaimer refers to all uses of the ISO language code list in the CBC schema: For practical reasons, the list is based on the ISO 639-1 language list which is currently used by banks and other financial institutions, and hence by tax administrations. The use of this list does not imply the expression by the OECD of any opinion whatsoever concerning the legal status of the territories listed. Its content is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

```
-->
  <xsd:simpleType name="LanguageCode_Type">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">ISO 639 - Part 1 Language codes</xsd:
      documentation>
    </xsd:annotation>
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="AA">
        <xsd:annotation>
          <xsd:documentation>Afar</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="AB">
        <xsd:annotation>
          <xsd:documentation>Abkhazian</xsd:documentation>
        </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AF">
  <xsd:annotation>
    <xsd:documentation>Afrikaans</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AK">
  <xsd:annotation>
    <xsd:documentation>Akan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SQ">
  <xsd:annotation>
    <xsd:documentation>Albanian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AM">
  <xsd:annotation>
    <xsd:documentation>Amharic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AR">
  <xsd:annotation>
    <xsd:documentation>Arabic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AN">
  <xsd:annotation>
    <xsd:documentation>Aragonese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HY">
  <xsd:annotation>
    <xsd:documentation>Armenian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="AS">
  <xsd:annotation>
    <xsd:documentation>Assamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AV">
  <xsd:annotation>
    <xsd:documentation>Avaric</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AE">
  <xsd:annotation>
    <xsd:documentation>Avestan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AY">
  <xsd:annotation>
    <xsd:documentation>Aymara</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="AZ">
  <xsd:annotation>
    <xsd:documentation>Azerbaijani</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BA">
  <xsd:annotation>
    <xsd:documentation>Bashkir</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BM">
  <xsd:annotation>
    <xsd:documentation>Bambara</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="EU">
  <xsd:annotation>
    <xsd:documentation>Basque</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BE">
  <xsd:annotation>
    <xsd:documentation>Belarusian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BN">
  <xsd:annotation>
    <xsd:documentation>Bengali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BH">
  <xsd:annotation>
    <xsd:documentation>Bihari languages</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BI">
  <xsd:annotation>
    <xsd:documentation>Bislama</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BS">
  <xsd:annotation>
    <xsd:documentation>Bosnian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BR">
  <xsd:annotation>
    <xsd:documentation>Breton</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="BG">
  <xsd:annotation>
    <xsd:documentation>Bulgarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MY">
  <xsd:annotation>
    <xsd:documentation>Burmese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CA">
  <xsd:annotation>
    <xsd:documentation>Catalan; Valencian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CH">
  <xsd:annotation>
    <xsd:documentation>Chamorro</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CE">
  <xsd:annotation>
    <xsd:documentation>Chechen</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ZH">
  <xsd:annotation>
    <xsd:documentation>Chinese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CU">
  <xsd:annotation>
```

```
    <xsd:documentation>Church Slavic; Old Slavonic; Church Slavonic; Old
    Bulgarian; Old Church Slavonic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CV">
  <xsd:annotation>
    <xsd:documentation>Chuvash</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KW">
  <xsd:annotation>
    <xsd:documentation>Cornish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CO">
  <xsd:annotation>
    <xsd:documentation>Corsican</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CR">
  <xsd:annotation>
    <xsd:documentation>Cree</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CS">
  <xsd:annotation>
    <xsd:documentation>Czech</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DA">
  <xsd:annotation>
    <xsd:documentation>Danish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DV">
```

```
  <xsd:annotation>
    <xsd:documentation>Divehi; Dhivehi; Maldivian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NL">
  <xsd:annotation>
    <xsd:documentation>Dutch; Flemish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DZ">
  <xsd:annotation>
    <xsd:documentation>Dzongkha</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EN">
  <xsd:annotation>
    <xsd:documentation>English</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EO">
  <xsd:annotation>
    <xsd:documentation>Esperanto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ET">
  <xsd:annotation>
    <xsd:documentation>Estonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EE">
  <xsd:annotation>
    <xsd:documentation>Ewe</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="FO">
  <xsd:annotation>
    <xsd:documentation>Faroese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FJ">
  <xsd:annotation>
    <xsd:documentation>Fijian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FI">
  <xsd:annotation>
    <xsd:documentation>Finnish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FR">
  <xsd:annotation>
    <xsd:documentation>French</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FY">
  <xsd:annotation>
    <xsd:documentation>Western Frisian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FF">
  <xsd:annotation>
    <xsd:documentation>Fulah</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KA">
  <xsd:annotation>
    <xsd:documentation>Georgian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="DE">
  <xsd:annotation>
    <xsd:documentation>German</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GD">
  <xsd:annotation>
    <xsd:documentation>Gaelic; Scottish Gaelic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GA">
  <xsd:annotation>
    <xsd:documentation>Irish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GL">
  <xsd:annotation>
    <xsd:documentation>Galician</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GV">
  <xsd:annotation>
    <xsd:documentation>Manx</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EL">
  <xsd:annotation>
    <xsd:documentation>Greek</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GN">
  <xsd:annotation>
    <xsd:documentation>Guarani</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="GU">
  <xsd:annotation>
    <xsd:documentation>Gujarati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HT">
  <xsd:annotation>
    <xsd:documentation>Haitian; Haitian Creole</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HA">
  <xsd:annotation>
    <xsd:documentation>Hausa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HE">
  <xsd:annotation>
    <xsd:documentation>Hebrew</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HZ">
  <xsd:annotation>
    <xsd:documentation>Herero</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HI">
  <xsd:annotation>
    <xsd:documentation>Hindi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HO">
  <xsd:annotation>
    <xsd:documentation>Hiri Motu</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HR">
  <xsd:annotation>
    <xsd:documentation>Croatian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HU">
  <xsd:annotation>
    <xsd:documentation>Hungarian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IG">
  <xsd:annotation>
    <xsd:documentation>Igbo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IS">
  <xsd:annotation>
    <xsd:documentation>Icelandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IO">
  <xsd:annotation>
    <xsd:documentation>Ido</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="II">
  <xsd:annotation>
    <xsd:documentation>Sichuan Yi; Nuosu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IU">
  <xsd:annotation>
    <xsd:documentation>Inuktitut</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IE">
  <xsd:annotation>
    <xsd:documentation>Interlingue; Occidental</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IA">
  <xsd:annotation>
    <xsd:documentation>Interlingua (International Auxiliary Language
    Association)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ID">
  <xsd:annotation>
    <xsd:documentation>Indonesian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IK">
  <xsd:annotation>
    <xsd:documentation>Inupiaq</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IT">
  <xsd:annotation>
    <xsd:documentation>Italian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JV">
  <xsd:annotation>
    <xsd:documentation>Javanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JA">
  <xsd:annotation>
```

```
    <xsd:documentation>Japanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KL">
  <xsd:annotation>
    <xsd:documentation>Kalaallisut; Greenlandic</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KN">
  <xsd:annotation>
    <xsd:documentation>Kannada</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KS">
  <xsd:annotation>
    <xsd:documentation>Kashmiri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KR">
  <xsd:annotation>
    <xsd:documentation>Kanuri</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KK">
  <xsd:annotation>
    <xsd:documentation>Kazakh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KM">
  <xsd:annotation>
    <xsd:documentation>Central Khmer</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KI">
```

```
  <xsd:annotation>
    <xsd:documentation>Kikuyu; Gikuyu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RW">
  <xsd:annotation>
    <xsd:documentation>Kinyarwanda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KY">
  <xsd:annotation>
    <xsd:documentation>Kirghiz; Kyrgyz</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KV">
  <xsd:annotation>
    <xsd:documentation>Komi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KG">
  <xsd:annotation>
    <xsd:documentation>Kongo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KO">
  <xsd:annotation>
    <xsd:documentation>Korean</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KJ">
  <xsd:annotation>
    <xsd:documentation>Kuanyama; Kwanyama</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
```

```
<xsd:enumeration value="KU">
  <xsd:annotation>
    <xsd:documentation>Kurdish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LO">
  <xsd:annotation>
    <xsd:documentation>Lao</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LA">
  <xsd:annotation>
    <xsd:documentation>Latin</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LV">
  <xsd:annotation>
    <xsd:documentation>Latvian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LI">
  <xsd:annotation>
    <xsd:documentation>Limburgan; Limburger; Limburgish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LN">
  <xsd:annotation>
    <xsd:documentation>Lingala</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LT">
  <xsd:annotation>
    <xsd:documentation>Lithuanian</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="LB">
  <xsd:annotation>
    <xsd:documentation>Luxembourgish; Letzeburgesch</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LU">
  <xsd:annotation>
    <xsd:documentation>Luba-Katanga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LG">
  <xsd:annotation>
    <xsd:documentation>Ganda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MK">
  <xsd:annotation>
    <xsd:documentation>Macedonian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MH">
  <xsd:annotation>
    <xsd:documentation>Marshallese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ML">
  <xsd:annotation>
    <xsd:documentation>Malayalam</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MI">
  <xsd:annotation>
    <xsd:documentation>Maori</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MR">
  <xsd:annotation>
    <xsd:documentation>Marathi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MS">
  <xsd:annotation>
    <xsd:documentation>Malay</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MG">
  <xsd:annotation>
    <xsd:documentation>Malagasy</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MT">
  <xsd:annotation>
    <xsd:documentation>Maltese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MN">
  <xsd:annotation>
    <xsd:documentation>Mongolian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NA">
  <xsd:annotation>
    <xsd:documentation>Nauru</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NV">
  <xsd:annotation>
    <xsd:documentation>Navajo; Navaho</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NR">
  <xsd:annotation>
    <xsd:documentation>Ndebele, South; South Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ND">
  <xsd:annotation>
    <xsd:documentation>Ndebele, North; North Ndebele</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NG">
  <xsd:annotation>
    <xsd:documentation>Ndonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NE">
  <xsd:annotation>
    <xsd:documentation>Nepali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NN">
  <xsd:annotation>
    <xsd:documentation>Norwegian Nynorsk; Nynorsk, Norwegian</xsd:
    documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NB">
  <xsd:annotation>
    <xsd:documentation>Bokmål, Norwegian; Norwegian Bokmål</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NO">
```

```
  <xsd:annotation>
    <xsd:documentation>Norwegian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NY">
  <xsd:annotation>
    <xsd:documentation>Chichewa; Chewa; Nyanja</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OC">
  <xsd:annotation>
    <xsd:documentation>Occitan; Provençal</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OJ">
  <xsd:annotation>
    <xsd:documentation>Ojibwa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OR">
  <xsd:annotation>
    <xsd:documentation>Oriya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OM">
  <xsd:annotation>
    <xsd:documentation>Oromo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OS">
  <xsd:annotation>
    <xsd:documentation>Ossetian; Ossetic</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="PA">
  <xsd:annotation>
    <xsd:documentation>Panjabi; Punjabi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FA">
  <xsd:annotation>
    <xsd:documentation>Persian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PI">
  <xsd:annotation>
    <xsd:documentation>Pali</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PL">
  <xsd:annotation>
    <xsd:documentation>Polish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PT">
  <xsd:annotation>
    <xsd:documentation>Portuguese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PS">
  <xsd:annotation>
    <xsd:documentation>Pushto; Pashto</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QU">
  <xsd:annotation>
    <xsd:documentation>Quechua</xsd:documentation>
  </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="RM">
  <xsd:annotation>
    <xsd:documentation>Romansh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RO">
  <xsd:annotation>
    <xsd:documentation>Romanian; Moldavian; Moldovan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RN">
  <xsd:annotation>
    <xsd:documentation>Rundi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RU">
  <xsd:annotation>
    <xsd:documentation>Russian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SG">
  <xsd:annotation>
    <xsd:documentation>Sango</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SA">
  <xsd:annotation>
    <xsd:documentation>Sanskrit</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SI">
  <xsd:annotation>
    <xsd:documentation>Sinhala; Sinhalese</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SK">
  <xsd:annotation>
    <xsd:documentation>Slovak</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SL">
  <xsd:annotation>
    <xsd:documentation>Slovenian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation>Northern Sami</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
  <xsd:annotation>
    <xsd:documentation>Samoan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SN">
  <xsd:annotation>
    <xsd:documentation>Shona</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SD">
  <xsd:annotation>
    <xsd:documentation>Sindhi</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SO">
  <xsd:annotation>
    <xsd:documentation>Somali</xsd:documentation>
```

```
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ST">
  <xsd:annotation>
    <xsd:documentation>Sotho, Southern</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ES">
  <xsd:annotation>
    <xsd:documentation>Spanish; Castilian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation>Sardinian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation>Serbian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SS">
  <xsd:annotation>
    <xsd:documentation>Swati</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SU">
  <xsd:annotation>
    <xsd:documentation>Sundanese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SW">
  <xsd:annotation>
```

```
    <xsd:documentation>Swahili</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SV">
  <xsd:annotation>
    <xsd:documentation>Swedish</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TY">
  <xsd:annotation>
    <xsd:documentation>Tahitian</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TA">
  <xsd:annotation>
    <xsd:documentation>Tamil</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TT">
  <xsd:annotation>
    <xsd:documentation>Tatar</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TE">
  <xsd:annotation>
    <xsd:documentation>Telugu</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TG">
  <xsd:annotation>
    <xsd:documentation>Tajik</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TL">
  <xsd:annotation>
```

```
    <xsd:documentation>Tagalog</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TH">
  <xsd:annotation>
    <xsd:documentation>Thai</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="BO">
  <xsd:annotation>
    <xsd:documentation>Tibetan</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TI">
  <xsd:annotation>
    <xsd:documentation>Tigrinya</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TO">
  <xsd:annotation>
    <xsd:documentation>Tonga (Tonga Islands)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TN">
  <xsd:annotation>
    <xsd:documentation>Tswana</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TS">
  <xsd:annotation>
    <xsd:documentation>Tsonga</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TK">
```

```
      <xsd:annotation>
        <xsd:documentation>Turkmen</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TR">
      <xsd:annotation>
        <xsd:documentation>Turkish</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TW">
      <xsd:annotation>
        <xsd:documentation>Twi</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UG">
      <xsd:annotation>
        <xsd:documentation>Uighur; Uyghur</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UK">
      <xsd:annotation>
        <xsd:documentation>Ukrainian</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UR">
      <xsd:annotation>
        <xsd:documentation>Urdu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="UZ">
      <xsd:annotation>
        <xsd:documentation>Uzbek</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="VE">
```

```
  <xsd:annotation>
    <xsd:documentation>Venda</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VI">
  <xsd:annotation>
    <xsd:documentation>Vietnamese</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VO">
  <xsd:annotation>
    <xsd:documentation>Volapük</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CY">
  <xsd:annotation>
    <xsd:documentation>Welsh</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WA">
  <xsd:annotation>
    <xsd:documentation>Walloon</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WO">
  <xsd:annotation>
    <xsd:documentation>Wolof</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XH">
  <xsd:annotation>
    <xsd:documentation>Xhosa</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="YI">
```

```
      <xsd:annotation>
        <xsd:documentation>Yiddish</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="YO">
      <xsd:annotation>
        <xsd:documentation>Yoruba</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZA">
      <xsd:annotation>
        <xsd:documentation>Zhuang; Chuang</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ZU">
      <xsd:annotation>
        <xsd:documentation>Zulu</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- MS codes -->
<xsd:simpleType name="MSCountryCode_Type">
  <xsd:annotation>
    <xsd:documentation>List of the MS code.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="AT"/>
    <xsd:enumeration value="BE"/>
    <xsd:enumeration value="BG"/>
    <xsd:enumeration value="CY"/>
    <xsd:enumeration value="CZ"/>
    <xsd:enumeration value="DK"/>
```

```
      <xsd:enumeration value="EE"/>
      <xsd:enumeration value="FI"/>
      <xsd:enumeration value="FR"/>
      <xsd:enumeration value="DE"/>
      <xsd:enumeration value="GR"/>
      <xsd:enumeration value="HU"/>
      <xsd:enumeration value="HR"/>
      <xsd:enumeration value="IE"/>
      <xsd:enumeration value="IT"/>
      <xsd:enumeration value="LV"/>
      <xsd:enumeration value="LT"/>
      <xsd:enumeration value="LU"/>
      <xsd:enumeration value="MT"/>
      <xsd:enumeration value="NL"/>
      <xsd:enumeration value="PL"/>
      <xsd:enumeration value="PT"/>
      <xsd:enumeration value="RO"/>
      <xsd:enumeration value="SK"/>
      <xsd:enumeration value="SI"/>
      <xsd:enumeration value="ES"/>
      <xsd:enumeration value="SE"/>
    </xsd:restriction>
  </xsd:simpleType>
  <!-- -->
</xsd:schema>
```

**OECD CARF TYPES**

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:stf="urn:oecd:ties:carfstf:v5" xmlns:xsd="http://www.w3.org/
2001/XMLSchema" targetNamespace="urn:oecd:ties:carfstf:v5" elementFormDefault="
qualified" attributeFormDefault="unqualified" version="5.0">

  <!-- -->

  <!--++++++++++++++++++++++++ String length types ++++++++++++++++++++++++++++++
  ++++++ -->

  <!-- -->

  <!-- Defines a string with minimum length 0 and maximum length of 200 -->
```

```
<xsd:simpleType name="StringMin0Max200_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 0 and maximum length of
    200.</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="0"/>
    <xsd:maxLength value="200"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 10 -->
<xsd:simpleType name="StringMin1Max10_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    10</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Defines a string with minimum length 1 and maximum length of 170 -->
<xsd:simpleType name="StringMin1Max170_Type">
  <xsd:annotation>
    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    170</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="170"/>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
```

```
<!-- Defines a string with minimum length 1 and maximum length of 200 -->

<xsd:simpleType name="StringMin1Max200_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    200</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="200"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Defines a string with minimum length 1 and maximum length of 400 -->

<xsd:simpleType name="StringMin1Max400_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    400</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="400"/>

  </xsd:restriction>

</xsd:simpleType>

<!-- -->

<!-- Defines a string with minimum length 1 and maximum length of 4000 -->

<xsd:simpleType name="StringMin1Max4000_Type">

  <xsd:annotation>

    <xsd:documentation>Defines a string with minimum length 1 and maximum length of
    4000</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:minLength value="1"/>

    <xsd:maxLength value="4000"/>

  </xsd:restriction>

</xsd:simpleType>
```

```
<!-- -->

<!-- -->

<!-- -->

<!--++++++++++++++++++++++++ Reusable Simple types ++++++++++++++++++++++++++++++
++++++++ -->

<!-- Document type indicators types -->

<xsd:simpleType name="OECDDocTypeIndic_EnumType">

  <xsd:annotation>

    <xsd:documentation xml:lang="en">This element specifies the type of data being
    submitted.</xsd:documentation>

  </xsd:annotation>

  <xsd:restriction base="xsd:string">

    <xsd:enumeration value="OECD0">

      <xsd:annotation>

        <xsd:documentation>Resend Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD1">

      <xsd:annotation>

        <xsd:documentation>New Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD2">

      <xsd:annotation>

        <xsd:documentation>Corrected Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD3">

      <xsd:annotation>

        <xsd:documentation>Deletion of Data</xsd:documentation>

      </xsd:annotation>

    </xsd:enumeration>

    <xsd:enumeration value="OECD10">

      <xsd:annotation>

        <xsd:documentation>Resend Test Data</xsd:documentation>

      </xsd:annotation>
```

```
    </xsd:enumeration>
    <xsd:enumeration value="OECD11">
      <xsd:annotation>
        <xsd:documentation>New Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD12">
      <xsd:annotation>
        <xsd:documentation>Corrected Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD13">
      <xsd:annotation>
        <xsd:documentation>Deletion of Test Data</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Kind of Name -->
<xsd:simpleType name="OECDNameType_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">
      It is possible for stf documents to contain several names for the same party. This
      is a qualifier to indicate the type of a particular name. Such types include
      nicknames ('nick'), names under which a party does business ('dba' a short name
      for the entity, or a name that is used for public acquaintance instead of the
      official business name) etc.
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="OECD201">
      <xsd:annotation>
        <xsd:documentation>SMFAliasOrOther</xsd:documentation>
      </xsd:annotation>
```

```
</xsd:enumeration>
<xsd:enumeration value="OECD202">
  <xsd:annotation>
    <xsd:documentation>indiv (individual)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD203">
  <xsd:annotation>
    <xsd:documentation>alias (alias)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD204">
  <xsd:annotation>
    <xsd:documentation>nick (nickname)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD205">
  <xsd:annotation>
    <xsd:documentation>aka (also known as)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD206">
  <xsd:annotation>
    <xsd:documentation>dba (doing business as)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD207">
  <xsd:annotation>
    <xsd:documentation>legal (legal name)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OECD208">
  <xsd:annotation>
```

```
        <xsd:documentation>atbirth (name at birth)</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
<!-- -->
<!-- Type of the address considered from a legal point of view -->
<xsd:simpleType name="OECDLegalAddressType_EnumType">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">This is a datatype for an attribute to an
    address. It serves to indicate the legal character of that address (residential,
    business etc.)</xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:enumeration value="OECD301">
      <xsd:annotation>
        <xsd:documentation>residentialOrBusiness</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD302">
      <xsd:annotation>
        <xsd:documentation>residential</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD303">
      <xsd:annotation>
        <xsd:documentation>business</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="OECD304">
      <xsd:annotation>
        <xsd:documentation>registeredOffice</xsd:documentation>
      </xsd:annotation>
```

```
      </xsd:enumeration>

      <xsd:enumeration value="OECD305">

        <xsd:annotation>

          <xsd:documentation>unspecified</xsd:documentation>

        </xsd:annotation>

      </xsd:enumeration>

    </xsd:restriction>

  </xsd:simpleType>

  <!-- -->

  <!--++++++++++++++++++ Reusable Complex types ++++++++++++++++++++++++++++++++
  +++ -->

  <!-- -->

  <!-- Document specification: Data identifying and describing the document -->

  <xsd:complexType name="DocSpec_Type">

    <xsd:annotation>

      <xsd:documentation xml:lang="en">Document specification: Data identifying and
      describing the document, where 'document' here means the part of a message that is to
      transmit the data about a single block of carf information. </xsd:documentation>

    </xsd:annotation>

    <xsd:sequence>

<xsd:element name="DocTypeIndic" type="stf:OECDDocTypeIndic_EnumType"/>

<xsd:element name="DocRefId" type="stf:StringMin1Max200_Type">

        <xsd:annotation>

          <xsd:documentation xml:lang="en">Sender's unique identifier of this document
          </xsd:documentation>

        </xsd:annotation>

      </xsd:element>

<xsd:element name="CorrMessageRefId" type="stf:StringMin1Max170_Type"
minOccurs="0">

        <xsd:annotation>

          <xsd:documentation xml:lang="en">Reference id of the message of the document
          referred to if this is a correction</xsd:documentation>

        </xsd:annotation>

      </xsd:element>

<xsd:element name="CorrDocRefId" type="stf:StringMin1Max200_Type" minOccurs="0">
```

```
        <xsd:annotation>

          <xsd:documentation xml:lang="en">Reference id of the document referred to if
          this is correction</xsd:documentation>

        </xsd:annotation>

      </xsd:element>

    </xsd:sequence>

  </xsd:complexType>

  <!-- -->

</xsd:schema>"
```

*BIJLAGE IV*

*"BIJLAGE XIX*

**Formulier als bedoeld in artikel 2 octies, leden 1 en 2**

Het formulier dat moet worden gebruikt voor het verstrekken van inlichtingen over een Exploitant van cryptoactiva die een Rapporterende aanbieder van cryptoactivadiensten is zoals gedefinieerd in deel IV, onderdeel B, punt 3, van bijlage VI bij Richtlijn 2011/16/EU, bevat, naast de in deel V, onderdeel F, punt 2, van bijlage VI bij Richtlijn 2011/16/EU vermelde componenten, de volgende velden:

— lidstaat van unieke registratie overeenkomstig artikel 8 bis quinquies, lid 7, van Richtlijn 2011/16/EU

**Het formaat van het in artikel 2 octies, lid 3, bedoelde individuele identificatienummer**

Het individuele identificatienummer heeft uit een 10-cijferig formaat. Het is gestructureerd als CCXXXXXXXX: "CC" is de ISO-landcode van de lidstaat waar het identificatienummer is afgegeven en "XXXXXXXX" is een unieke reeks alfanumerieke tekens die door de lidstaat of door het register van Exploitanten van cryptoactiva is gegenereerd en aan de Exploitant van cryptoactiva wordt toegewezen. Het individuele identificatienummer wordt toegewezen door het register van Exploitanten van cryptoactiva wanneer het niet door de lidstaat is toegekend.

**Bewaartermijn voor bepaalde inlichtingen die uit het register van Exploitanten van cryptoactiva zijn geschrapt of verwijderd als bedoeld in artikel 2 octies, lid 4**

Indien de registratie van een Exploitant van cryptoactiva die een Rapporterende aanbieder van cryptoactivadiensten is in de zin van deel IV, onderdeel B, punt 3, van bijlage VI bij Richtlijn 2011/16/EU wordt ingetrokken overeenkomstig deel V, onderdeel F, punt 7, van bijlage VI bij Richtlijn 2011/16/EU, schrapt de lidstaat van unieke registratie de Exploitant van cryptoactiva uit het register van Exploitanten van cryptoactiva. Het register van Exploitanten van cryptoactiva bewaart de geschrapte inlichtingen niet langer dan 12 maanden na de datum van schrapping.

**Wijziging van de lidstaat van unieke registratie in het register van Exploitanten van cryptoactiva als bedoeld in artikel 2 octies, lid 5**

Indien de wijziging van de inlichtingen overeenkomstig deel V, onderdeel F, punt 3, van bijlage VI bij Richtlijn 2011/16/EU de wijziging van de lidstaat van unieke registratie met zich meebrengt, zorgt de huidige lidstaat van unieke registratie voor de doorgifte van de inlichtingen van de geregistreerde Rapporterende aanbieder van cryptoactivadiensten naar de nieuwe lidstaat van unieke registratie. De nieuwe lidstaat van unieke registratie wordt de lidstaat van unieke registratie waar de inlichtingen uit hoofde van Richtlijn 2011/16/EU moeten worden gerapporteerd. Deze lidstaat is het nieuwe contactpunt voor de Rapporterende aanbieder van cryptoactivadiensten voor het bijwerken van inlichtingen overeenkomstig deel V, onderdeel F, punt 3, van bijlage VI bij Richtlijn 2011/16/EU en deze verordening.

Het individuele identificatienummer dat aan de Rapporterende aanbieder van cryptoactivadiensten is toegekend bij zijn eerste unieke registratie, blijft gedurende het hele proces ongewijzigd.

Dit proces ontslaat de Rapporterende aanbieder van cryptoactivadiensten niet van de plicht om te voldoen aan de nationale registratievereisten in de nieuwe lidstaat van unieke registratie."