BESCHIKKING Nr. 2191/83/EGKS VAN DE COMMISSIE

van 15 april 1983

houdende wijziging van bijlage B van de regeling met de Verenigde Staten van Amerika inzake staal

DE COMMISSIE VAN DE EUROPESE GEMEENSCHAPPEN,

Gelet op het Verdrag tot oprichting van de Europese Gemeenschap voor Kolen en Staal, inzonderheid op artikel 95,

Overwegende dat de Commissie bij Beschikking nr. 2871/82/EGKS (1) de sluiting van een staalregeling met de Verenigde Staten van Amerika heeft goedgekeurd;

Overwegende dat in bijlage B van de regeling is bepaald dat de lijst van NIMEXE-posten waarop deze regeling betrekking heeft, naderhand door deskundigen van beide partijen zou worden geverifieerd en gewijzigd;

Overwegende dat deze verificaties hebben aangetoond dat de produkten waarop de regeling betrekking heeft met grotere nauwkeurigheid door NIMEXE-nummers dienen te worden aangegeven;

Na raadpleging van het Raadgevend Comité en met instemming van de Raad, bij eenstemmigheid bepaald,

HEEFT DE VOLGENDE BESCHIKKING VASTGESTELD:

Artikel 1

1. De wijzigingen in aanhangsel B van de regeling tussen de Europese Gemeenschap voor Kolen en Staal en de Verenigde Staten van Amerika betreffende de handel in bepaalde ijzer- en staalprodukten, die in de vorm van een briefwisseling dient te worden gesloten, worden namens de Europese Gemeenschap voor Kolen en Staal goedgekeurd.

2. De tekst van de briefwisseling is aan deze beschikking gehecht.

Artikel 2

De Commissie wijst iemand aan die bevoegd is de briefwisseling te voeren ten einde daardoor de Europese Gemeenschap voor Kolen en Staal te binden.

Artikel 3

Deze beschikking treedt in werking op de dag van haar bekendmaking in het *Publikatieblad van de Europese Gemeenschappen.*

Deze beschikking is verbindend in al haar onderdelen en is rechtstreeks toepasselijk in elke Lid-Staat.

Gedaan te Brussel, 15 april 1983.

Voor de Commissie

Étienne DAVIGNON

Vice-Voorzitter

(1) PB nr. L 307 van 1. 11. 1982, blz. 11.

Mr. L. Olmer
Department of Commerce
Washington DC 20230
USA

Zoals in aanhangsel B van de regeling betreffende de handel in bepaalde ijzer- en staalprodukten tussen de Europese Gemeenschap voor Kolen en Staal en de Verenigde Staten is bepaald, werd dit aanhangsel door deskundigen van beide partijen geverifieerd. Daarbij werd een aantal wijzigingen in de daarin bedoelde NIMEXE-codes overeengekomen.

Deze wijzigingen zijn in het bijgevoegde nieuwe aanhangsel B opgenomen.

Ik moge U verzoeken de instemming van de Regering van de Verenigde Staten met dit schrijven te willen bevestigen.

Roy DENMAN

(BIJLAGE)

Appendix B

Product coverage

Description	NIMEXE code	TSUSA No (1983)
Hot-rolled carbon steel sheet and strip	73.08-01 (9) 73.08-03 (39) 73.08-05 73.08-07 73.08-21 (39) 73.08-25 73.08-29 73.08-41 (39) 73.08-45 73.08-49 73.10-16 (1) 73.10-49 (1) (7) (34) 73.12-11 (2) (9) 73.12-19 (2) 73.12-40 (2) (7) (34) 73.12-88 (2) (7) (34) 73.12-89 (2) (7) (34) 73.13-11 (7) (9) (41) 73.13-16 (7) (9) (41) 73.13-17 (3) 73.13-19 (3) (39) 73.13-21 73.13-23 73.13-26 73.13-32 73.13-34 73.13-36 73.13-62 (7) (34) (36) (41) 73.13-88 (7) (34) (41) 73.62-10 73.63-29 (1) 73.63-79 (1) (34) 73.64-20 (2) 73.64-72 (2) (34) 73.64-79 (2) (34) 73.65-21 (3) 73.65-23 73.65-25 73.73-35 (1) (21)	607.66-10 607.67-10 607.67-20 607.67-30 607.67-40 607.83-42 608.19-20 608.21-20 608.23-20
Hot-rolled alloy steel sheet and strip	73.72-11 (5) (9) 73.72-19 (4) (5) 73.73-35 (5) (6) (22) 73.73-36 (5) (6) 73.73-39 (4) (5) (6) 73.73-89 (4) (5) (6) (34) 73.74-21 (5) (9) 73.74-29 (4) (5) 73.74-89 (4) (5) (34) 73.75-11 (5) (7) (9) 73.75-19 (5) (7) (9) 73.75-39 (4) 73.75-49 (4) 73.75-79 (4) (5) (7) (34)	607.81-00 608.38-20 (7) 608.55-20 (7) 608.67-20 (7)
Cold-rolled carbon steel sheet	73.08-03 (40) 73.08-21 (40) 73.08-41 (40) 73.10-30 (6) (8) 73.10-49 (6) (8) (31) (34) 73.12-21 (8) (10) 73.12-25 (8) (9) 73.12-29 (8) (10) 73.12-40 (8) (31) (34)	607.82-20 607.83-50 607.83-55 607.83-60

Description	NIMEXE code	TSUSA No (1983)
	73.12-88 (8) (31) (34) 73.12-89 (8) (31) (34) 73.13-11 (9) 73.13-16 (9) 73.13-19 (40) 73.13-41 73.13-43 73.13-45 73.13-47 73.13-49 (10) 73.13-50 (10) 73.13-62 (8) (31) (34) (36) 73.13-88 (34) 73.63-50 (6) (8) 73.63-79 (6) (8) (31) (34) 73.64-50 (8) 73.64-79 (8) (31) (34) 73.65-53 73.65-55 (10) 73.65-70 (10) (34) 73.73-55 (6) (8) (21)	
Cold-rolled alloy steel sheet	73.73-55 (5) (6) (8) (22) 73.73-59 (4) (5) (6) (8) 73.73-89 (4) (5) (6) (8) (31) (34) 73.74-51 (5) (8) (9) 73.74-52 (5) (8) (9) 73.74-59 (4) (5) (8) 73.74-89 (4) (8) (31) (34) 73.75-11 (5) (9) (31) 73.75-19 (5) (9) (31) 73.75-59 (4) (5) 73.75-69 (4) 73.75-79 (4) (31) (34)	607.93-20
Carbon steel plate (including clad plate)	73.09-00 (11) 73.10-16 (6) (11) (12) (13) 73.10-42 (6) (15) 73.10-45 (6) (8) 73.10-49 (6) (35) 73.12-11 (9) (11) (12) (13) 73.12-19 (11) (12) (13) 73.12-40 (12) (14) (32) 73.12-51 (8) (12) 73.12-59 (8) (12) 73.12-61 (12) (14) 73.12-63 (12) (14) 73.12-65 (12) (14) 73.12-71 (15) 73.12-75 (8) 73.12-81 (12) (14) 73.12-85 (12) (14) 73.12-87 (12) (14) 73.12-88 (12) (14) (32) 73.12-89 (12) (14) (42) 73.13-11 (7) (9) (12) (13) 73.13-16 (7) (9) (12) (13) 73.13-17 (13) 73.13-19 (13) (39) 73.13-62 (37) 73.13-64 (12) 73.13-65 (12) 73.13-67 (12) 73.13-68 (12) 73.13-72 (12) 73.13-74 (12) 73.13-76 (12) 73.13-78 73.13-79 73.13-84 (12) 73.13-86 (12) 73.13-87 (12)	607.66-15 (17) 607.94-00 608.07-10 608.11-00

Description	NIMEXE code	TSUSA No (1983)
	73.13-88 (12) (32) 73.13-89 (12) (42) 73.62-30 (11) 73.63-29 (6) (11) (12) (13) 73.63-72 (6) (15) 73.63-74 (6) (8) 73.63-79 (6) (35) 73.64-72 (15) 73.64-75 (8) 73.64-79 (35) 73.65-21 (13) 73.65-70 (38) 73.73-35 (6) (11) (12) (13) (21) 73.73-72 (6) (15) (16) 73.73-74 (6) (8) (16) 73.73-83 (6) (16) (33) 73.73-89 (6) (16) (33) 73.74-72 (15) 73.74-74 (8) 73.74-83 (16) (33) 73.74-89 (16) (33) 73.75-73 (16) 73.75-79 (16)	
Alloy steel plate	73.72-11 (4) (9) (12) 73.72-19 (4) (12) 73.72-39 (4) (11) 73.73-35 (6) (11) (12) (22) 73.73-36 (6) (11) (12) 73.73-39 (4) (6) (11) (12) 73.73-55 (6) (8) (12) (22) 73.73-59 (4) (6) (12) 73.74-21 (9) (11) (12) 73.74-29 (4) (11) (12) 73.74-72 (11) (12) (18) 73.74-74 (8) (12) (18) 73.74-83 (8) (12) (18) (32) 73.74-89 (12) (14) (18) (32) 73.75-11 (9) (12) 73.75-19 (9) (12) 73.75-29 (4) 73.75-59 (4) (12) 73.75-73 (12) (18) (32) 73.75-79 (12) (18) (32)	607.78-00 (17) 607.91-00 608.14-20
Carbon steel structural shapes	73.11-11 (19) 73.11-12 73.11-14 73.11-16 73.11-19 (19) 73.11-20 (19) 73.11-31 (19) 73.11-39 (19) 73.63-10 (19) (20) 73.63-29 (19) (20) 73.63-50 (19) (20) 73.73-35 (20) (21) 73.73-55 (20) (21)	609.80-05 609.80-15 609.80-35 609.80-41 609.80-45
Alloy steel structural shapes	73.73-13 (20) 73.73-14 (20) 73.73-19 (20) 73.73-33 (20) 73.73-34 (20) 73.73-35 (20) (22) 73.73-36 (20) 73.73-39 (20) 73.73-43 (20) 73.73-49 (20) 73.73-53 (20) 73.73-54 (20) 73.73-55 (20) (22) 73.73-59 (20)	609.82-00

Description	NIMEXE code	TSUSA No (1983)
Carbon wire rod	73.10-11 (23) 73.10-16 (24) (25) 73.63-21 (23) 73.63-29 (24) (25) 73.73-25 (21) (23) 73.73-35 (21) (24) (25)	607.14-00 607.17-00 607.22-00 607.23-00
Hot-rolled carbon steel bar	73.09-00 (30) 73.10-11 (26) 73.10-16 (27) (28) 73.10-49 (27) (29) 73.12-11 (9) (12) (30) 73.12-19 (12) (30) 73.62-30 (30) 73.63-21 (26) 73.63-29 (27) (28) 73.63-79 (27) (29) 73.64-20 (12) (30) 73.64-72 (12) (30) (34) 73.64-79 (7) (12) (30) (34) 73.73-35 (21) (27) (28)	606.83-10 606.83-30 606.83-50
Hot-rolled alloy bar	73.73-25 (26) 73.73-26 (26) 73.73-29 (4) (26) 73.73-35 (22) (27) (28) 73.73-36 (27) (28) 73.73-39 (4) (27) (28) 73.73-89 (4) (27) (29) 73.74-21 (9) (12) (30) 73.74-29 (9) (12) (30)	606.97-00
Carbon coated sheet (galvanized carbon steel sheet and other carbon coated steel	73.10-42 (5) (6) (8) (32) 73.10-45 (5) (6) (8) (32) 73.10-49 (5) (6) (8) (32) 73.12-40 (5) (8) (32) 73.12-61 (5) (8) 73.12-63 (5) (8) 73.12-71 (5) (8) (32) 73.12-75 (5) (8) (32) 73.12-81 (5) (8) 73.12-85 (5) (8) 73.12-87 (5) (8) 73.12-88 (5) (8) (32) 73.12-89 (5) (8) (32) 73.13-62 (5) (32) (43) 73.13-67 (5) 73.13-68 (5) 73.13-72 (5) 73.13-84 (5) 73.13-86 (5) 73.13-87 (5) 73.13-88 (5) (32) 73.13-89 (5) (32) 73.63-72 (5) (6) (8) (32) 73.63-74 (5) (6) (8) (32) 73.63-79 (5) (6) (8) (32) 73.64-72 (5) (8) (32) 73.64-75 (5) (8) (32) 73.64-79 (5) (8) (32) 73.65-70 (5) (42)	608.07-30 608.13-10 608.13-20 608.13-30 608.13-40 608.13-50
Alloy coated sheet and terne plate and sheet	73.12-65 (5) (8) 73.13-74 (5) 73.73-72 (5) (6) (8) (32) 73.73-74 (5) (6) (8) (32) 73.73-89 (5) (6) (8) (32) 73.74-72 (5) (8) (32) 73.74-74 (5) (8) (32) 73.74-83 (5) (8) (32) 73.74-89 (5) (8) (32) 73.75-73 (5) (32) 73.75-79 (5) (32)	608.01-00 608.14-40

Description	NIMEXE code	TSUSA No (1983)
Tin plate	73.12-51 (5) (8) 73.12-59 (5) (8) 73.13-64 (5) 73.13-65 (5) 73.13-76 (5)	607.96-00 607.97-00 607.99-00
Carbon and alloy rails	73.16-14 73.16-16 73.16-17 73.16-20	610.20-10 610.20-20 610.21-00
Carbon and alloy sheet piling	73.11-50	609.96-00 609.98-00

(1) Covered if of rectangular section. If three-sixteenths of an inch or over in thickness, excluded if eight inches or less in width or if not in coils.

(2) If three-sixteenths of an inch or more in thickness, excluded if cut to length, or eight inches or less in width.

(3) Covered if in coil.

(4) Excluding 'tool steel', 'high-speed tool steel', 'tool steel of the type described in headnote 2 (H) (VII)' and 'chipper knife steel', as defined in subparagraph B 2 (H) (V), (VI), (VII) and (VIII) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).

(5) Covered if less than three-sixteenths of an inch in thickness.

(6) Covered if of rectangular section.

(7) Covered if hot-rolled.

(8) Covered if over 12 inches in width.

(9) Excluding 'silicon electrical steel', as defined in subparagraph B 2 (H) (IX) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).

(10) Excluded if less than 0,0142 of an inch in thickness and if black plate meeting ASTM specifications A-625 or A-650.

(11) Covered if over eight inches in width.

(12) Covered if three-sixteenths of an inch or more in thickness.

(13) Covered if not in coils.

(14) Covered if hot-rolled and over eight inches in width or if cold-rolled and over 12 inches in width.

(15) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered if over eight inches in width.

(16) Covered if clad.

(17) Excluding semi-finished products, over six inches in thickness, produced by rolling on a primary (slabbing) mill.

(18) Excluded if clad.

(19) Covered if having a maximum cross-sectional dimension of three inches or more.

(20) Covered if structural shapes.

(21) Covered if contains 0,35 % or less lead or sulfur.

(22) Covered if contains over 0,35 % lead or sulfur.

(23) Covered if of circular section and 0,2 of an inch or over in diameter.

(24) Covered if coiled and if 18,8 mm or less in diameter.

(25) Covered if of circular section.

(26) Covered if cross-section, in the form of segments of circles, ovals isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width.

(27) Covered if cross-section, in the form of circles, segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width. If of circular section, covered if over 18,8 mm in diameter, or if 18,8 mm or less in diameter, and not in coils.

(28) Excluding round blooms and billets, semi-finished products of circular cross-section, having a length several times greater than the maximum cross-sectional dimension. A bloom is at least 36 square inches in cross-sectional area. A billet is less than 36 square inches but not less than three square inches in cross-sectional area.

Note: Billet rolled to bar tolerances or ordered to specifications could be classified as bar under the TSUSA.

(29) Excluded if cold formed.

(30) Covered if eight inches or less in width.

(31) Covered if cold-rolled.

Covered if coated or plated with metal.

(33) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered when cold-rolled if over 12 inches in width and when hot-rolled if over eight inches in width.

(34) Excluded if coated, plated or clad with metal.

(35) Covered if clad, or plated or coated with metal, or otherwise surface-worked. If clad and if less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If clad or plated or coated with metal and if over three-sixteenths of an inch in thickness, covered if eight inches or more in width when not cold-rolled and if 12 inches or over in width when cold-rolled. If otherwise surface-worked, covered if not in coils, if three-sixteenths of an inch or over in thickness and eight inches or over in width and hot-rolled.

(36) Covered if enamelled.

(37) Covered if clad. If coated or plated with metal, but not silvered, gilded or platinum plated, covered if three-sixteenths of an inch or over in thickness.

(38) Covered if clad. If three-sixteenths of an inch or over in thickness, covered if coated or plated with metal. If three-sixteenths of an inch or over in thickness and otherwise surface-worked, covered if hot-rolled and cut to length.

(39) If three-sixteenths of an inch or over in thickness, covered if not pickled.

(40) Covered if three-sixteenths of an inch or over in thickness and pickled.

(41) If three-sixteenths of an inch or over in thickness, excluded if cut to length.

(42) If cold-rolled, covered if coated or plated with metal. If hot-rolled, covered if coated or plated with metal or, if not coated or plated with metal, if cut to length.

(43) Excluded if silvered gilded or platinum plated.

Sir Roy Denman
Hoofd van de delegatie
Delegatie van de Commissie van de Europese Gemeenschappen
2100 M Street, N.W.
Suite 707
Washington, D.C. 20037

Geachte Sir Roy,

In antwoord op Uw schrijven van 29 maart 1983 waarmede een herziene versie van bijlage B bij de Overeenkomst betreffende het handelsverkeer van bepaalde staalprodukten tussen de Europese Gemeenschappen en de Verenigde Staten aan de Regering van de Verenigde Staten werd gezonden, heb ik de eer te bevestigen dat de herziene bijlage B in overeenstemming is met het door beide partijen in januari bereikte akkoord betreffende het aanbrengen van bepaalde wijzigingen in de NIMEXE-code waarnaar in bijlage B wordt verwezen.

Het bovenstaande geldt behoudens veranderingen die mogelijkerwijze nodig zouden zijn ter ondervanging van eventuele afwijkingen in bijlage B die na het akkoord van januari door een der partijen mochten worden geconstateerd.

Met de meeste hoogachting,

Lionel H. OLMER