KOMMISSIONENS BESLUTNING Nr. 2191/83/EKSF

af 15. april 1983

om ændring af bilag B til arrangementet med Amerikas Forenede Stater vedrørende stålvarer

KOMMISSIONEN FOR DE EUROPÆISKE FÆLLESSKABER HAR —

under henvisning til traktaten om oprettelse af Det europæiske Kul- og Stålfællesskab, særlig artikel 95, og

ud fra følgende betragtninger:

Ved beslutning nr. 2871/82/EKSF [1] godkendte Kommissionen indgåelsen af et arrangement med Amerikas Forenede Stater vedrørende stålvarer;

i bilag B til arrangementet er det fastsat, at listen over de NIMEXE-numre, der er omfattet af dette arrangement, senere skal efterprøves og ændres efter aftale mellem eksperter, udpeget af de to parter;

disse efterprøvninger har vist, at det er nødvendigt at fastslå mere præcist med NIMEXE-numre, hvilke varer der er omfattet af arrangementet;

efter høring af Det rådgivende Udvalg og efter samstemmende og enstemmig udtalelse fra Rådet —

VEDTAGET FØLGENDE BESLUTNING:

Artikel 1

1. På Det europæiske Kul- og Stålfællesskabs vegne godkendes ændringerne i bilag B til det arrangement mellem Det europæiske Kul- og Stålfællesskab og Amerikas Forenede Stater om handel med visse jern- og stålvarer, der skal indgås i form af en brevveksling.

2. Teksten til brevvekslingen er knyttet som bilag til denne beslutning.

Artikel 2

Kommissionen udpeger den person, der er beføjet til at føre brevvekslingen med bindende virkning for Det europæiske Kul- og Stålfællesskab.

Artikel 3

Denne beslutning træder i kraft på dagen for offentliggørelsen i *De Europæiske Fællesskabers Tidende*.

Denne beslutning er bindende i alle enkeltheder og gælder umiddelbart i hver medlemsstat.

Udfærdiget i Bruxelles, den 15. april 1983.

På Kommissionens vegne

Étienne DAVIGNON

Næstformand

---

[1] EFT nr. L 307 af 1. 11. 1982, s. 11.

Mr. L. Olmer
Department af Commerce,
Washington DC 20230,
USA

Som anført i tillæg B til arrangementet vedrørende handel med visse stålvarer mellem Det europæiske Kul- og Stålfællesskab og De forenede Stater er dette tillæg blevet gennemgået af begge parters eksperter, som nåede til enighed om visse ændringer i de i tillæget anførte NIMEXE-numre.

Disse ændringer fremgår af vedføjede nye tillæg B.

Jeg ville være Dem taknemmelig, såfremt De over for mig vil bekræfte, at den amerikanske regering er indforstået med indholdet af denne skrivelse.

Roy DENMAN

(BILAG)

Appendix B

Product coverage

Description	NIMEXE code	TSUSA No (1983)
Hot-rolled carbon steel sheet and strip	73.08-01 (9) 73.08-03 (39) 73.08-05 73.08-07 73.08-21 (39) 73.08-25 73.08-29 73.08-41 (39) 73.08-45 73.08-49 73.10-16 (1) 73.10-49 (1) (7) (34) 73.12-11 (2) (9) 73.12-19 (2) 73.12-40 (2) (7) (34) 73.12-88 (2) (7) (34) 73.12-89 (2) (7) (34) 73.13-11 (7) (9) (41) 73.13-16 (7) (9) (41) 73.13-17 (3) 73.13-19 (3) (39) 73.13-21 73.13-23 73.13-26 73.13-32 73.13-34 73.13-36 73.13-62 (7) (34) (36) (41) 73.13-88 (7) (34) (41) 73.62-10 73.63-29 (1) 73.63-79 (1) (34) 73.64-20 (2) 73.64-72 (2) (34) 73.64-79 (2) (34) 73.65-21 (3) 73.65-23 73.65-25 73.73-35 (1) (21)	607.66-10 607.67-10 607.67-20 607.67-30 607.67-40 607.83-42 608.19-20 608.21-20 608.23-20
Hot-rolled alloy steel sheet and strip	73.72-11 (5) (9) 73.72-19 (4) (5) 73.73-35 (5) (6) (22) 73.73-36 (5) (6) 73.73-39 (4) (5) (6) 73.73-89 (4) (5) (6) (34) 73.74-21 (5) (9) 73.74-29 (4) (5) 73.74-89 (4) (5) (34) 73.75-11 (5) (7) (9) 73.75-19 (5) (7) (9) 73.75-39 (4) 73.75-49 (4) 73.75-79 (4) (5) (7) (34)	607.81-00 608.38-20 (7) 608.55-20 (7) 608.67-20 (7)
Cold-rolled carbon steel sheet	73.08-03 (40) 73.08-21 (40) 73.08-41 (40) 73.10-30 (6) (8) 73.10-49 (6) (8) (31) (34) 73.12-21 (8) (10) 73.12-25 (8) (9) 73.12-29 (8) (10) 73.12-40 (8) (31) (34)	607.82-20 607.83-50 607.83-55 607.83-60

Description	NIMEXE code	TSUSA No (1983)
	73.12-88 (8) (31) (34) 73.12-89 (8) (31) (34) 73.13-11 (9) 73.13-16 (9) 73.13-19 (40) 73.13-41 73.13-43 73.13-45 73.13-47 73.13-49 (10) 73.13-50 (10) 73.13-62 (8) (31) (34) (36) 73.13-88 (34) 73.63-50 (6) (8) 73.63-79 (6) (8) (31) (34) 73.64-50 (8) 73.64-79 (8) (31) (34) 73.65-53 73.65-55 (10) 73.65-70 (10) (34) 73.73-55 (6) (8) (21)	
Cold-rolled alloy steel sheet	73.73-55 (5) (6) (8) (22) 73.73-59 (4) (5) (6) (8) 73.73-89 (4) (5) (6) (8) (31) (34) 73.74-51 (5) (8) (9) 73.74-52 (5) (8) (9) 73.74-59 (4) (5) (8) 73.74-89 (4) (8) (31) (34) 73.75-11 (5) (9) (31) 73.75-19 (5) (9) (31) 73.75-59 (4) (5) 73.75-69 (4) 73.75-79 (4) (31) (34)	607.93-20
Carbon steel plate (including clad plate)	73.09-00 (11) 73.10-16 (6) (11) (12) (13) 73.10-42 (6) (15) 73.10-45 (6) (8) 73.10-49 (6) (35) 73.12-11 (9) (11) (12) (13) 73.12-19 (11) (12) (13) 73.12-40 (12) (14) (32) 73.12-51 (8) (12) 73.12-59 (8) (12) 73.12-61 (12) (14) 73.12-63 (12) (14) 73.12-65 (12) (14) 73.12-71 (15) 73.12-75 (8) 73.12-81 (12) (14) 73.12-85 (12) (14) 73.12-87 (12) (14) 73.12-88 (12) (14) (32) 73.12-89 (12) (14) (42) 73.13-11 (7) (9) (12) (13) 73.13-16 (7) (9) (12) (13) 73.13-17 (13) 73.13-19 (13) (39) 73.13-62 (37) 73.13-64 (12) 73.13-65 (12) 73.13-67 (12) 73.13-68 (12) 73.13-72 (12) 73.13-74 (12) 73.13-76 (12) 73.13-78 73.13-79 73.13-84 (12) 73.13-86 (12) 73.13-87 (12)	607.66-15 (17) 607.94-00 608.07-10 608.11-00

Description	NIMEXE code	TSUSA No (1983)
	73.13-88 (12) (32) 73.13-89 (12) (42) 73.62-30 (11) 73.63-29 (6) (11) (12) (13) 73.63-72 (6) (15) 73.63-74 (6) (8) 73.63-79 (6) (35) 73.64-72 (15) 73.64-75 (8) 73.64-79 (35) 73.65-21 (13) 73.65-70 (38) 73.73-35 (6) (11) (12) (13) (21) 73.73-72 (6) (15) (16) 73.73-74 (6) (8) (16) 73.73-83 (6) (16) (33) 73.73-89 (6) (16) (33) 73.74-72 (15) 73.74-74 (8) 73.74-83 (16) (33) 73.74-89 (16) (33) 73.75-73 (16) 73.75-79 (16)	
Alloy steel plate	73.72-11 (4) (9) (12) 73.72-19 (4) (12) 73.72-39 (4) (11) 73.73-35 (6) (11) (12) (22) 73.73-36 (6) (11) (12) 73.73-39 (4) (6) (11) (12) 73.73-55 (6) (8) (12) (22) 73.73-59 (4) (6) (12) 73.74-21 (9) (11) (12) 73.74-29 (4) (11) (12) 73.74-72 (11) (12) (18) 73.74-74 (8) (12) (18) 73.74-83 (8) (12) (18) (32) 73.74-89 (12) (14) (18) (32) 73.75-11 (9) (12) 73.75-19 (9) (12) 73.75-29 (4) 73.75-59 (4) (12) 73.75-73 (12) (18) (32) 73.75-79 (12) (18) (32)	607.78-00 (17) 607.91-00 608.14-20
Carbon steel structural shapes	73.11-11 (19) 73.11-12 73.11-14 73.11-16 73.11-19 (19) 73.11-20 (19) 73.11-31 (19) 73.11-39 (19) 73.63-10 (19) (20) 73.63-29 (19) (20) 73.63-50 (19) (20) 73.73-35 (20) (21) 73.73-55 (20) (21)	609.80-05 609.80-15 609.80-35 609.80-41 609.80-45
Alloy steel structural shapes	73.73-13 (20) 73.73-14 (20) 73.73-19 (20) 73.73-33 (20) 73.73-34 (20) 73.73-35 (20) (22) 73.73-36 (20) 73.73-39 (20) 73.73-43 (20) 73.73-49 (20) 73.73-53 (20) 73.73-54 (20) 73.73-55 (20) (22) 73.73-59 (20)	609.82-00

Description	NIMEXE code	TSUSA No (1983)
Carbon wire rod	73.10-11 (23) 73.10-16 (24) (25) 73.63-21 (23) 73.63-29 (24) (25) 73.73-25 (21) (23) 73.73-35 (21) (24) (25)	607.14-00 607.17-00 607.22-00 607.23-00
Hot-rolled carbon steel bar	73.09-00 (30) 73.10-11 (26) 73.10-16 (27) (28) 73.10-49 (27) (29) 73.12-11 (9) (12) (30) 73.12-19 (12) (30) 73.62-30 (30) 73.63-21 (26) 73.63-29 (27) (28) 73.63-79 (27) (29) 73.64-20 (12) (30) 73.64-72 (12) (30) (34) 73.64-79 (7) (12) (30) (34) 73.73-35 (21) (27) (28)	606.83-10 606.83-30 606.83-50
Hot-rolled alloy bar	73.73-25 (26) 73.73-26 (26) 73.73-29 (4) (26) 73.73-35 (22) (27) (28) 73.73-36 (27) (28) 73.73-39 (4) (27) (28) 73.73-89 (4) (27) (29) 73.74-21 (9) (12) (30) 73.74-29 (9) (12) (30)	606.97-00
Carbon coated sheet (galvanized carbon steel sheet and other carbon coated steel	73.10-42 (5) (6) (8) (32) 73.10-45 (5) (6) (8) (32) 73.10-49 (5) (6) (8) (32) 73.12-40 (5) (8) (32) 73.12-61 (5) (8) 73.12-63 (5) (8) 73.12-71 (5) (8) (32) 73.12-75 (5) (8) (32) 73.12-81 (5) (8) 73.12-85 (5) (8) 73.12-87 (5) (8) 73.12-88 (5) (8) (32) 73.12-89 (5) (8) (32) 73.13-62 (5) (32) (43) 73.13-67 (5) 73.13-68 (5) 73.13-72 (5) 73.13-84 (5) 73.13-86 (5) 73.13-87 (5) 73.13-88 (5) (32) 73.13-89 (5) (32) 73.63-72 (5) (6) (8) (32) 73.63-74 (5) (6) (8) (32) 73.63-79 (5) (6) (8) (32) 73.64-72 (5) (8) (32) 73.64-75 (5) (8) (32) 73.64-79 (5) (8) (32) 73.65-70 (5) (42)	608.07-30 608.13-10 608.13-20 608.13-30 608.13-40 608.13-50
Alloy coated sheet and terne plate and sheet	73.12-65 (5) (8) 73.13-74 (5) 73.73-72 (5) (6) (8) (32) 73.73-74 (5) (6) (8) (32) 73.73-89 (5) (6) (8) (32) 73.74-72 (5) (8) (32) 73.74-74 (5) (8) (32) 73.74-83 (5) (8) (32) 73.74-89 (5) (8) (32) 73.75-73 (5) (32) 73.75-79 (5) (32)	608.01-00 608.14-40

Description	NIMEXE code	TSUSA No (1983)
Tin plate	73.12-51 (5) (8) 73.12-59 (5) (8) 73.13-64 (5) 73.13-65 (5) 73.13-76 (5)	607.96-00 607.97-00 607.99-00
Carbon and alloy rails	73.16-14 73.16-16 73.16-17 73.16-20	610.20-10 610.20-20 610.21-00
Carbon and alloy sheet piling	73.11-50	609.96-00 609.98-00

(1) Covered if of rectangular section. If three-sixteenths of an inch or over in thickness, excluded if eight inches or less in width or if not in coils.

(2) If three-sixteenths of an inch or more in thickness, excluded if cut to length, or eight inches or less in width.

(3) Covered if in coil.

(4) Excluding 'tool steel', 'high-speed tool steel', 'tool steel of the type described in headnote 2 (H) (VII)' and 'chipper knife steel', as defined in subparagraph B 2 (H) (V), (VI), (VII) and (VIII) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).

(5) Covered if less than three-sixteenths of an inch in thickness.

(6) Covered if of rectangular section.

(7) Covered if hot-rolled.

(8) Covered if over 12 inches in width.

(9) Excluding 'silicon electrical steel', as defined in subparagraph B 2 (H) (IX) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).

(10) Excluded if less than 0,0142 of an inch in thickness and if black plate meeting ASTM specifications A-625 or A-650.

(11) Covered if over eight inches in width.

(12) Covered if three-sixteenths of an inch or more in thickness.

(13) Covered if not in coils.

(14) Covered if hot-rolled and over eight inches in width or if cold-rolled and over 12 inches in width.

(15) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered if over eight inches in width.

(16) Covered if clad.

(17) Excluding semi-finished products, over six inches in thickness, produced by rolling on a primary (slabbing) mill.

(18) Excluded if clad.

(19) Covered if having a maximum cross-sectional dimension of three inches or more.

(20) Covered if structural shapes.

(21) Covered if contains 0,35 % or less lead or sulfur.

(22) Covered if contains over 0,35 % lead or sulfur.

(23) Covered if of circular section and 0,2 of an inch or over in diameter.

(24) Covered if coiled and if 18,8 mm or less in diameter.

(25) Covered if of circular section.

(26) Covered if cross-section, in the form of segments of circles, ovals isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width.

(27) Covered if cross-section, in the form of circles, segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width. If of circular section, covered if over 18,8 mm in diameter, or if 18,8 mm or less in diameter, and not in coils.

(28) Excluding round blooms and billets, semi-finished products of circular cross-section, having a length several times greater than the maximum cross-sectional dimension. A bloom is at least 36 square inches in cross-sectional area. A billet is less than 36 square inches but not less than three square inches in cross-sectional area.

Note: Billet rolled to bar tolerances or ordered to specifications could be classified as bar under the TSUSA.

(29) Excluded if cold formed.

(30) Covered if eight inches or less in width.

(31) Covered if cold-rolled.

Covered if coated or plated with metal.

(33) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered when cold-rolled if over 12 inches in width and when hot-rolled if over eight inches in width.

(34) Excluded if coated, plated or clad with metal.

(35) Covered if clad, or plated or coated with metal, or otherwise surface-worked. If clad and if less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If clad or plated or coated with metal and if over three-sixteenths of an inch in thickness, covered if eight inches or more in width when not cold-rolled and if 12 inches or over in width when cold-rolled. If otherwise surface-worked, covered if not in coils, if three-sixteenths of an inch or over in thickness and eight inches or over in width and hot-rolled.

(36) Covered if enamelled.

(37) Covered if clad. If coated or plated with metal, but not silvered, gilded or platinum plated, covered if three-sixteenths of an inch or over in thickness.

(38) Covered if clad. If three-sixteenths of an inch or over in thickness, covered if coated or plated with metal. If three-sixteenths of an inch or over in thickness and otherwise surface-worked, covered if hot-rolled and cut to length.

(39) If three-sixteenths of an inch or over in thickness, covered if not pickled.

(40) Covered if three-sixteenths of an inch or over in thickness and pickled.

(41) If three-sixteenths of an inch or over in thickness, excluded if cut to length.

(42) If cold-rolled, covered if coated or plated with metal. If hot-rolled, covered if coated or plated with metal or, if not coated or plated with metal, if cut to length.

(43) Excluded if silvered gilded or platinum plated.

Delegationsleder Sir Roy Denman

Kommissionen for De europæiske Fællesskabers delegation

2100 M Street, N.W.

Suite 707

Washington, DC 20037

Sir Roy Denman,

Som svar på Deres skrivelse af 29. marts 1983, hvormed De tilsendte den amerikanske regering en revideret udgave af bilag B til arrangementet mellem De europæiske Fællesskaber og Amerikas Forenede Stater om handel med visse stålvarer, glæder det mig at bekræfte, at det reviderede bilag B er i overensstemmelse med den aftale, som parterne nåede til enighed om i januar med hensyn til visse ændringer af de i bilag B nævnte NIMEXE-numre.

Ovennævnte udelukker dog ikke ændringer, det måtte være påkrævet at foretage som følge af uoverensstemmelser i bilag B, som en af parterne konstaterer efter indgåelsen af aftalen i januar.

Med venlig hilsen

Lionel H. OLMER