COMMISSION DECISION No 978/86/ECSC

of 24 March 1986

amending Decision No 2873/82/ECSC on the monitoring by the Community of exports of certain steel products to the United States of America

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Coal and Steel Community,

Having regard to Commission Decision No 2872/82/ECSC of 28 October 1982 on the restriction of exports of certain steel products to the United States of America [1], as last amended by Decision No 3713/85/ECSC [2], and in particular Article 5 (6) thereof,

Whereas Commission Decision No 2873/82/ECSC [3], as amended by Decision No 2149/84/ECSC [4] laid down the procedures for monitoring exports of certain steel products to the United States of America; whereas certain technical changes should be made to that Decision following the conclusion of an agreement extending and amending the 1982 Arrangement [5],

HAS ADOPTED THIS DECISION:

Article 1

Decision No 2873/82/ECSC is hereby amended as follows:

1. Article 1 (4) is replaced by the following:

'4. Export licences shall be valid for three months from the date on which they are issued. However, licences shall be valid only for exports to be carried out during the quota year (1986, 1987, 1988 or 1989) indicated in box 4 of the licences.

However, where the Commission decides to apply Article 2 (3) of Decision No 2872/82/ECSC:

— in cases of early use of licences, exports may be carried out during December of the year preceding that to which they refer. Licences may be issued from 1 November to 31 December of the year preceding that to which they refer,

— where licences are carried over, the period of validity of licences expiring on 31 December 1985, 1986, 1987 or 1988 may be extended by two months by the authority which issued them,

— where additional allocations are made in the event of shortages, licences valid for a period of six months may be issued; the licences and the certificates corresponding to these licences shall be stamped with the words "special issue".'

2. Annex I is replaced by the Annex to this Decision.

Article 2

This Decision shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

This Decision shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 24 March 1986.

For the Commission

Karl-Heinz NARJES

Vice-President

---

(1) OJ No L 307, 1. 11. 1982, p. 27.
(2) OJ No L 355, 31. 12. 1985, p. 155.
(3) OJ No L 307, 1. 11. 1982, p. 36.
(4) OJ No L 202, 31. 7. 1984, p. 1.
(5) OJ No L 355, 31. 12. 1985, p. 2.

ANNEX

CATEGORY 1

HOT ROLLED SHEET AND STRIP

NIMEXE code	TS USA	
	Code	Description
		A. CARBON STEEL
73.08-01 (2, 191)		Plates and sheets of iron and steel, not cut, not pressed and not stamped to non-rectangular shape (except as provided in item 609.17)
03 (2, 191)		
05 (191)		
07 (191)		
21 (2, 191)		Not coated or plated with metal and not clad:
25 (191)		Other than black plate:
29 (191)		Not pickled and not cold rolled:
41 (2, 191)		Other than alloy iron or steel:
45 (191)		
49 (191)		
73.09-00 (2, 191)	607.6610	— Plates in coils
73.10-11 (5, 6, 60, 191)		Sheets
15 (1, 82, 191)	607.6710	— Having a minimum yield point of 40 000 lbs psi
17 (5, 6, 60, 191)		
42 (5, 6, 60, 191)		Other, in coils:
49 (1, 7, 82, 191, 193)		
73.12-11 (2, 191)	607.6720	— With untrimmed edges
19 (2, 191)		
40 (2, 7, 82, 191)	607.6730	— Other
51 (5, 7, 60, 191)	607.6740	— Other
59 (5, 7, 60, 191)		
61 (5, 7, 60, 191)		Pickled or cold rolled:
63 (5, 7, 60, 191)	607.8342	— Sheets, pickled but not cold rolled
65 (5, 7, 60, 191)		
71 (5, 60, 191)		
81 (5, 7, 60, 191, 193)		
85 (5, 7, 60, 191, 193)		
87 (5, 7, 60, 191, 193)		Strip, of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
88 (2, 7, 82, 191)		
89 (2, 7, 82, 191, 193)		Other than alloy iron or steel:
73.13-11 (2, 7, 191)		
16 (2, 7, 191)		Not over 0,01 inch in thickness:
17 (2, 191)		
19 (2, 191)	608.1920	— Hot rolled
21 (191)		
23 (191)		Over 0,01 but not over 0,05 inch in thickness:
26 (191)	608.2120	— Hot rolled
32 (191)		
34 (191)		Over 0,05 inch in thickness:
36 (191)	608.2320	— Hot rolled
50 (2, 7, 191)		
62 (2, 7, 50, 191)		
88 (2, 7, 191)		
89 (2, 7, 38, 191)		
73.62-10 (2, 191)		
30 (2, 191)		
73.63-21 (5, 6, 60, 191)		
29 (1, 82, 191)		
72 (5, 6, 60, 191)		
79 (1, 7, 82, 191, 193)		
73.64-20 (2, 191)		
72 (5, 7, 60, 191, 193)		
79 (2, 7, 82, 191, 193)		

NIMEXE code	TS USA	
	Code	Description
73.65-21 (2, 191)		
23 (191)		
25 (191)		
70 (2, 7, 38, 191)		
73.72-11 (2, 191)		
13 (2, 191)		
19 (2, 191)		
33 (2, 191)		
39 (2, 191)		
73.73-23 (5, 6, 60, 191)		
24 (5, 6, 60, 191)		
25 (5, 6, 60, 191)		
26 (5, 6, 60, 191)		
29 (5, 6, 60, 191)		
33 (1, 82, 191)		
34 (1, 82, 191)		
35 (1, 82, 191)		
36 (1, 82, 191)		
39 (1, 82, 191)		
72 (5, 6, 60, 191)		
83 (1, 7, 82, 191, 193)		
89 (1, 7, 82, 191, 193)		
73.74-21 (2, 191)		
23 (2, 191)		
29 (2, 191)		
72 (5, 60, 191)		
83 (2, 7, 82, 191, 193)		
89 (2, 7, 82, 191, 193)		
73.75-11 (2, 7, 191)		
19 (2, 7, 191)		
23 (2, 191)		
24 (2, 191)		
29 (2, 191)		
33 (191)		
34 (191)		
39 (191)		
43 (191)		
44 (191)		
49 (191)		
73 (2, 7, 38, 191)		
79 (2, 7, 38, 191)		

B. ALLOY STEEL

73.08-01 (4, 5, 45, 68, 190, 209)		Sheets and strip, of alloy iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17), other than of stainless steel, tool steel, high-speed-tool steel, tool steel of the type described in headnote 2 (H) (vii) and chipper knife steel:
03 (4, 5, 45, 68, 190, 209)		
05 (4, 45, 68, 190, 209)		
07 (4, 45, 68, 190, 209)		
21 (4, 5, 45, 68, 190, 209)		
25 (4, 45, 68, 190, 209)		
29 (4, 45, 68, 190, 209)	607.8100	— Sheets, not coated or plated with metal and not clad, other than black plate, not pickled and not cold rolled
41 (4, 5, 45, 68, 190, 198, 209)		
45 (4, 45, 68, 190, 198, 209)		Strip, other than of heat-resisting steel:
49 (4, 45, 68, 190, 198, 209)	608.3820 (7)	— Not over 0,01 inch in thickness
73.10-11 (4, 5, 6, 60, 68, 190, 199, 205)		
15 (4, 5, 6, 60, 68, 190, 199, 205)	608.5520 (7)	— Over 0,01 but not over 0,05 inch in thickness, other than of silicon electrical steel
17 (4, 5, 6, 60, 68, 190, 199, 205)		
42 (4, 5, 6, 60, 68, 190, 199, 205)	608.6720 (7)	— Over 0,05 inch in thickness
49 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)		
73.12-11 (4, 68, 190, 198, 200, 205, 209)		
19 (4, 68, 190, 198, 200, 205, 209)		
40 (4, 68, 190, 198, 200, 205, 209)		
59 (4, 68, 190, 198, 200, 205, 209)		
61 (4, 68, 190, 198, 200, 205, 209)		

NIMEXE code	TS USA	
	Code	Description
73.12-63 (4, 68, 190, 198, 200, 205, 209)		
65 (4, 68, 190, 198, 200, 205, 209)		
71 (4, 68, 190, 198, 200, 205, 209)		
81 (4, 68, 190, 193, 198, 200, 205, 209)		
85 (4, 68, 190, 193, 198, 200, 205, 209)		
87 (4, 68, 190, 193, 198, 200, 205, 209)		
88 (4, 68, 190, 198, 200, 205, 209)		
89 (4, 68, 190, 193, 198, 200, 205, 209)		
73.13-11 (4, 5, 45, 68, 190, 209)		
16 (4, 5, 45, 68, 190, 209)		
17 (4, 5, 45, 68, 190, 209)		
19 (4, 5, 45, 68, 190, 209)		
21 (4, 68, 190, 209)		
23 (4, 68, 190, 209)		
26 (4, 68, 190, 209)		
32 (4, 68, 190, 209)		
34 (4, 68, 190, 209)		
36 (4, 68, 190, 209)		
50 (4, 5, 7, 68, 190, 209)		
88 (4, 5, 7, 68, 190, 209)		
89 (4, 5, 7, 38, 68, 190, 209)		
73.62-10 (4, 68, 190, 198, 209)		
73.63-21 (4, 5, 6, 60, 68, 190, 199, 205)		
29 (4, 5, 6, 60, 68, 190, 199, 205)		
72 (4, 5, 6, 60, 68, 190, 199, 205)		
79 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)		
73.64-20 (4, 68, 190, 198, 200, 205, 209)		
79 (4, 7, 68, 190, 193, 198, 200, 205, 209)		
73.65-21 (4, 5, 45, 68, 190, 209)		
23 (4, 5, 45, 68, 190, 209)		
25 (4, 5, 45, 68, 190, 209)		
70 (4, 5, 7, 38, 45, 68, 190, 209)		
73.72-11 (4, 68, 190, 198, 209)		
13 (4, 68, 190, 198, 209)		
19 (4, 68, 190, 198, 209)		
73.73-23 (4, 5, 6, 60, 68, 190, 199, 205)		
24 (4, 5, 6, 60, 68, 190, 199, 205)		
25 (4, 5, 6, 60, 68, 190, 199, 205)		
26 (4, 5, 6, 60, 68, 190, 199, 205)		
29 (4, 5, 6, 60, 68, 190, 199, 205)		
33 (4, 5, 6, 60, 68, 190, 199, 205)		
34 (4, 5, 6, 60, 68, 190, 199, 205)		
35 (4, 5, 6, 60, 68, 190, 199, 205)		
36 (4, 5, 6, 60, 68, 190, 199, 205)		
39 (4, 5, 6, 60, 68, 190, 199, 205)		
72 (4, 5, 6, 60, 68, 190, 199, 205)		
83 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)		
89 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)		
73.74-21 (4, 68, 190, 198, 200, 205, 209)		
23 (4, 68, 190, 198, 200, 205, 209)		
29 (4, 68, 190, 198, 200, 205, 209)		
72 (4, 68, 190, 198, 200, 205, 209)		
83 (4, 7, 68, 190, 193, 198, 200, 205, 209)		
89 (4, 7, 68, 190, 193, 198, 200, 205, 209)		
73.75-11 (4, 5, 7, 45, 68, 190, 209)		
19 (4, 5, 7, 45, 68, 190, 209)		
23 (4, 5, 45, 68, 190, 209)		
24 (4, 5, 45, 68, 190, 209)		
29 (4, 5, 45, 68, 190, 209)		
33 (4, 5, 45, 68, 190, 209)		
34 (4, 5, 45, 68, 190, 209)		
39 (4, 5, 45, 68, 190, 209)		
43 (4, 5, 45, 68, 190, 209)		
44 (4, 5, 45, 68, 190, 209)		
49 (4, 5, 45, 68, 190, 209)		
73 (4, 5, 7, 38, 45, 68, 190, 209)		
79 (4, 5, 7, 38, 45, 68, 190, 209)		

CATEGORY 2

COLT ROLLED SHEET

NIMEXE code	TS USA	
	Code	Description
		A. CARBON STEEL
73.08-01 (87, 191, 202)		Plates and sheets of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
03 (87, 191, 202)		
05 (191, 202)		
07 (191, 202)		
21 (87, 191, 202)		Not coated or plated with metal and not clad:
25 (191, 202)		
29 (191, 202)		Other than black plate:
41 (87, 191, 202)		
45 (191, 202)		Pickled or cold rolled, other than alloy iron or steel:
49 (191, 202)	607.8320	— Plates
73.09-00 (87, 191)	607.8350	— Sheets, painted or varnished
73.10-15 (6, 87, 191)		
17 (6, 87, 191)		Other sheets, cold rolled:
30 (6, 87, 191)	607.8355	— Annealed and having a minimum yield point of 40 000 lbs psi
49 (6, 87, 191)	607.8360	— Other
73.12-11 (87, 191)		
19 (87, 191)		
21 (8, 191, 206)		
25 (8, 191, 206)		
29 (8, 191, 206)		
40 (84, 87, 191)		
88 (84, 87, 191, 202)		
89 (84, 87, 191, 202)		
73.13-11 (84, 87, 191, 206)		
16 (84, 87, 191, 206)		
17 (87, 191)		
19 (87, 191)		
41 (191)		
43 (191)		
45 (191)		
47 (191)		
49 (191, 206)		
50 (84, 87, 191)		
62 (50, 84, 87, 191)		
88 (84, 87, 191, 202)		
89 (84, 87, 191, 202)		
73.62-10 (87, 191, 202)		
30 (87, 191)		
73.63-29 (6, 87, 191)		
50 (6, 87, 191)		
79 (6, 87, 191)		
73.64-20 (87, 191)		
50 (8, 191, 206)		
79 (84, 87, 191, 202)		
73.65-21 (87, 191)		
53 (191)		
55 (191, 206)		
70 (84, 87, 191, 202)		
73.72-11 (87, 191, 202)		
13 (87, 191, 202)		
19 (87, 191, 202)		
33 (87, 191)		
39 (87, 191)		
73.73-33 (6, 87, 191)		
34 (6, 87, 191)		
35 (6, 87, 191)		
36 (6, 87, 191)		

NIMEXE code	TS USA	
	Code	Description
73.73-39 (6, 87, 191)		
53 (6, 87, 191)		
54 (6, 87, 191)		
55 (6, 87, 191)		
59 (6, 87, 191)		
83 (6, 87, 191)		
89 (6, 87, 191)		
73.74-21 (87, 191)		
23 (87, 191)		
29 (87, 191)		
51 (8, 191, 206)		
52 (8, 191, 206)		
53 (8, 191, 206)		
54 (8, 191, 206)		
59 (8, 191, 206)		
83 (84, 87, 191, 202)		
89 (84, 87, 191, 202)		
73.75-11 (84, 87, 191, 202, 206)		
19 (84, 87, 191, 202, 206)		
23 (87, 191)		
24 (87, 191)		
29 (87, 191)		
53 (191)		
54 (191)		
59 (191)		
63 (191, 206)		
64 (191, 206)		
69 (191, 206)		
73 (84, 87, 191, 202)		
79 (84, 87, 191, 202)		

B. ALLOY STEEL

73.08-01 (4, 5, 9, 68, 143, 190, 199)		Plates and sheets of alloy iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
03 (4, 5, 9, 68, 143, 190, 199)		
05 (4, 9, 68, 143, 190, 199)		
07 (4, 9, 68, 143, 190, 199)		Not coated or plated with metal and not clad:
21 (4, 5, 9, 68, 143, 190, 199)		
25 (4, 9, 68, 143, 190, 199)		Other than black plate:
29 (4, 9, 68, 143, 190, 199)		
41 (4, 5, 9, 68, 143, 190, 199)		Pickled or cold rolled:
45 (4, 9, 68, 143, 190, 199)		
49 (4, 9, 68, 143, 190, 199)		Other than of stainless steel, tool steel, high speed tool steel, tool steel of the type described in headnote 2 (H) (vii) and of chipper knife steel.
73.12-11 (4, 5, 8, 9, 68, 143, 190, 199)		
19 (4, 5, 8, 9, 68, 143, 190, 199)		
21 (4, 5, 8, 9, 68, 143, 190, 199, 206)	607.9320	— Sheets, other than of silicon electrical steel, and of heat-resisting steel
25 (4, 5, 8, 9, 68, 143, 190, 199, 206)		
29 (4, 5, 8, 9, 68, 143, 190, 199, 206)		
40 (4, 5, 8, 9, 68, 143, 190, 199)		
88 (4, 5, 8, 9, 68, 143, 190, 199)		
89 (4, 5, 8, 9, 38, 68, 143, 190, 199)		
73.13-11 (4, 5, 9, 68, 143, 190, 199)		
16 (4, 5, 9, 68, 143, 190, 199)		
17 (4, 5, 9, 68, 143, 190, 199)		
19 (4, 5, 9, 68, 143, 190, 199)		
21 (4, 9, 68, 143, 190, 199)		
23 (4, 9, 68, 143, 190, 199)		
26 (4, 9, 68, 143, 190, 199)		
32 (4, 9, 68, 143, 190, 199)		
34 (4, 9, 68, 143, 190, 199)		

NIMEXE code	TS USA	
	Code	Description
73.13-36 (4, 9, 68, 143, 190, 199)		
41 (4, 5, 9, 68, 143, 190, 199, 206)		
43 (4, 9, 68, 143, 190, 199, 206)		
45 (4, 9, 68, 143, 190, 199, 206)		
47 (4, 9, 68, 143, 190, 199, 206)		
49 (4, 9, 68, 143, 190, 199, 206)		
50 (4, 5, 9, 68, 143, 190, 199)		
62 (4, 5, 9, 50, 68, 143, 190, 199)		
88 (4, 5, 9, 68, 143, 190, 199)		
89 (4, 5, 9, 38, 68, 143, 190, 199)		
73.62-10 (4, 5, 9, 68, 143, 190, 199)		
73.64-20 (4, 5, 8, 9, 68, 143, 190, 199)		
50 (4, 5, 8, 9, 68, 190, 199, 206)		
79 (4, 5, 8, 9, 38, 68, 143, 190, 199)		
73.65-21 (4, 5, 9, 68, 143, 190, 199)		
23 (4, 9, 68, 143, 190, 199)		
25 (4, 9, 68, 143, 190, 199)		
53 (4, 5, 9, 68, 190, 199)		
55 (4, 9, 68, 190, 199, 206)		
70 (4, 5, 9, 38, 68, 143, 190, 199)		
73.72-11 (4, 5, 9, 68, 143, 190, 199)		
13 (4, 5, 9, 68, 143, 190, 199)		
19 (4, 5, 9, 68, 143, 190, 199)		
73.74-21 (4, 5, 8, 9, 68, 143, 190, 199)		
23 (4, 5, 8, 9, 68, 143, 190, 199)		
29 (4, 5, 8, 9, 68, 143, 190, 199)		
51 (4, 5, 8, 9, 68, 190, 199, 206)		
52 (4, 5, 8, 9, 68, 190, 199, 206)		
53 (4, 5, 8, 9, 68, 190, 199, 206)		
54 (4, 5, 8, 9, 68, 190, 199, 206)		
59 (4, 5, 8, 9, 68, 190, 199, 206)		
83 (4, 5, 8, 9, 38, 68, 143, 190, 199)		
89 (4, 5, 8, 9, 38, 68, 143, 190, 199)		
73.75-11 (4, 5, 9, 68, 143, 190, 199)		
19 (4, 5, 9, 68, 143, 190, 199)		
23 (4, 5, 9, 68, 143, 190, 199)		
24 (4, 5, 9, 68, 143, 190, 199)		
29 (4, 5, 9, 68, 143, 190, 199)		
33 (4, 9, 68, 143, 190, 199)		
34 (4, 9, 68, 143, 190, 199)		
39 (4, 9, 68, 143, 190, 199)		
43 (4, 9, 68, 143, 190, 199)		
44 (4, 9, 68, 143, 190, 199)		
49 (4, 9, 68, 143, 190, 199)		
53 (4, 5, 9, 68, 190, 199)		
54 (4, 5, 9, 68, 190, 199)		
59 (4, 5, 9, 68, 190, 199)		
63 (4, 9, 68, 190, 199, 206)		
64 (4, 9, 68, 190, 199, 206)		
69 (4, 9, 68, 190, 199, 206)		
73 (4, 5, 9, 38, 68, 143, 190, 199)		
79 (4, 5, 9, 38, 68, 143, 190, 199)		

CATEGORY 3

PLATE

NIMEXE code	TS USA	
	Code	Description
A. CARBON STEEL (INCLUDING COATED PLATE, CLAD PLATE AND CLAD SHEET)		
73.09-00 (12, 13, 45, 191)		Plates and sheets of iron or steel other than alloy, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
73.10-17 (6, 12, 13, 45, 191)		
42 (6, 44)		
45 (6, 44)		
49 (6, 40, 191, 193)		Not coated or plated with metal and not clad:
73.12-11 (12, 13, 14, 45, 191)		
19 (12, 13, 14, 45, 191)		Other than black plate:
40 (7, 12, 13, 14, 45, 191)		Plates, other than in coils, not pickled and not cold rolled
51 (13, 15, 191)	607.6620 (19)	— Over 6 inches in thickness
59 (13, 15, 191)	607.6625	— Other
61 (13, 15, 191)		
63 (13, 15, 191)	607.9400	— Clad
65 (13, 15, 191)		
71 (44)		Coated or plated with metal:
75 (44)		
81 (13, 15, 191, 193)		Other than tin plate, tin coated sheets, terne plate and terne-coated sheets:
85 (13, 15, 191, 193)		
87 (13, 15, 191, 193)	608.0710	— Plates, valued not over 10 cents per pound
88 (13, 15, 191)	608.1100	— Plates, valued over 10 cents per pound
89 (40, 191, 193)		
73.13-11 (7, 13, 14, 45, 191)		
16 (7, 13, 14, 45, 191)		
17 (13, 14, 45, 191)		
19 (13, 14, 45, 191)		
50 (7, 13, 14, 45, 191)		
62 (7, 13, 14, 45, 50, 191)		
64 (13, 15, 191)		
65 (13, 15, 191)		
67 (13, 15, 191)		
68 (13, 15, 191)		
72 (13, 15, 191)		
74 (13, 15, 191)		
78 (44)		
79		
84 (13, 15, 191, 193)		
86 (13, 15, 191, 193)		
87 (13, 15, 191, 193)		
88 (7, 13, 14, 45, 191)		
89 (40, 191, 193)		
73.62-30 (12, 45, 191)		
73.63-29 (6, 12, 13, 45, 191)		
72 (6, 44)		
74 (6, 44)		
79 (6, 40, 191, 193)		
73.64-20 (12, 13, 14, 45, 191)		
72 (44)		
75 (44)		
79 (40, 191, 193)		
72.65-21 (13, 14, 45, 191)		
70 (40, 44, 193, 211)		
73.72-33 (12, 13, 14, 45, 191)		
39 (12, 13, 14, 45, 191)		
73.73-33 (6, 12, 13, 45, 191)		
34 (6, 12, 13, 45, 191)		
35 (6, 12, 13, 45, 191)		
36 (6, 12, 13, 45, 191)		

NIMEXE code	TS USA	
	Code	Description
73.73-39 (6, 12, 13, 45, 191)		
72 (6, 44)		
74 (6, 44)		
83 (6, 40, 191, 193)		
89 (6, 40, 191, 193)		
73.74-21 (12, 13, 14, 45, 191)		
23 (12, 13, 14, 45, 191)		
29 (12, 13, 14, 45, 191)		
72 (44)		
74 (44)		
83 (40, 191, 193)		
89 (40, 191, 193)		
73.75-11 (7, 13, 14, 45, 191)		
19 (7, 13, 14, 45, 191)		
23 (13, 14, 45, 191)		
24 (13, 14, 45, 191)		
29 (13, 14, 45, 191)		
73 (40, 191, 193)		
79 (40, 191, 193)		

B. ALLOY STEEL (INCLUDING COATED PLATE)

73.08-01 (4, 13, 68, 190)		Plates of alloy iron or steel not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
03 (4, 13, 68, 190)		
21 (4, 13, 68, 190)		Not coated or plated with metal and not clad:
41 (4, 13, 68, 190)		
73.09-00 (4, 12, 20, 68, 190)		Other than black plate:
73.10-15 (4, 6, 12, 13, 68, 190)		
17 (4, 6, 12, 13, 68, 190)		Not pickled and not cold rolled:
30 (4, 6, 8, 13, 68, 190)		
49 (6, 13, 15, 190, 193, 212)		Other than of tool steel, high-speed-tool steel, tool steel of the type described in headnote 2 (H) (vii), chipper knife steel and of stainless steel:
73.12-11 (4, 12, 13, 68, 190)		
19 (4, 12, 13, 68, 190)		
21 (4, 8, 13, 68, 190)	607.7803 (19)	— Over 6 inches in thickness
25 (4, 8, 13, 68, 190)	607.7806	— Other
29 (4, 8, 13, 68, 190)	607.9100	— Pickled or cold rolled
40 (4, 8, 13, 68, 190)		
51 (13, 15, 190)		Coated or plated with metal:
59 (13, 15, 190)		
61 (13, 15, 190)	608.1420	— Plates, other than tin plates, tin-coated sheets, terne plate and terne-coated sheets
63 (13, 15, 190)		
65 (13, 15, 190)		
81 (13, 15, 190, 193)		
85 (13, 15, 190, 193)		
87 (13, 15, 190, 193)		
88 (4, 13, 15, 68, 190)		
89 (13, 15, 190, 193, 212)		
73.13-11 (4, 13, 68, 190)		
16 (4, 13, 68, 190)		
17 (4, 13, 68, 190)		
19 (4, 13, 68, 190)		
41 (4, 13, 68, 190)		
50 (4, 13, 68, 190)		
62 (4, 13, 50, 68, 190)		
64 (13, 190)		
65 (13, 190)		
67 (13, 190)		
68 (13, 190)		
72 (13, 190)		

NIMEXE code	TS USA	
	Code	Description
73.13-74 (13, 190)		
84 (13, 190, 193)		
86 (13, 190, 193)		
87 (13, 190, 193)		
88 (4, 13, 68, 190)		
89 (13, 190, 193, 212)		
73.62-10 (4, 13, 68, 190)		
30 (4, 12, 20, 68, 190)		
73.63-29 (4, 6, 12, 13, 68, 190)		
50 (4, 6, 8, 13, 68, 190)		
79 (6, 13, 15, 190, 193, 212)		
73.64-20 (4, 12, 13, 68, 190)		
50 (4, 8, 13, 68, 190)		
79 (13, 15, 190, 212)		
73.65-21 (4, 13, 68, 190)		
70 (13, 20, 190, 212)		
73.72-11 (4, 12, 13, 68, 190)		
13 (4, 12, 13, 68, 190)		
19 (4, 12, 13, 68, 190)		
33 (4, 12, 13, 20, 68, 190)		
39 (4, 12, 13, 20, 68, 190)		
73.73-33 (4, 6, 12, 13, 68, 190)		
34 (4, 6, 12, 13, 68, 190)		
35 (4, 6, 12, 13, 68, 190)		
36 (4, 6, 12, 13, 68, 190)		
39 (4, 6, 12, 13, 68, 190)		
53 (4, 6, 8, 13, 68, 190)		
54 (4, 6, 8, 13, 68, 190)		
55 (4, 6, 8, 13, 68, 190)		
59 (4, 6, 8, 13, 68, 190)		
83 (6, 13, 15, 190, 193, 212)		
89 (6, 13, 15, 190, 193, 212)		
73.74-21 (4, 12, 13, 68, 190)		
23 (4, 12, 13, 68, 190)		
29 (4, 12, 13, 68, 190)		
51 (4, 8, 13, 68, 190)		
52 (4, 8, 13, 68, 190)		
53 (4, 8, 13, 68, 190)		
54 (4, 8, 13, 68, 190)		
59 (4, 13, 68, 190)		
83 (13, 15, 190, 193, 212)		
89 (13, 15, 190, 193, 212)		
73.75-11 (4, 13, 68, 190)		
19 (4, 13, 68, 190)		
23 (4, 13, 68, 190)		
24 (4, 13, 68, 190)		
29 (4, 13, 68, 190)		
53 (4, 13, 68, 190)		
54 (4, 13, 68, 190)		
59 (4, 13, 68, 190)		
73 (13, 20, 190, 193, 212)		
79 (13, 20, 190, 193, 212)		

CATEGORY 4

STRUCTURALS

NIMEXE code	TS USA	
	Code	Description
A. CARBON STEEL		
73.11-11 (21, 152, 191)		Angles, shapes and sections, all the foregoing, of iron or steel, hot rolled, forged, extruded, or drawn, or cold formed or cold finished, whether or not drilled, punched, or otherwise advanced:
12 (152, 191)		
14 (152, 191)		
16 (152, 191)		
19 (21, 152, 191)		Hot rolled, or cold formed and weighing over 0,29 pound per linear foot:
20 (21, 152, 191)		
31 (21, 112, 152, 191)		Not drilled, not punched, and not otherwise advanced, other than alloy iron or steel:
39 (21, 112, 152, 191)		
41 (21, 152, 191)		Having a maximum cross-sectional dimension of 3 inches or more:
43 (21, 112, 152, 191)		
49 (21, 112, 152, 191)		Wide flange shapes or sections
73.16-11 (21, 112, 152, 191)		
73.63-10 (21, 152, 191)	609.8005	— H-piles
29 (21, 152, 191)	609.8015	— Other
50 (21, 112, 152, 191)		
72 (21, 152, 191)		Other:
74 (21, 112, 152, 191)	609.8035	— Angles
79 (21, 112, 152, 191)	609.8041	— Channels
73.73-13 (21, 152, 191)	609.8045	— Other
14 (21, 152, 191)		
19 (21, 152, 191)		
33 (21, 152, 191)		
34 (21, 152, 191)		
35 (21, 152, 191)		
36 (21, 152, 191)		
39 (21, 152, 191)		
43 (21, 112, 152, 191)		
49 (21, 112, 152, 191)		
53 (21, 112, 152, 191)		
54 (21, 112, 152, 191)		
55 (21, 112, 152, 191)		
59 (21, 112, 152, 191)		
72 (21, 152, 191)		
74 (21, 112, 152, 191)		
83 (21, 112, 152, 191)		
89 (21, 112, 152, 191)		
B. ALLOY AND STAINLESS STEEL		
73.11-11 (152, 190)		Angles, shapes and sections, all the foregoing of alloy iron or steel, hot rolled, forged, extruded, or drawn, or cold formed or cold finished, whether or not drilled, punched, or otherwise advanced:
12 (152, 190)		
14 (152, 190)		
16 (152, 190)		
19 (152, 190)		Hot rolled, or cold formed and weighing over 0,29 pound per linear foot:
20 (152, 190)		
31 (112, 152, 190)		Not drilled, not punched, and not otherwise advanced:
39 (112, 152, 190)		
41 (152, 190)		Stainless steel:
43 (112, 152, 190)		
49 (112, 152, 190)		Having a maximum cross-sectional dimension of 3 inches or more:

NIMEXE code	TS USA	
	Code	Description
73.16-11 (112, 152, 190)	609.8205	— Angles
73.63-10 (152, 190)	609.8210	— Other
29 (152, 190)		
50 (112, 152, 190)		Having a maximum cross-sectional dimension of less than 3 inches:
72 (152, 190)		
74 (112, 152, 190)	609.8215	— Angles
79 (112, 152, 190)	609.8220	— Other
73.73-13 (152, 190)		Other than stainless steel:
14 (152, 190)		
19 (152, 190)		Having a maximum cross-sectional dimension of 3 inches or more:
33 (152, 190)		
34 (152, 190)		
35 (152, 190)	609.8225	— Angles
36 (152, 190)	609.8230	— Other
39 (152, 190)		
43 (112, 152, 190)		Having a maximum cross-sectional dimension of less than 3 inches:
49 (112, 152, 190)		
53 (112, 152, 190)	609.8235	— Angles
54 (112, 152, 190)	609.8240	— Other
55 (112, 152, 190)		
59 (112, 152, 190)		
72 (152, 190)		
74 (112, 152, 190)		
83 (112, 152, 190)		
89 (112, 152, 190)		

CATEGORY 5

CARBON WIRE ROD

NIMEXE code	TS USA	
	Code	Description
73.10-11 (25, 191)		Wire rods of iron or steel, other than alloy:
15 (25, 191)		
73.63-21 (25, 191)		Not tempered, not treated, and not partly manufactured:
29 (25, 191)	607.1400	— Valued not over 4 cents per pound
73.73-23 (25, 191)	607.1700	— Valued over 4 cents per pound
24 (25, 191)		
25 (25, 191)		Tempered, treated, or partly manufactured:
26 (25, 191)		
29 (25, 191)	607.2200	— Valued not over 4 cents per pound
33 (25, 191)	607.2300	— Valued over 4 cents per pound
34 (25, 191)		
35 (25, 191)		
36 (25, 191)		
39 (25, 191)		

CATEGORY 6

HOT-ROLLED BAR

NIMEXE code	TS USA	
	Code	Description
		A. CARBON STEEL
73.07-12 (191, 220)		Bars of steel (other than deformed concrete reinforcing bars):
15 (191, 220)		
73.09-00 (32, 97, 191)		Other than alloy steel:
73.10-11 (29a, 29b, 29d, 191)		Not cold formed:
15 (29a, 29b, 29d, 191)		
17 (29a, 29b, 29d, 191)		Not coated or plated with metal:
20 (29a, 191)	606.8310	— Flats
42 (29a, 29b, 191)	606.8330	— Rounds
49 (29a, 29b, 31, 97, 191)	606.8350	— Other
73.12-11 (29b, 191)		
19 (29b, 191)		
40 (29b, 31, 191)		
71 (29b, 191)		
88 (29b, 191)		
89 (29b, 97, 191)		
73.61-10 (191, 220, 231)		
50 (191, 220, 231)		
73.62-30 (32, 97, 191)		
73.63-10 (29a, 191)		
21 (29a, 29b, 29d, 191)		
29 (29a, 29b, 29d, 72, 191)		
72 (29a, 29b, 29d, 191)		
79 (29a, 29b, 29d, 31, 97, 191)		
73.64.20 (29b, 191)		
72 (29b, 191)		
79 (29b, 97, 191)		
73.71-13 (191, 220, 231)		
14 (191, 220, 231)		
19 (191, 220, 231)		
53 (191, 220, 231)		
54 (191, 220, 231)		
55 (191, 220, 231)		
56 (191, 220, 231)		
59 (191, 220, 231)		
73.72-33 (32, 97, 191)		
39 (32, 97, 191)		
73.73-13 (29a, 191)		
14 (29a, 191)		
19 (29a, 191)		
23 (29a, 29b, 29d, 191)		
24 (29a, 29b, 29d, 191)		
25 (29a, 29b, 29d, 191)		
26 (29a, 29b, 29d, 191)		
29 (29a, 29b, 29d, 191)		
33 (29a, 29b, 29d, 72, 191)		
34 (29a, 29b, 29d, 72, 191)		
35 (29a, 29b, 29d, 72, 191)		
36 (29a, 29b, 29d, 72, 191)		
39 (29a, 29b, 29d, 72, 191)		
72 (29a, 29b, 29d, 191)		
83 (29a, 29b, 29d, 31, 97, 191)		
89 (29a, 29b, 29d, 31, 97, 191)		
73.74-21 (29b, 191)		
23 (29b, 191)		
29 (29b, 191)		
72 (29b, 191)		
83 (29b, 97, 191)		
89 (29b, 97, 191)		

NIMEXE code	TS USA	
	Code	Description
		B. ALLOY STEEL
73.07-12 (4, 68, 190, 220)		Bars of steel, (other than deformed concrete reinforcing bars):
15 (4, 68, 190, 220)		
73.09-00 (4, 32, 68, 190)		Alloy steel, not cold formed:
73.10-11 (4, 29a, 29b, 29d, 68, 190)	606.9700	— Other than stainless steel, tool steel of the type described in headnote 2 (H) (vii), chipper knife steel, high-speed-tool steel. band-saw steel and other tool steel
15 (4, 29a, 29b, 29d, 68, 190)		
17 (4, 29a, 29b, 29d, 68, 190)		
20 (4, 29a, 29d, 29d, 68, 190)		
42 (4, 29a, 29b, 68, 190)		
49 (4, 29a, 29b, 29d, 31, 68, 190)		
72.12-11 (4, 29b, 68, 190)		
19 (4, 29b, 68, 190)		
40 (4, 29b, 68, 190)		
51 (4, 29b, 68, 190)		
59 (4, 29b, 68, 190)		
61 (4, 29b, 68, 190)		
63 (4, 29b, 68, 190)		
65 (4, 29b, 68, 190)		
71 (4, 29b, 68, 190)		
77 (4, 29b, 68, 190)		
81 (4, 29b, 68, 190)		
85 (4, 29b, 68, 190)		
87 (4, 29b, 68, 190)		
88 (4, 29b, 68, 190)		
89 (4, 29b, 68, 190)		
73.61-10 (4, 68, 190, 220, 231)		
50 (4, 68, 190, 220, 231)		
73.62-30 (4, 32, 68, 190)		
73.63-10 (4, 29a, 29d, 68, 190)		
21 (29a, 29b, 29d, 68, 190)		
29 (29a, 29b, 29d, 68, 72, 190)		
72 (4, 29a, 29b, 29d, 68, 190)		
79 (4, 29a, 29b, 29d, 31, 68, 190)		
73.64-20 (4, 29b, 68, 190)		
72 (4, 29b, 68, 190)		
79 (4, 29b, 68, 190)		
73.71-13 (4, 68, 190, 220, 231)		
14 (4, 68, 190, 220, 231)		
19 (4, 68, 190, 220, 231)		
53 (4, 68, 190, 220, 231)		
54 (4, 68, 190, 220, 231)		
55 (4, 68, 190, 220, 231)		
56 (4, 68, 190, 220, 231)		
59 (4, 68, 190, 220, 231)		
73.72-33 (4, 32, 68, 190)		
39 (4, 32, 68, 190)		
73.73-13 (4, 29a, 29b, 68, 190)		
14 (4, 29a, 29b, 68, 190)		
19 (4, 29a, 29b, 68, 190)		
23 (4, 29a, 29b, 29d, 68, 190)		
24 (4, 29a, 29b, 29d, 68, 190)		
25 (4, 29a, 29b, 29d, 68, 190)		
26 (4, 29a, 29b, 29d, 68, 190)		
29 (4, 29a, 29b, 29d, 68, 190)		
33 (4, 29a, 29b, 29d, 68, 72, 190)		
34 (4, 29a, 29b, 29d, 68, 72, 190)		
35 (4, 29a, 29b, 29d, 68, 72, 190)		
36 (4, 29a, 29b, 29d, 68, 72, 190)		
39 (4, 29a, 29b, 29d, 68, 72, 190)		
72 (4, 29a, 29b, 29d, 68, 190)		
83 (4, 29a, 29b, 29d, 31, 68, 190)		
89 (4, 29a, 29b, 29d, 31, 68, 190)		
73.74-21 (4, 29b, 68, 190)		
23 (4, 29b, 68, 190)		
29 (4, 29b, 68, 190)		
72 (4, 29b, 68, 190)		
83 (4, 29b, 68, 190)		
89 (4, 29b, 68, 190)		

CATEGORY 7

COATED SHEET

NIMEXE code	TS USA	
	Code	Description
		A. CARBON STEEL
73.12-61 (5, 8, 191)		Sheets of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
63 (5, 8, 191)		
65 (5, 8, 102, 191)		
81 (5, 8, 191, 193)		Coated or plated with metal:
85 (5, 8, 191, 193)		
87 (5, 8, 191, 193)		Other than tinplate, tin-coated sheets, terne plate and terne-coated sheets:
89 (5, 8, 35, 80, 102, 191, 193)		
73.13-67 (5, 191)		Other than alloy steel:
68 (5, 191)		
72 (5, 191)	608.0730	— Valued not over 10 cents per pound
74 (5, 102, 191)		Valued over 10 cents per pound:
84 (5, 191, 193)		
86 (5, 191, 193)		Zinc coated or plated:
87 (5, 191, 193)	608.1310	— Painted or varnished
89 (5, 35, 80, 102, 191, 193)		
73.64-79 (5, 8, 35, 80, 102, 191, 193)		Other:
73.65-70 (5, 20, 35, 80, 102, 191, 193)	608.1320	— having a minimum yield point of 40 000 lbs psi
73.74-83 (5, 8, 35, 80, 102, 191, 193)	608.1330	— Other
89 (5, 8, 35, 80, 102, 191, 193)		
73.75-73 (5, 20, 35, 80, 102, 191, 193)	608.1340	— Aluminium coated or plated
79 (5, 20, 35, 80, 102, 191, 193)	608.1350	— Other, including plated with zinc and aluminium
		B. ALLOY AND STAINLESS STEEL (INCLUDING TERNE PLATE)
73.12-61 (5, 8, 190)		Sheets of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
63 (5, 8, 190)		
65 (5, 8, 190, 227)		
81 (5, 8, 190, 193)		Coated or plated with metal:
85 (5, 8, 190, 193)	608.0100	— Terne plate and terne-coated sheets
87 (5, 8, 190, 193)	608.1440	— Sheets of alloy iron or steel, other than tinplate, tin-coated sheets, terne plate and terne-coated sheets
89 (5, 8, 35, 80, 190, 193, 227)		
73.13-67 (5, 190)		
68 (5, 190)		
72 (5, 190)		
74 (5, 190, 227)		
84 (5, 190, 193)		
86 (5, 190, 193)		
87 (5, 190, 193)		
89 (5, 35, 80, 190, 193, 227)		
73.64-79 (5, 8, 35, 80, 190, 193, 227)		
73.65-70 (5, 20, 35, 80, 190, 193, 227)		
73.74-83 (5, 8, 35, 80, 190, 193, 227)		
89 (5, 8, 35, 80, 190, 193, 227)		
73.75-73 (5, 20, 35, 80, 190, 193, 227)		
79 (5, 20, 35, 80, 190, 193, 227)		

CATEGORY 8

TIN-PLATE

NIMEXE code	TS USA	
	Code	Description
73.12-51 (5, 79) 59 (5, 79) 89 (5, 79) 73.13-64 (5, 79) 65 (5, 79) 76 (5, 79) 89 (5, 79) 73.64-79 (5, 79) 73.65-70 (5, 79) 73.74-83 (5, 79) 89 (5, 79) 73.75-73 (5, 79) 79 (5, 79)		Sheets of iron or steel, not cut, not pressed and not stamped to non-rectangular shape (except as provided in item 609.17): Coated or plated with metal: Tin-plate and tin-coated sheets: — Imported for use in the manufacture of maple sap evaporators
	607.9600	
		Other:
	607.9700	— Valued not over 10 cents per pound
	607.9900	— Valued over 10 cents per pound

CATEGORY 9

RAILS

NIMEXE code	TS USA	
	Code	Description
73.16-14 16 17 20		Rails: Other than alloy steel:
	610.2010	— Standard tee rails over 60 pounds per yard
		Other:
	610.2025	— Over 60 pounds per yard
	610.2030	— Other
	610.2100	— Alloy steel

CATEGORY 10

SHEET PILING

NIMEXE code	TS USA	
	Code	Description
73.11-50		Sheet piling:
	609.9600	— Other than alloy iron or steel
	609.9800	— Alloy iron or steel

CATEGORY 11

ALLOY WIRE ROD

NIMEXE code	TS USA	
	Code	Description
73.10-11 (4, 25, 68, 190) 15 (4, 25, 68, 190) 73.63-21 (4, 25, 68, 190) 29 (4, 25, 68, 190) 73.73-23 (4, 25, 68, 190) 24 (4, 25, 68, 190) 25 (4, 25, 68, 190) 26 (4, 25, 68, 190) 29 (4, 25, 68, 190) 33 (4, 25, 68, 190) 34 (4, 25, 68, 190) 35 (4, 25, 68, 190) 36 (4, 25, 68, 190) 39 (4, 25, 68, 190)	607.4100 607.5900	Wire rods of other alloy iron or steel than stainless steel, high-speed-tool steel, tool steel of the type described in headnote 2 (H) (vii) of this subpart, chipper knife steel of the type described in headnote 2 (H) (viii), band-saw steel of the type described in statistical headnote 1 (b) or other tool steel: — Not tempered, not treated, and not partly manufactured — Tempered, treated or partly manufactured

CATEGORY 12

ROUND, FLAT AND OTHER WIRE

NIMEXE code	TS USA	
	Code	Description
73.10-30 (75, 147, 213, 214, 216)		Wire of iron or steel
45 (75, 147, 213, 214, 216)		Flat wire:
49 (75, 147, 213, 214, 216)		Other than alloy iron or steel:
73.12-21 (75, 147, 213, 214)		Not coated or plated with metal:
25 (75, 147, 213, 214)		
29 (75, 147, 213, 214)		
40 (75, 147, 213, 214)	609.2000 (184)	— Not over 0,01 inch in thickness
51 (75, 147, 214)	609.2100	— Over 0,01 inch but not over 0,05 inch in thickness
59 (75, 147, 214)	609.2200	— Over 0,05 inch in thickness
61 (75, 147, 214)		Coated or plated with metal:
63 (75, 147, 214)		
65 (75, 147, 214)	609.2500	— Not over 0,01 inch in thickness
75 (75, 147, 213, 214)	609.2800	— Over 0,01 inch in thickness
77 (75, 147, 214)		Alloy iron or steel:
81 (75, 147, 214)		Not coated or plated with metal:
85 (75, 147, 214)		Not over 0,01 inch in thickness:
87 (75, 147, 214)	609.3040	— Other than stainless steel
88 (75, 147, 213, 214)		Over 0,01 inch in thickness:
89 (75, 147, 213, 214)	609.3340 (184)	— Other than stainless steel
73.14-01 (3, 147, 213, 214, 216)		Coated or plated with metal:
11 (3, 147, 213, 214, 216)	609.3500	— Not over 0,01 inch in thickness
13 (3, 147, 213, 214, 216)	609.3600	— Over 0,01 inch but not over 0,05 inch in thickness
15 (3, 147, 213, 214, 216)	609.3700	— Over 0,05 inch in thickness
19 (3, 147, 213, 214, 216)		Round wire:
21 (75, 147, 213, 214, 216)		Other than alloy iron or steel:
41 (75, 147, 213, 214, 216)		Under 0,060 inch in diameter:
43 (75, 147, 213, 214, 216)		Containing not over 0,25 percent by weight of carbon:
45 (75, 147, 213, 214, 216)	609.4010	— Not coated or plated with metal
49 (75, 147, 213, 214, 216)	609.4040	— Coated or plated with metal
81 (75, 147, 213, 214, 216)		Containing over 0,25 percent by weight of carbon:
91 (75, 147, 213, 214, 216)	609.4055	— Not coated or plated with metal
99 (75, 147, 213, 214, 216)	609.4065	— Coated or plated with metal
73.63-50 (75, 147, 213, 214, 216)		0,060 inch or more in diameter:
74 (75, 147, 213, 214, 216)		Containing not over 0,25 percent by weight of carbon:
79 (75, 147, 213, 214, 216)		Not coated or plated with metal:
73.64-50 (75, 147, 213, 214)	609.4120	— Baling wire
75 (75, 147, 213, 214)	609.4125	— Other
79 (75, 147, 213, 214)	609.4165	— Coated or plated with metal
73.66-40 (75, 147, 213, 214, 216)		Containing over 0,25 percent by weight of carbon:
81 (75, 147, 213, 214, 216)	609.4315	— Not coated or plated with metal
86 (75, 147, 213, 214, 216)	609.4365	— Coated or plated with metal
89 (75, 147, 213, 214, 216)		Alloy iron or steel
73.73-53 (75, 147, 213, 214, 216)		Under 0,060 inch in diameter:
54 (75, 147, 213, 214, 216)		
55 (75, 147, 213, 214, 216)		
59 (75, 147, 213, 214, 216)		
74 (75, 147, 213, 214, 216)		
83 (75, 147, 213, 214, 216)		
89 (75, 147, 213, 214, 216)		
73.74-51 (75, 147, 213, 214)		
52 (75, 147, 213, 214)		
53 (75, 147, 213, 214)		
54 (75, 147, 213, 214)		
59 (75, 147, 213, 214)		
74 (75, 147, 213, 214)		
83 (75, 147, 213, 214)		
89 (75, 147, 213, 214)		
73.76-13 (75, 147, 213, 214, 216)		
14 (75, 147, 213, 214, 216)		
15 (75, 147, 213, 214, 216)		

NIMEXE code	TS USA	
	Code	Description
73.76-16 (75, 147, 213, 214, 216) 19 (75, 147, 213, 214, 216)	609.4530	— Other than stainless steel or High-speed-tool steel 0,060 inch or more in diameter:
	609.4560	— Other than stainless steel or High-speed-tool steel
		Other wire:
		Other than alloy iron or steel:
	609.7000	— Not coated or plated with metal
	609.7200	— Coated or plated with metal
		Alloy iron or steel:
	609.7500	— Not coated or plated with metal
	609.7600	— Coated or plated with metal
		Milliners' wire and other wire covered with textile or other material not wholly of metal:
	642.9600	— Galvanized wire wholly of round iron or steel wire measuring not over 0,20 inch and not under 0,075 inch in diameter, if covered with plastics
	642.9700	— Other

CATEGORY 13

WIRE PRODUCTS

NIMEXE code	TS USA	
	Code	Description
73.10-30 (148)	642.0200	— Barbed wire
45 (148)		
49 (148)		
73.12-21 (148)		
25 (148)		
29 (148)		Galvanized wire fencing wholly of round iron or steel wire measuring not over 0,20 inch and not under 0,075 inch in diameter, whether or not such wire is covered with plastics
40 (148)		
51 (148)		
59 (148)		
61 (148)		Chain-link fencing:
63 (148)	642.3510	— Plastic covered
65 (148)	642.3530	— Other
75 (148)		
77 (148)		Other:
81 (148)	642.3570	— Other than welded
85 (148)		
87 (148)		
88 (148)		
89 (148)		
73.14-01 (148)		
11 (148)		Bale ties, of iron or steel, with or without buckles or fastenings and whether or not coated with paint or other substance:
13 (148)		
15 (148)		Made from wire:
19 (148)		
21 (148)	642.9000	— Single loop ties made of round wire over 0,055 but not over 0,082 inch in diameter, and 7,5 or more but not over 10,5 feet in length
41 (148)		
43 (148)		
45 (148)	642.91000	— Other
49 (148)		
81 (148)		
91 (148)		
99 (148)		
73.26-00		Brads, nails, spikes, staples, and tacks, all the foregoing, not described in the foregoing provisions of this subpart, of base metal:
73.27-20 (28)		
31 (28)		Of iron or steel (except articles with heads of nonferrous metals):
41 (28)		
91 (28)		
73.31-92 (121)		Of one piece construction:
96 (121)		
97 (121)		Made of round wire:
98 (121)	646.2500	— Under 1 inch in length and under 0,065 inch in diameter
73.63-50 (148)		
74 (148)		1 inch or more in length and 0,065 inch in diameter:
79 (148)		
73.64-50 (148)		Smooth shank:
75 (148)	646.2622	— Not coated, plated, or painted
79 (148)		
73.66-40 (148)		Coated, plated, or painted:
81 (148)	646.2624	— Galvanized
86 (148)	646.2626	— Vinyl, resin, or cement coated
89 (148)	646.2628	— Other
73.73-53 (148)		
54 (148)		Other:
55 (148)		
59 (148)	646.2642	— Not coated, plated, or painted
74 (148)		
83 (148)		Coated, plated, or painted:
89 (148)	646.2644	— Galvanized
73.74-51 (148)	646.2646	— Vinyl, resin, or cement coated
52 (148)	646.2648	— Other

NIMEXE code	TS USA	
	Code	Description
73.74-53 (148)		Other (except cut)
54 (148)	646.3040	— Other than railway track spikes
59 (148)	646.3200	— Of two or more pieces
74 (148)	646.3600 (122)	— Other (except of copper)
83 (148)		
89 (148)		
73.76-13 (148)		
14 (148)		
15 (148)		
16 (148)		
19 (148)		

CATEGORY 14

BLACK PLATE

NIMEXE code	TS USA	
	Code	Description
73.12-21 (186)		Black plate, not cut, not pressed, and not stamped to non-rectangular shape, not coated or plated with metal and not clad
25 (186)		
29 (186)	607.6200	— Corrugated or crimped
88 (186)	607.6400	— Other
89 (186)		
73.13-11 (186)		
16 (186)		
49 (186)		
50 (186)		
88 (186)		
89 (186)		
73.64-50 (186)		
79 (186)		
73.65-55 (186)		
70 (186)		
73.74-51 (186)		
52 (186)		
53 (186)		
54 (186)		
59 (186)		
83 (186)		
89 (186)		
73.75-11 (186)		
19 (186)		
63 (186)		
64 (186)		
69 (186)		
73 (186)		
79 (186)		

CATEGORY 15

ELECTRICAL SHEET AND STRIP

NIMEXE code	TS USA	
	Code	Description
73.08-01 (51, 124)		Sheets of silicon electrical steel, not cut, not pressed, and not stamped to non-rectangular shape, not coated or plated with metal and not clad:
03 (51, 124)		
05 (51, 124)		
07 (51, 124)	607.9205	— Pickled but not cold-rolled
21 (51, 124)	607.9210	— Other
25 (51, 124)	608.3900	— Strip, of silicon electrical steel, not cut, not pressed, and not stamped to non-rectangular shape, over 0,01 but not over 0,05 inch in thickness
29 (51, 124)		
41 (51, 124)		
45 (51, 124)		
49 (51, 124)		
73.10-11 (6, 51, 124)		
15 (6, 51, 124)		
17 (6, 51, 124)		
42 (6, 51, 124)		
49 (6, 51, 124)		
73.12-11 (51, 124)		
19 (51, 124)		
25 (51, 124, 206)		
29 (51, 124, 206)		
40 (51, 124)		
88 (51, 124)		
89 (51, 124, 207)		
73.13-11 (51, 124, 206)		
16 (51, 124, 206)		
17 (51, 124)		
19 (51, 124)		
21 (51, 124)		
23 (51, 124)		
26 (51, 124)		
32 (51, 124)		
34 (51, 124)		
36 (51, 124)		
41 (51, 124)		
43 (51, 124)		
45 (51, 124)		
47 (51, 124)		
49 (51, 124, 206)		
50 (51, 124)		
62 (50, 51, 124, 207)		
88 (51, 124)		
89 (51, 124, 207)		
73.62-10 (51, 124)		
73.63-21 (6, 51, 124)		
29 (6, 51, 124)		
72 (6, 51, 124)		
79 (6, 51, 124)		
73.64-20 (51, 124)		
50 (51, 124, 206)		
79 (51, 124, 207)		
73.65-21 (51, 124)		
23 (51, 124)		
25 (51, 124)		
53 (51, 124)		
55 (51, 124, 206)		
70 (51, 124, 207)		
73.72-11 (51, 124)		
19 (51, 124)		
73.73-23 (6, 51, 124)		
24 (6, 51, 124)		
25 (6, 51, 124)		
26 (6, 51, 124)		

NIMEXE code	TS USA	
	Code	Description
73.73-29 (6, 51, 124)		
33 (6, 51, 124)		
34 (6, 51, 124)		
35 (6, 51, 124)		
36 (6, 51, 124)		
39 (6, 51, 124)		
72 (6, 51, 124)		
83 (6, 51, 124)		
89 (6, 51, 124)		
73.74-21 (51, 124)		
29 (51, 124)		
51 (51, 124, 206)		
52 (51, 124, 206)		
53 (51, 124, 206)		
54 (51, 124, 206)		
59 (51, 124, 206)		
74 (51, 124, 207)		
83 (51, 124, 207)		
89 (51, 124, 207)		
73.75-89 (51, 124, 207)		
11 (51, 124, 206)		
19 (51, 124, 206)		
29 (51, 124)		
39 (51, 124)		
49 (51, 124)		
59 (51, 124)		
69 (51, 124, 206)		
73 (51, 124, 207)		
79 (51, 124, 207)		

CATEGORY 16

TIN – FREE STEEL

NIMEXE code	TS USA	
	Code	Description
73.10-49 (163)		Plates, sheets, and strip, all the foregoing, of iron or steel, whether or not cut, pressed, or stamped to non-rectangular shape, if electrolytically coated or plated with base metal other than tin, lead or zinc:
73.12-77 (76)		
81 (163)		
85 (163)		
87 (163)		
89 (163)	609.1710	— Plated or covered with chromium oxide or with chromium and chromium oxide
73.13-82		
84 (163)	609.1790	— Other
86 (163)		
87 (163)		
89 (163)		
92 (163)		
73.64-79 (163)		
73.65-70 (163)		
81 (163)		
73.73-83 (163)		
89 (163)		
73.74-83 (163)		
89 (163)		
73.75-73 (163)		
79 (163)		
83 (163)		
84 (163)		
89 (163)		

CATEGORY 17

COLD-ROLLED STRIP

NIMEXE code	TS USA	
	Code	Description
73.10-30 (4, 5, 6, 59, 199, 205)		Strip, of iron or steel, not cut, not pressed and not stamped to non-rectangular shape:
45 (4, 5, 6, 59, 199, 205)		
49 (4, 5, 6, 59, 193, 199, 205)		Other than alloy iron or steel:
73.12-21 (4, 5, 59, 60, 199, 205)		
25 (4, 5, 59, 60, 199, 205)		Not over 0,01 inch in thickness:
29 (4, 5, 59, 60, 199, 205)	608.1940	— Cold rolled
40 (4, 5, 59, 60, 199, 205)		
51 (4, 5, 59, 60, 199, 205)		Over 0,01 but not over 0,05 inch in thickness, cold-rolled:
59 (4, 5, 59, 60, 199, 205)	608.2145 (184)	— Under 2 inches in width, in coils
61 (4, 5, 59, 60, 199, 205)		
63 (4, 5, 59, 60, 199, 205)	608.2150 (184)	— Other
65 (4, 5, 59, 60, 199, 205)		Over 0,05 inch in thickness:
75 (4, 5, 59, 60, 199, 205)	608.2340	— Cold rolled
81 (4, 5, 59, 60, 193, 199, 205)		
85 (4, 5, 59, 60, 193, 199, 205)		Alloy iron or steel:
87 (4, 5, 59, 60, 193, 199, 205)		
88 (4, 5, 59, 60, 199, 205)		Not over 0,01 inch in thickness:
89 (4, 5, 59, 60, 193, 199, 205)	608.3820 (33)	— Other than stainless steel, heat-resisting steel, tool steel of the type described in headnote 2 (h) (vii) of this subpart, chipper knife steel of the type described in headnote 2 (h) (viii) and band-saw steel of the type described in statistical headnote 1 (b), or other tool steel
73-63-50 (4, 5, 6, 59, 199, 205)		
74 (4, 5, 6, 59, 199, 205)		
79 (4, 5, 6, 59, 193, 199, 205)		
73.64-50 (4, 5, 59, 60, 199, 205)		Over 0,01 but not over 0,05 inch in thickness:
75 (4, 5, 59, 60, 199, 205)		
79 (4, 5, 59, 60, 193, 199, 205)	608.5520 (33) (184)	— Other than silicon electrical steel, stainless steel, heat-resisting steel, tool steel of the type described in headnote 2 (h) (vii) of this subpart, chipper knife steel of the type described in headnote 2 (h) (viii) and band-saw steel of the type described in statistical headnote 1 (b), or other tool steel
73.73-53 (4, 5, 6, 59, 199, 205)		
54 (4, 5, 6, 59, 199, 205)		
55 (4, 5, 6, 59, 199, 205)		
59 (4, 5, 6, 59, 199, 205)		
74 (4, 5, 6, 59, 199, 205)		
83 (4, 5, 6, 59, 193, 199, 205)		
89 (4, 5, 6, 59, 193, 199, 205)		Over 0,05 inch in thickness:
73.74-51 (4, 5, 59, 60, 199, 205)	608.6720 (33)	— Other than stainless steel, heat-resisting steel, tool steel of the type described in headnote 2 (h) (vii) of this subpart, chipper knife steel of the type described in headnote 2 (h) (viii) and band-saw steel of the type described in statistical headnote 1 (b), or other tool steel
52 (4, 5, 59, 60, 199, 205)		
53 (4, 5, 59, 60, 199, 205)		
54 (4, 5, 59, 60, 199, 205)		
59 (4, 5, 59, 60, 199, 205)		
74 (4, 5, 59, 60, 199, 205)		
83 (4, 5, 59, 60, 193, 199, 205)		
89 (4, 5, 59, 60, 193, 199, 205)		

CATEGORY 18

COLD-FINISHED AND OTHER BAR

NIMEXE code	TS USA	
	Code	Description
A. NOT COLD FORMED		
73.09-00 (32, 35, 191)	606.8600	— Other bars than deformed concrete reinforcing bars, other than alloy, not cold-formed, coated or plated with metal
73.10-49 (29a, 29b, 188, 191)		
73.12-51 (29b, 188, 191)		
59 (29b, 188, 191)		
61 (29b, 188, 191)		
63 (29b, 188, 191)		
65 (29b, 188, 191)		
77 (29b, 188, 191)		
81 (29b, 188, 191)		
85 (29b, 188, 191)		
87 (29b, 188, 191)		
89 (29b, 188, 191)		
73.62-30 (32, 35, 191)		
73.63-79 (29a, 29b, 188, 191)		
73.64-79 (29b, 188, 191)		
73.72-33 (32, 35, 191)		
39 (32, 35, 191)		
73.73-83 (29a, 29b, 188, 191)		
89 (29a, 29b, 188, 191)		
73.74-83 (29b, 188, 191)		
89 (29b, 188, 191)		
B. COLD FORMED		
73.10-30 (4, 29a, 29c, 68, 76)		Other bars of steel than deformed concrete reinforcing bars, cold-formed:
45 (4, 29a, 29c, 68, 76)		
49 (4, 29a, 29c, 34, 68, 76)		Other than alloy steel:
73.12-21 (4, 29c, 68, 76)		
25 (4, 29c, 68, 76)	606.8805	— Containing over 0,1 % by weight of either sulphur or lead
29 (4, 29c, 68, 76)	606.8815	— Other
40 (4, 29c, 68, 76)		
51 (4, 29c, 68, 76)		Alloy steel:
59 (4, 29c, 68, 76)		
61 (4, 29c, 68, 76)	606.9900	— Other than stainless steel, tool steel of the type described in headnote 2 (H) (vii) of this subpart, chipper knife steel, high-speed-tool steel, band-saw steel or other tool steel
63 (4, 29c, 68, 76)		
65 (4, 29c, 68, 76)		
75 (4, 29c, 68, 76)		
77 (4, 29c, 68, 76)		
81 (4, 29c, 68, 76)		
85 (4, 29c, 68, 76)		
87 (4, 29c, 68, 76)		
88 (4, 29c, 68, 76)		
89 (4, 29c, 68, 76)		
73.14-01 (4, 14, 68)		
11 (4, 14, 68)		
13 (4, 14, 68)		
15 (4, 14, 68)		
19 (4, 14, 68)		
21 (4, 68, 76)		
41 (4, 68, 76)		

NIMEXE code	TS USA	
	Code	Description
73.14-43 (4, 68, 76)		
45 (4, 68, 76)		
49 (4, 68, 76)		
81 (4, 68, 76)		
91 (4, 68, 76)		
99 (4, 68, 76)		
73.63-50 (4, 29a, 29c, 68, 76)		
74 (4, 29a, 29c, 68, 76)		
79 (4, 29a, 29c, 34, 68, 76)		
73.64-50 (4, 29c, 68, 76)		
75 (4, 29c, 68, 76)		
79 (4, 29c, 68, 76)		
73.66-40 (4, 68, 76)		
81 (4, 68, 76)		
86 (4, 68, 76)		
89 (4, 68, 76)		
73.73-53 (4, 29a, 29c, 68, 76)		
54 (4, 29a, 29c, 68, 76)		
55 (4, 29a, 29c, 68, 76)		
59 (4, 29a, 29c, 68, 76)		
74 (4, 29a, 29c, 68, 76)		
83 (4, 29a, 29c, 34, 68, 76)		
89 (4, 29a, 29c, 34, 68, 76)		
73.74-51 (4, 29c, 68, 76)		
52 (4, 29c, 68, 76)		
53 (4, 29c, 68, 76)		
54 (4, 29c, 68, 76)		
59 (4, 29c, 68, 76)		
74 (4, 29c, 68, 76)		
83 (4, 29c, 68, 76)		
89 (4, 29c, 68, 76)		
73.76-13 (4, 68, 76)		
14 (4, 68, 76)		
15 (4, 68, 76)		
16 (4, 68, 76)		
19 (4, 68, 76)		

C. HOLLOW DRILL STEEL

73.10-18 (187)		Hollow drill steel:
73.63-29 (187)		Other than alloy steel:
50 (187)		
72 (187)	607.0500	— Valued not over 8 cents per pound
74 (187)	607.0700	— Valued over 8 cents per pound
79 (187)	607.0900	— Alloy steel
73.73-13 (187)		
14 (187)		
19 (187)		
33 (187)		
34 (187)		
35 (187)		
39 (187)		
53 (187)		
54 (187)		
55 (187)		
59 (187)		
72 (187)		
74 (187)		
83 (187)		
89 (187)		

CATEGORY 19

BAR SHAPES UNDER 3 INCHES

NIMEXE code	TS USA	
	Code	Description
73.11-11 (77, 191)		Angles, shapes and sections, all the foregoing, of iron or steel, hot rolled, forged, extruded, or drawn, or, cold formed, or cold finished:
19 (77, 191)		
20 (77, 191)		
31 (77, 191)		Hot rolled; or, cold formed and weighing over 0,29 pound per linear foot:
39 (77, 191)		
41 (77, 191)		Not drilled, not punched, and not otherwise advanced:
43 (77, 191)		
49 (77, 191)		Other than alloy iron or steel:
73.16-11 (77, 191)		
73.63-10 (77, 191)		Having a maximum cross-sectional dimension of less than 3 inches
29 (77, 191)		
50 (77, 191)	609.8050	— Angles
72 (77, 191)		
74 (77, 191)	609.8070	— Channels
79 (77, 191)	609.8090	— Other
73.73-13 (77, 191)		
14 (77, 191)		
19 (77, 191)		
33 (77, 191)		
34 (77, 191)		
35 (77, 191)		
36 (77, 191)		
39 (77, 191)		
43 (77, 191)		
49 (77, 191)		
53 (77, 191)		
54 (77, 191)		
55 (77, 191)		
59 (77, 191)		
72 (77, 191)		
74 (77, 191)		
83 (77, 191)		
89 (77, 191)		

CATEGORY 20

CONCRETE REINFORCING BARS

NIMEXE code	TS USA	
	Code	Description
73.10-12		Deformed concrete reinforcing bars:
14	606.7900	— Other than alloy steel
73.63-29 (71)		
73.73-33 (71)	606.8100	— Alloy steel
34 (71)		
35 (71)		
36 (71)		
39 (71)		

CATEGORY 23

RAIL PRODUCTS

NIMEXE code	TS USA	
	Code	Description
73.16-40 (151)		Joint bars and tie plates:
51 (151)	610.2500	— Other than alloy steel
95 (151)		
99 (151)	610.2600	— Alloy steel
73.31-97 (26)	646.3020	— Railway track spikes
98 (26)		
86.09-51		
59		
		Parts of rail locomotives and rolling-stock:
	690.2500	— Axles and parts thereof, and axle bars, all of the foregoing of iron or steel
	690.3000	— Wheels and parts thereof, of iron or steel; and any of such wheels or parts imported with iron or steel axles fitted in them

CATEGORY 24

STAINLESS WIRE

NIMEXE code	TS USA	
	Code	Description
73.10-30 (75, 147, 215)		Wire of stainless steel:
45 (75, 147, 215)		
49 (75, 147, 215)		Flat wire, not coated or plated with metal:
73.12-21 (57, 75, 147, 215)	609.3020	— Not over 0,01 inch in thickness
25 (57, 75, 147, 215)		
29 (57, 75, 147, 215)	609.3320	— Over 0,01 inch in thickness
40 (57, 75, 147, 215)		
75 (57, 75, 147, 215)		
88 (57, 75, 147, 215)		
89 (57, 75, 147, 215)		
73.14-01 (3, 147, 215)		Round wire:
11 (3, 147, 215)	609.4502	— Under 0,060 inch to 0,030 inch in diameter
13 (3, 147, 215)	609.4504	— Under 0,030 inch
15 (3, 147, 215)	609.4542	— Under 0,200 inch to 0,060 inch in diameter
19 (3, 147, 215)	609.4544	— 0,200 inch and over
21 (75, 147, 215)		
41 (75, 147, 215)		
43 (75, 147, 215)		
45 (75, 147, 215)		
49 (75, 147, 215)		
81 (75, 147, 215)		
91 (75, 147, 215)		
99 (75, 147, 215)		
73.63-50 (75, 147, 215)		
74 (75, 147, 215)		
79 (75, 147, 215)		
73.64-50 (57, 75, 147, 215)		
75 (57, 75, 147, 215)		
79 (57, 75, 147, 215)		
73.66-40 (75, 147, 215)		
81 (75, 147, 215)		
86 (75, 147, 215)		
89 (75, 147, 215)		
73.73-53 (75, 147, 215)		
54 (75, 147, 215)		
55 (75, 147, 215)		
59 (75, 147, 215)		
74 (75, 147, 215)		
83 (75, 147, 215)		
89 (75, 147, 215)		
73.74-51 (57, 75, 147, 215)		
52 (57, 75, 147, 215)		
53 (57, 75, 147, 215)		
54 (57, 75, 147, 215)		
59 (57, 75, 147, 215)		
74 (57, 75, 147, 215)		
83 (57, 75, 147, 215)		
89 (57, 75, 147, 215)		
73.76-13 (75, 147, 215)		
14 (75, 147, 215)		
15 (75, 147, 215)		
16 (75, 147, 215)		
19 (75, 147, 215)		

CATEGORY 25

WIRE STRAND

NIMEXE code	TS USA	
	Code	Description
73.25-11 (103) 21 (103) 31 (103) 35 (103) 39 (103) 51 (103) 55 (103) 59 (103) 98 (103)		Strands, ropes, cables, and cordage, all the foregoing, of wire, whether or not cut to length, and whether or not fitted with hooks, swivels, clamps, clips, thimbles, sockets, or other fittings or made up into slings, cargo nets, or similar articles:
		Not fitted with fittings and not made up into articles:
		Not covered with textile or other non-metalic material:
		Wire strand:
	642.0800	— Of stainless steel
		Other:
		Of iron or steel (except stainless):
	642.1105	— Loosely twisted double wire, suitable for fencing purposes
	642.1120	— For prestressing concrete
		Other:
		Galvanized:
	642.1142	— ACSR core strand
	642.1146	— Other

CATEGORY 26

WIRE ROPE

NIMEXE code	TS USA	
	Code	Description
73.25-11 (104) 21 (104) 31 (104) 35 (104) 39 (104) 51 (104) 55 (104) 59 (104) 98 (104)		Strands, ropes, cables, and cordage, all the foregoing, of wire, whether or not cut to length, and whether or not fitted with hooks, swivels, clamps, clips, thimbles, sockets, or other fittings or made up into slings, cargo nets, or similar articles:
		Not fitted with fittings and not made up into articles:
		Not covered with textile or other non-metallic material:
		Ropes, cables, and cordage other than wire strand:
	642.1200	— Valued under 13 cents per pound
		Valued 13 cents or more per pound:
	642.1400	— Of stainless steel
		Other:
		Of iron or steel (except stainless):
		Other than of brass-plated wire:
	642.1610	— Galvanized
	642.1650	— Other

CATEGORY 27

OTHER SPECIALTY STEEL

NIMEXE code	TS USA	
	Code	Description
73.07-12 (201, 220)		Bars of steel, other than concrete reinforcing bars:
15 (201, 220)		
73.08-01 (201, 204)		Tool steel of the type described in headnote 2 (H) (vii) of this subpart:
03 (201, 204)		
05 (201, 204)	606.9105	— Not cold formed
07 (201, 204)		
21 (201, 204)	606.9110	— Cold formed
25 (201, 204)		
29 (201, 204)		
41 (201, 204)		
45 (201, 204)		
49 (201, 204)		Wire rods of tool steel of the type described in headnote 2 (H) (vii) of this subpart:
73.09-00 (201)		
73.10-11 (201)	607.3200	— Not tempered, not treated, and not partly manufactured
15 (201, 204)	607.4800	— Tempered, treated, or partly manufactured
17 (201, 204)		
20 (201, 204)		
30 (76, 201, 204)		
42 (201, 204)		
45 (76, 201, 204)		
49 (76, 193, 201, 204)		Plates and sheets of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
73.12-11 (201, 204)		
19 (201, 204)		
21 (76, 201, 204)		Not coated or plated with metal and not clad:
25 (76, 201, 204)		
29 (76, 201, 204)		Other than black plate:
40 (76, 201, 204)		
59 (76, 201, 204, 234)		Not pickled and not cold rolled
61 (76, 201, 204, 234)	607.6900	— Tool steel of the type described in headnote 2 (H) (vii) of this subpart
63 (76, 201, 204, 234)		
65 (76, 201, 204, 234)		Pickled or cold rolled:
71 (201, 204, 234)	607.8600	— Tool steel of the type described in headnote 2 (H) (vii) of this subpart
75 (76, 201, 204, 234)		
77 (29b, 29c, 76, 201)		
81 (76, 193, 201, 204, 234)	607.9315	— Sheets, of heat-resisting steel
85 (76, 193, 201, 204, 234)		
87 (76, 193, 201, 204, 234)		
88 (76, 201, 204)		
89 (76, 193, 201, 204, 234)		
73.13-11 (201, 204)		Strip, of alloy iron or steel, not cut, not pressed, and not stamped to nonrectangular shape (except as provided in item 609.17):
16 (201, 204)		
17 (201, 204)		Not over 0,01 inch in thickness:
19 (201, 204)		
21 (201, 204)	608.3100	— Tool steel of the type described in headnote 2 (H) (vii) of this subpart
23 (201, 204)		
26 (201, 204)	608.3810	— Heat-resisting steel
32 (201, 204)		
34 (201, 204)		Over 0,01 but not over 0,05 inch in thickness:
36 (201, 204)	608.4700	— Tool steel of the type described in headnote 2 (H) (vii) of this subpart:
41 (201, 204)		
43 (201, 204)		
45 (201, 204)	608.5510	— Heat-resisting steel
47 (201, 204)		Over 0,05 inch in thickness:
49 (201, 204)	608.5900	— Tool steel of the type described in headnote 2 (H) (vii) of this subpart
50 (201, 204)		
62 (50, 201, 204)		
88 (201, 204)	608.6710	— Heat-resisting steel
89 (38, 201, 204)		
73.14-01 (14, 201)		
11 (14, 201)		

NIMEXE code	TS USA	
	Code	Description
73.14-13 (14, 201)		
15 (14, 201)		
19 (14, 201)		
21 (76, 201)		
41 (76, 201)		
43 (76, 201)		
45 (76, 201)		
49 (76, 201)		
81 (76, 201)		
91 (76, 201)		
99 (76, 201)		
73.61-10 (201, 220, 231)		
50 (201, 220, 231)		
73.62-10 (201, 204)		
30 (201)		
73.63-10 (201)		
21 (201, 204)		
29 (201, 204)		
50 (76, 201, 204)		
72 (201, 204)		
74 (76, 201, 204)		
79 (76, 193, 201, 204)		
73.64-20 (201, 204)		
50 (76, 201, 204)		
72 (201, 204, 234)		
75 (76, 201, 204, 234)		
79 (76, 193, 201, 204, 234)		
73.65-21 (201, 204)		
23 (201, 204)		
25 (201, 204)		
53 (201, 204)		
55 (201, 204)		
70 (38, 201, 204)		
73.66-40 (76, 201)		
81 (76, 201)		
86 (76, 201)		
89 (76, 201)		
73.71-13 (201, 220, 231)		
14 (201, 220, 231)		
19 (201, 220, 231)		
53 (201, 220, 231)		
54 (201, 220, 231)		
55 (201, 220, 231)		
56 (201, 220, 231)		
59 (201, 220, 231)		
73.72-11 (201, 204)		
13 (201, 204)		
19 (201, 204)		
33 (201)		
39 (201)		
73.73-13 (201)		
14 (201)		
19 (201)		
23 (201, 204)		
24 (201, 204)		
25 (201, 204)		
26 (201, 204)		
29 (201, 204)		
33 (201, 204)		
34 (201, 204)		
35 (201, 204)		
36 (201, 204)		
39 (201, 204)		
53 (76, 201, 204)		
54 (76, 201, 204)		
55 (76, 201, 204)		

NIMEXE code	TS USA	
	Code	Description
73.73-59 (76, 201, 204)		
72 (201, 204, 234)		
74 (76, 201, 204, 234)		
83 (76, 193, 201, 204, 234)		
89 (76, 193, 201, 204, 234)		
73.74-21 (201, 204)		
23 (201, 204)		
29 (201, 204)		
51 (76, 201, 204)		
52 (76, 201, 204)		
53 (76, 201, 204)		
54 (76, 201, 204)		
59 (76, 201, 204)		
72 (201, 204, 234)		
74 (76, 201, 204, 234)		
83 (76, 193, 201, 204, 234)		
89 (76, 193, 201, 204, 234)		
73.75-11 (201, 204)		
19 (201, 204)		
23 (201, 204)		
24 (201, 204)		
29 (201, 204)		
33 (201, 204)		
34 (201, 204)		
39 (201, 204)		
43 (201, 204)		
44 (201, 204)		
49 (201, 204)		
53 (201, 204)		
54 (201, 204)		
59 (201, 204)		
63 (201, 204)		
64 (201, 204)		
69 (201, 204)		
73 (38, 201, 204)		
79 (38, 201, 204)		
73.76-13 (76, 201)		
14 (76, 201)		
15 (76, 201)		
16 (76, 201)		
19 (76, 201)		

CATEGORY 28

FABRICATED STRUCTURALS

NIMEXE code	TS USA	
	Code	Description
73.11-11 (172)		Angles, shapes, and sections, all the foregoing, of iron or steel, hot rolled forged, extruded, or drawn, or cold formed or cold finished, whether or not drilled, punched or otherwise advanced:
12 (172)		
14 (172)		
16 (172)		
19 (172)		Hot rolled; or, cold formed and weighing over 0,29 pound per linear foot:
20 (172)		
31 (172)		Drilled, punched, or otherwise advanced:
39 (172)	609.8400	— Other than alloy iron or steel
41 (172)		
43 (172)	609.8600	— Alloy iron or steel
49 (172)		
73.21-10 (109)		Cold formed and weighing not over 0,29 pound per linear foot:
20 (109)	609.8800	— Other than alloy iron or steel
40 (109)	609.9000	— Alloy iron or steel
50 (109)		
60		
70 (109)		
99 (109)		
73.63-10 (172)		Hangars and other buildings, bridges, bridge sections, lock-gates, towers, lattice masts roofs, roofing frameworks, door and window frames, shutters, balustrades, columns, pillars, and posts, and other structures and parts of structures, all the foregoing of base metal:
29 (172)		
50 (172)		
72 (172)		
74 (172)		
79 (172)		Of iron or steel:
73.73-13 (172)		
14 (172)		Columns, pillars, posts, beams, girders, and similar structural units:
19 (172)		
33 (172)		Not in part of alloy iron or steel:
34 (172)	652.9400	— Other than cast-iron (except malleable cast-iron) articles, rough or advanced
35 (172)		
36 (172)		
39 (172)		In part of alloy iron or steel:
43 (172)	652.9600	— Other than in part of stainless steel
49 (172)	653.0000	— Other than door and window frames and offshore oil and natural gas drilling and production platforms and parts thereof
53 (172)		
54 (172)		
55 (172)		
59 (172)		
72 (172)		
74 (172)		
83 (172)		
89 (172)		

CATEGORY 29

STAINLESS STEEL SHEET AND STRIP

NIMEXE code	TS USA	
	Code	Description
73.08-01 (5, 54, 55, 56, 61)		Sheets of stainless steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
03 (5, 54, 55, 56, 61)		
05 (54, 55, 56, 61)		Not coated or plated with metal and not clad:
07 (54, 55, 56, 61)		
21 (5, 54, 55, 56, 61)		Other than black plate:
25 (54, 55, 56, 61)	607.7610 (54) (55) (56)	— Not pickled and not cold rolled
29 (54, 55, 56, 61)		
41 (5, 54, 55, 56, 61)	607.9010 (54) (55) (56)	— Pickled but not cold rolled
45 (54, 55, 56, 61)		
49 (54, 55, 56, 61)	607.9020 (54) (55) (56)	— Pickled or cold rolled
73.10-11 (6, 54, 55, 57, 58, 61, 226)		
15 (6, 54, 55, 57, 58, 61, 226)		
17 (6, 54, 55, 57, 58, 61, 226)		
30 (6, 54, 55, 57, 58, 61, 226)		
42 (6, 54, 55, 57, 58, 61, 226)		Strip, of stainless steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
45 (6, 54, 55, 57, 58, 61, 226)		
49 (6, 54, 55, 57, 58, 61, 193, 226)	608.2900 (54) (55) (58)	— Not over 0,01 inch in thickness
73.12.11 (5, 8, 54, 55, 56, 57, 58, 61, 226)	608.4300 (54) (55) (58)	— Over 0,01 but not over 0,05 inch in thickness
19 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
21 (5, 8, 54, 55, 56, 57, 58, 61, 226)	608.5700 (54) (55)	— Over 0,05 inch in thickness
25 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
29 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
40 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
51 (54, 55, 57, 58, 61, 226)		
59 (54, 55, 57, 58, 61, 226)		
61 (54, 55, 57, 58, 61, 226)		
63 (54, 55, 57, 58, 61, 226)		
65 (54, 55, 57, 58, 61, 226)		
71 (54, 55, 57, 58, 61, 226)		
75 (54, 55, 57, 58, 61, 226)		
81 (54, 55, 57, 58, 61, 193, 226)		
85 (54, 55, 57, 58, 61, 193, 226)		
87 (54, 55, 57, 58, 61, 193, 226)		
88 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
89 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226)		
73.13-11 (5, 54, 55, 56, 61)		
16 (5, 54, 55, 56, 61)		
17 (5, 54, 55, 56, 61)		
19 (5, 54, 55, 56, 61)		
21 (54, 55, 56, 61)		
23 (54, 55, 56, 61)		
26 (54, 55, 56, 61)		
32 (54, 55, 56, 61)		
34 (54, 55, 56, 61)		
36 (54, 55, 56, 61)		
41 (5, 54, 55, 56, 61)		
43 (54, 55, 56, 61)		
45 (54, 55, 56, 61)		
47 (54, 55, 56, 61)		
49 (54, 55, 56, 61)		
50 (5, 54, 55, 56, 61)		
62 (5, 50, 54, 55, 56, 61)		
88 (5, 54, 55, 56, 61)		
89 (5, 54, 55, 56, 61, 119)		
73.62-10 (5, 54, 55, 56, 61)		
73.63-21 (6, 54, 55, 57, 58, 61, 226)		
29 (6, 54, 55, 57, 58, 61, 226)		
50 (6, 54, 55, 57, 58, 61, 226)		
72 (6, 54, 55, 57, 58, 61, 226)		
74 (6, 54, 55, 57, 58, 61, 226)		

NIMEXE code	TS USA	
	Code	Description
73.63-79 (6, 54, 55, 57, 58, 61, 193, 226)		
73.64-20 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
50 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
72 (54, 55, 57, 58, 61, 226)		
75 (54, 55, 57, 58, 61, 226)		
79 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226)		
73.65-21 (5, 54, 55, 56, 61)		
23 (54, 55, 56, 61)		
25 (54, 55, 56, 61)		
53 (5, 54, 55, 56, 61)		
55 (54, 55, 56, 61)		
70 (5, 54, 55, 56, 61, 119)		
73.72-11 (5, 54, 55, 56, 61)		
13 (5, 54, 55, 56, 61)		
19 (5, 54, 55, 56, 61)		
73.73-23 (6, 54, 55, 57, 58, 61, 226)		
24 (6, 54, 55, 57, 58, 61, 226)		
25 (6, 54, 55, 57, 58, 61, 226)		
26 (6, 54, 55, 57, 58, 61, 226)		
29 (6, 54, 55, 57, 58, 61, 226)		
33 (6, 54, 55, 57, 58, 61, 226)		
34 (6, 54, 55, 57, 58, 61, 226)		
35 (6, 54, 55, 57, 58, 61, 226)		
36 (6, 54, 55, 57, 58, 61, 226)		
39 (6, 54, 55, 57, 58, 61, 226)		
53 (6, 54, 55, 57, 58, 61, 226)		
54 (6, 54, 55, 57, 58, 61, 226)		
55 (6, 54, 55, 57, 58, 61, 226)		
59 (6, 54, 55, 57, 58, 61, 226)		
72 (6, 54, 55, 57, 58, 61, 226)		
74 (6, 54, 55, 57, 58, 61, 226)		
83 (6, 54, 55, 57, 58, 61, 193, 226)		
89 (6, 54, 55, 57, 58, 61, 193, 226)		
73.74-21 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
23 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
29 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
51 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
52 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
53 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
54 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
59 (5, 8, 54, 55, 56, 57, 58, 61, 226)		
72 (54, 55, 57, 58, 61, 226)		
74 (54, 55, 57, 58, 61, 226)		
83 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226)		
89 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226)		
73.75-11 (5, 54, 55, 56, 61)		
19 (5, 54, 55, 56, 61)		
23 (5, 54, 55, 56, 61)		
24 (5, 54, 55, 56, 61)		
29 (5, 54, 55, 56, 61)		
33 (54, 55, 56, 61)		
34 (54, 55, 56, 61)		
39 (54, 55, 56, 61)		
43 (54, 55, 56, 61)		
44 (54, 55, 56, 61)		
49 (54, 55, 56, 61)		
53 (5, 54, 55, 56, 61)		
54 (5, 54, 55, 56, 61)		
59 (5, 54, 55, 56, 61)		
63 (54, 55, 56, 61)		
64 (54, 55, 56, 61)		
69 (54, 55, 56, 61)		
73 (5, 54, 55, 56, 61, 119)		
79 (5, 54, 55, 56, 61, 119)		

CATEGORY 30

STAINLESS STEEL PLATE

NIMEXE code	TS USA	
	Code	Description
73.08-01 (13, 54, 55, 61)		Plates of stainless steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
03 (13, 54, 55, 61)		
21 (13, 54, 55, 61)		
41 (13, 54, 55, 61)		Not coated or plated with metal and not clad:
73.09-00 (12, 54, 55, 61)		
73.10-15 (6, 12, 13, 54, 55, 61)		Other than black plate:
17 (6, 12, 13, 54, 55, 61)		
30 (6, 8, 13, 54, 55, 61)		Not pickled and not cold rolled:
49 (6, 13, 15, 38, 54, 55, 61)	607.7603 (19) (54) (55)	— Over 6 inches in thickness
73.12-11 (12, 13, 54, 55, 61)	607.7606 (54) (55)	— Other
19 (12, 13, 54, 55, 61)	607.9005 (54) (55)	— Pickled or cold rolled
21 (8, 13, 54, 55, 61)		
25 (8, 13, 54, 55, 61)		
29 (8, 13, 54, 55, 61)		
40 (13, 15, 54, 55, 61)		
88 (13, 15, 54, 55, 61)		
89 (13, 15, 38, 54, 55, 61)		
73.13-11 (13, 54, 55, 61)		
16 (13, 54, 55, 61)		
17 (13, 54, 55, 61)		
19 (13, 54, 55, 61)		
41 (13, 54, 55, 61)		
50 (13, 54, 55, 61)		
62 (13, 50, 54, 55, 61)		
88 (13, 54, 66, 61)		
89 (13, 38, 54, 55, 61)		
73.62-10 (13, 54, 55, 61)		
30 (12, 54, 55, 61)		
73.63-29 (6, 12, 13, 54, 55, 61)		
50 (6, 8, 13, 54, 55, 61)		
79 (6, 13, 15, 38, 54, 55, 61)		
73.64-20 (12, 13, 54, 55, 61)		
50 (8, 13, 54, 55, 61)		
79 (13, 15, 38, 54, 55, 61)		
73.65-21 (13, 54, 55, 61)		
53 (13, 54, 55, 61)		
70 (13, 38, 54, 55, 61)		
73.72-11 (13, 54, 55, 61)		
13 (13, 54, 55, 61)		
19 (13, 54, 55, 61)		
33 (12, 54, 55, 61)		
39 (12, 54, 55, 61)		
73.73-33 (6, 12, 13, 54, 55, 61)		
34 (6, 12, 13, 54, 55, 61)		
35 (6, 12, 13, 54, 55, 61)		
36 (6, 12, 13, 54, 55, 61)		
39 (6, 12, 13, 54, 55, 61)		
53 (6, 8, 13, 54, 55, 61)		
54 (6, 8, 13, 54, 55, 61)		
59 (6, 8, 13, 54, 55, 61)		
83 (6, 13, 15, 38, 54, 55, 61)		
89 (6, 13, 15, 38, 54, 55, 61)		
73.74-21 (12, 13, 54, 55, 61)		
23 (12, 13, 54, 55, 61)		
29 (12, 13, 54, 55, 61)		
51 (8, 13, 54, 55, 61)		
52 (8, 13, 54, 55, 61)		
53 (8, 13, 54, 55, 61)		
54 (8, 13, 54, 55, 61)		

NIMEXE code	TS USA	
	Code	Description
73.74-59 (8, 13, 54, 55, 61)		
83 (13, 15, 38, 54, 55, 61)		
89 (13, 15, 38, 54, 55, 61)		
73.75-11 (13, 54, 55, 61)		
19 (13, 54, 55, 61)		
23 (13, 54, 55, 61)		
24 (13, 54, 55, 61)		
29 (13, 54, 55, 61)		
53 (13, 54, 55, 61)		
54 (13, 54, 55, 61)		
59 (13, 54, 55, 61)		
73 (13, 38, 54, 55, 61)		
79 (13, 38, 54, 55, 61)		

CATEGORY 31

STAINLESS BAR

NIMEXE code	TS USA	
	Code	Description
73.07-12 (61, 220)		Bars of stainless steel, other than deformed concrete reinforcing bars:
15 (61, 220)		
73.09-00 (32, 61)		
73.10-11 (29a, 29b, 29d, 61)	606.9005	— Not cold formed
15 (29a, 29b, 29d, 61)		Cold formed:
17 (29a, 29b, 29d, 61)	606.9015	— Having a maximum cross-sectional dimension of less than 0,703 inch
20 (29a, 29d, 61)		
30 (29a, 29c, 61, 76)		
42 (29a, 29b, 61)	606.9020	— Other
45 (29a, 29c, 61, 76)		
49 (29a, 29b, 29c, 29d, 61, 76)		
73.12-11 (29b, 61)		
19 (29b, 61)		
21 (29c, 61, 76)		
25 (29c, 61, 76)		
29 (29c, 61, 76)		
40 (29b, 29c, 61, 76)		
51 (29b, 29c, 61, 76)		
59 (29b, 29c, 61, 76)		
61 (29b, 29c, 61, 76)		
63 (29b, 29c, 61, 76)		
65 (29b, 29c, 61, 76)		
71 (29b, 61)		
75 (29c, 61, 76)		
77 (29b, 29c, 61, 76)		
81 (29b, 29c, 61, 76)		
85 (29b, 29c, 61, 76)		
87 (29b, 29c, 61, 76)		
88 (29b, 29c, 61, 76)		
89 (29b, 29c, 61, 76)		
73.14-01 (14, 61)		
11 (14, 61)		
13 (14, 61)		
15 (14, 61)		
19 (14, 61)		
21 (61, 76)		
41 (61, 76)		
43 (61, 76)		
45 (61, 76)		
49 (61, 76)		
81 (61, 76)		
91 (61, 76)		
99 (61, 76)		
73.61-10 (61, 220, 231)		
50 (61, 220, 231)		
73.62-30 (32, 61)		
73.63-10 (29a, 29d, 61)		
21 (29a, 29b, 29d, 61)		
29 (29a, 29b, 29d, 61)		
50 (29c, 61, 76)		
72 (29a, 29b, 29d, 61)		
74 (29c, 61, 76)		
79 (29a, 29b, 29c, 29d, 61, 76)		
73.64-20 (29b, 61)		
50 (29c, 61, 76)		
72 (29b, 61)		
75 (29c, 61, 76)		
79 (29b, 29c, 61, 76)		
73.66-40 (61, 76)		
81 (61, 76)		

NIMEXE code	TS USA	
	Code	Description
73.66-86 (61, 76)		
89 (61, 76)		
73.71-13 (61, 220, 231)		
14 (61, 220, 231)		
19 (61, 220, 231)		
73.72-33 (32, 61)		
39 (32, 61)		
73.73-13 (29a, 29d, 61)		
14 (29a, 29d. 61)		
19 (29a, 29d, 61)		
23 (29a, 29b, 29d, 61)		
24 (29a, 29b, 29d, 61)		
25 (29a, 29b, 29d, 61)		
26 (29a, 29b, 29d, 61)		
29 (29a, 29b, 29d, 61)		
33 (29a, 29b, 29d, 61)		
34 (29a, 29b, 29d, 61)		
35 (29a, 29b, 29d, 61)		
36 (29a, 29b, 29d, 61)		
39 (29a, 29b, 29d, 61)		
53 (29a, 29c, 61, 76)		
54 (29a, 29c, 61, 76)		
55 (29a, 29c, 61, 76)		
59 (29a, 29c, 61, 76)		
72 (29a, 29b, 29d, 61)		
74 (29a, 29c, 61, 76)		
83 (29a, 29b, 29c, 29d, 61, 76)		
89 (29a, 29b, 29c, 29d, 61, 76)		
73.74-21 (29b, 61)		
23 (29b, 61)		
29 (29b, 61)		
51 (29c, 61, 76)		
52 (29c, 61, 76)		
53 (29c, 61, 76)		
54 (29c, 61, 76)		
59 (29c, 61, 76)		
72 (29b, 61)		
74 (29c, 61, 76)		
83 (29b, 29c, 61, 76)		
73.76-13 (61, 76)		
14 (61, 76)		
15 (61, 76)		
16 (61, 76)		
19 (61, 76)		

CATEGORY 32

STAINLESS STEEL WIRE RODS

NIMEXE code	TS USA	
	Code	Description
73.10-11 (25, 61)		Wire rods of stainless steel:
15 (25, 61)	607.2600	— Not tempered, not treated, and not partly manufactured
73.63-21 (25, 61)		
29 (25, 61)	607.4300	— Tempered, treated, or partly manufactured
73.73-23 (25, 61)		
24 (25, 61)		
25 (25, 61)		
26 (25, 61)		
29 (25, 61)		
33 (25, 61)		
34 (25, 61)		
35 (25, 61)		
36 (25, 61)		
39 (25, 61)		

CATEGORY 33

ALLOY TOOL STEEL

NIMEXE code	TS USA	
	Code	Description
73.07-12 (203, 220)		Bar of steel, other than deformed concrete reinforcing bars:
15 (203, 220)		Tool steel:
73.08-01 (203)		Chipper knife steel:
03 (203)		
05 (203)	606.9300	— Not cold formed
07 (203)		
21 (203)	606.9400	— Cold formed
25 (203)		Other (excluding tool steel of the type described in headnote 2 (H) (vii) of this subpart):
29 (203)		
41 (203)		High-speed-tool steel:
45 (203)		
49 (203)	606.9505	— Not cold formed
73.09-00 (203)		Cold formed:
73.10-11 (203)		
15 (203)	606.9512	— Having a maximum cross-sectional dimension of less than 0,703 inch
17 (203)		
20 (203)	606.9514	— Other
30 (203, 233)		Band-saw steel:
42 (203)		
45 (203, 233)	606.9520	— Not cold formed
49 (193, 203, 233)	606.9525	— Cold formed
73.12-11 (203)		Other:
19 (203)		
21 (76, 203)	606.9535	— Not cold formed
25 (76, 203)		Cold formed:
29 (76, 203)		
40 (76, 203)		Having a maximum cross-sectional dimension of less than 0,703 inch:
51 (76, 203, 234)		
59 (76, 203, 234)		
61 (76, 203, 234)	606.9542	— Of round or rectangular cross section with surfaces ground, milled, or polished
63 (76, 203, 234)		
65 (76, 203, 234)	606.9544	— Other
71 (203, 234)		
75 (76, 203, 234)		Having a maximum cross-sectional dimension of 0,703 inch or more:
77 (29b, 29c, 76, 203)		
81 (76, 193, 203, 234)	606.9546	— Of round or rectangular cross section with surfaces ground, milled, or polished
85 (76, 193, 203, 234)		
87 (76, 193, 203, 234)		
88 (76, 203)	606.9548	— Other
89 (76, 193, 203, 234)		
73.13-11 (203)		
16 (203)		
17 (203)		
19 (203)		Wire rods of iron or steel:
21 (203)		
23 (203)		Not tempered, not treated, and not partly manufactured:
26 (203)		
32 (203)	607.2800	Tool steel:
34 (203)		
36 (203)		— High speed tool steel
41 (203)		
43 (203)	607.3405	Other than tool steel of the type described in headnote 2 (H) (vii) of this subpart:
45 (203)		
47 (203)		— Chipper knife steel of the type described in headnote 2 (H) (vii) and band-saw steel of the type described in statistical headnote 1 (B)
49 (203)	607.3420	
50 (203)		— Other
62 (50, 203)		
88 (203)		
89 (38, 203)		

NIMEXE code	TS USA	
	Code	Description
73.14-01 (233)		Tempered, treated, or partly manufactured:
11 (233)		Tool steel:
13 (233)		
15 (233)	607.4600	— High-speed-tool steel
19 (233)		
21 (233)		Other than tool steel of the type described in headnote 2 (H) (vii) of this subpart:
41 (233)		
43 (233)	607.5405	— Chipper knife steel of the type described in headnote 2 (H) (viii) and band-saw steel of the type described in statistical headnote 1 (B)
45 (233)		
49 (233)		
81 (233)	607.5420	— Other
91 (233)		
99 (233)		
73.61-10 (203, 220, 231)		
50 (203, 220, 231)		
73.62-10 (203)		Plates and sheets, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
30 (203)		
73.63-10 (203)		Not coated or plated with metal and not clad:
21 (203)		
29 (203)		Other than black plate:
50 (203, 233)		
72 (203)		Not pickled and not cold rolled:
74 (203, 233)		
79 (193, 203, 233)		Plates and sheets of tool steel:
73.64-20 (203)		
50 (76, 203)		Other than tool steel of the type described in headnote 2 (H) (vii) of this subpart:
72 (203, 234)	607.7205	— Chipper knife steel of the type described in headnote 2 (H) (viii) and band-saw steel of the type described in statistical headnote 1 (B)
75 (76, 203, 234)		
79 (76, 193, 203, 234)		Other:
73.65-21 (203)		
23 (203)	607.7210 (19)	— Over 6 inches in thickness
25 (203)		
53 (203)		Other:
55 (203)	607.7220	— Plates
70 (38, 203)		
73.66-40 (233)	607.7225	— Sheets
81 (233)		
86 (233)		Pickled or cold rolled:
89 (233)		
73.71-13 (203, 220, 231)		Plates and sheets of tool steel:
14 (203, 220, 231)		
19 (203, 220, 231)		Other than tool steel of the type described in headnote 2 (H) (vii) of this subpart:
53 (203, 220, 231)	607.8805	— Chipper knife steel of the type described in headnote 2 (H) (viii) and band-saw steel of the type described in statistical headnote 1 (B)
54 (203, 220, 231)		
55 (203, 220, 231)		
56 (203, 220, 231)	607.8820	— Other
59 (203, 220, 231)		
73.72-11 (203)		
13 (203)		
19 (203)		
33 (203)		Strip, of tool steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
39 (203)		
73.73-13 (203)		Not over 0,01 inch in thickness:
14 (203)		
19 (203)		Other than tool steel of the type described in headnote 2 (H) (vii) of this subpart:
23 (203)		
24 (203)		
25 (203)	608.3405	— Chipper knife steel of the type described in headnote 2 (H) (viii) and band-saw steel of the type described in statistical headnote 1 (B)
26 (203)		
29 (203)		
33 (203)	608.3420	— Other
34 (203)		
35 (203)		
36 (203)		
39 (203)		
53 (203, 233)		

NIMEXE code	TS USA	
	Code	Description
73.73-54 (203, 233)		Over 0,01 but not over 0,05 inch in thickness:
55 (203, 233)		Other than tool steel of the type described in headnote 2 (H) (vii) of this subpart:
59 (203, 233)		
72 (203)		
74 (203, 233)	608.4905	— Chipper knife steel of the type described in headnote 2 (H) (viii) and band-saw steel of the type described in statistical headnote 1 (B)
83 (193, 203, 233)		
89 (193, 203, 233)		
73.74-21 (203)	608.4920	— Other
23 (203)		Over 0,05 inch in thickness:
29 (203)		
51 (76, 203)		Other than tool steel of the type described in headnote 2 (H) (vii) of this subpart:
52 (76, 203)		
53 (76, 203)		
54 (76, 203)	608.6405	— Chipper knife steel of the type described in headnote 2 (H) (viii) and band-saw steel of the type described in statistical headnote 1 (B)
59 (76, 203)		
72 (203, 234)		
74 (76, 203, 234)	608.6420	— Other
83 (76, 193, 203, 234)		
89 (76, 193, 203, 234)		
73.75-11 (203)		
19 (203)		
23 (203)		Round wire of high-speed-tool steel:
24 (203)		
29 (203)	609.4520	— Under 0,060 inch in diameter
33 (203)	609.4550	— 0,060 inch or more in diameter
34 (203)		
39 (203)		
43 (203)		
44 (203)		
49 (203)		
53 (203)		
54 (203)		
59 (203)		
63 (203)		
64 (203)		
69 (203)		
73 (38, 203)		
79 (38, 203)		
73.76-13 (233)		
14 (233)		
15 (233)		
16 (233)		
19 (233)		

DEFINITIONS

Extracts from schedule 6, part 2, subpart B of the Tariff schedules of the United States Annotated:

2. (h) **Alloy iron or steel:**

(i) iron which contains one or more of the following elements in the quantity, by weight, respectively indicated:

over 3,00 % of manganese, or
over 5,00 % of phosphorus, or
over 5,00 % of sulphur, or
over 3,00 % of silicon, or
over 0,20 % of chromium, or
over 0,10 % of molybdenum, or
over 0,30 % of tungsten, or
over 0,10 % of vanadium, or
over 0,60 % of any other metallic element; and

(ii) steel which contains one or more of the following elements in the quantity, by weight, respectively indicated:

over 1,65 % of manganese, or
over 0,25 % of phosphorus, or
over 0,35 % of sulphur, or
over 0,60 % of silicon, or
over 0,60 % of copper, or
over 0,30 % of aluminium, or
over 0,20 % of chromium, or
over 0,30 % of cobalt, or
over 0,35 % of lead, or
over 0,50 % of nickel, or
over 0,30 % of tungsten, or
over 0,10 % of any other metallic element.

(iii) *iron or steel* includes alloy iron and steel;

(iv) *stainless steel* refers to any alloy steel which contains by weight less than 1 % of carbon and over 11,5 % of chromium;

(v) *tool steel* refers to alloy steel which contains the following combinations of elements in the quantity, by weight, respectively indicated:

(A) not less than 1,0 % carbon and over 11,0 % chromium; or
(B) not less than 0,3 % carbon and 1,25 % to 11,0 % inclusive chromium; or
(C) not less than 0,85 % carbon and 1,0 % to 1,8 % inclusive managenese; or
(D) 0,9 % to 1,2 % inclusive chromium and 0,9 % to 1,4 % inclusive molybdenum; or
(E) not less than 0,5 % carbon and not less than 3,5 % tungsten;
(F) not less than 0,5 % carbon and not less than 5,5 % tungsten;

(vi) *high-speed-tool steel* refers to all tool steel which contains by weight, not less than 0,5 % carbon and not less than 3,5 % molybdenum; or not less than 0,5 % carbon and not less than 5,5 % tungsten;

(vii) *tool steel of the type described in headnote 2 (h) (vii)* refers to alloy tool steel which contains, in addition to iron, each of the following elements by weight in the amounts specified:

carbon:	not less than 0,95 nor more than 1,13 %;
manganese:	nor less than 0,22 nor more than 0,48 %;
sulphur:	none, or not more than 0,03 %;
phosphorus:	none, or not more than 0,03 %;
silicon:	not less than 0,18 nor more than 0,37 %;
chromium:	not less than 1,25 nor more than 1,65 %;
nickel:	none, or not more than 0,28 %;
copper:	none, or not more than 0,38 %;
molybdenum:	none, or not more than 0,09 %;

(viii) *chipper knife steel* refers to alloy tool steel which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon:	not less than 0,48 nor more than 0,55 %;
manganese:	not less than 0,20 nor more than 0,50 %;
silicon:	not less than 0,75 nor more than 1,05 %;

chromium: not less than 7,25 nor more than 8,75 %;
molybdenum: not less than 1,25 nor more than 1,75 %;
tungsten: none, or not more than 1,75 %;
vanadium: not less than 0,20 nor more than 0,55 %;

(ix) *silicon electrical steel* refers to alloy steel containing, by weight, not over 6,0 % of silicon, which may also contain aluminium not in excess of 0,5 % by weight, but containing no other metallic elements that would render the steel an alloy steel as defined in headnote 2 (h) (ii) of this subpart;

(x) *razor blade steel* refers to stainless steel strip not over 0,010 inch in thickness and not over 0,9 inch in width, containing by weight not less than 0,6 % and not over 0,75 % carbon, and containing by weight not less than 11,5 % and not over 14,7 % chromium, certified at the time of entry to be used in the manufacture of razor blades.

3. **Forms and condition of iron and steel**

(a) *Ingots:* Castings resulting from the solidification of molten steel and having a columnar form suitable for working by rolling or forging.

(b) *Blooms and billets:* Semifinished products generally of rectangular or circular cross-section, having a length several times greater than the maximum cross-sectional dimension, and, if rectangular, a width less than four times the thickness. A bloom is at least 36 square inches in cross-sectional areas; a billet is less than 36 square inches but not less than 3 square inches in cross-sectional area.

(c) *Slabs and sheet bars:* Semifinished products of rectangular cross-section, having a width of at least four times the thickness. A slab is not less than 2 inches and not over 6 inches in thickness; a sheet bar is less than 2 inches in thickness.

(d) *Bars:* Products of solid section not conforming completely to the respective specifications set forth herein for blooms, billets, slabs, sheet bars, wire rods, plates, sheets, strip, wire, rails, joint bars, or tie plates and which have cross sections in the shape of circles, segments of circles, ovals, triangles, rectangles, hexagons, or octagons. *Deformed concrete reinforcing bars* are hot-rolled steel bars, of solid cross-section, having deformations of various patterns on their surfaces.

(e) *Hollow drill steel:* A hollow steel product in any cross-section suitable for use in making mining drills or mining drill rods, with the largest internal cross-sectional dimension not greater than one-third of the largest external cross-sectional dimension.

(f) *Wire rods:* A coiled, semifinished, hot-rolled product of solid cross-section, approximately round in cross-section, not under 0,20 inch nor over 0,74 inch in diameter.

(g) *Plates and sheets:* Plates are flat-rolled products whether or not corrugated or crimped, in coils or cut to length 0,1875 inch or more in thickness and, if not cold rolled, over 8 inches in width, or, if cold rolled, over 12 inches in width. Sheets are flat-rolled products whether or not corrugated or crimped, in coils or cut to length, under 0,1875 inch in thickness and over 12 inches in width. For the purposes of this subpart:

(i) the term *black plate* refers to cold-rolled steel sheets, not coated under 0,0142 inch in thickness;
(ii) the term *tin plate and tin coated sheets* refers to tin-coated steel sheets; and
(iii) the term *terne plate and terne-coated sheets* refers to steel sheets coated with terne metal (a lead-tin alloy).

(h) *Strip:* A flat-rolled product whether or not corrugated or crimped, in coils or cut to length, under 0,175 inch in thickness, and, if cold rolled, over 0,50 inch but not over 12 inches in width or, if not cold rolled, not over 12 inches in width.

(i) *Wire:* A finished, drawn, non-tubular product, of any cross-sectional configuration, in coils, and not over 0,703 inch in maximum cross-sectional dimension. The term also includes a product of solid rectangular cross-section, in coils, with a cold-rolled finish, and not over 0,25 inch thick and not over 0,50 inch wide.

(j) *Angles, shapes and sections:* Products which do not conform completely to the respective specifications set forth herein for blooms, billets, slabs, sheet bars, bars, wire rods, plates, sheets, strip, wire, caits, joint bars, or tie plates, and do not include any tubular products.

(k) *Rails:* Hot-rolled steel products, weighing not less than 8 pounds per yard, with cross-sectional shapes intended for carrying wheel loads in railroad, railway, and crane runway applications. Rails may be punched or not punched.

(l) *Joint bars:* Hot-rolled steel products designed to connect the ends of adjacent rails in track. Joint bars are usually punched or slotted.

(m) *Tie plates:* Hot-rolled steel products used to support rails in track, to maintain track gauge and protect the ties. Tie plates are punched to provide roles for spikes and have one or two shoulder sections as rail guides.

Subpart B statistical headnotes:

1. For the purpose of this subpart

   (a) the term *heat-resisting steel* refers to alloy steel which contains by weight less than 0,3 % carbon and 4,0 to 11,5 % inclusive, chromium;

   (b) the term *band-saw steel* refers to alloy tool steel which contains, in addition to iron, each of the following elements by weight in the amounts specified;

(i)	carbon:	not less than 0,47 nor more than 0,53 %;
(ii)	manganese:	not less than 0,60 nor more than 0,90 %;
(iii)	sulphur:	none, or not more than 0,015 %;
(iv)	phosphorus:	none, or not more than 0,025 %;
(v)	silicon:	not less than 0,10 nor more than 0,25 %;
(vi)	chromium:	not less than 0,90 nor more than 1,10 %;
(vii)	nickel:	not less than 0,50 nor more than 0,70 %;
(viii)	molybdenum:	not less than 0,90 nor more than 1,10 %; and
(ix)	vanadium:	not less than 0,08 nor more than 0,15 %.

2. For the purposes of this subpart, the term *baling wire* refers to round wire which is over 0,0758 inch but not over 0,0762 inch in diameter, produced, coiled and packaged in accordance with ASAE standard S 229.5.
